Model Number	Load Area	Taper	Travel	Gate Weight	Capacity		LIST
Full-Size Pickup - G2 Sc	eries						
G2-54-7542 TP38	49 x 38	4	42	421	750	 \$	2,498
G2-54-7542 EA38 ¹	50 x 38	6	42	369	750	\$	3,178
G2-60-1342 TP27	55 x 27	4	42	438	1300	\$	2,088
G2-60-1342 TP38	55 x 38	4	42	478	1300	\$	2,282
G2-60-1342 TP42	55 x 42	7	42	503	1300	\$	2,368
G2-60-1342 TT27	55 x 27	4	42	439	1300	\$	2,372
G2-60-1342 EA27	55 x 27	6	42	395	1300	\$	2,789
G2-60-1342 EA38	55 x 38	6	42	421	1300	\$	2,961
G2-60-1342 EA48 ²	55 x 48	6	42	442	1300	\$	3,267
G2-60-1342 BG27	55 x 27	4	42	445	1300	\$	2,443
G2-60-1542 TP27	55 x 27	4	42	438	1500	\$	2,283
G2-60-1542 TP38	55 x 38	4	42	478	1500	\$	2,476
G2-60-1542 TP42	55 x 42	7	42	503	1500	\$	2,56
G2-60-1542 TT27	55 x 27	4	42	439	1500	\$	2,568
G2-60-1542 EA27	55 x 27	6	42	395	1500	\$	2,985
G2-60-1542 EA38	55 x 38	6	42	421	1500	\$	3,155
G2-60-1542 EA48 ²	55 x 48	6	42	442	1500	\$	3,465
G2-60-1542 BG27	55 x 27	4	42	445	1500	\$	2,639

Notes:

^{2.} EA48 platform extends 10 inches above top of liftgate mainframe when closed.

Options	Description	LIST	
Bolt-on LED 3-Light Kit Bolt-on LED 2-Light Kit Remote Pendant Control Dual Controls Rear Camera & Sensor Bar ³ Galvanizing Option ⁴ Rubber Platform Bumpers In-cab, Shut-off Switch Folding Tire Rack Extra Bracket Kit Extended Warranty Winter Grade Hydraulic Fluid	3-light kit, 2 or 3-light systems (T-57L) (two red, one white each side) 2-light kit (T-67L) in place of standard curb-side fixed control standard fixed control + remote pendant control repositions the rear camera and sensors while retaining function a high-quality, "hot dipped" metallic zinc finish to prevent corrosion set of four (one-piece platform), set of six (two-piece platform) disables power to the liftgate from within the truck cab specify hinged side, not available for two-piece platforms top bracket and gussets only (one set included with liftgate) additional protection beyond the standard one- or two-year warranty (2 year max.) increases consistency of motion in cold climates	* * * * * * * * * * * * * * * * * * * *	396 289 164 304 82 698 31 51 225 176

- 3. Rear Camera & Sensor Bars are only available for newer model pickups. Contact factory for more information.
- 4. Galvanizing Option may increase production time and is not available for Steel Treadplate platforms.

^{1.} G2-54-7542 models are mid-size pickup applications and are sold with an included light kit and backup bar. Not compatible with all options, contact factory for more information.

Model Number	Load Area	Taper	Travel	Gate Weight	Capacity	LIST
Service & Utility Body - G	2 Series	Models for Ser				
G2-54-1342 TP27	49 x 27	4	42	415	1300	\$2,08
G2-54-1342 TP38	49 x 38	4	42	453	1300	
G2-54-1342 TP42	49 x 42	7	42	477	1300	\$2,28
G2-54-1342 TT27	50 x 27	4	42	416	1300	\$2,36
G2-54-1342 EA27	49 x 27	6	42	375		\$2,37
G2-54-1342 EA38	49 x 38	6	42	399	1300 1300	\$2,78
G2-54-1342 EA48'	49 x 48	6	42	419		\$2,96
G2-54-1342 BG27	50 x 27	4	42	422	1300 1300	\$3,26 \$2,44
G2-54-1642 TP27	49 x 27	4	42	415	1600	\$2,28
G2-54-1642 TP38	49 x 38	4	42	453	1600	\$2,20 \$2,47
G2-54-1642 TP42	49 x 42	7	42	477	1600	
G2-54-1642 TT27	50 x 27	4	42	416	1600	\$2,56
G2-54-1642 EA27	49 x 27	6	42	375	1600	\$2,56
G2-54-1642 EA38	49 x 38	6	42	399	1600	\$2,98
G2-54-1642 EA48'	49 x 48	6	42	419	1600	\$3,15
G2-54-1642 BG27	50 x 27	4	42	422	1600	\$3,46 \$2,63

Notes:

Additional Body Sizes

Body Opening	Model	Description	LIST
54"	60SB	55" Load Area width	

Options	Description	LIST
Bolt-on LED 3-Light Kit Bolt-on LED 2-Light Kit Remote Pendant Control Dual Controls Galvanizing Option ^c Rubber Platform Bumpers In-cab, Shut-off Switch Folding Tire Rack Extra Bracket Kit Extended Warranty Winter Grade Hydraulic Fluid	3-light kit, 2 or 3-light systems (T-57L) (two red, one white each side) 2-light kit (T-67L) In place of standard curb-side fixed control standard fixed control + remote pendant control a high-quality, "hot dipped" metallic zinc finish to preven corrosion set of four (one-piece platform), set of six (two-piece platform) disables power to the liftgate from within the truck cab specify hinged side, not available for two-piece platforms top bracket and gussets only (one set included with liftgate) additional protection beyond standard one- or two-year warranty (2 year max) increases consistency of motion in cold climates	\$396 \$289 \$164 \$304 \$698 \$31 \$51 \$225 \$176 \$167

EA48 Platform extends 10" above liftgate mainframe when closed

^{2.} Galvanizing Option is not available for Steel Treadplate platforms. May increase lead time.

Model Number	Load Area	Bed Heights ¹	Gate Weight ²	Capacity	LIST
TKT Models (Dual-Cy	linder, Power-Down, S	Self-Leveling)			
TKT-80-25 TP50	80 x 50	40 - 54	887	2500	\$5,958
TKT-80-25 TP60	80 x 60	45 - 54	980	2500	\$6,125
TKT-80-25 EA50	80 x 50	40 - 54	816	2500	\$7,261
TKT-80-25 EA60	80 x 60	45 - 54	866	2500	\$7,544
TKT-80-30 TP50	80 x 50	40 - 54	887	3000	\$6.265
TKT-80-30 TP60	80 x 60	45 - 54	980	3000	\$6,432
TKT-80-30 EA50	80 x 50	40 - 54	816	3000	\$7,568
TKT-80-30 EA60	80 x 60	45 - 54	866	3000	\$7.851

Notes:

- 1. Minimum bed heighjt range is laden. Maximum bed height range is unladen.
- 2. Must add bed extension weight for total installed gate weight.

Bed Extension Options

Body Size	Bed Extension Type	Weight	Description	LIST
96"	Standard	276	3/16-inch thick steel construction	-
102"	Standard	283	3/16-inch thick steel construction	plus \$126
96"	Heavy Duty	334	3/8-inch thick steel construction	plus \$171
102"	Heavy Duty	341	3/8-inch thick steel construction	plus \$298

- 3. Bed extension prices are listed for new liftgate purchases. Prices differ when purchased separately.
- 4. TKT Models ship with fully-assmbled liftgate, bed extension, steps, and bumpers.
- 5. All bed extensions come with adjustable steps and rubber dock bumpers.

Options	Description	LIST
Standard		
Rubber Dock Bumpers	protect the bed extension from direct contact with loading dock surface	_
Underride Impact Guard	a low, full-width guard bar protects from rear vehicle underrida	_
Platform Power Down	offers consistent platform action both upwards and downwards	_
Low-Profile Toggle Control	with inactivity shut-off to guard against unauthorized use	
Snubber Kit	secures the platform when stored	_
Standard Power Cable	38-foot, 2-gauge, full-length power and ground	
Additional		
Split Cart Stops ⁶	secure wheeled cargo, aluminum platforms only	\$534
2-light, LED Light Kit	2-light add-on system (T-80) (one red, one white each side)	\$266
Dual Controls	standard fixed control + remote pendant control	\$304
Galvanizing Option ⁷	a high-quality, "hot dipped" metallic zinc finish to prevent corrosion	\$698
Auxiliary Battery Box ⁸	provides adequate power on longer straight truck and trailer applications	\$425

Extended Power Cable	41-foot cable, 2-gauge, full-length power and ground	\$39
24-volt System	compatible with vehicles running a 24-volt system	\$100
Extended Warranty	additional protection beyond standard one- or two-year warranty	\$295
License Plate Mount	bracket plate holder with light	\$66
In-Line Power Shut-Off	disables power to the liftgate along the power line	\$126
In-Cab, Shut-Off Switch	disables power to the liftgate from within the truck cab	\$51

- 6. Aluminum platforms lose 10 inches of loading depth when cart stops are deployed.
- 7. Suggested for use with aluminum platforms. May increase lead time.
- 8. Auxiliary Battery Box options include additional charge line kits. Go to www.tommygate.com for more information.

Model Number	Load Area	Taper	Travel	Gate Weight	Capacity	Width	LIST
Bi-Fold, High-Cycle M	odel for 96" Wide Bod	ies					
89-25 BF TP60	83 x 60	13	34 - 54	1320	2500	93-3/4	\$8,06
89-25 BF TP70	83 x 70	13	34 - 54	1378	2500	93-3/4	\$8,47
39-30 BF TP60	83 x 60	13	34 - 54	1320	3000	93-3/4	\$8,36
89-30 BF TP70	83 x 70	13	34 - 54	1378	3000	93-3/4	\$8,78
Bi-Fold, High-Cycle M	odel for 102" Wide Boo	dies					
95-25 BF TP60	89 x 60	13	34 - 54	1362	2500	99-3/4	\$8,66
95-25 BF TP70	89 x 70	13	34 - 54	1420	2500	99-3/4	\$9,07
95-30 BF TP60	89 x 60	13	34 - 54	1362	3000	99-3/4	\$8,96
00 00 Bi 11 00							

NOTES

- 1. Minimum bed height range is laden. Maximum bed height range is unladen.
- 2. Standard, aluminum retention ramp serves as 13-inch, folding platform taper on Bi-Fold Railgate Models.

Options	Description	LIST
Above-bed Travel	allows platform to travel above truck bed-height for dock loading	\$268
Auxiliary Battery Box ³	provides adequate power on longer straight truck and trailer applications	\$425
Recessed LED Light Kit	3-light kit (two red, one white each side)	\$234
Dual Controls	standard fixed control + remote pendant control	\$304
Extended Warranty	additional protection beyond standard one- or two-year warranty	\$295
In-cab, Shut-off Switch	disables power to the liftgate from within the truck cab	\$51
Winter Grade Hydraulic Fluid	increases consistency of motion in cold climates	\$31

Notes:

3. Auxiliary Battery Box options include additional charge line kits. Go to www.tommygate.com for more information.

Model Number	Load Area	Taper	Travel	Gate Weight	Capacity	Width	LIST
High-Cycle, Steel-Fra	me Models for 96" W	ide Bodies					
89-25 TP36	89 x 36	12	32 - 54	1040	2500	93-3/4	\$5,256
89-25 TP42	89 x 42	12	32 - 54	1094	2500	93-3/4	\$5,496
89-25 TP48	89 x 48	12	32 - 54	1147	2500	93-3/4	\$5,736
89-25 EA55	89 x 55	12	32 - 54	968	2500	93-3/4	\$6,775
89-25 GBR	82 x 30	12	38 - 54	1050	2500	93-3/4	\$7,132
89-30 TP36	89 x 36	12	32 - 54	1040	3000	93-3/4	\$5,560
89-30 TP42	89 x 42	12	32 - 54	1094	3000	93-3/4	\$5,800
89-30 TP48	89 x 48	12	32 - 54	1147	3000	93-3/4	\$6,040
89-30 EA55	89 x 55	12	32 - 54	968	3000	93-3/4	\$6,98
89-30 GBR	82 x 30	12	38 - 54	1050	3000	93-3/4	\$7,410

IMPORTANT

High-Cycle railgate models are intended for medium-duty application only.

Additional Body Sizes

Body Size	Model	Description	LIST
00"			
90"	85	85" load width	
102"	95	95" load width	plus \$600

Additional Aluminum Platform Depths

Option	Description	LIST
5" aluminum extrusion	Extruded aluminum platforms are available in any depth 35" - 70", in 5" increments. Add price of extrusions needed to EA55 model price.	\$164 per

Options	Description	LIST
Recessed LED Light Kit	2 liability /h and	
-	3-light kit (two red, one white each side)	\$234
Split Cart Stops	located in platform taper, secures wheeled cargo	\$534
Above-bed Travel	allows platform to travel above truck bed-height for dock loading	\$268
Auxiliary Battery Box	provides adequate power on longer straight truck and trailer applications	\$425
Rubber Platform Bumpers	set of four or six, depending on platform	\$31
Dual Controls	standard fixed control + remote pendant control	\$304
Extended Warranty	additional protection beyond standard one- or two-year warranty	\$295
In-cab, Shut-off Switch	disables power to the liftgate from within the truck cab	\$51
Winter Grade Hydraulic Fluid	increases consistency of motion in cold climates	\$31

IMPORTANT

Liftgate installation differs from standard railgate models. See instructions or call for details.

Notes:

1. Auxiliary Battery Box options include additional charge line kits. Go to www.tommygate.com for more information.

Model Number	Load Area	Taper	Travel	Gate Weight	Capacity	Width	LIS
Standard, Steel Frar	me Models for 96" Bo	odies					
89-16 TP37	89 x 37	6	32 - 54	810	1600	92-3/4	
89-16 TP42	89 x 42	6	32 - 54	860	1600	92-3/4	\$3,31
89-16 EA55	89 x 55	12	32 - 54	715	1600	92-3/4	\$3,56 \$4,41
89-20 TP37	89 x 37	6	32 - 54	810	2000	92-3/4	\$3,55
89-20 TP42	89 x 42	6	32 - 54	860	2000	92-3/4	\$3,80
89-20 EA55	89 x 55	12	32 - 54	715	2000	92-3/4	\$4,64
89-20 GBR	89 x 30	12	<u>32 -</u> 54	805	2000	92-3/4	\$4,05
					-		
Standard, Aluminum	Frame Models for 9	6" Bodies					
A85-16 EA55	85 x 55	12	32 - 54	585	1600	92-1/4	\$5,79
A85-20 EA55	85 x 55	12	32 - 54	585	2000	92-1/4	\$6,02

Additional Body Sizes

Body Size	Model	Description	LIST
80" 85" 90" 102"	73 79 85 95	73" Load Area width 79" Load Area width 85" Load Area width 95" Load Area width	plus \$600

Additional Aluminum Platform Depths

Option	Description	LIST
5" aluminum extrusion	Extruded aluminum platforms are available in any depth 35" - 70", in 5" increments. Add price of extrusions needed to EA55 model price.	\$164 per

Options	Description	LIST
Above-bed Travel Recessed LED Light Kit Split Cart Stops Split Retention Ramps ² Rubber Platform Bumpers Dual Controls In-cab, Shut-off Switch Torsion Bar ³ Winter Grade Hydraulic Fluid	allows platform to travel above truck bed-height for dock loading 3-light kit (two red, one white each side) located on flat loading surface, secures wheeled cargo (EA platforms only) available for treadplate platforms only, secures wheeled cargo set of four or six, depending on platform standard fixed control + remote pendant control disables power to the liftgate from within the truck cab in place of standard cam-arm system, when ordering liftgate increases consistency of motion in cold climates	\$268 \$234 \$534 \$549 \$31 \$304 \$51

- 1. Self-close system not available for 65" or 70" EA platforms at 1600lb capacity.
- 2. Only available on Model 89 and Model 85. Retention ramps add 5" of loading depth to platform and include 12" aluminum taper.
- 3. Torsion bars are not available for some larger widths and platforms. Contact factory for more information.

Model Number	Load Area	Taper	Travel	Gate Weight	Capacity	Width	LIST
Dock-Friendly, Steel-Fr	ame Models for 96" V	/ide Bodies					
89-16 RF 45-6	89 x 45	6	32 - 54	674	1600	92-3/4	\$4,79
89-16 RF 45-12	89 x 45	12	32 - 54	688	1600	92-3/4	
89-16 RF 50-6	89 x 50	6	32 - 54	695	1600	92-3/4	\$4,79 \$4,79
89-20 RF 45-6	89 x 45	6	32 - 54	674	2000	92-3/4	65.00
89-20 RF 45-12	89 x 45	12	32 - 54	688	2000	92-3/4	\$5,02 \$5,02
89-20 RF 50-6	89 x 50	6	32 - 54	695	2000	92-3/4	\$5,02 \$5,02
Dock-Friendly, Aluminu	m-Frame Models for	96" Wide Bo	dies				
A85-16 RF 45-6	85 x 45	6	32 - 54	539	1600	92-1/4	\$6,16
A85-16 RF 45-6 A85-16 RF 45-12	85 x 45 85 x 45	6 12	32 - 54 32 - 54	539 553	1600 1600	92-1/4 92-1/4	
Dock-Friendly, Aluminu A85-16 RF 45-6 A85-16 RF 45-12 A85-16 RF 50-6	85 x 45	6	32 - 54				\$6,16
A85-16 RF 45-6 A85-16 RF 45-12	85 x 45 85 x 45	6 12	32 - 54 32 - 54	553	1600 1600	92-1/4 92-1/4	\$6,16 \$6,16
A85-16 RF 45-6 A85-16 RF 45-12 A85-16 RF 50-6	85 x 45 85 x 45 85 x 50	6 12 6	32 - 54 32 - 54 32 - 54	553 559	1600	92-1/4	\$6,16 \$6,16 \$6,16 \$6,39 \$6,39

Additional Body Sizes

Body Size	Model	Description	LIST
90"	85	85" Load Area width	
102"1	95	95" Load Area width	plus \$600

\$6,399

^{1. 102-}inch width RF models (95) are not available in aluminum frame option.

Options	Description	LIST
Recessed LED Light Kit	3-light kit (two red, one white each side)	\$234
Split Cart Stops Rubber Platform Bumpers	located on flat loading surface, secures wheeled cargo	\$534
Dual Controls	set of four or six, depending on platform	\$31
In-cab, Shut-off Switch	standard fixed control + remote pendant control	\$304
Winter Grade Hydraulic Fluid	disables power to the liftgate from within the truck cab	\$51
Winter Grade Hydraulic Fluid	increases consistency of motion in cold climates	\$31

Model Number	Load Area	Taper	Travel	Gate Weight	Capacity	Width	LIST
Flatbed, Stake & Van -	G2 Series						
G2-92-1350 TP35	87 x 35	- 6	50	628	1300		
G2-92-1350 TP41	87 x 41	6	50	655		92	\$2,5
G2-92-1350 TT33	87 x 33	6	50		1300	92	\$2,7
G2-92-1350 EA37	85 x 37	6	50	612	1300	92	\$2,8
G2-92-1350 FA41	85 x 41	6		561	1300	92	\$3,2
G2-92-1350 BG33	87 x 33	_	50	577	1300	92	\$3,6
GE 32-1300 BG33	07 X 33	6	50	637	1300	92	\$2,8
G2-92-1650 TP35	87 x 35	6	50	628	1600		
G2-92-1650 TP41	87 x 41	6	50	655		92	\$2,6
G2-92-1650 TT33	87 x 33	6	50	612	1600	92	\$2,8
G2-92-1650 EA37	85 x 37	6	50	561	1600	92	\$2,9
G2-92-1650 EA41	85 x 41	6	50		1600	92	\$3,3
G2-92-1650 BG33	87 x 33	6		577	1600	92	\$3,7
			50	637	1600	92	\$2,9
G2-92-2050 TP35	87 x 35	6	50	644	2000	- 00	
G2-92-2050 TP41	87 x 41	6	50	680	2000	92	\$2,9
G2-92-2050 EA37	85 x 37	6	50	563		92	\$3,2
G2-92-2050 EA41	85 x 41	6	50		2000	92	\$3,6
			30	577	2000	92	\$4.0

IMPORTANT 2.000LB-Capacity G2 Models are only available in 92 and 87 Model varieties.

Additional Body Sizes

Body Size	Model	Description	110
			LIS
90"	87	80" Load Area width	
85"	81	75" Load Area width	
80"	73	66" Load Area width	
> 67"	65	60 Load Area width	
> 65"	60	55" Load Area width	ļ.

Options	Description	LIST
Bolt-on LED 3-Light Kit Bolt-on LED 2-Light Kit Remote Pendant Control Dua-Controls Galvanizing Option Rubber Platform Bumpers In-cab, Shut-off Switch Folding Tire Rack Extended Warranty Winter Grade Hydraulic Fluid	3-light kit, 2 or 3-light systems (T-57L) (two red, one white each side) 2-light kit (T-67L) in place of standard curb-side fixed control standard fixed control + remote pendant control a high-quality, "hot dipped" metallic zinc finish to prevent corrosion set of four disables power to the liftgate from within the truck cab specify hinged side additional protection beyond standard one- or two-year warranty increases consistency of motion in coid climates	\$396 \$289 \$164 \$304 \$531 \$51 \$225 \$167

Notes:
1. Galvanizing option unavailable for Steel Treadplate platforms. May increase lead time.

Model Number	Load Area	Taper	Travel	Gate Weight	Capacity	Body Width	LIST
Flatbed, Stake & Van - LOW-	PROFILE - G2 Series						
G2-65-1642 TP38	60 x 38	4	42	505	1600	66-3/4	\$2,897
G2-73-1642 TP38	66 x 38	4	42	532	1600	73	\$2,897
G2-81-1642 TP38	74 x 38	4	42	572	1600	81-1/2	\$2,89
G2-87-1642 TP38	80 x 38	4	42	592	1600	87	\$2,89
G2-92-1642 TP38	85 x 38	4	42	609	1600	92	\$2,89
G2-65-1642 EA38	60 x 38	6	42	436	1600	66-3/4	\$3.70
G2-73-1642 EA38	66 x 38	6	42	458	1600	73	\$3.70
G2-81-1642 EA38	74 x 38	6	42	489	1600	81-1/2	\$3.70
G2-87-1642 EA38	80 x 38	6	42	507	1600	87	\$3.70
G2-92-1642 EA38	85 x 38	6	42	523	1600	92	\$3,70

Notes:

1. Low-Profile G2 Models are a specialized application recommended for specific vehicle requirements.

Options	Description	LIST
Bolt-on LED 3-Light Kit	3-light kit, 2 or 3-light systems (T-57L) (two red, one white each side)	\$396
Bolt-on LED 2-Light Kit	2-light kit (T-67L)	\$289
Remote Pendant Control	in place of standard curb-side fixed control	\$164
Dual Controls	standard fixed control + remote pendant control	\$304
Galvanizing Option	a high-quality, "hot dipped" metallic zinc finish to prevent corrosion	\$698
Rubber Platform Bumpers	set of four (one-piece platform), set of six (two-piece platform)	\$31
Extended Warranty	additional protection beyond standard one- or two-year warranty	\$167
In-cab, Shut-off Switch	disables power to the liftgate from within the truck cab	\$51
Winter Grade Hydraulic Fluid	increases consistency of motion in cold climates	\$31

Notes

1. Galvanizing Option is unavailable for Steel Treadplate platforms. May increase lead time.

Model Number	Load Area	Taper	Travel	Gate Weight	Capacity	LIST
Lift-N-Dump - G2 Series (1	for Bodies with 83" - 8	8" Wide Oper	nings)			
G2-92-1650 LD33	83 x 33	6	50	682	1600	\$3,167

Notes:

Additional Body Sizes

Body Size	Model	Description	LIST
78" - 83"	87	78" Load Area width	
69" - 78"	81	73" Load Area width	
64" - 69"	73	64" Load Area width	

Options	Description	LIST
Bolt-on LED 3-Light Kit	3-light kit, 2 or 3-light systems (T-57L) (two red, one white each side)	\$396
Bolt-on LED 2-Light Kit	2-light kit (T-67L)	\$289
Remote Pendant Control	in place of standard curb-side fixed control	\$164
Dual Controls	standard fixed control + remote pendant control	\$304
Rubber Platform Bumpers	set of four	\$31
Extended Warranty	additional protection beyond standard one- or two-year warranty	\$167
In-cab, Shut-off Switch	disables power to the liftgate from within the truck cab	\$51
Winter Grade Hydraulic Fluid	increases consistency of motion in cold climates	\$31

Use of a double-acting hoist is recommended. Using a single-acting hoist requires tie-down clamps.

Model Number	Load Area	Taper	Travel	Gate Weight	Capacity	LIST
V2 Series						
√2-56-1140 FA34 √2-56-1140 FA49¹	47 x 34	9	40	420	1100	\$4,60

^{1.} FA49 Models must have the 9" retention ramp/taper engaged when storing the platform on lower roof van models to avoid the ramp contacting the van frame.

Model Number	Load Area	Depth	Travel	Gate Weight	Capacity		LIST			
Cantilever Series										
CVL-AA-1330 EF71	53 x 60	71	30	610	1300	1\$	6,402			
CVL-AA-1330 EF52	53 x 40	52	30	570	1300	\$	5,955			
CVL-AB-1330 EF71	53 x 60	71	30	610	1300	\$	6,402			
CVL-AB-1330 EF52	53 x 40	52	30	570	1300	\$	5,955			
CVL-AC-1330 EF71	53 x 60	71	30	610	1300	\$	6,402			
CVL-AC-1330 EF52	53 x 40	52	30	570	1300	\$	5,955			
CVL-AD-1330 EF52	53 x 40	52	30	570	1300	\$	5,955			
CVL-AE-1330 EF71	53 x 60	71	30	610	1300	\$	6,402			
CVL-AE-1330 EF52	53 x 40	52	30	570	1300	\$	5,955			
CVL-AH-1330 EF71	53 x 60	71	30	610	1300	\$	6,402			
CVL-AH-1330 EF52	53 x 40	52	30	570	1300	\$	5,955			
CVL-AF-1330 EF71	53 x 60	71	30	610	1300	\$	6.402			
CVL-AF-1330 EF52	53 x 40	52	30	570	1300	\$	5,955			
CVL-AG-1330 EF71	53 x 60	71	30	610	1300	\$	6,402			
CVL-AG-1330 EF52	53 x 40	52	30	570	1300	\$	5,955			

IMPORTANT

- 1. EF71 platforms are recommended for higher-roof van models only.
- 2. Installation may affect specific vehicle features suzh as rear sensors and back-up cameras.
- 3. Installation is not compatible with any form of towing hitch.
- 4. Installation requires the spare tire to be relocated.
- 5. Ram Promaster applications (AE & AH) require exhaust hanger modification.
- 6. Sprinter applications (AA & AB) may require exhaust hanger modification. (varies by model)
- 7. Mercedes-Benz requires the use of an auxillary battery for all liftgates installed on SPRINTER® vans.
- 8. Ford Transit "medium height" models are compatible with EF71 platform.
- 9. Some Ford Transit installations may require a separate connection point kit to be ordered from Ford. See Install Instructions or contact customer service.