

CATERPILLAR MACHINE PRICE LIST

306

306 EXCAVATOR
ATHENS, GA, USA (SAP)

Ship Weight
lbs

LIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

CAT C2.4T diesel engine
U.S. EPA tier 4 final
EU stage V
ISO 9249/EEC 80/1270
Rated net power 41.7 kW - 2,400 rpm -
ISO 9249/EEC 80/1269
Electronic engine, turbo, DPF (diesel
particulate filter)
Automatic engine idle
Automatic engine shut-off
Automatic swing brake
Automatic two speed travel
Fuel and water separator with indicator
Radial seal air filter, double element
with warning indicator

UNDERCARRIAGE

Greased and lubricated track
Hydraulic track adjusters
Tie down eyes on track frame

HYDRAULICS

Smart tech electronic pump
Variable displacement piston pump
Load sensing/flow sharing hydraulics
Hydraulic temperature monitoring
Accumulator certified

ELECTRICAL

60 ampere alternator
650 CCA maintenance free battery
Battery disconnect
Circuit breaker
Ignition key stop switch
Signaling/warning horn
Work lights:
-Cab, boom left

OPERATOR ENVIRONMENT

Ergonomic joysticks control levers
Adjustable wrist rests
Pattern changer
Color LCD monitor:
- Fuel level, coolant temp, & warning
indicators
- Maintenance and machine monitoring
- Performance & machine adjustments
- Numeric security code
- Multiple languages
- Hour meter
- Ground level wakeup switch
- Camera ready
Cup holder
Hydraulic lockout for all controls

Literature holder
Molded footrests
Removable washable floor mat
Retractable fluorescent seat belt
Travel control pedals with hand levers
Utility space for mobile phone
Skylight
Mounting bosses for front & top guard

FLUIDS

Extended life coolant - 37C
Hydro advanced hydraulic oil

OTHER STANDARD EQUIPMENT

Caterpillar corporate "one key" system
Locks on external enclosure doors
Lockable fuel cap
Beacon socket
Ecology drain - engine
Radial seal engine air filter, double
element with restriction indicator
Side by side engine & hydraulic oil
cooler
Stick steer mode
Cruise control mode
Power on demand
Rear reflectors
Roll over protective structure (ROPS)
(ISO 12117-2)
Auxiliary hydraulic lines
- 1-way and 2-way (combined function)
- Auxiliary line quick disconnects
- Adjustable auxiliary flow
- Continuous flow
- Adjustable auxiliary relief
Thumb ready stick

CATERPILLAR MACHINE PRICE LIST

306

306 EXCAVATOR ATHENS, GA, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

**Lane 2 is reserved for the Base Order Management Program.
Please use Lane 2 when placing orders that are part of the Base Order Management Program.**

579-2610 306 07A CR MHE DCA3A 0 \$93,030

- LANE 1 - AVAILABLE FROM ATHENS PDC
- LANE 2 - AVAILABLE FROM ATHENS FACTORY
- LANE 3 - AVAILABLE FROM ATHENS FACTORY

INCLUDES:

- 523-7568 306 07A CR MINI EXCAVATOR
- 530-1645 CAB, WITH HEAT AND A/C
- 523-8003 ELECTRICAL ARR, C2.4T HRC
- 523-7593 ENGINE, EPA TIER 4 FINAL
- 579-2604 BLADE, STD, BOCE, CAB
- 527-2800 TRACK, 400MM(16"), RUBBER BELT
- 579-2625 STICK, LONG, W/THUMB BRACKET
- 569-7627 SEAT, MECH SUSP, FABRIC
- 522-6460 CAT KEY, WITH PASSCODE OPTION
- 557-5068 MONITOR NEXT GEN, CAMERA READY
- 523-7583 BOOM, SWING
- 532-7892 LINES, BOOM
- 532-7890 LINES, STICK
- 532-8634 LINES, AUX, QC, LONG STK
- 532-8607 CONTROL, QUICK COUPLER
- 538-2663 NO EXTRA COUNTERWEIGHT
- 382-8757 DRAIN, ECOLOGY
- 510-6085 BELT, SEAT, 3" RETRACTABLE
- 511-6170 ALARM, TRAVEL
- 522-6498 LIGHTS, STANDARD
- 511-6219 RADIO
- 557-5067 PRODUCT LINK, CELLULAR PL243
- 545-6721 NO CAMERA
- 566-0462 HEATER, WATER JACKET
- 538-2697 LINKAGE, BUCKET W/ LIFTING EYE
- 557-1709 SOFTWARE, PROPORTIONAL CONTROL
- 557-1710 SOFTWARE, STICK STEER CONTROL
- 557-1711 KIT, 2 WAY CONTROL
- 557-1713 SOFTWARE, CODED START
- 541-4573 TRAVEL PEDALS
- 535-8483 INSTRUCTIONS, ANSI
- 552-5984 FILM, CANADA
- 555-8731 FILM, COUPLER, ISO

NOTE: 306CR straight blade model

CATERPILLAR MACHINE PRICE LIST

306

306 EXCAVATOR ATHENS, GA, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

<p>579-2611</p> <p>306 07A CR MHE DCA4A 0</p> <p>LANE 1 - AVAILABLE FROM ATHENS PDC</p> <p>LANE 2 - AVAILABLE FROM ATHENS FACTORY</p> <p>LANE 3 - AVAILABLE FROM ATHENS FACTORY</p>	<p>0</p>	<p>\$96,600</p>
---	----------	------------------------

- INCLUDES:
- 523-7568 306 07A CR MINI EXCAVATOR
 - 530-1645 CAB, WITH HEAT AND A/C
 - 523-8003 ELECTRICAL ARR, C2.4T HRC
 - 523-7593 ENGINE, EPA TIER 4 FINAL
 - 579-2605 BLADE, ANGLE, BOCE, CAB
 - 527-2800 TRACK, 400MM(16"), RUBBER BELT
 - 579-2627 STICK, LONG, ANG BLD
 - 569-7627 SEAT, MECH SUSP, FABRIC
 - 522-6460 CAT KEY, WITH PASSCODE OPTION
 - 557-5068 MONITOR NEXT GEN, CAMERA READY
 - 523-7583 BOOM, SWING
 - 532-7892 LINES, BOOM
 - 532-7890 LINES, STICK
 - 532-8634 LINES, AUX, QC, LONG STK
 - 532-8607 CONTROL, QUICK COUPLER
 - 538-2663 NO EXTRA COUNTERWEIGHT
 - 382-8757 DRAIN, ECOLOGY
 - 510-6085 BELT, SEAT, 3" RETRACTABLE
 - 511-6170 ALARM, TRAVEL
 - 522-6498 LIGHTS, STANDARD
 - 511-6219 RADIO
 - 557-5067 PRODUCT LINK, CELLULAR PL243
 - 545-6721 NO CAMERA
 - 566-0462 HEATER, WATER JACKET
 - 538-2697 LINKAGE, BUCKET W/ LIFTING EYE
 - 557-1709 SOFTWARE, PROPORTIONAL CONTROL
 - 557-1710 SOFTWARE, STICK STEER CONTROL
 - 557-1711 KIT, 2 WAY CONTROL
 - 557-1713 SOFTWARE, CODED START
 - 541-4573 TRAVEL PEDALS
 - 535-8483 INSTRUCTIONS, ANSI
 - 552-5984 FILM, CANADA
 - 555-8731 FILM, COUPLER, ISO
- NOTE: 306CR angle blade model

CATERPILLAR MACHINE PRICE LIST

306

306 EXCAVATOR ATHENS, GA, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

<p>579-2613 306 07A CR MHE CFG14A 0 LANE 3 - AVAILABLE FROM ATHENS FACTORY</p>	<p>\$90,590</p>
--	------------------------

INCLUDES:
 523-7568 306 07A CR MINI EXCAVATOR
 530-1645 CAB, WITH HEAT AND A/C
 523-8003 ELECTRICAL ARR, C2.4T HRC
 523-7593 ENGINE, EPA TIER 4 FINAL
 523-7583 BOOM, SWING
 382-8757 DRAIN, ECOLOGY
 510-6085 BELT, SEAT, 3" RETRACTABLE
 511-6170 ALARM, TRAVEL
 557-1709 SOFTWARE, PROPORTIONAL CONTROL
 557-1710 SOFTWARE, STICK STEER CONTROL
 557-1711 KIT, 2 WAY CONTROL
 557-1713 SOFTWARE, CODED START
 541-4573 TRAVEL PEDALS
 555-8731 FILM, COUPLER, ISO
 NOTE: Cab includes heater.

<p>579-2620 306 07A CR MHE CFG14A 0 LANE 3 - AVAILABLE FROM ATHENS FACTORY XTC MHE</p>	<p>\$100,160</p>
---	-------------------------

INCLUDES:
 523-7568 306 07A CR MINI EXCAVATOR
 530-1645 CAB, WITH HEAT AND A/C
 523-8003 ELECTRICAL ARR, C2.4T HRC
 523-7593 ENGINE, EPA TIER 4 FINAL
 579-2606 COUPLER, XTC, CAB
 523-7583 BOOM, SWING
 382-8757 DRAIN, ECOLOGY
 510-6085 BELT, SEAT, 3" RETRACTABLE
 511-6170 ALARM, TRAVEL
 557-1709 SOFTWARE, PROPORTIONAL CONTROL
 557-1710 SOFTWARE, STICK STEER CONTROL
 557-1711 KIT, 2 WAY CONTROL
 557-1713 SOFTWARE, CODED START
 541-4573 TRAVEL PEDALS
 555-8731 FILM, COUPLER, ISO

<p>0P-7374 306 MISC MATERIAL 0 ONLY AVAILABLE FROM WACO PARTS SERVICE Use this top level reference number only when ordering KITS in CMOPS to be transferred via the bridge to ANTARES Parts Ordering.</p>	<p>NC</p>
--	------------------

CATERPILLAR MACHINE PRICE LIST

306

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM THE PDC.

0P-9001	LANE 1 ORDER 0 Select this option when ordering from the PDC.	NC
---------	---	-----------

OPERATION AND MAINTENANCE MANUAL

421-8926	SERIALIZED TECHNICAL MEDIA KIT 0 The technical media kit will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Included in the kit, can be ordered through the media website. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com.	NC
----------	---	-----------

PDC MACHINE PREP

590-9288	ATHENS DEALER PDI & FUEL 0 The Athens Dealer PDI will include an official Caterpillar MHE PDI inspection complete with an online report for the machine utilizing the CAT Inspect application, diesel fuel top-off, hydraulic oil max line fill, engine oil max line fill, washer fluid top-off, cold weather anti-gelling fuel treatment, and the optional installation of two Dealer supplied lock-ups.	\$310 NET
----------	---	------------------

PROTECTION

0P-2266	SHIPPING/STORAGE PROTECTION 0 Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer. REQUIRED BY: ALL ORDERS	\$210 NET
---------	---	------------------

PACKING

0P-4299	PACKING, LAST MILE PROGRAM 0	NC
---------	---	-----------

CATERPILLAR MACHINE PRICE LIST

306

USE	REF NO.	LANE 1 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

LANE 1 NACD WORK TOOL CUSTOMIZATION

WT NOT REPRESENTED BELOW MUST BE ORDERED FROM THE WT-MHE PRICE LIST

WORK TOOL PACKAGE

W	575-0492	THUMB,HYD + COUPLER,PG,HYD, 5T 328 Hydraulic Thumb with Hydraulic Dual Lock Coupler No-Link Style Thumb group has 2 teeth		\$5, 979
W	575-0491	THUMB,HYD + COUPLER,PG,MAN, 5T 322 Hydraulic Thumb with Manual Dual Lock Coupler No-Link Style Thumb group has 2 teeth		\$4, 431
W	485-5301	COUPLER, PG, HYDR.D.LOCK, 5T 91 Hydraulic Quick Coupler		\$3, 576
W	444-7496	COUPLER, PG, MAN.D.LOCK, 5T 113 Mechanical Quick Coupler		\$2, 028

BUCKETS

May select one installed bucket per machine.
May select up to 2 not installed buckets per machine.
First bucket on machine order must be installed.
One set of Bucket Pins recommended for each not installed bucket.

W	464-9907	BUCKET-HD, 12", 2.1 FT3, 5T 156 INCLUDES: 3 J200 long tooth tips	156	\$1, 125 \$1, 125 NI
W	464-9909	BUCKET-HD, 18", 3.1 FT3, 5T 194 INCLUDES: 4 J200 long tooth tips	194	\$1, 236 \$1, 236 NI
W	464-9911	BUCKET-HD, 24", 4.6 FT3, 5T 234 INCLUDES: 5 J200 long tooth tips	234	\$1, 375 \$1, 375 NI
W	282-2785	PINS, BUCKET, 45MM 11 INCLUDES: 2 bucket pins and hardware		\$111 NI

CATERPILLAR MACHINE PRICE LIST

306

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER	0	NC

BOOMS, STICKS, AND LINKAGES

STICK PACKAGES

L	579-2615	STICK, STANDARD INCLUDES: 523-7585 2 WAY CONTROL, HAND CONTROL 523-7589 STICK, STD W/ THUMB BRACKET 532-7894 LINES, AUXILIARY, STD STICK ONLY FOR USE WITH: 579-2613 306 07A CR MHE CFG14A OR 579-2631 306 07A CR MHE CFG14A AND 579-2604 BLADE, STD, BOCE, CAB	0	NC
L	579-2625	STICK, LONG INCLUDES: 523-7585 2 WAY CONTROL, HAND CONTROL 523-7590 STICK, LONG W/ THUMB BRACKET 532-7835 LINES, AUXILIARY, LONG STICK ONLY FOR USE WITH: 579-2613 306 07A CR MHE CFG14A OR 579-2631 306 07A CR MHE CFG14A AND 579-2604 BLADE, STD, BOCE, CAB	0	NC
L	579-2616	STICK, STANDARD, WITH 2ND AUX INCLUDES: 523-7586 2ND AUXILIARY, HAND CONTROL 523-7589 STICK, STD W/ THUMB BRACKET 532-7896 LINES, 2ND AUX, STD STICK ONLY FOR USE WITH: 579-2613 306 07A CR MHE CFG14A OR 579-2631 306 07A CR MHE CFG14A AND 579-2604 BLADE, STD, BOCE, CAB	0	\$1,030
L	579-2626	STICK, LONG, WITH 2ND AUX INCLUDES: 523-7586 2ND AUXILIARY, HAND CONTROL 523-7590 STICK, LONG W/ THUMB BRACKET 532-7897 LINES, 2ND AUX, LONG STICK ONLY FOR USE WITH: 579-2613 306 07A CR MHE CFG14A OR 579-2631 306 07A CR MHE CFG14A AND 579-2604 BLADE, STD, BOCE, CAB	0	\$1,030
L	579-2617	STICK, STD, ANGLE BLADE INCLUDES: 538-7787 2 WAY CONTROL, HAND CONTROL 523-7589 STICK, STD W/ THUMB BRACKET 532-7894 LINES, AUXILIARY, STD STICK ONLY FOR USE WITH: 579-2613 306 07A CR MHE CFG14A OR 579-2631 306 07A CR MHE CFG14A AND 579-2605 BLADE, ANGLE, BOCE, CAB	0	NC

CATERPILLAR MACHINE PRICE LIST

306

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES (CONT.)

STICK PACKAGES (Cont.)

L	579-2627	STICK, LONG, ANGLE BLADE 0		NC
		INCLUDES: 538-7787 2 WAY CONTROL, HAND CONTROL 523-7590 STICK, LONG W/ THUMB BRACKET 532-7835 LINES, AUXILIARY, LONG STICK ONLY FOR USE WITH: 579-2613 306 07A CR MHE CFG14A OR 579-2631 306 07A CR MHE CFG14A AND 579-2605 BLADE, ANGLE, BOCE, CAB		
L	579-2619	STICK, STD, 2ND AUX, ANGLE BLD 0		\$1,030
		INCLUDES: 538-7788 2ND AUXILIARY, HAND CONTROL 523-7589 STICK, STD W/ THUMB BRACKET 532-7896 LINES, 2ND AUX, STD STICK ONLY FOR USE WITH: 579-2613 306 07A CR MHE CFG14A OR 579-2631 306 07A CR MHE CFG14A AND 579-2605 BLADE, ANGLE, BOCE, CAB		
L	579-2629	STICK, LNG, 2ND AUX, ANGLE BLD 0		\$1,030
		INCLUDES: 538-7788 2ND AUXILIARY, HAND CONTROL 523-7590 STICK, LONG W/ THUMB BRACKET 532-7897 LINES, 2ND AUX, LONG STICK ONLY FOR USE WITH: 579-2613 306 07A CR MHE CFG14A OR 579-2631 306 07A CR MHE CFG14A AND 579-2605 BLADE, ANGLE, BOCE, CAB		
L	579-2622	STICK, STD, 2ND AUX, XTC ONLY 0		\$1,030
		INCLUDES: 525-7829 2ND AUXILIARY, HAND CONTROL 523-7589 STICK, STD W/ THUMB BRACKET 532-7896 LINES, 2ND AUX, STD STICK ONLY FOR USE WITH: 579-2620 306 07A CR MHE CFG14A OR 579-2633 306 07A CR MHE CFG14A		
		NOTE: ONLY SELECTABLE FOR XTC ORDERS		
L	579-2632	STICK, LONG, 2ND AUX, XTC ONLY 0		\$1,030
		INCLUDES: 523-7829 2 WAY CONTROL, HAND CONTROL 523-7590 STICK, LONG, W/ THUMB BRACKET 532-7897 LINES, AUXILIARY, LONG STICK ONLY FOR USE WITH: 579-2620 306 07A CR MHE CFG14A OR 579-2633 306 07A CR MHE CFG14A		
		NOTE: ONLY SELECTABLE FOR XTC ORDERS		

BOOM LINES

L	532-7892	LINES, BOOM 0		NC
L	532-7893	LINES, BOOM W/ BLCV 0		\$810

CATERPILLAR MACHINE PRICE LIST

306

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES (CONT.)

STICK LINES

L	532-7890	LINES, STICK	0	NC
L	532-7891	LINES, STICK W/ SLCV REQUIRES: 532-7893 LINES, BOOM W/ BLCV FOR EU DEALERS	0	\$810

BUCKET LINKAGES

L	538-2696	LINKAGE BUCKET	0	NC
L	538-2697	LINKAGE BUCKET W/ LIFTING EYE	0	\$280

UNDERCARRIAGE

TRACKS

L	527-2801	TRACK, 16", TRIPLE GROUSER	0	\$1,260
L	527-2802	TRACK, 16", TG W/RUBBER PAD	0	\$5,080
L	527-2800	TRACK, 16", RUBBER BELT	0	NC

ELECTRICAL

LIGHTS

L	522-6498	LIGHTS, STANDARD	0	NC
L	522-6499	LIGHTS, LED	0	\$276

OPERATOR ENVIRONMENT

CAB HEAT AND A/C SEATS

L	569-7626	SEAT, AIR SUSP, FABRIC, HEATED CANNOT BE USED WITH: 579-2621 306 07A CR MHE CFG10A	0	\$865
L	569-7627	SEAT, MECH SUSP, FABRIC CANNOT BE USED WITH: 579-2621 306 07A CR MHE CFG10A	0	NC

CAB HEAT ONLY SEATS

L	590-8364	SEAT, AIR SUSP, FABRIC, HEATED ONLY FOR USE WITH: 579-2621 306 07A CR MHE CFG10A	0	\$-1,215
L	590-8365	SEAT, MECH SUSP, FABRIC ONLY FOR USE WITH: 579-2621 306 07A CR MHE CFG10A	0	\$-2,080

RADIOS

L	511-6219	RADIO	0	\$414
---	----------	-----------------	---	-------

CATERPILLAR MACHINE PRICE LIST

306

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

MONITOR

L	557-5068	MONITOR NEXT GEN, CAMERA READY	0	NC
L	557-5082	MONITOR NEXT GEN, ADVANCED, CR The Advanced Monitor is a full 8 inch screen with "Touch Screen" capabilities. The monitor offers enhanced HD images when used with a rear view camera. The Advanced Monitor also comes with the "Site Reference" system, similar to the system on the COMASS monitor. The Advanced Monitor enhances the operator experience when using it in conjunction with the Cat TRS system but it is not required. Future "Ease of Use" features will be supported by the Advanced Monitor. CANNOT BE USED WITH: 579-2603 306 07A CR MHE CFG14A	0	\$975

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Cat marketing representative with questions.

L	522-6503	PRODUCT LINK, CELLULAR PLE643 Product Link Elite series PLE643 (consisting of PL243 radio and PLE602 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link used applications. Provides support for remote services, CPM and basic grade control (may be dependent on corresponding machine features). Cellular technology enables more frequent transmission and larger volumes of data.	0	\$847
L	557-5067	PRODUCT LINK, CELLULAR PL243 Product Link Basic series PL243 uses cellular networks to transmit hour and location information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent data transmission.	0	NC

SAFETY AND SECURITY

REARVIEW CAMERA

L	522-6505	CAMERA, REAR VIEW	0	\$434
L	545-6721	NO CAMERA	0	NC

MACHINE SECURITY KEY

L	522-6460	CAT KEY, WITH PASSCODE OPTION	0	NC
L	522-6461	PUSH TO START, BT FOB SECURITY	0	\$481

CATERPILLAR MACHINE PRICE LIST

306

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OTHER ATTACHMENTS

COUNTERWEIGHTS

L	538-2663	NO EXTRA COUNTERWEIGHT	0	NC
L	542-6391	COUNTERWEIGHT, EXTRA	0	\$780

NOTE: Adds 250kg / 550lbs.

BLADES

L	579-2604	BLADE, STD, BOCE, CAB	0	NC
L	579-2605	BLADE, ANGLE, BOCE, CAB	0	\$3,550

INSTRUCTIONS

FILMS

L	535-8483	INSTRUCTIONS, ANSI	0	NC
---	----------	------------------------------	---	----

OPERATION AND MAINTENANCE MANUALS

	421-8926	SERIALIZED TECHNICAL MEDIA KIT	0	NC
<p>The technical media kit will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. included in the kit, can be ordered through the media website. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com.</p>				

CATERPILLAR MACHINE PRICE LIST

306

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

ELECTRICAL

L	522-6502	LIGHTS, REAR	0	\$168
---	----------	------------------------	---	-------

OTHER ATTACHMENTS

WATER JACKET HEATER

L	566-0462	HEATER, WATER JACKET	0	\$229
---	----------	--------------------------------	---	-------

BEACON

L	309-1325	ROTATING BEACON Magnetic base, mounted to top of cab. Operates when key switch is in "On" position. CANNOT BE USED WITH: EU DEALERS	0	\$219
---	----------	---	---	-------

MIRRORS

L	523-6409	MIRROR, CAB, RIGHT	0	\$71
---	----------	------------------------------	---	------

QUICK COUPLERS

QUICK COUPLER CONTROL

L	532-8607	CONTROL, QUICK COUPLER	0	\$775
---	----------	----------------------------------	---	-------

QUICK COUPLER LINES

L	532-8632	LINES, AUX, QC, STD STICK REQUIRES: 532-8607 CONTROL, QUICK COUPLER ONLY FOR USE WITH: STANDARD STICK	0	\$760
L	532-8634	LINES, AUX, QC, LONG STK REQUIRES: 532-8607 CONTROL, QUICK COUPLER ONLY FOR USE WITH: LONG STICK	0	\$760

QUICK COUPLERS

W	575-0492	THUMB, HYD + COUPLER, PG, HYD, 5T Hydraulic Thumb with Hydraulic Dual Lock Coupler No-Link Style Thumb group has 2 teeth REQUIRES: 532-8607 CONTROL, QUICK COUPLER AND 532-8632 LINES, AUX, QC, STD STICK OR 532-8634 LINES, AUX, QC, LONG STK	328	\$5,979
W	575-0491	THUMB, HYD + COUPLER, PG, MAN, 5T Hydraulic Thumb with Manual Dual Lock Coupler No-Link Style Thumb group has 2 teeth	322	\$4,431

CATERPILLAR MACHINE PRICE LIST

306

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

QUICK COUPLERS (CONT.)

QUICK COUPLERS (Cont.)

W	485-5301	COUPLER, PG, HYDR.D.LOCK, 5T Hydraulic Quick Coupler REQUIRES: 532-8607 CONTROL, QUICK COUPLER AND 532-8632 LINES, AUX, QC, STD STICK OR 532-8634 LINES, AUX, QC, LONG STK	91	\$3,576
W	444-7496	COUPLER, PG, MAN.D.LOCK, 5T Mechanical Quick Coupler	113	\$2,028

WORK TOOLS

XTC MHE SELECTIONS

Dealer may select installed bucket or blade for MHE XTC. Not installed blade is only available if installed bucket is selected.

L	426-6548	BUCKET-MP, 80", BOCE Width over base edge 2036mm (80"), 0.40 m3 (0.52 yd3) Heaped Capacity INCLUDES: 1 piece Bolt-on cutting edge, spillguard to prevent material spillage over back of bucket.	1,016	\$4,972
L	487-2025	BLADE, 78", WELD-ON	0	\$1,333
			0	\$1,333 NI

BUCKETS

W	464-9907	BUCKET-HD, 12", 2.1 FT3, 5T INCLUDES: 3 J200 long tooth tips	156 156	\$1,125 \$1,125 NI
W	464-9909	BUCKET-HD, 18", 3.1 FT3, 5T INCLUDES: 4 J200 long tooth tips	194 194	\$1,236 \$1,236 NI
W	464-9911	BUCKET-HD, 24", 4.6 FT3, 5T INCLUDES: 5 J200 long tooth tips	234 234	\$1,375 \$1,375 NI

ALTERNATE SOURCED ATTACHMENTS

Available Through ANTARES Parts Ordering.

NOTE: US & Canada ONLY may place orders in CMOPS to be transferred via the bridge to ANTARES Parts Ordering.

When ordering via CMOPS include top level reference numbers (0P-7374) and 0P-4263 number for packing.

P	561-8104	KIT, LIGHT, LED, REAR One (1) rear facing LED adjustable work light (frame mounted). Include the harness and all necessary hardware. Highly recommended when equipped with rear-view camera.	0	\$171 NI
P	561-8204	KIT, MIRROR, CAB, RIGHT Added to right side of the machine for additional visibility	0	\$92 NI

CATERPILLAR MACHINE PRICE LIST

306

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

Available Through ANTARES Parts Ordering. (Cont.)

P	561-8103	KIT, VISOR, RAIN	0	\$146 NI NET
		Protective rain visor on top of cab front window		
P	567-4592	KIT, GRD, FRONT, HEAVY DUTY	0	\$2,785 NI
		Hinged heavy duty front guarding offered for easy access to the windows for cleaning. This guard has been certified to meet ISO 10262 Level 2 requirements.		
P	566-6978	KIT, HEATER, WATER JACKET	0	\$229 NI
		Jacket water heater (aka: engine block heater) for increased cold-starting capability. Recommended for applications in temperatures less than 20°F/ -6°C.		
P	567-4593	KIT, GRD, FRONT, MESH	0	\$2,904 NI
		Hinged mesh guarding offered for easy access to the windows for cleaning. This guard has been certified to meet ISO 10262 Level 1 requirements.		
P	567-4594	KIT, GRD, CAB, OVERHEAD	0	\$3,051 NI
		Hinged heavy duty top guarding with gas cylinder offered for easy access to the top window for cleaning. This guard has been certified to meet ISO 10262 Level 2 requirements.		
P	571-3698	KIT, WINDOW, FRONT, POLYCARB	0	\$1,529 NI
		Polycarbonate front window kit that replaces the factory installed tempered glass upper and lower front windows while maintaining full front window functionality. Requires GUARD AR. 567-4592 or 567-4593		
P	567-4596	KIT, GRD, RADIATOR SCREEN	0	\$204 NI
		Recommended for high dust or fine debris applications. Provides an additional filter that is placed between the radiator can condenser that provides additional air filtering in dusty/dry conditions.		

PACKING

PROTECTION

	0P-2266	SHIPPING/STORAGE PROTECTION	0	\$210 NET
		Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer. REQUIRED BY: ALL ORDERS		

PDC MACHINE PREP

	590-9288	ATHENS DEALER PDI & FUEL	0	\$310 NET
		The Athens Dealer PDI will include an official Caterpillar MHE PDI inspection complete with an online report for the machine utilizing the CAT Inspect application, diesel fuel top-off, hydraulic oil max line fill, engine oil max line fill, washer fluid top-off, cold weather anti-gelling fuel treatment, and the optional installation of two Dealer supplied lock-ups.		

CATERPILLAR MACHINE PRICE LIST

306

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

PACKING (CONT.)

PACKING

0P-4299	PACKING, LAST MILE PROGRAM 0 REQUIRED BY: LAST MILE DEALERS	NC
0P-4263	PACK, MISCELLANEOUS MATERIAL 0 REQUIRED BY: MISC ORDERS	NC