

CATERPILLAR MACHINE PRICE LIST

279D3

**279D3 COMPACT TRACK LOADER
 SANFORD, NC, USA**

Ship Weight
 lbs

LIST PRICE
 AT DEALER

Standard Equipment:

POWERTRAIN

- Cat C3.3B diesel engine
- Gross horsepower per SAE J1349
 74.3 hp (55.4 kW) @ 2400 RPM
- Electric fuel priming pump
- Glow plugs starting aid
- Liquid cooled, direct injection
- Air cleaner, dual element, radial seal
- S-O-S sampling valve, hydraulic oil
- Filter, cartridge type, hydraulic
- Filters, canister type, fuel
 and water separator
- Radiator / hydraulic oil
 cooler (side-by-side)
- Spring applied, hydraulically released,
 parking brakes
- Hydrostatic transmission

- Gauges: fuel level and hour meter
- Storage compartment with netting
- Adjustable vinyl seat
- Ergonomic contoured armrest
- Adjustable joystick controls
- Control interlock system, when operator
 leaves seat or armrest raised:
- Hydraulic system disables
- Hydrostatic transmission disables
- Parking brake engages
- ROPS cab, open, tilt up
- Anti-theft security system w/6-button
 keypad
- FOPS, Level I
- Top and rear Windows
- Floormat
- Interior rear view mirror
- 12V electric socket
- Horn
- Hand (dial) throttle, electronic

UNDERCARRIAGE

- Dual flange front idler, single flange
 rear idler
- Suspension - independent torsion axle(4)
- Two speed motor

FRAMES

- Lift linkage, radial path
- Chassis, one piece welded
- Machine tie down points (6)
- Belly pan cleanout
- Support, lift arm
- Rear bumper, welded

HYDRAULICS

- ISO or H pattern controls:
- Electro/hydraulic implement control
- Electro/hydraulic hydrostatic
 transmission control
- Speed sensor guarding

OTHER STANDARD EQUIPMENT

- Engine enclosure - lockable
- Extended life antifreeze (-37C, -34F)
- Coupler, mechanical
- Hydraulic oil level sight gauge
- Radiator coolant level sight gauge
- Radiator expansion bottle
- Cat tough guard hose
- Heavy duty flat faced quick disconnects
 with integrated pressure release
- Split D-ring to route work tool hoses
 along side of left lift arm
- Variable speed hydraulic cooling fan
- Per SAE J818-2007 and EN 474-3:2006 and
 ISO 14397-1:2007

ELECTRICAL

- 12 Volt electrical system
- 80 Ampere alternator
- Ignition key start/stop/aux switch
- Lights:
- LED work lights (2 front, 2 rear)
- Gauge backlighting
- Two rear tail lights
- Dome light
- Backup alarm
- Electrical outlet, beacon

OPERATOR ENVIRONMENT

- Operator warning system indicators:
- Air filter restriction
- Alternator output
- Armrest raised / operator out of seat
- Engine coolant temperature
- Engine oil pressure
- Glow plug activation
- Hydraulic filter restriction
- Hydraulic oil temperature
- Park brake engages
- Engine emission system

CATERPILLAR MACHINE PRICE LIST

279D3

279D3 COMPACT TRACK LOADER
 SANFORD, NC, USA

Ship Weight
 lbs

LIST PRICE
 AT DEALER

**Lane 2 is reserved for the Base Order Management Program
 Please use Lane 2 when placing orders that are part of the Base Order
 Management program.**

588-9182 279D3 CTL DCA4A 0 \$101,830
 LANE 1 - AVAILABLE FROM SANFORD PDC

INCLUDES:

- 512-4279 279D3 COMPACT TRACK LOADER
- 588-9126 CAB PACKAGE, PRO PLUS
- 512-4315 HYDRAULICS, PERFORMANCE, (H2)
- 512-4115 CONTROL, ISO, PROP, WT
- 495-1671 LIGHTS, LED
- 357-0240 RUBBER BELT, 2 SPD, TF IDLERS
- 512-4195 ROPS, ENCLOSED WITH A/C (C3)
- 416-9265 DISPLAY, ADVANCED, LCD, CAMERA
- 486-6957 FAN, COOLING, DEMAND
- 512-3403 QUICK COUPLER, HYDRAULIC
- 536-9738 SEAT,AIR SUSPENSION,CLOTH,HEAT
- 568-4700 FILM, TWO SPEED
- 345-6180 STANDARD RADIO(12V),BLUETOOTH
- 556-5898 RIDE CONTROL, NONE
- 568-5603 BATTERY,EXTRA HD,DISC,1000 CCA
- 356-6082 REAR LIGHTS
- 539-8060 DOOR, CAB, GLASS
- 542-6994 SEAT BELT, 2"
- 566-7115 PRODUCT LINK, CELLULAR PL243
- 563-1163 CERTIFICATION ARR, P65
- 345-3556 HEATER, ENGINE COOLANT, 120V

NOTE: Please refer to the Lane 1 section to complete your order.
 For Lane 2/3 orders refer to mandatory section to select tracks.

CATERPILLAR MACHINE PRICE LIST

279D3

279D3 COMPACT TRACK LOADER SANFORD, NC, USA	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

630-7387	279D3 CTL DCA4B 0 LANE 2 - AVAILABLE FROM SANFORD FACTORY USING PRIORITY CODE L2 LANE 3 - AVAILABLE FROM SANFORD FACTORY USING PRIORITY CODE L2	\$102,400
-----------------	--	------------------

INCLUDES:

- 512-4279 279D3 COMPACT TRACK LOADER
- 588-9126 CAB PACKAGE, PRO PLUS
- 512-4315 HYDRAULICS, PERFORMANCE, (H2)
- 512-4115 CONTROL, ISO, PROP, WT
- 495-1671 LIGHTS, LED
- 357-0240 RUBBER BELT, 2 SPD, TF IDLERS
- 512-4195 ROPS, ENCLOSED WITH A/C (C3)
- 416-9265 DISPLAY, ADVANCED, LCD, CAMERA
- 486-6957 FAN, COOLING, DEMAND
- 512-3403 QUICK COUPLER, HYDRAULIC
- 536-9738 SEAT,AIR SUSPENSION,CLOTH,HEAT
- 568-4700 FILM, TWO SPEED
- 345-6180 STANDARD RADIO(12V),BLUETOOTH
- 556-5898 RIDE CONTROL, NONE
- 568-5603 BATTERY,EXTRA HD,DISC,1000 CCA
- 356-6082 REAR LIGHTS
- 539-8060 DOOR, CAB, GLASS
- 542-6994 SEAT BELT, 2"
- 573-8121 PRODUCT LINK, CELLULAR PL641
- 563-1163 CERTIFICATION ARR, P65
- 345-3556 HEATER, ENGINE COOLANT, 120V

NOTE: Please refer to the Lane 1 section to complete your order.
 For Lane 2/3 orders refer to mandatory section to select tracks.

CATERPILLAR MACHINE PRICE LIST

279D3

279D3 COMPACT TRACK LOADER SANFORD, NC, USA	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

588-9189	279D3 CTL DCA6A 0 LANE 1 - AVAILABLE FROM SANFORD PDC	\$107,660
-----------------	---	------------------

- INCLUDES:
- 512-4279 279D3 COMPACT TRACK LOADER
 - 588-9128 CAB PACKAGE, ULTRA
 - 512-4316 HYDRAULICS, PERFORMANCE, (H3)
 - 512-4115 CONTROL, ISO, PROP, WT
 - 495-1671 LIGHTS, LED
 - 357-0240 RUBBER BELT, 2 SPD, TF IDLERS
 - 512-4195 ROPS, ENCLOSED WITH A/C (C3)
 - 416-9265 DISPLAY, ADVANCED, LCD, CAMERA
 - 486-6957 FAN, COOLING, DEMAND
 - 512-3403 QUICK COUPLER, HYDRAULIC
 - 536-9738 SEAT,AIR SUSPENSION,CLOTH,HEAT
 - 568-4704 FILM,TWO SPEED W/HIGH FLOW XPS
 - 345-6180 STANDARD RADIO(12V),BLUETOOTH
 - 556-5898 RIDE CONTROL, NONE
 - 568-5603 BATTERY,EXTRA HD,DISC,1000 CCA
 - 356-6082 REAR LIGHTS
 - 539-8061 DOOR, CAB, POLYCARBONATE
 - 542-6994 SEAT BELT, 2"
 - 566-7115 PRODUCT LINK, CELLULAR PL243
 - 563-1163 CERTIFICATION ARR, P65
 - 345-3556 HEATER, ENGINE COOLANT, 120V
 - 345-5148 COUNTERWEIGHT,MACHINE,EXTERNAL

NOTE: Please refer to the Lane 1 section to complete your order.
 For Lane 2/3 orders refer to mandatory section to select tracks.

CATERPILLAR MACHINE PRICE LIST

279D3

279D3 COMPACT TRACK LOADER	Ship Weight	LIST PRICE
SANFORD, NC, USA	lbs	AT DEALER

630-7388	279D3 CTL DCA6B 0 LANE 2 - AVAILABLE FROM SANFORD FACTORY USING PRIORITY CODE L2 LANE 3 - AVAILABLE FROM SANFORD FACTORY USING PRIORITY CODE L2	\$108,240
-----------------	--	------------------

- INCLUDES:
- 512-4279 279D3 COMPACT TRACK LOADER
 - 588-9128 CAB PACKAGE, ULTRA
 - 512-4316 HYDRAULICS, PERFORMANCE, (H3)
 - 512-4115 CONTROL, ISO, PROP, WT
 - 495-1671 LIGHTS, LED
 - 357-0240 RUBBER BELT, 2 SPD, TF IDLERS
 - 512-4195 ROPS, ENCLOSED WITH A/C (C3)
 - 416-9265 DISPLAY, ADVANCED, LCD, CAMERA
 - 486-6957 FAN, COOLING, DEMAND
 - 512-3403 QUICK COUPLER, HYDRAULIC
 - 536-9738 SEAT,AIR SUSPENSION,CLOTH,HEAT
 - 568-4704 FILM,TWO SPEED W/HIGH FLOW XPS
 - 345-6180 STANDARD RADIO(12V),BLUETOOTH
 - 556-5898 RIDE CONTROL, NONE
 - 568-5603 BATTERY,EXTRA HD,DISC,1000 CCA
 - 356-6082 REAR LIGHTS
 - 539-8061 DOOR, CAB, POLYCARBONATE
 - 542-6994 SEAT BELT, 2"
 - 573-8121 PRODUCT LINK, CELLULAR PL641
 - 563-1163 CERTIFICATION ARR, P65
 - 345-3556 HEATER, ENGINE COOLANT, 120V
 - 345-5148 COUNTERWEIGHT,MACHINE,EXTERNAL

NOTE: Please refer to the Lane 1 section to complete your order.
 For Lane 2/3 orders refer to mandatory section to select tracks.

512-4279	279D3 COMPACT TRACK LOADER 0 LANE 2 - AVAILABLE FROM SANFORD FACTORY LANE 3 - AVAILABLE FROM SANFORD FACTORY	\$87,160
-----------------	---	-----------------

Meets U.S. EPA Tier 4 Final emission standards
 Available for AM-N and Puerto Rico

0P-4763	279D3 MISCELLANEOUS MATERIAL 0 ONLY AVAILABLE FROM WACO PARTS SERVICE Use this top level reference number only when ordering KITS in CMOPS to be transferred via the bridge to ANTARES Parts Ordering.	NC
----------------	--	-----------

Work Tools are sourced via Caterpillar Parts Distribution system.
 Skid Steer Loader and Work Tools order REQUIRE individual CMOPS
 order entries. Zeebrugge Distribution Center (ZDC) orders do NOT
 require individual CMOPS order entries and may include both the
 machine and work tool orders.

Refer to WT_SSL price list to order Work Tools.

CATERPILLAR MACHINE PRICE LIST

279D3

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

	0P-9001	LANE 1 ORDER	0	NC
--	---------	------------------------	---	----

WARNING DECALS

L	512-3743	INSTRUCTIONS, ANSI, USA	0	NC
		This package includes picto decals as required for USA.		
L	512-3753	INSTRUCTIONS, ISO	0	NC
		This package includes picto decals as required for all countries except USA.		

TRACKS

When ordering a DCA through Lane 2 or 3, dealers may choose their track from the offerings shown in the Lane 2/3 track section.

L	454-6059	TRACK,RUBBER,450MM(17.7 IN)BAR	0	\$880
		Steel embed rubber track with BAR tread provides lower ground disturbance and increased traction in snow. Provides 1,981mm (78 inch) machine width.		

SERVICE INSTRUCTIONS

	421-8926	SERIALIZED TECHNICAL MEDIA KIT	0	NC
		The technical media kit will include the Operations & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com		

PDC PACKING

	0P-1176	CAROLINA CDC - - AVAILABILITY	0	\$1 NET
--	---------	---	---	---------

PACKING

	0P-0210	PACK, DOMESTIC TRUCK	0	NC
--	---------	--------------------------------	---	----

PROTECTION

	0P-2266	SHIPPING/STORAGE PROTECTION	0	\$253 NET
		Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. If desired, this product can be power washed with warm soapy water prior to shipment to the customer.		

CATERPILLAR MACHINE PRICE LIST

279D3

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-------------------------	--------------------	-------------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

PROTECTION (Cont.)

0P-6439	CORROSION INHIBITOR. 0	\$1,715 NET
EquipCoat TM is a flexible protective coating with anti-corrosion additives that encapsulate machine surfaces, including components under the cab and in the engine compartment. Will hold up to washing with non-solvent based cleaners for long-term corrosion resistance. Recommended for machines exposed to corrosive environments(e.g.manure, fertilizer, salt, mining fluids, etc.).		

CATERPILLAR MACHINE PRICE LIST

279D3

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

0P-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
0P-9003	LANE 3 ORDER	0	NC

FEATURE PACKAGES

TRIM PACKAGES

A trim package is required for Lane 2 and optional for Lane 3.

L	588-9123	CANOPY PACKAGE, PRO	0	\$3,255
		INCLUDES:		
		512-4313 HYDRAULICS, PERFORMANCE, (H1)		
		512-4111 CONTROL, ISO, PROP		
		495-1671 LIGHTS, LED		
		357-0230 RUBBER BELT, 2 SPD, D/S IDLER		
		512-4192 ROPS, OPEN (C1)		
		416-9265 DISPLAY, ADVANCED, LCD, CAMERA		
		486-6957 FAN, COOLING, DEMAND		
		345-4910 QUICK COUPLER, MANUAL		
		532-7673 SEAT, SUSPENSION, VINYL		
		568-4700 FILM, TWO SPEED		
L	588-9124	CAB PACKAGE, PRO	0	\$10,140
		INCLUDES:		
		512-4313 HYDRAULICS, PERFORMANCE, (H1)		
		512-4111 CONTROL, ISO, PROP		
		495-1671 LIGHTS, LED		
		357-0230 RUBBER BELT, 2 SPD, D/S IDLER		
		512-4195 ROPS, ENCLOSED WITH A/C (C3)		
		416-9265 DISPLAY, ADVANCED, LCD, CAMERA		
		486-6957 FAN, COOLING, DEMAND		
		512-3403 QUICK COUPLER, HYDRAULIC		
		532-7673 SEAT, SUSPENSION, VINYL		
		345-6175 RADIO READY		
		568-4700 FILM, TWO SPEED		
L	588-9125	CANOPY PACKAGE, PRO PLUS	0	\$6,700
		INCLUDES:		
		512-4315 HYDRAULICS, PERFORMANCE, (H2)		
		512-4115 CONTROL, ISO, PROP, WT		
		495-1671 LIGHTS, LED		
		357-0240 RUBBER BELT, 2 SPD, TF IDLERS		
		512-4192 ROPS, OPEN (C1)		
		416-9265 DISPLAY, ADVANCED, LCD, CAMERA		
		486-6957 FAN, COOLING, DEMAND		
		345-4910 QUICK COUPLER, MANUAL		
		536-9739 SEAT,AIR SUSPENSION,VINYL,HEAT		
		568-4700 FILM, TWO SPEED		

CATERPILLAR MACHINE PRICE LIST

279D3

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FEATURE PACKAGES (CONT.)

TRIM PACKAGES (Cont.)

L	588-9126	CAB PACKAGE, PRO PLUS 0		\$14,040
		INCLUDES: 512-4315 HYDRAULICS, PERFORMANCE, (H2) 512-4115 CONTROL, ISO, PROP, WT 495-1671 LIGHTS, LED 357-0240 RUBBER BELT, 2 SPD, TF IDLERS 512-4195 ROPS, ENCLOSED WITH A/C (C3) 416-9265 DISPLAY, ADVANCED, LCD, CAMERA 486-6957 FAN, COOLING, DEMAND 512-3403 QUICK COUPLER, HYDRAULIC 536-9738 SEAT,AIR SUSPENSION,CLOTH,HEAT 345-6180 STANDARD RADIO(12V),BLUETOOTH 568-4700 FILM, TWO SPEED		
L	588-9127	CANOPY PACKAGE, ULTRA 0		\$11,140
		INCLUDES: 512-4316 HYDRAULICS, PERFORMANCE, (H3) 512-4115 CONTROL, ISO, PROP, WT 495-1671 LIGHTS, LED 357-0240 RUBBER BELT, 2 SPD, TF IDLERS 512-4192 ROPS, OPEN (C1) 416-9265 DISPLAY, ADVANCED, LCD, CAMERA 486-6957 FAN, COOLING, DEMAND 345-4910 QUICK COUPLER, MANUAL 536-9739 SEAT,AIR SUSPENSION,VINYL,HEAT 568-4704 FILM,TWO SPEED W/HIGH FLOW XPS		
L	588-9128	CAB PACKAGE, ULTRA 0		\$18,490
		INCLUDES: 512-4316 HYDRAULICS, PERFORMANCE, (H3) 512-4115 CONTROL, ISO, PROP, WT 495-1671 LIGHTS, LED 357-0240 RUBBER BELT, 2 SPD, TF IDLERS 512-4195 ROPS, ENCLOSED WITH A/C (C3) 416-9265 DISPLAY, ADVANCED, LCD, CAMERA 486-6957 FAN, COOLING, DEMAND 512-3403 QUICK COUPLER, HYDRAULIC 536-9738 SEAT,AIR SUSPENSION,CLOTH,HEAT 345-6180 STANDARD RADIO(12V),BLUETOOTH 568-4704 FILM,TWO SPEED W/HIGH FLOW XPS		

UNDERCARRIAGE

UNDERCARRIAGE

L	357-0230	RUBBER BELT, 2 SPD, D/S IDLER 0		NC
		FOR USE IN LANE 3 ONLY Included in Pro Canopy & Cab packages Provides undercarriage for the steel embed rubber belt with dual flange front idler and single flange rear idler		
L	357-0240	RUBBER BELT, 2 SPD, TF IDLERS 0		\$1,255
		FOR USE IN LANE 3 ONLY Included in Pro Plus Canopy & Cab packages, Ultra Canopy & Cab packages Provides undercarriage for the steel embed rubber belt with triple flange front and rear idlers		

CATERPILLAR MACHINE PRICE LIST

279D3

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

TRACKS

L	372-5790	TRACK,RUBBER,450MM(17.7IN)BLCK 0 Steel embed rubber track with standard construction block tread. Provides 1,981mm (78 inch) machine width		\$805
L	454-6059	TRACK,RUBBER,450MM(17.7 IN)BAR 0 Steel embed rubber track with BAR tread provides lower ground disturbance and increased traction in snow. Provides 1,981mm (78 inch) machine width		\$880

HYDRAULICS

HYDRAULIC PERFORMANCE PACKAGES

L	512-4313	HYDRAULICS, PERFORMANCE, (H1) 0 FOR USE IN LANE 3 ONLY Included in Pro Canopy & Cab packages All of the following are included in this package: Standard Flow - 23 gpm (87 lpm) Self Level, None		NC
L	512-4315	HYDRAULICS, PERFORMANCE, (H2) 0 FOR USE IN LANE 3 ONLY Included in Pro Plus Canopy & Cab packages All of the following are included in this package: Standard Flow - 23 gpm (87 lpm) Dual Self Level Return To Dig/Wrktl Positioner		\$1,175
L	512-4316	HYDRAULICS, PERFORMANCE, (H3) 0 FOR USE IN LANE 3 ONLY Included in Ultra Canopy & Cab packages All of the following are included in this package: High Flow XPS - 32 gpm (120 lpm) Dual Self Level Return To Dig/Wrktl Positioner		\$5,620

HYDRAULIC CONTROLS

L	512-4111	CONTROL, ISO, PROP 0 FOR USE IN LANE 3 ONLY Included in Pro Canopy & Cab package Provides ISO joystick controls (4 button left hand joystick-Thumb roller only right hand joystick) and electronic foot throttle pedal with decel pedal functionality.		\$535
L	512-4115	CONTROL, ISO, PROP, WT 0 FOR USE IN LANE 3 ONLY Included in Pro Plus Canopy & Cab package, Ultra Canopy & Cab package Provides ISO joystick controls (4 button left hand joystick - Thumb roller with 2 button right hand joystick) and 14 pin work tool electrical harness. Also includes electronic foot throttle pedal with decel pedal functionality. Available for H1, H2. Must be selected with H3.		\$1,030
L	512-4110	CONTROL, ISO, ON/OFF 0 FOR USE IN LANE 3 ONLY Provides ISO joystick controls and electronic foot throttle pedal with decel pedal functionality Cannot be used with H3		\$277

CATERPILLAR MACHINE PRICE LIST

279D3

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

HYDRAULIC CONTROLS (Cont.)

L	512-4113	CONTROL, HAND-FOOT, PROP 0 FOR USE IN LANE 3 ONLY Provides (single axis) Hand drive joystick controls (4 button left hand joystick - Thumb roller only right hand joystick) and Foot pedal implement controls		\$1,060
L	512-4116	CONTROL, HAND-FOOT, PROP, WT 0 FOR USE IN LANE 3 ONLY Provides (single axis) Hand drive joystick controls and Foot pedal implement controls (4 button left hand joystick - Thumb roller with 2 button right hand joystick). Also includes 14 pin work tool electrical harness. Available for H1, H2. Must be selected with H3.		\$1,535

RIDE CONTROL

L	556-5898	RIDE CONTROL, NONE 0		NC
L	556-5899	RIDE CONTROL 0		\$1,285

STARTERS, BATTERIES, & ALTERNATORS

BATTERIES

L	568-5606	BATTERY, HEAVY DUTY, 850 CCA 0 CANNOT BE USED WITH: EU Dealer, ZAHID Dealers.		NC
L	568-5602	BATTERY,HD,DISCONNECT, 850 CCA 0 850 CCA with Battery Disconnect Switch		\$155
L	568-5601	BATTERY, EXTRA HD, 1000 CCA 0 Recommended for cold weather starting. CANNOT BE USED WITH: EU Dealer, ZAHID Dealers.		\$96
L	568-5603	BATTERY,EXTRA HD,DISC,1000 CCA 0 1000 CCA with Battery Disconnect Switch Recommended for cold weather starting.		\$251

ELECTRICAL

WORK LIGHTS

L	495-1671	LIGHTS, LED 0 FOR USE IN LANE 3 ONLY Included in all Trim packages Two (2) forward facing adjustable LED work lights (cab mounted) and two (2) rear facing LED work lights (frame mounted). LED lighting advantages vs halogens: brighter work site illumination, cooler, more resistant to vibration and longer life.		\$342
---	----------	---	--	-------

REAR/ROADING LIGHTS

L	356-6082	REAR LIGHTS 0 Provides standard tail lights (red) CANNOT BE USED WITH: South Korea		NC
L	546-4834	REAR LIGHTS, STOP/TAIL/TURN 0 Provides stop/tail/turn lights (amber/red)		\$426

CATERPILLAR MACHINE PRICE LIST

279D3

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	--------------------	-------------------------

ELECTRICAL (CONT.)

REAR/ROADING LIGHTS (Cont.)

L	532-8843	ROADING LIGHTS 0 Provides stop/tail/turn lights (amber/red) with front headlights and lift arm mounted front mirrors.	\$682
---	----------	--	--------------

CATERPILLAR MACHINE PRICE LIST

279D3

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT

COMFORT PACKAGES

L	512-4192	ROPS, OPEN (C1) 0 FOR USE IN LANE 3 ONLY Included in Pro, Pro Plus & Ultra Canopy packages All of the following are included in this package: Deluxe Headliner & rear post trim covers Cup Holder		\$540
L	512-4195	ROPS, ENCLOSED WITH A/C (C3) 210 FOR USE IN LANE 3 ONLY Included in Pro, Pro Plus & Ultra Cab packages All of the following are included in this package: Deluxe Headliner & post trim covers Cup Holder Side Windows Air Conditioner including Heater and Defroster		\$6,010
L	512-4190	ROPS, OPEN (C0) 0 FOR USE IN LANE 3 ONLY All of the following are included in this package: Vinyl Static Seat Cab Mounted Controls, Adjustable (hand tool required) No Headliner or post trim covers.		NC
L	512-4194	ROPS, ENCLOSED WITH HEAT (C2) 0 FOR USE IN LANE 3 ONLY All of the following are included in this package: Deluxe Headliner & post trim covers Cup Holder Side Windows Heater and Defroster		\$3,500

SEAT

L	532-7673	SEAT, SUSPENSION, VINYL 0 FOR USE IN LANE 3 ONLY Included in Pro Canopy & Cab packages Includes: Cab Mounted Controls, Adjustable (hand tool required) REQUIRED BY: C1, C2 and C3 cab package		\$440
L	536-9739	SEAT,AIR SUSPENSION,VINYL,HEAT 0 FOR USE IN LANE 3 ONLY Included in Pro Plus & Ultra Canopy packages High back heated seat with recline, lumbar support, and Fully Adjustable Seat Mounted Controls. REQUIRED BY: C1, C2 and C3 cab package		\$955
L	536-9738	SEAT,AIR SUSPENSION,CLOTH,HEAT 0 FOR USE IN LANE 3 ONLY Included in Pro Plus & Ultra Cab packages High back heated seat with recline, lumbar support, and Fully Adjustable Seat Mounted Controls. REQUIRED BY: C2 and C3 cab package		\$980

DOOR

P	539-8060	DOOR, CAB, GLASS 0 REQUIRED BY: C2 and C3 cab package		\$134
P	539-8061	DOOR, CAB, POLYCARBONATE 0 REQUIRED BY: C2 and C3 cab package		\$262

CATERPILLAR MACHINE PRICE LIST

279D3

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

SEAT BELT

L	542-6994	SEAT BELT, 2"	0	NC
L	542-6995	SEAT BELT, 3" REQUIRED BY: California	0	\$174

RADIO

Bluetooth radio technology enables the use of a hands free function such as listening to music and making phone calls. Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below:
<https://dealer.cat.com/en/products/technology.html>

L	345-6175	RADIO READY FOR USE IN LANE 3 ONLY Included in Pro Cab Package Provides Speakers, Wiring, Radio Box, Antenna & Cable, and hardware required to install a single DIN radio. REQUIRED BY: C2 and C3 cab package	0	\$188
L	345-6180	STANDARD RADIO(12V),BLUETOOTH Standard 12V AM/FM radio with Bluetooth technology, USB port, and 3.5 mm AUX input. Availability varies by country. FOR USE IN LANE 3 ONLY Included in Pro Plus & Ultra Cab packages Provides factory installed radio: Includes Bluetooth interface, microphone, and auxiliary inputs (USB port and aux input jack) to connect external audio devices. REQUIRED BY: C2 and C3 cab package	0	\$630

MACHINE DISPLAY

L	416-9265	DISPLAY, ADVANCED, LCD, CAMERA FOR USE IN LANE 3 ONLY Included in all Trim Packages Includes: Full color 5 in. LCD screen with digital gauge display and rear-view camera. Provides Creep control, Hystat response adjustment, Implement response adjustment, Fuel gauge, Hydraulic temperature gauge, Engine coolant gauge, Tachometer, Language selection and Advanced multi-operator Anti-theft Security System & Monitoring. Also provides USB charging port. Note: Anti-theft Security System feature will ship from factory installed but disabled.	0	\$1,400
---	----------	--	---	---------

CATERPILLAR MACHINE PRICE LIST

279D3

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	573-8121	PRODUCT LINK, CELLULAR PL641 0 Product Link Basic series PL641 uses cellular networks to transmit location, utilization and health information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		\$575
---	----------	---	--	-------

COOLING

COOLING FAN

L	486-6957	FAN, COOLING, DEMAND 0 FOR USE IN LANE 3 ONLY Included in all Trim Packages Provides variable speed hydraulic cooling fan. Sensors monitor machine cooling requirements to modulate the fan speed providing "on demand" cooling.		NC
L	544-4101	FAN, COOLING, DEMAND, REVERSING 0 FOR USE IN LANE 3 ONLY Reversing Fan provides automatic and manual purge modes to assist in removing material from the rear door intake screen. Provides both Demand Fan and Reversing Fan functionality.		\$1,035

QUICK COUPLERS

L	345-4910	QUICK COUPLER, MANUAL 0 FOR USE IN LANE 3 ONLY Included in Pro, Pro Plus & Ultra Canopy packages		NC
L	512-3403	QUICK COUPLER, HYDRAULIC 0 FOR USE IN LANE 3 ONLY Included in Pro, Pro Plus & Ultra Cab packages		\$1,220

DOCUMENTATION

CERTIFICATION ARRANGEMENTS/YEAR OF MANUFACTURE

L	563-1163	CERTIFICATION ARR, P65 0 REQUIRED BY: USA		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

279D3

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	--------------------	-------------------------

INSTRUCTIONS

WARNING DECALS

L	512-3743	INSTRUCTIONS, ANSI, USA 0 This package includes picto decals as required for USA. ONLY FOR USE WITH: 512-4279 279D3 COMPACT TRACK LOADER		NC
---	----------	---	--	-----------

SERVICE INSTRUCTIONS

	421-8926	SERIALIZED TECHNICAL MEDIA KIT 0 The technical media kit will include the Operations & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com		NC
--	----------	---	--	-----------

CATERPILLAR MACHINE PRICE LIST

279D3

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

SPECIAL ARRANGEMENTS

CUSTOM PAINT

C	OP-0528	PAINT, CUSTOM 0		\$2,295 NET
		FOR USE IN LANE 3 ONLY Paint specification (RAL #) required. Advise via MSO notes. Custom paint order provides a SINGLE COLOR, non-metallic, high gloss custom finish. Once a custom paint order is placed, it may not be cancelled. Custom paint extends availability from what is published. Contact the factory for current availability information.		
		Note 1: Florescent colors and matte finishes are not available. Note 2: Some components will NOT receive the custom paint color. The engine and items not externally visible will be painted yellow. CTLs with the optional steel track undercarriage will be provided with a black track. Cylinders, cab, coupler and radiator grill will be painted black.		

PROTECTION

	OP-2266	SHIPPING/STORAGE PROTECTION 0		\$253 NET
		Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. If desired, this product can be power washed with warm soapy water prior to shipment to the customer.		
	OP-6439	CORROSION INHIBITOR. 0		\$1,715 NET
		EquipCoat TM is a flexible protective coating with anti-corrosion additives that encapsulate machine surfaces, including components under the cab and in the engine compartment. Will hold up to washing with non-solvent based cleaners for long-term corrosion resistance. Recommended for machines exposed to corrosive environments(e.g.manure, fertilizer, salt, mining fluids, etc.).		

HYDRAULICS

TWO SPEED & HIGH FLOW FILMS

L	568-4700	FILM, TWO SPEED 0		NC
		FOR USE IN LANE 3 ONLY Included in Pro & Pro Plus Canopy & Cab packages REQUIRED BY: 512-4313 HYDRAULICS, PERFORMANCE, (H1) or 512-4315 HYDRAULICS, PERFORMANCE, (H2)		
L	568-4704	FILM, TWO SPEED W/HIGH FLOW XPS 0		NC
		FOR USE IN LANE 3 ONLY Included in Ultra Canopy & Cab packages REQUIRED BY: 512-4316 HYDRAULICS, PERFORMANCE, (H3)		

FILM GROUP RIDE CONTROL

L	422-3445	FILM, RIDE CONTROL, ANSI 0		NC
		REQUIRED BY: RIDE CONTROL		

STARTERS, BATTERIES, & ALTERNATORS

L	345-3556	HEATER, ENGINE COOLANT, 120V 0		\$240
		120 Volt - For additional cold weather startability.		

CATERPILLAR MACHINE PRICE LIST

279D3

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ELECTRICAL

L	309-1325	ROTATING BEACON 0 Magnetic base, mounted to top of cab. Operates when key switch is in "On" position.		\$264
---	----------	---	--	--------------

SAFETY AND SECURITY

L	457-1215	LIFTING EYES, FOUR POINT 0 CANNOT BE USED WITH: WATER TANK REQUIRED BY: 565-7319 CONVERSION ARRANGEMENT,ROADING 520-6518 CERTIFICATION ARR, (CE/UKCA)		\$236
---	----------	---	--	--------------

OTHER ATTACHMENTS

L	345-5148	COUNTERWEIGHT,MACHINE,EXTERNAL 0 Includes external weights bolted to the frame tower. Suggested for applications where additional rated operating capacity (ROC) is needed.		\$1,260
L	563-7518	MOUNTING, FIRE EXTINGUISHER 0 Provides in-cab mounting bracket that can accommodate up to a 5 lb. fire extinguisher. Not compatible with Cab Fan Mount Kit.		\$246
L	418-9011	OIL, HYDRAULIC, COLD OPERATION 0 Recommended for use in hydraulic system where ambient temperatures are below 32 F (0 C).		\$815

WORK TOOLS

To view and order all available Work Tool Selections refer to WT-SSL price lists.
 NOTE: Work Tools are sourced via Caterpillar parts distribution system.
 CMOPS orders for Compact Track Loaders and Work Tools MUST be ordered separately.

FIELD INSTALLED ATTACHMENTS

Available Through Parts Distribution.

345-6070	KIT, FOPS, LEVEL 2 Falling Object Protective Structure level 2. Provides additional overhead protection. Recommended for use in demolition applications. Not compatible with the roof mounted Auxiliary Hydraulic Cooler or roof mounted water tank kit. Meets ISO 3449: 2005 Note: The part number provided is for reference only. Individual parts must be ordered. Please reference REHS8703 for parts list and installation instructions.
----------	---

CATERPILLAR MACHINE PRICE LIST

279D3

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	---------------------	--------------------	-------------------------

FIELD INSTALLED ATTACHMENTS (CONT.)***Available Through Parts Distribution. (Cont.)*****474-5632 KIT, SINGLE POINT LIFT**

Contains parts that attach to cab roof and allow machine to be lifted from a single point. The part number provided is for reference only. Individual parts must be ordered. Please reference REHS9970 parts list and installation instructions.

418-5883 KIT, FOPS LEVEL 2 W/ 4 PT LIFT

This kit combines the Falling Object Protective Structure level 2 and 4 point lifting functionality. Recommended for use in applications where additional overhead protection and 4 point lifting are both desired (ex. demolition).

Not compatible with the roof mounted Auxiliary Hydraulic Cooler or roof mounted water tank kit.

Note: The part number provided is for reference only.

Individual parts must be ordered. Please reference REHS9989 for parts list and installation instructions.

580-3680 KIT, PL, CELLULAR PL641

Product Link Basic series PL641 uses cellular networks to transmit location, utilization and health information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.

NOTE: The part number provided is for reference only.

Individual parts must be ordered. Please reference M0107957 for parts list and installation instructions.

422-3362 KIT, DUAL SELF LEVEL

NOTE: The part number is provided for reference only. Individual parts must be ordered. Please reference media number REHS7811 for parts list and proper installation instructions. Not compatible with H2 or H3 performance packages. Estimated time to install: 3.5 hours

The RETURN TO DIG/WRKTL POSITIONER feature is available as a Software Enabled Attachment (SEA) and is installed using Electronic Technician and a unique password. Cost to enable the feature via password is approximately \$268 USD Dealer Net (July, 2020). Machine must be equipped with the Electronic Self Level Kit to install the SEA. Only compatible with the H1 performance package.

CATERPILLAR MACHINE PRICE LIST

279D3

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

Available Through Parts Distribution. (Cont.)

DEDICATED ALTERNATE PATTERN (H-pattern):

As of January 2018, this feature is standard from the factory. There is no cost. Using Electronic Technician the dealer can configure the machine to operate using the alternative "H" control pattern. With this feature there is no method to allow the operator to change the pattern in the cab. Refer to media number REHS8719.

SELECTABLE PATTERN CONTROL (ISO/H patterns):

This feature is a Software Enabled Attachment (SEA) and is installed using Electronic Technician and a unique password. The SEA cost to enable the feature via password is approximately \$255 USD Dealer Net (April 2019). Allows an operator to select either standard CAT control pattern or the alternative "H" control pattern with the flip of a switch. Estimated time to install: 30 min. Refer to media number REHS8718 for appropriate parts list.

The components required are available for order from the Parts Department.

ALTERNATE SOURCED ATTACHMENTS

Available Through ANTARES Parts Ordering.

**NOTE: US & Canada ONLY may place orders in CMOPS to be transferred via the bridge to ANTARES Parts Ordering.
 When ordering via CMOPS include top level reference numbers (OP-4763) and OP number for packing.**

P	388-8275	KIT, WINDOW, SIDES	0	\$833 NI
		For proper installation, refer to media number REHS8707.		
		Estimated time to install: 1 hour		
P	594-5978	KIT, DOOR, CAB, GLASS	0	\$1,333
			0	\$1,236 NI
		For proper installation, refer to media number M0116223.		
		Estimated time to install: 1.5 hours		
P	594-5979	KIT, DOOR, CAB, POLYCARBONATE	0	\$2,063
			0	\$1,965 NI
		For proper installation, refer to media number M0116226.		
		Estimated time to install: 1.5 hours		
P	540-9334	KIT, A/C (HEATER/DEFROST)	0	\$3,750 NI
		For proper installation, refer to media number M0098736.		
		Estimated time to install: 8 hours 30 minutes		
P	540-9328	KIT, HEATER	0	\$1,500 NI
		For proper installation, refer to media number M0098721.		
		Estimated time to install: 6 hours		
P	563-7574	KIT, A/C (CONVERSION)	0	\$2,493 NI
		For proper installation, refer to media number M0098757.		
		Estimated time to install: 8 hours		

CATERPILLAR MACHINE PRICE LIST

279D3

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

Available Through ANTARES Parts Ordering. (Cont.)

P	571-6164	KIT, RADIO READY 0 For proper installation, refer to media number M0105320. Provides Speakers, Wiring, Radio Box, Antenna & Cable, and hardware required to install a single DIN radio. Estimated time to install: 1 hour		\$185 NI
P	571-6166	KIT, RADIO, AM/FM/BLUETOOTH 0 For proper installation, refer to media number M0105322. Includes radio with Bluetooth interface, microphone and auxiliary inputs (USB port and aux input jack) to connect external audio devices. Requires: Radio Ready operator station. Estimated time to install: 45 minutes		\$701 NI
P	603-0397	KIT, QUICK COUPLER, HYDRAULIC 0 For proper installation refer to media number M0107667. Estimated time to install: 12 hours		\$1,528 NI
P	604-9344	KIT, ENGINE INSULATION 0 For proper installation refer to media number M0122743. This kit provides parts that lower the surface temperature of certain engine and exhaust components. It is recommended for debris intensive applications and should be used in conjunction with the Debris Kit & Turbo Debris Guard Kit. Estimated time to install: 8 hours		\$1,174 NI
P	583-9154	KIT, GUARD, COUPLER 0 For proper installation, refer to media number M0107797. Provides lower guard that restricts material/debris from entering the underside of the coupler area giving additional safeguarding for electrical components. Estimated time to install: 30 minutes		\$244 NI
P	544-4095	KIT, RIDE CONTROL 0 For proper installation, refer to media number M0089249. The Ride Control feature allows the lift arms to "float" when the machine travels over rough terrain. The result is a more comfortable ride and better material retention in the bucket or better load retention on pallet forks. Estimated time to install: 3 hours		\$1,271 NI
P	544-4110	KIT, WT ELECTRICAL CONTROL 0 For proper installation, refer to media number M0089383. Includes Work Tool Electrical switch, harness, connector and mounting hardware. Estimated time to install: 2 hours		\$238 NI
P	544-4109	KIT, WT ELECTRICAL CONTROL, DLX 0 For proper installation, refer to media number M0089381. Includes: Work Tool Electrical switch, harness, connector, mounting hardware and 4 button Left Hand Joystick. Estimated time to install: 3 hours		\$854 NI
P	484-0292	KIT, BATTERY DISCONNECT 0 For proper installation, refer to media number SESH0524. Provides components needed to install a battery disconnect switch. Estimated time to install: 1 hour 30 minutes		\$154 NI

CATERPILLAR MACHINE PRICE LIST

279D3

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

Available Through ANTARES Parts Ordering. (Cont.)

P	540-9349	KIT, A/C BREATHER 0 For proper installation, refer to media number M0068026. This kit provides increased cab air filter life for machines used in dusty or high airborne debris applications. Kit contains duct work and hardware required to relocate the cab fresh air intake to a higher location near the roof of the cab. Estimated time to install: 30 minutes		\$560 NI
P	600-5689	KIT, AXLE STOP 0 For proper installation, refer to media number M0119689. Limits torsion axle rotation while continuing to isolate the operator from vibrations. This kit may be desired by customers that wish to reduce motion of the bucket edge during truck loading, fine grading or handling heavy material. Estimated time to install: 3 hours		\$564 NI
P	388-7875	KIT, COUNTERWEIGHT, 100 LB ROC 0 Kit provides one counterweight per side which increases the Rated Operating Capacity by approximately 100-125 lbs (46 - 57 kg), depending on model. For maximum ROC increase, must order quantity of (2) 388-7875 KIT, COUNTERWEIGHT, 100 LB ROC. Includes Mounting hardware for both one counterweight per side configuration and two counterweights per side configuration. Estimated time to install: 30 minutes		\$640 NI
P	594-4892	KIT, DEBRIS 0 For proper installation, refer to media number M0117877. This kit provides additional components for customers in debris intensive applications that restrict debris and other material from entering the engine compartment and the lower machine frame. Provided are various seals and covers that are designed to cover the openings that exist between the frame/body/cab of the machine as well as a fuel strainer, a rubber front debris deflector, and an exhaust stack cover. Also recommended: Turbo Debris Guard Kit Note: If additional component guarding is required, please refer to the Guarding Kit. Estimated time to install: 10 hours		\$1,813 NI
P	584-1926	KIT, GUARDING 0 For proper installation, refer to media number M0107851. This kit provides additional guarding for customers in demanding applications where extra safeguarding is required. This kit provides guarding for the front work lights, rear work lights, auxiliary hydraulic connections, work tool electrical harness connection and work tool coupler area. Note: If additional debris guarding is required, please refer to the Debris Kit. Estimated time to install: 1.5 hours		\$785 NI

CATERPILLAR MACHINE PRICE LIST

279D3

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

Available Through ANTARES Parts Ordering. (Cont.)

P	601-9610	KIT, TURBO DEBRIS GUARD 0 For proper installation, refer to media number M0129569. This kit contains steel mesh guards that are designed to cover the exhaust manifold and turbocharger to assist in deterring the collection of material on these components. It is recommended that the turbo guard kit be used in conjunction with the debris kit. Estimated time to install: 1 hour 30 minutes		\$349 NI
P	415-2795	KIT,ENG AIR INTAKE, PRECLEANER 0 For proper installation, refer to media number REHS5798. Turbine-type precleaner for the engine air filter. For use in high dust/debris applications. Estimated time to install: 1 hour		\$924 NI
P	504-1553	KIT, LICENSE PLATE 0 For proper installation, refer to media number M0067678. Estimated time to install: 30 minutes		\$64 NI NET
P	421-0274	KIT, LIFTING EYES, FOUR POINT 0 For proper installation, refer to media number REHS9993. Estimated time to install: 30 minutes CANNOT BE USED WITH: TANK, WATER		\$281 NI
P	499-2684	KIT, LIGHTS, LED 0 For proper installation, refer to media number M0066104. Includes two (2) forward facing adjustable work lights (cab mounted) and two (2) rear facing LED work lights (frame mounted). LED lighting advantages vs halogens: brighter work site illumination, cooler, more resistant to vibration and longer life. Estimated time to install: 1 hour		\$431 NI
P	512-0356	KIT, LIGHTS, REAR, WIDE MOUNT 0 For proper installation, refer to media number M0071898. This kit provides components that allows the rear lights to be relocated to mounting locations on the sides of the rear frame. Estimated time to install: 30 minutes REQUIRED for Italy Roading		\$526 NI
P	599-4162	KIT, LIGHTS, SIDE 0 For proper installation, refer to media number M0121153. This kit provides two LED lights (2200 lumens each) which can be mounted to the side of the cab structure. The LED side lights are adjustable in order to provide the ideal light coverage for the areas alongside of the machine, enhancing visibility in low light applications. Estimated time to install: 1 hour CANNOT BE USED WITH : Roof mounted auxiliary cooler, Roof mounted water tank, FOPS level 2, 4-point lifting, single point lifting and FOPS level 2 with 4-point lift.		\$757 NI
P	527-2335	KIT, REMOTE GREASE (COUPLER) 0 For proper installation, refer to media number M0084651. Provides remote location for lubrication of the work tool coupler pins Estimated time to install: 3 hours		\$271 NI

CATERPILLAR MACHINE PRICE LIST

279D3

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

Available Through ANTARES Parts Ordering. (Cont.)

P	541-3141	KIT, WINTER, REAR DOOR COVER 0 Required for operating in temperatures below -32C (-25F). For proper installation refer to media number REHS8737. Provides rear door cover to minimize air flow into the engine compartment. Estimated time to install: 1.0 hour		\$315 NI
P	565-3045	KIT, FIRE EXTINGUISHER MOUNTING 0 For proper installation, refer to media number M0099033. Provides in-cab mounting bracket that can accommodate up to a 5 lb. fire extinguisher. Not compatible with Cab Fan Mount Kit. Estimated time to install: 2 hours		\$215 NI
P	607-0494	KIT, CAB FAN MOUNT 0 For proper installation, and information about compatible fans, refer to media number M0124519. Provides mounting bracket, harness, and hardware to allow a cab fan to be added (fan not included). The mounting bracket delivers an equally spaced, three hole mounting pattern on a 53 mm (2.1 in.) diameter. Fan dimensions should not exceed the following H x W x D: (H - 217mm / 8.5 in.) x (W - 184mm / 7.2 in.) x (D - 124mm / 4.9 in.). Available for use with all D/D2/D3-Series models. Not compatible with the fire extinguisher mount. Estimated time to install: 1.5 hours		\$100 NI
P	583-9158	KIT, FRONT ROADING LIGHTS 0 Includes front roading lights and 2 lift arm mounted mirrors. For proper installation, refer to media number M0107929. Mandatory for Road Homologation in Italy and Germany. Estimated time to install: 4 hours		\$575 NI
P	583-9155	KIT, REAR ROADING LIGHTS 0 For proper installation, refer to media number M0107786. This kit provides Rear Roading light components (rear reflectors, brake lamps, directional indicators/turn signals, hazard lights) in order to meet roading requirements for Italy. Estimated time to install: 1.5 hours		\$286 NI
P	544-4102	KIT, DEMAND FAN, REVERSING 0 For proper installation, refer to media number M0089365. Reversing Fan provides automatic and manual purge modes to assist in removing material from the rear door intake screen. Provides both Demand Fan and Reversing Fan functionality. Estimated time to install: 4 hours		\$1,361 NI
P	576-4430	KIT, GUARD, DRIVELINES 0 For proper installation, refer to media number M0106009. This kit provides additional guarding for customers in demanding applications where guarding for the drive lines is desired. Estimated time to install: 4 hours		\$631 NI

CATERPILLAR MACHINE PRICE LIST

279D3

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

Available Through ANTARES Parts Ordering. (Cont.)

P	571-6876	<p>KIT, WATER TANK, 44 US GAL 0</p> <p>Mounted to top of cab 44 gallon capacity Includes tank, pump, filter, lines, mounting brackets and quick disconnect. Auxiliary port provides location for garden hose adapter to be added for easy ground filling. For proper installation, refer to media number M0110967. Estimated time to install: 4 hours For use with Water Sprinkler Kits for Angle Broom, Pick Up Broom, Utility Broom or Cold Planer</p> <p>CANNOT BE USED WITH: Four Point Lifting Eyes kit, Single Point Lift kit, FOPS Level 2 kit, FOPS Level 2 with 4 point lift, or Auxiliary Hydraulic Cooler kit.</p>		\$2,229 NI
P	608-7028	<p>KIT, FORWARD FACING CAMERA 0</p> <p>For proper installation, refer to media number M0123561. Includes a camera, display, harness, brackets and hardware to mount a forward facing camera system. The forward facing camera is mounted to an external breakaway bracket in the top left corner of the outside of the cab. The highest part of the camera kit mount is 540 mm (21.25 in.) above the top window of the cab. The interior display is mounted in the upper left corner of the cab. May be needed for local EU requirements. Certain machine and attachment combinations may require this additional visibility aid. Refer to Product Bulletin AEXC1213 at catpublications.com for more information. Estimated time to install: 4 hours</p>		\$1,938 NI
P	618-2839	<p>KIT, SECONDARY DISPLAY MOUNT 0</p> <p>For proper installation, refer to media number M0131726. The Secondary Display Mount Kit provides an easy to see mounting location for a secondary display, such as the Trimble TD510 7-inch (178 mm) display or similar, that may be needed when using grade technology systems. The mount provides a wide range of adjust ability to achieve the ideal viewing angle while allowing access to the release handles for the front door secondary exit. The secondary display mount is made of powder-coated, marine-grade aluminum, stainless steel components, and high-strength composite for durability and can accommodate displays weighing up to 3 lb. (1.4 kg). Estimated time to install: 30 Minutes</p>		\$81 NI
P	587-6616	<p>KIT, HVY-DUTY REAR DOOR GUARD 0</p> <p>This kit provides a tubular guarding structure that extends protection for the rear door an additional 5.2 in. (133mm) for the 272D3, 272D3 XE, 299D3, and 299D3 XE models and an additional 9.1 in. (232mm) from the factory rear door for the 246D3, 262D3, 279D3 and 289D3 models. The guard is movable to provide access to the factory rear door and service access points. The rear door guard kit delivers additional protection to the rear of the machine in demanding applications like demolition, recycling, land management, etc. For proper installation, refer to media number M0124807. Estimated time to install: 4 hours</p>		\$3,181 NI

CATERPILLAR MACHINE PRICE LIST

279D3

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

Available Through ANTARES Parts Ordering. (Cont.)

P	605-4399	KIT, CELL PHONE HOLDER 0 The spring-loaded phone holder features a 'X' design that expands and contracts to provide a perfect fit for your device even with a case. The phone holder kit provides an easy to see mounting location for your phone with a wide range of adjust-ability to achieve the ideal viewing angle. The phone holder is made of powder coated, marine-grade aluminum, stainless steel components, and high-strength composite for durability. Fits phones ranging from 1.75" to 4.5" (44.5 mm - 114.3 mm) in width, a depth of 0.875" (22.2 mm) max, and a weight up to 1 lb. (0.45 kg). For proper installation, refer to media number M0126319. Estimated time to install: 30 minutes.		\$90 NI
P	603-4416	KIT, HEAVY-DUTY REAR BUMPER 0 This kit provides an additional bumper structure that extends protection an additional 10.1 in. (257mm) from the factory rear bumper. The bumper kit delivers additional protection to the rear of the machine in demanding applications like demolition, recycling, land management, etc. Not compatible with rear counterweights. For proper installation, refer to media number M0126889. Estimated time to install: 2 hours		\$3,306 NI
P	583-6486	KIT, HAND/FOOT TO ISO (CVRSN) 0 For proper installation, refer to media number M0108268. Provides all required components to convert machine control pattern from hand & foot controls to ISO controls. Estimated time to install: 4 hours		\$1,806 NI
P	585-5125	KIT, GRADING IMU, SMART, MACH 3 Provides information regarding the machine orientation to the machine display. Required to be installed on the host machine when using Smart Dozer. Can be used with Smart Grader Blade, but is not required (reference Media number: M0117917). INCLUDES: Box with Sensor, connecting harness, fixings Estimated install time: 1 hour		\$589 NI

PACKING

DOMESTIC PACKING

OP-0210	PACK, DOMESTIC TRUCK 0	NC
---------	---	-----------

Only to be used when ordering kits via CMOPS.

OP-2162	PACKING, KIT 0	NC
---------	---------------------------------	-----------

CATERPILLAR MACHINE PRICE LIST

279D3

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	---------------------	--------------------	-------------------------

AM-NORTH INFORMATION

PRODUCT LINK

L	566-7115	PRODUCT LINK, CELLULAR PL243 0 FOR INFORMATION ONLY - Do Not Order	NC
---	----------	--	----

Product Link Basic series PL243 uses cellular networks to transmit hour and location information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent data transmission.