

CATERPILLAR MACHINE PRICE LIST

420**420 BACKHOE LOADER
LEICESTER, ENGLAND**Ship Weight
lbsLIST PRICE
AT DEALER

Standard Equipment:

BOOMS, STICKS, AND LINKAGES**BACKHOE**

- 14'4" Center pivot backhoe
4.3 Meters
- Boom and swing transport locks
- Pilot operated backhoe and
electro hydraulic stabilizer controls
- Street type stabilizer shoes
- Anti-drift hydraulics (boom, stick,
and E-stick)
- Cat Cushion Swing(tm) system

LOADER

- Single Tilt Loader
- Lift cylinder brace
- Self-leveling loader with single
lever control
- Return-to-dig
(automatic bucket positioner)
- Transmission neutralizer switch
- Bucket level indicator

POWERTRAIN

- Water separator
- Thermal starting aid system
- Dry type axial seal air cleaner with
integral precleaner
- Automatic dust ejection system
- Filter condition indicator
- Hydraulically boosted multi-plate
wet disk brake with dual pedals &
interlock
- Differential lock
- Torque converter
- Transmission-four speed manual shift
- Neutral safety switch
- Spin-on filters for
Fuel
Engine oil
Transmission oil
- Outboard Planetary Rear Axles
- Diesel particulate filter
- Hydrostatic power steering

HYDRAULICS

- Pilot hoe and mechanical loader
controls

- Load sensing, variable flow system
with 43 gpm (162 L/min) axial piston
pump
- 6 micron hydraulic filter
- Caterpillar XT-3 hose
- Hydraulic oil cooler
- Pilot control shutoff switch
- Flow-sharing hydraulic valves
- Hydraulic suction strainer

ELECTRICAL

- 12 volt electrical start
- Horn, front and rear
- Backup alarm
- Hazard flashers/turn signals
- Halogen head lights (2)
- Halogen rear flood lights (2)
- Stop and tail lights
- Audible system fault alarm
- Key start/stop system
- 850 CCA maintenance free battery
- Battery disconnect switch
- External Power Receptacle (12v)
- Diagnostic ports for engine and
machine Electronic Control Modules

OPERATOR ENVIRONMENT

- Interior rearview mirror
- ROPS canopy, Rear Fenders
- 2-inch (50mm) retractable seat belt
- Tilt steering column
- Steering knob
- Hand and foot throttle
- Automatic Engine Speed Control
- One Touch Low Idle
- Floor mat and Coat Strap
- Lockable storage area
- Air suspension seat

FLUIDS

- Antifreeze - Extended Life Coolant
-20F (-30C)

OTHER STANDARD EQUIPMENT

- Standard Storage Box
- Transport tie-down points
- Ground line fill fuel tank with
42.3 gal (160L) capacity & 5 gal (19L)
diesel exhaust fluid
- Rubber impact strips on radiator
guard
- Safety Manual
- Operations and Maintenance Manual
- Lockable hood
- Tire Valve Stem Protection

CATERPILLAR MACHINE PRICE LIST

420

420 BACKHOE LOADER LEICESTER, ENGLAND	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

**Lane 2 is reserved for the Base Order Management Program.
 Please use Lane 2 when placing orders that are part of the Base Order
 Management Program.**

617-5960 420 07A BACKHOE LOADER DCA2B 0 \$148,460
 LANE 1 - AVAILABLE FROM CLAYTON PRODUCT DISTRIBUTION CENTER

- INCLUDES:
 542-7992 420 07A BACKHOE LOADER CFG2
 337-9696 COUNTERWEIGHT, 460 KGS (1015 LBS)
 491-6734 WORKLIGHTS (8) HALOGEN LAMPS
 541-9540 ENGINE, 74.5KW, C3.6 DITA, S5 (T4F)
 542-7774 HYDRAULICS, MP, 6FCN/8BNK, ST
 542-7810 AIR CONDITIONER, S5 (T4F)
 543-4284 STICK, EXTENDABLE, 4.3M (14FT)
 544-0883 CAB, DELUXE
 544-1066 PT, 4WD/2WS, POWERSHIFT
 545-5047 DISPLAY, STANDARD
 545-8548 LOADER BUCKET PINS
 551-6453 RIDE CONTROL
 551-6940 COLD WEATHER PACKAGE, 120V
 560-6797 PRODUCT LINK, CELLULAR, PLE643
 567-5090 AUTO-UP STABILIZERS
 582-7395 AUX READY, E-STICK
 611-0339 SEAT, DELUXE FABRIC

617-5959 420 07A BACKHOE LOADER DCA3B 0 \$155,040
 LANE 1 - AVAILABLE FROM CLAYTON PRODUCT DISTRIBUTION CENTER

- INCLUDES:
 542-7992 420 07A BACKHOE LOADER CFG2
 337-9696 COUNTERWEIGHT, 460 KGS (1015 LBS)
 491-6734 WORKLIGHTS (8) HALOGEN LAMPS
 541-9540 ENGINE, 74.5KW, C3.6 DITA, S5 (T4F)
 542-7774 HYDRAULICS, MP, 6FCN/8BNK, ST
 542-7810 AIR CONDITIONER, S5 (T4F)
 543-4284 STICK, EXTENDABLE, 4.3M (14FT)
 544-0883 CAB, DELUXE
 544-0930 PT, 4WD/2WS AUTOSHIFT
 545-5047 DISPLAY, STANDARD
 545-8548 LOADER BUCKET PINS
 548-1231 LINES, COMBINED AUX, E-STICK
 551-6453 RIDE CONTROL
 551-6940 COLD WEATHER PACKAGE, 120V
 560-6797 PRODUCT LINK, CELLULAR, PLE643
 567-5090 AUTO-UP STABILIZERS
 611-0339 SEAT, DELUXE FABRIC

542-7992 420 07A BACKHOE LOADER CFG2 0 \$98,950
 HRC MACHINE
 LANE 2 - AVAILABLE FROM LEICESTER FACTORY.
 LANE 3 - AVAILABLE FROM LEICESTER FACTORY.
 ONLY FOR USE WITH: AM-N and PUERTO RICO

CATERPILLAR MACHINE PRICE LIST

420

420 BACKHOE LOADER
 LEICESTER, ENGLAND

Ship Weight
 lbs

LIST PRICE
 AT DEALER

Use the reference below when ordering miscellaneous field installed kits.

617-5954	420 07A BACKHOE LOADER DCA1A 0 LANE 1 - AVAILABLE FROM CLAYTON PRODUCT DISTRIBUTION CENTER INCLUDES: 542-7992 420 07A BACKHOE LOADER CFG2 337-9696 COUNTERWEIGHT, 460 KGS (1015 LBS) 491-6734 WORKLIGHTS (8) HALOGEN LAMPS 516-5913 BATTERY, HEAVY DUTY 541-9540 ENGINE, 74.5KW, C3.6 DITA, S5 (T4F) 542-7774 HYDRAULICS, MP, 6FCN/8BNK, ST 543-4284 STICK, EXTENDABLE, 4.3M (14FT) 544-0877 CANOPY, BASE 544-1066 PT, 4WD/2WS, POWERSHIFT 545-5047 DISPLAY, STANDARD 545-8548 LOADER BUCKET PINS 560-6797 PRODUCT LINK, CELLULAR, PLE643 611-0333 SEAT, VINYL	\$131,720
0P-7257	420 MISC MATL, AM-N 0	NC

CATERPILLAR MACHINE PRICE LIST

420

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

OP-9001	LANE 1 ORDER	0	NC
	Select this option when ordering from the Distribution Center		

REGIONAL PREPARATION PACKAGES

L	512-9256	PREP PACK, CANADA	0	NC
		Decal to certify the machine meets emc regulations REQUIRED BY: Canadian Dealers		

LOADER BUCKET

Select either 325-5100 or both bucket & cutting edge.

P	325-5100	BUCKET, LOADER (NONE)	0	NC
		Ship with no loader bucket.		
P	337-7436	BUCKET-MP, 1.3 YD3, PO	1,593	\$7,222
		1.35 CYD (1.03CUM) SAE capacity Multi Purpose. Drilled to accept bolt-on teeth or cutting edge (not included)		
P	337-7385	BUCKET-GP, 1.3 YD3, PO	965	\$3,500
		1.25 CYD (0.96CUM) SAE capacity General Purpose. Drilled to accept bolt-on teeth or cutting edge (not included).		
P	337-7401	BUCKET-GP, 1.5 YD3, PO	1,056	\$4,014
		1.5 CYD (1.15 CUM) SAE capacity General Purpose. Drilled to accept bolt-on teeth or cutting edge (not included).		

CUTTING EDGES

Must select if loader bucket required with DCA1 or DCA2.

P	9R-5321	CUTTING EDGE, TWO PIECE	154	\$331
		Bolt-on reversible cutting edge for the Loader Bucket. ONLY FOR USE WITH: 337-7385 BUCKET-GP, 1.3 YD3, PO 337-7436 BUCKET-MP, 1.3 YD3, PO		
P	9R-5320	CUTTING EDGE, TWO PIECE,WIDE	154	\$329
		Bolt-on reversible cutting edge for Loader Buckets. ONLY FOR USE WITH: 337-7401 BUCKET-GP, 1.5 YD3, PO		

TIRES

Must select.

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to propose alternate tires Any proposed change will be reviewed with the dealer prior to machine shipment. The machine will ship only with the dealer acceptance of the proposed alternative tire.

P	533-0488	TIRES, 340 80-18/500 70-24, MX	0	\$1,820
		Michelin Power CL (Bias Ply) 12.5/80-18 12PR directional front tire and 500/70-24 20PR (Bias ply) directional rear tires designed to deliver high load capacity. Provides excellent traction and floatation. Wide lugs provide long life and hard surface grip.		

CATERPILLAR MACHINE PRICE LIST

420

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

DECAL PACKAGES

Must select one

P	559-0872	INSTRUCTIONS, ANSI 0 This package includes picto decals for use in USA.		NC
P	559-0874	INSTRUCTIONS, ISO 0 This package includes picto decals for use outside of USA.		NC

SEAT BELT

Select one

L	206-1747	BELT, SEAT, 2" SUSPENSION 0 CANNOT BE SELECTED BY: dealers from California		NC
L	206-1748	SEAT BELT, 3" SUSPENSION 0 Required In: California		\$164

STABILIZER PADS

Must select one

P	9R-1085	STABILIZER PADS, STREET 37 Set of two rubber pads which bolt to the standard shoes. For use on prepared surfaces such as asphalt or concrete.		NC
P	9R-6007	STABILIZER PADS, FLIP-OVER 85 Flip-over pads for use on asphalt, concrete or soil.		\$383

BACKHOE BUCKET OR COUPLER

Must select one.

P	175-7877	BUCKET, HOE, (NONE) 10 REQUIRED when no backhoe bucket or coupler is installed.		NC
P	219-3387	BUCKET-HD, 24", 6.2 FT3 333 Includes 5 tooth tips.		\$1,778
P	254-8941	BUCKET-SOIL, 24", 8.5 FT3 395 INCLUDES: 5 angle-down adapters and soil tooth tips.		\$1,931
P	219-3411	BUCKET-HD, 12", 2.8 FT3 238 12- wide, 0.1 CYD (0.078 CUM) capacity Includes 3 tooth tips and Pin set for 12" Buckets.		\$1,542
P	247-1950	BUCKET-HD, 24", 7.3 FT3, PL 370 370 This Pin Lock bucket includes 5 tooth tips. ONLY FOR USE WITH: 544-1901 COUPLER, PIN LOCK		\$1,889 \$1,889 NI
P	444-7500	COUPLER, PG, MAN.D.LOCK, BHL 192 Mechanical quick coupler with dual lock for backhoe buckets. Includes: one set of pins and hardware to attach one bucket.		\$2,194
P	544-1901	COUPLER, PIN LOCK, BL F 0 Manual coupler for dedicated Pin Lock backhoe work tools. Includes mounting pins and hardware for attaching tools.		\$1,528

CATERPILLAR MACHINE PRICE LIST

420

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

INSTRUCTIONS AND OPERATION MANUALS

Must select

421-8926	SERIALIZED TECHNICAL MEDIA KIT 0	NC
	The technical media kit, will include the Operation and Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may include multiple Operation and Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com	

TRANSPORT PROTECTION

461-6839	SHIPPING/STORAGE PROTECTION 0	\$232 NET
	Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer. Currently this is only available to, and required by, machines shipping to USA, Canada & South America.	
462-1033	RUST PREVENTATIVE APPLICATOR 0	\$124 NET
	Preparation for shipment - Silix applicators required for shipment by sea. Required for all machines for USA, Canada & South America	

PACKING

Must select

0P-0210	PACK, DOMESTIC TRUCK 0	NC
	Required for all machines for USA, Canada & South America	

CATERPILLAR MACHINE PRICE LIST

420

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

May select additional options (not required).

P	211-4292	BEACON, MAGNETIC MOUNT 0 Must be ordered as 'Not-Installed'.		\$264 NI
P	353-1389	GUARD, STABILIZER 0 Guards to protect Stabilizer cylinder rods from damage.		\$955
P	423-7607	PLATE GROUP - BOOM WEAR 0 Bolt on guard prevents damage to boom.		\$246

THUMBS

Thumbs cannot be shipped without either bucket or coupler.
 Thumbs & Tines may only be ordered as full, installed packages.
 Thumbs cannot be ordered installed, less the tine. A Tine must be selected to complete the order.
 No additional not installed tine allowed When ordering a BHL Thumb & Tine from the Factory; insure that the correct tine is selected for the bucket and/or bucket/coupler combination.
 If the incorrect tine is selected, the bucket and tine may not mate properly.

P	282-5409	THUMB, HYDRAULIC, NO TINE, BHL 0 Hydraulic Thumb Arrangement without tines REQUIRES: Thumb tine (see below) ONLY FOR USE WITH: DCA3		\$5,778
P	221-4282	THUMB, TINE, A 1 0 Buckets with no coupler ONLY FOR USE WITH: 219-3411 BUCKET 12" OR 219-3387 BUCKET 24"		\$438
P	221-4283	THUMB, TINE, A 3 0 Buckets with no coupler FOR USE WITH: 254-8941 BUCKET 24" Buckets with 444-7500 Coupler FOR USE WITH: 219-3411 BUCKET 12" OR 219-3386 BUCKET 18" OR 219-3387 BUCKET 24"		\$438
P	281-6708	THUMB, TINE, A 5 0 ONLY FOR USE WITH: 444-7500 COUPLER, MANUAL 254-8941 BUCKET 24"		\$583

RADIO

P	540-2298	STANDARD RADIO (12V) 0 Standard 12V AM/FM radio with Bluetooth technology, USB port, and 3.5 mm AUX input. Availability varies by country. CANNOT BE USED WITH: OPEN CANOPY MACHINES		\$630
---	----------	---	--	-------

HAMMER

P	532-9300	HAMMER, B8S, BHL 1,016 CHECK AVAILABILITY VIA DOCS BEFORE PLACING THE LANE 1 ORDER B8S HAMMER PACKAGE Includes B8S hammer non tuck,BHL hammer bracket,hammer lines, quick disconnects,wrench,toolbox and two tools(Chisel crosscut/cone). ONLY FOR USE WITH: 608-8450 420 07A BACKHOE LOADER DCA3A		\$14,583 NI
---	----------	--	--	-------------

CATERPILLAR MACHINE PRICE LIST

420

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-----------------------------	--------------------	-------------------------

LANE SELECTION

LANE 2/ LANE 3 FACTORY ARRANGEMENTS

MACHINES ORDERED FROM THIS SECTION WILL BE SOURCED FROM THE FACTORY

OP-9002	LANE 2 ORDER 0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program	
OP-9003	LANE 3 ORDER 0	NC

CATERPILLAR MACHINE PRICE LIST

420

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

FEATURE PACKAGES

TRIM PACKAGES

Trim Packages are Mandatory for Lane 2, but optional for Lane 3

L	621-3606	TRIM PACKAGE 1	0	\$20,500
		INCLUDES:		
		544-0877 CANOPY, BASE		
		542-7771 HYDRAULICS, GP, 5FCN/7BNK, ST		
		544-1066 PT, 4WD/2WS, POWERSHIFT		
		543-4283 STICK, STANDARD, 4.3M (14FT)		
		545-5047 DISPLAY, STANDARD		
		491-6736 WORKLIGHTS (8) LED LAMPS		
		573-4522 SEAT, VINYL		
		560-6797 PRODUCT LINK, CELLULAR, PLE643		
		337-9696 COUNTERWEIGHT, 460 KGS (1015 LBS)		
		548-1230 LINES, COMBINED AUX, STD STICK		
		454-6610 FAN, STANDARD CAB/ CANOPY		
		516-5913 BATTERY, HEAVY DUTY		
		423-7607 PLATE GROUP - BOOM WEAR		
		353-1389 GUARD, STABILIZER		
L	621-3608	TRIM PACKAGE 2	0	\$29,860
		INCLUDES:		
		544-0877 CANOPY, BASE		
		542-7774 HYDRAULICS, MP, 6FCN/8BNK, ST		
		544-1066 PT, 4WD/2WS, POWERSHIFT		
		543-4284 STICK, EXTENDABLE, 4.3M (14FT)		
		545-5047 DISPLAY, STANDARD		
		491-6736 WORKLIGHTS (8) LED LAMPS		
		573-4522 SEAT, VINYL		
		560-6797 PRODUCT LINK, CELLULAR, PLE643		
		337-9696 COUNTERWEIGHT, 460 KGS (1015 LBS)		
		551-6453 RIDE CONTROL		
		548-1231 LINES, COMBINED AUX, E-STICK		
		454-6610 FAN, STANDARD CAB/ CANOPY		
		516-5913 BATTERY, HEAVY DUTY		
		423-7607 PLATE GROUP - BOOM WEAR		
		353-1389 GUARD, STABILIZER		

CATERPILLAR MACHINE PRICE LIST

420

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

FEATURE PACKAGES (CONT.)

TRIM PACKAGES (Cont.)

L	621-3609	TRIM PACKAGE 3	0	\$45,000
---	----------	----------------------	---	----------

- INCLUDES:
 544-0883 CAB, DELUXE
 542-7774 HYDRAULICS, MP, 6FCN/8BNK, ST
 544-1066 PT, 4WD/2WS, POWERSHIFT
 543-4284 STICK, EXTENDABLE, 4.3M (14FT)
 545-5048 DISPLAY, TOUCH SCREEN
 491-6736 WORKLIGHTS (8) LED LAMPS
 573-4524 SEAT, DELUXE FABRIC
 542-7810 AIR CONDITIONER, S5 (T4F)
 560-6797 PRODUCT LINK, CELLULAR, PLE643
 337-9696 COUNTERWEIGHT, 460 KGS (1015 LBS)
 551-6453 RIDE CONTROL
 548-1231 LINES, COMBINED AUX, E-STICK
 540-2298 STANDARD RADIO (12V)
 551-6940 COLD WEATHER PACKAGE, 120V
 567-5090 AUTO-UP STABILIZERS
 423-7607 PLATE GROUP - BOOM WEAR
 353-1389 GUARD, STABILIZER

L	621-3610	TRIM PACKAGE 4	0	\$53,830
---	----------	----------------------	---	----------

- INCLUDES:
 544-0883 CAB, DELUXE
 554-4188 HYD, MP, 6FCN/8BNK, ST, QC
 544-0930 PT, 4WD/2WS AUTOSHIFT
 543-4284 STICK, EXTENDABLE, 4.3M (14FT)
 545-5048 DISPLAY, TOUCH SCREEN
 491-6736 WORKLIGHTS (8) LED LAMPS
 573-4525 SEAT, DELUXE FABRIC, HEATED
 542-7810 AIR CONDITIONER, S5 (T4F)
 560-6797 PRODUCT LINK, CELLULAR, PLE643
 337-9696 COUNTERWEIGHT, 460 KGS (1015 LBS)
 551-6453 RIDE CONTROL
 548-1231 LINES, COMBINED AUX, E-STICK
 540-2298 STANDARD RADIO (12V)
 551-6940 COLD WEATHER PACKAGE, 120V
 567-5090 AUTO-UP STABILIZERS
 423-7607 PLATE GROUP - BOOM WEAR
 353-1389 GUARD, STABILIZER

CATERPILLAR MACHINE PRICE LIST

420

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES

BACKHOE STICKS

L	543-4283	STICK, STANDARD, 14FT 0		NC
		ONLY FOR USE IN LANE 3 Included in Trim Package 1		
L	543-4284	STICK, EXTENDABLE, 14FT 0		\$5,500
		ONLY FOR USE IN LANE 3 Included in Trim Packages 2,3 & 4 Provides additional 3'8" (1.13m) of reach		

POWERTRAIN

POWERTRAIN - HRC MACHINES (Gearbox, Axles, Lines)

Includes: Spring Applied Hydraulic Release (SAHR) parking brake

L	544-1066	PT, 4WD/2WS, POWERSHIFT 0		\$10,950
		ONLY FOR USE IN LANE 3 Included in Trim Packages 1,2 & 3 4 speed Manual Transmission allowing Operator to Shift Gears by twisting Powershuttle Lever. Includes: Spring Applied Hydraulic Release (SAHR) Parking Brake.		
L	544-0930	PT, 4WD/2WS AUTOSHIFT 0		\$15,210
		ONLY FOR USE IN LANE 3 Included in Trim Package 4 6 speed Automatic Transmission. Includes: Spring Applied Hydraulic Release (SAHR) Parking Brake.		
L	544-1059	PT, 4WD/2WS, AUTOSHIFT, LTC 0		\$16,630
		ONLY FOR USE IN LANE 3 6 speed Automatic Transmission with Lockup Torque Converter. Includes: Spring Applied Hydraulic Release (SAHR) Parking Brake.		

ENGINE - HRC MACHINES (Engine, Cooler, Filters, Lines)

L	541-9540	ENGINE, 74.5KW, C3.6 DITA, T4F 0		\$10,890
		EPA Tier 4 Final Certified Engine EU Stage 5 Certified Engine with aftertreatment Net Power @ Rated (2200RPM) is 91HP (68kW) Gross Power @ Rated (2200RPM) is 100HP (74.5kW)		
L	542-7780	ENGINE, 82KW, C3.6 DITA, T4F 0		\$12,830
		EPA Tier 4 Final Certified Engine EU Stage 5 Certified Engine with aftertreatment Net Power @ Rated (2200RPM) is 101HP (75kW) Gross Power @ Rated (2200RPM) is 110HP (82kW)		

HYDRAULICS

MACHINE HYDRAULICS - HRC MACHINES (inc Valves and Loader Lines)

L	542-7771	HYDRAULICS, GP, 5FCN/7BNK, ST 0		\$820
		ONLY FOR USE IN LANE 3 Included in Trim Package 1 ONLY FOR USE WITH: GP Loader Bucket and Standard Stick with Combined Aux Lines OR E-Stick without Combined Aux Lines		

CATERPILLAR MACHINE PRICE LIST

420

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

MACHINE HYDRAULICS - HRC MACHINES (inc Valves and Loader Lines) (Cont.)

L	542-7772	HYDRAULICS, GP, 6FCN/8BNK, ST 0 ONLY FOR USE IN LANE 3 ONLY FOR USE WITH: GP Loader Bucket and E-Stick with Combined Aux Lines		\$1,670
L	542-7773	HYDRAULICS, MP, 5FCN/7BNK, ST 0 ONLY FOR USE IN LANE 3 ONLY FOR USE WITH: MP Loader Bucket and Standard Stick with Combined Aux Lines OR E-Stick without Combined Aux Lines		\$2,135
L	542-7774	HYDRAULICS, MP, 6FCN/8BNK, ST 0 ONLY FOR USE IN LANE 3 Included in Trim Packages 2 & 3 ONLY FOR USE WITH: MP Loader Bucket and E-Stick with Combined Aux Lines		\$2,985
L	554-4188	HYD, MP, 6FCN/8BNK, ST, QC 0 ONLY FOR USE IN LANE 3 Included in Trim Package 4 Includes: IT Loader Coupler ONLY FOR USE WITH: MP Loader Bucket and E-Stick with Combined Aux Lines		\$6,980

OPERATOR ENVIRONMENT

CABS/CANOPY - HRC MACHINES

L	544-0877	CANOPY, BASE 0 ONLY FOR USE IN LANE 3 Included in Trim Packages 1 & 2 Includes tilt steering column, floor mat,air suspension seat two internal and two external 12v power sockets and rotating vandal guard.		NC
L	544-0883	CAB, DELUXE 0 ONLY FOR USE IN LANE 3 Included in Trim Packages 3 & 4 Includes: window defroster, front & rear windshield wiper/washer system, left & right side doors with locks, coat hook,air suspension seat,LED overhead light, interior rear view mirror, tilt/tele steering column, floor mat,radio-ready headliner, two internal and two external 12v power sockets, auto-up stabilizers and system indicators for hydraulic filter service and hydraulic temperature warning.		\$9,580

DISPLAY - HRC MACHINES ONLY

L	545-5047	DISPLAY, STANDARD 0 ONLY FOR USE IN LANE 3 Included in Trim Packages 1 & 2 Includes: Analog Machine Gauges, LCD Information Display, and Soft Key Operator Interface.		NC
L	545-5048	DISPLAY, TOUCH SCREEN 0 ONLY FOR USE IN LANE 3 Included in Trim Packages 3 & 4 Includes LCD Machine Gauges, LCD Information Display and Touchscreen Operator Interface. CANNOT BE USED WITH: 544-0877 CANOPY, BASE		\$765

CATERPILLAR MACHINE PRICE LIST

420

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

WORKING LIGHTS

L	491-6734	WORKLIGHTS (8) HALOGEN LAMPS 0		NC
		ONLY FOR USE IN LANE 3		
L	491-6736	WORKLIGHTS (8) LED LAMPS 0		\$1,005
		ONLY FOR USE IN LANE 3		
		Included in Trim Packages 1,2,3 & 4		

SEATING

L	611-0333	SEAT, VINYL 0		NC
		ONLY FOR USE WITH: CANOPY, BASE		
L	611-0335	SEAT, FABRIC 0		\$590
		ONLY FOR USE WITH: ENCLOSED CABS		
L	611-0339	SEAT, DELUXE FABRIC 0		\$1,050
		ONLY FOR USE WITH: CAB, DELUXE		
L	611-0345	SEAT, DELUXE FABRIC, HEATED 0		\$1,640
		ONLY FOR USE WITH: CAB, DELUXE		

SEAT BELT

L	206-1747	BELT, SEAT, 2" SUSPENSION 0		NC
L	206-1748	SEAT BELT, 3" SUSPENSION 0		\$164
		REQUIRED IN: CALIFORNIA		
L	606-1725	BELT, SEAT, 3" WIDE, BLACK 0		\$164
		ONLY FOR USE IN LANE 3		

ENVIRONMENTAL CONTROL - HRC MACHINES

SELECT FOR ENCLOSED CABS ONLY

L	542-7809	HEATER, T4F 0		NC
		ONLY FOR USE IN LANE 3		
		Select if heat only is required.		
		CANNOT BE USED WITH: CANOPY, BASE		
L	542-7810	AIR CONDITIONER, T4F 0		\$2,740
		ONLY FOR USE IN LANE 3		
		Included in Trim Packages 3 & 4		
		Select if both heat and air conditioning is required.		
		CANNOT BE USED WITH: CANOPY, BASE		

CATERPILLAR MACHINE PRICE LIST

420

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitoring performance of your assets, it helps keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.

Availability varies by country, please contact your Cat marketing representative with questions or click on the link below:

<HTTPS://DEALER.CAT.COM/en/bt/otd/machine-price-list.html>

From there click on the "PRODUCT LINK Hardware Certification" link.

HRC MACHINES

L	560-6797	PRODUCT LINK, CELLULAR, PLE643 0 ONLY FOR USE IN LANE 3 Included in Trim Packages 1,2,3 & 4 Product Link Elite series PLE643 (consisting of PL243 radio and PLE602 network manager)uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Provides support for remote services,		NC
L	559-1294	PRODUCT LINK, DUAL MODE, PLE683 0 ONLY FOR USE IN LANE 3 Product Link Elite series dual mode PLE683 (consisting of PL083 radio, and PLE602 network manager) uses a combination of cellular and satellite networks to transmit location, utilization and health information for viewing in Product Link user applications. For use where travel between areas of both cellular and satellite coverage is required.		\$1,479

LRC MACHINES

TIRES, RIMS, AND WHEELS

TIRES

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to propose alternate tires. Any proposed change will be reviewed with the dealer prior to machine shipment. The machine will ship only with the dealer acceptance of the proposed alternative tire.

CATERPILLAR MACHINE PRICE LIST

420

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

FOUR WHEEL DRIVE TIRES AVAILABLE FROM MICHELIN

P	533-0488	TIRES, 340 80-18/500 70-24, MX 0 Michelin Power CL (Bias Ply) 12.5/80-18 12PR directional front tire and 500/70-24 20PR (Bias ply) directional rear tires designed to deliver high load capacity. Provides excellent traction and floatation. Wide lugs provide long life and hard surface grip.		\$1,820
P	320-2385	TIRES,340 80R18/500/70-24 MI0 Front: Michelin 340/80R18. Directional tire designed to deliver high load capacity, smooth wear and long life with superb grip in all types of conditions. Rear: Michelin 500/70-24 Power CL 164A8 Directional tire provides excellent traction and flotation characteristics. Shock-fortified nylon-cord body resists impacts, cuts and punctures. Combines benefits of radial front with stability of rear bias.		\$2,620
P	320-2384	TIRES, 340 80R18/500 70R24, MX 0 Front: Michelin 340/80R18 XMCL 142A8 Directional tire designed to deliver high load capacity, smooth wear and long life with superb grip in all types of conditions. Rear: Michelin 500/70R24 XMCL 157A8 Directional tire designed for outstanding damage resistance, extremely long tire life, and high load capacity.		\$3,185
P	533-0479	TIRES, 340 80R18/500 70R24, MX 0 Michelin 340/80R18 BIBLOAD Radial multi-directional front tires and Michelin 500/70R24 BIBLOAD Radial multi-directional rear tires for more contact on hard surfaces and smoother ride with good resistance to wear and tear.		\$3,310
P	533-2163	TIRES, 340 80R20/480 80R26, MX 0 ONLY FOR USE IN LANE 3 Michelin 340/80-R20 XMCL radial directional front tires and Michelin 480/80R26 XMCL radial directional rear tires for excellent traction on all types of ground, good wear resistance on hard abrasive surfaces. A taller and wider tire combination for superior ground clearance and floatation. REQUIRES: 570-9674 STEERING STOP		\$3,610
P	587-7103	TIRES, 340 80-18/440 80-24, MX 0 Michelin Power CL (Michelin Bias Ply) 340/80-18 143 A8 Load Rating Directional rear tyres providing wide lugs for long life span and hard surface grip. Overlapping lug noses give smooth rolling on hard surfaces and casing protection. Michelin Power CL (Michelin Bias Ply) 440/80-24 168 A8 Load Rating Directional rear tyres providing wide lugs for long life span and hard surface grip. Overlapping lug noses give smooth rolling on hard surfaces and casing protection ONLY FOR USE WITH: 583-7863 CUSTOM COLOR		\$3,725

CATERPILLAR MACHINE PRICE LIST

420

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

FOUR WHEEL DRIVE TIRES AVAILABLE FROM MICHELIN (Cont.)

P	619-6051	TIRES, 340 80-18/540 70-24,MX 0 ONLY FOR USE IN LANE 3 Front: Michelin 340/ 80-18 (12ply) Power CL Directional tire with thick sidewalls that provide enhanced puncture resistance and improved stability. Rear: Michelin 540/70-24 (16ply) Power CL Directional tire with thick sidewalls that provide enhanced puncture resistance and improved stability. Extra width provides improved rear flotation. NOTE:Adds one inch of rear height		\$2,905
---	----------	---	--	---------

FOUR WHEEL DRIVE TIRES AVAILABLE FROM GOODYEAR

P	379-2161	TIRES, 12.5 80/19.5L-24, GY 0 Front: Goodyear 12.5/80-1810 PR I-3 Sure Grip Lug Directional tire for good traction and long wear, provided by wide, sturdy overlapping lugs. Rear: Goodyear 19.5L-24 12 PR R4 IT525 Directional tire with solid performance on rock-hard ground. Increased wear and performance on hard surfaces.		\$2,030
---	----------	--	--	---------

STEERING STOP

P	570-9674	STEERING STOP 0 ONLY FOR USE IN LANE 3 Front axle steering stop limits the steering angle on 20" tire arrangements to prevent machine interference. REQUIRES: 5332163 TIRES, 340 80R20/480 80R26, MX		\$12
---	----------	---	--	------

CATERPILLAR MACHINE PRICE LIST

420

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OTHER ATTACHMENTS

COUNTERWEIGHT

ADD THE NEXT INCREMENT OF COUNTERWEIGHT IF A THUMB IS REQUIRED

MINIMUM RECOMMENDED COUNTERWEIGHT

MACHINE CONFIGURATION	RECOMMENDED WEIGHT
Std Stick, GP Bucket	530 lbs - 240KG
Std Stick, MP Bucket	no cwt
E-Stick, GP Bucket	1015 lbs - 460KG
E-Stick, MP Bucket	530 lbs - 240KG

IF QC LOADER HYD SELECTED

MACHINE CONFIGURATION	RECOMMENDED WEIGHT
Std Stick, GP Bucket	no cwt
Std Stick, MP Bucket	no cwt
Std Stick, Material Arm	no cwt
Std Stick, Fork Carriage	no cwt
E-Stick, GP Bucket	530 lbs - 240KG
E-Stick, MP Bucket	no cwt
E-Stick, Material Arm	530 lbs - 240KG
E-Stick, Fork Carriage	530 lbs - 240KG

P	337-9693	COUNTERWEIGHT, NONE	0	NC
		ONLY FOR USE IN LANE 3		
		ONLY FOR USE WITH: 543-4283 STICK, STANDARD		
P	337-9694	COUNTERWEIGHT, 255 LBS	0	\$775
		ONLY FOR USE IN LANE 3		
		ONLY FOR USE WITH: 543-4283 STICK, STANDARD		
P	337-9695	COUNTERWEIGHT, 530 LBS	0	\$1,025
		ONLY FOR USE IN LANE 3		
P	337-9696	COUNTERWEIGHT, 1015 LBS	0	\$2,010
		ONLY FOR USE IN LANE 3		
		Included in Trim Packages 1,2,3 & 4		

Stabilizer Pads and Accessories

P	9R-1085	STABILIZER PADS, STREET	37	NC
		ONLY FOR USE IN LANE 3		
		Set of two rubber pads which bolt to the standard shoes.		
		For use on prepared surfaces such as asphalt or concrete.		
P	9R-6007	STABILIZER PADS, FLIP-OVER	85	\$383
		Flip-over pads for use on asphalt, concrete or soil.		
P	560-2635	STABILIZER PADS, FLIP-OVER	0	\$383
		ONLY FOR USE IN LANE 3		
		Flip-over pads for use on asphalt, concrete or soil.		
		ONLY FOR USE WITH: 583-7863 CUSTOM COLOR		

CATERPILLAR MACHINE PRICE LIST

420

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BUCKETS

LOADER BUCKETS

(Must Select One if ordering a ST machine. For IT Work Tools refer to the Optional Attachment section).

L	545-8548	LOADER BUCKET PINS 0 Not available in Trim Package 4 REQUIRED BY: PIN ON LOADER BUCKETS		NC
P	325-5100	BUCKET, LOADER (NONE) 0 Not available in Trim Package 4 Ship with no loader bucket.		NC
P	337-7385	BUCKET-GP, 1.3 YD3, PO 965 Not available in Trim Package 4 1.0M3 (1.3YD3) SAE capacity General Purpose. Drilled to accept bolt-on teeth or cutting edge (not included).		\$3,500
P	337-7388	BUCKET-GP, 1.4 YD3, PO 1,012 Not available in Trim Package 4 1.1M3 (1.4YD3) SAE capacity General Purpose. Drilled to accept bolt-on teeth or cutting edge (not included).		\$3,743
P	337-7401	BUCKET-GP, 1.5 YD3, PO 1,056 Not available in Trim Package 4 1.15M3 (1.5yd3) SAE capacity General Purpose. Drilled to accept bolt-on teeth or cutting edge (not included).		\$4,014
P	337-7436	BUCKET-MP, 1.3 YD3, PO 1,593 Not available in Trim Packages 1 & 4 1.0M3 (1.3yd3) SAE capacity Multi Purpose. Drilled to accept bolt-on teeth or cutting edge (not included) Includes brackets REQUIRES: MP HYDRAULICS		\$7,222
P	337-7442	BUCKET-MP, 1.4 YD3, PO 1,655 Not available in Trim Packages 1 & 4 1.1M3 (1.4YD3) SAE capacity Multi Purpose. Drilled to accept bolt-on teeth or cutting edge (not included). REQUIRES: MP HYDRAULICS		\$7,486
P	581-9002	BUCKET-MP, 1.4 YD3, PO, BLACK 756 ONLY FOR USE IN LANE 3 1.45 CYD (1.1 CUM) SAE capacity Multi Purpose. Drilled to accept bolt-on teeth or cutting edge (not included). REQUIRES: MP HYDRAULICS ONLY FOR USE WITH: 583-7863 CUSTOM COLOR		\$7,486
P	595-0367	BUCKET-GP, 1.3 YD3, PO, BLK 438 ONLY FOR USE IN LANE 3 1.25 CYD (0.96CUM) SAE capacity General Purpose. Drilled to accept bolt-on teeth or cutting edge (not included). ONLY FOR USE WITH: 583-7863 CUSTOM COLOR		\$3,500
P	595-0365	BUCKET-GP, 1.4 YD3, PO, BLK 457 ONLY FOR USE IN LANE 3 1.45 CYD (1.1 CUM) SAE capacity General Purpose. Drilled to accept bolt-on teeth or cutting edge (not included). ONLY FOR USE WITH: 583-7863 CUSTOM COLOR		\$3,743

CATERPILLAR MACHINE PRICE LIST

420

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BUCKETS (CONT.)

LOADER BUCKETS (Cont.)

P	595-0357	BUCKET-MP, 1.3 YD3, PO, BLK	728	\$7,222
		ONLY FOR USE IN LANE 3 1.35 CYD (1.03CUM) SAE capacity Multi Purpose. Drilled to accept bolt-on teeth or cutting edge (not included) REQUIRES: MP HYDRAULICS ONLY FOR USE WITH: 583-7863 CUSTOM COLOR		

CUTTING EDGE/TEETH

P	9R-5320	CUTTING EDGE, TWO PIECE, WIDE	154	\$329
		Bolt-on reversible cutting edge for the Loader Bucket. ONLY FOR USE WITH: 337-7401 BUCKET-GP, 1.5 YD3, PO 337-7442 BUCKET-MP, 1.4 YD3, PO 581-9002 BUCKET-MP, 1.4 YD3, PO, BLACK CANNOT BE USED WITH: 9R-5866 TEETH		
P	9R-5321	CUTTING EDGE, TWO PIECE	154	\$331
		Bolt-on reversible cutting edge for the Loader Bucket. ONLY FOR USE WITH: 337-7385 BUCKET-GP, 1.3 YD3, PO 337-7388 BUCKET-GP, 1.4 YD3, PO 337-7436 BUCKET-MP, 1.3 YD3, PO 595-0367 BUCKET-GP, 1.3 YD3, PO, BLK 595-0365 BUCKET-GP, 1.4 YD3, PO, BLK 595-0357 BUCKET-MP, 1.3 YD3, PO, BLK CANNOT BE USED WITH: 9R-5866 TEETH		
P	9R-5866	TEETH	61	\$389
		ONLY FOR USE IN LANE 3 Includes eight bolt-on Uniteeth and hardware. ONLY FOR USE WITH: ALL GP & MP LOADER BUCKETS CANNOT BE USED WITH: 9R5320 CUTTING EDGE, TWO PIECE, WIDE or 9R5321 CUTTING EDGE, TWO PIECE		

BACKHOE BUCKETS AND COUPLERS

Select one
 If no coupler is selected hoe bucket should be ordered as installed.
 If coupler is selected coupler should be installed and hoe bucket not installed.
 Additional buckets (and bucket pins) may be ordered as not-installed from the Lane2/3 Optional section.

P	175-7877	BUCKET, HOE, (NONE)	10	NC
		REQUIRED when no backhoe bucket or coupler is installed.		
P	219-3387	BUCKET-HD, 24", 6.2 FT3	333	\$1,778
		Includes 5 tooth tips.	333	\$1,778 NI
P	254-8941	BUCKET-SOIL, 24", 8.5 FT3	395	\$1,931
		Includes 5 angle-down adapters and soil tooth tips.	395	\$1,931 NI
P	219-3396	BUCKET-ROCK, HD, 24", 7.0 FT3	381	\$1,979
		Includes 5 tooth tips.	381	\$1,979 NI
P	219-3381	BUCKET, 24", 6.2 FT3	291	\$1,382
		ONLY FOR USE IN LANE 3 Includes 5 tooth tips.	291	\$1,382 NI

CATERPILLAR MACHINE PRICE LIST

420

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BUCKETS (CONT.)

BACKHOE BUCKETS AND COUPLERS (Cont.)

P	247-1950	BUCKET-HD, 24", 7.3 FT3, PL	370 370	\$1,889 \$1,889 NI
		This Pin Lock bucket includes 5 tooth tips. ONLY FOR USE WITH: 544-1901 COUPLER, PIN LOCK		
P	219-3411	BUCKET-HD, 12", 2.8 FT3	238 238	\$1,542 \$1,542 NI
		Includes 3 tooth tips and Pin set for 12" Buckets.		
P	219-3386	BUCKET-HD, 18", 4.2 FT3	284 284	\$1,653 \$1,653 NI
		Includes 4 tooth tips.		
P	212-8738	BUCKET-DC, 48", 13.0 FT3	0 453	\$2,875 \$2,875 NI
		Ditch cleaning bucket		
P	444-7500	COUPLER, PG, MAN.D.LOCK, BHL	192	\$2,194
		Mechanical quick coupler with dual lock for backhoe buckets. Includes: one set of pins and hardware to attach one bucket.		
P	544-1901	COUPLER, PIN LOCK, BL F	0	\$1,528
		Manual coupler for dedicated Pin Lock backhoe work tools. Includes mounting pins and hardware for attaching tools.		
P	485-5303	COUPLER, PG, HYD.D.LOCK,BHL	192	\$4,285
		Hydraulic quick coupler with dual lock for backhoe buckets. Includes: One set of pins and hardware to attach one bucket. REQUIRES: 555-2394 LINES,HYD CPLR 14FT STD PILOT 555-2396 LINES,HYD CPLR 14FT EXT PILOT		

INSTRUCTIONS

DECAL PACKAGES

P	559-0872	INSTRUCTIONS, ANSI	0	NC
		This package includes picto decals for use in USA.		

INSTRUCTIONS AND OPERATION MANUALS

	421-8926	SERIALIZED TECHNICAL MEDIA KIT	0	NC
		The technical media kit, will include the Operation and Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may include multiple Operation and Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com		

CATERPILLAR MACHINE PRICE LIST

420

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

NOTE

LANE 2 / LANE 3 OPTIONAL SELECTIONS

HYDRAULICS

RIDE CONTROL

L	551-6453	RIDE CONTROL 0		\$1,695
		ONLY FOR USE IN LANE 3 Included in Trim Packages 2,3 & 4 Improves ride during travel by providing a suspension system in the loader lift arm circuit. Recommended in applications where improved material retention or ride is desired.		

HYDRAULIC QUICK DISCONNECT

P	456-3390	COUPLING, QD, THREADED WITH CAPS 4		\$424 NI
		This includes one additional male and female threaded flat face, connect under pressure, quick disconnect coupling & protective caps. ONLY FOR USE WITH: LINES, COMBINED AUX, STD/E-STICK		

THUMBS

Thumbs cannot be shipped without either bucket or coupler.
 Thumbs & Tines may only be ordered as full, installed packages.
 Thumbs cannot be ordered installed, less the tine. A Tine must be selected to complete the order.
 No additional not installed tine allowed When ordering a BHL Thumb & Tine from the Factory; insure that the correct tine is selected for the bucket and/or bucket/coupler combination.
 If the incorrect tine is selected, the bucket and tine may not mate properly.

P	282-5409	THUMB, HYDRAULIC, NO TINE, BHL 0		\$5,778
		Not available in Trim Package 1 Hydraulic Thumb Arrangement without tines REQUIRES: Thumb tine (see below) ONLY FOR USE WITH: LINES, COMBINED AUX CANNOT BE USED WITH: 337-9693 COUNTERWEIGHT, NONE		
P	221-4282	THUMB, TINE, A 1 0		\$438
		Not available in Trim Package 1 Buckets with no coupler ONLY FOR USE WITH: 219-3411 BUCKET 12" OR 219-3386 BUCKET 18" 219-3381 BUCKET 24" OR 219-3387 BUCKET 24"		
P	221-4284	THUMB, TINE, A 2 0		\$438
		ONLY FOR USE IN LANE 3 Bucket with no coupler FOR USE WITH: 219-3396 BUCKET 24" Bucket with 544-1901 Coupler FOR USE WITH: 247-1950 BUCKET 24"		

CATERPILLAR MACHINE PRICE LIST

420

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

HYDRAULICS (CONT.)

THUMBS (Cont.)

P	221-4283	THUMB, TINE, A 3 0 Not available in Trim Package 1 Bucket with no coupler FOR USE WITH: 254-8941 BUCKET 24" Buckets with: 444-7500 COUPLER, MANUAL OR 485-5303 COUPLER, HYDR FOR USE WITH: 219-3411 BUCKET 12" OR 219-3386 BUCKET 18" OR 219-3381 BUCKET 24" OR 219-3387		\$438
P	221-4285	THUMB, TINE, A 4 0 ONLY FOR USE IN LANE 3 ONLY FOR USE WITH: 444-7500 COUPLER, MANUAL OR 485-5303 COUPLER, HYDR 219-3396 BUCKET 24"		\$583
P	281-6708	THUMB, TINE, A 5 0 Not available in Trim Package 1 ONLY FOR USE WITH: 444-7500 COUPLER, MANUAL OR 485-5303 COUPLER, HYDR 254-8941 BUCKET 24"		\$583

BACKHOE HYDRAULICS

L	582-7394	AUX READY, STD STICK 0 ONLY FOR USE IN LANE 3 This option adds hydraulics lines from the valve under the cab, terminating at the rear of the machine. This option simplifies the addition of combined aux lines at a later time in the field.		\$1,670
L	582-7395	AUX READY, E-STICK 0 ONLY FOR USE IN LANE 3 This option adds hydraulics lines from the valve under the cab, terminating at the rear of the machine. This option simplifies the addition of combined aux lines at a later time in the field.		\$1,670
L	548-1230	LINES, COMBINED AUX, STD STICK 0 ONLY FOR USE IN LANE 3 Included in Trim Package 1 ONLY FOR USE WITH: STICK, STANDARD, 14FT and 5 or 6 FUNCTION HYDRAULICS		\$3,990
L	548-1231	LINES, COMBINED AUX, E-STICK 0 ONLY FOR USE IN LANE 3 Included in Trim Packages 2,3 & 4 ONLY FOR USE WITH: STICK, EXTENDABLE, 14FT and 6 FUNCTION HYDRAULICS		\$3,990
P	578-0794	LINES BOOM, HBCV 0 ONLY FOR USE IN LANE 3 Provides hose burst check valve for Backhoe Boom Circuit.		\$840

ELECTRICAL

MAGNETIC BEACON

P	211-4292	BEACON, MAGNETIC MOUNT 0 Must be ordered as 'NOT INSTALLED'		\$264 NI
---	----------	---	--	----------

CATERPILLAR MACHINE PRICE LIST

420

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ELECTRICAL (CONT.)

MAGNETIC BEACON (Cont.)

P	433-0154	BEACON, MAGNETIC MOUNT, STROBE 0 Must be ordered as 'NOT INSTALLED'.		\$391 NI
---	----------	---	--	----------

RADIO

P	540-2298	STANDARD RADIO (12V) 0 ONLY FOR USE IN LANE 3 Included in Trim Packages 3 & 4 Standard 12V AM/FM radio with Bluetooth technology, USB port, and 3.5 mm AUX input. Availability varies by country. CANNOT BE USED WITH: OPEN CANOPY MACHINES		\$630
---	----------	--	--	-------

RADIO READY CANOPY HEADLINER

L	398-2875	RADIO READY HEADLINER, CANOPY 3 ONLY FOR USE IN LANE 3 Canopy headliner to accept a suitable 'all weather' Radio/ CD player (not available from factory) FOR USE WITH: OPEN CANOPIES ONLY		\$569
---	----------	--	--	-------

FACE FAN

L	387-6682	FAN 0 FOR USE WITH: DELUXE CABS		\$263
L	454-6610	FAN, STANDARD CAB/ CANOPY 0 ONLY FOR USE IN LANE 3 Included in Trim Packages 1 & 2 FOR USE WITH: CANOPIES		\$263

SECURITY

L	549-5531	SECURITY BLUETOOTH KEY 0 ONLY FOR USE IN LANE 3 Enables an Immobiliser system to disable the engine, transmission and other systems at key switch on until a Pre Programmed Bluetooth Key is present OR valid pass code is manually entered via the operator display which unlocks the machine to enable operation. FOR USE WITH: HRC MACHINES		\$640
L	573-0397	DISPLAY, SECURITY, ENABLED 0 Enables an Immobilizer system to disable the engine, transmission and other systems at key switch on until a valid pass code is manually entered via the operator display which unlocks the machine to enable operation. FOR USE WITH: HRC MACHINES		\$569

HEAVY DUTY BATTERY

L	516-5913	BATTERY, HEAVY DUTY 0 ONLY FOR USE IN LANE 3 Included in Trim Packages 1 & 2 INCLUDED IN: COLD WEATHER PACKAGE		\$259
---	----------	---	--	-------

CATERPILLAR MACHINE PRICE LIST

420

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ELECTRICAL (CONT.)

COLD WEATHER PACKAGES

L	551-6940	COLD WEATHER PACKAGE, 120V 0 ONLY FOR USE IN LANE 3 Included in Trim Packages 3 & 4 Provides additional battery and engine block heater as well as radiator antifreeze -67F (-55 celsius), mounting for an ether bottle and low temperature diesel fuel to -22F (-30 celsius). The ether bottle is available seperately from Parts Distribution FOR USE WITH: HRC MACHINES CANNOT BE USED WITH: HEAVY DUTY BATTERY or COLD WEATHER FUEL		\$885
L	396-6505	FUEL, COLD WEATHER 0 ONLY FOR USE IN LANE 3 Provides low temperature diesel fuel -22F (-30 celsius). INCLUDED IN: COLD WEATHER PACKAGE		\$159 NET

STABILIZERS

P	567-5090	AUTO-UP STABILIZERS 0 ONLY FOR USE IN LANE 3 Included in Trim Packages 3 & 4 REQUIRES: CAB, DELUXE ONLY FOR USE WITH: CAB, DELUXE		NC
---	----------	--	--	-----------

GUARDS

P	423-7607	PLATE GROUP - BOOM WEAR 0 ONLY FOR USE IN LANE 3 Included in Trim Packages 1,2,3 & 4 Bolt on guard prevents damage to boom.		\$246
P	353-1389	GUARD, STABILIZER 0 ONLY FOR USE IN LANE 3 Included in Trim Packages 1,2,3 & 4 Guards to protect Stabilizer cylinder rods from damage.		\$955

OTHER ATTACHMENTS

FENDERS

P	563-6098	FENDERS, FRONT 4WD 0 Set of two fenders with integrated steps.		\$657
---	----------	--	--	--------------

EXTERIOR REAR VIEW MIRRORS

P	382-2499	MIRRORS, EXTERNAL, BOTH SIDES 0		\$830
---	----------	--	--	--------------

WORK TOOLS

CARRIAGE AND FORKS

P	6W-8832	CARRIAGE, PALLET, 61", IT 611 ONLY FOR USE IN LANE 3 Standard carriage. Does not include tines. ONLY FOR USE WITH: 542-7992 420 BACKHOE LOADER		\$2, 511
---	---------	--	--	-----------------

CATERPILLAR MACHINE PRICE LIST

420

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

WORK TOOLS (CONT.)

CARRIAGE AND FORKS (Cont.)

P	195-6935	FORK TINE, 2" X 5" X 48" 216 ONLY FOR USE IN LANE 3 One tine only, specify qty of 2 for pair.		\$806
P	195-6939	FORK TINE, 2" X 5" X 54" 232 ONLY FOR USE IN LANE 3 One tine only, specify qty of 2 for pair.		\$833

HYDRAULIC QUICK COUPLER LINES

Required if a Hydraulic Quick Coupler has been selected.
 Optional selection on other machines.

P	555-2394	LINES, HYD CPLR 14FT STD PILOT 0 Provides hydraulic lines, valve and electrical controller. REQUIRED BY: HYDRAULIC COUPLER, PG, DUAL LOCK and STANDARD STICK		\$2,653
P	555-2396	LINES, HYD CPLR 14FT EXT PILOT 0 Provides hydraulic lines, valve and electrical controller. REQUIRED BY: HYDRAULIC COUPLER, PG, DUAL LOCK and EXTENDABLE STICK		\$2,653

COUPLER NONE CAPS

P	487-6058	COUPLER NONE 0 ONLY FOR USE IN LANE 3 This includes caps to close off lines when machine is "Hydraulic Coupler Ready", however, NO hyd coupler is selected. REQUIRES: LINES, HYD COUPLER STD-STK LINES, HYD COUPLER EXT-STICK CANNOT BE USED WITH: 485-5303 COUPLER		NC
---	----------	--	--	----

BUCKET PINS

P	318-9902	PINS, SPARE 6 ONLY FOR USE IN LANE 3 Includes bucket pins and hardware. ONLY FOR USE WITH: 444-7500 COUPLER, PG, MANUAL, DUAL LOCK 485-5303 COUPLER, PG, HYD, DUAL LOCK		\$175
---	----------	--	--	-------

HAMMER

P	532-9300	HAMMER, B8S, BHL 1,016 B8S HAMMER PACKAGE Includes B8S hammer non tuck, BHL hammer bracket, hammer lines, quick disconnects, wrench, toolbox and two tools (Chisel crosscut/cone). REQUIRES: 548-1230 LINES, COMBINED AUX, STD STICK 548-1231 LINES, COMBINED AUX, E-STICK		\$14,583 NI
---	----------	--	--	-------------

CATERPILLAR MACHINE PRICE LIST

420

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

BUCKETS

LOADER BUCKET FOR IT LOADER QUICK COUPLER

P	251-1800	BUCKET-GP, 1.31 YD3, IT	979	\$3,549
		1.0M3 (1.31YD3) SAE capacity General Purpose. Drilled to accept bolt-on teeth or cutting edge (not included) ONLY FOR USE WITH: 554-4188 Hyd, MP, QC		
P	251-1794	BUCKET-GP, 1.5 YD3, IT	1,030	\$4,014
		1.15M3 (1.5YD3) SAE capacity General Purpose. Drilled to accept bolt-on teeth or cutting edge (not included) ONLY FOR USE WITH: 554-4188 Hyd, MP, QC		
P	216-8810	BUCKET-MP, 1.3 YD3, IT	1,549	\$7,222
		1.0M3 (1.3YD3) SAE capacity Multi Purpose IT. Drilled to accept bolt-on teeth or cutting edge (not included). ONLY FOR USE WITH: 554-4188 Hyd, MP, QC		
P	216-8840	BUCKET-MP, 1.4 YD3, IT	1,612	\$7,486
		1.1M3, 1.4YD3 SAE capacity Multi Purpose IT. Drilled to accept bolt-on teeth or cutting edge (not included) ONLY FOR USE WITH: 554-4188 Hyd, MP, QC		

IT LOADER BUCKET - CUTTING EDGE OR TEETH

May select one

P	9R-5320	CUTTING EDGE, TWO PIECE,WIDE	154	\$329
		Bolt-on reversible WIDE cutting edge for Loader Buckets. ONLY FOR USE WITH: 251-1800 BUCKET-GP, 1.31 YD3, IT 251-1794 BUCKET-GP, 1.5 YD3, IT 216-8840 BUCKET-MP, 1.4 YD3, IT		
P	9R-5321	CUTTING EDGE, TWO PIECE	154	\$331
		ONLY FOR USE WITH: 216-8810 BUCKET-MP, 1.3 YD3, IT		
P	9R-5866	TEETH	61	\$389
		ONLY FOR USE IN LANE 3 Includes eight bolt-on Uniteeth and hardware. CANNOT BE USED WITH: 9R5320 CUTTING EDGE, TWO PIECE,WIDE 9R5321 CUTTING EDGE, TWO PIECE		

CATERPILLAR MACHINE PRICE LIST

420

USE	REF NO.	CUSTOM PRODUCTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

CUSTOM PRODUCTS

CUSTOM COLOR

L	583-7863	PAINT, CUSTOM COLOR 0		\$6,980 NET
---	----------	---------------------------------	--	--------------------

REQUIRES: 4 digit RAL color specification to be added as note on the MSO before submitting.

No other code or description will be accepted.

Use the K02 Comment on the order to specify the RAL code.

"RAL" must be used to start the comment.

Example: RAL XXXX Name, RAL 1002 Sand Yellow."

Please contact ORDER ENTRY GROUP & THE FACILITY using a DOCS CASE before placing CUSTOM COLOR requests.

Note 1: Custom paint will recolor the external yellow components. Black components remain black. Some internal / under hood / non externally visible parts may stay yellow,for example transmission

Note 2: Use of online RAL Code converters like <https://qconv.com/en> or <http://www.ralcolor.com/> may help you find the closest match for your requirements

Note 3: Once a custom paint order is placed, it may not be cancelled. (Full price may be charged for unused paint and labour)
 Custom paint may extend availability / RTS from what is published. Usually we see 10-12 weeks normal lead time for custom paint.

Note 4: For the Hydraulic Implement picks that require pin on loader Buckets ,please use the list of ONLY FOR USE WITH loader buckets Below .Hydraulic Implement with loader quick coupler and hook on loader buckets are also compatible with custom color.

Note 5: NORTH AMERICAN REGION ONLY, For orders that come through the North American region. Please place the order against the Clayton Node, DQE. Do not order against the Waco Node regardless of geographic location.

ONLY FOR USE WITH:	LANE 3	
	5819002	BUCKET-MP, 1.1 M3, PO, BLACK
	5950367	BUCKET-GP, 1.0 M3, PO, BLK
	5950365	BUCKET-GP, 1.1 M3, PO, BLK
	5950357	BUCKET-MP, 1.0 M3, PO, BLK
	5602635	STABILIZER PADS, FLIP-OVER
	5877103	TIRES, 340 80-18/440 80-24, MX

CATERPILLAR MACHINE PRICE LIST

420

USE	REF NO.	CUSTOM PRODUCTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

CUSTOM PRODUCTS (CONT.)

CUSTOM COLOR (Cont.)

L	583-7869	CUSTOM COLOR, CENTER PIVOT 0		\$15,375
---	----------	--	--	----------

REQUIRES:4 digit RAL color specification and paint sheen (MATTE or MEDIUM GLOSS), to be added as note on the MSO before submitting. No other code or description will be accepted. Use the K02 Comment on the order to specify the RAL code and sheen. "RAL" must be used to start the comment. Example: RAL XXXX Name Sheen, RAL 1002 Sand Yellow Matte.

Please contact ORDER ENTRY GROUP & THE FACILITY using a DOCS CASE before placing CUSTOM COLOR requests.

Note 1: Custom paint will recolor the external yellow components. Hydraulic cylinders will remain black and small plated brackets will remain plated. Some internal / under hood / non externally visible parts may stay yellow, for example transmission.

Note 2: Use of online RAL Code converters like <https://qconv.com/en> or <http://www.ralcolor.com/> may help you find the closest match for your requirements.

Note 3: Once a custom paint order is placed, it may not be cancelled. (Full price may be charged for unused paint and labour) Custom paint may extend availability / RTS from what is published. Usually we see 10-12 weeks normal lead time for custom paint.

Note 4: For the Hydraulic Implement picks that require pin on loader buckets, please use the list of ONLY FOR USE WITH loader buckets below. Hydraulic Implement with loader quick coupler and hook on loader buckets are also compatible with custom color.

Note 5: NORTH AMERICAN REGION ONLY, For orders that come through the North American region. Please place the order against the Clayton Node, Y15E. Do not order against the Waco Node regardless of geographic location.

- ONLY FOR USE WITH: LANE 3
 581-9002 BUCKET-MP, 1.1 M3, PO, BLACK
 595-0367 BUCKET-GP, 1.0 M3, PO, BLK
 595-0365 BUCKET-GP, 1.1 M3, PO, BLK
 595-0357 BUCKET-MP, 1.0 M3, PO, BLK
 587-7103 TIRES, 340 80-18/440 80-24, MX

DEFENSE OPTIONS

P	570-4105	FILM, BLACK 0		NC
		ONLY FOR USE WITH: 583-7869 CUSTOM COLOR		

CATERPILLAR MACHINE PRICE LIST

420

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS

KITS

Kits cannot be ordered with your machine order.
 Kits can be ordered through CMOPS, but **MUST** be separate orders from the machine, and **MUST** include the top level MISC MTRL reference number. To ensure the orders are transferred through Antares to the Parts Distribution System you **MUST** also select the required Packing reference number.

For USA and Canada, please place your order as follows:

OP-7257 420 MISC MTRL
 Kit item number

Kits will not be shipped with your machine, and are not carried in the Waco or Clayton Logistics Nodes.

RIDE CONTROL

P	577-8607	KIT, RIDE CONTROL (PILOT/ECM)	0	\$1,618 NI
		Provides a suspension system by placing an accumulator in loader lift arm circuit to improve vehicle ride when traveling. For use in roading, load and carry or any other application where bucket spillage or operator ride is a concern. Includes manual on/off switch.		

AUXILIARY, COMBINED FUNCTION HYDRAULIC KITS

For use with both one-way flow tools (hammers, compactors) and two-way flow tools (augers, thumbs, side tilt couplers). Units equipped with Standard Sticks require 5 function BH Hydraulics and operate using the right thumb controller. Units equipped with Extendible Sticks require 6 Function BH Hydraulics and operate using the left thumb controller. Mounted near the backhoe valve bank in the chassis, a manual ball valve switches between one-way and two-way flow. Estimated shop time: 8 hours to install kit, plus 8 more hours is needed if adding a valve section to the valve bank (converting 4 to 5 Function, or 5 to 6 Function).

P	577-8616	KIT, HYD,COMBINED,14FT STD STK	0	\$3,806 NI
		Provides diverter valve and hydraulic 3/4" lines routed to midpoint of stick for use with one-way or two-way flow work tools. Includes hydraulic quick disconnect couplings. This kit can be used to build 1 way (hammer) lines. See REHS installation instructions. FOR USE WITH: HYDRAULICS, BH, 5 FUNCTION or HYDRAULICS, BH, 6 FUNCTION and STICK, STANDARD CANNOT BE USED WITH:AUX READY HYDRAULICS		

CATERPILLAR MACHINE PRICE LIST

420

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

AUXILIARY, COMBINED FUNCTION HYDRAULIC KITS (Cont.)

P	577-8617	KIT, HYD, COMBINED, 14FT E-STK 0 Provides diverter valve and hydraulic 3/4" lines routed to midpoint of stick for use with one-way or two-way flow work tools. Includes hydraulic quick disconnect couplings. This kit can be used to build 1 way (hammer) lines. See reference media number REHS installation instructions. FOR USE WITH: E-STICK and HYDRAULICS, BH, 6 FUNCTION CANNOT BE USED WITH: AUX READY HYDRAULICS		\$3,806 NI
---	----------	--	--	-------------------

OTHER KITS

P	585-0341	KIT, LINES, HYD CPLR 14FT S-STK 0		\$1,972 NI
P	585-0342	KIT, LINES, HYD CPLR 14FT E-STK 0		\$1,972 NI
P	585-7963	KIT, AUX HYD, EXTERNAL, STD STICK 0 Kit required to complete addition of Combined Aux Lines to BH when machine contains AUX READY Hydraulics.		\$1,639 NI
P	585-7964	KIT, AUX HYD, EXTERNAL, E-STICK 0 Kit required to complete addition of Combined Aux Lines to BH when machine contains AUX READY Hydraulics.		\$1,639 NI
P	444-7500	COUPLER, PG, MAN.D.LOCK, BHL 192 Mechanical quick coupler for backhoe buckets.		\$2,194 NI
P	485-5303	COUPLER, PG, HYD.D.LOCK, BHL 192 Hydraulic quick coupler with dual lock for backhoe buckets.		\$4,285 NI
P	387-6458	KIT, GUARD, STABILIZER CYLNDRS 0		\$938 NI
P	455-7380	KIT, LOADER, COUPLING QD 0 Includes both Male and Female 'Twist to Connect' hydraulic quick disconnect couplings with protective caps.		\$419 NI
P	595-9956	KIT, HBCV - BOOM 0 Hose Burst Check Valve (HBCV) for the boom. See reference media number M0122511 for installation instructions. For Use With: Pilot or EH hydraulics Only		\$610 NI NET
P	442-9566	KIT, HOE, COUPLING Q-DISCON 0 Includes both Male and Female 'Twist to Connect' hydraulic quick disconnect couplings with protective caps.		\$414 NI
P	596-8446	KIT, LOADER COUPLER 0 FOR USE WITH: SINGLE TILT LOADER ARMS AND 3 BANK (MP) LOADER VALVE.		\$5,215 NI
P	482-1308	KIT, SECURITY KEYPAD 0 Provides a kit to add a keypad unit, self contained immobiliser system to disable the engine, transmission and other systems at key switch on until a valid pass code is entered on the keypad which unlocks the machine to enable operation. FOR USE WITH: LRC MACHINE		\$561 NI

CATERPILLAR MACHINE PRICE LIST

420

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

OTHER KITS (Cont.)

P	586-8064	KIT, FENDER, FRONT 0 Provides a kit to add a set of 2 Front Fenders to a machine.		\$650 NI
P	497-5482	KIT, WORKLIGHTS, LED, WIDE 0 The contents of this kit are available separately from the parts distribution.		**
P	523-0146	KIT, WORKLIGHTS, LED, SPOT 0 The contents of this kit are available separately from the parts distribution.		**
P	602-6273	KIT, CONVERT TO AUTOSHIFT SEA This kit enables the customer to buy the option Software through antares for the onboard Feature upgrade to convert power shift to auto shift . Caterpillar will then provide the option key Software part number 557-6228. Dealer to provide price for any additional hardware and this software.		
P	602-6201	KIT, MACHINE SECURITY ,SEA This kit enables the customer to buy the optional software through antares for the onboard feature upgrade to add Keypad security on the display. Caterpillar will then provide The option key software part number 602-1225. Dealer to Provide price for any additional hardware and this software.		
P	602-5655	KIT, EH AUTO UP STABS SEA This kit enables the customer to buy the option software Through antares for the onboard feature upgrade to Add the auto up function to the EH stab control switches. Caterpillar will then provide the option key software Part number 611-6321. Dealer to provide price for any additional hardware and this software. For use with serial numbers after H8T01260 & L8T00192 CANNOT BE USED WITH: MECHANICAL HOE CONTROLS OR DELUXE CABS (ALREADY INCLUDED FROM FACTORY WITH DELUXE CAB)		

PACKING

	0P-0210	PACK, DOMESTIC TRUCK 0 Required for all machines for USA, Canada & South America		NC
	461-6839	SHIPPING/STORAGE PROTECTION 0 Provides protective film for rust protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer. REQUIRED BY: AM-N and AM-S DEALERS		\$232 NET
	462-1033	RUST PREVENTATIVE APPLICATOR 0 Preparation for shipment - Silix applicators required for shipment by sea. Required for all machines for USA, Canada & South America		\$124 NET

CATERPILLAR MACHINE PRICE LIST

420

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

PACKING (CONT.)

0G-8010	PACKING, PHYTO-SANITARY WOOD	0	NC
	All wood or wood derivative packaging material with this shipment requires Phytosanitary Certificate. If all packing material is wood-free (metal or plastic), this shipment requires a Declaration of No Wood Packing Material. Required in specific countries.		
0G-3280	PACK, MISCELLANEOUS MATERIAL	0	NC

AM-NORTH INFORMATION

FOR REFERENCE PURPOSES ONLY

L	573-4522 SEAT, VINYL	0	NC
	Included in Trim Packages 1 & 2		
L	573-4524 SEAT, DELUXE FABRIC	0	\$1,060
	Included in Trim Package 3		
L	573-4525 SEAT, DELUXE FABRIC, HEATED	0	\$1,640
	Included in Trim Packages 4		