

CATERPILLAR MACHINE PRICE LIST

430

430 BACKHOE LOADER
LEICESTER, ENGLAND

Ship Weight
lbs

LIST PRICE
AT DEALER

Standard Equipment:

BOOMS, STICKS, AND LINKAGES

BACKHOE

- 15' Center pivot backhoe
4.5 Meters
- Boom and swing transport locks
- Pilot operated backhoe and
electro hydraulic stabilizer controls
- Street type stabilizer shoes
- Anti-drift hydraulics (boom, stick,
and E-stick)
- Cat Cushion Swing(tm) system

LOADER

- Single Tilt Loader
- Lift cylinder brace
- Self-leveling loader with single
lever control
- Return-to-dig
(automatic bucket positioner)
- Transmission neutralizer switch
- Bucket level indicator

POWERTRAIN

- Water separator
- Thermal starting aid system
- Dry type axial seal air cleaner with
integral precleaner
- Automatic dust ejection system
- Filter condition indicator
- Hydraulically boosted multi-plate
wet disk brake with dual pedals &
interlock
- Differential lock
- Drive-line parking brake
- Torque converter
- Neutral safety switch
- Spin-on filters for
Fuel
Engine oil
Transmission oil
- Outboard Planetary Rear Axles
- Diesel particulate filter
- Hydrostatic power steering

HYDRAULICS

- Pilot hoe and mechanical loader

controls

- Load sensing, variable flow system
with 43 gpm (162 L/min) axial piston
pump
- 6 micron hydraulic filter
- Caterpillar XT-3 hose
- Hydraulic oil cooler
- Pilot control shutoff switch
- Flow-sharing hydraulic valves
- Hydraulic suction strainer

ELECTRICAL

- 12 volt electrical start
- Horn, front and rear
- Backup alarm
- Hazard flashers/turn signals
- Halogen head lights (2)
- Halogen rear flood lights (2)
- Stop and tail lights
- Audible system fault alarm
- Key start/stop system
- 850 CCA maintenance free battery
- Battery disconnect switch
- External Power Receptacle (12v)
- Diagnostic ports for engine and
machine Electronic Control Modules

OPERATOR ENVIRONMENT

- Interior rearview mirror
- ROPS canopy, Rear Fenders
- 2-inch (50mm) retractable seat belt
- Tilt steering column
- Steering knob
- Hand and foot throttle
- Automatic Engine Speed Control
- One Touch Low Idle
- Floor mat and Coat Strap
- Lockable storage area
- Air suspension seat

FLUIDS

- Antifreeze - Extended Life Coolant
-20F (-30C)

OTHER STANDARD EQUIPMENT

- Standard Storage Box
- Transport tie-down points
- Ground line fill fuel tank with
42.3 gal (160L) capacity & 5 gal (19L)
diesel exhaust fluid
- Rubber impact strips on radiator
guard
- CD-ROM Parts Manual
- Safety Manual
- Operations and Maintenance Manual

CATERPILLAR MACHINE PRICE LIST

430

430 BACKHOE LOADER
LEICESTER, ENGLAND

Ship Weight
lbs

LIST PRICE
AT DEALER

OTHER STANDARD EQUIPMENT (CONT.)

- Lockable hood
- Tire Valve Stem Protection

CATERPILLAR MACHINE PRICE LIST

430

430 BACKHOE LOADER
LEICESTER, ENGLAND

Ship Weight
lbs

LIST PRICE
AT DEALER

**Lane 2 is reserved for the Base Order Management Program.
Please use Lane 2 when placing orders that are part of the Base Order
Management Program.**

CATERPILLAR MACHINE PRICE LIST

430

430 BACKHOE LOADER LEICESTER, ENGLAND	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

543-3343	430 07A BACKHOE LOADER CFG2 0 HRC MACHINE LANE 3 - AVAILABLE FROM LEICESTER FACTORY AVAILABLE FOR: AM-N and PUERTO RICO	\$101,460
----------	---	------------------

Use the reference below when ordering miscellaneous field installed kits.

0P-7259	430 MISC MATL, AM-N 0	NC
---------	------------------------------------	-----------

CATERPILLAR MACHINE PRICE LIST

430

USE	REF NO.	MANDATORY ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------	-----------------	----------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

HOE COUPLER

P	444-7500	COUPLER, PG, MAN.D.LOCK, BHL	192	\$2,090
		Mechanical quick coupler for backhoe buckets. (Base machine includes one set of pins and hardware to attach one bucket).		
P	544-1901	COUPLER, PIN LOCK, BL F	0	\$1,528
		Manual coupler for dedicated Pin Lock backhoe work tools. Includes mounting pins and hardware for attaching tools.		

CATERPILLAR MACHINE PRICE LIST

430

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	--------------------	-------------------------

LANE SELECTION

LANE 2/ LANE 3 FACTORY ARRANGEMENTS

0P-9002	LANE 2 ORDER 0 Only for dealers enrolled in the Base Orders Management (BOM) program	NC
0P-9003	LANE 3 ORDER 0	NC

CATERPILLAR MACHINE PRICE LIST

430

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES

BACKHOE STICKS

L	543-4285	STICK, STANDARD, 16FT	0	NC
L	543-4286	STICK, EXTENDABLE, 16FT Provides additional 3'8" (1.13m) of reach	0	\$5,010

POWERTRAIN

POWERTRAIN - HRC MACHINES (Gearbox, Axles, Lines)

L	544-0930	PT, 4WD/2WS AUTOSHIFT	0	\$13,330
L	544-1059	PT, 4WD/2WS, AUTOSHIFT, LTC Autoshift with Lockup Torque Converter	0	\$14,570
L	544-1066	PT, 4WD/2WS, POWERSHIFT Manual gear shift through powershuttle lever.	0	\$9,600

ENGINE - HRC MACHINES (Engine, Cooler, Filters, Lines)

L	543-5181	ENGINE, 86KW, C3.6 DITA, T4F EPA Tier 4 Final Certified Engine EU Stage 5 Certified Engine with aftertreatment Net Power @ Rated (2200RPM) is 106HP (79kW) Gross Power @ Rated (2200RPM) is 115HP (86kW)	0	\$9,550
---	----------	--	---	---------

HYDRAULICS

MACHINE HYDRAULICS - HRC MACHINES (inc Valves and Loader Lines)

L	542-7771	HYDRAULICS, GP, 5FCN/7BNK, ST CANNOT BE USED WITH: E-STICK WHEN AUX LINES ARE REQUIRED	0	\$720
L	542-7772	HYDRAULICS, GP, 6FCN/8BNK, ST	0	\$1,465
L	542-7773	HYDRAULICS, MP, 5FCN/7BNK, ST CANNOT BE USED WITH: E-STICK WHEN AUX LINES ARE REQUIRED	0	\$1,870
L	542-7774	HYDRAULICS, MP, 6FCN/8BNK, ST	0	\$2,615
L	554-4188	HYD, MP, 6FCN/8BNK, ST, QC	0	\$6,120

OPERATOR ENVIRONMENT

CAB / CANOPY - HRC MACHINES

L	544-0877	CANOPY, BASE Includes tilt steering column, floor mat, two internal and two external power sockets and rotating vandal guard.	0	NC
---	----------	--	---	----

CATERPILLAR MACHINE PRICE LIST

430

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

CAB / CANOPY - HRC MACHINES (Cont.)

L	544-0883	CAB, DELUXE	0	\$8,390
		Includes: window defroster, front & rear windshield wiper/washer system, left & right side doors with locks, coat hook, LED overhead light, interior rear view mirror, tilt/tele steering column, floor mat, radio-ready headliner, two internal and two external 12v power sockets, auto-up stabilizers and system indicators for hydraulic filter service and hydraulic temperature warning.		

DISPLAY - HRC MACHINES ONLY

L	545-5047	DISPLAY, STANDARD	0	NC
---	----------	-----------------------------	---	----

WORKING LIGHTS

L	491-6736	WORKLIGHTS (8) LED LAMPS	0	\$875
L	491-6734	WORKLIGHTS (8) HALOGEN LAMPS	0	NC

SEATING

L	573-4522	SEAT, VINYL	0	NC
		ONLY FOR USE WITH: OPEN CANOPY ONLY		
L	573-4524	SEAT, DELUXE FABRC	0	\$925
		ONLY FOR USE WITH: DELUXE ENCLOSED CABS		
L	573-4525	SEAT, DELUXE FABRIC, HEATED	0	\$1,435
		ONLY FOR USE WITH: DELUXE ENCLOSED CABS		

SEAT BELT

L	206-1747	BELT, SEAT, 2" SUSPENSION	0	NC
L	206-1748	SEAT BELT, 3" SUSPENSION	0	\$144
		REQUIRED IN: CALIFORNIA		

ENVIRONMENTAL CONTROL - HRC MACHINES

SELECT FOR ENCLOSED CABS ONLY

L	542-7809	HEATER, T4F	0	NC
		Select if heat only is required. CANNOT BE USED WITH: MACHINES WHICH HAVE AN OPEN CANOPY		
L	542-7810	AIR CONDITIONER, T4F	0	\$2,400
		Select if heat and air conditioning is required. CANNOT BE USED WITH: MACHINES WHICH HAVE AN OPEN CANOPY		

CATERPILLAR MACHINE PRICE LIST

430

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitoring performance of your assets, it helps keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.

Availability varies by country, please contact your Cat marketing representative with questions or click on the link below:

<HTTPS://DEALER.CAT.COM/en/bt/otd/machine-price-list.html>

From there click on the "PRODUCT LINK Hardware Certification" link.

HRC MACHINES

L	560-6797	PRODUCT LINK, CELLULAR, PLE643 0		NC
		Product Link Elite series PLE643 (consisting of PL243 radio and PLE602 network manager)uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Provides support for remote services,		
L	559-1294	PRODUCT LINK, DUAL MODE, PLE683 0		\$1,290
		Product Link Elite series dual mode PLE683 (consisting of PL083 radio, and PLE602 network manager) uses a combination of cellular and satellite networks to transmit location, utilization and health information for viewing in Product Link user applications. For use where travel between areas of both cellular and satellite coverage is required.		

LRC MACHINES

TIRES, RIMS, AND WHEELS

TIRES

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to propose alternate tires Any proposed change will be reviewed with the dealer prior to machine shipment. The machine will ship only with the dealer acceptance of the proposed alternative tire.

TIRES AVAILABLE FROM MICHELIN

P	533-0488	TIRES, 340 80-18/500 70-24, MX 0		\$1,645
		Michelin Power CL (Bias Ply) 12.5/80-18 12PR directional front tires and 500/70-24 20PR (Bias ply) directional rear tires designed to deliver high load capacity. Provides excellent traction and floatation. Wide lugs provide long life and hard surface grip.		

CATERPILLAR MACHINE PRICE LIST

430

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

TIRES AVAILABLE FROM MICHELIN (Cont.)

P	320-2385	TIRES,340 80R18/500/70-24 MI 0 Front: Michelin 340/80R18. Directional tire designed to deliver high load capacity, smooth wear and long life with superb grip in all types of conditions. Rear: Michelin 500/70-24 Power CL 164A8 Directional tire provides excellent traction and flotation characteristics. Shock-fortified nylon-cord body resists impacts, cuts and punctures. Combines benefits of radial front with stability of rear bias.		\$2,470
P	320-2384	TIRES, 340 80R18/500 70R24, MX 0 Front: Michelin 340/80R18 XMCL 142A8 Directional tire designed to deliver high load capacity, smooth wear and long life with superb grip in all types of conditions. Rear: Michelin 500/70R24 XMCL 157A8 Directional tire designed for outstanding damage resistance, extremely long tire life, and high load capacity.		\$3,110
P	533-0479	TIRES, 340 80R18/500 70R24, MX 0 Michelin 340/80R18 BIBLOAD Radial multi-directional front tires and Michelin 500/70R24 BIBLOAD Radial multi-directional rear tires for more contact on hard surfaces and smoother ride with good resistance to wear and tear.		\$3,235
P	533-2163	TIRES, 340 80R20/480 80R26, MX 0 Michelin 340/80-R20 XMCL radial directional front tires and Michelin 480/80R26 XMCL radial directional rear tires for excellent traction on all types of ground, good wear resistance on hard abrasive surfaces. A taller and wider tire combination for superior ground clearance and flotation. REQUIRES: 570-9674 STEERING STOP		\$3,535

TIRES AVAILABLE FROM GOODYEAR

P	379-2161	TIRES, 12.5 80/19.5L-24, GY 0 Front: Goodyear 12.5 80-1810 PR I-3 Sure Grip Lug Directional tire for good traction and long wear, provided by wide, sturdy overlapping lugs. Rear: Goodyear 19.5L-24 12 PR R4 IT525 Directional tire with solid performance on rock-hard ground. Increased wear and performance on hard surfaces.		\$1,690
---	----------	--	--	---------

TIRES AVAILABLE FROM FIRESTONE

P	282-3855	TIRES, 12.5 80-18/21L-24, FS 0 Front: Firestone 12.5 80-18 NHS (12ply) I-3 Super Traction Loader. Directional tire with low profile design that provides excellent traction and flotation. Tough sidewall for long wear. Rear: Firestone 21L-24 (16ply) R4 ATU (All Traction Utility) Directional tire provides excellent traction and flotation characteristics. Shock-fortified nylon-cord body resists impacts, cuts and punctures. Adds one inch of rear height with improved rear flotation.		\$2,605
---	----------	---	--	---------

CATERPILLAR MACHINE PRICE LIST

430

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

STEERING STOP

P	570-9674	STEERING STOP	0	\$10
		Front axle steering stop limits the steering angle on 20" tire arrangements to prevent machine interference.		
		REQUIRES: 5332163 TIRES, 340 80R20/480 80R26, MX		

OTHER ATTACHMENTS

COUNTERWEIGHT

ADD THE NEXT INCREMENT OF COUNTERWEIGHT IF A THUMB IS REQUIRED

MINIMUM RECOMMENDED COUNTERWEIGHT

MACHINE CONFIGURATION	RECOMMENDED WEIGHT
Std Stick, GP Bucket	1015 lbs - 460KG
Std Stick, MP Bucket	no cwt
E-Stick, GP Bucket	1015 lbs - 460KG
E-Stick, MP Bucket	530 lbs - 240KG

IF QC LOADER HYD SELECTED

MACHINE CONFIGURATION	RECOMMENDED WEIGHT
Std Stick, GP Bucket	255 lbs - 115KG
Std Stick, MP Bucket	no cwt
Std Stick, Material Arm	255 lbs - 460KG
Std Stick, Fork Carriage	255 lbs - 460KG
E-Stick, GP Bucket	1015 lbs - 460KG
E-Stick, MP Bucket	530 lbs - 240KG
E-Stick, Material Arm	530 lbs - 240KGG
E-Stick, Fork Carriage	530 lbs - 240KGG

P	337-9693	COUNTERWEIGHT, NONE	0	NC
P	337-9694	COUNTERWEIGHT, 255 LBS	0	\$680
P	337-9695	COUNTERWEIGHT, 530 LBS	0	\$895
P	337-9696	COUNTERWEIGHT, 1015 LBS	0	\$1,765

Stabilizer Pads

P	9R-1085	STABILIZER PADS, STREET	37	NC
		Set of two rubber pads which bolt to the standard shoes. For use on prepared surfaces such as asphalt or concrete.		
P	9R-6007	STABILIZER PADS, FLIP-OVER	85	\$336
		Flip-over pads for use on asphalt, concrete or soil.		

CATERPILLAR MACHINE PRICE LIST

430

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BUCKETS

LOADER BUCKETS

P	325-5100	BUCKET, LOADER (NONE)	0	NC
		Ship with no loader bucket.		
P	337-7385	BUCKET-GP, 1.30 YD3, PO	965	\$3,231
		1.0M3 (1.3YD3) SAE capacity General Purpose. Drilled to accept bolt-on teeth or cutting edge (not included).		
P	337-7388	BUCKET-GP, 1.4 YD3, PO	1,012	\$3,418
		1.1M3 (1.4YD3) SAE capacity General Purpose. Drilled to accept bolt-on teeth or cutting edge (not included).		
P	337-7401	BUCKET-GP, 1.5 YD3, PO	1,056	\$4,142
		1.15M3 (1.5YD3) SAE capacity General Purpose. Drilled to accept bolt-on teeth or cutting edge (not included).		
P	337-7436	BUCKET-MP, 1.3 YD3, PO, BRKTS	1,593	\$6,911
		1.0M3 (1.3YD3) SAE capacity Multi Purpose. Drilled to accept bolt-on teeth or cutting edge (not included). Includes brackets		
		REQUIRES: MP HYDRAULICS		
P	337-7442	BUCKET-MP, 1.4 YD3, PO	1,655	\$7,424
		1.1M3 (D 1.4YD3) SAE capacity Multi Purpose. Drilled to accept bolt-on teeth or cutting edge (not included). REQUIRES: MP HYDRAULICS		

CUTTING EDGE/TEETH

P	9R-5320	CUTTING EDGE, TWO PIECE,WIDE	154	\$329
		Bolt-on reversible cutting edge for the Loader Bucket. CANNOT BE USED WITH: 9R-5866 TEETH		
P	9R-5321	CUTTING EDGE, TWO PIECE	154	\$331
		Bolt-on reversible cutting edge for the Loader Bucket. CANNOT BE USED WITH: 9R-5866 TEETH		
P	9R-5866	TEETH	61	\$389
		Includes eight bolt-on Uniteeth and hardware. CANNOT BE USED WITH: 9R5320 CUTTING EDGE, TWO PIECE,WIDE or 9R5321 CUTTING EDGE, TWO PIECE		

BACKHOE BUCKETS AND COUPLERS

If no coupler is selected hoe bucket should be ordered as installed.

If coupler is selected coupler should be installed and hoe bucket not installed.

Additional buckets (and bucket pins) may be ordered as not-installed from the Lane2/ Lane3 Optional section.

P	175-7877	BUCKET, HOE, (NONE)	10	NC
		REQUIRED when no backhoe bucket or coupler is installed.		
P	219-3387	BUCKET-HD, 24", 6.2 FT3	333	\$1,717
		Includes 5 tooth tips.	333	\$1,717 NI
P	254-8941	BUCKET-SOIL, 24", 8.5 FT3	395	\$1,854
		Includes 5 angle-down adapters and soil tooth tips.	395	\$1,854 NI

CATERPILLAR MACHINE PRICE LIST

430

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BUCKETS (CONT.)

BACKHOE BUCKETS AND COUPLERS (Cont.)

P	219-3396	BUCKET-ROCK, HD, 24", 7.0 FT3	381 381	\$1,892 \$1,892 NI
		Includes 5 tooth tips.		
P	219-3381	BUCKET, 24", 6.2 FT3	291 291	\$1,335 \$1,335 NI
		Includes 5 tooth tips.		
P	247-1950	BUCKET-HD, 24", 7.3 FT3, PL	370 370	\$1,846 \$1,846 NI
		This Pin Lock bucket includes 5 tooth tips.		
		ONLY FOR USE WITH: 487-0712 COUPLER, PIN LOCK		
P	219-3411	BUCKET-HD, 12", 2.8 FT3	238 238	\$1,457 \$1,457 NI
		Includes 3 tooth tips and Pin set for 12" Buckets.		
P	219-3386	BUCKET-HD, 18", 4.2 FT3	284 284	\$1,508 \$1,508 NI
		Includes 4 tooth tips.		
P	212-8738	BUCKET-DC, 48", 13.0 FT3	0 453	\$2,757 \$2,757 NI
		Ditch cleaning bucket		
P	444-7500	COUPLER, PG, MAN.D.LOCK, BHL	192	\$2,090
		Mechanical quick coupler for backhoe buckets.		
		(includes one set of pins and hardware to attach one bucket)		
P	544-1901	COUPLER, PIN LOCK, BL F	0	\$1,528
		Manual coupler for dedicated Pin Lock backhoe work tools.		
		Includes mounting pins and hardware for attaching tools.		
P	485-5303	COUPLER, PG, HYD.D.LOCK,BHL	192	\$4,083
		Hydraulic quick coupler with dual lock for backhoe buckets.		
		REQUIRES: 555-2397 LINES, HYD COUPLER		

INSTRUCTIONS

DECAL PACKAGES

P	559-0872	INSTRUCTIONS, ANSI	0	NC
		This package includes picto decals for use in USA.		

INSTRUCTIONS AND OPERATION MANUALS

	421-8926	SERIALIZED TECHNICAL MEDIA KIT	0	NC
		Kit will include instructions and parts CD in the legally required language, based on the shipping address.		
		Any additional media such as a paper parts manual, not included in the kit, can be ordered through the media website.		
		https://oos.midlandcorp.com/CAT/Default.aspx		

CATERPILLAR MACHINE PRICE LIST

430

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

NOTE

LANE 2 / LANE 3 OPTIONAL SELECTIONS

HYDRAULICS

RIDE CONTROL

L	551-6453	RIDE CONTROL 0		\$1,490
		Improves ride during travel by providing a suspension system in the loader lift arm circuit. Recommended in applications where improved material retention or ride is desired.		

THUMBS

Thumbs cannot be shipped without either bucket or coupler.
 Thumbs & Tines may only be ordered as full, installed packages.
 Thumbs cannot be ordered installed, less the tine. A Tine must be selected to complete the order.
 No additional not installed tine allowed When ordering a BHL Thumb & Tine from the Factory; insure that the correct tine is selected for the bucket and/or bucket/coupler combination.
 If the incorrect tine is selected, the bucket and tine may not mate properly.

P	282-5409	THUMB, HYDRAULIC, NO TINE, BHL 0		\$5,500
		Hydraulic Thumb Arrangement without tines FOR USE WITH: LINES, COMBINED AUX REQUIRES: Thumb tine (see below)		
P	221-4282	THUMB, TINE, A 1 0		\$417
		Buckets with no coupler ONLY FOR USE WITH: 219-3411 BUCKET 12" OR 219-3386 BUCKET 18" 219-3381 BUCKET 24" OR 219-3387 BUCKET 24"		
P	221-4284	THUMB, TINE, A 2 0		\$417
		Bucket with no coupler FOR USE WITH: 219-3396 BUCKET 24" Bucket with 544-1901 Coupler FOR USE WITH: 247-1950 BUCKET 24"		
P	221-4283	THUMB, TINE, A 3 0		\$417
		Bucket with no coupler FOR USE WITH: 254-8941 BUCKET 24" Buckets with: 444-7500 COUPLER, MANUAL OR 485-5303 COUPLER, HYDR FOR USE WITH: 219-3411 BUCKET 12" OR 219-3386 BUCKET 18" OR 219-3381 BUCKET 24" OR 219-3387		
P	221-4285	THUMB, TINE, A 4 0		\$556
		ONLY FOR USE WITH: 444-7500 COUPLER, MANUAL OR 485-5303 COUPLER, HYDR 219-3396 BUCKET 24"		
P	281-6708	THUMB, TINE, A 5 0		\$556
		ONLY FOR USE WITH: 444-7500 COUPLER, MANUAL OR 485-5303 COUPLER, HYDR 254-8941 BUCKET 24"		

CATERPILLAR MACHINE PRICE LIST

430

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

HYDRAULICS (CONT.)

HYDRAULIC QUICK DISCONNECT

P	456-3390	COUPLING, QD, THREADED WITH CAPS 4		\$371 NI
		This includes one additional male and female threaded flat face, connect under pressure, quick disconnect coupling & protective caps. Compatible with all backhoe work tools. MUST BE ORDERED AS NOT-INSTALLED.		

BACKHOE HYDRAULICS

L	548-1232	LINES, COMBINED AUX, STD STICK 0		\$3,500
		ONLY FOR USE WITH: 543-4285 STICK, STANDARD, 16FT		
L	548-1233	LINES, COMBINED AUX, E-STICK 0		\$3,500
		ONLY FOR USE WITH: 543-4286 STICK, EXTENDABLE, 16FT and 6 FUNCTION HYDRAULICS		
P	578-0794	LINES BOOM, HBCV 0		\$735
		Provides hoe hose burst check valve.		
P	578-0794	LINES BOOM, HBCV 0		\$735
		Provides hoe hose burst check valve.		

ELECTRICAL

MAGNETIC BEACON

P	211-4292	BEACON, MAGNETIC MOUNT 0		\$231 NI
		Must be ordered as 'NOT INSTALLED'		
P	433-0154	BEACON, MAGNETIC MOUNT, STROBE 0		\$342 NI
		Must be ordered as 'NOT INSTALLED'.		

RADIO

P	540-2298	RADIO, FM BLUETOOTH 0		\$550
		Cat FM Radio with bluetooth, aux input & microphone CANNOT BE USED WITH: OPEN CANOPY MACHINES		

RADIO READY CANOPY HEADLINER

L	398-2875	RADIO READY HEADLINER, CANOPY 3		\$499
		Canopy headliner to accept a suitable 'all weather' Radio/ CD player (not available from factory) FOR USE WITH: OPEN CANOPIES ONLY		

FACE FAN

L	387-6682	FAN 0		\$230
		ONLY FOR USE WITH: DELUXE CABS		
L	454-6610	FAN, STANDARD CAB/ CANOPY 0		\$230
		FOR USE WITH: CANOPIES		

SECURITY KEYPAD

L	549-5531	SECURITY BLUETOOTH KEY 0		\$560
		FOR USE WITH: HRC MACHINES		
L	573-0397	DISPLAY, SECURITY, ENABLED 0		\$359
		FOR USE WITH: HRC MACHINES		

CATERPILLAR MACHINE PRICE LIST

430

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
ELECTRICAL (CONT.)				
HEAVY DUTY BATTERY				
L	516-5913	BATTERY, HEAVY DUTY 0 INCLUDED IN: COLD WEATHER PACKAGE		\$227
COLD WEATHER PACKAGE				
L	551-6940	COLD WEATHER PACKAGE, 120V 0 Provides additional battery and engine block heater as well as radiator antifreeze -67F (-55 celsius), mounting for an ether bottle and low temperature diesel fuel to -22F (-30 celsius). The ether bottle is available seperately from Parts Distribution FOR USE WITH: HRC MACHINES CANNOT BE USED WITH: HEAVY DUTY BATTERY or COLD WEATHER FUEL		\$780
L	396-6505	FUEL, COLD WEATHER 0 Provides low temperature diesel fuel -22F (-30 celsius). INCLUDED IN: COLD WEATHER PACKAGE		\$139 NET
STABILIZERS				
P	567-5090	AUTO-UP STABILIZERS. 0		NC
GUARDS				
P	270-3204	PLATE GROUP - BOOM WEAR 0 Bolt on guard prevents damage to boom.		\$208
P	353-1389	GUARD, STABILIZER 0 Guards to protect Stabilizer cylinder rods from damage.		\$835
OTHER ATTACHMENTS				
FENDERS				
P	563-6098	FENDERS, FRONT 4WD 0 Set of two fenders with integrated steps.		\$576
EXTERIOR REAR VIEW MIRRORS				
P	382-2499	MIRRORS, EXTERNAL, BOTH SIDES 0		\$725
WORK TOOLS				
CARRIAGE AND FORKS				
P	6W-8832	CARRIAGE, PALLET, 61", IT 699 Standard carriage. Does not include tines.		\$2,511 NI
P	195-6935	FORK TINE, 2" X 5" X 48" 216 One tine only, specify qty of 2 for pair.		\$765 NI
P	195-6939	FORK TINE, 2" X 5" X 54" 232 One tine only, specify qty of 2 for pair.		\$793 NI

CATERPILLAR MACHINE PRICE LIST

430

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

WORK TOOLS (CONT.)

HYDRAULIC QUICK COUPLER LINES

Required if a Hydraulic Quick Coupler has been selected.
Optional selection on other machines.

P	555-2397	LINES, HYD CPLR 15FT EXT PILOT 0 Provides hydraulic lines, valve and electrical controller. REQUIRED BY: HYDRAULIC COUPLER, PG, DUAL LOCK and EXTENDABLE STICK		\$2,326
---	----------	--	--	---------

COUPLER NONE CAPS

P	487-6058	COUPLER NONE 0 This includes caps to close off lines when machine is "Hydraulic Coupler Ready", however, NO hyd coupler is selected. REQUIRES: 555-2394 LINES, HYD COUPLER STD-STK 555-2396 LINES, HYD COUPLER EXT-STICK CANNOT BE USED WITH: 485-5303 COUPLER		NC
---	----------	--	--	----

HOE BUCKET PINS

P	318-9902	PINS, SPARE 6 Includes bucket pins and hardware. FOR USE WITH: 444-7500 COUPLER, PG, MANUAL, DUAL LOCK 361-1200 COUPLER, PG, HYD, DUAL LOCK		\$175
---	----------	---	--	-------

BUCKETS

LOADER BUCKET FOR QUICK COUPLER

P	251-1800	BUCKET-GP, 1.31 YD3, IT 979 1.31 cu. yd. SAE capacity General Purpose. Drilled to accept bolt-on teeth or cutting edge ONLY FOR USE WITH: 554-4188 HYD,MP,6FCN/8BNK,ST,QC		\$3,682
P	251-1794	BUCKET-GP, 1.5 YD3, IT 1,030 1.5 cu. yd. SAE capacity General Purpose. Drilled to accept bolt-on teeth or cutting edge, Two piece, Wide (not included). ONLY FOR USE WITH: 554-4188 HYD,MP,6FCN/8BNK,ST,QC		\$4,326
P	216-8810	BUCKET-MP, 1.3 YD3, IT 1,549 1.25 cu. yd. SAE capacity Multi Purpose IT. Drilled to accept bolt-on teeth or cutting edge (not included). ONLY FOR USE WITH: 554-4188 HYD,MP,6FCN/8BNK,ST,QC		\$7,136
P	216-8840	BUCKET-MP, 1.4 YD3, IT 1,612 1.35 cu. yd. SAE capacity Multi Purpose IT. Drilled to accept bolt-on teeth or cutting edge, Two piece, Wide ONLY FOR USE WITH: 554-4188 HYD,MP,6FCN/8BNK,ST,QC		\$7,632

CUTTING EDGE OR TEETH

P	9R-5320	CUTTING EDGE, TWO PIECE, WIDE 154 Bolt-on reversible cutting edge for the Loader Bucket. CANNOT BE USED WITH: 9R-5866 TEETH		\$329
P	9R-5321	CUTTING EDGE, TWO PIECE 154 Bolt-on reversible cutting edge for the Loader Bucket. CANNOT BE USED WITH: 9R-5866 TEETH		\$331

CATERPILLAR MACHINE PRICE LIST

430

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

BUCKETS (CONT.)

CUTTING EDGE OR TEETH (Cont.)

P	9R-5866	TEETH.....	61	\$389
		Includes eight bolt-on Uniteeth and hardware. CANNOT BE USED WITH: 9R5320 CUTTING EDGE, TWO PIECE,WIDE or 9R5321 CUTTING EDGE, TWO PIECE		

FIELD INSTALLED ATTACHMENTS

KITS

Kits cannot be ordered with your machine order.
Kits can be ordered through CMOPS, but MUST be separate orders from the machine, and MUST include the top level MISC MTRL reference number. To ensure the orders are transferred through Antares to the Parts Distribution System you MUST also select the required Packing reference number.

For USA and Canada, please place your order as follows:

OG-0557 430 MISC MTRL
Kit item number

Kits will not be shipped with your machine, and are not carried in the Waco or Clayton Logistics Nodes.
Rest of the world may order direct from the plant.
Please place your order as follows:

OG-0325 430 MISC MTRL
Kit item number
OG-3280 PACK, MISCL MTRL

PLEASE SEE PREVIOUS PRICE LISTS WHEN ORDERING KITS FOR USE WITH EARLIER MODELS.

RIDE CONTROL

P	577-8607	KIT, RIDE CONTROL (PILOT/ECM)	0	\$1,418 NI
		Improves ride during travel by providing a suspension system in the loader lift arm circuit. Recommended in applications where improved ride or material retention is desired such as roading or load and carry.		

CATERPILLAR MACHINE PRICE LIST

430

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

AUXILIARY, COMBINED FUNCTION HYDRAULIC KITS

For use with both one-way flow tools (hammers, compactors) and two-way flow tools (augers, thumbs, side tilt couplers). Units equipped with Standard Sticks require 5 function BH Hydraulics and operate using the right thumb controller. Units equipped with Extendible Sticks require 6 Function BH Hydraulics and operate using the left thumb controller. Mounted near the backhoe valve bank in the chassis, a manual ball valve switches between one-way and two-way flow. Estimated shop time: 8 hours to install kit, plus 8 more hours is needed if adding a valve section to the valve bank (converting 4 to 5 Function, or 5 to 6 Function).

P	577-8618	KIT, HYD, COMBINED, 16FT STD STK 0 Provides diverter valve and hydraulic 3/4" lines routed to midpoint of stick for use with one-way or two-way flow work tools. Includes hydraulic quick disconnect couplings. This kit can be used to build 1 way (hammer) lines. See REHS installation instructions. FOR USE WITH: STICK, STANDARD and HYDRAULICS, BH, 5 FUNCTION or HYDRAULICS, BH, 6 FUNCTION		\$3,332 NI
P	577-8619	KIT, HYD, COMBINED, 16FT E-STK 0 Provides diverter valve and hydraulic 3/4" lines routed to midpoint of stick for use with one-way or two-way flow work tools. Includes hydraulic quick disconnect couplings. This kit can be used to build 1 way (hammer) lines. See REHS installation instructions. FOR USE WITH: E-STICK and HYDRAULICS, BH, 6 FUNCTION		\$3,332 NI

OTHER KITS

P	577-8613	KIT, LINES, HYD CPLR 15FT E-STK 0		\$1,724 NI
P	444-7500	COUPLER, PG, MAN.D.LOCK, BHL 192 Mechanical quick coupler for backhoe buckets.		\$2,090 NI
P	485-5303	COUPLER, PG, HYD.D.LOCK, BHL 192 Hydraulic quick coupler with dual lock for backhoe buckets.		\$4,083 NI
P	387-6458	KIT, GUARD, STABILIZER CYLNDRS 0		\$828 NI
P	455-7380	KIT, LOADER, COUPLING QD 0 Includes both Male and Female 'Twist to Connect' hydraulic quick disconnect couplings with protective caps.		\$368 NI
P	442-9566	KIT, HOE, COUPLING Q-DISCON 0 Includes both Male and Female 'Twist to Connect' hydraulic quick disconnect couplings with protective caps.		\$363 NI

CATERPILLAR MACHINE PRICE LIST

430

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

OTHER KITS (Cont.)

P	482-1308	KIT, SECURITY KEYPAD 0 Provides a kit to add a keypad unit, self contained immobiliser system to disable the engine, transmission and other systems at key switch on until a valid pass code is entered on the keypad which unlocks the machine to enable operation. FOR USE WITH: LRC MACHINES		\$493 NI
P	586-8064	KIT, FENDER, FRONT 0 Provides a kit to add a set of 2 Front Fenders to a machine.		\$571 NI
P	497-5482	KIT, WORKLIGHTS, LED, WIDE 0		\$218 NI
P	523-0146	KIT, WORKLIGHTS, LED, SPOT 0		\$218 NI

PACKING

	0P-0210	PACK, DOMESTIC TRUCK 0 Required for all machines for USA, Canada & South America		NC
	461-6839	SHIPPING/STORAGE PROTECTION 0 Provides protective film for rust protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer. REQUIRED BY: AM-N and AM-S DEALERS		\$203 NET
	462-1033	RUST PREVENTATIVE APPLICATOR 0 Preparation for shipment - Silix applicators required for shipment by sea. Required for all machines for USA, Canada & South America		\$108 NET
	0G-3280	PACK, MISCELLANEOUS MATERIAL 0		NC