

CATERPILLAR MACHINE PRICE LIST

910M

910M WHEEL LOADER
 LEICESTER, ENGLAND

Ship Weight
 lbs

LIST PRICE
 AT DEALER

Standard Equipment:

POWERTRAIN

Cat C4.4 ACERT Engine
 -Common rail fuel injection
 -U.S. EPA Tier 4 Final/ EU Stage IV
 -MLT 2014
 Caterpillar NOx Reduction System
 Fuel: Ultra Low Sulphur Diesel @ <15ppm
 Engine Oil: Cj-4
 Electric fuel pump with 4 micron filtration
 S.O.S port, transmission oil
 Hydrostatic transmission
 Lube for life universal joints
 Forward - Neutral - Reverse on joystick
 100% locking differentials, whilst moving
 Air cleaner, radial seal, dual filters
 Cooling fan, hydraulic
 Intergrated Cyclone pre-cleaner

HYDRAULICS

Two valve, single lever joystick
 Diagnostic pressure taps
 SOS port, hydraulic oil
 Hydraulically demand driven cooling fan
 Variable displacement piston pump,hystat and gear pump

ELECTRICAL

150 Amp alternator
 item is optional for other countries
 Rooding lights
 12 volt direct electric starting
 Battery disconnect switch

OPERATOR ENVIRONMENT

Hydraulic control lever lockout
 Electrohydraulic implement controls
 Gauges
 - Engine coolant temperature
 - Hydraulic oil temperature
 - Fuel level
 - Speedometer
 - Digital Hour meter
 - DEF
 Operator warning system indicators:
 - Brake charge pressure low
 - Engine malfunction
 - Park brake applied
 - Electrical system voltage flow
 - Hydraulic oil filter bypass
 - Action indicator
 Seat
 - Fabric or Vinyl
 - adjustable height, backrest, armrest

- Seat belt, retractable
 Heater/defroster
 Wiper/washer (front & rear)
 Tinted front glass,laminated
 Adjustable steering column
 Rear window defrost
 Lockable Storage box with cup holder
 Internal 12V power source
 External 12V power source

FLUIDS

Extended life coolant antifreeze
 Protected to -36C (-33F) hydraulic oil
 Cat Advanced Hydo 10

OTHER STANDARD EQUIPMENT

Parallel lift, Optimised Z-Bar loader
 Fenders, front and rear
 Engine enclosure - lockable
 Recovery hitch
 Vandalism protection - locked service points

REGIONAL STANDARDS(as required)

Chocks
 bucket tooth or edge guard
 Decals, rooding speed
 Reflectors, rooding
 Camara, rear view
 Beacon

CATERPILLAR MACHINE PRICE LIST

910M

910M WHEEL LOADER LEICESTER, ENGLAND	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

**Lane 2 is reserved for the Base Order Management Program.
Please use Lane 2 when placing orders that are part of the Base Order
Management Program.**

550-3557	910M WHEEL LOADER DCA1 0 LANE 1 - AVAILABLE FROM EITHER BALTIMORE OR CLAYTON PDCs INCLUDES: 457-1484 910M WHEEL LOADER 462-7420 ENGINE, C4.4, T4F, HRC 462-7124 POWERTRAIN, HI RIMPULL, 24MPH 463-2090 CAB, DELUXE, SINGLE BRAKE 467-0402 LOADER AR, STD CPLER, HI LIFT 308-0189 VALVE, DRAIN, ECO 423-5544 LIGHTS, ROADING, RH DIP 433-3258 SECURITY SYSTEM, NONE 444-1001 ENG COOLNT, A/FREEZE (-50/-58F) 448-9539 LIGHT, CAB, WORKING HALOGEN 450-5405 HYDRAULIC OIL, STANDARD 462-6950 STEERING, STANDARD 462-7111 HEATER AND AIR CONDITIONER 462-7340 BATTERY, HEAVY DUTY 469-5852 FENDERS, STANDARD 470-6223 HYDRAULICS, 3V/1L, HI LIFT 471-6212 WORKTOOL, WIRING 471-6763 FEATURE PACKAGE, ROAD + LOAD 474-1980 ALARM, BACK-UP 474-1982 HEATER, ENGINE COOLANT, 120V 486-3775 3V QUICK DISCONNECT PUSH FIT 504-4835 CAMERA, REAR VIEW 508-0797 PRODUCT LINK, CELLULAR, PL240 524-5098 FUEL, STANDARD 539-7204 SEAT, DELUXE 550-9815 SEAT BELT, RETRACTABLE 2"	\$156,810
457-1484	910M WHEEL LOADER 0 LANE 2 - AVAILABLE FROM LEICESTER FACTORY LANE 3 - AVAILABLE FROM LEICESTER FACTORY	\$117,990
0P-6827	910 MISCELLANEOUS MATERIAL 0	NC

CATERPILLAR MACHINE PRICE LIST

910M

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

OP-9001	LANE 1 ORDER	0		NC
	Select this option when ordering from the Distribution Center.			

TIRES

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to propose alternate tires. Any proposed change will be reviewed with the dealer prior to machine shipment. The machine will ship only with the dealer acceptance of the proposed alternative tire.

P	430-2654	TIRES, 15.5 R25, MX, L2 XTLA	0	\$1,070
		Michelin Radial Tires, non-directional tread for traction. Cut and impact resistant. Width over tire measurement = 2300mm (91")		

Bucket

P	472-6534	BUCKET-GP, 1.7 YD3, IT, BOCE	1,221 1,221	\$5,571 \$5,571 NI
---	----------	--	----------------	-----------------------

INSTRUCTION DECALS

L	476-2741	INSTRUCTIONS, ANSI	0	NC
		This package includes picto decals as required for the USA. (excl. Canada).		
L	476-2740	INSTRUCTIONS, ISO	0	NC
		This package includes picto decals as required for all countries (incl. Canada) excluding the USA.		

PREP PACK

L	519-5211	PREP PACK, EMC	0	NC
		Decal to certify the machine meets emc regulations REQUIRED BY: Canadian Dealers		

MEDIA KIT

	421-8926	SERIALIZED TECHNICAL MEDIA KIT	0	NC
		Kit will include instructions and parts CD in the legally required language, based on the shipping address. Any additional media such as a paper parts manual, not included in the kit, can be ordered through the media website. https://oos.midlandcorp.com/CAT/Default.aspx		

PACKING

	OP-0210	PACK, DOMESTIC TRUCK	0	NC
--	---------	--------------------------------	---	----

CATERPILLAR MACHINE PRICE LIST

910M

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------	--------------------	-------------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

PACKING (Cont.)

0G-3273	RUST PREVENTATIVE APPLICATOR. 0 Preparation for shipment	\$112 NET
---------	--	------------------

CATERPILLAR MACHINE PRICE LIST

910M

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-------------------------	--------------------	-------------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

May select additional options (not required).

WORKTOOLS

SEE WT CWL price list to order Work Tools such as:

General Purpose Buckets with various G.E.T.

Multi Purpose Buckets with various G.E.T.

Light Material Buckets with bolt on edge

Grapple Buckets with bolt on edge

Pallet Forks & Carriages

Brooms, Angle & Pickup

Skid Steer Loader Worktools

CATERPILLAR MACHINE PRICE LIST

910M

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program		
OP-9003	LANE 3 ORDER	0	NC

POWERTRAIN

POWERTRAIN - ENGINE

L	462-7420	ENGINE, C4.4, T4F, HRC MLIT 2014	0	NC
---	----------	--	---	-----------

POWERTRAIN - GEARING

L	462-7123	POWERTRAIN, HI RIMPULL, 12MPH Axle/differential with high rimpull, designed for stated top speed. Select for regions where traveling below 20 KPH does not require operator to carry driver's license. Also recommended for applications where faster traveling speeds are not necessary. Transmission will have a Low Range, selecting between Gear 1 and Gear 2.	0	\$530
L	462-7124	POWERTRAIN, HI RIMPULL, 24MPH Axle/differential with high rimpull, designed for stated top speed. Recommended for most applications in areas without local travel speed restrictions. Transmission has a Low Range, selecting between Gear 1 and Gear 2, and a High Range which provides automatic shifting between gears.	0	\$4,545

FUEL

L	524-5098	FUEL, STANDARD	0	NC
L	484-5160	FUEL, COLD WEATHER Provides low temperature diesel fuel (to -30 celsius).	0	\$179

DRAIN

L	308-0189	VALVE, DRAIN, ECO Auto drain plugs are fitted in base of hydraulic and fuel tanks. Oil/fuel drains when drain tube is screwed into plug.	0	\$157
L	308-0190	VALVE, DRAIN STD Threaded drain plug fitted in base of hydraulic & fuel tanks	0	NC

CATERPILLAR MACHINE PRICE LIST

910M

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS

LOADER ARRANGEMENTS

The 910,914 & 918M are designed for Caterpillar work tools, when using third party work tools, pin on coupler, or ISO wide coupler the loader linkage could go over center when fully dumped. Refer to Special Instructions, SEHS0166 "Procedure to Modify the Linkage in order to Prevent the Linkage from Over-Centering on the 910, 914 & 918 for preventing an over center condition from occurring.

L	462-7126	LOADER ARR, PIN ON, STD LIFT 0		NC
		REQUIRES: 423-6175 TRANSPORT GROUP IF NO INSTALLED BUCKET SELECTED. ONLY FOR USE WITH: PIN ON BUCKETS AND STANDARD LIFT HYDRAULIC SYSTEMS.		
L	462-7432	LOADER ARR, STD CPLR, STD LIFT 0		\$2,070
		STD coupler is also called "IT" or "Integrated Toolcarrier" coupler. ONLY FOR USE WITH: STANDARD WIDTH COUPLER BUCKETS AND 3 OR 4 VALVE STANDARD LIFT HYDRAULIC SYSTEMS.		
L	467-0402	LOADER AR, STD CPLR, HI LIFT 0		\$8,800
		STD coupler is also called "IT" or "Integrated Toolcarrier" coupler. ONLY FOR USE WITH: STANDARD WIDTH COUPLER BUCKETS AND 3 OR 4 VALVE HI LIFT HYDRAULIC SYSTEMS.		
L	462-7438	LOADER ARR, WIDE CPLR, STD LIFT 0		\$2,070
		WIDE coupler is also called "ISO" and is compatible with the Volvo work tool interface. ONLY FOR USE WITH: WIDE COUPLER BUCKETS AND 3 OR 4 VALVE STANDARD LIFT HYDRAULIC SYSTEMS.		
L	462-7447	LOADER AR, WIDE CPLR, HI LIFT 0		\$8,800
		WIDE coupler is also called "ISO" and is compatible with the Volvo work tool interface. ONLY FOR USE WITH: WIDE COUPLER BUCKETS AND 3 OR 4 VALVE HI LIFT HYDRAULIC SYSTEMS.		

HYDRAULIC SYSTEMS

PLEASE NOTE: HARNESS, WIRING, WORKTOOL (471-6212) is recommended for use with complex hydromechanical work tools such as angle brooms, dozer blades, snow blowers, wheel saws, and mulchers.

L	470-6211	HYDRAULICS, 2V/1L, STD/HI LIFT 0		NC
		Provides standard lift and tilt hydraulic valves and an electrohydraulic joystick lever control which operates both lift and tilt functions. ONLY FOR USE WITH: PIN ON LOADER ARRANGEMENTS ONLY.		
L	470-6213	HYDRAULICS, 3V/1L, STD LIFT 0		\$3,200
		Provides third valve auxiliary hydraulics, controlled by a proportional thumb switch on the joystick. Auxiliary lines terminate on the loader arms with quick disconnect couplings. Electrohydraulic joystick lever operates both lift and tilt functions. CANNOT BE USED WITH: HI LIFT LOADER ARRANGEMENTS.		
L	470-6223	HYDRAULICS, 3V/1L, HI LIFT 0		\$3,200
		Provides third valve auxiliary hydraulics, controlled by a proportional thumb switch on the joystick. Auxiliary lines terminate on the loader arms with quick disconnect couplings. Electrohydraulic joystick lever operates both lift and tilt functions. ONLY FOR USE WITH: HI LIFT LOADER ARRANGEMENTS.		

CATERPILLAR MACHINE PRICE LIST

910M

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

HYDRAULIC SYSTEMS (Cont.)

L	470-6215	HYD, 4V/1L, STD LIFT, STD FLOW 0 Provides four valve hydraulics with two auxiliary functions, controlled by two separate proportional thumb switches on the joystick. Two sets of auxiliary lines terminate on the loader arms with quick disconnect couplings. Electrohydraulic joystick lever operates both lift and tilt functions. Recommended for work tools requiring two separate hydraulic lines such as angle brooms, dozer blades snow blowers, or snow wings. CANNOT BE USED WITH: HI LIFT LOADER ARRANGEMENTS	0	\$3,725
L	538-6258	HYDRAULICS, 2V, COUPLER READY 0 2 function hydraulics, coupler ready. For use with all Loader arrangement couplers. Coupler and cab switch not included CANNOT BE USED WITH: 462-7126 LOADER ARR, PIN ON, STD LIFT 462-7441 LOADER ARR, PIN ON, HI LIFT	0	\$460

AUX COUPLINGS

L	486-3774	3V QUICK DISCONNECT SCREW FIT 0 Provides threaded male and female connect under pressure connectors with protective caps. Note: If ordered on machine, any Work Tools must also have threaded fittings to connect to threaded fittings on machine.	0	\$305
L	486-3779	4V QUICK DISCONNECT SCREW FIT 0 Provides threaded male and female connect under pressure connectors with protective caps. Note: If ordered on machine, any Work Tools must also have threaded fittings to connect to threaded fittings on machine	0	\$305
L	486-3775	3V QUICK DISCONNECT PUSH FIT 0 Includes Push to Connect Fittings, the same as what was on previous K-Series models	0	NC
L	486-3780	4V QUICK DISCONNECT PUSH FIT 0 Includes Push to Connect Fittings, the same as what was on previous K-Series models	0	NC

STARTERS, BATTERIES, & ALTERNATORS

BATTERY ARRANGEMENT

L	462-7342	BATTERY, STANDARD 0	0	NC
L	462-7340	BATTERY, HEAVY DUTY 0 Additional 855 Cold Cranking Amp, maintenance free battery. Mounted on right rear chassis in a battery box, outboard of chassis.	0	\$211

ELECTRICAL

ROADING LIGHTS

P	423-5544	LIGHTS, ROADING, RH DIP 0 Provides directional signals, front and rear and high/low beam. ONLY FOR USE WITH: Drive on right (Exc Italy)	0	\$750
---	----------	---	---	-------

CATERPILLAR MACHINE PRICE LIST

910M

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT

STEERING

L	462-6950	STEERING, STANDARD 0 CANNOT BE USED WITH: EU DEALERS		NC
L	462-6953	STEERING, SECONDARY 0 Provides limited steering control in the event of a loss of power or a loss of hydraulic flow. Includes operator warning system indicator and operator alarm. REQUIRES: 462-7340 BATTERY, HEAVY DUTY		\$1,270

CANOPY/ CAB

L	463-2089	CANOPY, STANDARD, SINGLE BRAKE 0 Canopy features: ROPS, FOPS, fixed steering column, low effort joystick with FNR, gear selection, differential lock, continuous flow (opt), and proportional auxiliary switch (opt) in one hand, coat hook, sun visor, external knock back mirrors, interior rear view mirror, lockable storage box, and suspended pedals. CANNOT BE USED BY: EU DEALERS REQUIRES: HYDRAULIC HOSE GUARD IF 3 OR 4 VALVE HYDRAULICS SELECTED.		NC
L	463-2090	CAB, DELUXE, SINGLE BRAKE 0 ROPS/FOPS certified Deluxe cab includes all canopy features plus adjustable steering column, two doors with sliding glass windows, heated rear window, cabin light, radio ready kit, available Cat Radio/CD/MP3/WMA Player (opt), heater with available air conditioning (opt), available rear blind (opt). REQUIRES: 539-7204 SEAT DELUXE		\$7,660

SEATS

L	539-7203	SEAT, VINYL 0 Fully adjustable mechanical suspension with vinyl covered seat upper and mid height backrest. ONLY FOR USE WITH: CANOPY		NC
L	539-7204	SEAT, DELUXE 0 Fully adjustable air ride suspension with fabric covered seat upper, mid height backrest, mechanical lumbar support, heated cushions and armrests. ONLY FOR USE WITH: 463-2090 Cab, deluxe CANNOT BE USED WITH: CANOPY		\$785
L	552-3734	SEAT, DELUXE PLUS 0 Fully adjustable air ride suspension with fabric covered seat upper, mid height backrest, mechanical lumbar support, heated and adjustable comfort cushions, and armrests. ONLY FOR USE WITH: FOR USE WITH: 463-2090 CAB, DELUXE		\$1,070

SEAT BELTS

L	236-8015	SEAT BELT, RETRACTABLE 3" 0 High Visibility Orange 76MM (3 inch) wide seat belt. Recommended for customer running extended hours for enhanced comfort. Required in British Columbia, Oregon, California		\$144
---	----------	---	--	-------

CATERPILLAR MACHINE PRICE LIST

910M

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

SEAT BELTS (Cont.)

L	550-9815	SEAT BELT, RETRACTABLE 2" 0 High Visibility Orange 51MM (2 inch) wide seat belt.		NC
---	----------	---	--	----

ACCESSORY EQUIPMENT

L	504-4835	CAMERA, REAR VIEW 0 Provides a rear view camera system with display in the cab. CANNOT BE USED WITH: 504-4834 REAR VIEW MIRROR" INCLUDED IN: 507-9875 PREP PACK EU		\$1,550
L	504-4834	MIRROR, REAR VIEW 0 Provides a rear view mirror in the cab. CANNOT BE USED WITH: 504-4835 CAMERA, REAR VIEW, 507-9875 PREP PACK EU		NC

FEATURE PACKAGES

L	471-6770	FEATURE PACKAGE, BASIC 0 Basic package does not include new electronically controlled features such as Ride Control, Return To Dig, Lift Kickout, Electronic Throttle Lock, Rimpull Control, Creeper Control, Implement Modulation control nor Drivetrain Aggressiveness control.		\$1,940
L	471-6763	FEATURE PACKAGE, ROAD & LOAD 0 This package contains all the electronically controlled features such as Ride Control, Return To Dig, Lift Kickout, Electronic Throttle Lock, Rimpull Control, Creeper Control, Implement Modulation control and Drivetrain Aggressiveness control.		\$3,695

HEATER/ AIR CONDITIONER

REQUIRED IF ORDERING A CAB

L	462-7107	HEATER 0 Heater/Front defroster		NC
L	462-7111	HEATER AND AIR CONDITIONER 0 Heater/Front defroster and air conditioner.		\$4,215

MACHINE SECURITY SYSTEM

Please note: this is a mandatory selection on machines with an enclosed cab but is NOT available on machines with a canopy.

L	433-3258	SECURITY SYSTEM, NONE 0		NC
L	423-6165	SECURITY SYSTEM, MACHINE 0 NOTE: KEYPAD system, not key-based. Caterpillar Machine Security System (MSS) to manage access to the machine via keypad code. Machine is shipped with the system inactive. Requires ET to activate.		\$1,040

CATERPILLAR MACHINE PRICE LIST

910M

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitoring performance of your assets, it helps keep your jobs on schedule, maintain equipment condition, and reduce the cost of owning and operating your fleet.

Availability varies by country, please contact your Cat marketing representative with questions or click on the link below:
[HTTPS://DEALER.CAT.COM/en/bt/otd/machine-price-list.html](https://dealer.cat.com/en/bt/otd/machine-price-list.html)
 From there click on the "PRODUCT LINK Hardware Certification" link.

L	508-0797	PRODUCT LINK, CELLULAR, PL240 0		NC
		Product Link Basic series PL240 uses cellular network to transmit hour and location information for viewing in Product Link user application. Cellular technology provides capabilities for frequent data transmission.		
L	573-9587	PRODUCT LINK, CELLULAR PL641 0		\$846
		Product Link Basic series PL641 uses cellular networks to transmit location, utilization and health information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data		

TIRES, RIMS, AND WHEELS

TIRES

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to propose alternate tires. Any proposed change will be reviewed with the dealer prior to machine shipment. The machine will ship only with the dealer acceptance of the proposed alternative tire

TIRES

P	561-6547	TIRES, 17.5-25 12PR, YK, L2 SNOW 0		\$1,950
		Yokohama tread pattern Y581H Specially designed for operation on snowy roads. Directional tread pattern provides excellent traction and pulling performance. Width over tire measurement = 2254mm (89") REQUIRES: 426-1506 LIMITER, AXLE OSCILLATION		
P	533-2713	TIRES, 17.5 R25, NK, L2 SNOW 0		\$4,810
		Nokian Hakkapeliitta Tire Specially designed for operation on snow and ice. Non directional tread pattern with excellent self cleaning. REQUIRES: 426-1506 LIMITER, AXLE OSCILLATION		

CATERPILLAR MACHINE PRICE LIST

910M

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

TIRES (Cont.)

P	568-6856	TIRES, 17.5 R25, MX, XSNOW 0 Michelin Product Code #99466 Michelin Xsnoplus Tire. Specially designed for operation on snow and ice. Non directional tread with excellent self-cleaning. Width over tire measurement = 2248mm (89") REQUIRES: 426-1506 LIMITER, AXLE OSCILLATION		\$5,640
---	----------	--	--	---------

TIRES AVAILABLE FROM GOODYEAR WITH 1 PIECE RIMS

P	430-2658	TIRES, 17.5 R25, GY, L3 RT-3B 0 Goodyear Product Code #606019 17.5R25 176A2 TL * UN RT-3B 6S Radial tire, non directional tread, self cleaning Superior resistance to rock cuts and penetration for use on rough terrain Width across tires 89" (2260mm) REQUIRES: 426-1506 LIMITER, AXLE OSCILLATION		\$8,220
---	----------	---	--	---------

P	385-5821	TIRES, 17.5-25, GY, L2 SGL12PR 1,511 Goodyear Product Code #123-897-458 SGL D/L-2A (Sure Grip Loader) - 12 ply rating Nylon bias, tubeless, directional and self cleaning tread for floatation and traction. Width over tire measurement = 2260mm (89") REQUIRES: 426-1506 LIMITER, AXLE OSCILLATION		\$144
---	----------	---	--	-------

P	385-5820	TIRES, 15.5-25, GY, L2 SGL12PR 1,439 Goodyear Product Code #123-894-458 SGL D/L-2A (Sure Grip Loader) - 12 ply rating Nylon bias, tubeless, directional and self cleaning tread for floatation and traction. Width over tire measurement = 2200mm (87")		\$-2,005
---	----------	---	--	----------

TIRES AVAILABLE FROM GOODYEAR WITH 3 PIECE RIMS

P	430-2660	TIRES, 17.5-25, GY, L2 SGL16PR 0 Goodyear Product Code #123-876-458 SGL D/L-2A (Sure Grip Loader) - 16 ply rating Nylon bias, tubeless, directional and self cleaning tread for floatation and traction. Width over tire measurement = 2260mm (89") REQUIRES: 426-1506 LIMITER, AXLE OSCILLATION		\$2,315
---	----------	---	--	---------

P	385-5825	TIRES, 17.5-25, GY, L3,3PC RIM 2,234 Goodyear Product Code #123-876-175 HRL D/L-3A (Hard Rock Lug) Wide base bias rock tire. Aggressive lug design provides good performance in harsh underfoot conditions. REQUIRES: 426-1506 LIMITER, AXLE OSCILLATION		\$3,560
---	----------	--	--	---------

CATERPILLAR MACHINE PRICE LIST

910M

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

TIRES AVAILABLE FROM MICHELIN WITH 1 PIECE RIMS

P	385-5823	TIRES, 17.5 R25, MX, L3 XHA2	2,123	\$5,100
		Michelin Product Code #717546 Radial, wide lug, non-directional tread for lateral traction. Heavy shoulder and protected sidewall for heavy duty applications. Width over tire measurement = 2259mm (89") REQUIRES: 426-1506 LIMITER, AXLE OSCILLATION		
P	425-5015	TIRES, 15.5 R25, MX, L3 XHA	0	\$2,040
		Michelin radial tire, wide lug, non-directional tread for lateral traction. Heavy shoulder and protected sidewall for heavy duty applications. Width over tire measurement = 2290mm (90")		
P	385-5822	TIRES, 17.5 R25, MX, L2 XTLLA	1,789	\$2,335
		Michelin Product Code #04118 Radial, non-directional tread for traction. Cut and impact resistant. Width over tire measurement = 2300mm (91") REQUIRES: 426-1506 LIMITER, AXLE OSCILLATION		
P	430-2654	TIRES, 15.5 R25, MX, L2 XTLLA	0	\$1,070
		Michelin Radial Tires, non-directional tread for traction. Cut and impact resistant. Width over tire measurement = 2300mm (91")		

TIRES AVAILABLE FROM MICHELIN WITH 3 PIECE RIMS

P	385-5826	TIRES, 17.5 R25, MX,L2, XTLLA	2,090	\$6,540
		Michelin Product Code #04118 Radial, non-directional tread for traction and long/even tread wear in General applications. Cut and impact resistant. Width over tire measurement = 2300mm (91") REQUIRES: 426-1506 LIMITER, AXLE OSCILLATION		

TIRES AVAILABLE FROM BRIDGESTONE WITH 3 PIECE RIMS

P	561-3273	TIRES, 17.5-25, BS, L-3 RL 16P	0	NC
		Bridgestone Product Code # IPC 425605 Bias tire L-3 RL E2A 16 ply rating Non-directional pattern for outstanding rough terrain traction Width over tire measurement = 2234 mm (88-)		

GUARDS

HYDRAULIC GUARDS

Required when ordering a Canopy with 3 or 4 valve hydraulics.
CANNOT BE USED WITH: 463-2090 or 463-2092 CAB

NOTE: When ordering Third and Fourth valve, you MUST order Third and Fourth Hose Guards.

L	426-1433	GUARD, HOSE, 3 VALVE, STD LIFT	0	NC
		Provides hydraulic hose guard. ONLY FOR USE WITH: CANOPY & 470-6213 HYDRAULICS, 3 VALVE. 470-6217 HYDRAULICS, 3 VALVE,JPN		

CATERPILLAR MACHINE PRICE LIST

910M

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

GUARDS (CONT.)

HYDRAULIC GUARDS (Cont.)

L	426-1434	GUARD, HOSE, 4 VALVE, STD LIFT 0 Provides hydraulic hose guard. ONLY FOR USE WITH: CANOPY & 470-6215 HYDRAULICS, 4 VALVE 470-6221 HYDRAULICS, 4 VALVE,JPN		NC
L	435-0851	GUARD,HOSE, 3 VALVE, HIGH LIFT 0 Provides hydraulic hose guard. ONLY FOR USE WITH: CANOPY & 470-6223 HYDRAULICS, 3V, 1L, HIGH LIFT 470-6225 HYDRAULICS, 3V, 2L, HIGH LIFT,JPN		\$100

COUPLER HOSE GUARDS

Required when ordering a Canopy and a loader arrangement with coupler.
CANNOT BE USED WITH: CAB OR 462-7126/462-7441
523-4518/523-4521LOADER ARRANGEMENTS.

L	435-0809	GUARD, COUPLER HOSE, STD LIFT 0 FOR USE WITH: 462-7432 LOADER ARR, STD CPLR, STD LIFT 462-7438 LOADER ARR, WIDE CPLR, STD LIFT 523-4519 LOADER ARR, STD CPLR, STD LIFT, JPN		\$100
L	435-0853	GUARD, COUPLER HOSE, HI LIFT 0 FOR USE WITH: 467-0402 LOADER ARR, STD CPLR, STD LIFT 462-7447 LOADER ARR, WIDE CPLR, STD LIFT 523-4522 LOADER ARR, STD CPLR, HI LIFT, JPN		\$100

OTHER ATTACHMENTS

FENDERS

L	469-5852	FENDERS, STANDARD 0 Provides non-metalic front fenders to help keep the windshield clean. Rear tires have non-metalic fender extensions around the front side and rear side of the tire to help keep both machine and access ladder clean. Recommended for applications that include roading or long load and carry.		\$422
L	469-5853	FENDERS, FULL COVER 0 Provides non-metalic front fenders with mud flaps to keep the windshield clean. Rear tires have non-metalic fender extensions around the front side and rear side of the tire with mud flaps to keep both machine and access ladder clean. Recommended for applications such as snow removal and extremely muddy conditions.		\$630
L	504-4713	METAL FENDER, DEFLECTORS 0 Provides partial coverage metal front fender deflectors that provides protection to hitch, ladder, and cab from debris thrown up or stuck in the front tires. Removes all fender extensions around the rear tire. Recommended for applications such as Industrial & Waste where fenders and extensions would be a high risk of impact and damage.		\$-321

FLUIDS

ENGINE COOLANT

L	450-5406	ENGINE COOLANT, STANDARD 0 Provides protection to -34C (-29F) with 50% Cat Extended Life Coolant and 50% deionized water.		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

910M

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	-----------------	----------------------

FLUIDS (CONT.)

ENGINE COOLANT (Cont.)

L	444-1001	ENG COOLNT,A/FREEZE(-50C/-58F) 0 Provides protection to -50C (-58F) with 70% Cat Extended Life Coolant and 30% deionized water.		\$275 NET
---	----------	--	--	------------------

HYDRAULIC OIL

L	450-5405	HYDRAULIC OIL, STANDARD 0		\$1,145
L	444-1000	HYDRAULIC OIL, BIODEGRADABLE 0		\$1,255

DOCUMENTATION

DECAL PACKAGES

L	476-2741	INSTRUCTIONS, ANSI 0 This package includes picto decals as required for the USA. (excl. Canada)		NC
---	----------	---	--	-----------

INSTRUCTIONS

INSTRUCTIONS AND OPERATION MANUALS

	421-8926	SERIALIZED TECHNICAL MEDIA KIT 0 Kit will include instructions and parts CD in the legally required language, based on the shipping address. Any additional media such as a paper parts manual, not included in the kit, can be ordered through the media website. https://oos.midlandcorp.com/CAT/Default.aspx		NC
--	----------	---	--	-----------

CATERPILLAR MACHINE PRICE LIST

910M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

NOTE

LANE 2/ LANE 3 OPTIONAL SELECTIONS

STARTERS, BATTERIES, & ALTERNATORS

STARTING AIDS

P	474-1982	HEATER, ENGINE COOLANT, 120V 0 For additional cold weather startability.		\$200
P	474-1981	HEATER, ENGINE COOLANT, 240V 0		\$200

ELECTRICAL

LIGHTS

P	260-5501	BEACON, ROTATING 0 Includes magnetic rotating beacon with Britex connector, on/off switch, wiring, and mounting.	0	\$393 \$393 NI
P	448-9539	LIGHTS, STD, HALOGEN 0 Four halogen floodlights mounted beneath cab roof, two front, two rear.		\$605
P	496-9971	LIGHTS, CAB, WORKING LED 0 Four LED floodlights mounted beneath cab roof, two front, two rear.		\$830

ACCESSORY EQUIPMENT

L	471-6212	WORKTOOL, WIRING 0 Supplies electrical power for valves on selected Work Tools. CANNOT BE USED WITH: 470-6211 HYDRAULICS, 2 VALVE.		\$364
---	----------	--	--	-------

BACK-UP ALARM

L	474-1980	ALARM, BACK-UP 0 Required for machines sold into North America		\$199
---	----------	---	--	-------

OPERATOR ENVIRONMENT

AXLE OSCALATING LIMITER

L	426-1506	LIMITER, AXLE OSCILLATION 0 Restricts the rear axle oscillation from 11 degrees on each side to 9 degrees. When winter tire chains are installed, the axles should be equipped with Axle Oscillations Limiters to prevent contact between the tire chains and the chassis. Bolt-on design. REQUIRED BY: ALL JPN & TIRE SELECTIONS 443-7885, 385-5822, 385-5821, 385-5823, 385-5826, 385-5825, 420-3893.		\$95
---	----------	---	--	------

CATERPILLAR MACHINE PRICE LIST

910M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

RADIO PACKAGES

P	541-4413	RADIO, AM/FM BLUETOOTH 0 Cat FM Radio with bluetooth, aux input & microphone. ONLY FOR USE WITH: 463-2090 CAB, DELUXE		\$555
---	----------	---	--	-------

ACCESSORY EQUIPMENT

P	279-0643	BLIND, REAR 0 Retractable blind reduces glare and radiant heat. Semi-transparent for rear visibility CANNOT BE USED WITH: CANOPY 463-2089 OR 463-2091		\$308
P	471-6921	TOOL BOX 0 Fabricated, heavy duty tool box is suitable for storing grease guns. Mounted externally on the chassis behind the right side ladder CANNOT BE USED WITH: 525-4951 COUNTERWEIGHT, JPN		\$620
P	450-4690	PLATE, LICENSE 0 CANNOT BE USED WITH: 471-0856 CONVERSION, TUV ROADING, 40KPH 470-6188 CONVERSION, ITALIAN ROADING 485-1918 CONVERSION, ITALIAN ROADING		\$265

GUARDS

L	539-1319	GUARD, DRIVESHAFT 0 Mounts underneath machine to provide front drive shaft protection.		\$625
L	539-1321	GUARD, CRANKCASE 0 Mounts underneath machine to provide protection to the engine components		\$420
L	539-1317	GUARD, HITCH 0 Provides protection to hitch area of the rear frame and front frame, preventing debris from entering while allowing visibility to service points.		\$700
L	539-1318	GUARD, POWERTRAIN 0 Mounts underneath machine to provide protection for the transmission components. Includes service access panel for oil changes.		\$1,000

OTHER ATTACHMENTS

CUSTOM COLOR

L	549-8076	CUSTOM COLOR 0 Please contact ORDER ENTRY GROUP & THE FACILITY before placing CUSTOM COLOR requests. Black components remain black. REQUIRES: 4 digit RAL colour specification. (OTHER PAINT SPECIFICATIONS REQUIRE FACILITY APPROVAL) ONLY FOR USE WITH: LANE 3		\$4,495 NET
---	----------	--	--	-------------

ACCESSORY EQUIPMENT

L	533-3604	GUARD, FRONT LIGHTS 0		\$380
---	----------	---------------------------------	--	-------

CATERPILLAR MACHINE PRICE LIST

910M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

ACCESSORY EQUIPMENT (Cont.)

P	468-3869	WHEEL CHOCK 0		\$655
		CANNOT BE USED WITH: 471-0854 CONVERSION, TUV ROADING, 20KPH 471-0856 CONVERSION, TUV ROADING, 40KPH		

WORK TOOLS

WORKTOOLS

First worktool must ordered as installed, no packing reference required.
 Additional buckets must be ordered as 'not installed' and should include packing reference OG-3281
 Please note: Japan dealers cannot order additional worktools due to shipping reasons.

Performance Series buckets feature a wider moldboard opening angle, longer floor and forward curving (convex) sidebars. These aggressive buckets load easier and retain material better for faster cycle times.

Offered with:

- 1) Bolt-on, reversible cutting edges for maximum durability and smooth grading.
- 2) Bolt-on teeth with pin-on tooth tips for maximum penetration and digging.

All 910/914 PS General Buckets share the following characteristics:
 Single piece bolt-on cutting edge = 2400mm / 95" wide
 8x bolt on adaptors & long tips = 2430mm / 95" wide
 Performance Fill Factor = 110% (or 0.1cum/0.2cyd) of stated capacity.
 For correct bucket selection see OMM/specalog which shows max material densities per machine configuration per bucket size.

PIN ON BUCKETS

P	481-9759	BUCKET-GP, 1.8 YD3, PO, BOT	1,184 1,184	\$6,444 \$6,444 NI
		FOR USE WITH: 462-7126 OR 462-7441 LOADER ARR.		
P	472-6537	BUCKET-GP, 1.8 YD3, PO, BOCE	1,276 1,276	\$5,715 \$5,715 NI
		FOR USE WITH: 462-7126 OR 462-7441 LOADER ARR.		
P	481-9763	BUCKET-GP, 2.0 YD3, PO, BOT	1,270 1,270	\$6,715 \$6,715 NI
		FOR USE WITH: 462-7126 OR 462-7441 LOADER ARR.		
P	472-6542	BUCKET-GP, 2.0 YD3, PO, BOCE	1,342 1,342	\$5,986 \$5,986 NI
		FOR USE WITH: 462-7126 OR 462-7441 LOADER ARR. 523-4518 OR 523-4521 LOADER ARR		
P	481-9766	BUCKET-GP, 2.3 YD3, PO, BOT	1,358 1,358	\$7,131 \$7,131 NI
		FOR USE WITH: 462-7126 OR 462-7441 LOADER ARR.		

CATERPILLAR MACHINE PRICE LIST

910M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
WORK TOOLS (CONT.)				
<i>PIN ON BUCKETS (Cont.)</i>				
P	415-5961	BUCKET-GP, 2.3 YD3, PO, BOCE	1,450 1,450	\$6,401 \$6,401 NI
		FOR USE WITH: 462-7126 OR 462-7441 LOADER ARR.		
P	481-9767	BUCKET-GP, 2.4 YD3, PO, BOT	1,398 1,398	\$7,257 \$7,257 NI
		FOR USE WITH: 462-7126 OR 462-7441 LOADER ARR.		
P	415-5927	BUCKET-GP, 2.4 YD3, PO, BOCE	1,490 1,490	\$6,528 \$6,528 NI
		FOR USE WITH: 462-7126 OR 462-7441 LOADER ARR.		
P	498-0033	BUCKET-LM, 3.3 YD3, PO, BOCE	816 816	\$8,461 \$8,461 NI
		Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 2.5 m3 (3.3 yd3), fill factor 100%		
		FOR USE WITH: 462-7126 OR 462-7441 LOADER ARR		
P	498-0036	BUCKET-LM, 3.9 YD3, PO, BOCE	878 878	\$9,117 \$9,117 NI
		Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 3.0 m3 (3.9 yd3), fill factor 100%		
		FOR USE WITH: 462-7126 OR 462-7441 LOADER ARR		
P	498-0039	BUCKET-LM, 4.6 YD3, PO, BOCE	938 938	\$9,885 \$9,885 NI
		Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 3.5 m3 (4.6 yd3), fill factor 100%		
		FOR USE WITH: 462-7126 OR 462-7441 LOADER ARR		
IT STD COUPLER BUCKETS				
P	481-9755	BUCKET-GP, 1.7 YD3, IT, BOT	1,129 1,129	\$6,300 \$6,300 NI
		FOR USE WITH: 462-7432 OR 467-0402 LOADER ARR.		
P	472-6534	BUCKET-GP, 1.7 YD3, IT, BOCE	1,221 1,221	\$5,571 \$5,571 NI
		FOR USE WITH: 462-7432 OR 467-0402 LOADER ARR.		
P	481-9760	BUCKET-GP, 1.9 YD3, IT, BOT	1,173 1,173	\$6,571 \$6,571 NI
		FOR USE WITH: 462-7432 OR 467-0402 LOADER ARR.		
P	472-6539	BUCKET-GP, 1.9 YD3, IT, BOCE	1,265 1,265	\$5,842 \$5,842 NI
		FOR USE WITH: 462-7432 OR 467-0402 LOADER ARR.		
P	481-9762	BUCKET-GP, 2.0 YD3, IT, BOT	1,250 1,250	\$6,715 \$6,715 NI
		FOR USE WITH: 462-7432 OR 467-0402 LOADER ARR.		
P	472-6541	BUCKET-GP, 2.0 YD3, IT, BOCE	1,362 1,362	\$5,986 \$5,986 NI
		FOR USE WITH: 462-7432 OR 467-0402 LOADER ARR. 523-4519 OR 523-4522 LOADER ARR		
P	481-9764	BUCKET-GP, 2.2 YD3, IT, BOT	1,301 1,301	\$6,986 \$6,986 NI
		FOR USE WITH: 462-7432 OR 467-0402 LOADER ARR.		
P	390-8219	BUCKET-GP, 2.2 YD3, IT, BOCE	1,393 1,393	\$6,257 \$6,257 NI
		FOR USE WITH: 462-7432 OR 467-0402 LOADER ARR.		

CATERPILLAR MACHINE PRICE LIST

910M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

WORK TOOLS (CONT.)

IT STD COUPLER BUCKETS (Cont.)

P	492-2491	BUCKET-GP, 2.4 YD3, IT, BOCE	1,470 1,470	\$6,528 \$6,528 NI
		FOR USE WITH: 462-7432 OR 467-0402 LOADER ARR		
P	498-0031	BUCKET-LM, 3.3 YD3, IT, BOCE	792 792	\$8,461 \$8,461 NI
		Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 2.5 m3 (3.3 yd3), fill factor 100%		
		FOR USE WITH: 462-7432 OR 467-0402 LOADER ARR		
P	498-0034	BUCKET-LM, 3.9 YD3, IT, BOCE	854 854	\$9,117 \$9,117 NI
		Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 3.0 m3 (3.9 yd3), fill factor 100%		
		FOR USE WITH: 462-7432 OR 467-0402 LOADER ARR		
P	498-0037	BUCKET-LM, 4.6 YD3, IT, BOCE	914 914	\$9,885 \$9,885 NI
		Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 3.5 m3 (4.6 yd3), fill factor 100%		
		FOR USE WITH: 462-7432 OR 467-0402 LOADER ARR		

ISO WIDE COUPLER BUCKETS

P	481-9756	BUCKET-GP, 1.7 YD3, ISO, BOT	1,169 1,169	\$6,300 \$6,300 NI
		FOR USE WITH: 462-7438 OR 462-7447 LOADER ARR		
P	472-6535	BUCKET-GP, 1.7 YD3, ISO, BOCE	1,261 1,261	\$5,571 \$5,571 NI
		FOR USE WITH: 462-7438 OR 462-7447 LOADER ARR		
P	481-9761	BUCKET-GP, 1.9 YD3, ISO, BOT	1,213 1,213	\$6,571 \$6,571 NI
		FOR USE WITH: 462-7438 OR 462-7447 LOADER ARR		
P	472-6540	BUCKET-GP, 1.9 YD3, ISO, BOCE	1,305 1,305	\$5,842 \$5,842 NI
		FOR USE WITH: 462-7438 OR 462-7447 LOADER ARR		
P	481-9765	BUCKET-GP, 2.2 YD3, ISO, BOT	1,341 1,341	\$6,986 \$6,986 NI
		FOR USE WITH: 462-7438 OR 462-7447 LOADER ARR		
P	415-5957	BUCKET-GP, 2.2 YD3, ISO, BOCE	1,433 1,433	\$6,257 \$6,257 NI
		FOR USE WITH: 462-7438 OR 462-7447 LOADER ARR		
P	492-2492	BUCKET-GP, 2.4 YD3, ISO, BOCE	1,470 1,470	\$6,528 \$6,528 NI
		FOR USE WITH: 462-7438 OR 462-7447 LOADER ARR		
P	498-0032	BUCKET-LM, 3.3 YD3, ISO, BOCE	804 804	\$8,461 \$8,461 NI
		Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 2.5 m3 (3.3 yd3), fill factor 100%		
		FOR USE WITH: 462-7438 OR 462-7447 LOADER ARR		
P	498-0035	BUCKET-LM, 3.9 YD3, ISO, BOCE	866 866	\$9,117 \$9,117 NI
		Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 3.0 m3 (3.9 yd3), fill factor 100%		
		FOR USE WITH: 462-7438 OR 462-7447 LOADER ARR		

CATERPILLAR MACHINE PRICE LIST

910M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

WORK TOOLS (CONT.)

ISO WIDE COUPLER BUCKETS (Cont.)

P	498-0038	BUCKET-LM, 4.6 YD3, ISO, BOCE	926	\$9,885
			926	\$9,885 NI
		Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 3.5 m3 (4.6 yd3), fill factor 100% FOR USE WITH: 462-7438 OR 462-7447 LOADER ARR		

ISO WIDE COUPLER BUCKETS (Flat floor)

P	488-7005	BUCKET-FF, 1.8 YD3, ISO, WOT	1,490	\$7,608
			1,490	\$7,608 NI
		FOR USE WITH: 462-7438 OR 462-7447 LOADER ARR.		
P	468-4749	BUCKET-FF, 1.9 YD3, ISO, BOCE	1,492	\$6,663
			1,492	\$6,663 NI
		FOR USE WITH: 462-7438 OR 462-7447 LOADER ARR		
P	488-7006	BUCKET-FF, 1.9 YD3, ISO, WOT	1,378	\$8,160
			1,378	\$8,160 NI
		FOR USE WITH: 462-7438 OR 462-7447 LOADER ARR		
P	468-4750	BUCKET-FF, 2.0 YD3, ISO, BOCE	1,525	\$7,213
			1,525	\$7,213 NI
		FOR USE WITH: 462-7438 OR 462-7447 LOADER ARR		
P	488-7007	BUCKET-FF, 2.2 YD3, ISO, WOT	1,490	\$8,775
			1,490	\$8,775 NI
		FOR USE WITH: 462-7438 OR 462-7447 LOADER ARR		
P	468-4751	BUCKET-FF, 2.3 YD3, ISO, BOCE	1,436	\$7,828
			1,436	\$7,828 NI
		FOR USE WITH: 462-7438 OR 462-7447 LOADER ARR		

FORK CARRIAGES

Please add the packing reference 0G-3280 if ordered 'Not-Installed'.

P	390-8288	CARRIAGE, STANDARD COUPLER.	539	\$2,386 NI
		1550mm wide carriage. Does not include fork tines. Requires machine to be equipped with standard width 'IT' quick coupler ONLY FOR USE WITH: STANDARD COUPLER LOADER ARRANGEMENTS.		
P	428-2109	CARRIAGE, WIDE COUPLER.	535	\$2,386 NI
		1550mm wide carriage. Does not include fork tines. Requires machine to be equipped with wide (Volvo) coupler ONLY FOR USE WITH: WIDE COUPLER LOADER ARRANGEMENTS.		

FORK TINES

ORDER QUANTITY OF TWO

Please add the packing reference 0G-3304 if ordered 'Not-Installed'.

P	6W-8900	FORK TINES, 2" X 5" X 48"	251	\$718 NI
		REQUIRES: Fork Carriage		
P	6W-9739	FORK TINES, 2" X 5" X 53"	343	\$743 NI
		REQUIRES: Fork Carriage		
P	241-0921	FORK TINE, 2X5X48 OFFSET,RIGHT	207	\$1,572 NI
		REQUIRES: Fork Carriage		

CATERPILLAR MACHINE PRICE LIST

910M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

WORK TOOLS (CONT.)

FORK TINES (Cont.)

P	241-0922	FORK TINE, 2X5X48 OFFSET, LEFT	207	\$1,572 NI
		REQUIRES: Fork Carriage		

FIELD INSTALLED ATTACHMENTS

KITS AVAILABLE FROM THE FACTORY

AVAILABLE AS MISCELLANEOUS FROM THE FACTORY

P	541-9748	KIT, GUARD FRONT ROADING LIGHT	0	\$444 NI
P	546-6666	KIT, GUARD POWERTRAIN	0	\$1,164 NI
P	546-6667	KIT, GUARD DRIVESHAFT	0	\$726 NI
P	540-7051	KIT, GUARD CRANKCASE	0	\$489 NI
P	546-6665	KIT, GUARD HITCH	0	\$815 NI

KITS AVAILABLE ONLY FROM SUPERTRAK

FOB: Punta Gorda, Florida, USA

Order the following kits directly from Supertrak
 800.446.9858 --- 941.505.7800 --- www.Supertrak.com
 Supertrak is responsible for the sales, parts, support and warranty.
 All dealer net prices below are for reference only, and are subject to change by Supertrak.
 Additional information and pictures are located on DEALER.CAT.COM in the Compact Wheel Loader area.

Note: Reference application specific OSHA requirements (e.g. window mesh spacing standards), particularly in forestry applications.

CATERPILLAR MACHINE PRICE LIST

910M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

KITS AVAILABLE ONLY FROM SUPERTRAK (Cont.)

CT2026-008 KIT, REAR WINDOW GUARD. 4354 USD NET
 Guards provide protection for rear lights, rear window, and rear side corner windows. 3" (75mm) mesh opening with 1/4" (6mm) wire diameter can be customized to meet the application requirements. Side and corner guards open with latches for easy cleaning. Rear center portion is fixed, yet cleaning clearance is provided. Some light welding is required.
 Estimated installation time: 5 hrs.

CT2026-003 KIT, LOWER WINDOW DEBRIS GUARD. 784 USD NET
 Steel shields protect the lower front windows in mulching applications. Visibility is not obscured, as each shield is viewed within the front tire profile. Some light welding is required.
 Estimated installation time: 2hrs.

CT2026-007 KIT, LAMP COVER GUARD. 808 USD NET
 Bolt-on lamp guards are reversible from side to side and allow some lamp positioning adjustment. Mesh design incorporates 1" (25mm) squares.
 Estimated installation time: 0.5 hrs

CT2011-006 3 BAR CUSTOM FRONT WINDOW SCEN 2803 USD NET

CT2026-014 2" REAR WINDOW GUARD KIT 4354 USD NET
 Guards provide protection for rear lights, rear window, rear window, and rear side corner windows.
 2-(50 mm) mesh opening with (6 mm) wire diameter.
 Some light welding required.

CT2026-019 3" FRONT WINDOW GUARD KIT 3060 USD NET
 Bolt-on kit provides upper and lower window protection along with upper car light guarding. 3- (75 mm) mesh opening with (6 mm) wire diameter.

CT2026-020 3" REAR WINDOW GUARD KIT 4354 USD NET
 Guards provide protection for rear lights, rear window, and rear side corner windows. 3- (75 mm) mesh opening with (6 mm) wire diameter.
 Some light welding required.

PACKING

0G-3117	RORO W/RIMS W/TIRES.	0	\$320 NET
	Mandatory selection for all non-European shipments.		
0G-3281	PACK - BUCKET GROUP (WHL)	0	\$125 NET

CATERPILLAR MACHINE PRICE LIST

910M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
PACKING (CONT.)				
	423-6175	TRANSPORT GROUP	0	NC
		Required to ship a machine not fitted with either a coupler or an installed pin-on bucket.		
		ONLY FOR USE WITH: LOADER ARRANGEMENTS 462-7126,462-7441 523-4518 & 523-4521		
	0G-3273	RUST PREVENTATIVE APPLICATOR	0	\$112 NET
		Preparation for shipment - Silix applicators for shipment by sea		
		Please note: This selection is mandatory for some regions including USA & Canada.		
	0G-3280	PACK, MISCELLANEOUS MATERIAL	0	NC
	0G-3304	PACKING FOR FORK /HOOKS/TINES	0	NC