

CATERPILLAR MACHINE PRICE LIST

920

920 WHEEL LOADER
 LEICESTER, ENGLAND

Ship Weight
 lbs

LIST PRICE
 AT DEALER

Standard Equipment:

POWERTRAIN

Cat C3.6 Engine
 -Common rail fuel injection
 -U.S. EPA Tier 4 Final/ EU Stage V
 Caterpillar NOx Reduction System
 Fuel: Ultra Low Sulphur Diesel @ <15ppm
 Engine Oil: Cj-4
 Electric fuel pump with 4 micron
 filtration
 S.O.S port, transmission oil
 Hydrostatic transmission
 Lube for life universal joints
 Forward - Neutral - Reverse on joystick
 100% locking differentials, on the
 fly activation
 Air cleaner, radial seal, dual filters
 Cooling fan, hydraulic
 Intergrated Cyclone pre-cleaner

HYDRAULICS

Two valve, single lever joystick
 Diagnostic pressure taps
 SOS port, hydraulic oil
 Hydraulically demand driven cooling fan
 Hystat and variable displacement pump

ELECTRICAL

150 Amp alternator
 Rooding lights
 12 volt direct electric starting
 Battery disconnect switch

OPERATOR ENVIRONMENT

Hydraulic control lever lockout
 Electrohydraulic implement controls
 Gauges
 - Engine coolant temperature
 - Hydraulic oil temperature
 - Fuel level
 - Speedometer
 - Digital Hour meter
 - DEF
 Operator warning system indicators:
 - Brake charge pressure low
 - Engine malfunction
 - Park brake applied
 - Electrical system voltage flow
 - Hydraulic oil filter bypass
 - Action indicator
 Seat
 - adjustable height, backrest, armrest
 - Seat belt, retractable
 Heater/defroster
 Wiper/washer (front & rear)
 Tinted front glass,laminated

Adjustable steering column
 Rear window defrost
 Lockable Storage box with cup holder
 Internal 12V power source
 External 12V power source

FLUIDS

Extended life coolant antifreeze
 Protected to -36C (-33F) hydraulic oil
 Cat Advanced Hydo 10

OTHER STANDARD EQUIPMENT

Parallel lift, Optimised Z-Bar loader
 Fenders, front and rear
 Engine enclosure - lockable
 Recovery hitch
 Vandalism protection - locked service
 points

REGIONAL STANDARDS(as required)

Chocks
 bucket tooth or edge guard
 Decals, rooding speed
 Reflectors, rooding
 Camara, rear view
 Beacon

CATERPILLAR MACHINE PRICE LIST

920

920 WHEEL LOADER LEICESTER, ENGLAND	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

**Lane 2 is reserved for the Base Order Management Program.
Please use Lane 2 when placing orders that are part of the Base Order
Management Program.**

571-0346	920 14A WL WASTE HANDLER	0	\$144,150
-----------------	---------------------------------------	----------	------------------

920 Waste Handler: Includes Waste handler branding and limits selections to drive performance and comfort enhancing features, an expectation of the Cat Waste Handler range.

REQUIRED:

- 538-7187 Fan, Reversing
- 539-1318 Guard, Powertrain
- 539-1320 Guard, Driveshaft
- 548-7634 Guard, Crankcase
- 539-1317 Guard, Hitch

RECOMMENDED

- 558-8258 Guard, rear door
- 541-2851 Ride Control OR
- 560-2617 Ride Control, High Lift
- 260-5501 Beacon
- 504-7713 Fenders, Deflectors
- 543-4227 Lights, LED
- 533-3604 Guard, Front Lights
- 558-7258 Guard, Rear Lights

- 559-2597 Tires, 17.5X25 Brawler, Smooth OR
- 559-2595 Tires, 17.5X25 Brawler, Traction OR
- 385-5823 Tires, 17.5, XHA2
- 561-7108 Tires, 20.5, XHA2

CATERPILLAR MACHINE PRICE LIST

920

920 WHEEL LOADER LEICESTER, ENGLAND	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

571-0348	920 14A WL AGGREGATE HANDLER 0 920 Ag Handler: Includes Aggregate handler branding and limits selections to drive performance and comfort enhancing features, an expectation of the Cat Aggregate handler range.	\$144,150
-----------------	--	------------------

REQUIRED:

- 550-2681 Counterweight, Agg/High Lift
- 538-7190 HYD, 2V 1L, STD Lift OR
- 538-7202 HYD, 3V 1L, STD Lift
- 415-5927 BUCKET-GP, 1.9 M3, PO, BOCE OR
- 492-2491 BUCKET-GP, 1.9 M3, IT, BOCE OR
- 492-2492 BUCKET-GP, 1.9 M3, ISO, BOCE OR
- 546-4014 BUCKET-GP, 1.9 M3, FUS, BOCE

RECOMMENDED

- 538-7161 Powertrain, HI Rimpull, 40kph
- 538-7187 Fan, Reversing
- 542-9197 Cab Deluxe
- 541-2852 Ride Control
- 543-4227 Working Lights, LED
- 539-1318 Guard, Powertrain, Lower
- 539-1320 Guard, Driveshaft
- 548-7634 Guard, Crankcase
- 561-7108 Tire, 20.5, XHA2

538-6990	920 14A WHEEL LOADER 0 LANE 2 - AVAILABLE FROM LEICESTER FACTORY LANE 3 - AVAILABLE FROM LEICESTER FACTORY	\$144,150
-----------------	---	------------------

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program		
OP-9003	LANE 3 ORDER	0	NC

POWERTRAIN

POWERTRAIN - ENGINE

L	541-0761	ENGINE	0	NC
		EPA Tier 4 Final certified Engine		
		EU Stage V		
		MLIT 2014		
		Net power @ Rated (2200RPM) is 120HP (90KW)		
		Gross power @ Rated (220RPM) is 123HP (92KW)		

POWERTRAIN - GEARING

L	538-7158	POWERTRAIN, HI RIMPULL, 12MPH	0	NC
		Axle/differential with high rimpull, designed for stated top speed.		
		Also recommended for applications where faster traveling speeds are not necessary. Transmission will have a range 1 and range 2.		
		Maximum travel speed on level ground is 20 KPH (12 MPH).		
L	538-7161	POWERTRAIN, HI RIMPULL, 24MPH	0	\$4,305
		Axle/differential with high rimpull, designed for stated top speed.		
		Recommended for most applications in areas without local travel speed restrictions. Transmission has a range 1,2 and 3.		
		Maximum travel speed on level ground is 40 KPH (25 MPH).		

COOLING FAN

L	540-3811	FAN, DEMAND	0	NC
		Hydraulically operated on demand cooling fan		
L	538-7187	FAN, REVERSING	0	\$1,205
		Hydraulically operated on demand cooling fan with reversing ability.		
		Includes an automatic and manual control for fan reversal.		

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS

HYDRAULICS - STANDARD LIFT

The 910,914 & 920 are designed for Caterpillar work tools, when using third party work tools, pin on coupler, or ISO wide coupler the loader linkage could go over center when fully dumped. Refer to Special Instructions, SEHS0166 "Procedure to Modify the Linkage in order to Prevent the Linkage from Over-Centering on the 910,914 & 920 for preventing an over center condition from occurring. PLEASE NOTE: HARNESS, WIRING, WORKTOOL (471-6212) is recommended for use with complex hydromechanical work tools such as angle brooms, dozer blades, snow blowers, wheel saws, and mulchers.

L	538-7190	HYDRAULICS, 2V/1L, STD LIFT 0 Provides standard height lift and tilt hydraulic valves and an electrohydraulic joystick lever control which operates both lift and tilt functions.		NC
L	538-7202	HYDRAULICS, 3V/1L, STD LIFT 0 Provides third valve auxiliary hydraulics, controlled by a proportional thumb roller on the joystick. Auxiliary lines terminate on the loader arms with caps. Electrohydraulic joystick lever operates both lift and tilt functions.		\$2,170
L	538-7210	HYD,4V/1L,STD,LIFT,HF,WT WIRING 0 Provides four valve hydraulics with two auxiliary functions, controlled by two separate proportional thumb roller on the joystick. Two sets of auxiliary lines terminate on the loader arms with quick disconnect couplings for 3rd aux lines (high flow) and caps for 4th aux lines. Electrohydraulic joystick lever operates both lift and tilt functions. Recommended for work tools requiring two separate hydraulic lines such as angle brooms, dozer blades snow blowers, or snow wings.		\$6,670

HYDRAULICS - HIGH LIFT

L	538-7193	HYDRAULICS, 2V/1L, HIGH LIFT 0 Provides high lift and tilt hydraulic valves and an electrohydraulic joystick lever control which operates both lift and tilt functions.		\$4,490
L	538-7205	HYDRAULICS, 3V/1L, HI LIFT 0 Provides third valve auxiliary hydraulics, controlled by a proportional roller on the joystick. Auxiliary lines terminate on the loader arms with caps. Electrohydraulic joystick lever operates both lift and tilt functions.		\$6,660
L	538-7212	HYD,4V/1L,HI-LIFT,HF,WT WIRING 0 Provides four valve hydraulics with two auxiliary functions, controlled by two separate proportional thumb roller on the joystick. Two sets of auxiliary lines terminate on the loader arms with quick disconnect couplings for 3rd aux lines (high flow) and caps for 4th aux lines. Electrohydraulic joystick lever operates both lift and tilt functions. Recommended for work tools requiring two separate hydraulic lines such as angle brooms, dozer blades snow blowers, or snow wings.		\$11,160

COUPLERS

L	540-4965	NO COUPLER, PIN ON, 2V 0 Machine will come with no coupler components ONLY FOR USE WITH: PO bucket or PO transport group		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

COUPLERS (Cont.)

L	538-7166	NO COUPLER, PIN ON, 3V/4V 0 Machine will come with no coupler components ONLY FOR USE WITH: PO bucket or PO transport group		NC
L	549-5002	COUPLER READY, STD LIFT 0 Machine will come with coupler ready. Includes lines and activation switch. ONLY FOR USE WITH: Standard lift and requires either PO bucket or PO transport group		\$495
L	549-5004	COUPLER READY, HIGH LIFT 0 Machine will come with coupler ready. Includes lines and activation switch. ONLY FOR USE WITH: High lift and requires either PO bucket or PO transport group		\$495
L	538-7230	COUPLER, STD LIFT, IT 0 Compatible with IT worktool interface ONLY FOR USE WITH: STD lift and IT worktools		\$2,060
L	540-4963	COUPLER, HIGH LIFT, IT 0 Compatible with IT worktool interface ONLY FOR USE WITH: High lift and IT worktools		\$2,060
L	538-7232	COUPLER, ISO WIDE, STD LIFT 0 Compatible with the Volvo work tool interface. ONLY FOR USE WITH: Standard lift and ISO worktools		\$2,060
L	538-7195	COUPLER, ISO WIDE, HIGH LIFT 0 compatible with the Volvo work tool interface. ONLY FOR USE WITH: High lift and ISO worktools		\$2,060
L	541-6332	COUPLER, FUSION, STD LIFT 0 Compatible with Fusion worktool interface. ONLY FOR USE WITH: Standard Lift & Fusion worktools		\$3,495
L	538-7196	COUPLER, FUSION, HIGH LIFT 0 Compatible with Fusion worktool interface. ONLY FOR USE WITH: High Lift & Fusion worktools		\$3,495

ELECTRICAL

ROADING LIGHTS

P	552-2673	LIGHTS,ROADING,RH DIP,HALOGEN 0 Provides directional signals, front and rear and high/low beam. ONLY FOR USE WITH: Drive on right (Exc Italy)		NC
P	552-2678	LIGHTS,ROADING,LH DIP,HALOGEN 0 Provides directional signals, front and rear and high/low beam. FOR USE WITH: Drive on left.		NC
P	571-2780	LIGHTS,ROADING,RH DIP,LED REAR 0 Includes LED rear roading lights and Halogen Front roading lights for regions that drive on the right hand side of the road.		\$253
P	571-2781	LIGHTS,ROADING,LH DIP,LED REAR 0 Includes LED rear roading lights and Halogen Front roading lights for regions that drive on the left hand side of the road.		\$253
P	546-1819	LIGHTS, ROADING, RH DIP, LED 0 Includes LED roading lights Front and rear for regions that drive on the right hand side of the road. LED lighting provides brighter lighting and longer life		\$1,085

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

ELECTRICAL (CONT.)

ROADING LIGHTS (Cont.)

P	546-1820	LIGHTS, ROADING, LH DIP, LED 0 Includes LED roading lights Front and rear for regions that drive on the left hand side of the road. LED lighting provides brighter lighting and longer life		\$1,085
---	----------	--	--	---------

OPERATOR ENVIRONMENT

STEERING

L	538-7124	STEERING, STANDARD 0 CANNOT BE USED WITH: EU DEALERS		NC
L	538-7127	STEERING, SECONDARY 0 Provides limited steering control in the event of a loss of power or a loss of hydraulic flow. Includes operator warning system indicator and operator alarm.		\$1,255

CANOPY/ CAB

L	542-9198	CANOPY, STANDARD, SINGLE BRAKE 0 Canopy features: ROPS, FOPS, fixed steering column, low effort joystick with FNR, gear selection, differential lock, continuous flow (opt), and proportional auxiliary switch (opt) in one hand, coat hook, sun visor, external knock back mirrors, interior rear view mirror, lockable storage box, and suspended pedals. CANNOT BE USED BY: EU DEALERS REQUIRES: HYDRAULIC HOSE GUARD IF 3 OR 4 VALVE HYDRAULICS SELECTED.		NC
L	542-9197	CAB, DELUXE, SINGLE BRAKE 0 ROPS/FOPS certified Deluxe cab includes all canopy features plus adjustable steering column, two doors with sliding glass windows, heated rear window, cabin light, radio ready kit, available Cat Radio/CD/MP3/WMA Player (opt), heater with available air conditioning (opt), available rear blind (opt).		\$7,660

SEATS

L	539-7203	SEAT, VINYL 0 Fully adjustable mechanical suspension with vinyl covered seat upper and mid height backrest. ONLY FOR USE WITH: CANOPY		NC
L	539-7204	SEAT, DELUXE 0 Fully adjustable air ride suspension with fabric covered seat upper, mid height backrest, mechanical lumbar support, armrests and heated cushions. CANNOT BE USED WITH: CANOPY		\$785
L	552-3734	SEAT, DELUXE PLUS 0 Fully adjustable air ride suspension with fabric covered seat upper, mid height backrest, mechanical lumbar support, armrests and heated and adjustable comfort cushions. CANNOT BE USED WITH: CANOPY		\$1,070

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

SEAT BELTS

L	550-9815	SEAT BELT, RETRACTABLE 2"	0	NC
		High Visibility Orange 51MM (2 inch) wide seat belt.		
L	236-8015	SEAT BELT, RETRACTABLE 3"	0	\$144
		High Visibility Orange 76MM (3 inch) wide seat belt. Recommended for customer running extended hours for enhanced comfort. Required in British Columbia, Oregon, California		

RIDE CONTROL

L	576-4753	NO RIDE CONTROL	0	NC
L	541-2852	RIDE CONTROL	0	\$3,295
		Improves ride quality when travelling. In "Automatic" mode, Ride Control is set to activate above 8 KPH Includes system active indicator on dash.		
		ONLY FOR USE WITH: HYDRAULICS STANDARD LIFT		
L	576-4754	NO RIDE CONTROL, HIGH LIFT	0	NC
L	560-2617	RIDE CONTROL, HIGH LIFT	0	\$3,295
		Improves ride quality when travelling. In "Automatic" mode, Ride Control is set to activate above 8 KPH Includes system active indicator on dash. ONLY FOR USE WITH: HYDRAULICS HIGH LIFT		

ACCESSORY EQUIPMENT

L	504-4834	MIRROR, REAR VIEW	0	NC
		Provides a rear view mirror in the cab. CANNOT BE USED WITH: 504-4835 CAMERA, REAR VIEW, 570-3158 PREP PACK EU		
L	504-4835	CAMERA, REAR VIEW	0	\$1,550
		Provides a rear view camera system with display in the cab. CANNOT BE USED WITH: 504-4834 REAR VIEW MIRROR" INCLUDED IN: 570-3158 PREP PACK EU		

HEATER/ AIR CONDITIONER

REQUIRED IF ORDERING A CAB

L	538-7128	HEATER	0	NC
		Heater/Front defroster		
L	538-7130	HEATER AND AIR CONDITIONER	0	\$4,215
		Heater/Front defroster and air conditioner.		

MACHINE SECURITY SYSTEM

Please note: this is a mandatory selection on machines with an enclosed cab but is NOT available on machines with a canopy.

L	433-3258	SECURITY SYSTEM, NONE	0	NC
---	----------	---------------------------------	---	----

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

MACHINE SECURITY SYSTEM (Cont.)

L	567-5049	SECURITY SYSTEM, MACHINE 0		\$1,040
		NOTE: KEYPAD system, not key-based. Caterpillar Machine Security System (MSS) to manage access to the machine via keypad code. Machine is shipped with the system inactive. Requires ET to activate.		

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitoring performance of your assets, it helps keep your jobs on schedule, maintain equipment condition, and reduce the cost of owning and operating your fleet.

Availability varies by country, please contact your Cat marketing representative with questions or click on the link below:
<HTTPS://DEALER.CAT.COM/en/bt/otd/machine-price-list.html>
 From there click on the "PRODUCT LINK Hardware Certification" link.

L	542-9319	PRODUCT LINK, CELLULAR, PL243 0		NC
		Product Link Basic series PL243 uses cellular networks to transmit hour and location information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent data transmission.		
L	542-9320	PRODUCT LINK, PLE643 0		\$833
		Product Link Elite series PLE643 (consisting of PL243 radio and PLE602 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Provides support for remote services, CPM and basic grade control (may be dependent on corresponding machine features). Cellular technology enables more frequent transmission and larger volumes of data.		

TIRES, RIMS, AND WHEELS

TIRES

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to propose alternate tires. Any proposed change will be reviewed with the dealer prior to machine shipment. The machine will ship only with the dealer acceptance of the proposed alternative tire

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

TIRES AVAILABLE FROM MICHELIN

P	385-5822	TIRES, 17.5 R25, MX, L2 XTLA 1,789 Michelin Product Code #04118 Radial, non-directional tread for traction. Cut and impact resistant. Width over tire measurement = 2300mm (91")		\$2,335
P	577-9956	TIRES, 17.5 R25, MX, L3 XHA2 0 Michelin Product Code #717546 Radial, wide lug, non-directional tread for lateral traction. Heavy shoulder and protected sidewall for heavy duty applications. 3 piece rim Width over tire measurement = 2259mm (89")		\$6,610
P	385-5823	TIRES, 17.5 R25, MX, L3 XHA2 2,123 Michelin Product Code #717546 Radial, wide lug, non-directional tread for lateral traction. Heavy shoulder and protected sidewall for heavy duty applications. 1 piece rim. Width over tire measurement = 2259mm (89")		\$5,100
P	561-7108	TIRES, 20.5 R25, MX, XHA2 0 Michelin Product Code #84298 Radial, wide lug, non-directional tread for lateral traction. Heavy shoulder and protected sidewall for heavy duty applications. Oscillation limiter to maintain fender to tire clearance Width over tire measurement = 2282mm (90") NOTE: A Fusion coupler or High Lift option is require with this 20.5 R25 tire to allow attachments such as buckets to sit level on the ground. REQUIRES: 547-5217 FENDERS, EXT COVER, 20.5 OR 546-5274 FENDERS, STANDARD, 20.5 CANNOT BE USED WITH: 538-7230 COUPLER, STD LIFT, IT 538-7232 COUPLER, ISO WIDE, STD LIFT		\$11,030
P	561-7110	TIRES, 20.5 R25, MX, XSNOW 0 Michelin Product Code #62408 Michelin Xsnoplus Tire. Specially designed for operation on snow and ice. Non directional tread pattern with excellent self-cleaning. Oscillation limiter to maintain fender to tire clearance Width over tire measurement = 2284mm (90") NOTE: A Fusion coupler or High Lift option is require with this 20.5 R25 tire to allow attachments such as buckets to sit level on the ground. REQUIRES: 547-5217 FENDERS, EXT COVER, 20.5 OR 546-5274 FENDERS, STANDARD, 20.5 CANNOT BE USED WITH: 538-7230 COUPLER, STD LIFT, IT 538-7232 COUPLER, ISO WIDE, STD LIFT		\$10,100

TIRES AVAILABLE FROM GOODYEAR

P	385-5825	TIRES, 17.5-25, GY, L3,3PC RIM 2,234 Goodyear Product Code #123-876-175 HRL D/L-3A (Hard Rock Lug) Wide base bias rock tire. Aggressive lug design provides good performance in harsh underfoot conditions.		\$3,560
---	----------	---	--	---------

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

TIRES AVAILABLE FROM GOODYEAR (Cont.)

P	385-5821	TIRES, 17.5-25, GY, L2 SGL12PR 1,511 Goodyear Product Code #123-897-458 SGL D/L-2A (Sure Grip Loader) - 12 ply rating Nylon bias, tubeless, directional and self cleaning tread for floatation and traction. Width over tire measurement = 2260mm (89")		\$144
P	430-2658	TIRES, 17.5 R25, GY, L3 RT-3B 0 Goodyear Product Code #606019 17.5R25 176A2 TL * UN RT-3B 6S Radial tire, non directional tread, self cleaning Superior resistance to rock cuts and penetration for use on rough terrain 1 piece rim Width across tires 89" (2260mm)		\$8,220
P	561-7109	TIRES, 20.5-25, GY, SGL 12 PR 0 Goodyear Product Code #128-5164 SGL E/L-2A (Sure Grip Loader) - 12 ply rating Nylon bias, tubeless, directional and self-cleaning tread for floatation and traction. Oscillation limiter to maintain fender to tire clearance Width over tire measurement = 2304mm (91") NOTE: A Fusion coupler or High Lift option is require with this 20.5 R25 tire to allow attachments such as buckets to sit level on the ground. REQUIRES: 547-5217 FENDERS, EXT COVER, 20.5 OR 547-5217 FENDERS, STANDARD, 20.5 CANNOT BE USED WITH: 538-7230 COUPLER, STD LIFT, IT 538-7232 COUPLER, ISO WIDE, STD LIFT		\$5,450

SNOW TIRES YOKOHAMA AND NOKIAN

P	561-6547	TIRES, 17.5-25 12PR,YK,L2 SNOW 0 Yokohama and # P3540 Specially designed for operation on snowy roads. Directional tread pattern provides excellent traction and pulling performance.		\$1,950
P	533-2713	TIRES, 17.5 R25, NK, L2 SNOW 0 Nokian Hakkapeliitta Tire Specially designed for operation on snow and ice. Non directional tread pattern with excellent self cleaning.		\$4,810
P	580-6238	TIRES, 20.5 R25, NK, L2 SNOW 0 Nokian Hakkapeliitta Tire Specially designed for operation on snow and ice. Non directional tread pattern with excellent self cleaning. NOTE: A Fusion coupler or High Lift option is require with this 20.5 R25 tire to allow attachments such as buckets to sit level on the ground. REQUIRES: 546-5274 FENDERS, EXT COVER, 20.5 OR 547-5217 FENDERS, STANDARD, 20.5 CANNOT BE USED WITH: 538-7230 COUPLER, STD LIFT, IT 538-7232 COUPLER, ISO WIDE, STD LIFT		\$10,330

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

SOLID TIRES AVAILABLE

P	559-2597	TIRES, 17.5X25 TL BRAWLER, SM 0 Trelleborg; Brawler SMOOTH HPS Solidflex; 17.5x25; Press on Solid Tires. Solid tires supplied WITH rear metal platforms and metal front fenders only. Width across tires 2236mm (88"). CANNOT BE USED WITH: 538-7161 POWERTRAIN 40KPH 550-2681 CTWT, HIGH LIFT/AGG		\$17,110
P	559-2595	TIRES, 17.5X25 TL BRAWLER, TR 0 Trelleborg; Brawler TRACTION HPS Solidflex; 17.5x25; Press on Solid Tires. Solid tires supplied WITH rear metal platforms and metal front fenders only. Width across tires 2236mm (88"). CANNOT BE USED WITH: 538-7161 POWERTRAIN 40KPH 550-2681 CTWT, HIGH LIFT/AGG		\$18,030

GUARDS

HYDRAULIC GUARDS

Required when ordering a Canopy with 3 or 4 valve hydraulics.
CANNOT BE USED WITH: CAB

NOTE: When ordering Third and Fourth valve, you MUST order Third and Fourth Hose Guards.

L	466-2557	GUARD, HOSE, 3 VALVE, STD LIFT 0 Provides hydraulic hose guard. ONLY FOR USE WITH: CANOPY .		NC
L	466-2558	GUARD, HOSE, 4 VALVE, HIGH FLOW 0 Provides hydraulic hose guard. ONLY FOR USE WITH: CANOPY		NC
L	542-5175	GUARD, HOSE, 4 VALVE, HIGH LIFT 0 Provides hydraulic hose guard. ONLY FOR USE WITH: CANOPY		NC
L	550-7792	GUARD, HOSE, 3 VALVE, HIGH LIFT 0 Provides hydraulic hose guard. ONLY FOR USE WITH: CANOPY		\$100

COUPLER HOSE GUARDS

Required when ordering a Canopy and a loader arrangement with coupler.
CANNOT BE USED WITH: CAB

L	466-2559	GUARD, COUPLER HOSE 0 FOR USE WITH: 538-7230 COUPLER, STD LIFT, IT 549-5002 COUPLER, READY, STD LIFT 538-7232 COUPLER, ISO WIDE, STD LIFT 541-6332 COUPLER FUSION, STD LIFT		NC
L	435-0853	GUARD, COUPLER HOSE, HI LIFT 0 FOR USE WITH: 540-4963 COUPLER, HIGH LIFT, IT 538-7195 COUPLER, ISO WIDE, HIGH LIFT 538-7196 COUPLER, FUSION, HIGH LIFT 549-5004 COUPLER READY, HIGH LIFT		\$100

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OTHER ATTACHMENTS

FENDERS

L	469-5852	FENDERS, STANDARD 0 Provides non-metalic front fenders to help keep the windshield clean. Rear tires have non-metalic fender extensions around the front side and rear side of the tire to help keep both machine and access ladder clean. Recommended for applications that include roading or long load and carry.		\$422
L	469-5853	FENDERS, FULL COVER 0 Provides non-metalic front fenders with mud flaps to keep the windshield clean. Rear tires have non-metalic fender extensions around the front side and rear side of the tire with mud flaps to keep both machine and access ladder clean. Recommended for applications such as snow removal and extremely muddy conditions.		\$630
L	547-5217	FENDERS, EXT COVER 20.5 TIRES 0 Provides black, non-metallic front fenders and full coverage rear fenders. For use with roading. REQUIRES: 561-7108 TIRE, 20.5 R25, MX XHA2 561-7109 TIRE, 20.5 R25, GY, SGL 12PR 561-7110 TIRE, 20.5 R25, MX XSNOW 580-6238 TIRE, 20.5 R25, NK, L2 SNOW		\$715
L	546-5274	FENDERS, STANDARD, 20.5 TIRES 0 Provides black, non-metallic front fenders and partial coverage rear fenders. REQUIRES: 561-7108 TIRE, 20.5 R25, MX XHA2 561-7109 TIRE, 20.5 R25, GY, SGL 12PR 561-7110 TIRE, 20.5 R25, MX XSNOW 580-6238 TIRE, 20.5 R25, NK, L2 SNOW		\$424
L	504-4713	METAL FENDER, DEFLECTORS 0 Provides partial coverage metal front fender deflectors that provides protection to hitch, ladder, and cab from debris thrown up or stuck in the front tires. Removes all fender extensions around the rear tire. Recommended for applications such as Industrial & Waste where fenders and extensions would be a high risk of impact and damage.		\$-321

COUNTERWEIGHTS

L	538-7162	COUNTERWEIGHT, 2612 LBS 0 Rear counterweight option for all standard lift machines. ONLY FOR USE WITH: STANDARD LIFT MACHINES OR HIGH LIFT MACHINES WITH SOLID TIRES		NC
L	550-2681	CTWT, HIGH LIFT/AGG, 3230 LBS 0 Rear counterweight option side mounted on rear frame, for high lift and aggregate handler machines. ONLY FOR USE WITH: HIGH LIFT AND AGGREGATE MACHINES CANNOT BE USED WITH: SOLID TIRES		\$1,970

WEATHER PACKAGE

L	559-9898	STANDARD WEATHER PACKAGE 0		NC
L	569-6317	COLD WEATHER PACKAGE 0 Standard weather package plus additional battery and wiring for colder climate regions		\$740

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

WEATHER PACKAGE (Cont.)

L	558-3772	ARCTIC WEATHER PACKAGE, 120V 0 Standard weather package plus additional battery and wiring, block heater and cold climate engine coolant for extreme cold climates.		\$1,050
---	----------	--	--	---------

FLUIDS

HYDRAULIC OIL

L	450-5405	HYDRAULIC OIL, STANDARD 0		\$1,145
L	444-1000	HYDRAULIC OIL, BIODEGRADABLE 0		\$1,255

DOCUMENTATION

DECAL PACKAGES

L	560-3441	INSTRUCTIONS, ANSI 0 This package includes picto decals as required for the USA. (excl. Canada) Only for use with: USA DEALERS		NC
---	----------	--	--	----

INSTRUCTIONS

INSTRUCTIONS AND OPERATION MANUALS

	421-8926	SERIALIZED TECHNICAL MEDIA KIT 0 Kit will include instructions and parts CD in the legally required language, based on the shipping address. Any additional media such as a paper parts manual, not included in the kit, can be ordered through the media website. https://oos.midlandcorp.com/CAT/Default.aspx		NC
--	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

NOTE

LANE 2/ LANE 3 OPTIONAL SELECTIONS

HYDRAULICS

JUMPER HOSES

L	555-7354	JUMPER HOSE, 3V 0 Provides hoses from the loader arm down to the coupler, includes screw to connects, 3V Lines only FOR USE WITH: IT/ISO COUPLER AND 3V HYDRAULICS		\$585
L	559-3857	JUMPER HOSE, 3V, FUSION 0 Provides hoses from the loader arm down to the coupler, includes screw to connects, 3V Lines only FOR USE WITH: FUSION COUPLER AND 3V HYDRAULICS		\$590
L	572-4906	JUMPER HOSE,4V, IT&ISO COUPLER 0 Provides hoses from the loader arm down to the coupler, includes screw to connects, 3V high flow Lines only FOR USE WITH: IT/ISO COUPLER AND 4V HYDRAULICS		\$585
L	572-4907	JUMPER HOSE,4V, FUSION COUPLER 0 Provides hoses from the loader arm down to the coupler, includes screw to connects, 3V high flow Lines only FOR USE WITH: FUSION COUPLER AND 4V HYDRAULICS		\$585
L	592-5276	QUICK DISCONNECT, 4V 0 Provides push fit quick disconnects at the loader arm for 3RD AUX only Required for factory testing, if no jumper hose selected. ONLY FOR USE WITH: 4V HYDRAULICS		NC

ELECTRICAL

BEACON

P	260-5501	BEACON, ROTATING 0 Includes magnetic rotating beacon with Britex connector, on/off switch, wiring, and mounting.		\$393 \$393 NI
---	----------	--	--	-------------------

CAB WORKLIGHTS

P	448-9539	LIGHTS, STD, HALOGEN 0 Four halogen floodlights mounted beneath cab roof, two front, two rear.		\$605
P	561-3288	LIGHTS, STD, LED 0 Four LED floodlights mounted beneath cab roof, two front, two rear. Plus additional LED engine enclosure lights.		\$830
P	546-3116	LIGHTS, AUX, LED AND HALOGEN 0 Four LED and four halogen floodlights mounted beneath cab roof, four front (two halogen and two LED), four rear(two halogen and two LED). Plus additional LED engine enclosure lights.		\$940
P	543-4227	LIGHTS, AUX, LED 0 Eight LED floodlights mounted beneath cab roof, four front, four rear. Plus additional LED engine enclosure lights.		\$1,050

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ELECTRICAL (CONT.)

ACCESSORY EQUIPMENT

L	554-6985	WORKTOOL, WIRING 0 Supplies electrical power for valves on selected Work Tools.		\$364
---	----------	--	--	-------

BACK-UP ALARM

L	543-4225	ALARM, BACK-UP 0 Required for machines sold into North America		\$199
---	----------	---	--	-------

OPERATOR ENVIRONMENT

AXLE OSCALATING LIMITER

L	473-9440	LIMITER, AXLE OSCILLATION 0 Restricts the rear axle oscillation from 11 degrees on each side to 9 degrees. When winter tire chains are installed, the axles should be equipped with Axle Oscillations Limiters to prevent contact between the tire chains and the chassis. Bolt-on design.		\$94
---	----------	---	--	------

RADIO PACKAGES

P	541-4413	RADIO, AM/FM BLUETOOTH 0 Cat FM Radio with bluetooth, aux input & microphone. CANNOT BE USED WITH: CANOPY MACHINES		\$555
---	----------	--	--	-------

ACCESSORY EQUIPMENT

P	450-4690	PLATE, LICENSE 0 Rear plate with light attached to hold a license plate for roading. CANNOT BE USED WITH: 540-4668 CONVERSION, TUV ROADING, 40KPH 540-4669 CONVERSION, ITALIAN ROADING, SL 540-4670 CONVERSION, ITALIAN ROADING, HL		\$265
---	----------	---	--	-------

P	279-0643	BLIND, REAR 0 Retractable blind reduces glare and radiant heat. Semi-transparent for rear visibility CANNOT BE USED WITH: CANOPY MACHINES		\$308
---	----------	--	--	-------

P	471-6921	TOOL BOX 0 Fabricated, heavy duty tool box is suitable for storing grease guns. Mounted externally on the chassis behind the right side ladder CANNOT BE USED WITH: 525-4951 COUNTERWEIGHT, JPN		\$620
---	----------	---	--	-------

GUARDS

L	558-7258	GUARD, REAR LIGHTS 0 Provides two (2) rear light guards that mount over the tail lights. CANNOT BE USED WITH: EU ROADING CONVERSIONS		\$190
---	----------	--	--	-------

L	558-8258	GUARD, REAR DOOR 0 Provides protection to rear of the machine and cooling package. Includes swing out guard for cooling access and mounting for rear camera.		\$2,845
---	----------	---	--	---------

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

GUARDS (CONT.)

L	533-3604	GUARD, FRONT LIGHTS 0 Provides two (2) front light guards that mount over the headlights. CANNOT BE USED WITH: EU ROADING CONVERSIONS		\$380
L	548-7634	GUARD, CRANKCASE 0 Mounts underneath machine to provide protection to the engine components		\$418
L	539-1320	GUARD, DRIVE SHAFT 0 Mounts underneath machine to provide front drive shaft protection.		\$625
L	539-1317	GUARD, HITCH 0 Provides protection to hitch area of the rear frame and front frame, preventing debris from entering while allowing visibility to service points.		\$700
L	539-1318	GUARD, POWERTRAIN 0 Mounts underneath machine to provide protection for the transmission components. Includes service access panel for oil changes.		\$1,000

OTHER ATTACHMENTS

ACCESSORY EQUIPMENT

P	468-3869	WHEEL CHOCK 0 CANNOT BE USED WITH: 540-4667 CONVERSION, TUV ROADING, 20KPH 540-4668 CONVERSION, TUV ROADING, 40KPH		\$655
L	525-4951	COUNTERWEIGHT, MIDDLE, SNOW 0 Additional counterweight to bolt on the middle of the machine to help gain traction in snow / slippery conditions. CANNOT BE USED WITH: 471-6921 TOOL BOX.		\$2,495

WORK TOOLS

WORKTOOLS

First worktool must ordered as installed,no packing reference required.
Additional buckets must be ordered as 'not installed' and should include packing reference 0G-3281
Please note: Japan dealers cannot order additional worktools due to shipping reasons.

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

WORK TOOLS (CONT.)

WORKTOOLS (Cont.)

Performance Series buckets feature a wider moldboard opening angle, longer floor and forward curving (convex) sidebars. These aggressive buckets load easier and retain material better for faster cycle times.

Offered with:

- 1) Bolt-on, reversible cutting edges for maximum durability and smooth grading.
- 2) Bolt-on teeth with pin-on tooth tips for maximum penetration and digging.

All 910/914 PS General Buckets share the following characteristics:

Single piece bolt-on cutting edge = 2400mm / 95" wide

8x bolt on adaptors & long tips = 2430mm / 95" wide

Performance Fill Factor = 110% (or 0.1cum/0.2cyd) of stated capacity.

For correct bucket selection see OMM/specalog which shows max material densities per machine configuration per bucket size.

PIN ON BUCKETS

Only available with coupler pin on and coupler ready machines machines.

P	481-9759	BUCKET-GP, 1.8 YD3, PO, BOT	1,184 1,184	\$6,444 \$6,444 NI
P	472-6537	BUCKET-GP, 1.8 YD3, PO, BOCE	1,276 1,276	\$5,715 \$5,715 NI
P	481-9763	BUCKET-GP, 2.0 YD3, PO, BOT	1,270 1,270	\$6,715 \$6,715 NI
P	472-6542	BUCKET-GP, 2.0 YD3, PO, BOCE	1,342 1,342	\$5,986 \$5,986 NI
P	481-9766	BUCKET-GP, 2.3 YD3, PO, BOT	1,358 1,358	\$7,131 \$7,131 NI
P	415-5961	BUCKET-GP, 2.3 YD3, PO, BOCE	1,450 1,450	\$6,401 \$6,401 NI
P	481-9767	BUCKET-GP, 2.4 YD3, PO, BOT	1,398 1,398	\$7,257 \$7,257 NI
P	415-5927	BUCKET-GP, 2.4 YD3, PO, BOCE	1,490 1,490	\$6,528 \$6,528 NI
P	562-8294	BUCKET-SNOW, 2.6 YD3, PO, BOCE	1,507 1,507	\$6,807 \$6,807 NI
P	498-0033	BUCKET-LM, 3.3 YD3, PO, BOCE	816 816	\$8,461 \$8,461 NI

Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge
Capacity: 2.5 m3 (3.3 yd3), fill factor 100%

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
WORK TOOLS (CONT.)				
PIN ON BUCKETS (Cont.)				
P	498-0036	BUCKET-LM, 3.9 YD3, PO, BOCE	878 878	\$9,117 \$9,117 NI
		Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 3.0 m3 (3.9 yd3), fill factor 100%		
P	498-0039	BUCKET-LM, 4.6 YD3, PO, BOCE	938 938	\$9,885 \$9,885 NI
		Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 3.5 m3 (4.6 yd3), fill factor 100%		
IT STD COUPLER BUCKETS				
Only available with coupler IT machines.				
P	481-9755	BUCKET-GP, 1.7 YD3, IT, BOT	1,129 1,129	\$6,300 \$6,300 NI
P	472-6534	BUCKET-GP, 1.7 YD3, IT, BOCE	1,221 1,221	\$5,571 \$5,571 NI
P	481-9760	BUCKET-GP, 1.9 YD3, IT, BOT	1,173 1,173	\$6,571 \$6,571 NI
P	472-6539	BUCKET-GP, 1.9 YD3, IT, BOCE	1,265 1,265	\$5,842 \$5,842 NI
P	481-9762	BUCKET-GP, 2.0 YD3, IT, BOT	1,250 1,250	\$6,715 \$6,715 NI
P	472-6541	BUCKET-GP, 2.0 YD3, IT, BOCE	1,362 1,362	\$5,986 \$5,986 NI
P	481-9764	BUCKET-GP, 2.2 YD3, IT, BOT	1,301 1,301	\$6,986 \$6,986 NI
P	390-8219	BUCKET-GP, 2.2 YD3, IT, BOCE	1,393 1,393	\$6,257 \$6,257 NI
P	559-5199	BUCKET, GP, 2.4 YD3, IT, BOT	1,385 1,385	\$7,457 \$7,457 NI
P	492-2491	BUCKET-GP, 2.4 YD3, IT, BOCE	1,470 1,470	\$6,528 \$6,528 NI
P	562-8297	BUCKET-SNOW, 2.6 YD3, IT, BOCE	1,487 1,487	\$6,807 \$6,807 NI
P	498-0031	BUCKET-LM, 3.3 YD3, IT, BOCE	792 792	\$8,461 \$8,461 NI
		Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 2.5 m3 (3.3 yd3), fill factor 100%		
P	498-0034	BUCKET-LM, 3.9 YD3, IT, BOCE	854 854	\$9,117 \$9,117 NI
		Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 3.0 m3 (3.9 yd3), fill factor 100%		

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

WORK TOOLS (CONT.)

IT STD COUPLER BUCKETS (Cont.)

P	498-0037	BUCKET-LM, 4.6 YD3, IT, BOCE	914	\$9,885
			914	\$9,885 NI
		Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 3.5 m3 (4.6 yd3), fill factor 100%		

ISO WIDE COUPLER BUCKETS

Only available with coupler ISO machines.

P	481-9756	BUCKET-GP, 1.7 YD3, ISO, BOT	1,169	\$6,300
			1,169	\$6,300 NI
P	472-6535	BUCKET-GP, 1.7 YD3, ISO, BOCE	1,261	\$5,571
			1,261	\$5,571 NI
P	481-9761	BUCKET-GP, 1.9 YD3, ISO, BOT	1,213	\$6,571
			1,213	\$6,571 NI
P	472-6540	BUCKET-GP, 1.9 YD3, ISO, BOCE	1,305	\$5,842
			1,305	\$5,842 NI
P	481-9765	BUCKET-GP, 2.2 YD3, ISO, BOT	1,341	\$6,986
			1,341	\$6,986 NI
P	415-5957	BUCKET-GP, 2.2 YD3, ISO, BOCE	1,433	\$6,257
			1,433	\$6,257 NI
P	492-2492	BUCKET-GP, 2.4 YD3, ISO, BOCE	1,470	\$6,528
			1,470	\$6,528 NI
P	498-0032	BUCKET-LM, 3.3 YD3, ISO, BOCE	804	\$8,461
			804	\$8,461 NI
		Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 2.5 m3 (3.3 yd3), fill factor 100%		
P	498-0035	BUCKET-LM, 3.9 YD3, ISO, BOCE	866	\$9,117
			866	\$9,117 NI
		Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 3.0 m3 (3.9 yd3), fill factor 100%		
P	498-0038	BUCKET-LM, 4.6 YD3, ISO, BOCE	926	\$9,885
			926	\$9,885 NI
		Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 3.5 m3 (4.6 yd3), fill factor 100%		

ISO WIDE COUPLER BUCKETS (Flat floor)

Only available with coupler ISO machines.

P	488-7005	BUCKET-FF, 1.8 YD3, ISO, WOT	1,490	\$7,608
			1,490	\$7,608 NI
P	468-4749	BUCKET-FF, 1.9 YD3, ISO, BOCE	1,492	\$6,663
			1,492	\$6,663 NI
P	488-7006	BUCKET-FF, 1.9 YD3, ISO, WOT	1,378	\$8,160
			1,378	\$8,160 NI

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

WORK TOOLS (CONT.)

ISO WIDE COUPLER BUCKETS (Flat floor) (Cont.)

P	468-4750	BUCKET-FF, 2.0 YD3, ISO, BOCE	1,525 1,525	\$7,213 \$7,213 NI
P	488-7007	BUCKET-FF, 2.2 YD3, ISO, WOT	1,490 1,490	\$8,775 \$8,775 NI
P	468-4751	BUCKET-FF, 2.3 YD3, ISO, BOCE	1,436 1,436	\$7,828 \$7,828 NI

FUSION BUCKETS

P	559-5194	BUCKET-GP, 1.9 YD3, FUS, BOT	1,314 1,314	\$6,647 \$6,647 NI
P	550-3488	BUCKET-GP, 1.9 YD3, FUS, BOCE	1,448 1,448	\$5,924 \$5,924 NI
P	559-5195	BUCKET-GP, 2.0 YD3, FUS, BOT	1,349 1,349	\$6,747 \$6,747 NI
P	549-6912	BUCKET-GP, 2.2 YD3, FUS, BOT	1,433 1,433	\$6,986 \$6,986 NI
P	550-3489	BUCKET-GP, 2.0 YD3, FUS, BOCE	1,484 1,484	\$6,024 \$6,024 NI
P	546-4012	BUCKET-GP, 2.2 YD3, FUS, BOCE	1,519 1,519	\$6,257 \$6,257 NI
P	549-6913	BUCKET-GP, 2.5 YD3, FUS, BOT	1,510 1,510	\$7,401 \$7,401 NI
P	546-4014	BUCKET-GP, 2.5 YD3, FUS, BOCE	1,618 1,618	\$6,672 \$6,672 NI
P	560-0128	BUCKET-LM, 3.3 YD3, FUS, BOCE	0 0	\$8,461 \$8,461 NI
P	560-0129	BUCKET-LM, 3.9 YD3, FUS, BOCE	0 0	\$9,117 \$9,117 NI
P	560-0130	BUCKET-LM, 4.6 YD3, FUS, BOCE	0 0	\$9,885 \$9,885 NI

FORK CARRIAGES

Please add the packing reference 0G-3280 if ordered 'Not-Installed'.

P	390-8288	CARRIAGE, PAL CL3, 61", IT 1550mm wide carriage. Does not include fork tines. Requires machine to be equipped with standard width 'IT' quick coupler ONLY FOR USE WITH: COUPLER STD IT OR COUPLER HIGH LIFT IT	539	\$2,386 NI
---	----------	--	-----	------------

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

WORK TOOLS (CONT.)

FORK CARRIAGES (Cont.)

P	428-2109	CARRIAGE, PAL CL3, 61", ISO	535	\$2,386 NI
		1550mm wide carriage. Does not include fork tines. Requires machine to be equipped with wide (Volvo) coupler ONLY FOR USE WITH: WIDE COUPLER		
P	532-8222	CARRIAGE, PAL C3/4, 62", FUS	324	\$2,610 NI
		1565mm wide carriage. Does not include fork tines. ONLY FOR USE WITH: COUPLER, FUSION STD OR HIGH LIFT		

FORK TINES

ORDER QUANTITY OF TWO

Please add the packing reference 0G-3304 if ordered 'Not-Installed'.

P	553-3872	FORK, PAL C3, 47" X 5" X 2"	199	\$765 NI
		REQUIRES: 532-8222 Fork Carriage		
P	553-3873	FORK, PAL C3, 53" X 5" X 2"	215	\$1,000 NI
		REQUIRES: 532-8222 Fork Carriage		
P	6W-8900	FORK TINES, 2" X 5" X 48"	251	\$718 NI
		REQUIRES: Fork Carriage		
P	6W-9739	FORK TINES, 2" X 5" X 53"	343	\$743 NI
		REQUIRES: Fork Carriage		
P	241-0921	FORK TINE, 2X5X48 OFFSET, RIGHT	207	\$1,572 NI
		REQUIRES: Fork Carriage		
P	241-0922	FORK TINE, 2X5X48 OFFSET, LEFT	207	\$1,572 NI
		REQUIRES: Fork Carriage		

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------------	--------------------	-------------------------

FIELD INSTALLED ATTACHMENTS

Kit, Reversing Fan
 Kit, Ride Control
 Kit, Guard Front Lights
 Kit, Guard Rear Lights
 Kit, Guard Hitch
 Kit, Guard Powertrain
 Kit, Guard Driveshaft
 Kit, Guard Crankcase
 Kit, Guard Tilt Cyl
 Kit, Guard Rear
 Kit, Coupler Ready, IT & ISO
 Kit, Coupler Ready, Fusion
 Kit, Coupler, IT
 Kit, Coupler, ISO
 Kit, Coupler, Fusion
 Kit, Fender (Metal Front)
 Kit, Fender (Mud Flaps)
 Kit, Fender (Non-Metal Rear)
 Kit, Jumper Lines
 Kit, Beacon
 Kit, Working Lights, LED (2F, 2R)
 Kit, Work Tool Harness (8 pin)
 Kit, 40 kph (SEA)
 Kit, Wheel Chock
 Kit, Counterweight Aggregate
 Kit, Engine Bay Lights
 Kit, Cold Start/Altitude Bypass
 Kit, PL Elite Lite
 Kit, Engine Heater
 Kit, License Plate
 Kit, Tool Box
 Kit, PL082 Sat
 Kit, Camera Rear View
 Kit, Camera Front View
 Kit, 2V to 3V
 Kit, 3V to 4V
 Kit, MSS

KITS AVAILABLE ONLY FROM SUPERTRAK

FOB: Punta Gorda, Florida, USA

Order the following kits directly from Supertrak
 800.446.9858 --- 941.505.7800 --- www.Supertrak.com
 Supertrak is responsible for the sales, parts,
 support and warranty.
 All dealer net prices below are for reference only, and are subject
 to change by Supertrak.
 Additional information and pictures are located on DEALER.CAT.COM
 in the Compact Wheel Loader area.

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	---------------------	--------------------	-------------------------

FIELD INSTALLED ATTACHMENTS (CONT.)***KITS AVAILABLE ONLY FROM SUPERTRAK (Cont.)***

Note: Reference application specific OSHA requirements (e.g. window mesh spacing standards), particularly in forestry applications.

CT2026-008 KIT, REAR WINDOW GUARD. 4354 USD NET
 Guards provide protection for rear lights, rear window, and rear side corner windows. 3" (75mm) mesh opening with 1/4" (6mm) wire diameter can be customized to meet the application requirements. Side and corner guards open with latches for easy cleaning. Rear center portion is fixed, yet cleaning clearance is provided. Some light welding is required.
 Estimated installation time: 5 hrs.

CT2026-003 KIT, LOWER WINDOW DEBRIS GUARD. 784 USD NET
 Steel shields protect the lower front windows in mulching applications. Visibility is not obscured, as each shield is viewed within the front tire profile. Some light welding is required.
 Estimated installation time: 2hrs.

CT2026-007 KIT, LAMP COVER GUARD. 808 USD NET
 Bolt-on lamp guards are reversible from side to side and allow some lamp positioning adjustment. Mesh design incorporates 1" (25mm) squares.
 Estimated installation time: 0.5 hrs

CT2011-006 3 BAR CUSTOM FRONT WINDOW SCEN 2803 USD NET

CT2026-014 2" REAR WINDOW GUARD KIT 4354 USD NET
 Guards provide protection for rear lights, rear window, rear window, and rear side corner windows.
 2-(50 mm) mesh opening with (6 mm) wire diameter.
 Some light welding required.

CT2026-019 3" FRONT WINDOW GUARD KIT 3060 USD NET
 Bolt-on kit provides upper and lower window protection along with upper car light guarding. 3- (75 mm) mesh opening with (6 mm) wire diameter.

CT2026-020 3" REAR WINDOW GUARD KIT 4354 USD NET
 Guards provide protection for rear lights, rear window, and rear side corner windows. 3- (75 mm) mesh opening with (6 mm) wire diameter.
 Some light welding required.

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
PACKING				
	0G-3117	RORO W/RIMS W/TIRES. 0 Mandatory selection for all non-European shipments.		\$320 NET
	0G-3281	PACK - BUCKET GROUP (WHL) 0		\$125 NET
	423-6175	TRANSPORT GROUP. 0 Required to ship a machine not fitted with either a coupler or an installed pin-on bucket. ONLY FOR USE WITH: LOADER ARRANGEMENTS 462-7126,462-7441 523-4518 & 523-4521		NC
	0G-3273	RUST PREVENTATIVE APPLICATOR. 0 Preparation for shipment - Silix applicators for shipment by sea Please note: This selection is mandatory for some regions including USA & Canada.		\$112 NET
	0G-3280	PACK, MISCELLANEOUS MATERIAL 0		NC
	0G-3304	PACKING FOR FORK /HOOKS/TINES 0		NC