

CATERPILLAR MACHINE PRICE LIST

**950M-BR**

950M WHEEL LOADER PIRACICABA, BRAZIL	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

Standard Equipment:

**POWERTRAIN**

Engine, Cat C7.1 ACERT  
 Torque converter, with lock-up clutch  
 free wheel stator  
 Transmission countershaft, automatic,  
 powershift (5F/3R)  
 Pump transmission, split flow  
 Productive Economy Mode (fuel  
 consumption optimization)  
 Brakes, full hydraulic enclosed wet-disc  
 with Integrated Braking System (IBS)  
 Brake wear indicators  
 Fan drive hydraulic, electronically  
 controlled, temperature sensing,  
 on demand  
 Fuel priming pump (electric)  
 Fuel/Water separator  
 Engine air intake with strata-tubes  
 Parking Brake, disk & caliper

**HYDRAULICS**

Load sensing system with variable  
 displacement piston pump.  
 Hoses, Caterpillar XT  
 Couplings, Caterpillar O-ring face seal  
 Hydraulic oil cooler (swing out)  
 Oil sampling valves  
 Remote diagnostic pressure taps  
 Hydraulic Service Center

**ELECTRICAL**

Batteries (2), maintenance free 1400CCA  
 Starting and charging system (24V)  
 Alarm, back-up  
 Ignition key; start/stop switch  
 Main disconnect switch  
 Receptacle remote start (cables not  
 included)  
 Starter, electric, heavy duty  
 Emergency shut-off switch  
 Rear camera  
 Electrical Service Center

**OPERATOR ENVIRONMENT**

A-Post mounted membrane 16 switch keypad  
 Climate control  
 Bucket/Work tool function lockout  
 EH Parking Brake  
 Intermittent front wiper control  
 Horn, electric  
 Lights, cab dome (2)  
 Radio ready (entertainment) includes  
 antenna, speaker & converters (12V 10A)  
 3 receptacles, 12V  
 Beverage holders (2) with storage

compartment for cell phone/MP3 player  
 Coat hooks (2)  
 Sliding window  
 Ergonomic Cab Access  
 Sun visor, front  
 Computerized monitoring system  
 Front dash information display with:  
 -Speedometer/Tachometer  
 -Digital gear indicator  
 -Temperatures: engine coolant,  
 hydraulic oil, transmission oil  
 -Fuel level  
 Warning Indicators:  
 -Temperatures: axle oil, engine intake  
 manifold  
 -Pressures: engine oil, fuel pressure  
 Hi/Low, primary steering oil,  
 service brake oil  
 -Battery voltage Hi/Low  
 -Engine air filter restriction  
 -Hydraulic oil filter restriction  
 -Hydraulic oil level low  
 -Parking brake  
 -Transmission filter bypass  
 Multi-function monitor:  
 -180mm(7") color LCD touch-screen  
 display  
 -Rear-view camera image display  
 (reverse travel activated)  
 Machine utilization information:  
 -Total fuel consumption  
 -Average fuel burn rate  
 -Engine fuel consumption  
 -Total idle time  
 -Total operating hours  
 -Travel distance (odometer)  
 -Total idle fuel  
 -Total operating hours, neutral  
 -Total operating hours with hydraulic  
 filter in bypass

**OTHER STANDARD EQUIPMENT**

Engine idle management system and auto  
 idle shutdown  
 Filters: fuel, engine air, engine oil,  
 hydraulic oil, transmission  
 Hitch, drawbar  
 Kickout, lift & tilt, automatic  
 (adjustable)  
 Sight gauges: engine coolant, hydraulic  
 oil, and transmission oil level  
 Lift and tie down points  
 Articulation locking bar  
 Parallel Z-bar lifting

CATERPILLAR MACHINE PRICE LIST

# 950M-BR

950M WHEEL LOADER  
 PIRACICABA, BRAZIL

Ship Weight  
 lbs

LIST PRICE  
 AT DEALER

**Lane 2 is reserved for the Base Order Management Program.  
 Please use Lane 2 when placing orders that are part of the Base Order  
 Management Program.**

**562-2842      950M WHEEL LOADER AM-N DCA10A .....0      \$341,260**  
 LANE 1 - AVAILABLE FROM GALVESTON DISTRIBUTION CENTER

- INCLUDES:
- 464-2600 950M WHEEL LOADER
  - 543-3577 REGIONAL PACKAGE, AM-N
  - 505-1505 STANDARD PACKAGE
  - 505-1552 LINKAGE, STANDARD LIFT
  - 393-0072 COUNTERWEIGHT, 1460KG
  - 366-9908 AXLES, AUTO DIFF F/R, ED
  - 500-2566 HYDRAULICS, 3V RC, STD/LOGGER
  - 366-9912 HYDRAULIC OIL, STANDARD
  - 373-3911 STARTING, COLD (120V)
  - 506-3489 LIGHTS, LED, PREMIUM
  - 505-1528 CAB, DELUXE
  - 384-7009 STEERING, WHEEL HMU
  - 384-7005 AUTO DIFF, HMU
  - 434-0690 NETWORK MANAGER ONLY
  - 364-9807 COOLING CORES, 9 FPI
  - 503-6412 FAN, STANDARD
  - 371-7064 ANTIFREEZE, -34C (-29F)
  - 367-9027 GUARD, POWERTRAIN
  - 373-3900 QUICK COUPLER READY, STD LIFT
  - 365-0112 AIR INLET STANDARD, RAIN CAP
  - 336-0000 HOOD, NON-METALLIC
  - 464-6672 FENDERS, BASIC +
  - 465-6576 SOUND SUPPRESSION, STANDARD
  - 495-7493 LUBRICATION, MANUAL, STD/LOG
  - 511-0755 AUTODIG & CPM PAYLOAD READY

NOTE: Please refer to the Lane 1 section to complete your order.

CATERPILLAR MACHINE PRICE LIST

# 950M-BR

<b>950M WHEEL LOADER</b>	Ship Weight	LIST PRICE
PIRACICABA, BRAZIL	lbs	AT DEALER

<b>513-5378</b>	<b>950M WHEEL LOADER AM-N DCA11</b> ..... 0 LANE 1 - AVAILABLE FROM GALVESTON DISTRIBUTION CENTER	<b>\$335,940</b>
-----------------	--	------------------

- INCLUDES:
- 464-2600 950M WHEEL LOADER
  - 506-3495 REGIONAL PACKAGE, AM-N
  - 505-1505 STANDARD PACKAGE
  - 505-1552 LINKAGE, STANDARD LIFT
  - 393-0072 COUNTERWEIGHT, 1460KG
  - 366-9908 AXLES, AUTO DIFF F/R, ED
  - 506-3506 HYDRAULICS, 2V RC (3V READY)
  - 366-9912 HYDRAULIC OIL, STANDARD
  - 373-3911 STARTING, COLD (120V)
  - 506-3489 LIGHTS, LED, PREMIUM
  - 505-1528 CAB, DELUXE
  - 384-7009 STEERING, WHEEL HMU
  - 384-7005 AUTO DIFF, HMU
  - 434-0690 NETWORK MANAGER ONLY
  - 364-9807 COOLING CORES, 9 FPI
  - 503-6412 FAN, STANDARD
  - 371-7064 ANTIFREEZE, -34C (-29F)
  - 367-9027 GUARD, POWERTRAIN
  - 373-3900 QUICK COUPLER READY, STD LIFT
  - 365-0112 AIR INLET STANDARD, RAIN CAP
  - 336-0000 HOOD, NON-METALLIC
  - 464-6674 FENDERS, BASIC +, LOW PROFILE
  - 465-6576 SOUND SUPPRESSION, STANDARD
  - 495-7493 LUBRICATION, MANUAL, STD/LOG
  - 511-0755 AUTODIG & CPM PAYLOAD READY

NOTE: Please refer to the Lane 1 section to complete your order.

<b>464-2600</b>	<b>950M WHEEL LOADER</b> ..... 0 LANE 2 - AVAILABLE FROM PIRACICABA FACTORY LANE 3 - AVAILABLE FROM PIRACICABA FACTORY	<b>\$309,100</b>
-----------------	--	------------------

CATERPILLAR MACHINE PRICE LIST

# 950M-BR

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

## LANE 1 AM-NORTH MANDATORY ATTACHMENTS

### LANE SELECTION

OP-9001	LANE 1 ORDER	0	NC
---------	--------------	---	----

### IMPLEMENT CONTROLS

L	495-0867	SAL W/FNR, 2V	0	NC
		ONLY FOR USE WITH: 513-5378 950M WHEEL LOADER AM-N DCA11		
L	495-0868	SAL W/FNR, 3V	0	NC
		ONLY FOR USE WITH: 562-2842 950M WHEEL LOADER AM-N DCA10A		

### PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.

Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below:  
<HTTPS://DEALER.CAT.COM/en/bt/otd/machine-price-list.html>  
 From there click on the "PRODUCT LINK Hardware Certification" link.

L	434-0695	PRODUCT LINK, CELLULAR PLE641	0	NC
		Product Link Elite series PLE641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		

### TIRES

**Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice. However, if the tire type cannot be supplied we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.**

#### TIRES AVAILABLE FOR MICHELIN

P	373-4052	TIRES, 23.5R25 MX XHA2 * L3	0	\$-2,845
		ONLY FOR USE WITH: 562-2842 950M WHEEL LOADER AM-N DCA10A		

#### TIRES AVAILABLE FOR BRIDGESTONE

CATERPILLAR MACHINE PRICE LIST

**950M-BR**

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)**

***TIRES (Cont.)***

P	509-1481	TIRES, 750/65R25 BS VTS * L3 . . . . . 0 ONLY FOR USE WITH: 513-5378 950M WHEEL LOADER AM-N DCA11		\$12,680
---	----------	--	--	----------

***PACKING***

	OP-6619	ROLL ON-ROLL OFF . . . . . 0 Machine is in mobile condition and all attachments are installed unless specified.		\$263 NET
--	---------	--	--	-----------

**CYLINDER PROTECTION**

	OP-3940	PROTECTION, CYLINDER ROD . . . . . 0		NC
--	---------	--------------------------------------	--	----

***OPERATION AND MAINTENANCE MANUAL***

NOTE: Operation and maintenance Manual will be included in language requested below.

	OP-3380	INSTRUCTIONS, ENGLISH . . . . . 0		NC
	OP-3389	INSTRUCTIONS, FRENCH . . . . . 0		NC

***FLUIDS***

**FUEL ANTIFREEZE**

	OP-3978	FUEL ANTIFREEZE, -25C (-13F) . . . . . 0 Provides fuel (diesel) antifreeze protection down to -25C (-13F)		NC
--	---------	--	--	----

***INSTRUCTIONS***

**FILMS**

P	386-7389	FILM, CPM . . . . . 0 REQUIRED BY: Canada		NC
	OP-3507	FILMS, ISO . . . . . 0 REQUIRED BY: Quebec		NC

CATERPILLAR MACHINE PRICE LIST

**950M-BR**

USE	REF NO.	LANE 1 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-----------------	--------------------	-------------------------

**LANE 1 AM-NORTH OPTIONAL ATTACHMENTS**

***COOLANT.***

P	0P-3506	ANTIFREEZE, -50C (-58F) ..... 0 Premix Antifreeze, -50C or -58F	0	<b>\$275 NET</b>
---	---------	--	---	------------------

CATERPILLAR MACHINE PRICE LIST

**950M-BR**

USE	REF NO.	<b>LANE 1 OPTIONAL</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

**LANE 1 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)**

***PACKING***

**OMISSION WORKTOOL**

P	361-1437	<b>OMISSION, WORKTOOL . . . . . 0</b> This is required when ordering a machine without an installed bucket or quick coupler to protect the links.	0	<b>NC</b>
---	----------	--	---	-----------

***STORAGE PROTECTION***

0P-2918	<b>STORAGE PROTECTION . . . . . 0</b> This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior the shipment to the customer. <b>REQUIRED BY : ALL LANE CONFIGURATION</b>	0	<b>NC</b>
---------	---	---	-----------

CATERPILLAR MACHINE PRICE LIST

**950M-BR**

USE	REF NO.	<b>LANE 2 / 3 MANDATORY</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	--------------------	-------------------------

**LANE SELECTION**

OP-9002	LANE 2 ORDER . . . . .	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER . . . . .	0	NC

**REGIONAL PACKAGES**

L	543-3587	REGIONAL PACKAGE, AM-N . . . . .	0	NC
		INCLUDES:		
		-ANSI films		
		-EPA Tier 4 Final Compliant Engine		

**SPECIAL ARRANGEMENTS**

L	513-5391	INDUSTRIAL PACKAGE . . . . .	0	\$10,330
		FOR USE WITH LANE 3 ONLY		
		Provides machine features required in waste transfer stations, recycling stations, green waste and scrap applications.		
		INCLUDES:		
		-Reinforced platform		
		-Carbon cab air filter		
		-Guards: hitch, bottom cab (skirt), front frame, crankcase		
		-Lift cylinder baffles		
		-Heavy duty ladder		
		RECOMMENDED:		
		434-4487 TIRES, 23.5X25 FLXPRT OFF ROAD or		
		434-4488 434-4488 TIRES, 23.5X25 FLXPRT SMOOTH and		
		505-1521 FILTRATION AR, STEEL or		
		505-1522 FILTRATION AR, STEEL CLNR AUX and		
		493-9616 WINDOWS, FLAT, RUBBER MOUNTED or		
		493-9617 WINDOWS, FLAT, RUBBER MOUNTED GRD and		
		485-4387 GUARDS, LIGHT		
		REQUIRES: 366-9906 AXLES, LOCK/OPEN, ED, SG or		
		366-9910 AXLES, AUTO DIFF F/R, ED, SG and		
		478-8371 FENDERS, NARROW and		
		488-1138 SOUND SUPPRESSION, INDUSTRIAL (NACD) or		
		465-6590 SOUND SUPPRESSION, LOW (EUR)		
		399-4332 GUARD, HINGED, POWERTRAIN and		
		360-8835 GUARD, TILT CYLINDER		



CATERPILLAR MACHINE PRICE LIST

**950M-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**SPECIAL ARRANGEMENTS (CONT.)**

**L 543-3606 CORROSION RESISTANT PACKAGE . . . . . 0 \$6,500**  
 FOR USE WITH LANE 3 ONLY  
 Minimizes the harmful effect in highly corrosive environments applications such as fertilizer handling, salt and its derivatives.

INCLUDES:

- Platform;
- Electrical & Hydraulic installation;
- Cab air filter;
- Heavy duty alternator;
- Heavy duty switch disconnect;
- Silicon protection is applied on all the electric terminals, exposed connectors are treated with tube heat shrinkable;
- Anticorrosion vapor capsules in closed compartments;

REQUIRES:

- 365-0120 PRECLEANER, TURBINE
- 477-1660 WINDOW AR, CAB - CORROSION, OR
- 477-1659 WINDOW AR, RM - CORROSION

RECOMMENDED:

- 524-1394 COOLING GP (6FPI) - CORROSION, OR
- 524-1393 COOLING GP (9FPI) - CORROSION
- Cores protected
- Grease points on the radiator hinges
- 477-1667 HOOD AR - CORROSION
- 521-9198 PAINTING GROUP, CORROSION (NACD), OR
- 522-5231 PAINTING GROUP, CORROSION (EU)
- Differentiated Painting Process
- Extra Varnish protection is applied on the engine compartment, chassis internal
- 506-0545 PROTECTION PACKAGE, LINES
- Hose couplings treated with tube heat shrinkable and sealant silicone.
- 513-5392 FAN, VPF, ISO, OR
- 513-5393 FAN, VPF, ANSI
- 495-7494 AUTOLUBE - for 950M, OR
- 495-7496 AUTOLUBE - for 962M
- 505-1520 FILTRATION, STD, PRECLEANER

**L 513-5390 LOGGER PACKAGE . . . . . 0 NC**  
 FOR USE WITH LANE 3 ONLY  
 Provides machine features required in forestry applications.

INCLUDES:

- Platform
- Cab air filter

REQUIRES: 505-1554 LINKAGE, LOGGER  
 393-0072 COUNTERWEIGHT, 1460KG

**L 513-5389 STANDARD PKG W/AUTODIG & CPM . . . . . 0 \$233**  
 Provides machine features required in standard applications.

INCLUDES:

- Platform
- Cab air filter
- CPM Payload Ready & Autodig Ready
- Includes hardware and 250 hour CPM demo mode only. Demo mode is dealer activated. System must be calibrated prior to use.
- Requires purchase of software for permanent feature activation.
- See the Optional Technology section for software options.

CATERPILLAR MACHINE PRICE LIST

**950M-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BOOMS, STICKS, AND LINKAGES**

**LINKAGES**

L	538-2776	LINKAGE, STANDARD LIFT . . . . . 0 ONLY FOR USE WITH: 513-5391 INDUSTRIAL PACKAGE or 513-5389 STANDARD PKG W/AUTODIG + CPM		NC
L	538-2777	LINKAGE, HIGH LIFT . . . . . 0 FOR USE WITH LANE 3 ONLY Provides increased dump clearance of 20" (506mm) over standard lift arms. ONLY FOR USE WITH: 513-5391 INDUSTRIAL PACKAGE or 513-5389 STANDARD PKG W/AUTODIG + CPM		\$6,810
L	538-2778	LINKAGE, LOGGER . . . . . 0 FOR USE WITH LANE 3 ONLY Provide oversize tilt and lift cylinders. REQUIRES: 393-0072 COUNTERWEIGHT, AUXILIARY 500-2566 HYDRAULICS, 3V RC LOGGER 468-0173 FILM, FOREST ONLY FOR USE WITH: 513-5390 LOGGER PACKAGE (AM-N)		\$5,800

**COUNTERWEIGHT**

L	393-0069	COUNTERWEIGHT, 960KG . . . . . 0 ONLY FOR USE WITH: 505-1552 LINKAGE, STANDARD LIFT		NC
L	393-0072	COUNTERWEIGHT, 1460KG . . . . . 0		\$2,155
L	423-1214	COUNTERWEIGHT, REAR GUARD . . . . . 0 FOR USE WITH LANE 3 ONLY Hinged guard protecting radiator grill and cores for machine working in confined application. Provide same stability as the standard counterweight. ONLY FOR USE WITH: 538-2776 LINKAGE, STANDARD LIFT		\$11,130

**POWERTRAIN**

**ENGINE PRECLEANER**

L	365-0121	AIR INLET PRECLEANER, TRASH . . . . . 0 FOR USE WITH LANE 3 ONLY Turbine engine air inlet precleaner, to be used in extremely high dust and airborne debris environments with a grill protecting precleaner from large debris.		\$965
L	365-0112	AIR INLET STANDARD, RAIN CAP . . . . . 0 Includes standard strata tubes precleaner ejecting up to 96% of debris.		NC
L	365-0120	AIR INLET PRECLEANER, TURBINE . . . . . 0 Turbine engine air inlet precleaner, to be used in extremely high dust and airborne debris environments.		\$735

CATERPILLAR MACHINE PRICE LIST

**950M-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**POWERTRAIN (CONT.)**

**AXLE PACKAGES**

Axle packages include a combination of traction aids, Ecology Drain (ED), Seal Guards (SG), and Axle Oil Cooler (AOC).

L	366-9903	<b>AXLES, LOCK/OPEN, ED</b> ..... 0 INCLUDES: -Manual front diff lock -Open rear differential -Ecology Drain CANNOT BE USED WITH: 513-5391 INDUSTRIAL PACKAGE		\$590
L	366-9906	<b>AXLES, LOCK/OPEN, ED, SG</b> ..... 0 FOR USE WITH LANE 3 ONLY Includes: -Manual front diff lock -Open rear differential -Ecology Drain -Seal Guards		\$2,150
L	366-9910	<b>AXLES, AUTO DIFF F/R, ED, SG</b> ..... 0 FOR USE WITH LANE 3 ONLY INCLUDES: -Automatic front and rear diff lock -Ecology Drain -Seal Guards		\$8,000
L	366-9907	<b>AXLES, LOCK/OPEN, ED, AOC</b> ..... 0 INCLUDES: -Manual front diff lock -Open rear differential -Ecology Drain -Axle Oil Coolers Provides installed oil cooler system for front & rear axles Recommended for machines operating in high energy applications, such as extended load & carry CANNOT BE USED WITH: 513-5391 INDUSTRIAL PACKAGE		\$7,240
L	366-9908	<b>AXLES, AUTO DIFF F/R, ED</b> ..... 0 INCLUDES: -Automatic front and rear diff lock -Ecology Drain CANNOT BE USED WITH: 513-5391 INDUSTRIAL PACKAGE		\$6,440
L	366-9911	<b>AXLES, AUTO DIFF F/R, ED, AOC</b> ..... 0 FOR USE IN LANE 3 ONLY INCLUDES: -Automatic front and rear diff lock -Ecology Drain -Axle Oil Coolers Provides installed oil cooler system for front & rear axles Recommended for machines operating in high energy applications, such as extended load & carry. CANNOT BE USED WITH: 513-5391 INDUSTRIAL PACKAGE		\$13,090
L	366-9909	<b>AXLES, AUTO DIFF F/R, ED, ETS</b> ..... 0 FOR USE IN LANE 3 ONLY INCLUDES: -Automatic front and rear diff lock -Ecology Drain -Extreme Temp Seals CANNOT BE USED WITH: 513-5391 INDUSTRIAL PACKAGE		\$7,390

CATERPILLAR MACHINE PRICE LIST

**950M-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**POWERTRAIN (CONT.)**

**AXLE PACKAGES (Cont.)**

L	366-9905	AXLES, LOCK/OPEN, ED, ETS . . . . . 0 FOR USE IN LANE 3 ONLY INCLUDES: -Manual front diff lock -Open rear differential -Ecology Drain -Extreme Temp Seals CANNOT BE USED WITH: 513-5391 INDUSTRIAL PACKAGE		\$1,540
---	----------	---	--	---------

**HYDRAULICS**

L	500-2567	HYDRAULICS, 4V RC, STD/LOGGER . . . . . 0 FOR USE WITH LANE 3 ONLY Provides 4 valve hydraulics and ride control. ONLY FOR USE WITH: 538-2778 LINKAGE, STANDARD LIFT 538-2776 LINKAGE, LOGGER		\$13,790
L	500-2571	HYDRAULICS, 4V RC, HIGH LIFT . . . . . 0 FOR USE WITH LANE 3 ONLY Provides 4 valve hydraulics and ride control. ONLY FOR USE WITH: 505-1553 LINKAGE, HIGH LIFT		\$13,790
L	500-2570	HYDRAULICS, 3V RC, HIGH LIFT . . . . . 0 FOR USE WITH LANE 3 ONLY. Provides 3 valve hydraulics and ride control. ONLY FOR USE WITH: 505-1553 LINKAGE, HIGH LIFT		\$10,420
L	506-3506	HYDRAULICS, 2V RC (3V READY) . . . . . 0 Provides 2 valve hydraulics (3V ready) and ride control.		\$4,945
L	500-2566	HYDRAULICS, 3V RC, STD/LOGGER . . . . . 0 Provides 3 valve hydraulics and ride control. ONLY FOR USE WITH: 505-1552 LINKAGE, STANDARD LIFT 505-1554 LINKAGE, LOGGER 950		\$10,420
L	501-0400	HYDRAULICS, 2V RC, STD/LOG/HL . . . . . 0 Provides 2 valve hydraulics and ride control.		\$4,650

**HYDRAULIC OIL**

L	366-9912	HYDRAULIC OIL, STANDARD . . . . . 0 Cat HYDO Advanced 10 allows to extend oil change intervals up to 6000 hours with S-O-S services.		NC
---	----------	---	--	----

**STARTERS, BATTERIES, & ALTERNATORS**

**ENGINE STARTING PACKAGE**

L	373-3911	STARTING, COLD (120V) . . . . . 0 Provides 145-amp brushed alternator, 120V block heater, ether aid ready, transmission & fan bypass.		\$1,600
L	373-3910	STARTING, STANDARD . . . . . 0 Provides 145-amp brushed alternator.		NC

CATERPILLAR MACHINE PRICE LIST

**950M-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**ELECTRICAL**

**LIGHTS**

L	569-2124	<b>LIGHTS, LED, PREMIUM</b> . . . . . 0 Provides LED Roading lights: -2 Forward roading lights LED(low/high beam) with LED turn signal -2 Rear LED position stop turn lights Provides LED Work lights: -2 Forward facing standard lights on the top of the cab -2 Forward facing high intensity lights on the top of the cab -4 Rear facing standard lights on the top of the cab -2 Rear facing standard lights on the Hood		\$3,375
L	486-2308	<b>LIGHTS, HALOGEN, PREMIUM</b> . . . . . 0 Includes: -2 halogen forward roading lights (low/high beam) with halogen turn signals -2 halogen rear facing working lights in the hood -2 LED position/stop/turn lights -8 halogen working lights on the cab		\$885
L	486-2311	<b>LIGHTS, HALOGEN</b> . . . . . 0 Provides Roading lights : - 2 forward roading lights halogen(low/high beam) with Halogen turn signal. - 2 rear LED position stop turn lights Provides Halogen Work lights : - 2 forward facing standard lights on the top of the cab - 2 rear facing standard lights on the top of the cab - 2 rear facing standard lights on the Hood		NC
L	522-3605	<b>LIGHTS, LED</b> . . . . . 0 FOR USE IN LANE 3 ONLY INCLUDES: -2 LED forward roading lights (low/high beam) with LED turn signals -2 LED rear facing working lights in the hood -2 LED position/stop/turn lights -4 LED working lights on the cab		\$2,535

**OPERATOR ENVIRONMENT**

Bluetooth radio technology enables the use of a hands free function such as listening to music and making phone calls. Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below:  
<https://dealer.cat.com/en/products/technology.html>

**WINDOWS**

L	477-1660	<b>WINDOWS (CORROSION)</b> . . . . . 0 FOR USE WITH LANE 3 ONLY Provides a paint thickness which is more than two times the thickness of the standard paint, giving the cab extra resistance against corrosion. ONLY FOR USE WITH: CORROSION RESISTANT PACKAGE		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

**950M-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**WINDOWS (Cont.)**

L	477-1659	<b>WINDOWS RM (CORROSION)</b> ..... 0 FOR USE WITH LANE 3 ONLY Provides front windows mounted in rubber seals for faster replacement, with a paint thickness which is more than two times the thickness of the standard paint, giving the cab extra resistance against corrosion. ONLY FOR USE WITH: CORROSION RESISTANT PACKAGE		\$5,600
L	493-9616	<b>WINDOWS, RUBBER MOUNTED</b> ..... 0 FOR USE WITH LANE 3 ONLY Provides front windows mounted in rubber seals.		\$5,210
L	493-9617	<b>WINDOWS, RUBBER MTD, FRONT GRD</b> ..... 0 FOR USE IN LANE 3 ONLY Provides front windows mounted in rubber seals and a front window guard.		\$8,840
L	493-9619	<b>WINDOWS, STANDARD, FRONT GUARD</b> ..... 0 FOR USE IN LANE 3 ONLY Provides a front window guard.		\$3,630
L	493-9618	<b>WINDOWS, STANDARD, FULL GUARD</b> ..... 0 FOR USE IN LANE 3 ONLY Provides a full window guard.		\$12,480
L	493-9615	<b>WINDOWS, STANDARD</b> ..... 0		NC

**STEERING**

L	538-2794	<b>STEERING, LHD JOYSTICK</b> ..... 0 Provides an EH steering system.		\$9,960
L	538-2796	<b>STEERING, WHEEL HMU</b> ..... 0 Provides an HMU steering system.		NC
L	538-2795	<b>STEERING, LHD JOYSTICK, SECOND</b> ..... 0 Provides an EH steering system & secondary steering.		\$14,440
L	538-2797	<b>STEERING, WHEEL HMU, SECOND</b> ..... 0 Provides an HMU steering system & secondary steering.		\$4,485

**IMPLEMENT SINGLE AXIS LEVERS FOR STEERING**

L	539-6028	<b>SINGLE AXIS LEVERS W/FNR, 4V</b> ..... 0 FOR USE WITH LANE 3 ONLY INCLUDES: -3 single action levers for implement lift, tilt & 3rd function controls -1 roller switch controlling the 4th function & FNR switch on implement pod ONLY FOR USE WITH: 538-2797 STEERING, WHEEL HMU, SECOND or 538-2796 STEERING, WHEEL HMU		NC
L	539-6051	<b>SINGLE AXIS LEVERS, 4V, LHD</b> ..... 0 FOR USE WITH LANE 3 ONLY INCLUDES: -3 single action levers for implement lift, tilt & 3rd function controls -1 roller switch controlling the 4th function on implement pod ONLY FOR USE WITH: 538-2795 STEERING, LHD JOYSTICK, SECOND or 538-2794 STEERING, LHD JOYSTICK		NC

CATERPILLAR MACHINE PRICE LIST

**950M-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**IMPLEMENT SINGLE AXIS LEVERS FOR STEERING (Cont.)**

L	539-6031	SINGLE AXIS LEVERS, 2V, LHD . . . . . 0 INCLUDES: -2 single action levers for implement lift & tilt controls ONLY FOR USE WITH: 501-0400 HYDRAULICS, 2V RC, STD/LOG/HL 434-0710 STEERING, LHD, JOYSTICK 434-0711 STEERING, LHD JOYSTICK, SECOND 538-2795 STEERING, LHD JOYSTICK, SECOND 538-2794 STEERING, LHD JOYSTICK		NC
L	539-6041	SINGLE AXIS LEVERS, 3V, LHD . . . . . 0 INCLUDES: -3 single action levers for implement lift, tilt & 3rd function ONLY FOR USE WITH: 500-2566 HYDRAULICS, 3V RC, STD/LOGGER or 538-2795 STEERING, LHD JOYSTICK, SECOND 538-2794 STEERING, LHD JOYSTICK		NC
L	539-6020	LEVERS, SINGLE AXIS W/FNR, 2V . . . . . 0 INCLUDES: -2 single action levers for implement lift & tilt controls -FNR switch on implement pod ONLY FOR USE WITH: 501-0400 HYDRAULICS, 2V RC, STD/LOG/HL 538-2797 STEERING, WHEEL HMU, SECOND 538-2796 STEERING, WHEEL HMU		NC
L	539-6024	LEVERS, SINGLE AXIS W/FNR, 3V . . . . . 0 INCLUDES: -3 single action levers for implement lift, tilt & 3rd function controls -FNR switch on implement pod ONLY FOR USE WITH: 500-2566 HYDRAULICS, 3V RC, STD/LOGGER 538-2797 STEERING, WHEEL HMU, SECOND 538-2796 STEERING, WHEEL HMU		NC

**IMPLEMENT JOYSTICK FOR STEERING**

L	539-6054	JOYSTICK, 4V, LHD . . . . . 0 FOR USE WITH LANE 3 ONLY INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -2 rollers switch controlling the 3rd & 4th functions integrated in the joystick ONLY FOR USE WITH: 538-2795 STEERING, LHD JOYSTICK, SECOND 538-2794 STEERING, LHD JOYSTICK		\$1,565
L	539-6036	JOYSTICK, 2V, LHD . . . . . 0 INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick ONLY FOR USE WITH: 501-0400 HYDRAULICS, 2V RC, STD/LOG/HL 538-2795 STEERING, LHD JOYSTICK, SECOND 538-2794 STEERING, LHD JOYSTICK		\$1,095

CATERPILLAR MACHINE PRICE LIST

**950M-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**IMPLEMENT JOYSTICK FOR STEERING (Cont.)**

L	539-6046	JOYSTICK, 3V, LHD . . . . . 0		\$1,535
		INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -1 roller switch controlling the 3rd function integrated in the joystick		
		ONLY FOR USE WITH: 500-2566 HYDRAULICS, 3V RC, STD/LOGGER or 538-2795 STEERING, LHD JOYSTICK, SECOND 538-2794 STEERING, LHD JOYSTICK		
L	539-6022	JOYSTICK, 2V, HMU/FNR . . . . . 0		\$1,095
		INCLUDES: -Implement joystick for lift & tilt controls -Horn, FNR and kickdown trigger switches integrated in implement joystick		
		ONLY FOR USE WITH: 501-0400 HYDRAULICS, 2V RC, STD/LOG/HL 538-2797 STEERING, WHEEL HMU, SECOND 538-2796 STEERING, WHEEL HMU		
L	539-6026	JOYSTICK, 3V, HMU/FNR . . . . . 0		\$1,535
		INCLUDES: -Implement joystick for lift & tilt controls -Horn, FNR & kickdown trigger switches integrated in implement joystick -1 roller switch controlling the 3rd function integrated in the joystick		
		ONLY FOR USE WITH: 500-2566 HYDRAULICS, 3V RC, STD/LOGGER 538-2797 STEERING, WHEEL HMU, SECOND 538-2796 STEERING, WHEEL HMU		
L	539-6029	JOYSTICK W/FNR, 4V . . . . . 0		\$1,695
		FOR USE WITH LANE 3 ONLY INCLUDES: -Implement joystick for lift & tilt controls -Horn, FNR & kickdown trigger switches integrated in implement joystick -2 rollers switch controlling the 3rd & 4th functions integrated in the joystick		
		ONLY FOR USE WITH: 538-2797 STEERING, WHEEL HMU, SECOND 538-2796 STEERING, WHEEL HMU		

**SEAT BELT**

L	551-3397	SEAT BELT, 3" . . . . . 0		\$104
---	----------	---------------------------	--	-------

**DIFFERENTIAL**

L	384-7005	AUTO DIFF, HMU . . . . . 0		NC
		ONLY FOR USE WITH: 366-9908 AXLES, AUTO DIFF F/R, ED or 366-9910 AXLES, AUTO DIFF F/R, ED, SG or 366-9911 AXLES, AUTO DIFF F/R, ED, AOC and 538-2797 STEERING, WHEEL HMU, SECOND 538-2796 STEERING, WHEEL HMU		



CATERPILLAR MACHINE PRICE LIST

**950M-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

***DIFFERENTIAL (Cont.)***

L	384-7006	MANUAL DIFF, HMU . . . . . 0		NC
		ONLY FOR USE WITH: 366-9903 AXLES, LOCK/OPEN, ED or 366-9905 AXLES, LOCK/OPEN, ED, ETS or 366-9906 AXLES, LOCK/OPEN, ED, SG or 366-9907 AXLES, LOCK/OPEN, ED, AOC and 538-2797 STEERING, WHEEL HMU, SECOND 538-2796 STEERING, WHEEL HMU		
L	384-7003	AUTO DIFF, LHD JOYSTICK . . . . . 0		NC
		ONLY FOR USE WITH: 366-9908 AXLES, AUTO DIFF F/R, ED or 366-9910 AXLES, AUTO DIFF F/R, ED, SG or 366-9911 AXLES, AUTO DIFF F/R, ED, AOC and 538-2795 STEERING, LHD JOYSTICK, SECOND or 538-2794 STEERING, LHD JOYSTICK		
L	384-7004	MANUAL DIFF, LHD JOYSTICK . . . . . 0		NC
		ONLY FOR USE WITH: 366-9903 AXLES, LOCK/OPEN, ED or 366-9905 AXLES, LOCK/OPEN, ED, ETS or 366-9906 AXLES, LOCK/OPEN, ED, SG or 366-9907 AXLES, LOCK/OPEN, ED, AOC and 538-2795 STEERING, LHD JOYSTICK, SECOND or 538-2794 STEERING, LHD JOYSTICK		

***CAB FILTERS***

L	505-1521	FILTRATION, STEEL . . . . . 0		\$2,155
		FOR USE WITH LANE 3 ONLY INCLUDES: -CAB ROOF, STEEL -COVER, HVAC, STEEL. CANNOT BE USED WITH: 543-3606 CORROSION RESISTANT PACKAGE REQUIRED BY: STEEL MILL PACKAGE		
L	505-1519	FILTRATION, STANDARD . . . . . 0		NC
		INCLUDES: -CAB ROOF, NON-METALLIC -COVER, HVAC, NON-METALLIC		
L	505-1520	FILTRATION, STD, PRECLEANER . . . . . 0		\$690
		FOR USE WITH LANE 3 ONLY INCLUDES: -CAB ROOF, NON-METALLIC -COVER, HVAC, NON-METALLIC -PRECLEANER, HVAC Provides a precleaner for dusty environments for cab air intake.		
L	505-1522	FILTRATION, STEEL, ACF PRECLNR . . . . . 0		\$3,515
		FOR USE WITH LANE 3 ONLY INCLUDES: -CAB ROOF, STEEL -COVER, HVAC, STEEL FOR ACF -ACF PRECLEANER, HVAC CANNOT BE USED WITH: 543-3606 CORROSION RESISTANT PACKAGE		

CATERPILLAR MACHINE PRICE LIST

**950M-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**CAB FILTERS (Cont.)**

L	505-1523	FILTRATION, STD, ACF PRECLNR . . . . . 0 FOR USE WITH LANE 3 ONLY INCLUDES: -CAB ROOF, NON-METALLIC -COVER, HVAC, STEEL FOR ACF -ACF PRECLEANER, HVAC CANNOT BE USED WITH: 543-3606 CORROSION RESISTANT PACKAGE		\$1,870
---	----------	---	--	---------

**TRIM ARRANGEMENT**

L	538-2770	CAB TRIM, COMFORT (HMU) . . . . . 0 INCLUDES: -SEAT, COMFORT, HMU Provides steering wheel and comfort seat with manual lumbar adjustment -MIRRORS, EXTERNAL -SUN VISOR, REAR Provides pull down sun screen in rear window. ONLY FOR USE WITH: 538-2797 STEERING, WHEEL HMU, SECOND or 538-2796 STEERING, WHEEL HMU		\$69
---	----------	--	--	------

L	538-2771	CAB TRIM, DELUXE (HMU) . . . . . 0 INCLUDES: -SEAT, DELUXE, HMU Provides steering wheel and deluxe seat containing resistance heating, manual lumbar and 2-way thigh adjustment, ride stiffness adjustment, and suede accents. -MIRRORS, EXTERNAL, HEATED -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window. ONLY FOR USE WITH: 538-2797 STEERING, WHEEL HMU, SECOND or 538-2796 STEERING, WHEEL HMU		\$1,030
---	----------	--	--	---------

L	538-2773	CAB TRIM, COMFORT (LHD) . . . . . 0 FOR USE WITH LANE 3 ONLY INCLUDES: -SEAT, COMFORT, LHD Provides steering joystick on left hand armrest and comfort seat with ride stiffness adjustment and manual lumbar adjustment. -MIRRORS, EXTERNAL -SUN VISOR, REAR Provides pull down sun screen in rear window. ONLY FOR USE WITH: 538-2795 STEERING, LHD JOYSTICK, SECOND or 538-2794 STEERING, LHD JOYSTICK		\$69
---	----------	---	--	------

CATERPILLAR MACHINE PRICE LIST

# 950M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**TRIM ARRANGEMENT (Cont.)**

L	538-2774	<b>CAB TRIM, DELUXE (LHD)</b> ..... 0 INCLUDES: -SEAT, DELUXE, LHD Provides steering joystick on left hand armrest and deluxe seat containing resistance heating, manual lumbar and 2-way thigh adjustment, ride stiffness adjustment, dynamic end dampening, and suede accents. -MIRRORS, EXTERNAL, HEATED -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window. ONLY FOR USE WITH: 538-2795 STEERING, LHD JOYSTICK, SECOND or 538-2794 STEERING, LHD JOYSTICK 434-0710 STEERING, LHD JOYSTICK or 434-0711 STEERING, LHD JOYSTICK, SECOND	0	\$1,185
L	538-2772	<b>CAB TRIM, PREMIUM PLUS (HMU)</b> ..... 0 FOR USE WITH LANE 3 ONLY INCLUDES: -SEAT, PREMIUM PLUS, HMU Provides steering wheel and premium plus seat containing forced air heating and cooling, 2-way thigh adjustment, power lumbar and back bolster adjustment, ride stiffness adjustment, dynamic end dampening, and leather finish. -MIRRORS, EXTERNAL, HEATED -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window ONLY FOR USE WITH: 538-2797 STEERING, WHEEL HMU, SECOND or 538-2796 STEERING, WHEEL HMU	0	\$3,905
L	538-2775	<b>CAB TRIM, PREMIUM PLUS (LHD)</b> ..... 0 FOR USE WITH LANE 3 ONLY INCLUDES: -SEAT, PREMIUM PLUS, LHD Provides steering joystick on left hand armrest and premium plus seat containing forced air heating and cooling, 2-way thigh adjustment, power lumbar and back bolster adjustment, ride stiffness adjustment, dynamic end dampening, and leather finish. -MIRRORS, EXTERNAL, HEATED -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window. ONLY FOR USE WITH: 384-7008 STEERING, LHD JOYSTICK, SECOND or 384-7007 STEERING, LHD JOYSTICK	0	\$3,905

CATERPILLAR MACHINE PRICE LIST

**950M-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS**

**PRODUCT LINK**

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.

Availability varies by country, please contact your Cat marketing representative with questions or click on the link below:  
[HTTPS://DEALER.CAT.COM/en/bt/otd/machine-price-list.html](https://dealer.cat.com/en/bt/otd/machine-price-list.html)  
 From there click on the "PRODUCT LINK Hardware Certification" link.

L	434-0691	<b>PRODUCT LINK, CELLULAR PLE641</b> . . . . . 0 Product Link Elite series PLE641 (consisting of PL641 radio and PLE601 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		NC
L	434-0693	<b>PRODUCT LINK, SATELLITE PLE631</b> . . . . . 0 Product Link Elite series PLE631 (consisting of PL631 radio and PLE601 network manager) uses a satellite network to transmit location, utilization and health information for viewing in Product Link user applications. For use in areas with poor or no cellular coverage.		\$439

**COOLING**

**COOLING SYSTEM**

L	521-9359	<b>COOLING CORES, 6 FPI</b> . . . . . 0 Provides cooling capability up to 43C (109F) ambient. Radiator with 6 fins per inch.		\$342
L	521-9358	<b>COOLING CORES, 9 FPI</b> . . . . . 0 Provides cooling capability up to 47C (117F) ambient. Radiator with 9 fins per inch.		NC
L	524-1394	<b>COOLING CORES 6 FPI, CORROSION</b> . . . . . 0 FOR USE WITH LANE 3 ONLY Provides cooling capability up to 43C (109F) ambient. Radiator with 6 fins per inch. - Cores protected (painted); - Grease points on the radiator hinges. ONLY FOR USE WITH: CORROSION RESISTANT PACKAGE		\$3,015
L	524-1393	<b>COOLING CORES 9 FPI, CORROSION</b> . . . . . 0 FOR USE WITH LANE 3 ONLY Provides cooling capability up to 47C (117F) ambient. Radiator with 9 fins per inch. - Cores protected (painted); - Grease points on the radiator hinges. ONLY FOR USE WITH: CORROSION RESISTANT PACKAGE		\$2,665

**COOLING FAN**

L	513-5394	<b>FAN, STANDARD</b> . . . . . 0 Standard load sensing hydraulically driven fan.		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

**950M-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**COOLING (CONT.)**

**COOLING FAN (Cont.)**

L	513-5393	FAN, VPF, ANSI . . . . . 0		\$5,250
		FOR USE WITH LANE 3 ONLY Provides an attachment reversing function to the standard hydraulically driven demand fan. This provides the ability to rotate blades and to reverse the airflow direction to remove debris from the radiator and engine enclosures while the machine is still operating. Includes automatic and manual controls for airflow reversal. Recommended for applications with a high content of airborne debris. ONLY FOR USE WITH: 521-9359 COOLING CORES 6 FPI 524-1394 COOLING CORES 6 FPI, CORROSION		

**COOLANT**

L	371-7064	ANTIFREEZE, -34C (-29F) . . . . . 0		NC
		Premix Antifreeze, -34C or -29F		
L	423-2664	ANTIFREEZE, -50C (-58F) . . . . . 0		\$275 NET
		Premix Antifreeze, -50C or -58F		

**TIRES, RIMS, AND WHEELS**

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice. However, if the tire type cannot be supplied we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

NOTE: All tires include rims & come in a set of 4. Tires are tubeless & non-directional unless otherwise stated.

NOTE: Other tires are available upon request.

**TIRES AVAILABLE FROM MICHELIN**

P	373-4052	TIRES, 23.5R25 MX XHA2 * L3 . . . . . 0		\$-2,845
---	----------	---	--	----------

**TIRES AVAILABLE FROM BRIDGESTONE**

P	509-1481	TIRES, 750/65R25 BS VTS * L3 . . . . . 0		\$12,680
		FOR USE IN LANE 3 ONLY		

CATERPILLAR MACHINE PRICE LIST

**950M-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TIRES, RIMS, AND WHEELS (CONT.)**

**TIRES AVAILABLE FROM MAXAM**

P	547-8401	TIRES, 23.5R25 MA MS302 **E3/L3 . . . . . 0 MAXAM RADIAL; TREAD DEPTH=36.5mm; Rim=19.5"x25" 3 piece Provides reduced vibration, damage resistance, and traction in soft to rocky underfoot conditions.		\$-10,670
---	----------	--	--	-----------

**SOLID TIRES**

P	540-4373	TIRES, 23.5X25 BR TRACTION . . . . . 0 FOR USE IN LANE 3 ONLY Brawler HPS Solidflex Traction Off-the-Road (OTR) tread solid tires pressed on to standard CAT rims. Ideal for harsh/special applications on unimproved surfaces, such as as brick, glass, and scrap yards where debris is not an issue. Machine oscillation is reduced.		\$17,250
---	----------	--	--	----------

P	540-4374	TIRES, 23.5X25 BR SMOOTH . . . . . 0 FOR USE IN LANE 3 ONLY Brawler HPS Solidflex Smooth tread solid tires pressed on to standard CAT rims. Ideal for harsh/special applications where debris is an is an issue, such as scrap yards, recycling centers and waste transfer stations. Machine oscillation is reduced.		\$20,550
---	----------	--	--	----------

**TIRES/RIMS, ALLOWANCE FOR OMISSION**

Dealers should contact their Application Specialist if they plan to use a tire not offered on the price list. Some tires may require axle oscillation stops or other machine modifications.

P	373-4064	RIMS ONLY, TIRES OMITTED . . . . . 0 FOR USE IN LANE 3 ONLY		\$-16,240
P	0P-3647	OMISSION, TIRES AND RIMS . . . . . 0 FOR USE IN LANE 3 ONLY		\$-19,590

**BODY**

**FENDERS**

L	464-6675	FENDERS, ROADING, LOW PROFILE . . . . . 0 FOR USE IN LANE 3 ONLY Provides front fenders with fender extensions and full wrap fenders for rear wheels. ONLY FOR USE WITH: 509-1481 TIRES, 750/65R25 BS VTS*L3		\$3,070
---	----------	---	--	---------

L	464-6672	FENDERS, BASIC +. . . . . 0 Provide non-metallic front fenders with mud flaps and short rear fender extensions covering top of wheel. CANNOT BE USED WITH: 509-1481 TIRES, 750/65R25 BS VTS*L3		NC
---	----------	--	--	----

L	464-6673	FENDERS, ROADING . . . . . 0 Provide non-metallic front fenders with top extension, mud flaps and full wrap non-metallic rear fenders with removable mud flaps. CANNOT BE USED WITH: 509-1481 TIRES, 750/65R25 BS VTS*L3		\$2,775
---	----------	--	--	---------

L	464-6674	FENDERS, BASIC +, LOW PROFILE. . . . . 0 FOR USE IN LANE 3 ONLY Provide non-metallic front fenders with mud flaps and short rear fender extensions covering top of wheel. ONLY FOR USE WITH: 509-1481 TIRES, 750/65R25 BS VTS*L3		\$153
---	----------	---	--	-------

CATERPILLAR MACHINE PRICE LIST

**950M-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BODY (CONT.)**

**FENDERS (Cont.)**

C	478-8371	FENDERS, NARROW . . . . . 0 FOR USE IN LANE 3 ONLY CONTACT CUSTOM PRODUCTS FOR AVAILABILITY. Provides narrow steel front fenders, steel rear fender extensions and heavy duty hanging steel steps. CANNOT BE USED WITH: 509-1481 TIRES, 750/65R25 BS VTS*L3 REQUIRED BY: INDUSTRIAL PACKAGE		\$3,040
---	----------	--	--	---------

**HOOD**

L	477-1667	HOOD - CORROSION . . . . . 0 FOR USE IN LANE 3 ONLY Grease points for the articulated Hood Pins. Provide sufficient greasing and normal hinge functioning in corrosive environment. ONLY FOR USE WITH: CORROSION RESISTANT PACKAGE		NC
L	336-0000	HOOD, NON-METALLIC . . . . . 0		NC

**SOUND SUPPRESSION**

L	465-6576	SOUND SUPPRESSION, STANDARD . . . . . 0		NC
L	488-1138	SOUND SUPPRESSION, INDUSTRIAL . . . . . 0 FOR USE WITH LANE 3 ONLY Provides steering cylinder guards for high debris applications.		\$1,085

**FLUIDS**

**LUBRICATION ARRANGEMENTS**

L	538-2788	LUBRICATION, MANUAL, STD/LOG . . . . . 0 ONLY FOR USE WITH: 538-2776 LINKAGE, STANDARD LIFT or 538-2778 LINKAGE, LOGGER		NC
L	538-2789	AUTOLUBE, STD/LOGGER . . . . . 0 Provides Caterpillar autolube system. ONLY FOR USE WITH: 538-2776 LINKAGE, STANDARD LIFT or 538-2778 LINKAGE, LOGGER		\$6,440
L	538-2792	LUBRICATION, MANUAL, HIGH LIFT . . . . . 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 538-2777 LINKAGE, HIGH LIFT		NC
L	538-2793	AUTOLUBE, HIGH LIFT . . . . . 0 FOR USE IN LANE 3 ONLY Provides Caterpillar Autolube System for high lift. ONLY FOR USE WITH: 538-2777 LINKAGE, HIGH LIFT		\$6,650

**FUEL ANTIFREEZE**

	0P-3978	FUEL ANTIFREEZE, -25C (-13F) . . . . . 0 Provides fuel (diesel) antifreeze protection down to -25C (-13F)		NC
--	---------	--	--	----

CATERPILLAR MACHINE PRICE LIST

**950M-BR**

USE	REF NO.	<b>LANE 2 / 3 MANDATORY</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-----------------------------	--------------------	-------------------------

**INSTRUCTIONS**

***OPERATION AND MAINTENANCE MANUAL***

NOTE: Operation and maintenance Manual will be included in language requested below.

<b>OP-3380</b>	<b>INSTRUCTIONS, ENGLISH . . . . . 0</b>	<b>NC</b>
----------------	--	-----------



CATERPILLAR MACHINE PRICE LIST

# 950M-BR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT**

**RADIOS.**

**Bluetooth radio technology enables the use of a hands free function such as listening to music and making phone calls. Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below: <https://dealer.cat.com/en/products/technology.html>**

P	372-1603	<b>RADIO, CB (READY)</b> . . . . . 0 Provides adjustable mounting brackets for two radios, a 20 amp 24V to 12V converter, a CB antenna, CB cable converter, and two separate four wire connectors that contain a ground, 12V and 24 V circuits. INCLUDED IN: 486-9205 OBJECT DETN & CB RADIO READY		<b>\$955</b>
P	372-1600	<b>RADIO, AM/FM/USB/MP3 BLUETOOTH</b> . . . . . 0 Provides AM/FM/MP3/WB/USB/AUX with integrated BlueTooth.		<b>\$590</b>

**INTEGRATED OBJECT DETECTION SYSTEM**

The Cat Integrated Object Detection adds radar and alarms to the standard on-board rear vision camera to notify the operator when something is close to the rear of the machine. This system is configured with zones, and objects in those zones trigger various levels of alarms. A display screen in the cab provides visual confirmation of the objects detected by the radar, so operators can make informed decisions.

L	486-9204	<b>OBJECT DETECTION</b> . . . . . 0 CANNOT BE USED WITH: 423-1214 COUNTERWEIGHT, REAR GUARD		<b>\$2,785</b>
L	486-9205	<b>OBJECT DETN &amp; CB RADIO READY</b> . . . . . 0 INCLUDES: 486-9204 OBJECT DETECTION 372-1603 RADIO, CB (READY) CANNOT BE USED WITH: 423-1214 COUNTERWEIGHT, REAR GUARD		<b>\$3,720</b>

**VISIBILITY**

P	380-5964	<b>SECONDARY CAMERA DISPLAY</b> . . . . . 0 FOR USE WITH LANE 3 ONLY Provides full-time display dedicated to rear-view camera.		<b>\$1,755</b>
---	----------	--	--	----------------

**SECURITY SYSTEM**

P	372-1604	<b>SECURITY SYSTEM, MACHINE</b> . . . . . 0 FOR USE WITH LANE 3 ONLY Protects from vandalism and theft by preventing unauthorized personnel from starting a machine. Machines start only after a unique MSS key is inserted into the ignition. MSS keys can be programmed to start machines only certain days or hours.		<b>\$700</b>
---	----------	---	--	--------------

**LIGHTS**

P	513-2458	<b>LIGHTS, REVERSING STROBE</b> . . . . . 0 Provides 2 reversing blue strobes.		<b>\$275</b>
---	----------	---	--	--------------

CATERPILLAR MACHINE PRICE LIST

# 950M-BR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**LIGHTS (Cont.)**

P	460-7450	<b>LIGHT, SEAT BELT WARNING</b> ..... 0 Provides a seat belt warning light mounted to the rear of the cab structure.		<b>\$230</b>
P	491-7467	<b>LIGHT, WARNING BEACON</b> ..... 0 Provides hard mounted strobe beacon on hinged (breakaway) bracket mounted to the rear of the cab structure.		<b>\$491</b>

**TECHNOLOGY PRODUCTS**

**SOFTWARE ENABLED ATTACHMENTS (SEA) INSTRUCTIONS**

Technology apps are activated by Software Enabled Attachments (SEA). SEAs are available factory installed or can be purchased for dealer installation.

Refer to Information Release Memo (IRM) EES03 -01 (media number PELJ0138) in the Caterpillar Media Information Center for further explanation of SEAs. Select the Product Support tab and search for number PELJ0138. Refer to REHS1238 & REHS8401 for how to obtain a Factory Level Password. Contact FPS: Internet with Corporate Web Security (CWS) ([https:// fps.cat.com/](https://fps.cat.com/)).

CATERPILLAR MACHINE PRICE LIST

**950M-BR**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS (CONT.)**

**CAT PRODUCTION MEASUREMENT (CPM) PAYLOAD WEIGHING SYSTEM**

Cat M-series Medium Wheel Loaders are available with the Cat Production Measurement (CPM) that includes an integrated onboard payload weighing scale. This measures and/or records:

- Payload weight, material ID, truck ID, cycle (bucket dumps) count and fuel consumption
- Allows on-the-go weighing of the bucket payload during the lift cycle
- Daily payload total (tonnes/tons), productivity (tonnes/hour or tons/hour) and efficiency (tonnes/liter or tons/gal) data is reported wirelessly via Product Link to the VisionLink fleet management web portal (Cat Essentials Product Link subscription required).
- Detailed payload, productivity and efficiency data can be downloaded to a laptop computer for analysis in the optional VIMSpC software (VIMSpC and VIMS data cable are required, but VIMS is NOT required).
- Payload tickets can be printed with an optional printer

Refer to the Cat Connect Payload Technologies intranet page (<https://dealer.cat.com/payload>) for complete technical specifications; operation, sales, marketing and technical support publications.

NOTES:

- 1) Permanent software is available from the factory below.
- 2) For field installation, permanent software can be purchased through the Caterpillar Feature Protection System and enabled by a dealer technician with Cat ET and an SEA password. SEA p/n 517-4683. Consult ANTARES parts distribution system for latest SEA price.
- 3) Both demo and permanent software require calibration prior to customer use.

CALIBRATION INSTRUCTIONS

This requires calibration and set-up by either the dealer or customer. Refer to the Systems Operation Test & Adjust manual UENR7119 for system calibration, material and truck ID lists set-up and operation instructions.

P	370-3813	CPM PAYLOAD WEIGHING READY . . . . . 0		\$230
		FOR USE IN LANE 3 ONLY		
		Includes CPM hardware and demo software for up to 250 hours. Demo software must be dealer enabled. Permanent activation requires software purchase and calibration. See notes 2 & 3 above.		
		CANNOT BE USED WITH: 512-0858 STANDARD PACKAGE		
P	517-7123	CPM PAYLOAD SOFTWARE . . . . . 0		\$5,010
		Includes hardware and permanent software for CPM. Software is factory enabled, but the system must be calibrated prior to customer use. See note above for calibration instructions.		
		(Not available for all countries. Contact PL Admin for details).		
		REQUIRES: 478-1336 AUTODIG & CPM PAYLOAD, ARO		
		ONLY FOR USE WITH: 370-3813 CPM PAYLOAD WEIGHING READY or		
		512-0858 STANDARD PACKAGE		
		CANNOT BE USED WITH: 517-7122 AUTODIG + CPM PAYLOAD		

CATERPILLAR MACHINE PRICE LIST

**950M-BR**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS (CONT.)**

**AUTODIG**

Autodig is a software enabled attachment that controls the implement system during the bucket loading portion of a cycle to automatically load aggregate material.

NOT RECOMMENDED for hardbank or large rock loading.

P	453-3250	<b>AUTODIG SOFTWARE</b> . . . . .	0	\$1,445
		Includes software for Aggregate Autodig. NOT RECOMMENDED for hardbank or large rock loading. REQUIRES: 478-1336 AUTODIG & CPM PAYLOAD, ARO		

**GUARDS**

L	397-1606	<b>GUARD, TILT CYLINDER</b> . . . . .	0	\$1,415
		FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: LINKAGE, LOGGER REQUIRED BY: INDUSTRIAL PACKAGE		
P	485-4387	<b>GUARDS, LIGHT</b> . . . . .	0	\$1,590
		FOR USE IN LANE 3 ONLY Provide protection guard for lights installed on the cab and counterweight.		
L	360-8835	<b>GUARD, TILT CYLINDER</b> . . . . .	0	\$1,415
		FOR USE WITH LANE 3 ONLY CANNOT BE USED WITH: LINKAGE, LOGGER REQUIRED BY: INDUSTRIAL PACKAGE		
L	367-9027	<b>GUARD, POWERTRAIN</b> . . . . .	0	\$1,520
L	399-4332	<b>GUARD, HINGED, POWERTRAIN</b> . . . . .	0	\$3,315
		FOR USE WITH LANE 3 ONLY Provides heavy duty guard to protect the bottom of the transmission; hinged for service. ONLY FOR USE WITH: INDUSTRIAL PACKAGE REQUIRED BY: INDUSTRIAL PACKAGE		

**OTHER ATTACHMENTS**

P	506-4369	<b>WHEEL CHOCKS</b> . . . . .	0	\$498
		Provides wheel chocks that mount to the frame.		
P	503-4735	<b>OIL CHANGE SYSTEM, HIGH SPEED</b> . . . . .	0	\$291
		Easy access drain line and Wiggins connector for remote engine oil drain. Provides quick, clean, and easy engine oil change without having to climb under the machine to access a gravity drain.		

**CORROSION RESISTANT OPTIONS**

L	506-0545	<b>PROTECTION PACKAGE, LINES</b> . . . . .	0	\$4,795
		FOR USE WITH LANE 3 ONLY Hoses treated with tube heat shrinkable and sealant silicone. ONLY FOR USE WITH: CORROSION RESISTANT PACKAGE		

CATERPILLAR MACHINE PRICE LIST

**950M-BR**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**OTHER ATTACHMENTS (CONT.)**

***CORROSION RESISTANT OPTIONS (Cont.)***

L	521-9198	PAINTING GROUP, CORROSION . . . . . 0 FOR USE IN LANE 3 ONLY Provides a paint thickness which is more than two times the thickness of the standard paint, giving the machine extra resistance against corrosion. ONLY FOR USE WITH: CORROSION RESISTANT PACKAGE		\$4,965
---	----------	--	--	---------

**QUICK COUPLERS**

P	373-3904	QUICK COUPLER READY, HIGH LIFT . . . . . 0 FOR USE WITH LANE 3 ONLY ONLY FOR USE WITH: 538-2777 LINKAGE, HIGH LIFT REQUIRED BY: AM-N Dealers		\$3,740
---	----------	---	--	---------

P	373-3900	QUICK COUPLER READY, STD LIFT . . . . . 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Factory installed Caterpillar Work Tools & Services (CWTS) fusion style coupler. ONLY FOR USE WITH: 538-2776 LINKAGE, STANDARD LIFT 538-2778 LINKAGE, LOGGER REQUIRED BY: AM-N Dealers		\$3,740
---	----------	---	--	---------

P	378-8421	LINES GP-IMPLEMENT 3V (QC) . . . . . 22 ALSO AVAILABLE ON A MISCELLANEOUS ORDER REQUIRES: 500-2566 or 500-2570 HYDRAULICS, 3V 349-5246 QUICK COUPLER, FUSION		\$551
---	----------	---	--	-------

L	378-8422	LINES GP-IMPLEMENT 3V&4V (QC) . . . . . 44 FOR USE WITH LANE 3 ONLY REQUIRES: 373-3894 or 373-3898 HYDRAULICS, 4V 349-5246 QUICK COUPLER, FUSION		\$1,101
---	----------	---	--	---------

L	349-5246	QUICK COUPLER, FUSION . . . . . 1,248 1,248 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Factory installed Caterpillar Work Tools & Services (CWTS) Fusion style coupler. Requires 378-8421 Lines if ordering 3V hydraulics. ONLY FOR USE WITH: 373-3900 QUICK COUPLER READY, STD LIFT OR 373-3904 QUICK COUPLER READY, HIGH LIFT		\$6,678 \$6,678 NI
---	----------	---	--	-----------------------

***QUICK COUPLER WORKTOOLS LITERATURE***

P	0P-4108	WORKTOOL'S LITERATURE . . . . . 0 (SEBP5193) REQUIRED BY: 349-5246 QUICK COUPLER, FUSION		NC
---	---------	--	--	----

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**WORK TOOLS**

**OMISSION WORK TOOL**

P	361-1437	OMISSION, WORKTOOL . . . . . 0		NC
		Required in orders configured without a work tool or QC in order to prevent from damages on the linkage.		

**BUCKETS**

Buckets must be ordered Installed on a Machine Order.  
 For questions on buckets intended for Machine Orders please contact your Marketing Subsidiary Machine Coordinator.

Loose buckets should be ordered on a MISC Order through Caterpillar Work Tools - Wamego using source code OP-0672.

For availability of loose buckets please email [worktools@cat.com](mailto:worktools@cat.com).  
 If you are going to order a loose bucket from CWTS and a machine from Aurora and if you need them shipped at the same time then you need to cross-reference the MSO's with each other.

"GET" is NOT automatically included on bucket orders. "GET" must be entered on the order with your bucket selection, unless text for bucket states otherwise. Please make the "GET" selection from the "GET" listed immediately following the bucket listing.

Recommend use of bolt-on adapter option, adapter and segment option, or bolt-on cutting edge option for general purpose buckets and material handling buckets.

Material density will determine the appropriate capacity bucket. Refer to the Specalog. Exceeding maxium payload may cause loader instability.

ALL BUCKETS ARE ALSO AVAILABLE ON A MISCELLANEOUS ORDER

110% FILL FACTOR: This capacity is calculated considering GETs installed.

**GENERAL PURPOSE PERFORMANCE SERIES BUCKETS (PIN-ON)**

P	354-4853	BKT GP ST 114" 4.5 YD3 PO . . . . .	3,721	\$14,063
			3,721	\$14,063 NI
		PERFORMANCE SERIES BUCKET		
		CAPACITIES:		
		4.25YD3 (3.2M3) w/bolt-on adaptaters, 117" (2972mm) wide		
		4.5YD3 (3.4M3) w/bolt-on adaptaters and segment, 117" (2972mm) wide1		
		4.5YD3 (3.4M3) w/bolt-on cutting edges, 114" (2894mm) wide(Bucket Tag)		
		110% FILL FACTOR:		
		4.85YD3 (3.7M3) with GETs		

CATERPILLAR MACHINE PRICE LIST

950M-BR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

BUCKETS (CONT.)

GENERAL PURPOSE PERFORMANCE SERIES BUCKETS (PIN-ON) (Cont.)

P	354-4855	BKT GP ST 114" 4.75 YD3 PO	3,803 3,803	\$14,653 \$14,653 NI
---	----------	----------------------------	----------------	-------------------------

FOR USE WITH LANE 3 ONLY  
 PERFORMANCE SERIES BUCKET  
 CAPACITIES:  
 4.5YD3 (3.4M3) w/bolt-on adaptaters, 117" (2972mm) wide  
 4.75YD3 (3.6M3) w/bolt-on adaptaters and segment, 117" (2972mm) wide  
 4.75YD3 (3.6M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag)  
 110% FILL FACTOR:  
 5.25YD3 (4M3) with GETs  
 RECOMMENDED WITH : COUNTERWEIGHT, 1460KG

GENERAL PURPOSE BUCKETS (FUSION)

P	354-4856	BKT GP ST 114" 4.75 YD3 FUS	3,503 3,503	\$14,653 \$14,653 NI
---	----------	-----------------------------	----------------	-------------------------

FOR USE IN LANE 3 ONLY  
 PERFORMANCE SERIES BUCKET  
 CAPACITIES:  
 4.5YD3 (3.4M3) w/bolt-on adaptaters, 117" (2972mm) wide  
 4.75YD3 (3.6M3) w/bolt-on adaptaters and segment, 117" (2972mm) wide  
 4.75YD3 (3.6M3) w/bolt-on cutting edges, 114"(2894mm)wide (Bucket Tag)  
 110% FILL FACTOR:  
 5.25YD3 (4M3) with GETs  
 RECOMMENDED WITH : COUNTERWEIGHT, 1460KG

GROUND ENGAGING TOOLS

CUTTING EDGE

P	139-9229	CUTTING EDGE, BOLT-ON	600	\$1,447
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Width: 2906MM		

INSTRUCTIONS

FILMS

P	468-0170	FILM, SCRAP	0	NC
		ONLY FOR USE WITH: 513-5391 INDUSTRIAL PACKAGE		
P	468-0171	FILM, WASTE	0	NC
		ONLY FOR USE WITH: 513-5391 INDUSTRIAL PACKAGE or 505-1506 INDUSTRIAL PACKAGE		
P	468-0173	FILM, FOREST	0	NC
		ONLY FOR USE WITH: 538-2778 LINKAGE, LOGGER		

CATERPILLAR MACHINE PRICE LIST

**950M-BR**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**PACKING**

**EXPORT PACKING**

	0P-6619	ROLL ON-ROLL OFF . . . . . 0 Machine is in mobile condition and all attachments are installed unless specified.		<b>\$263 NET</b>
--	---------	--	--	------------------

**ALLOWANCE FOR OMISSION**

P	0P-4781	ALLOWANCE FOR OMISSION . . . . . 0 REQUIRED BY: 373-4064 RIMS ONLY, TIRES OMITTED		<b>\$476</b>
---	---------	--	--	--------------

**STORAGE PROTECTION**

	0P-2918	STORAGE PROTECTION . . . . . 0 This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior the shipment to the customer. REQUIRED BY : ALL LANE CONFIGURATION		<b>NC</b>
--	---------	---	--	-----------

**SPECIAL INSTRUCTIONS**

	0P-2949	EXPOSITION INSTRUCTION . . . . . 0 This special instruction must be selected whenever dealer is placing an order for a unit intended for use at expositions and/or trade fairs		<b>NC</b>
--	---------	---	--	-----------

**CYLINDER PROTECTION**

	0P-3940	PROTECTION, CYLINDER ROD . . . . . 0		<b>NC</b>
--	---------	--------------------------------------	--	-----------

**AM-NORTH INFORMATION**

**REGIONAL PACKAGE**

Information only DO NOT ORDER

L	505-1505	STANDARD PACKAGE . . . . . 0 Provides machine features required in standard and forestry applications. PACKAGE INCLUDES: - Platform - Filter cab air - Standard Radiator grill INCLUDED IN: 513-5376 950M WHEEL LOADER AM-N DCA9 513-5377 950M WHEEL LOADER AM-N DCA10 513-5378 950M WHEEL LOADER AM-N DCA11		<b>NC</b>
---	----------	--	--	-----------



CATERPILLAR MACHINE PRICE LIST

**950M-BR**

USE	REF NO.	<b>LANE 2 / 3 OPTIONAL</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------------	--------------------	-------------------------

**AM-NORTH INFORMATION (CONT.)**

***TECHNOLOGY PRODUCTS***

L	434-0690	<b>NETWORK MANAGER ONLY</b> ..... 0 Information only DO NOT ORDER INCLUDED IN: 513-5376 950M WHEEL LOADER AM-N DCA9 513-5377 950M WHEEL LOADER AM-N DCA10 513-5378 950M WHEEL LOADER AM-N DCA11	NC
---	----------	---	----