

CATERPILLAR MACHINE PRICE LIST

**966-BR**

966 WHEEL LOADER  
 BRAZIL

Ship Weight  
 lbs

LIST PRICE  
 AT DEALER

Standard Equipment:

**POWERTRAIN**

- Engine, Cat C9.3
- Auto Idle shutdown
- Fuel priming pump (electric)
- Fuel/Water separator
- Engine air intake with strata-tubes
- Ether Aid ready
- Standard (low fuel) & Performance (best production) Power modes
- Transmission, automatic planetary power shift (4F/4R)
- Torque converter, locking clutch with free wheel stator
- Fan, radiator, electronically controlled, hydraulically driven, temperature sensing, on demand
- Brakes, full hydraulic enclosed wet-disc with Integrated Braking System (IBS)
- Brake wear indicators
- Parking brake, disk & dual caliper

- Sun visor, front
- Wet-Arm wipers/washers front & rear, intermittent front wiper
- Window, sliding (left and right sides)
- Viscous mounts
- Indication Display, Front dash mounted
- Temperature, Fuel and Tachometer gages
- Warning indicators
- Information Display, right post mounted
- 20cm (8 in) color LCD touch screen
- Machine settings & health parameters
- Integrated rear-view camera
- Post mounted membrane 16 switch keypad
- Cat Payload with Assist Technology
- Integrated payload with low lift weight
- Auto set tires & Autodig
- Application profiles
- Operator profiles
- Utilization, Fuel, Location & Health
- Job Aids, Control help & digital O&MM
- Passcode & bluetooth security

**ELECTRICAL**

- Alarm, back-up
- Batteries (2), maintenance free 1400 CCA
- Ignition - push to start
- Lighting system:
  - 2 halogen tower mounted work lights
  - 2 rear facing halogen lights in hood
  - 2 LED position/stop lights
  - 4 halogen work lights on the cab
- Main disconnect switch
- Receptacle start (cables not included)
- Starter, electric, heavy duty
- Starting and charging system (24-volt)

**OTHER STANDARD EQUIPMENT**

- Couplings, Caterpillar O-ring face seal
- Hoses, Caterpillar XT
- Implement Hydraulic System
- Load sensing with variable displacement piston pump
- Oil sampling valves
- Remote diagnostic pressure taps
- Cooling package with swing out second plane cores
- Ecology drains for engine, transmission, and hydraulics
- Filters: fuel, engine air, engine oil, hydraulic oil, transmission
- Grease zerks
- Hitch, drawbar with pin
- Hood, power tilting
- Kickout, lift & tilt, automatic (adjustable in cab)
- Linkage, Z-Bar, cast crosstube/tilt lever
- Radiator grill, airborne debris
- Service Center (electrical & hydraulic)
- Sight gauges: engine coolant, hydraulic oil, and transmission oil level
- Steering, load sensing

**OPERATOR ENVIRONMENT**

- Automatic climate control with Air conditioner, heater & defroster
- Beverage holders (2) with storage compartment for cell phone/MP3 player
- Bucket/Work tool function lockout
- Cab, pressurized and sound suppressed, (ROPS/FOPS), radio ready (entertainment) includes antenna, speakers, & converter (12-volt 10-amp)
- Coat hook (2)
- EH Controls, lift and tilt function
- EH Parking Brake
- Ergonomic cab access ladders & handrails
- Horn, electric
- Light, cab dome
- Mirrors, rearview external with integrated spot mirrors
- 3 receptacles, 12-Volt
- Monitored Seat belt, retractable

CATERPILLAR MACHINE PRICE LIST

# 966-BR

966 WHEEL LOADER BRAZIL	Ship Weight lbs	LIST PRICE AT DEALER
----------------------------	--------------------	-------------------------

**Lane 2 is reserved for the Base Order Management program.  
Please use Lane 2 when placing orders that are part of the Base Order Management program.**

545-7238	<b>966 14A WHEEL LOADER . . . . . 0</b> LANE 2/3 - AVAILABLE FROM PIRACICABA FACTORY TO AM-N LANE 3 - AVAILABLE FROM PIRACICABA FACTORY TO EUR DEALERS INCLUDES: -Alternator, 145-amp brushed -Cat Clean Emissions Module (CEM) with -Diesel Particulate Filter (DPF) and -Remote Diesel Exhaust Fluid (DEF) tank -Platform, window washing	\$506,560
----------	---	-----------

CATERPILLAR MACHINE PRICE LIST

**966-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LANE SELECTION**

OP-9002	LANE 2 ORDER . . . . .	0		NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.			
OP-9003	LANE 3 ORDER . . . . .	0		NC

**REGIONAL PACKAGES**

**STEERING WHEEL**

L	574-7608	REGIONAL PACKAGE, AM-N HMU WHL . . . . .	0	\$2,175
		FOR USE IN LANE 3 ONLY		
		Provides a steering wheel machine configured for the AmN market.		
		Engine, Cat C9.3B meets U.S. EPA Tier 4 Final emissions standards.		
		INCLUDES:		
		-ANSI films,		
		-Radio Gp. (AM/FM/Bluetooth),		
		-Seatbelt - 3 inch w/ Indicator,		
		-Switch Gp. - Remote Door Opening &		
		-Wiring Gp - CB Radio Ready		

**STEERING JOYSTICK**

L	548-5849	REGIONAL PACKAGE,AM-N LHD JSTK . . . . .	0	\$8,380
		Provides a steering joystick machine configured for the Am-N market.		
		Engine, Cat C9.3B meets U.S. EPA Tier 4 Final emissions standards.		
		INCLUDES:		
		-ANSI Films,		
		-Radio Gp. (AM/FM/Bluetooth),		
		-Seatbelt - 3-inch w/ Indicator,		
		-Switch Gp. - Remote Door Opening &		
		-Wiring Gp - CB Radio Ready		

**SPECIAL ARRANGEMENTS**

L	548-1289	STANDARD PACKAGE . . . . .	0	NC
		Provides machine features required in standard applications.		
		INCLUDES:		
		-Standard machine guarding & covers		
		-non-metallic tilting hood with actuators		
		-standard cab air filter		
		-standard machine electrical &		
		hydraulic installation		
		ONLY FOR USE WITH: 545-7238 966 14A WHEEL LOADER		

CATERPILLAR MACHINE PRICE LIST

**966-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**SPECIAL ARRANGEMENTS (CONT.)**

L	548-1291	<b>INDUSTRIAL PACKAGE</b> . . . . . 0 FOR USE IN LANE 3 ONLY Provides machine features for waste transfer stations, recycling stations, green waste & scrap applications. INCLUDES: -Additional guarding (front frame, service centers cab bottom (skirt),hitch,crankcase,axle seal guards & tilt cylinders) -steel implement valve cover -non-metallic tilting hood with actuators -activated carbon cab air filter -standard machine electrical & hydraulic installation RECOMMENDED: 573-6532 LIGHTS, LED, IND / TUN REQUIRES: 548-9726 GUARD, HINGED, POWERTRAIN 548-4349 TOOL BOX or 548-1316 STARTING, COLD (240V) 468-0171 FILM, WASTE or 468-0170 FILM, SCRAP ONLY FOR USE WITH: 545-7238 966 14A WHEEL LOADER	0	\$12,330
L	578-3563	<b>LOGGER PACKAGE</b> . . . . . 0 FOR USE IN LANE 3 ONLY Provides machine features required in logging applications. INCLUDES: -Standard machine guarding and covers -non-metallic tilting hood with actuators -standard cab air filter -standard machine electrical & hydraulic installation -logging XMSN ONLY FOR USE WITH: 545-7238 966 14A WHEEL LOADER	0	NC
L	548-1293	<b>CORROSION PACKAGE</b> . . . . . 0 FOR USE IN LANE 3 ONLY Provides machine features for corrosion applications. INCLUDES: -Steel implement valve cover, -non-metallic tilting hood with actuators, -standard cab air filter, -corrosion resistant machine electrical & hydraulic installation RECOMMENDED: 574-7653 LUBRICATION, CORROSION, ANSI 574-7654 LUBRICATION, CORROSION, ISO 607-3157 PROTECTION PACKAGE, LINES REQUIRES: 365-0220 AIR INLET PRECLEANER, TURBINE and 563-7281 WINDOWS, STANDARD, CORROSION or 563-7282 WINDOWS, RUBBER MTD, CORROSION ONLY FOR USE WITH: 545-7238 966 14A WHEEL LOADER	0	\$7,330

**BOOMS, STICKS, AND LINKAGES**

**LINKAGES**

L	573-6534	<b>LINKAGE, STANDARD LIFT</b> . . . . . 0 ONLY FOR USE WITH: STANDARD/INDUSTRIAL/CORROSION PACKAGES	0	NC
L	573-6535	<b>LINKAGE, HIGH LIFT</b> . . . . . 0 FOR USE IN LANE 3 ONLY Provides increased dump clearance of 9"(220mm) over standard lift arm. ONLY FOR USE WITH: STANDARD/INDUSTRIAL/CORROSION PACKAGES	0	\$8,750

CATERPILLAR MACHINE PRICE LIST

**966-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BOOMS, STICKS, AND LINKAGES (CONT.)**

**LINKAGES (Cont.)**

L	573-6536	LINKAGE, LOGGER . . . . . 0 FOR USE IN LANE 3 ONLY Provides linkage for logger applications. INCLUDES: -Logging tool kinematics & tilt links -Logging tilt cylinders ONLY FOR USE WITH: 578-3563 LOGGER PACKAGE 578-3564 LOGGER PACKAGE		\$8,370
---	----------	--	--	---------

**COUNTERWEIGHT**

L	574-7614	COUNTERWEIGHT, STANDARD . . . . . 0 Provides 1311 kg counterweight. ONLY FOR USE WITH: 573-6534 LINKAGE, STANDARD LIFT 573-6537 LINKAGE, STEEL MILL		NC
L	574-7615	COUNTERWEIGHT, AGGREGATE . . . . . 0 Provides 1962 kg counterweight for use in aggregate rehandling applications. ONLY FOR USE WITH: 573-6534 LINKAGE, STANDARD LIFT GENERAL PURPOSE BUCKET OR FLAT FLOOR BUCKET 548-1289 STANDARD PACKAGE 548-1301 STANDARD PACKAGE 548-1293 CORROSION PACKAGE 548-1303 CORROSION PACKAGE		\$5,190
NOTE:It is recommended to use Caterpillar Payload with aggregate counterweights to ensure compliance with Medium Wheel Loader Payload policy.				
L	574-7617	COUNTERWEIGHT, LOGGER/HL . . . . . 0 FOR USE IN LANE 3 ONLY Provides 2721 kg counterweight. ONLY FOR USE WITH: 573-6535 LINKAGE, HIGH LIFT 573-6536 LINKAGE, LOGGER		\$7,290
L	574-7621	COUNTERWEIGHT, REAR GRD STD . . . . . 0 FOR USE IN LANE 3 ONLY Provides 1311 kg fabricated counterweight with a bolt-on rear grill hinged guard to provide additional protection to the machine cooling package and hood. ONLY FOR USE WITH: 573-6534 LINKAGE, STANDARD LIFT CANNOT BE USED WITH: STEEL MILL PACKAGES		\$15,370
L	578-3539	COUNTERWEIGHT, REAR GRD HL/LOG . . . . . 0 FOR USE IN LANE 3 ONLY Provides the 2721 kg HL/Logger counterweight with an additional bolt-on rear grill hinged guard to provide protection to the machine cooling package and hood. ONLY FOR USE WITH: 573-6535 LINKAGE, HIGH LIFT 573-6536 LINKAGE, LOGGER CANNOT BE USED WITH: STEEL MILL PACKAGES		\$15,370

CATERPILLAR MACHINE PRICE LIST

**966-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**POWERTRAIN**

**AXLES - STEERING WHEEL**

L	573-6507	AXLES, MAN/OPEN, WHL . . . . . 0 FOR USE IN LANE 3 ONLY - AM-N, EUR Open rear differential Switch activated Front locking differential CANNOT BE USED WITH: INDUSTRIAL / STEEL MILL PACKAGES		NC
L	573-6508	AXLES, MAN/OPEN, SGR, WHL . . . . . 0 FOR USE WITH LANE 3 ONLY - AM-N, EUR INCLUDES: -Switch activated front locking differential -Open rear differential -Mounting provisions for axle seal guards CANNOT BE USED WITH: STEEL MILL PACKAGES		\$90
L	583-2493	AXLES, MAN/OPEN, SGR, AOC, WHL . . . . . 0 FOR USE IN LANE 3 ONLY - AM-N, EUR INCLUDES: -Switch activated front locking differential -Open rear differential -Mounting provisions for axle seal guards and oil cooler system for front & rear axles CANNOT BE USED WITH: STEEL MILL PACKAGES		\$90
L	573-6510	AXLES, MAN/OPEN, SGR, ETS, WHL . . . . . 0 FOR USE IN LANE 3 ONLY INCLUDES: -Switch activated front locking differential -Open rear differential -Mounting provisions for axle seal guards -Extreme low temperature axle seals CANNOT BE USED WITH: STEEL MILL PACKAGES		\$2,030
L	573-6511	AXLES, AUTO/AUTO, SGR, WHL . . . . . 0 FOR USE IN LANE 3 ONLY INCLUDES: -Fully automatic front and rear locking differentials -Mounting provisions for axle seal guards CANNOT BE USED WITH: STEEL MILL PACKAGES		\$9,830
L	583-2495	AXLES, AUTO/AUTO, SGR, AOC, WHL . . . . . 0 FOR USE IN LANE 3 ONLY INCLUDES: -Fully automatic front and rear locking differentials -Mounting provisions for axle seal guards and oil cooler system for front & rear axles CANNOT BE USED WITH: STEEL MILL PACKAGES		\$9,820

**AXLES - STEERING JOYSTICK**

L	573-6513	AXLES, MAN/OPEN, JSTK . . . . . 0 Switch activated Front locking differential Open Rear differential CANNOT BE USED WITH: INDUSTRIAL / STEEL MILL PACKAGES		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

**966-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**POWERTRAIN (CONT.)**

**AXLES - STEERING JOYSTICK (Cont.)**

L	573-6514	AXLES, MAN/OPEN, SGR, ETS,JSTK . . . . . 0 FOR USE IN LANE 3 ONLY INCLUDES: -Switch activated front locking differential -Open rear differential -Mounting provisions for axle seal guards & extreme low temperature axle seals -Recommended for artic applications only. CANNOT BE USED WITH: STEEL MILL PACKAGES	0	\$2,030
L	573-6515	AXLES, MAN/OPEN, SGR, JSTK . . . . . 0 FOR USE IN LANE 3 ONLY - AM-N, EUR INCLUDES: -Switch activated front locking differential -Open rear differential -Mounting provisions for axle seal guards CANNOT BE USED WITH: STEEL MILL PACKAGES	0	\$89
L	573-6517	AXLES, AUTO/AUTO, SGR, JSTK . . . . . 0 FOR USE IN LANE 2/3 - AM-N FOR USE IN LANE 3 ONLY - AM-S, EAME INCLUDES: -Fully automatic front and rear locking differentials -Mounting provisions for axle seal guards CANNOT BE USED WITH: STEEL MILL PACKAGES	0	\$9,820
L	583-2497	AXLES, MAN/OPEN, SGR, AOC,JSTK . . . . . 0 FOR USE IN LANE 2/3 - AM-N, AM-S FOR USE IN LANE 3 ONLY - EAME INCLUDES: -Switch activated front locking differential -Open rear differential -Mounting provisions for axle seal guards & oil cooler system for front & rear axles CANNOT BE USED WITH: STEEL MILL PACKAGES	0	\$90
L	583-2499	AXLES, AUTO/AUTO, SGR,AOC,JSTK . . . . . 0 FOR USE IN LANE 3 ONLY INCLUDES: -Fully automatic Front and rear locking differentials Mounting provisions for axle seal guards & oil cooler system for front & rear axles CANNOT BE USED WITH: STEEL MILL PACKAGES	0	\$9,820

CATERPILLAR MACHINE PRICE LIST

**966-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**POWERTRAIN (CONT.)**

**AXLE OIL COOLER**

L	573-6520	<b>NO AXLE OIL COOLER, ED</b> ..... 0 FOR USE IN LANE 2/3 - AM-N, AM-S FOR USE IN LANE 3 ONLY - EUR INCLUDES: -Axle Ecology drains ONLY FOR USE WITH: 573-6505 AXLES, OPEN/OPEN, WHL 573-6506 AXLES, OPEN/OPEN, SGR, WHL 573-6507 AXLES, MAN/OPEN, WHL 573-6508 AXLES, MAN/OPEN, SGR, WHL 573-6511 AXLES, AUTO/AUTO, SGR, WHL 573-6513 AXLES, MAN/OPEN, JSTK 573-6514 AXLES, MAN/OPEN, SGR, ETS,JSTK 573-6515 AXLES, MAN/OPEN, SGR, JSTK 573-6517 AXLES, AUTO/AUTO, SGR, JSTK  CANNOT BE USED WITH: STEEL MILL PACKAGES		\$660
L	573-6521	<b>AXLE OIL COOLER READY, ED</b> ..... 0 INCLUDES: -Axle Oil Cooler ready hardware for simplified field installation of a axle oil cooler & axle ecology drains ONLY FOR USE WITH: 573-6505 AXLES, OPEN/OPEN, WHL 573-6506 AXLES, OPEN/OPEN, SGR, WHL 573-6507 AXLES, MAN/OPEN, WHL 573-6508 AXLES, MAN/OPEN, SGR, WHL 573-6511 AXLES, AUTO/AUTO, SGR, WHL 573-6513 AXLES, MAN/OPEN, JSTK 573-6514 AXLES, MAN/OPEN, SGR, ETS,JSTK 573-6515 AXLES, MAN/OPEN, SGR, JSTK 573-6517 AXLES, AUTO/AUTO, SGR, JSTK  CANNOT BE USED WITH: STEEL MILL PACKAGES		\$1,225
L	583-2501	<b>AXLE OIL COOLER, ED</b> ..... 0 Provides oil cooler system for front & rear axles Recommended for machines operating in high energy applications, such as extended load & carry. INCLUDES: -Axle ecology drains ONLY FOR USE WITH: 583-2492 AXLES, OPEN/OPEN, SGR, AOC, WHL 583-2493 AXLES, MAN/OPEN, SGR, AOC, WHL 583-2495 AXLES, AUTO/AUTO, SGR, AOC, WHL 583-2497 AXLES, MAN/OPEN, SGR, AOC, JSTK 583-2499 AXLES, AUTO/AUTO, SGR, AOC, JSTK  CANNOT BE USED WITH: STEEL MILL PACKAGES		\$9,030

**HYDRAULICS**

**HYDRAULIC ARRANGEMENT**

L	573-6486	<b>HYDRAULICS, 2V RC STD/HL</b> ..... 0 Provides 2 valve hydraulics and dual accumulator ride control ONLY FOR USE WITH: 573-6534 LINKAGE, STANDARD LIFT 573-6535 LINKAGE, HIGH LIFT		\$6,360
---	----------	---	--	---------



CATERPILLAR MACHINE PRICE LIST

**966-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**HYDRAULICS (CONT.)**

**HYDRAULIC ARRANGEMENT (Cont.)**

L	573-6487	<b>HYDRAULICS, 3V RC, STD</b> ..... 0 FOR USE IN LANE 2/3 - AM-N FOR USE IN LANE 3 ONLY - AM-S, EAME Provides 3 valve hydraulics and dual accumulator ride control ONLY FOR USE WITH: 573-6534 LINKAGE, STANDARD LIFT		\$14,480
L	573-6488	<b>HYDRAULICS, 4V RC, STD</b> ..... 0 FOR USE IN LANE 3 ONLY - AM-N, AM-S, EUR Provides 4 valve hydraulics and dual accumulator ride control ONLY FOR USE WITH: 573-6534 LINKAGE, STANDARD LIFT		\$16,760
L	573-6489	<b>HYDRAULICS, 3V RC LOGGER</b> ..... 0 FOR USE IN LANE 3 ONLY Provides 3 valve hydraulics and dual accumulator ride control ONLY FOR USE WITH: 573-6536 LINKAGE, LOGGER		\$14,720
L	573-6490	<b>HYDRAULICS, 4V RC LOGGER</b> ..... 0 FOR USE IN LANE 3 ONLY - AM-N, AM-S, EUR Provides 4 valve hydraulics and dual accumulator ride control ONLY FOR USE WITH: 573-6536 LINKAGE, LOGGER		\$16,910
L	573-6491	<b>HYDRAULICS, 3V RC HIGH LIFT</b> ..... 0 FOR USE IN LANE 3 ONLY Provides 3 valve hydraulics and dual accumulator ride control ONLY FOR USE WITH: 573-6535 LINKAGE, HIGH LIFT		\$14,720
L	573-6492	<b>HYDRAULICS, 4V RC HIGH LIFT</b> ..... 0 FOR USE IN LANE 3 ONLY - AM-N, EUR Provides 4 valve hydraulics and dual accumulator ride control ONLY FOR USE WITH: 573-6535 LINKAGE, HIGH LIFT		\$16,760
L	573-6495	<b>HYDRAULICS, 2V RC, 3/4V READY</b> ..... 0 Provides 2 valve hydraulics and dual accumulator ride control with 3rd function ready to allow easier installation of field kit. ONLY FOR USE WITH: 573-6534 LINKAGE, STANDARD LIFT 573-6535 LINKAGE, HIGH LIFT		\$6,980

**QUICK COUPLER HYDRAULICS**

P	573-6550	<b>QUICK COUPLER READY, STD</b> ..... 0 Includes all hydraulic lines, activation switch in the cab. Coupler NOT included. ONLY FOR USE WITH: 573-6534 LINKAGE, STANDARD LIFT 573-6536 LINKAGE, LOGGER		\$4,495
P	548-1314	<b>QUICK COUPLER READY, HL</b> ..... 0 FOR USE IN LANE 3 ONLY Includes all hydraulic lines, activation switch in the cab. Coupler NOT included. ONLY FOR USE WITH: 573-6535 LINKAGE, HIGH LIFT		\$4,585
P	0G-0386	<b>NO QUICK COUPLER READY</b> ..... 0		NC

**HYDRAULIC OIL**

L	396-4672	<b>HYDRAULIC OIL, STANDARD</b> ..... 0 Cat HYDO Advanced 10 allows to extend oil change intervals up to 6000 hours with S-O-S services. CANNOT BE USED WITH: STEEL MILL PACKAGES		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

**966-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**STARTERS, BATTERIES, & ALTERNATORS**

**ENGINE STARTING PACKAGES**

L	0P-7424	<b>STARTING, STANDARD</b> . . . . . 0 Provides the standard two 4D battery & either aid mounting (no ether bottle).Suitable for machines working in standard or high ambient conditions.		NC
L	548-1315	<b>STARTING, COLD (120V)</b> . . . . . 0 FOR USE IN LANE 2/3 - AM-N FOR USE IN LANE 3 ONLY - AM-S Provides 120V block heater and four 4D batteries on the machine for low ambient temperatures.		\$2,340

**ELECTRICAL**

**LIGHTS**

L	573-6526	<b>LIGHTS, HALOGEN</b> . . . . . 0 Provides Rooding lights: -2 forward roading lights halogen(low/high beam) with Halogen turn signal -2 rear LED position stop turn lights Provides Halogen Work lights: -2 forward facing standard lights on the top of the cab -2 rear facing standard lights on the top of the cab -2 rear facing standard lights on the Hood CANNOT BE USED WITH: STEEL MILL PACKAGES		NC
L	573-6527	<b>LIGHTS, HALOGEN, PREMIUM</b> . . . . . 0 Provides Rooding lights: -2 forward roading lights halogen(low/high beam) with Halogen turn signal -2 rear LED position stop turn lights Provides Halogen Work lights: -4 forward facing standard lights on the top of the cab -4 rear facing standard lights on the top of the cab -2 rear facing standard lights on the Hood CANNOT BE USED WITH: STEEL MILL PACKAGES		\$1,010
L	573-6528	<b>LIGHTS, LED</b> . . . . . 0 FOR USE IN LANE 2/3 - AM-N, AM-S FOR USE IN LANE 3 ONLY - EUR Provides Rooding lights: -2 forward LED roading lights (low/high beam) with LED turn signals -2 rear LED position stop turn lights Provides LED Work lights: -2 forward facing LED lights on the top of the cab -2 rear facing LED lights on the top of the cab -2 rear facing LED lights on the Hood CANNOT BE USED WITH: STEEL MILL PACKAGES		\$2,960
L	573-6529	<b>LIGHTS, LED PREMIUM</b> . . . . . 0 Provides Rooding lights: -2 forward LED roading lights (low/high beam) with LED turn signal. -2 rear LED position stop turn lights Provides LED Work lights: -4 forward facing LED lights on the top of the cab -4 rear facing LED lights on the top of the cab -2 rear facing LED lights on the Hood CANNOT BE USED WITH: STEEL MILL PACKAGES		\$3,815

CATERPILLAR MACHINE PRICE LIST

**966-BR**

USE	REF NO.	<b>LANE 2 / 3 MANDATORY</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	--------------------	-------------------------

**ELECTRICAL (CONT.)**

**LIGHTS (Cont.)**

L	573-6532	<p><b>LIGHTS, LED, IND / TUN</b> ..... 0</p> <p>FOR USE IN LANE 3 ONLY                      Provides LED lights with guarded front lights (non-Roading):                      -2 forward LED work lights with LED turn signal.                      -2 rear LED position stop turn lights                      Provides LED Work lights:                      -4 forward facing LED lights on the top of the cab                      -4 rear facing LED lights on the top of the cab                      -2 rear facing LED lights on the Hood                      INCLUDES:                      -Cab &amp; rear light guards                      ONLY FOR USE WITH: 548-1291 INDUSTRIAL PACKAGE                      548-1302 INDUSTRIAL PACKAGE</p>	\$4,005
---	----------	--	---------

CATERPILLAR MACHINE PRICE LIST

**966-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT**

**CAB TRIM - STEERING WHEEL**

L	558-7416	<b>CAB, DELUXE STRG WHL</b> ..... 0 FOR USE IN LANE 3 ONLY INCLUDES: -SEAT, DELUXE, Provides left hand armrest and deluxe seat containing resistance heating, manual lumbar and 2-way thigh adjustment, ride stiffness adjustment, dynamic end dampening, and suede accents. -MIRRORS, EXTERNAL HINGED, HEATED Provides heated & powered mirrors. -SUN VISOR, FRONT and REAR Provides pull down sun screen in front and rear windows. CANNOT BE USED WITH: STEEL MILL PACKAGES	0	\$915
L	558-7417	<b>CAB, PREMIUM STRG WHL</b> ..... 0 FOR USE IN LANE 3 ONLY - AM-N, EUR INCLUDES: -SEAT, PREMIUM PLUS Provides left hand armrest and premium plus seat containing forced air heating and cooling, 2-way thigh adjustment, power lumbar and back bolster adjustment, ride stiffness adjustment, dynamic end dampening, and leather finish. -MIRRORS, EXTERNAL HINGED, HEATED Provides heated & powered mirrors. -SUN VISOR, FRONT and REAR Provides pull down sun screen in front and rear windows. CANNOT BE USED WITH: STEEL MILL PACKAGES	0	\$4,195

**CAB TRIM - STEERING JOYSTICK**

L	558-7419	<b>CAB, DELUXE STRG JOYSTICK</b> ..... 0 FOR USE IN LANE 2/3 - AM-N FOR USE IN LANE 3 ONLY - AM-S & EAME INCLUDES: -SEAT, DELUXE, LHD Provides steering joystick on left hand armrest and deluxe seat containing resistance heating, manual lumbar and 2-way thigh adjustment, ride stiffness adjustment, dynamic end dampening, and suede accents. -MIRRORS, EXTERNAL HINGED, HEATED Provides heated & powered mirrors. -SUN VISOR, FRONT & REAR Provides pull down sun screen in front & rear window. CANNOT BE USED WITH: STEEL MILL PACKAGES	0	\$1,030
---	----------	--	---	---------

CATERPILLAR MACHINE PRICE LIST

**966-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**CAB TRIM - STEERING JOYSTICK (Cont.)**

L	558-7420	<b>CAB, PREMIUM STRG JOYSTICK</b> ..... 0 FOR USE IN LANE 2/3 - AM-N FOR USE IN LANE 3 ONLY - EUR INCLUDES: -SEAT, PREMIUM PLUS, LHD Provides steering joystick on left hand armrest and premium plus seat containing forced air heating and cooling, 2-way thigh adjustment, power lumbar and back bolster adjustment, ride stiffness adjustment, dynamic end dampening, and leather finish. -MIRRORS, EXTERNAL HINGED, HEATED Provides heated & powered mirrors. -SUN VISOR, FRONT & REAR Provides pull down sun screen in front & rear window. CANNOT BE USED WITH: STEEL MILL PACKAGES		<b>\$4,195</b>
---	----------	--	--	----------------

**CAB FILTRATION**

L	597-9184	<b>FILTRATION, STANDARD</b> ..... 0 INCLUDES: -CAB ROOF, NON-METALLIC -COVER, HVAC, NON-METALLIC		<b>NC</b>
L	597-9191	<b>FILTRATION, STD, PRECLEANER</b> ..... 0 INCLUDES: -CAB ROOF, NON-METALLIC -COVER, HVAC, NON-METALLIC -PRECLEANER, HVAC Provides a precleaner for dusty environments for cab air intake.		<b>\$770</b>
L	505-1521	<b>FILTRATION, STEEL</b> ..... 0 FOR USE IN LANE 3 ONLY INCLUDES: -CAB ROOF, STEEL -COVER, HVAC, STEEL CANNOT BE USED WITH: CORROSION PACKAGES REQUIRED BY: 548-5867 STEEL MILL PACKAGE, STD HOOD 583-2476 STEEL MILL PACKAGE, STEEL HOOD		<b>\$2,415</b>
L	505-1522	<b>FILTRATION, STEEL, ACF PRECLNR</b> ..... 0 FOR USE IN LANE 3 ONLY - AM-N, EUR INCLUDES: -CAB ROOF, STEEL -COVER, HVAC, STEEL FOR RESPA -RESPA PRECLEANER, HVAC CANNOT BE USED WITH: CORROSION PACKAGES		<b>\$3,940</b>
L	597-9194	<b>FILTRATION, STD, ACF PRECLNR</b> ..... 0 FOR USE IN LANE 3 ONLY - AM-N, AM-S, EUR INCLUDES: -CAB ROOF, NON-METALLIC -COVER, HVAC, STEEL FOR RESPA -RESPA PRECLEANER, HVAC CANNOT BE USED WITH: CORROSION PACKAGES		<b>\$2,095</b>

CATERPILLAR MACHINE PRICE LIST

**966-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**CAB WINDOWS**

L	506-0261	<b>WINDOWS, STANDARD</b> ..... 0 INCLUDES: -Curved front glass -Viscous cab mounts -Full cab handrails CANNOT BE USED WITH: STEEL MILL / CORROSION PACKAGES		NC
L	506-0265	<b>WINDOWS, STANDARD, FRONT GUARD</b> ..... 0 FOR USE IN LANE 3 ONLY INCLUDES: -Curved front glass -Viscous cab mounts -Full cab handrails -Front bar-stock window guard CANNOT BE USED WITH: STEEL MILL / CORROSION PACKAGES		\$4,105
L	506-0264	<b>WINDOWS, STANDARD, FULL GUARD</b> ..... 0 FOR USE IN LANE 3 ONLY - AM-N, AM-S, EUR INCLUDES: -Curved front glass -Heavy duty Viscous cab mounts -Full cab handrails -Front, side & rear bar stock window guards CANNOT BE USED WITH: STEEL MILL / CORROSION PACKAGES		\$14,100
L	506-0263	<b>WINDOWS, STANDARD, HD GUARD</b> ..... 0 FOR USE IN LANE 3 ONLY - AM-N, EUR INCLUDES: -Curved front glass -Viscous cab mounts -Full cab handrails -Front heavy duty window guard CANNOT BE USED WITH: 573-6532 LIGHTS, LED, IND / TUN STEEL MILL / CORROSION PACKAGES		\$10,560
L	506-0262	<b>WINDOWS, RUBBER MOUNTED</b> ..... 0 FOR USE IN LANE 3 ONLY INCLUDES: -Flat front glass, removable -Heavy duty Viscous cab mounts -Full cab handrails CANNOT BE USED WITH: STEEL MILL / CORROSION PACKAGES		\$5,890
L	506-0267	<b>WINDOWS, RUBBER MTD, FNT GUARD</b> ..... 0 FOR USE IN LANE 3 ONLY - AM-N, EUR INCLUDES: -Flat front glass, removable -Viscous cab mounts -Full cab handrails -Front bar-stock window guard CANNOT BE USED WITH: STEEL MILL / CORROSION PACKAGES		\$9,980
L	563-7281	<b>WINDOWS, STANDARD, CORROSION</b> ..... 0 FOR USE IN LANE 3 ONLY INCLUDES: - Curved front glass - Viscous cab mounts - Full cab handrails ONLY FOR USE WITH: 548-1293 CORROSION PACKAGE 548-1303 CORROSION PACKAGE		NC

CATERPILLAR MACHINE PRICE LIST

**966-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

***CAB WINDOWS (Cont.)***

L	563-7282	WINDOWS, RUBBER MTD, CORROSION . . . . . 0		\$5,890
		FOR USE IN LANE 3 ONLY		
		INCLUDES:		
		- Removable flat front glass		
		- Heavy duty viscous cab mounts		
		- Full cab handrails		
		ONLY FOR USE WITH: 548-1293 CORROSION PACKAGE		
		548-1303 CORROSION PACKAGE		

CATERPILLAR MACHINE PRICE LIST

**966-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**IMPLEMENT CONTROLS - STEERING WHEEL**

L	536-1583	<b>LEVERS 2V, STEERING WHEEL</b> ..... 0 FOR USE IN LANE 2/3 - AM-S FOR USE IN LANE 3 ONLY - AM-N & EAME INCLUDES: -2 single action levers for implement lift and tilt controls ONLY FOR USE WITH: 573-6485 HYDRAULICS, 2V STD/HL 573-6486 HYDRAULICS, 2V RC STD/HL 573-6495 HYDRAULICS, 2V RC, 3/4V READY 573-6498 HYDRAULICS, 2V RC STEEL MILL 558-7414 CAB, COMFORT STRG WHL 558-7415 CAB, COMFORT STRG WHL 558-7416 CAB, DELUXE STRG WHL 558-7417 CAB, PREMIUM STRG WHL 558-7421 CAB, COMFORT STRG WHL SM		NC
L	536-1584	<b>LEVERS 3V, STEERING WHEEL</b> ..... 0 FOR USE IN LANE 3 ONLY INCLUDES: -3 single action levers for implement lift, tilt & 3rd function controls ONLY FOR USE WITH: 573-6487 HYDRAULICS, 3V RC, STD 573-6489 HYDRAULICS, 3V RC LOGGER 573-6491 HYDRAULICS, 3V RC HIGH LIFT 558-7414 CAB, COMFORT STRG WHL 558-7415 CAB, COMFORT STRG WHL 558-7416 CAB, DELUXE STRG WHL 558-7417 CAB, PREMIUM STRG WHL 558-7421 CAB, COMFORT STRG WHL SM		NC
L	536-1585	<b>LEVERS 4V, STEERING WHEEL</b> ..... 0 FOR USE IN LANE 3 ONLY - AM-N, EUR INCLUDES: -4 single action levers for implement lift tilt & 3rd & 4th function controls ONLY FOR USE WITH: 573-6488 HYDRAULICS, 4V RC, STD 573-6490 HYDRAULICS, 4V RC LOGGER 573-6492 HYDRAULICS, 4V RC HIGH LIFT 558-7414 CAB, COMFORT STRG WHL 558-7415 CAB, COMFORT STRG WHL 558-7416 CAB, DELUXE STRG WHL 558-7417 CAB, PREMIUM STRG WHL 558-7421 CAB, COMFORT STRG WHL SM		NC



CATERPILLAR MACHINE PRICE LIST

**966-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**IMPLEMENT CONTROLS - STEERING WHEEL (Cont.)**

L	536-1586	<b>JOYSTICK 2V, STEERING WHEEL</b> ..... 0 FOR USE IN LANE 2/3 - AM-S FOR USE IN LANE 3 ONLY - AM-N, EAME INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick ONLY FOR USE WITH: 573-6485 HYDRAULICS, 2V STD/HL 573-6486 HYDRAULICS, 2V RC STD/HL 573-6495 HYDRAULICS, 2V RC, 3/4V READY 573-6498 HYDRAULICS, 2V RC STEEL MILL 558-7414 CAB, COMFORT STRG WHL 558-7415 CAB, COMFORT STRG WHL 558-7416 CAB, DELUXE STRG WHL 558-7417 CAB, PREMIUM STRG WHL 558-7421 CAB, COMFORT STRG WHL SM	0	\$1,225
L	536-1587	<b>JOYSTICK 3V, STEERING WHEEL</b> ..... 0 FOR USE IN LANE 3 ONLY INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -1 roller switch controlling the 3rd function integrated in the joystick. ONLY FOR USE WITH: 573-6487 HYDRAULICS, 3V RC, STD 573-6489 HYDRAULICS, 3V RC LOGGER 573-6491 HYDRAULICS, 3V RC HIGH LIFT 558-7414 CAB, COMFORT STRG WHL 558-7415 CAB, COMFORT STRG WHL 558-7416 CAB, DELUXE STRG WHL 558-7417 CAB, PREMIUM STRG WHL 558-7421 CAB, COMFORT STRG WHL SM	0	\$1,720
L	536-1588	<b>JOYSTICK 4V, STEERING WHEEL</b> ..... 0 FOR USE IN LANE 3 ONLY - AM-N, AM-S, EUR INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -2 roller switches controlling the 3rd & 4th function integrated in the joystick ONLY FOR USE WITH: 573-6488 HYDRAULICS, 4V RC, STD 573-6490 HYDRAULICS, 4V RC LOGGER 573-6492 HYDRAULICS, 4V RC HIGH LIFT 558-7414 CAB, COMFORT STRG WHL 558-7415 CAB, COMFORT STRG WHL 558-7416 CAB, DELUXE STRG WHL 558-7417 CAB, PREMIUM STRG WHL 558-7421 CAB, COMFORT STRG WHL SM	0	NC

CATERPILLAR MACHINE PRICE LIST

**966-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**IMPLEMENT CONTROLS - STEERING JOYSTICK**

L	536-1589	<b>LEVERS 2V, STEERING JOYSTICK</b> ..... 0 INCLUDES: -2 single action levers for implement lift and tilt controls ONLY FOR USE WITH: 573-6485 HYDRAULICS, 2V STD/HL 573-6486 HYDRAULICS, 2V RC STD/HL 573-6495 HYDRAULICS, 2V RC, 3/4V READY 573-6498 HYDRAULICS, 2V RC STEEL MILL 558-7418 CAB, COMFORT STRG JOYSTICK 558-7419 CAB, DELUXE STRG JOYSTICK 558-7420 CAB, PREMIUM STRG JOYSTICK 558-7422 CAB, DELUXE STRG JOYSTICK SM	0	NC
L	536-1590	<b>LEVERS 3V, STEERING JOYSTICK</b> ..... 0 INCLUDES: -3 single action levers for implement lift, tilt and 3rd function controls ONLY FOR USE WITH: 573-6487 HYDRAULICS, 3V RC, STD 573-6489 HYDRAULICS, 3V RC LOGGER 573-6491 HYDRAULICS, 3V RC HIGH LIFT 558-7418 CAB, COMFORT STRG JOYSTICK 558-7419 CAB, DELUXE STRG JOYSTICK 558-7420 CAB, PREMIUM STRG JOYSTICK 558-7422 CAB, DELUXE STRG JOYSTICK SM	0	NC
L	536-1591	<b>LEVERS 4V, STEERING JOYSTICK</b> ..... 0 FOR USE IN LANE 3 ONLY - AM-N, EUR INCLUDES: -4 single action levers for implement lift, tilt & 3rd & 4th function controls ONLY FOR USE WITH: 573-6488 HYDRAULICS, 4V RC, STD 573-6490 HYDRAULICS, 4V RC LOGGER 573-6492 HYDRAULICS, 4V RC HIGH LIFT 558-7418 CAB, COMFORT STRG JOYSTICK 558-7419 CAB, DELUXE STRG JOYSTICK 558-7420 CAB, PREMIUM STRG JOYSTICK 558-7422 CAB, DELUXE STRG JOYSTICK SM	0	NC
L	536-1592	<b>JOYSTICK 2V, STEERING JOYSTICK</b> ..... 0 INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick ONLY FOR USE WITH: 573-6485 HYDRAULICS, 2V STD/HL 573-6486 HYDRAULICS, 2V RC STD/HL 573-6495 HYDRAULICS, 2V RC, 3/4V READY 573-6498 HYDRAULICS, 2V RC STEEL MILL 558-7418 CAB, COMFORT STRG JOYSTICK 558-7419 CAB, DELUXE STRG JOYSTICK 558-7420 CAB, PREMIUM STRG JOYSTICK 558-7422 CAB, DELUXE STRG JOYSTICK SM	0	\$1,225

CATERPILLAR MACHINE PRICE LIST

**966-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**IMPLEMENT CONTROLS - STEERING JOYSTICK (Cont.)**

L	536-1593	<b>JOYSTICK 3V, STEERING JOYSTICK</b> ..... 0 FOR USE IN LANE 2/3 - AM-N FOR USE IN LANE 3 ONLY - AM-S, EAME INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -1 roller switch controlling the 3rd function integrated in the joystick ONLY FOR USE WITH: 573-6487 HYDRAULICS, 3V RC, STD 573-6489 HYDRAULICS, 3V RC LOGGER 573-6491 HYDRAULICS, 3V RC HIGH LIFT 558-7418 CAB, COMFORT STRG JOYSTICK 558-7419 CAB, DELUXE STRG JOYSTICK 558-7420 CAB, PREMIUM STRG JOYSTICK 558-7422 CAB, DELUXE STRG JOYSTICK SM		\$1,720
L	536-1594	<b>JOYSTICK 4V, STEERING JOYSTICK</b> ..... 0 FOR USE IN LANE 3 ONLY - AM-N, AM-S, EUR INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -2 roller switch controlling the 3rd & 4th function integrated in the joystick ONLY FOR USE WITH: 573-6488 HYDRAULICS, 4V RC, STD 573-6490 HYDRAULICS, 4V RC LOGGER 573-6492 HYDRAULICS, 4V RC HIGH LIFT 558-7418 CAB, COMFORT STRG JOYSTICK 558-7419 CAB, DELUXE STRG JOYSTICK 558-7420 CAB, PREMIUM STRG JOYSTICK 558-7422 CAB, DELUXE STRG JOYSTICK SM		\$1,880

CATERPILLAR MACHINE PRICE LIST

**966-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**STEERING SYSTEM - WHEEL**

L	574-7632	<b>STEERING SYS, STND WHL</b> ..... 0 FOR USE IN LANE 2/3 - AM-S FOR USE IN LANE 3 ONLY - AM-N, AME/CIS Provides the standard machine steering system for steering wheel machines. ONLY FOR USE WITH: 558-7414 CAB, COMFORT STRG WHL 558-7415 CAB, COMFORT STRG WHL 558-7416 CAB, DELUXE STRG WHL 558-7417 CAB, PREMIUM STRG WHL 573-6505 AXLES, OPEN/OPEN, WHL 573-6506 AXLES, OPEN/OPEN, SGR, WHL 583-2492 AXLES, OPEN/OPEN, SGR, AOC, WHL 573-6507 AXLES, MAN/OPEN, WHL 573-6508 AXLES, MAN/OPEN, SGR, WHL 583-2493 AXLES, MAN/OPEN, SGR, AOC, WHL 573-6511 AXLES, AUTO/AUTO, SGR, WHL 583-2495 AXLES, AUTO/AUTO, SGR, AOC, WHL CANNOT BE USED WITH: STEEL MILL PACKAGES	0	NC
L	574-7634	<b>STEERING SYS, SECONDARY WHL</b> ..... 0 FOR USE IN LANE 2/3 - AM-S FOR USE IN LANE 3 ONLY - AM-N, EAME Provides the standard machine steering system for steering wheel machines with electric -motor driven secondary steering backup system. ONLY FOR USE WITH: 558-7414 CAB, COMFORT STRG WHL 558-7415 CAB, COMFORT STRG WHL 558-7416 CAB, DELUXE STRG WHL 558-7417 CAB, PREMIUM STRG WHL 573-6506 AXLES, OPEN/OPEN, SGR, WHL 583-2492 AXLES, OPEN/OPEN, SGR, AOC, WHL 573-6507 AXLES, MAN/OPEN, WHL 573-6508 AXLES, MAN/OPEN, SGR, WHL 583-2493 AXLES, MAN/OPEN, SGR, AOC, WHL 573-6511 AXLES, AUTO/AUTO, SGR, WHL 583-2495 AXLES, AUTO/AUTO, SGR, AOC, WHL CANNOT BE USED WITH: STEEL MILL PACKAGES REQUIRED BY: 548-5851 REGIONAL PKG, EUROPE, WHL 548-5860 REGIONAL PKG, TURKEY, WHL	0	\$5,360

CATERPILLAR MACHINE PRICE LIST

**966-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**STEERING SYSTEM - JOYSTICK**

L	574-7631	<b>STEERING SYS, STND JSTK</b> ..... 0 FOR USE IN LANE 2/3 - AM-N, AM-S FOR USE IN LANE 3 ONLY - AME/CIS Provides the standard machine steering system for steering joystick machines. ONLY FOR USE WITH: 558-7418 CAB, COMFORT STRG JOYSTICK 558-7419 CAB, DELUXE STRG JOYSTICK 558-7420 CAB, PREMIUM STRG JOYSTICK 573-6513 AXLES, MAN/OPEN, JSTK 573-6514 AXLES, MAN/OPEN, SGR, ETS,JSTK 573-6515 AXLES, MAN/OPEN, SGR, JSTK 583-2497 AXLES, MAN/OPEN, SGR, AOC,JSTK 573-6517 AXLES, AUTO/AUTO, SGR, JSTK 583-2499 AXLES, AUTO/AUTO, SGR,AOC,JSTK  CANNOT BE USED WITH: STEEL MILL PACKAGES		NC
L	574-7633	<b>STEERING SYS, SECONDARY JSTK</b> ..... 0 FOR USE IN LANE 2/3 - AM-N, AM-S FOR USE IN LANE 3 ONLY - EAME Provides the standard machine steering system for steering joystick machines with electric -motor driven secondary steering backup system. ONLY FOR USE WITH: 558-7418 CAB, COMFORT STRG JOYSTICK 558-7419 CAB, DELUXE STRG JOYSTICK 558-7420 CAB, PREMIUM STRG JOYSTICK 573-6513 AXLES, MAN/OPEN, JSTK 573-6514 AXLES, MAN/OPEN, SGR, ETS,JSTK 573-6515 AXLES, MAN/OPEN, SGR, JSTK 583-2497 AXLES, MAN/OPEN, SGR, AOC,JSTK 573-6517 AXLES, AUTO/AUTO, SGR, JSTK 583-2499 AXLES, AUTO/AUTO, SGR,AOC,JSTK  CANNOT BE USED WITH: STEEL MILL PACKAGES REQUIRED BY: 548-5850 REGIONAL PKG, EUROPE, JSTK 548-5863 REGIONAL PKG, TURKEY, JSTK		\$5,850

**TECHNOLOGY PRODUCTS**

**PRODUCT LINK**

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/en/products/technology/construction-technology/product-link/product-link-hardware-certification.html>

L	558-7514	<b>PRODUCT LINK, CELLULAR PLE643</b> ..... 0 Includes PLE602 (A6N1) Network Manager as part of the standard machine with a PL243 radio.		\$419
L	558-7515	<b>PRODUCT LINK, DUAL PLE683</b> ..... 0 Includes PLE602 (A6N1) Network Manager as part of the standard machine with a PL083 dual mode radio.		\$910

CATERPILLAR MACHINE PRICE LIST

**966-BR**

---

USE	REF NO.	<b>LANE 2 / 3 MANDATORY</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-----------------------------	--------------------	-------------------------

---

**TECHNOLOGY PRODUCTS (CONT.)**

*PRODUCT LINK (Cont.)*

**SOFTWARE ENABLED ATTACHMENTS (SEA) INSTRUCTIONS**

Some dealer enabled technology products require the purchase of an activation code from Cat FPS via the Internet at <https://fps.cat.com> (requires CWS account). Refer to REHS1238 & REHS8401 for instructions.

CATERPILLAR MACHINE PRICE LIST

**966-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS (CONT.)**

**CAT PAYLOAD WEIGHING SYSTEM**

CAT PAYLOAD with ASSIST includes an integrated onboard payload weighing scale and several features to aid the operator in productive and efficient machine operation. Weighing functions are for bucket applications where loaded material is evenly distributed.

Payload totals, cycle count, and wireless production detail reporting capability is also included.

- Payload & cycle totals are sent wirelessly to VisionLink. (CAT PRODUCTIVITY subscription required).
- Detailed payload reports and KPI metrics can be visualized on-line and downloaded for further analysis, with a subscription to Cat Productivity. (Requires a cellular Product Link device) Payload detail may also be downloaded via a wired connection between the loader and a laptop computer for analysis in Technician Toolbox (requires purchase of Technician Toolbox software license and connects to the machine via ethernet).
- Payload tickets can be printed with an optional printer (kit only, available through the KITS-MWL price list)A

CAT ADVANCED PAYLOAD with ASSIST is an option with additional features for further jobsite and operator efficiency improvements.

Refer to <https://dealer.cat.com/payload> for complete technical specifications; operation, sales, marketing and technical support publications.

**NOTES:**

- 1) CAT PAYLOAD software will be installed from the factory on all machines. Dealer must enable and calibrate via Display or ET.
- 2) CAT ADVANCED PAYLOAD when ordered from the factory will be installed & enabled. Dealer must calibrate via Display or ET.
- 3) CAT ADVANCED PAYLOAD field installation requires an activation code from the Caterpillar Feature Protection System (FPS.cat.com) to allow a dealer technician with Cat ET and the SEA activation code to activate the Payload feature. SEA p/n 513-5975. Consult ANTARES parts distribution system for current SEA price. Please refer to the Systems Test & Adjust manual M0105453 for calibration instructions.

P	558-7457	TECHNOLOGY, PAYLOAD, ASSIST . . . . .	0	NC
		Provides standard machine technology features: - Cat Payload - Autodig & Auto Set Tires - On-board Job Aids, controls help & electronic operation & maintenance manual - Application & operator profiles - Remote flash & remote troubleshooting - Passcode operator ID & security - Bluetooth operator ID & security (requires Bluetooth Key Fob - available from parts) - Bluetooth PL161 Attachment Tracking (see dealer.cat.com/PL for PL161 info)		

CATERPILLAR MACHINE PRICE LIST

**966-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS (CONT.)**

**CAT PAYLOAD WEIGHING SYSTEM (Cont.)**

P	548-1319	<b>TECHNOLOGY, ADVANCED PAYLOAD</b> ..... 0 Provides factory installed hardware & software for expanded machine technology features: INCLUDES: Technology - Cat Payload with Assist Additional Payload features available in a dedicated 8in (20cm) color touchscreen display: - Enhanced List Management for material tracking - Multi-tasking - Tip Off Assist - Enhanced accuracy from additional sensors and IMU - Dispatch for Loading Ready (requires additional subscriptions) CANNOT BE USED WITH: 573-6485 HYDRAULICS, 2V STD/HL STEEL MILL PACKAGES		\$5,590
---	----------	--	--	---------

**COOLING**

**COOLING SYSTEM**

L	564-1410	<b>COOLING CORES, 9FPI</b> ..... 0 Provides cooling capability up to 47C ambient. Recommended for low & medium debris applications.		NC
L	567-4732	<b>COOLING CORES, 6FPI</b> ..... 0 FOR USE IN LANE 2/3 - AM-N, AM-S FOR USE IN LANE 3 ONLY - EAME Provides cooling capability up to 43C ambient. Recommended for medium & high debris applications.		\$386
L	567-4734	<b>COOLING CORES, 9FPI CORROSION</b> ..... 0 FOR USE IN LANE 3 ONLY Provides cooling capability up to 47C ambient. Recommended for low & medium debris applications. ONLY FOR USE WITH: 548-1293 CORROSION PACKAGE 548-1303 CORROSION PACKAGE		\$3,010
L	567-4736	<b>COOLING CORES, 6FPI CORROSION</b> ..... 0 FOR USE IN LANE 3 ONLY Provides cooling capability up to 43C ambient. Recommended for medium & high debris applications. ONLY FOR USE WITH: 548-1293 CORROSION PACKAGE 548-1303 CORROSION PACKAGE		\$3,405

**COOLING FAN**

L	574-7641	<b>FAN, STANDARD</b> ..... 0 FOR USE IN LANE 2/3 - AM-N FOR USE IN LANE 3 - EUR Standard load sensing hydraulically driven fan. CANNOT BE USED WITH: STEEL MILL PACKAGES		NC
---	----------	--	--	----



CATERPILLAR MACHINE PRICE LIST

**966-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**COOLING (CONT.)**

**COOLING FAN (Cont.)**

L	574-7643	FAN, VPF (ANSI) . . . . . 0		\$6,330
		FOR USE IN LANE 3 ONLY Provides an attachment reversing function to the standard hydraulically driven demand fan. This provides the ability to rotate blades and to reverse the airflow direction to remove debris from the radiator and engine enclosures while the machine is still operating. Includes automatic and manual controls for airflow reversal. Recommended for applications with a high content of airborne debris. INCLUDES: - FILMS, ANSI		

**COOLANT**

L	578-3576	ANTIFREEZE, -34C (-29F) . . . . . 0		NC
L	578-3566	ANTIFREEZE, -50C (-58F) . . . . . 0		\$318

**TIRES, RIMS, AND WHEELS**

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to change to alternate tires. If the tire brand cannot be supplied, we may contact the dealer. If no response is provided by the deadline, the order will default to the alternative tire and will be changed at that point. As consequence of possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

All tires include rims & come in a set of 4.  
 Tires are tubeless & non-directional unless otherwise stated.

For tire availability contact your Account Coordinator.

Reference the TRA Classification below when selecting tires to ensure the machine has the appropriate tire for the application.

**L3 RADIAL TIRES**

Provides reduced vibration, damage resistance and traction in soft to rocky underfoot conditions.  
 Rock tread for construction, stock piling, and truck loading applications

P	475-6250	TIRES, 26.5R25 BS VJT * L3 . . . . . 0		\$-2,730
		38mm Tread Depth, Bridgestone Part Number 431215,22"x25" RIMS		

CATERPILLAR MACHINE PRICE LIST

**966-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TIRES, RIMS, AND WHEELS (CONT.)**

**L3 RADIAL TIRES (Cont.)**

P	547-8403	TIRES, 26.5R25 MA MS302 ** L3 . . . . . 0 FOR USE IN LANE 2/3 - AM-N, AM-S FOR USE IN LANE 3 ONLY - EUR 40mm Tread Depth, Maxam Part Number 031152/V031152,22"x25" RIMS		\$-7,170
P	297-3221	TIRES, 26.5R25 MX XHA2 ** L3 . . . . . 0 41mm Tread Depth, Michelin Part Number 65348 / 893825,22"x25" RIMS		\$-314

**L3 RADIAL LOW-PROFILE TIRES(65-SERIES)**

Provides reduced vibration, damage resistance and traction in soft to rocky underfoot conditions.  
Rock tread for construction, stock piling, and truck loading applications  
Low profile design provides improved stability, traction and floatation  
Machine oscillation is reduced.

P	511-5379	TIRES, 775/65R29 BS VTS * L3 . . . . . 0 43mm Tread Depth, Bridgestone Part Number 424277,24" x 29" RIMS ONLY FOR USE WITH: 545-7238 966 14A WHEEL LOADER CANNOT BE USED WITH: INDUSTRIAL / STEEL MILL PACKAGES		\$11,420
P	541-5045	TIRES, 775/65R29 MX XHA2 * L3 . . . . . 0 44mm Tread Depth, Michelin Part Number 992646, 24" x 29" RIMS ONLY FOR USE WITH: 545-7238 966 14A WHEEL LOADER CANNOT BE USED WITH: INDUSTRIAL / STEEL MILL PACKAGES		\$8,100
P	583-2577	TIRES,775/65R29 MA ** MS302 L3 . . . . . 0 43mm Tread Depth, Maxam Part Number V031392, 24" x 29" RIMS MACHINE OSCILLATION IS REDUCED CANNOT BE USED WITH:INDUSTRIAL / STEEL MILL PACKAGES		\$1,970

**L5 RADIAL TRACTION TIRES**

Suitable for severe rock environments where maximum damage protection is needed  
Extra deep rock tread for face loading in mines & quarries and severe applications  
Provides additional tread wear versus L4 via increased tread depth. open tread pattern improves heat dissipation, allowing for increased travel distances & travel speed, but sacrifices some of the protection benefits versus traditional L5 tire designs. Machine oscillation is reduced.

P	585-2406	TIRES, 26.5R25 MA MS503 ** L5 . . . . . 0 FOR USE IN LANE 2/3 - AM-S FOR USE IN LANE 3 ONLY - AM-N, EAME 86mm Tread Depth, Maxam Part Number 031239 / V031239,22"x25" RIMS		\$2,825
---	----------	---	--	---------

**SOLID TIRES - SMOOTH**

P	604-9511	TIRES, 26.5X25 BR SMOOTH . . . . . 0 FOR USE IN LANE 3 ONLY		\$18,230
---	----------	--	--	----------

CATERPILLAR MACHINE PRICE LIST

**966-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TIRES, RIMS, AND WHEELS (CONT.)**

**SOLID TIRES - TRACTION**

P	604-9512	TIRES, 26.5X25 BR TRACTION . . . . . 0 FOR USE IN LANE 3 ONLY		\$22,080
---	----------	--	--	----------

**OMISSION, TIRES AND RIMS**

Dealers should contact their Application Specialist if they plan to use a tire not offered on the price list. Some tires may require axle oscillation stops or other machine modifications.

P	297-2514	RIMS ONLY, TIRES OMITTED . . . . . -2,372 FOR USE IN LANE 3 ONLY		\$-21,960
P	0P-3648	OMISSION, TIRES AND RIMS . . . . . 0 FOR USE IN LANE 3 ONLY		\$-24,050

**OTHER ATTACHMENTS**

**ENGINE PRECLEANERS**

L	324-8092	AIR INLET STANDARD, RAIN CAP . . . . . 0 Includes standard strata tubes precleaner ejecting up to 96% of debris.		NC
L	365-0220	AIR INLET PRECLEANER, TURBINE . . . . . 0 Turbine engine air inlet precleaner, to be used in extremely high dust and airborne debris environments. REQUIRED BY: 548-1293 CORROSION PACKAGE 548-1303 CORROSION PACKAGE		\$820
L	365-0221	AIR INLET PRECLEANER, TRASH . . . . . 0 FOR USE IN LANE 3 ONLY Turbine engine air inlet precleaner, to be used in extremely high dust and airborne debris environments with a grill protecting precleaner from large debris.		\$1,080

**BODY**

**FENDERS**

L	550-3416	FENDERS, FRONT W/REAR EXTN . . . . . 0 Provides non-metallic front fenders with mud flaps and short rear fender extensions covering up top of wheel CANNOT BE USED WITH: 511-5379 TIRES, 775/65R29 BS VTS * L3 541-5045 TIRES, 775/65R29 MX XHA2 * L3 583-2577 TIRES, 775/65R29 MA ** MS302 L3 INDUSTRIAL / STEEL MILL PACKAGES		NC
L	550-3417	FENDERS, ROADING . . . . . 0 Provides non-metallic front fenders with top extension, mud flaps and full wrap non-metallic rear fenders with removable mud flaps CANNOT BE USED WITH: 511-5379 TIRES, 775/65R29 BS VTS * L3 541-5045 TIRES, 775/65R29 MX XHA2 * L3 583-2577 TIRES, 775/65R29 MA ** MS302 L3 INDUSTRIAL / STEEL MILL PACKAGES		\$3,290

CATERPILLAR MACHINE PRICE LIST

**966-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BODY (CONT.)**

**FENDERS (Cont.)**

L	550-3418	<b>FENDERS, F/R, LOW PROFILE</b> ..... 0 FOR USE IN LANE 2/3 - AM-N FOR USE IN LANE 3 ONLY - AM-S, EUR Provides wide non-metallic front fenders with mud flaps and wide short rear fender with extensions covering up top of wheel ONLY FOR USE WITH: 511-5379 TIRES, 775/65R29 BS VTS * L3 541-5045 TIRES, 775/65R29 MX XHA2 * L3 583-2577 TIRES,775/65R29 MA ** MS302 L3 CANNOT BE USED WITH:INDUSTRIAL / STEEL MILL PACKAGES		\$172
L	550-3419	<b>FENDERS, ROADING, LOW PROFILE</b> ..... 0 FOR USE IN LANE 2/3 - AM-N FOR USE IN LANE 3 ONLY - AM-S, EUR Provides wide non-metallic front fenders with top extension, mud flaps and full wrap wide non-metallic rear fenders with removable mud flaps ONLY FOR USE WITH: 511-5379 TIRES, 775/65R29 BS VTS * L3 541-5045 TIRES, 775/65R29 MX XHA2 * L3 583-2577 TIRES,775/65R29 MA ** MS302 L3 CANNOT BE USED WITH:INDUSTRIAL / STEEL MILL PACKAGES		\$3, 610
L	550-3420	<b>FENDERS, NARROW</b> ..... 0 FOR USE IN LANE 3 ONLY Provides narrow steel front fenders and Heavy duty hanging steel cable steps. ONLY FOR USE WITH: 548-1291 INDUSTRIAL PACKAGE 548-1302 INDUSTRIAL PACKAGE 548-5867 STEEL MILL PACKAGE, STD HOOD 583-2476 STEEL MILL PACKAGE, STEEL HOOD CANNOT BE USED WITH: 511-5379 TIRES, 775/65R29 BS VTS * L3 541-5045 TIRES, 775/65R29 MX XHA2 * L3 583-2577 TIRES,775/65R29 MA ** MS302 L3		\$3, 435
L	550-3421	<b>FENDERS, REAR EGRESS.</b> ..... 0 FOR USE IN LANE 3 ONLY - AM-N,AM-S, AME/CIS ONLY FOR USE WITH: 548-1291 INDUSTRIAL PACKAGE 548-1302 INDUSTRIAL PACKAGE 548-5867 STEEL MILL PACKAGE, STD HOOD 583-2476 STEEL MILL PACKAGE, STEEL HOOD CANNOT BE USED WITH: 511-5379 TIRES, 775/65R29 BS VTS * L3 541-5045 TIRES, 775/65R29 MX XHA2 * L3 583-2577 TIRES,775/65R29 MA ** MS302 L3		\$13, 410

**SOUND SUPPRESSION**

L	574-7623	<b>SOUND SUPPRESSION, STANDARD</b> ..... 0 FOR USE IN LANE 2/3 - AM-N, AM-S FOR USE IN LANE 3 ONLY - AME/CIS CANNOT BE USED WITH:INDUSTRIAL / STEEL MILL PACKAGES		NC
L	574-7625	<b>SOUND SUPPRESSION, INDUSTRIAL</b> ..... 0 FOR USE IN LANE 3 ONLY - AM-N, AM-S, AME/CIS ONLY FOR USE WITH: 548-1291 INDUSTRIAL PACKAGE 548-1302 INDUSTRIAL PACKAGE		\$3, 290

CATERPILLAR MACHINE PRICE LIST

**966-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**WORK TOOLS**

Please refer to the WT-WL Price List (Work Tool Wheel Loaders) for any other loose work tool that you may want to order on a Misc. Order For availability of loose buckets please email [worktools@cat.com](mailto:worktools@cat.com).

**QUICK COUPLERS**

L	310-9390	<b>QUICK COUPLER, FUSION</b> . . . . . 1,133 FOR USE IN LANE 2 ONLY REQUIRES: LINES GP-IMPLEMENT 3V (QC) if ordered with HYDRAULICS 3V LINES GP-IMPLEMENT 3V & 4V (QC) if ordered with HYDRAULICS 4V CANNOT BE USED WITH: 0G-0386 NO QUICK COUPLER READY		\$9,208
P	617-6383	<b>QUICK COUPLER, FUSION</b> . . . . . 1,133 FOR USE IN LANE 3 ONLY REQUIRES: LINES GP-IMPLEMENT 3V (QC) if ordered with HYDRAULICS 3V LINES GP-IMPLEMENT 3V & 4V (QC) if ordered with HYDRAULICS 4V CANNOT BE USED WITH: 0G-0386 NO QUICK COUPLER READY		\$9,208

**LINES CONNECTING**

L	323-9292	<b>3V IMPLEMENT LINES (QC)</b> . . . . . 21 FOR USE IN LANE 2/3 - AM-N FOR USE IN LANE 3 ONLY - AM-S, EAME Provides jumper lines to route 3rd function hydraulics through the quick coupler ONLY FOR USE WITH: HYDRAULICS 3V and 310-9390 QUICK COUPLER, FUSION or 617-6374 QUICK COUPLER, FUSION or 617-6383 QUICK COUPLER, FUSION REQUIRED BY: HYDRAULICS 3V and 310-9390 QUICK COUPLER, FUSION or 617-6374 QUICK COUPLER, FUSION or 617-6383 QUICK COUPLER, FUSION		\$1,215
L	394-7214	<b>3V&amp;4V IMPLEMENT LINES (QC)</b> . . . . . 37 FOR USE IN LANE 3 ONLY - AM-N, AM-S, EUR Provides jumper lines to route 3rd & 4th function hydraulics through the quick coupler ONLY FOR USE WITH: HYDRAULICS 4V and 310-9390 QUICK COUPLER, FUSION or 617-6374 QUICK COUPLER, FUSION or 617-6383 QUICK COUPLER, FUSION REQUIRED BY: HYDRAULICS 4V and 310-9390 QUICK COUPLER, FUSION or 617-6374 QUICK COUPLER, FUSION or 617-6383 QUICK COUPLER, FUSION		\$1,444

CATERPILLAR MACHINE PRICE LIST

**966-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**WORK TOOLS (CONT.)**

**GENERAL PURPOSE PERFORMANCE SERIES BUCKETS**

General Purpose Buckets are a best all-around choice for a wide variety of applications. Suitable for applications such as stockpiling, rehandling, excavating and bank loading where high breakout force is needed.

P	516-1409	<b>BKTA GP ST 127" 5.50YD3 PO</b> . . . . . 5,421 PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE)		<b>\$22,417</b>
P	515-5842	<b>BKTA GP ST 127" 5.50YD3 FUS</b> . . . . . 5,055 PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE) ONLY FOR USE WITH: 310-9390 QUICK COUPLER, FUSION 617-6374 QUICK COUPLER, FUSION 617-6383 QUICK COUPLER, FUSION		<b>\$21,681</b>

**WORK TOOL OMISSION**

P	361-1437	<b>TRANSPORT GROUP, NO WORKTOOL</b> . . . . . 0 This is required when ordering a machine without an installed bucket or quick coupler to protect the links.		<b>NC</b>
---	----------	--	--	-----------

**FLUIDS**

**LUBRICATION**

NOTE:MANUAL GREASING: Requires manual greasing of pin joints according to maintenance schedule. Several fittings remote located and centralize for better access.

L	573-6462	<b>LUBRICATION, MANUAL, STD</b> . . . . . 0 ONLY FOR USE WITH: 573-6534 LINKAGE, STANDARD LIFT		<b>NC</b>
L	573-6463	<b>LUBRICATION, MANUAL, AUTO RDY</b> . . . . . 0 Includes welded hardware needed for autolube kit installation. ONLY FOR USE WITH: 573-6534 LINKAGE, STANDARD LIFT		<b>\$1,885</b>
L	583-2502	<b>LUBRICATION, MAN, LOG</b> . . . . . 0 FOR USE IN LANE 3 ONLY Includes welded hardware needed for autolube kit installation. ONLY FOR USE WITH: 573-6536 LINKAGE, LOGGER		<b>NC</b>
L	573-6464	<b>LUBRICATION, MAN, HL</b> . . . . . 0 FOR USE IN LANE 3 ONLY - AM-N, AM-S, AME/CIS Includes welded hardware needed for autolube kit installation. ONLY FOR USE WITH: 573-6535 LINKAGE, HIGH LIFT CANNOT BE USED WITH: 548-1314 QUICK COUPLER READY, HL		<b>NC</b>
L	573-6465	<b>LUBRICATION, MAN, HL QC</b> . . . . . 0 FOR USE IN LANE 3 ONLY - AM-N, AM-S, AME/CIS Includes welded hardware needed for autolube kit installation. ONLY FOR USE WITH: 573-6535 LINKAGE, HIGH LIFT and 548-1314 QUICK COUPLER READY, HL		<b>NC</b>

NOTE: AUTO LUBRICATION: Greases pin joints requiring daily lubrication: linkage pins joints, including bucket pins articulation hitch, steering cylinders and rear axle trunnions.

L	573-6467	<b>AUTOLUBE, STD</b> . . . . . 0 ONLY FOR USE WITH: 573-6534 LINKAGE, STANDARD LIFT		<b>\$7,190</b>
---	----------	--	--	----------------

CATERPILLAR MACHINE PRICE LIST

**966-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**FLUIDS (CONT.)**

**LUBRICATION (Cont.)**

L	583-2503	<b>AUTOLUBE, LOG</b> . . . . . 0		\$7,270
		FOR USE IN LANE 3 ONLY		
		ONLY FOR USE WITH: 573-6536 LINKAGE, LOGGER		
L	573-6469	<b>AUTOLUBE, HL</b> . . . . . 0		\$7,520
		FOR USE IN LANE 3 ONLY		
		ONLY FOR USE WITH: 573-6535 LINKAGE, HIGH LIFT		
		CANNOT BE USED WITH: 548-1314 QUICK COUPLER READY, HL		
L	573-6470	<b>AUTOLUBE, HL QC</b> . . . . . 0		\$7,520
		FOR USE IN LANE 3 ONLY		
		ONLY FOR USE WITH: 573-6535 LINKAGE, HIGH LIFT and		
		548-1314 QUICK COUPLER READY, HL		

**DOCUMENTATION**

**OPERATION AND MAINTENANCE MANUAL**

	421-8926	<b>SERIALIZED TECHNICAL MEDIA KIT</b> . . . . . 0		NC
		The technical media kit, will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification required to ship products from the manufacturing facility.		
		Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary.		
		Any additional media or translations not included in the kit, should be ordered through <a href="https://publications.cat.com">https://publications.cat.com</a>		

CATERPILLAR MACHINE PRICE LIST

**966-BR**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT**

**OPTIONAL LIGHTS.**

NOTE:Multiple selections allowed

P	569-4049	<b>LIGHTS, REVERSING STROBE</b> . . . . . 0 FOR USE IN LANE 2/3 - AM-N FOR USE IN LANE 3 ONLY - AM-S, EAME Provides 2 reversing white strobes.		\$308
P	460-7450	<b>LIGHT, SEAT BELT WARNING</b> . . . . . 0 FOR USE IN LANE 2/3 - AM-N FOR USE IN LANE 3 ONLY - AM-S, EAME Provides a seat belt warning light mounted to the rear of the cab structure.		\$260
P	491-7467	<b>LIGHT, WARNING BEACON</b> . . . . . 0 Provides hard mounted strobe beacon on hinged (breakaway) bracket mounted to the rear of the cab structure.		\$550
P	548-1310	<b>LIGHTS, SERVICE/ACCESS</b> . . . . . 0 FOR USE IN LANE 2/3 - AM-N FOR USE IN LANE 3 ONLY - AM-S, EAME Provides for service & cab access lighting. INCLUDES: -Cab mounted light to illuminate the cab door & access ladder, -3 LED lights under the hood to illuminate service points, -LED lamp on the transmission sight gage. Recommended for job sites with low exterior lighting to allow for completion of service & daily machine inspections. CANNOT BE USED WITH: 548-5867 STEEL MILL PACKAGE, STD HOOD 583-2476 STEEL MILL PACKAGE, STEEL HOOD		\$565

**INTEGRATED OBJECT DETECTION SYSTEM**

The Cat Integrated Object Detection adds radar and alarms to the standard on-board rear vision camera to notify the operator when something is close to the rear of the machine. This system is configured with zones, and objects in those zones trigger various levels of alarms. A display screen in the cab provides visual confirmation of the objects detected by the radar, so operators can make informed decisions.

NOTE:Not available in all regions depending on radar approval. For a list of approved countries please visit: <https://dealer.cat.com/detect>

L	558-7564	<b>OBJECT DETECTION</b> . . . . . 0 FOR USE IN LANE 2/3 - AM-N FOR USE IN LANE 3 ONLY - AM-S, EAME CANNOT BE USED WITH: 574-7621 COUNTERWEIGHT, REAR GRD STND 578-3539 COUNTERWEIGHT, REAR GRD HL/LOG 548-5867 STEEL MILL PACKAGE, STD HOOD 583-2476 STEEL MILL PACKAGE, STEEL HOOD		\$3,120
L	578-3560	<b>OBJECT DETECTION</b> . . . . . 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 574-7621 COUNTERWEIGHT, REAR GRD STND 578-3539 COUNTERWEIGHT, REAR GRD HL/LOG CANNOT BE USED WITH: 548-5867 STEEL MILL PACKAGE, STD HOOD 583-2476 STEEL MILL PACKAGE, STEEL HOOD		\$3,120



CATERPILLAR MACHINE PRICE LIST

**966-BR**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**VISION PACKAGE**

Visibility: where applicable, Special Instruction M0106413 can be used as a reference to determine the vision system needed for conformity to ISO 5006:2017

P	558-7571	<b>CAMERA, DEDICATED REAR VIEW</b> . . . . . 0 FOR USE IN LANE 3 ONLY - AM-N, AM-S, EUR Provides a 8in (20cm) dedicated vision display mounted next to the cab right-hand post. REQUIRED BY: UK		\$1,965
P	558-7573	<b>CAMERA, DEDICATED MULTI-VIEW</b> . . . . . 0 FOR USE IN LANE 3 ONLY - AM-N, AM-S, AME/CIS Provides a 8in (20cm) dedicated vision display mounted next to the cab right-hand post with additional front & side cameras to provide a full 360 degree view around the machine. ONLY FOR USE WITH: 372-2093 PLATFORM, WINDSHIELD CLEANING 548-5849 REGIONAL PACKAGE,AM-N LHD JSTK 574-7608 REGIONAL PACKAGE, AM-N HMU WHL 548-5855 REGIONAL PKG, QUEBEC, JSTK 574-7610 REGIONAL PKG, QUEBEC, WHL 548-5864 REGIONAL PKG, INTL, JSTK 548-5865 REGIONAL PKG, INTL, JSTK 548-5861 REGIONAL PKG, INTL, WHL 574-7613 REGIONAL PKG, INTL, WHL CANNOT BE USED WITH: 543-3574 WINDOWS, STANDARD 558-7574 CAMERA, INTEGRATED, DED RDY		\$2,795

**GUARDS**

NOTE:Multiple selections allowed

P	548-9727	<b>GUARD, POWERTRAIN</b> . . . . . 0 Provides a bolted guard below the transmission for protection. CANNOT BE USED WITH: 548-9726 GUARD, HINGED, POWERTRAIN 578-3546 ACTUATOR, HINGED, POWERTRAIN REQUIRED BY: 583-2476 STEEL MILL PACKAGE, STEEL HOOD 548-5867 STEEL MILL PACKAGE, STD HOOD		\$2,565
P	548-9726	<b>GUARD, HINGED, POWERTRAIN</b> . . . . . 0 FOR USE IN LANE 3 ONLY Provides a hinged guard below the transmission for protection CANNOT BE USED WITH: 548-9727 GUARD, POWERTRAIN REQUIRED BY: 548-1291 INDUSTRIAL PACKAGE 548-1302 INDUSTRIAL PACKAGE 583-2476 STEEL MILL PACKAGE, STEEL HOOD 548-5867 STEEL MILL PACKAGE, STD HOOD		\$3,450
P	578-3546	<b>ACTUATOR, HINGED, POWERTRAIN</b> . . . . . 0 FOR USE IN LANE 3 ONLY Provides a powered actuator for the hinged powertrain guard. ONLY FOR USE WITH: 548-9726 GUARD, HINGED, POWERTRAIN 548-1291 INDUSTRIAL PACKAGE 548-1302 INDUSTRIAL PACKAGE		\$1,165

CATERPILLAR MACHINE PRICE LIST

**966-BR**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**GUARDS (CONT.)**

P	576-1387	<b>GUARD, TILT CYLINDER</b> . . . . . 0 FOR USE IN LANE 3 ONLY Provides a tilt cylinder guard for the 972 standard & high lift configurations & 966 Logger configurations. ONLY FOR USE WITH: 573-6536 LINKAGE, LOGGER		\$1,810
L	576-1388	<b>GUARD, TILT CYLINDER</b> . . . . . 0 FOR USE IN LANE 3 ONLY Provides a tilt cylinder guard for the standard & high lift linkage configurations. ONLY FOR USE WITH: 573-6534 LINKAGE, STANDARD LIFT 573-6535 LINKAGE, HIGH LIFT CANNOT BE USED WITH: INDUSTRIAL / STEEL MILL PACKAGES		\$1,810

**OTHER ATTACHMENTS**

**CORROSION RESISTANT OPTIONS**

L	574-7653	<b>LUBRICATION, CORROSION, ANSI</b> . . . . . 0 FOR USE IN LANE 3 ONLY Provides a paint thickness which is more than two times the thickness of the standard paint, giving the machine extra resistance against corrosion. ONLY FOR USE WITH: 548-1293 CORROSION PACKAGE		\$5,970
---	----------	---	--	---------

**PROTECTION LINES, CORROSION**

L	607-3157	<b>PROTECTION PACKAGE, LINES</b> . . . . . 0 FOR USE IN LANE 3 ONLY Hoses treated with tube heat shrinkable and sealant silicone. ONLY FOR USE WITH: 548-1303 CORROSION PACKAGE 548-1293 CORROSION PACKAGE		\$5,420
---	----------	--	--	---------

**MISCELLANEOUS ATTACHMENTS**

NOTE:Multiple selections allowed

P	578-3533	<b>OIL CHANGE SYSTEM, HIGH SPEED</b> . . . . . 0 Provides a remote engine oil fill fitting compatible with fast change systems. ONLY FOR USE WITH: 545-7238 966 14A WHEEL LOADER		\$326
L	548-4349	<b>TOOL BOX</b> . . . . . 0 Provides a lockable tool box under the electrical service center behind the ingress ladder CANNOT BE USED WITH: 548-1315 STARTING, COLD (120V) 548-1316 STARTING, COLD (240V) REQUIRED BY: 548-1291 INDUSTRIAL PACKAGE or 548-1302 INDUSTRIAL PACKAGE or 548-5867 STEEL MILL PACKAGE, STD HOOD or 583-2476 STEEL MILL PACKAGE, STEEL HOOD and OP-7424 STARTING, STANDARD		\$214
L	578-3535	<b>WHEEL CHOCKS</b> . . . . . 0 FOR USE IN LANE 2/3 - AM-N FOR USE IN LANE 3 ONLY - AM-S, EAME Provides wheel chocks that mount to the frame. CANNOT BE USED WITH: 574-7650 CONVERSION, GERMAN ROAD PREP		\$555

CATERPILLAR MACHINE PRICE LIST

**966-BR**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**INSTRUCTIONS**

**FILMS**

NOTE:Multiple selections allowed

P	468-0173	<b>FILM, FOREST</b> . . . . . 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 578-3563 LOGGER PACKAGE 578-3564 LOGGER PACKAGE 573-6536 LINKAGE, LOGGER CANNOT BE USED WITH: 468-0171 FILM, WASTE 468-0170 FILM, SCRAP REQUIRED BY: 578-3563 LOGGER PACKAGE 578-3564 LOGGER PACKAGE 573-6536 LINKAGE, LOGGER		NC
P	468-0171	<b>FILM, WASTE</b> . . . . . 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 548-1291 INDUSTRIAL PACKAGE 548-1302 INDUSTRIAL PACKAGE CANNOT BE USED WITH: 468-0170 FILM, SCRAP 468-0173 FILM, FOREST REQUIRED BY: 548-1291 INDUSTRIAL PACKAGE 548-1302 INDUSTRIAL PACKAGE		NC
P	468-0170	<b>FILM, SCRAP</b> . . . . . 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 548-1291 INDUSTRIAL PACKAGE 548-1302 INDUSTRIAL PACKAGE CANNOT BE USED WITH: 468-0171 FILM, WASTE 468-0173 FILM, FOREST REQUIRED BY: 548-1291 INDUSTRIAL PACKAGE 548-1302 INDUSTRIAL PACKAGE		NC

**PACKING**

**CYLINDER PROTECTION**

0P-3940	<b>PROTECTION, CYLINDER ROD</b> . . . . . 0 REQUIRED BY: ALL LANE CONFIGURATION		NC
---------	--	--	----

**STORAGE PROTECTION**

0P-2918	<b>STORAGE PROTECTION</b> . . . . . 0 Machines have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer. Touch-up can not be done without removing it. REQUIRED BY : ALL LANE CONFIGURATION		NC
---------	---	--	----

CATERPILLAR MACHINE PRICE LIST

**966-BR**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	--------------------	-------------------------

**PACKING (CONT.)**

**EXPORT PACKING**

<b>0P-6619</b>	<b>ROLL ON-ROLL OFF</b> ..... 0 Machine is in mobile condition and all attachments are installed unless specified. <b>REQUIRED BY: ALL LANE CONFIGURATION</b>	<b>\$300 NET</b>
----------------	--	------------------