

CATERPILLAR MACHINE PRICE LIST

**972M-BR**

972M WHEEL LOADER  
 PIRACICABA, BRAZIL

Ship Weight  
 lbs

LIST PRICE  
 AT DEALER

Standard Equipment:

**POWERTRAIN**

Brakes, full hydraulic enclosed wet-disc with Integrated Braking System (IBS)  
 Brake wear indicators  
 Engine, Cat 9.3  
 Fan, radiator, electronically controlled, hydraulically driven, temperature sensing, on demand  
 Fan, radiator, electronically controlled, hydraulically driven, temperature sensing, on demand  
 Economy mode (for fuel reduction)  
 Fuel priming pump (electric)  
 Fuel/Water separator  
 Precleaner, engine air intake  
 Parking brake, disk & caliper  
 Switch, transmission neutralizer lockout  
 Torque converter, locking clutch with free wheel stator  
 Transmission, automatic planetary power shift (4F/4R)

Mirrors, rearview external with integrated spot mirrors  
 Post mounted membrane 16 switch keypad  
 2 receptacles, 12V  
 Seat, Cat Comfort (cloth) air suspension  
 Seat belt, retractable, 76mm (3") wide with indicator  
 Steering, EH joystick, speed sensing with force feedback  
 Sun visor, front  
 Wet-Arm wipers/washers front & rear, intermittent front wiper  
 Window, sliding (left and right sides)  
 Viscous mounts  
 Computerized monitoring system  
 With following gauges:  
 -Speedometer/Tachometer  
 -Digital gear range indicator  
 -Temperature: engine coolant, hydraulic oil, transmission oil  
 -Fuel level

**ELECTRICAL**

Alarm, back-up  
 Alternator, 145-amp brushed  
 Batteries (2), maintenance free 1400CCA  
 Ignition key; start/stop switch  
 Lighting system:  
 -4 halogen work lights  
 -2 halogen roading lights (w/ signals)  
 -2 halogen rear facing lights (hood mounted)  
 Rear view camera  
 Main disconnect switch  
 Receptacle start (cables not included)  
 Starter, electric, heavy duty  
 Starting and charging system (24V)

With following warning indicators:  
 -Temperature: axle oil, engine intake manifold  
 -Pressure: engine oil, fuel Pressure  
 Hi/Low, primary steering oil, service brake oil  
 -Battery voltage Hi/Low  
 -Engine air filter restriction  
 -Hydraulic oil filter restriction  
 -Hydraulic oil Low  
 -Parking brake  
 -Transmission filter bypass  
 Multi-function monitor :  
 -Machine settings & health parameters  
 CAT CONNECT (on-board, utilizing multifunction monitor)  
 -180mm(7 in) color LCD touch-screen display

**OPERATOR ENVIRONMENT**

Air conditioner, heater, and defroster (auto temp & fan)  
 Beverage holders (2) with storage compartment for cell phone/MP3 player  
 Bucket/Work tool function lockout  
 Cab, pressurized and sound suppressed, (ROPS/FOPS), radio ready (entertainment) includes antenna, speakers & converter (12V-10amp)  
 Coat hook (2)  
 EH Controls, lift and tilt function  
 EH Parking Brake  
 Ergonomic cab access ladders & handrails  
 Horn, electric  
 Light, two dome (cab)

-Rear-view camera image display (reverse travel activated)  
 -Machine settings & health parameters  
 CAT CONNECT (on-board, utilizing multi-function monitor)  
 Core app software to monitor & display:  
 -Total fuel consumption  
 -Average fuel burn rate  
 -Engine fuel consumption  
 -Total idle time  
 -Total operating hours  
 -Travel distance (odometer)  
 Basic app software to monitor & display:  
 -Total idle fuel  
 -Total operating hours, neutral  
 -Total operating hours with hydraulic

## CATERPILLAR MACHINE PRICE LIST

**972M-BR**972M WHEEL LOADER  
PIRACICABA, BRAZILShip Weight  
lbsLIST PRICE  
AT DEALER**OPERATOR ENVIRONMENT (CONT.)**

filter in bypass

**FLUIDS**Extended life coolant with freeze  
protection to -34C (-29F)**OTHER STANDARD EQUIPMENT**

Auto idle shutdown  
 Couplings, Caterpillar O-ring face seal  
 Ecology drains for engine, transmission,  
 and hydraulics  
 Ether aid ready  
 Fenders, steel front with mud-flap/rear  
 with extension  
 Filters: fuel, engine air, engine oil,  
 hydraulic oil, transmission  
 Fuel cooler  
 Grease zerks  
 Grill, airborne debris  
 Hitch, drawbar with pin  
 Hood, non-metallic power tilting with  
 rear clamshell  
 Hoses, Caterpillar XT  
 Hydraulic oil cooler (swing out)  
 Hydraulic System, load sensing  
 Kickout, lift & tilt, automatic  
 (adjustable in cab)  
 Linkage, Z-Bar, cast crosstube/tilt lever  
 Oil sampling valves  
 Platform, window washing  
 Remote diagnostic pressure taps  
 Service center (electrical & hydraulic)  
 Sight gauges: engine coolant, hydraulic  
 oil, and transmission oil level  
 Steering, load sensing  
 Toolbox  
 Vandalism protection caplocks  
 Couplings, Caterpillar O-ring face seal  
 Ecology drains for engine, transmission,  
 and hydraulics  
 Ether aid ready  
 Hoses, Caterpillar XT  
 Hydraulic oil cooler (swing out)  
 Hydraulic System, load sensing  
 Oil sampling valves  
 Platform, window washing  
 Remote diagnostic pressure taps  
 Steering, load sensing  
 Vandalism protection caplocks

CATERPILLAR MACHINE PRICE LIST

# 972M-BR

972M WHEEL LOADER  
PIRACICABA, BRAZIL

Ship Weight  
lbs

LIST PRICE  
AT DEALER

**Lane 2 is reserved for the Base Order Management Program.  
Please use Lane 2 when placing orders that are part of the Base Order  
Management program.**

CATERPILLAR MACHINE PRICE LIST

# 972M-BR

972M WHEEL LOADER PIRACICABA, BRAZIL	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

<b>569-7050</b>	<b>972M WHEEL LOADER EU DCA2B</b> ..... 0 LANE 1 - AVAILABLE FROM ZEEBRUGGE PDC	<b>\$513,670</b>
-----------------	--	------------------

- INCLUDES:
- 364-1300 972M WHEEL LOADER
  - 324-8092 AIR INLET STANDARD, RAIN CAP
  - 364-9908 COOLING CORES, 6 FPI
  - 505-1538 CAB, STANDARD
  - 506-4545 STARTING, STANDARD
  - 515-3039 HYDRAULICS, 2V (3V READY)
  - 371-1455 STEERING, SECONDARY
  - 371-7066 ANTIFREEZE, -34C (-29F)
  - 372-6557 AXLES, AUTO DIFF F/R, ED
  - 495-7518 AUTOLUBE, STD
  - 506-2537 LINKAGE, STANDARD LIFT
  - 372-2087 REGIONAL PKG, EUROPE
  - 391-5800 HOOD, NON-METALLIC
  - 495-0865 SINGLE AXIS LEVERS, 2V, LHD
  - 396-4672 HYDRAULIC OIL, STANDARD
  - 422-1634 SOUND SUPPRESSION, LOW
  - 434-0691 PRODUCT LINK, CELLULAR PLE641
  - 464-6678 FENDERS, ROADING
  - 506-2541 LIGHTS, LED, PREMIUM
  - 506-2531 FAN, STANDARD
  - 370-3813 CPM PAYLOAD WEIGHING READY
  - 506-4541 STANDARD PACKAGE

NOTE: Please refer to the Lane 1 section to complete your order.

CATERPILLAR MACHINE PRICE LIST

# 972M-BR

972M WHEEL LOADER PIRACICABA, BRAZIL	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

<b>512-8686</b>	<b>972M WHEEL LOADER AM-N DCA8</b> ..... 0 LANE 1 - AVAILABLE FROM GALVESTON PDC	<b>\$487,830</b>
-----------------	---	------------------

- INCLUDES:
- 364-1300 972M WHEEL LOADER
  - 509-9602 REGIONAL PACKAGE, AM-N
  - 506-4541 STANDARD PACKAGE
  - 506-2537 LINKAGE, STANDARD LIFT
  - 367-2333 COUNTERWEIGHT, 2300KG
  - 390-7610 AXLES, MANUAL DIFF FRONT, ED
  - 500-2558 HYDRAULICS, 2V RC, STD/HL
  - 396-4672 HYDRAULIC OIL, STANDARD
  - 506-4546 STARTING, COLD (120V)
  - 484-0364 LIGHTS, HALOGEN
  - 505-1539 CAB, DELUXE
  - 372-6549 STEERING, STANDARD
  - 434-0690 PRODUCT LINK READY
  - 364-9907 COOLING CORES, 9 FPI
  - 506-2531 FAN, STANDARD
  - 371-7066 ANTIFREEZE, -34C (-29F)
  - 324-8092 AIR INLET STANDARD, RAIN CAP
  - 464-6677 FENDERS, BASIC +
  - 391-5800 HOOD, NON-METALLIC
  - 422-1636 SOUND SUPPRESSION, STANDARD
  - 510-6390 LUBRICATION, MANUAL (AUTO RDY)
  - 367-9030 GUARD, POWERTRAIN
  - 511-0755 AUTODIG & CPM PAYLOAD READY

NOTE: Please refer to the Lane 1 section to complete your order.

CATERPILLAR MACHINE PRICE LIST

# 972M-BR

972M WHEEL LOADER PIRACICABA, BRAZIL	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

<b>569-7060</b>	<b>972M WHEEL LOADER AM-N DCA11</b> ..... 0 LANE 1 - AVAILABLE FROM GALVESTON PDC INCLUDES: 364-1300 972M WHEEL LOADER 324-8092 AIR INLET STANDARD, RAIN CAP 367-9030 GUARD, POWERTRAIN 371-7066 ANTIFREEZE, -34C (-29F) 372-2141 COUNTERWEIGHT, AGGREGATE 372-6549 STEERING, STANDARD 372-6558 AXLES, AUTO DIFF F/R, ED, AOC 391-5800 HOOD, NON-METALLIC 396-4672 HYDRAULIC OIL, STANDARD 422-1636 SOUND SUPPRESSION, STANDARD 434-0690 NETWORK MANAGER ONLY 464-6680 FENDERS, ROADING, LOW PROFILE 495-7518 AUTOLUBE, STD LIFT 500-2558 HYDRAULICS, 2V RC, STD/HL 506-2537 LINKAGE, STANDARD LIFT 506-4370 WHEEL CHOCKS 506-4543 STANDARD PACKAGE 506-4546 STARTING, COLD (120V) 521-9360 COOLING CORES, 9 FPI 524-0307 FAN, STANDARD 539-6031 SINGLE AXIS LEVERS, 2V, LHD 545-7187 CAB, DELUXE 561-7320 REGIONAL PACKAGE, AM-N 561-8777 LIGHTS, LED, PREMIUM	<b>\$520,540</b>
-----------------	---	------------------

NOTE: Please refer to the Lane 1 section to complete your order.

<b>364-1300</b>	<b>972M WHEEL LOADER</b> ..... 0 LANE 2 - AVAILABLE FROM PIRACICABA FACTORY LANE 3 - AVAILABLE FROM PIRACICABA FACTORY	<b>\$479,100</b>
-----------------	--	------------------

CATERPILLAR MACHINE PRICE LIST

# 972M-BR

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS**

**LANE SELECTION.**

	OP-9001	LANE 1 ORDER . . . . .	0	NC
--	---------	------------------------	---	----

**OPERATOR ENVIRONMENT**

L	503-6401	SGL AXIS LEVERS, 2V, LHD . . . . .	0	NC
		Includes 2 single action levers for implement lift & tilt controls.		
		ONLY FOR USE WITH: 512-8686 972M WHEEL LOADER AM-N DCA8		

**TECHNOLOGY PRODUCTS**

L	434-0695	PRODUCT LINK, CELLULAR PLE641 . . . . .	0	NC
		Product Link Elite series PLE641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		

**TIRES, RIMS, AND WHEELS**

L	297-3221	TIRES, 26.5R25 MX XHA2 ** L3 . . . . .	0	\$-3,835
		ONLY FOR USE WITH: 512-8686 972M WHEEL LOADER AM-N DCA8		
L	541-5045	TIRES, 775/65R29 MX XHA2 * L3 . . . . .	0	\$3,825
		ONLY FOR USE WITH: 569-7060 972M WHEEL LOADER AM-N DCA11		
L	511-5379	TIRES, 775/65R29 BS VTS * L3 . . . . .	0	\$9,460
		ONLY FOR USE WITH: 569-7060 972M WHEEL LOADER AM-N DCA11		

**WORKTOOLS**

P	361-1437	OMISSION, WORKTOOL . . . . .	0	NC
		This is required when ordering a machine without an installed bucket or quick coupler to protect the links.		

**FLUIDS**

**FUEL ANTIFREEZE**

	OP-3978	FUEL ANTIFREEZE, -25C (-13F) . . . . .	0	NC
		Provides fuel (diesel) antifreeze protection down to -25C (-13F)		

**INSTRUCTIONS**

	OP-3380	INSTRUCTIONS, ENGLISH . . . . .	0	NC
	OP-3389	INSTRUCTIONS, FRENCH . . . . .	0	NC

**PACKING**

	OP-6619	ROLL ON-ROLL OFF . . . . .	0	\$263 NET
		Machine is in mobile condition and all attachments are installed unless specified.		

CATERPILLAR MACHINE PRICE LIST

**972M-BR**

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)**

***PACKING (Cont.)***

**STORAGE PROTECTION**

OP-2918	STORAGE PROTECTION . . . . .	0	NC
	This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior the shipment to the customer. REQUIRED BY : ALL LANE CONFIGURATION		

**LANE 1 AM-NORTH OPTIONAL ATTACHMENTS**

***FLUIDS***

P	OP-3506	ANTIFREEZE, -50C (-58F) . . . . . Premix Antifreeze, -50C or -58F	0	\$275 NET
---	---------	--	---	-----------

***INSTRUCTIONS***

**CYLINDER PROTECTION**

P	OP-3940	PROTECTION, CYLINDER ROD . . . . .	0	NC
---	---------	------------------------------------	---	----

**FILMS**

P	OP-3507	FILMS, ISO . . . . . REQUIRED BY: Quebec	0	NC
P	386-7389	FILM, CPM . . . . . REQUIRED BY : CANADIAN DEALER ORDER WITH CPM	0	NC



CATERPILLAR MACHINE PRICE LIST

**972M-BR**

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**LANE SELECTION**

	0P-9003	LANE 3 ORDER . . . . .	0	NC
--	---------	------------------------	---	----

**REGIONAL PACKAGES**

L	561-7320	REGIONAL PACKAGE, AM-N . . . . . INCLUDES: -ANSI Films Meets U.S. EPA Tier 4 Final emission standards	0	NC
---	----------	--	---	----

**SPECIAL ARRANGEMENTS**

L	506-4543	STANDARD PACKAGE . . . . . Provides machine features required in standard and forestry applications. INCLUDES: -Platform -Electrical & hydraulic installation -Filter cab air -Standard radiator grill -CPM Payload Ready & Autodig Ready Includes hardware and 250 hour CPM demo mode only. Demo mode is dealer activated. System must be calibrated prior to use. Requires purchase of software for permanent feature activation. See the Optional Technology section for software options.	0	\$230
---	----------	---	---	-------

CATERPILLAR MACHINE PRICE LIST

**972M-BR**

USE	REF NO.	<b>LANE 3 MANDATORY</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-------------------------	-----------------	----------------------

**SPECIAL ARRANGEMENTS (CONT.)**

L	509-1559	<b>CORROSION RESISTANT PACKAGE . . . . . 0</b>	<b>\$6,420</b>
---	----------	--	----------------

Minimizes the harmful effect in highly corrosive environments applications such as fertilizer handling, salt and its derivatives.

**INCLUDES:**

- Platform;
- Electrical & Hydraulic installation;
- Cab air filter;
- Heavy duty alternator;
- Heavy duty switch disconnect;
- Silicon protection is applied on all the electric terminals, exposed connectors are treated with tube heat shrinkable;
- Anticorrosion vapor capsules in closed compartments;
- Turbine Pre-Cleaner.

For a complete Corrosion Protection Package, please order the following RECOMMENDED attachments:

- Cooling, Hood, Painting Group and Protection Lines.

**REQUIRES:**

- 365-0220 PRECLEANER, TURBINE
- 477-1658 WINDOW AR, CAB - CORROSION, OR
- 470-8894 WINDOW AR, RM - CORROSION

**RECOMMENDED:**

- 505-1520 FILTRATION, STD, PRECLEANER
- 524-1400 COOLING GP (6FPI) - CORROSION, OR
- 524-1399 COOLING GP (9FPI) - CORROSION
- Cores protected
- Grease points on the radiator hinges
- 470-8899 HOOD AR - CORROSION
- 522-5230 PAINTING GROUP, CORROSION (EUR)OR
- 517-2235 PAINTING GROUP, CORROSION (NACD)
- Differentiated Painting Process
- Extra Varnish protection is applied on the engine compartment, chassis internal.
- 477-1656 PROTECTION PACKAGE, LINES
- Hose couplings treated with tube heat shrinkable and sealant silicone.
- 524-0295 FAN, VPF, ISO, OR
- 524-0294 FAN, VPF, ANSI
- 495-7518 AUTOLUBE STD

CATERPILLAR MACHINE PRICE LIST

**972M-BR**

USE	REF NO.	<b>LANE 3 MANDATORY</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-------------------------	-----------------	----------------------

**SPECIAL ARRANGEMENTS (CONT.)**

L	506-7661	<b>INDUSTRIAL PACKAGE . . . . . 0</b> Provides machine features required in waste transfer stations, recycling stations, green waste and scrap applications.		<b>\$10,800</b>
---	----------	---	--	-----------------

**INCLUDES:**

- Reinforced platform
- Electrical & hydraulic installation
- Carbon cab air filter
- Standard Radiator grill
- Guards: hitch, bottom cab (skirt), front frame
- Lift cylinder baffles
- Heavy duty ladder

**RECOMMENDED WITH:**

394-3949 TIRES, 26.5X25 FLXPRT SMOOTH or  
 394-3950 TIRES, 26.5X25 FLXPRT TREADED and  
 485-4387 GUARDS, LIGHT

**REQUIRES:** 434-3951 AXLES, LOCK/OPEN, ED, SG or  
 372-7194 AXLES, AUTO DIFF F/R, ED, SG and  
 507-6193 STARTING, STANDARD, HD or  
 507-6194 STARTING, COLD (120V), HD and  
 478-8372 FENDERS, NARROW and  
 465-2776 SOUND SUPPRESSION, INDUSTRIAL (NACD) or  
 422-1634 SOUND SUPPRESSION, LOW (EUR) and  
 468-0170 FILM, SCRAP or  
 468-0171 FILM WASTE and  
 380-0327 GUARD, HINGED, POWERTRAIN and  
 364-7246 or 426-1490 GRD, TILT CYLINDER



CATERPILLAR MACHINE PRICE LIST

**972M-BR**

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**BOOMS, STICKS, AND LINKAGES (CONT.)**

**LINKAGES (Cont.)**

L	506-2537	LINKAGE, STANDARD LIFT . . . . .	0	NC
L	506-2538	LINKAGE, SHORT LIFT . . . . .	0	NC
L	520-4476	LINKAGE, HIGH LIFT . . . . . Provides increased dump clearance of 13" (336mm) over standard lift arms.	0	\$7,630

**COUNTERWEIGHT**

Required to conform to the CAT Wheel Loader Payload Policy.

L	367-2333	COUNTERWEIGHT, 2300KG . . . . .	0	NC
L	372-2141	COUNTERWEIGHT, AGGREGATE . . . . . Provide 2875 Kg counterweight to use exclusively in aggregate rehandling applications. REQUIRES: 486-7797 STANDARD PACKAGE 386-0909 LINKAGE, STANDARD LIFT L3 or L4 TIRES BUCKETS with BOCE	0	\$4,785

NOTE: It is recommended to use Caterpillar production measure application with aggregate counterweights to ensure compliance with Medium Wheel Loader Payload policy.

**POWERTRAIN**

**AXLE PACKAGES**

Axle packages include a combination of traction aids, Ecology Drain (ED), Seal Guards (SG), and Axle Oil Cooler (AOC).

L	434-3952	AXLES, AUTO DIFF F/R, ED, ETS . . . . . INCLUDES: -Automatic front and rear diff lock -Ecology Drain -Extreme Temp Seals CANNOT BE USED WITH: 506-7661 INDUSTRIAL PACKAGE 506-7669 STEEL MILL PACKAGE	0	\$10,120
L	372-6555	AXLES, MANUAL FRONT, ED, ETS . . . . . INCLUDES: -Manual front diff lock -Open rear differential -Ecology Drain -Extreme Temp Seals CANNOT BE USED WITH: 506-7661 INDUSTRIAL PACKAGE 506-7669 STEEL MILL PACKAGE	0	\$1,630

CATERPILLAR MACHINE PRICE LIST

**972M-BR**

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**POWERTRAIN (CONT.)**

**AXLE PACKAGES (Cont.)**

L	390-7610	AXLES, MANUAL DIFF FRONT, ED . . . . . 0 INCLUDES: -Manual front diff lock -Open rear differential -Ecology Drain CANNOT BE USED WITH: 506-7661 INDUSTRIAL PACKAGE 506-7669 STEEL MILL PACKAGE		\$580
L	372-6556	AXLES, MANUAL FRONT, ED, AOC . . . . . 0 INCLUDES: -Manual front diff lock -Open rear differential -Ecology Drain -Axle Oil Cooler Provides installed oil cooler system for front & rear axles Recommended for machines operating in high energy applications, such as extended load & carry. CANNOT BE USED WITH: 506-7661 INDUSTRIAL PACKAGE 506-7669 STEEL MILL PACKAGE		\$7,930
L	372-6557	AXLES, AUTO DIFF F/R, ED . . . . . 0 INCLUDES: -Automatic front and rear diff lock -Ecology Drain CANNOT BE USED WITH: 506-7661 INDUSTRIAL PACKAGE 506-7669 STEEL MILL PACKAGE		\$9,100
L	372-6558	AXLES, AUTO DIFF F/R, ED, AOC . . . . . 0 INCLUDES: -Automatic front and rear diff lock -Ecology Drain -Axle Oil Cooler Provides installed oil cooler system for front & rear axles Recommended for machines operating in high energy applications, such as extended load & carry CANNOT BE USED WITH: 506-7661 INDUSTRIAL PACKAGE 506-7669 STEEL MILL PACKAGE		\$16,400
L	434-3951	AXLES, LOCK/OPEN, ED, SG . . . . . 0		\$2,315
L	372-7194	AXLES, AUTO DIFF F/R, ED, SG . . . . . 0 INCLUDES: -Automatic front and rear diff lock -Ecology Drain -Seal Guards CANNOT BE USED WITH: 506-7669 STEEL MILL PACKAGE		\$10,830
L	441-6896	AXLES SM, LOCK/OPEN, ED . . . . . 0 ONLY FOR USE WITH: 506-7669 STEEL MILL PACKAGE REQUIRED BY: 506-7669 STEEL MILL PACKAGE		\$630
L	441-6897	AXLES SM, AUTO DIFF F/R,AOC,ED . . . . . 0 ONLY FOR USE WITH: 506-7669 STEEL MILL PACKAGE REQUIRED BY: 506-7669 STEEL MILL PACKAGE		\$17,820

CATERPILLAR MACHINE PRICE LIST

**972M-BR**

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**HYDRAULICS**

L	507-6189	<b>HYDRAULICS, 2V RC, SM</b> . . . . . 0 Provides 2 valve hydraulics, ride control, and insulated hoses. ONLY FOR USE WITH: 506-7669 STEEL MILL PACKAGE REQUIRED BY: 506-7669 STEEL MILL PACKAGE		NC
L	500-2564	<b>HYDRAULICS, 4V RC, HIGH LIFT</b> . . . . . 0 Provides 4 valve hydraulics and ride control. ONLY FOR USE WITH: 520-4476 LINKAGE, HIGH LIFT		\$9,190
L	500-2563	<b>HYDRAULICS, 3V RC, HIGH LIFT</b> . . . . . 0 Provides 3 valve hydraulics and ride control. ONLY FOR USE WITH: 520-4476 LINKAGE, HIGH LIFT		\$7,390
L	500-2558	<b>HYDRAULICS, 2V RC, STD/HL</b> . . . . . 0 Provides 2 valve hydraulics and ride control. ONLY FOR USE WITH: 506-2637 LINKAGE, STANDARD LIFT 520-4476 LINKAGE, HIGH LIFT		NC
L	500-2559	<b>HYDRAULICS, 3V RC, STD/SHORT</b> . . . . . 0 Provides 3 valve hydraulics and ride control. ONLY FOR USE WITH: 506-2538 LINKAGE, SHORT LIFT		\$7,170
L	500-2560	<b>HYDRAULICS, 4V RC, STD/SHORT</b> . . . . . 0 Provides 4 valve hydraulics and ride control. ONLY FOR USE WITH: 506-2638 LINKAGE, SHORT LIFT		\$9,190
L	501-4663	<b>HYDRAULICS, 3V RC, STD</b> . . . . . 0 Provides 3 valve hydraulics and ride control. ONLY FOR USE WITH: 506-2637 LINKAGE, STANDARD LIFT		\$7,390
L	501-4664	<b>HYDRAULICS, 4V RC, STD</b> . . . . . 0 Provides 4 valve hydraulics and ride control. ONLY FOR USE WITH: 506-2637 LINKAGE, STANDARD LIFT		\$9,190

**HYDRAULIC OIL**

L	396-4672	<b>HYDRAULIC OIL, STANDARD</b> . . . . . 0 Cat HYDO Advanced 10 allows to extend oil change intervals up to 6000 hours with S-O-S services.		NC
L	444-7429	<b>HYDRAULIC OIL, STEEL MILL</b> . . . . . 0 EcoSafe lubricant (FR46 Hydraulic fluid) ONLY FOR USE WITH: 506-7669 STEEL MILL PACKAGE REQUIRED BY: 506-7669 STEEL MILL PACKAGE		\$1,705

CATERPILLAR MACHINE PRICE LIST

# 972M-BR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

## STARTERS, BATTERIES, & ALTERNATORS

### ENGINE STARTING PACKAGE

L	507-6194	STARTING, COLD (120V), HD . . . . . 0		\$2,955
		INCLUDES: -120V block heater & 4 batteries on the machine for low temperatures -reinforced LH platform -heavy duty steps -additional tire clearance ONLY FOR USE WITH: 506-7661 INDUSTRIAL PACKAGE or 506-7669 STEEL MILL PACKAGE or 509-1559 CORROSION RESISTANT PACKAGE		

NOTE: In this configuration, the toolbox compartment is unavailable.

L	507-6193	STARTING, STANDARD, HD . . . . . 0		\$720
		INCLUDES: -2 batteries -reinforced LH platform -heavy duty steps -additional tire clearance ONLY FOR USE WITH: 506-7661 INDUSTRIAL PACKAGE or 506-7669 STEEL MILL PACKAGE or 509-1559 CORROSION RESISTANT PACKAGE		
L	506-4545	STARTING, STANDARD . . . . . 0		NC
		Provide 2 batteries. ONLY FOR USE WITH: 506-4543 STANDARD PACKAGE or 509-1559 CORROSION RESISTANT PACKAGE		

L	506-4546	STARTING, COLD (120V) . . . . . 0		\$2,055
		Provides 120V block heater and 4 batteries. ONLY FOR USE WITH: 506-4543 STANDARD PACKAGE or 509-1559 CORROSION RESISTANT PACKAGE		

NOTE: In this configuration, the toolbox compartment is unavailable.

## ELECTRICAL

### LIGHTS

L	561-8777	LIGHTS, LED, PREMIUM . . . . . 0		\$3,375
		INCLUDES: -2 LED forward roading lights (low/high beam) with LED turn signals -2 LED rear facing working lights in the hood -2 LED position/stop/turn lights -8 LED working lights on the cab		



CATERPILLAR MACHINE PRICE LIST

**972M-BR**

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**ELECTRICAL (CONT.)**

**LIGHTS (Cont.)**

L	561-8778	<b>LIGHTS, LED, STEEL MILL</b> ..... 0 FOR USE IN LANE 3 ONLY INCLUDES: -4 LED forward facing work lights and 4 LED rear facing work lights, mounted on top of the cab. -2 halogen forward roading lights (low/high beam), 2 halogen rear facing work lights on the hood & 2 LED position/stop/turn lights -Multi-position roading light brackets -High temperature forward roading lights -Light guards -Insulated harness ONLY FOR USE WITH: STEEL MILL PACKAGE REQUIRED BY: STEEL MILL PACKAGE		\$2,140
L	484-0364	<b>LIGHTS, HALOGEN</b> ..... 0 Includes: -2 halogen forward roading lights (low/high beam) with halogen turn signals -2 halogen rear facing working lights in the hood -2 LED position/stop/turn lights -4 halogen working lights on the cab		NC
L	484-0365	<b>LIGHTS, HALOGEN, PREMIUM</b> ..... 0 Includes: -2 halogen forward roading lights (low/high beam) with halogen turn signals -2 halogen rear facing working lights in the hood -2 LED position/stop/turn lights -8 halogen working lights on the cab		\$880

**OPERATOR ENVIRONMENT**

**IMPLEMENT SINGLE AXIS LEVERS**

NOTE: Compatibility is dependent on hydraulics (2V, 3V) & seat choice.

L	539-6030	<b>SINGLE AXIS LEVERS W/FNR, 2V</b> ..... 0 FOR USE IN LANE 3 ONLY INCLUDES: -2 single action levers for implement lift & tilt controls -FNR switch on implement pod ONLY FOR USE WITH: 500-2558 HYDRAULICS, 2V RC, STD/HL or 515-3039 HYDRAULICS, 2V, (3V READY) and 546-3449 CAB TRIM, HEATED or 546-3450 CAB TRIM, VENTED or 561-8838 CAB TRIM, STEEL MILL		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

# 972M-BR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**IMPLEMENT SINGLE AXIS LEVERS (Cont.)**

L	539-6040	<b>SINGLE AXIS LEVERS W/FNR, 3V</b> ..... 0 FOR USE IN LANE 3 ONLY INCLUDES: -3 single action levers for implement lift, tilt & 3rd function controls -FNR switch on implement pod ONLY FOR USE WITH: 500-2559 HYDRAULICS, 3V RC, STD/SHORT or 501-4663 HYDRAULICS, 3V RC, STD or 500-2563 HYDRAULICS, 3V RC, HIGH LIFT or 546-3449 CAB TRIM, HEATED or 546-3450 CAB TRIM, VENTED		NC
L	539-6050	<b>SINGLE AXIS LEVERS W/FNR, 4V</b> ..... 0 FOR USE IN LANE 3 ONLY INCLUDES: -3 single action levers for implement lift, tilt & 3rd function controls -1 roller switch controlling the 4th function & FNR switch on implement pod ONLY FOR USE WITH: 500-2560 HYDRAULICS, 4V RC, STD/SHORT or 501-4664 HYDRAULICS, 4V RC, STD or 500-2564 HYDRAULICS, 4V RC, HIGH LIFT and 546-3449 CAB TRIM, HEATED or 546-3450 CAB TRIM, VENTED		NC
L	539-6031	<b>SINGLE AXIS LEVERS, 2V, LHD</b> ..... 0 INCLUDES: -2 single action levers for implement lift & tilt controls ONLY FOR USE WITH: 500-2558 HYDRAULICS, 2V RC, STD/HL or 500-2772 HYDRAULICS, 2V RC (3V READY) and 538-2773 CAB TRIM, COMFORT (LHD) or 538-2774 CAB TRIM, DELUXE (LHD) or 538-2775 CAB TRIM, PREMIUM PLUS (LHD) or 561-8839 CAB TRIM, COMFORT, SM (LHD)		NC
L	539-6041	<b>SINGLE AXIS LEVERS, 3V, LHD</b> ..... 0 INCLUDES: -3 single action levers for implement lift, tilt & 3rd function controls ONLY FOR USE WITH: 500-2559 HYDRAULICS, 3V RC, STD/SHORT or 501-4663 HYDRAULICS, 3V RC, STD or 500-2563 HYDRAULICS, 3V RC, HIGH LIFT and 538-2773 CAB TRIM, COMFORT (LHD) or 538-2774 CAB TRIM, DELUXE (LHD) or 538-2775 CAB TRIM, PREMIUM PLUS (LHD)		NC
L	539-6051	<b>SINGLE AXIS LEVERS, 4V, LHD</b> ..... 0 FOR USE IN LANE 3 ONLY INCLUDES: -3 single action levers for implement lift, tilt & 3rd function controls -1 roller switch controlling the 4th function on implement pod ONLY FOR USE WITH: 500-2560 HYDRAULICS, 4V RC, STD/SHORT or 501-4664 HYDRAULICS, 4V RC, STD or 500-2564 HYDRAULICS, 4V RC, HIGH LIFT and 538-2773 CAB TRIM, COMFORT (LHD) or 538-2774 CAB TRIM, DELUXE (LHD) or 538-2775 CAB TRIM, PREMIUM PLUS (LHD)		NC

CATERPILLAR MACHINE PRICE LIST

**972M-BR**

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**IMPLEMENT JOYSTICK**

L	539-6035	<b>JOYSTICK W/FNR, 2V</b> ..... 0 FOR USE IN LANE 3 ONLY INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick ONLY FOR USE WITH: 500-2558 HYDRAULICS, 2V RC, STD/HL or 515-3039 HYDRAULICS, 2V (3V READY) and 546-3449 CAB TRIM, HEATED or 546-3450 CAB TRIM, VENTED		\$1,210
L	539-6045	<b>JOYSTICK W/FNR, 3V</b> ..... 0 FOR USE IN LANE 3 ONLY INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -1 roller switch controlling the 3rd function integrated in the joystick ONLY FOR USE WITH: 500-2559 HYDRAULICS, 3V RC, STD/SHORT or 501-4663 HYDRAULICS, 3V RC, STD or 500-2563 HYDRAULICS, 3V RC, HIGH LIFT and 546-3449 CAB TRIM, HEATED or 546-3450 CAB TRIM, VENTED		\$1,660
L	539-6053	<b>JOYSTICK W/FNR, 4V</b> ..... 0 FOR USE IN LANE 3 ONLY INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -2 rollers switch controlling the 3rd & 4th functions integrated in the joystick ONLY FOR USE WITH: 500-2560 HYDRAULICS, 4V RC, STD/SHORT or 501-4664 HYDRAULICS, 4V RC, STD or 500-2564 HYDRAULICS, 4V RC, HIGH LIFT and 546-3449 CAB TRIM, HEATED or 546-3450 CAB TRIM, VENTED		\$1,660
L	539-6036	<b>JOYSTICK, 2V, LHD</b> ..... 0 INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick ONLY FOR USE WITH: 500-2558 HYDRAULICS, 2V RC, STD/HL or 507-6189 HYDRAULICS, 2V RC, SM or 515-3039 HYDRAULICS, 2V (3V READY) and 538-2773 CAB TRIM, COMFORT (LHD) or 538-2774 CAB TRIM, DELUXE (LHD) or 538-2775 CAB TRIM, PREMIUM PLUS (LHD) or 561-8839 CAB TRIM, COMFORT, SM (LHD)		\$1,095

CATERPILLAR MACHINE PRICE LIST

# 972M-BR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**IMPLEMENT JOYSTICK (Cont.)**

L	539-6046	JOYSTICK, 3V, LHD . . . . . 0		\$1,535
		INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -1 roller switch controlling the 3rd function integrated in the joystick ONLY FOR USE WITH: 500-2559 HYDRAULICS, 3V RC, STD/SHORT or 501-4663 HYDRAULICS, 3V RC, STD or 500-2563 HYDRAULICS, 3V RC, HIGH LIFT and 538-2773 CAB TRIM, COMFORT (LHD) or 538-2774 CAB TRIM, DELUXE (LHD) or 538-2775 CAB TRIM, PREMIUM PLUS (LHD)		
L	539-6054	JOYSTICK, 4V, LHD . . . . . 0		\$1,565
		FOR USE IN LANE 3 ONLY INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -2 rollers switch controlling the 3rd & 4th functions integrated in the joystick ONLY FOR USE WITH: 500-2560 HYDRAULICS, 4V RC, STD/SHORT or 501-4664 HYDRAULICS, 4V RC, STD or 500-2564 HYDRAULICS, 4V RC, HIGH LIFT and 538-2773 CAB TRIM, COMFORT (LHD) or 538-2774 CAB TRIM, DELUXE (LHD) or 538-2775 CAB TRIM, PREMIUM PLUS (LHD)		

**SEAT BELT**

L	551-3397	SEAT BELT, 3" . . . . . 0		\$104
		FOR USE IN LANE 3 ONLY Seat belt w/ indicator.		

**STEERING**

L	372-6549	STEERING, STANDARD . . . . . 0		NC
		CANNOT BE USED WITH: 506-7669 STEEL MILL PACKAGE		
L	371-1455	STEERING, SECONDARY . . . . . 0		\$5,170
		CANNOT BE USED WITH: 506-7669 STEEL MILL PACKAGE		
L	444-7433	STEERING, STEEL MILL . . . . . 0		NC
		Provides insulated hoses and harnesses. ONLY FOR USE WITH: 506-7669 STEEL MILL PACKAGE REQUIRED BY: 506-7669 STEEL MILL PACKAGE		
L	441-6886	STEERING, SECONDARY SM . . . . . 0		\$5,920
		Provides insulated hoses and harnesses. ONLY FOR USE WITH: 506-7669 STEEL MILL PACKAGE REQUIRED BY: 506-7669 STEEL MILL PACKAGE		

CATERPILLAR MACHINE PRICE LIST

**972M-BR**

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**TRIM ARRANGEMENT**

L	538-2773	<b>CAB TRIM, COMFORT (LHD)</b> . . . . . 0 FOR USE IN LANE 3 ONLY INCLUDES: -SEAT, COMFORT, LHD Provides steering joystick on left hand armrest and comfort seat with ride stiffness adjustment and manual lumbar adjustment. -MIRRORS, EXTERNAL -SUN VISOR, REAR Provides pull down sun screen in rear window.		\$69
L	538-2774	<b>CAB TRIM, DELUXE (LHD)</b> . . . . . 0 FOR USE IN LANE 3 ONLY INCLUDES: -SEAT, DELUXE, LHD Provides steering joystick on left hand armrest and deluxe seat containing resistance heating, manual lumbar and 2-way thigh adjustment, ride stiffness adjustment, dynamic end dampening, and suede accents. -MIRRORS, EXTERNAL, HEATED Provides heated & powered mirrors. -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window.		\$1,185
L	546-3449	<b>CAB TRIM, DELUXE (EH)</b> . . . . . 0 FOR USE IN LANE 3 ONLY INCLUDES: -SEAT, DELUXE, EH WHEEL Provides steering wheel and deluxe seat containing resistance heating, manual lumbar and 2-way thigh adjustment, ride stiffness adjustment, dynamic end dampening, and suede accents. -MIRRORS, EXTERNAL, HEATED Provides heated & powered mirrors. -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window.		\$4,945
L	538-2775	<b>CAB TRIM, PREMIUM PLUS (LHD)</b> . . . . . 0 FOR USE IN LANE 3 ONLY INCLUDES: -SEAT, PREMIUM PLUS, LHD Provides steering joystick on left hand armrest and premium plus seat containing forced air heating and cooling, 2-way thigh adjustment, power lumbar and back bolster adjustment, ride stiffness adjustment, dynamic end dampening, and leather finish. -MIRRORS, EXTERNAL, HEATED Provides heated & powered mirrors. -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window.		\$3,905

CATERPILLAR MACHINE PRICE LIST

**972M-BR**

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**TRIM ARRANGEMENT (Cont.)**

L	546-3450	<b>CAB TRIM, PREMIUM PLUS (EH)</b> ..... 0 FOR USE IN LANE 3 ONLY INCLUDES: -SEAT, PREMIUM PLUS, EH WHEEL Provides steering wheel and premium plus seat containing forced air heating and cooling, 2-way thigh adjustment, power lumbar and back bolster adjustment, ride stiffness adjustment, dynamic end dampening and leather finish. -MIRRORS, EXTERNAL, HEATED Provides heated & powered mirrors. -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window.		\$7,790
L	561-8838	<b>CAB TRIM, DELUXE, SM (EH)</b> ..... 0 FOR USE IN LANE 3 ONLY INCLUDES: -SEAT, DELUXE, EH WHEEL Provides steering wheel and deluxe seat containing resistance heating, manual lumbar and 2-way thigh adjustment, ride stiffness adjustment, dynamic end dampening, and suede accents. -MIRRORS, EXTERNAL, STEEL MILL Provides metallic mirrors for protection against high temperatures. -SUN VISOR, REAR Provides pull down sun screen in rear window. ONLY FOR USE WITH: STEEL MILL PACKAGE		\$3,990
L	561-8839	<b>CAB TRIM, COMFORT, SM, (LHD)</b> ..... 0 FOR USE IN LANE 3 ONLY INCLUDES: -SEAT, COMFORT, LHD Provides steering joystick on left hand armrest and comfort seat with ride stiffness adjustment and manual lumbar adjustment. -MIRRORS, EXTERNAL, STEEL MILL Provides metallic mirrors for protection against high temperatures. -SUN VISOR, REAR Provides pull down sun screen in rear window. ONLY FOR USE WITH: STEEL MILL PACKAGE		\$68

**WINDOWS**

L	477-1658	<b>WINDOWS (CORROSION)</b> ..... 0 Provides a paint thickness which is more than two times the thickness of the standard paint, giving the cab extra resistance against corrosion. CAN NOT BE USED WITH: 464-2483 HANDRAIL, WINDSHIELD CLEANING ONLY FOR USE WITH: CORROSION RESISTANT PACKAGE		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

**972M-BR**

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**WINDOWS (Cont.)**

L	470-8894	<b>WINDOWS RM (CORROSION)</b> . . . . . 0 Provides front windows mounted in rubber seals for faster replacement, with a paint thickness which is more than two times the thickness of the standard paint, giving the cab extra resistance against corrosion. CAN NOT BE USED WITH: 464-2483 HANDRAIL, WINDSHIELD CLEANING ONLY FOR USE WITH: CORROSION RESISTANT PACKAGE		\$5,160
L	493-9621	<b>WINDOWS, STANDARD</b> . . . . . 0		NC
L	493-9622	<b>WINDOWS, RUBBER MOUNTED</b> . . . . . 0 Provides front windows mounted in rubber seals.		\$5,160
L	569-0214	<b>WINDOWS, STEEL MILL</b> . . . . . 0 FOR USE IN LANE 3 ONLY Provides front windows mounted in rubber seals. REQUIRED BY: 506-7669 STEEL MILL PACKAGE		\$5,260
L	493-9625	<b>WINDOWS, STANDARD, FRONT GUARD</b> . . . . . 0 Provides a front window guard.		\$3,595
L	493-9623	<b>WINDOWS, STANDARD, HD GUARD</b> . . . . . 0 Provides a front window heavy duty guard.		\$9,250
L	493-9624	<b>WINDOWS, STANDARD, FULL GUARD</b> . . . . . 0 Provides a full window guard.		\$12,350
L	503-2427	<b>WINDOWS, RUBBER MTD, FRONT GD</b> . . . . . 0 Provides front windows mounted in rubber seals and front window guard.		\$8,740

**FILTRATION**

L	505-1519	<b>FILTRATION, STANDARD</b> . . . . . 0 INCLUDES: -CAB ROOF, NON-METALLIC -COVER, HVAC, NON-METALLIC		NC
L	505-1520	<b>FILTRATION, STD, PRECLEANER</b> . . . . . 0 INCLUDES: -CAB ROOF, NON-METALLIC -COVER, HVAC, NON-METALLIC -PRECLEANER, HVAC Provides a precleaner for dusty environments for cab air intake.		\$690
L	505-1521	<b>FILTRATION, STEEL</b> . . . . . 0 INCLUDES: -CAB ROOF, STEEL -COVER, HVAC, STEEL CANNOT BE USED WITH: 509-1559 CORROSION RESISTANT PACKAGE		\$2,155
L	505-1522	<b>FILTRATION, STEEL, ACF PRECLNR</b> . . . . . 0 INCLUDES: -CAB ROOF, STEEL -COVER, HVAC, STEEL FOR ACF -ACF PRECLEANER, HVAC CANNOT BE USED WITH: 509-1559 CORROSION RESISTANT PACKAGE		\$3,515

CATERPILLAR MACHINE PRICE LIST

**972M-BR**

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**FILTRATION (Cont.)**

L	505-1523	FILTRATION, STD, ACF PRECLNR . . . . . 0		\$1,870
		INCLUDES: -CAB ROOF, NON-METALLIC -COVER, HVAC, STEEL FOR ACF -ACF PRECLEANER, HVAC CANNOT BE USED WITH: 509-1559 CORROSION RESISTANT PACKAGE		

**TECHNOLOGY PRODUCTS**

**PRODUCT LINK**

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.

Availability varies by country, please contact your Cat marketing representative with questions or click on the link below:

[HTTPS://DEALER.CAT.COM/en/bt/otd/machine-price-list.html](https://dealer.cat.com/en/bt/otd/machine-price-list.html)

From there click on the "PRODUCT LINK Hardware Certification" link.

L	434-0691	PRODUCT LINK, CELLULAR PLE641 . . . . . 0		NC
		Product Link Elite series PLE641 (consisting of PL641 radio and PLE601 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data. data.		
L	434-0693	PRODUCT LINK, SATELLITE PLE631 . . . . . 0		\$439
		Product Link Elite series PLE631 (consisting of PL631 radio and PLE601 network manager) uses a satellite network to transmit location, utilization and health information for viewing in Product Link user applications. For use in areas with poor or no cellular coverage.		

**COOLING**

**COOLING SYSTEM**

L	540-0608	COOLING CORES, 6 FPI . . . . . 0		\$338
		Provides cooling capability up to 43C (109F) ambient. Radiator with 6 fins per inch.		
L	521-9360	COOLING CORES, 9 FPI . . . . . 0		NC
		Provides cooling capability up to 47C (117F) ambient. Radiator with 9 fins per inch.		
L	524-1400	COOLING CORES 6 FPI, CORROSION . . . . . 0		\$2,985
		FOR USE IN LANE 3 ONLY Provides cooling capability up to 43C (109F) ambient. Radiator with 6 fins per inch. - Cores protected (painted); - Grease points on the radiator hinges. ONLY FOR USE WITH: CORROSION RESISTANT PACKAGE		



CATERPILLAR MACHINE PRICE LIST

**972M-BR**

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**COOLING (CONT.)**

**COOLING SYSTEM (Cont.)**

L	524-1399	COOLING CORES 9 FPI, CORROSION . . . . . 0		\$2,635
		FOR USE IN LANE 3 ONLY Provides cooling capability up to 47C (117F) ambient. Radiator with 9 fins per inch. - Cores protected (painted); - Grease points on the radiator hinges. ONLY FOR USE WITH: CORROSION RESISTANT PACKAGE		

**COOLING FAN**

L	524-0307	FAN, STANDARD . . . . . 0		NC
		Provides a standard load sensing hydraulically driven fan.		
L	524-0294	FAN, VPF, ANSI . . . . . 0		\$5,600
		FOR USE IN LANE 3 ONLY Provides an attachment reversing function to the standard hydraulically driven demand fan. This provides the ability to rotate blades and to reverse the airflow direction to remove debris from the radiator and engine enclosures while the machine is still operating. Includes automatic and manual controls for airflow reversal. Recommended for applications with a high content of airborne debris.		

**COOLANT**

L	371-7066	ANTIFREEZE, -34C (-29F) . . . . . 0		NC
		Premix antifreeze, -34C (-29F)		
L	423-2666	ANTIFREEZE, -50C (-58F) . . . . . 0		\$275 NET
		Premix antifreeze, -50C (-58F)		

**TIRES, RIMS, AND WHEELS**

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice. However, if the tire type cannot be supplied we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

NOTE: All tires include rims & come in a set of 4. Tires are tubeless & non-directional unless otherwise stated.

NOTE: Other tires are available upon request.

CATERPILLAR MACHINE PRICE LIST

**972M-BR**

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**TIRES, RIMS, AND WHEELS (CONT.)**

**TIRES AVAILABLE FROM MICHELIN**

P	297-3221	TIRES, 26.5R25 MX XHA2 ** L3	0	\$-3,835
P	395-0531	TIRES, 26.5 R25 MX XLDD2 * L5	0	\$16,450

**TIRES AVAILABLE FROM BRIDGESTONE**

L	511-5379	TIRES, 775/65R29 BS VTS * L3 FOR USE IN LANE 3 ONLY	0	\$9,460
---	----------	--	---	---------

**TIRES AVAILABLE FROM MAXAM**

P	547-8403	TIRES, 26.5R25 MA MS302 ** L3 Maxam MS302 Radial; Tread Depth=39.4mm (50/32"); Rim=22"x25" 3 piece Ideally suited to higher speed applications operating on a wide variety of surfaces. Reinforced offset lugs minimize vibration at haul speeds. Excellent traction in all off-road conditions with a wide flat footprint profile for maximum stability and wear. Thick undertread for improved puncture resistance.	0	\$-7,130
---	----------	---	---	----------

**SOLID TIRES**

P	540-4375	TIRES, 26.5X25 BR TRACTION FOR USE IN LANE 3 ONLY Brawler HPS Solidflex Traction Off-the-Road (OTR) tread solid tires pressed on to standard CAT rims. Ideal for harsh/special applications on unimproved surfaces, such as brick, glass, and scrap yards where debris is not an issue. Machine oscillation is reduced. CANNOT BE USED WITH: COUNTERWEIGHT, AGGREGATE	0	\$22,080
P	540-4376	TIRES, 26.5X25 BR SMOOTH FOR USE IN LANE 3 ONLY Brawler HPS Solidflex Smooth tread solid tires pressed on to standard CAT rims. Ideal for harsh/special applications where debris is an issue, such as scrap yards, recycling centers and waste transfer stations. Machine oscillation is reduced. CANNOT BE USED WITH: COUNTERWEIGHT, AGGREGATE	0	\$18,230

**TIRES/RIMS, ALLOWANCE FOR OMISSION**

Dealers should contact their Application Specialist if they plan to use a tire not offered on the price list. Some tires may require axle oscillation stops or other machine modifications.

P	297-2514	RIMS ONLY, TIRES OMITTED FOR USE IN LANE 3 ONLY	-2,372	\$-21,960
P	0P-3648	OMISSION, TIRES AND RIMS FOR USE IN LANE 3 ONLY	0	\$-24,050

CATERPILLAR MACHINE PRICE LIST

**972M-BR**

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**OTHER ATTACHMENTS**

**ENGINE PRECLEANERS**

L	324-8092	<b>AIR INLET STANDARD, RAIN CAP</b> . . . . . 0 Includes standard strata tubes precleaner ejecting up to 96% of debris.		NC
L	365-0220	<b>PRECLEANER, TURBINE.</b> . . . . . 0 Turbine engine air inlet precleaner, to be used in extremely high dust and airborne debris environments.		\$725
L	365-0221	<b>AIR INLET PRECLEANER, TRASH.</b> . . . . . 0 Lane 3 only Turbine engine air inlet precleaner, to be used in extremely high dust and airborne debris environments with a grill protecting precleaner from large debris.		\$955

**BODY**

**FENDERS**

L	464-6680	<b>FENDERS, ROADING, LOW PROFILE</b> . . . . . 0 ONLY FOR USE WITH: 511-5379 TIRES, 775/65R29 BS VTS*L3 or 541-5045 TIRES, 775/65R29 MX XHA2 * L3		\$3,195
L	464-6679	<b>FENDERS, BASIC +, LOW PROFILE.</b> . . . . . 0 ONLY FOR USE WITH: 511-5379 TIRES, 775/65R29 BS VTS*L3 or 541-5045 TIRES, 775/65R29 MX XHA2 * L3		\$151
L	464-6677	<b>FENDERS, BASIC +.</b> . . . . . 0 Provide non-metallic front and rear fenders with mud flaps. CANNOT BE USED WITH: 511-5379 TIRES, 775/65R29 BS VTS*L3 541-5045 TIRES, 775/65R29 MX XHA2 * L3		NC
L	464-6678	<b>FENDERS, ROADING</b> . . . . . 0 CANNOT BE USED WITH: 511-5379 TIRES, 775/65R29 BS VTS*L3 541-5045 TIRES, 775/65R29 MX XHA2 * L3		\$2,910
L	478-8372	<b>FENDERS, NARROW</b> . . . . . 0 Provides narrow steel front fenders, steel rear fender extensions and heavy duty hanging steel cable steps. ONLY FOR USE WITH: 506-7661 INDUSTRIAL PACKAGE 506-7669 STEEL MILL PACKAGE CANNOT BE USED WITH: 511-5379 TIRES, 775/65R29 BS VTS*L3 541-5045 TIRES, 775/65R29 MX XHA2 * L3 REQUIRED BY: 506-7661 INDUSTRIAL PACKAGE 506-7669 STEEL MILL PACKAGE		\$3,010
L	478-8375	<b>FENDERS, REAR EGRESS.</b> . . . . . 0 Provides narrow steel front fenders, machine left hand side rear egress with handrails, machine right hand side platform, and heavy duty hanging steel cable steps. ONLY FOR USE WITH: 506-7661 INDUSTRIAL PACKAGE 506-7669 STEEL MILL PACKAGE CANNOT BE USED WITH: 511-5379 TIRES, 775/65R29 BS VTS*L3 541-5045 TIRES, 775/65R29 MX XHA2 * L3 REQUIRED BY: 506-7661 INDUSTRIAL PACKAGE 506-7669 STEEL MILL PACKAGE		\$11,740

CATERPILLAR MACHINE PRICE LIST

# 972M-BR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**BODY (CONT.)**

**HOOD**

L	470-8899	HOOD - CORROSION . . . . . 0 Grease points for the articulated Hood Pins. Provide sufficient greasing and normal hinge functioning in corrosive environment. ONLY FOR USE WITH: CORROSION RESISTANT PACKAGE		NC
L	391-5800	HOOD, NON-METALLIC . . . . . 0		NC

**SOUND SUPPRESSION**

L	422-1636	SOUND SUPPRESSION, STANDARD . . . . . 0		NC
L	465-2776	SOUND SUPPRESSION, INDUSTRIAL . . . . . 0 ONLY FOR USE WITH: INDUSTRIAL PACKAGE		\$2,880
L	485-6935	SOUND SUPPRESSION, STEEL MILL . . . . . 0 Provides insulated hoses for hydraulic sound resonator. ONLY FOR USE WITH: 506-7669 STEEL MILL PACKAGE REQUIRED BY: 506-7669 STEEL MILL PACKAGE		\$2,965

**FLUIDS**

**LUBRICATION ARRANGEMENTS**

L	524-0303	AUTOLUBE, HIGH LIFT, QC RDY . . . . . 0 ONLY FOR USE WITH: 520-4476 LINKAGE, HIGH LIFT 388-7402 QUICK COUPLER READY, HIGH LIFT		\$6,590
L	524-0301	AUTOLUBE, HIGH LIFT . . . . . 0 ONLY FOR USE WITH: 520-4476 LINKAGE, HIGH LIFT CANNOT BE USED WITH: 388-7402 QUICK COUPLER READY, HIGH LIFT		\$6,590
L	495-7515	AUTOLUBE, LOGGER/SHORT LIFT . . . . . 0 Provides Caterpillar autolube system. ONLY FOR USE WITH: 506-2538 LINKAGE, SHORT LIFT		\$6,360
L	510-6390	LUBRICATION, MANUAL (AUTO RDY) . . . . . 0		\$1,635
L	524-0305	LUBRICATION, MANUAL, HL, QC RDY . . . . . 0 ONLY FOR USE WITH: 520-4476 LINKAGE, HIGH LIFT 388-7402 QUICK COUPLER READY, HIGH LIFT		NC
L	495-7517	LUBRICATION, MANUAL, STD . . . . . 0 ONLY FOR USE WITH: 506-2637 LINKAGE, STANDARD LIFT		NC
L	495-7518	AUTOLUBE, STD LIFT . . . . . 0 ONLY FOR USE WITH: 506-2637 LINKAGE, STANDARD LIFT		\$6,360
L	495-7525	LUBRICATION, MANUAL, SM . . . . . 0 FOR USE IN LANE 3 ONLY Provides unique grease path G-Pin for extreme applications. ONLY FOR USE WITH: 506-7669 STEEL MILL PACKAGE REQUIRED BY: 506-7669 STEEL MILL PACKAGE		\$3,150

CATERPILLAR MACHINE PRICE LIST

**972M-BR**

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**FLUIDS (CONT.)**

**LUBRICATION ARRANGEMENTS (Cont.)**

L	495-7526	AUTOLUBE, STEEL MILL ..... 0 FOR USE IN LANE 3 ONLY INCLUDES: -Caterpillar autolube system for steel mill arrangement with cover for pump -Unique grease path G-Pin for extreme applications ONLY FOR USE WITH: 506-7669 STEEL MILL PACKAGE REQUIRED BY: 506-7669 STEEL MILL PACKAGE	0	\$9,510
L	524-0300	LUBRICATION, MANUAL, HL ..... 0 ONLY FOR USE WITH: 520-4476 LINKAGE, HIGH LIFT	0	NC
L	495-7506	LUBRICATION, MANUAL ..... 0 ONLY FOR USE WITH: 506-2538 LINKAGE, SHORT LIFT CANNOT BE USED WITH: 388-7402 QUICK COUPLER READY, HIGH LIFT	0	NC

**FUEL ANTIFREEZE**

	OP-3978	FUEL ANTIFREEZE, -25C (-13F) ..... 0 Provides fuel (diesel) antifreeze protection down to -25C (-13F)	0	NC
--	---------	--	---	----

**INSTRUCTIONS**

**OPERATION AND MAINTENANCE MANUAL**

NOTE: Operation and maintenance Manual will be included in language requested below. REQUIRED BY: ALL LANE CONFIGURATION

	OP-3380	INSTRUCTIONS, ENGLISH ..... 0	0	NC
--	---------	-------------------------------	---	----

CATERPILLAR MACHINE PRICE LIST

**972M-BR**

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**OPERATOR ENVIRONMENT**

***CAT OBJECT DETECTION.***

The Cat Integrated Object Detection adds radar and alarms to the standard on-board rear vision camera to notify the operator when something is close to the rear of the machine. This system is configured with zones, and objects in those zones trigger various levels of alarms. A display screen in the cab provides visual confirmation of the objects detected by the radar, so operators can make informed decisions.

L	486-9204	<b>OBJECT DETECTION</b> . . . . . 0		\$2,785
		Provides a C5 radar.		
		CANNOT BE USED WITH: 506-7669 STEEL MILL PACKAGE		
L	486-9205	<b>OBJECT DETN &amp; CB RADIO READY</b> . . . . . 0		\$3,720
		INCLUDES:		
		486-9204 OBJECT DETECTION		
		372-1603 RADIO, CB (READY)		
		CANNOT BE USED WITH: 506-7669 STEEL MILL PACKAGE		

CATERPILLAR MACHINE PRICE LIST

**972M-BR**

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**RADIOS**

Bluetooth radio technology enables the use of a hands free function such as listening to music and making phone calls. Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below: <https://dealer.cat.com/en/products/technology.html>

P	372-1603	<b>RADIO, CB (READY)</b> . . . . . 0 Provides adjustable mounting brackets for two radios, a 20 amp 24V to 12V converter, a CB antenna, CB cable converter, and two separate four wire connectors that contain a ground, 12V and 24 V circuits.		\$955
P	372-1600	<b>RADIO, AM/FM/USB/MP3 BLUETOOTH</b> . . . . . 0 Provides AM/FM/MP3/WB/USB/AUX with integrated BlueTooth.		\$590

**VISIBILITY**

P	380-5964	<b>SECONDARY CAMERA DISPLAY</b> . . . . . 0 Provides full-time display dedicated to rear-view camera.		\$1,755
---	----------	--	--	---------

**LIGHTS**

P	491-7467	<b>LIGHT, WARNING BEACON</b> . . . . . 0 Provides hard mounted strobe beacon on hinged (breakaway) bracket mounted to the rear of the cab structure.		\$491
P	513-2458	<b>LIGHTS, REVERSING STROBE</b> . . . . . 0 Provides 2 reversing blue strobes.		\$275
P	460-7450	<b>LIGHT, SEAT BELT WARNING</b> . . . . . 0 Provides a seat belt warning light mounted to the rear of the cab structure. ONLY FOR USE WITH: 551-3396 SEAT BELT, 2" (50MM) or 551-3397 SEAT BELT, 3" (76MM)		\$230

**SECURITY SYSTEM**

P	372-1604	<b>SECURITY SYSTEM, MACHINE</b> . . . . . 0 Protects from vandalism and theft by preventing unauthorized personnel from starting a machine. Machines start only after a unique MSS key is inserted into the ignition. MSS keys can be programmed to start machines only certain days or hours.		\$700
---	----------	---	--	-------

**TECHNOLOGY PRODUCTS**

**SOFTWARE ENABLED ATTACHMENTS (SEA) INSTRUCTIONS**

## CATERPILLAR MACHINE PRICE LIST

**972M-BR**

USE	REF NO.	<b>LANE 3 OPTIONAL</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	------------------------	--------------------	-------------------------

**TECHNOLOGY PRODUCTS (CONT.)**

Technology apps are activated by Software Enabled Attachments (SEA). SEAs are available factory installed or can be purchased for dealer installation.

Refer to Information Release Memo (IRM) EES03 -01 (media number PELJ0138) in the Caterpillar Media Information Center for further explanation of SEAs. Select the Product Support tab and search for number PELJ0138. Refer to REHS1238 & REHS8401 for how to obtain a Factory Level Password. Contact FPS: Internet with Corporate Web Security (CWS) ([https:// fps.cat.com/](https://fps.cat.com/)).



CATERPILLAR MACHINE PRICE LIST

**972M-BR**

USE	REF NO.	<b>LANE 3 OPTIONAL</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS (CONT.)**

**CAT PRODUCTION MEASUREMENT (CPM) PAYLOAD WEIGHING SYSTEM**

Cat M-series Medium Wheel Loaders are available with the Cat Production Measurement (CPM) that includes an integrated onboard payload weighing scale. This measures and/or records:

- Payload weight, material ID, truck ID, cycle (bucket dumps) count and fuel consumption
- Allows on-the-go weighing of the bucket payload during the lift cycle
- Daily payload total (tonnes/tons), productivity (tonnes/hour or tons/hour) and efficiency (tonnes/liter or tons/gal) data is reported wirelessly via Product Link to the VisionLink fleet management web portal (Cat Essentials Product Link subscription required).
- Detailed payload, productivity and efficiency data can be downloaded to a laptop computer for analysis in the optional VIMSpC software (VIMSpC and VIMS data cable are required, but VIMS is NOT required).
- Payload tickets can be printed with an optional printer

Refer to the Cat Connect Payload Technologies intranet page (<https://dealer.cat.com/payload>) for complete technical specifications; operation, sales, marketing and technical support publications.

**NOTES:**

- 1) Permanent software is available from the factory below.
- 2) For field installation, permanent software can be purchased through the Caterpillar Feature Protection System and enabled by a dealer technician with Cat ET and an SEA password. SEA p/n 517-4683. Consult ANTARES parts distribution system for latest SEA price.
- 3) Both demo and permanent software require calibration prior to customer use.

**CALIBRATION INSTRUCTIONS**

This requires calibration and set-up by either the dealer or customer. Refer to the Systems Operation Test & Adjust manual UENR7119 for system calibration, material and truck ID lists set-up and operation instructions.

**AUTODIG**

Autodig is a software enabled attachment that controls the implement system during the bucket loading portion of a cycle to automatically load aggregate material.

NOT RECOMMENDED for hardbank or large rock loading.

P	370-3813	<b>CPM PAYLOAD WEIGHING READY . . . . . 0</b> Includes hardware and demo software for CPM, dealer enabled for up to 250 hours. To activate demo software, it must be enabled by a dealer technician with Cat ET. No password is required. For permanent software activation in the field, purchase of software is required. See note 2 above for details. CANNOT BE USED WITH: 506-4543 STANDARD PACKAGE	<b>\$230</b>
---	----------	--	--------------

CATERPILLAR MACHINE PRICE LIST

**972M-BR**

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS (CONT.)**

**CAT PRODUCTION MEASUREMENT (CPM) PAYLOAD WEIGHING SYSTEM (Cont.)**

P	453-3250	<b>AUTODIG SOFTWARE</b> . . . . . 0 Includes software for Aggregate Autodig. NOT RECOMMENDED for hardbank or large rock loading. REQUIRES: 478-1336 AUTODIG & CPM PAYLOAD, ARO		\$1,445
P	517-7123	<b>CPM PAYLOAD SOFTWARE</b> . . . . . 0 Includes hardware and permanent software for CPM. Software is factory enabled, but the system must be calibrated prior to customer use. See note above for calibration instructions. (Not available in all countries. Contact PL Admin for details). REQUIRES: 478-1336 AUTODIG & CPM PAYLOAD, ARO ONLY FOR USE WITH: 370-3813 CPM PAYLOAD WEIGHING READY or 506-4543 STANDARD PACKAGE CANNOT BE USED WITH: 517-7122 AUTODIG + CPM PAYLOAD		\$5,010

**GUARDS**

P	367-9030	<b>GUARD, POWERTRAIN</b> . . . . . 0 Protects bottom of transmission. REQUIRED BY: 506-7661 INDUSTRIAL PACKAGE 506-7669 STEEL MILL PACKAGE		\$1,585
C	380-0327	<b>GUARD, HINGED, POWERTRAIN</b> . . . . . 0 CONTACT CUSTOM PRODUCTS FOR AVAILABILITY. Hinged heavy duty guard protecting bottom of transmission.		\$3,055
C	426-1490	<b>GUARD, TILT CYLINDER</b> . . . . . 0 REQUIRED BY: 506-7661 INDUSTRIAL PACKAGE OR 510-6947 INDUSTRIAL PACKAGE OR 506-7669 STEEL MILL PACKAGE		\$1,590
P	485-4387	<b>GUARDS, LIGHT</b> . . . . . 0 FOR USE IN LANE 3 ONLY Provide protection guard for lights installed on the cab and counterweight. CANNOT BE USED WITH: 493-9623 WINDOWS, STANDARD, HD GUARD 484-0364 LIGHTS, HALOGEN		\$1,590
L	380-0329	<b>ACTUATOR, HINGED BELLY GUARD</b> . . . . . 0 Provides an electric actuator and switch to raise and lower the hinged heavy duty guard. ONLY FOR USE WITH: INDUSTRIAL PACKAGE and 380-0327 GUARD, HINGED, POWERTRAIN		\$1,030

**OTHER ATTACHMENTS**

**OIL CHANGE SYSTEM**

P	365-0265	<b>OIL CHANGE SYSTEM, HIGH SPEED</b> . . . . . 0 Easy access drain line and Wiggins connector for remote engine oil drain. Provides quick, clean, and easy engine oil change without having to climb under the machine to access a gravity drain.		\$288
---	----------	--	--	-------

CATERPILLAR MACHINE PRICE LIST

**972M-BR**

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**OTHER ATTACHMENTS (CONT.)**

**MISCELLANEOUS ATTACHMENTS**

P	506-4370	<b>WHEEL CHOCKS</b> . . . . . 0 Provides wheel chocks that mount to the frame.		<b>\$493</b>
---	----------	---	--	--------------

**CORROSION RESISTANT OTHER ATTACHMENTS**

L	477-1656	<b>PROTECTION PACKAGE, LINES</b> . . . . . 0 Hoses treated with tube heat shrinkable and sealant silicone. ONLY FOR USE WITH: CORROSION RESISTANT PACKAGE		<b>\$4,745</b>
L	517-2235	<b>PAINTING GROUP, CORROSION</b> . . . . . 0 Provides a paint thickness which is more than two times the thickness of the standard paint, giving the machine extra resistance against corrosion. ONLY FOR USE WITH: CORROSION RESISTANT PACKAGE		<b>\$5,230</b>

**QUICK COUPLERS**

P	372-7405	<b>QUICK COUPLER READY, STD LIFT</b> . . . . . 0 Includes all hydraulic lines, vertical wedge activation switch in the cab. Coupler NOT included. ONLY FOR USE WITH: 506-2637 LINKAGE, STANDARD LIFT		<b>\$4,030</b>
P	388-7402	<b>QUICK COUPLER READY, HIGH LIFT</b> . . . . . 0 Includes all hydraulic lines, vertical wedge activation switch in the cab. Coupler NOT included. ONLY FOR USE WITH: 520-4476 LINKAGE, HIGH LIFT		<b>\$4,015</b>
L	310-9390	<b>QUICK COUPLER, FUSION</b> . . . . . 1,133 Factory installed Caterpillar Work Tools & Services (CWTS) Fusion style coupler. REQUIRES: QUICK COUPLER READY OP-4108 WORKTOOL'S LITERATURE		<b>\$8,069</b>
P	372-7403	<b>QUICK COUPLER READY</b> . . . . . 0 Includes all hydraulic lines, vertical wedge activation switch in the cab. Coupler NOT included. ONLY FOR USE WITH: 506-2538 LINKAGE SHORT LIFT		<b>\$4,015</b>

**WORKTOOLS LITERATURE**

P	OP-4108	<b>WORKTOOL'S LITERATURE</b> . . . . . 0 (SEBP5193)		<b>NC</b>
---	---------	--	--	-----------

**LINES CONNECTING**

L	323-9292	<b>LINES GP-IMPLEMENT 3V (QC)</b> . . . . . 21 ONLY FOR USE WITH: HYDRAULICS, 3V & 310-9390 QUICK COUPLER REQUIRED BY: HYDRAULICS, 3V & 310-9390 QUICK COUPLER.		<b>\$1,065</b>
L	394-7214	<b>LINES GP-IMPLEMENT 3V&amp;4V (QC)</b> . . . . . 37 ONLY FOR USE WITH: HYDRAULICS, 4V & 310-9390 QUICK COUPLER REQUIRED BY: HYDRAULICS, 4V & 310-9390 QUICK COUPLER		<b>\$1,265</b>

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

WORK TOOLS

OMISSION WORK TOOL

P	361-1437	OMISSION, WORKTOOL . . . . . 0		NC
		Required in orders configured without a work tool or QC in order to prevent from damages on the linkage.		

BUCKETS

REQUIRED BY: AM-S

Buckets must be ordered Installed on a Machine Order. For questions on buckets intended for Machine Orders please contact your Marketing Subsidiary Machine Coordinator.

Loose buckets should be ordered on a MISC Order through Caterpillar Work Tools - Wamego using source code OP-0672.

For availability of loose buckets please email worktools@cat.com If you are going to order a loose bucket from CWTS and a machine from Aurora and if you need them shipped at the same time then you need to cross-reference the MSO's with each other.

"GET" is NOT automatically included on bucket orders. "GET" must be entered on the order with your bucket selection, unless text for bucket states otherwise. Please make the "GET" selection from the "GET" listed immediately following the bucket listing.

Recommend use of bolt-on adapter option, adapter and segment option, or bolt-on cutting edge option for general purpose buckets and material handling buckets.

Material density will determine the appropriate capacity bucket. Refer to the Specalog. Exceeding maxium payload may cause loader instability.

ALL BUCKETS ARE ALSO AVAILABLE ON A MISCELLANEOUS ORDER

110% FILL FACTOR: This capacity is calculated considering GETs installed.

CATERPILLAR MACHINE PRICE LIST

# 972M-BR

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**BUCKETS (CONT.)**

**GENERAL PURPOSE PERFORMANCE SERIES BUCKETS (PIN-ON)**

P	368-4580	BKT FF ST 126" 6.0 YD3 PO	5,002 5,002	\$19,318 \$19,318 NI
		PERFORMANCE SERIES BUCKET CAPACITIES: 5.75YD3(4.4M3) w/bolt-on adapters, 130"(3307mm) wide 6.00YD3(4.6M3) w/bolt-on adapters & segments, 130"(3307mm) wide 6.00YD3(4.6M3) w/bolt-on cutting edge, 127"(3220mm) wide (bucket tag) 110% FILL FACTOR: 6.75YD3(5.1M3) w/bolt-on cutting edge, 127"(3220mm) wide (bucket tag)		
P	363-5196	BKT GP ST 126" 5.50 YD3 PO	4,848 4,848	\$17,835 \$17,835 NI
		PERFORMANCE SERIES BUCKET CAPACITIES: 5.25YD3 (4.0 m3) with bolt-on adapters 5.50YD3 (4.2 m3) with bolt-on adapters & segments 5.50YD3 (4.2 m3) with bolt-on cutting edge 110% FILL FACTOR: 6.0YD3 (4.6 m3) with GET CANNOT BE USED WITH: 310-9390 QUICK COUPLER		
P	348-6785	BKT GP ST 126" 6.25 YD3 PO	5,026 5,026	\$20,667 \$20,667 NI
		PERFORMANCE SERIES BUCKET CAPACITIES: 6.00YD3(4.6M3) w/bolt-on adapters, 130"(3302mm) wide 6.25YD3(4.8M3) w/bolt-on adapters & segments, 130"(3302mm) wide 6.25YD3(4.8M3) w/bolt-on cutting edge, 127"(3226mm) wide (bucket tag) 110% FILL FACTOR: 7.00YD3(5.3M3) with GETs		

**AGGREGATE BUCKETS**

P	416-6340	BKTA GP AB 132" 7.0 YD3 PO	6,241 6,241	\$30,600 \$30,600 NI
		INCLUDES: bolt-on cutting edge CAPACITIES: 7.00YD3(5.3M3) w/bolt-on cutting edge, 132"(3357mm) wide (bucket tag) 110% FILL FACTOR: 7.50YD3(5.8M3) with GETs REQUIRES: 372-2141 COUNTERWEIGHT, AGGREGATE		

**BUCKET SLAG**

P	343-8820	BKT SLG HD 128" 4.5 YD3 PO	9,136 9,136	\$43,289 \$43,289 NI
		INCLUDES: (7) weld-on K110 double-strap adapters and (1) segment group REQUIRES: (7) 345-0387 - K110 tips and FOR USE WITH: 506-7669 Steel Mill Arrangement		

**GROUND ENGAGING TOOLS**

**CUTTING EDGE**

P	100-6669	CUTTING EDGE, BOLT-ON	592	\$1,800
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER		

CATERPILLAR MACHINE PRICE LIST

**972M-BR**

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**INSTRUCTIONS**

**CYLINDER PROTECTION**

0P-3940	PROTECTION, CYLINDER ROD . . . . .	0	NC
	REQUIRED BY: ALL LANE CONFIGURATION.		

**FILMS**

P	468-0170	FILM, SCRAP . . . . .	0	NC
		ONLY FOR USE WITH: 506-7661 INDUSTRIAL PACKAGE		
		510-6947 INSDUSTRIAL PACKAGE		
P	468-0171	FILM, WASTE . . . . .	0	NC
		ONLY FOR USE WITH: 506-7661 INDUSTRIAL PACKAGE		
		510-6947 INSDUSTRIAL PACKAGE		

**PACKING**

**EXPORT PACKING**

0P-6619	ROLL ON-ROLL OFF . . . . .	0	\$263 NET
	Machine is in mobile condition and all attachments are installed unless speficed.		

**STORAGE PROTECTION**

0P-2918	STORAGE PROTECTION . . . . .	0	NC
	This product is added for corrosion protection while shipping and for extended storage periods		
	This product will need to be power washed with soapy water prior the shipmer to the customer.		
	REQUIRED BY : ALL LANE CONFIGURATION		

**ALLOWANCE FOR OMISSION**

P	0P-4781	ALLOWANCE FOR OMISSION . . . . .	0	\$476
		REQUIRED BY: 297-2514 RIMS ONLY, TIRES OMITTED		

**SPECIAL INSTRUCTIONS**

0P-2949	EXPOSITION INSTRUCTION . . . . .	0	NC
	This special instruction must be selected whenever dealer is placing an order for a unit intended for use at expositions and/or trade fairs		