

CATERPILLAR MACHINE PRICE LIST

980M-LR

980M WHEEL LOADER LITTLE ROCK, AR, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

Standard Equipment:

POWERTRAIN

Brakes, full hydraulic enclosed wet-disc with Integrated Braking System (IBS)
 Brake wear indicators
 Engine, Cat C13
 Cat Clean Emissions Module (CEM) with Diesel Particulate Filter (DPF) and remote Diesel Exhaust Fluid (DEF) tank & pump
 Fast fuel system ready
 Fan, radiator, electronically controlled, hydraulically driven, temperature sensing, on demand
 Economy Mode (for fuel reduction)
 Fuel priming pump (electric)
 Fuel/Water separator
 Precleaner, engine air intake
 Parking Brake, disk & caliper
 Switch, transmission neutralizer lockout
 Torque converter, locking clutch with free wheel stator
 Transmission, automatic planetary power shift (4F/4R)

Horn, electric
 Light, two dome (cab)
 Mirrors, rearview external with integrated spot mirrors
 Post mounted membrane 16 switch keypad
 3 receptacles, 12-Volt
 Seat, Cat Comfort (cloth) air suspension
 Seat belt, retractable
 Steering, speed sensing with force feedback
 Sun visor, front
 Wet-Arm wipers/washers front & rear, intermittent front wiper
 Window, sliding (left and right sides)
 Viscous mounts

ELECTRICAL

Alarm, back-up
 Alternator, 145-amp brushed
 Batteries (2), maintenance free 1400CCA
 Ignition key; start/stop switch
 Lighting system:
 -2 forward roading lights (low/high beam with turn signals)
 -2 rear facing working lights in hood
 -2 LED position/stop/turn lights
 -4 working lights on the cab
 Main disconnect switch
 Receptacle start (cables not included)
 Starter, electric, heavy duty
 Starting and charging system (24-volt)

COMPUTERIZED MONITORING SYSTEM

With following gauges:
 -Speedometer/Tachometer
 -Digital gear range indicator
 -DEF (Diesel exhaust fluid) level
 -Temperature: engine coolant, hydraulic oil, transmission oil
 -Fuel level
 With following Warning Indicators:
 -Regeneration
 -Temperature: axle oil, engine intake manifold
 -Pressure: engine oil, fuel Pressure
 Hi/Low, primary steering oil, service brake oil
 -Battery voltage Hi/Low
 -Engine air filter restriction
 -Hydraulic oil filter restriction
 -Hydraulic oil Low
 -Parking brake
 -DEF low level
 -Transmission filter bypass

OPERATOR ENVIRONMENT

Air conditioner, heater, and defroster (auto temp & fan)
 Beverage holders (2) with storage compartment for cell phone/MP3 player
 Bucket/Work tool function lockout
 Cab, pressurized and sound suppressed, (ROPS/FOPS), radio ready (entertainment) includes antenna, speakers & converter (12-volt 10-amp)
 Coat hook (2)
 EH Controls, lift and tilt function
 EH Parking Brake
 Ergonomic cab access ladders & handrails

MULTI-FUNCTION MONITOR:
 -18cm (7 in) color LCD touch-screen display
 -Rear-view camera image display (reverse travel activated)
 -Machine settings & health parameters
 CAT CONNECT (on-board, utilizing multi-function monitor)
 Core App software to monitor & display:
 -Total fuel consumption
 -Average fuel burn rate
 -Engine fuel consumption
 -Total idle time
 -Total operating hours
 -Travel distance (odometer)
 Basic App software to monitor & display:
 -Total idle fuel

CATERPILLAR MACHINE PRICE LIST

980M-LR

980M WHEEL LOADER
LITTLE ROCK, AR, USA (SAP)

Ship Weight
lbs

LIST PRICE
AT DEALER

OPERATOR ENVIRONMENT (CONT.)

- Total operating hours, neutral
- Total operating hours with hydraulic filter in bypass

OTHER STANDARD EQUIPMENT

- Auto idle shutdown
- Couplings, Caterpillar O-ring face seal
- Ecology drains for engine, transmission, and hydraulics
- Ether aid ready
- Filters: fuel, engine air, engine oil, hydraulic oil, transmission
- Fuel cooler
- Grease zerks
- Hitch, drawbar with pin
- Hood, non-metallic power tilting
- Hoses, Caterpillar XT
- Hydraulic oil cooler (swing out)
- Hydraulic System, load sensing
- Kickout, lift & tilt, automatic (adjustable in cab)
- Linkage, Z-Bar, cast crosstube/tilt lever
- Oil sampling valves
- Platform, window washing
- Radiator grill, airborne debris
- Remote diagnostic pressure taps
- Service Center (electrical & hydraulic)
- Sight gauges: engine coolant, hydraulic oil, and transmission oil level
- Toolbox
- Vandalism protection caplocks

CATERPILLAR MACHINE PRICE LIST

980M-LR

980M WHEEL LOADER
LITTLE ROCK, AR, USA (SAP)

Ship Weight
lbs

LIST PRICE
AT DEALER

**Lane 2 is reserved for the Base Order Management program.
Please use Lane 2 when placing orders that are part of the Base Order
Management program.**

CATERPILLAR MACHINE PRICE LIST

980M-LR

980M WHEEL LOADER LITTLE ROCK, AR, USA (SAP)		Ship Weight lbs	LIST PRICE AT DEALER
364-7580	980M WHEEL LOADER 0 LANE 2 - AVAILABLE FROM NORTH LITTLE ROCK FACTORY LANE 3 - AVAILABLE FROM NORTH LITTLE ROCK FACTORY		\$587,930

CATERPILLAR MACHINE PRICE LIST

980M-LR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

	OP-9002	LANE 2 ORDER	0	NC
		Only for dealers enrolled in the Base Orders Management (BOM) program.		
	OP-9003	LANE 3 ORDER	0	NC

REGIONAL PACKAGES

L	561-4441	REGIONAL PACKAGE, AM-N	0	NC
		INCLUDES: -ANSI Films -EPA Tier 4 Final Compliant Engine		

SPECIAL ARRANGEMENTS

L	509-6646	STANDARD PACKAGE	0	\$229
		Provides machine features required in standard application. INCLUDES: -Platform -Electrical & Hydraulic installation -Cab air filter -CPM Payload Ready & Autodig Ready Includes hardware and CPM demo software for up to 250 hours. See the Optional Technology section for software options.		
L	506-7665	LOGGER PACKAGE	0	\$9,790
		FOR USE IN LANE 3 ONLY Provides machine features required in logger application. INCLUDES: -Platform -Electrical & Hydraulic installation -Cab air filter		
L	506-7663	INDUSTRIAL PACKAGE	0	\$25,510
		FOR USE IN LANE 3 ONLY Provides machine features required in waste transfer stations, recycling stations, green waste and scrap applications. INCLUDES: -Reinforced platforms with additional tire clearance -Electrical & Hydraulic installation -Carbon cab air filter -Guards: crankcase, hitch, cab bottom (skirt), front frame, tilt cylinders -Steel implement valve cover -Heavy duty ladder RECOMMENDED WITH: 485-4387 GUARDS, LIGHT REQUIRES: 478-8373 FENDERS, NARROW 483-5890 SOUND SUPPRESSION, IND & SM 394-0863 GUARD, HINGED, POWERTRAIN		

CATERPILLAR MACHINE PRICE LIST

980M-LR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

SPECIAL ARRANGEMENTS (CONT.)

L	506-7670	STEEL MILL PACKAGE 0		\$25,820
		FOR USE IN LANE 3 ONLY Provides additional machine features required in Steel Mill applications when handling industrial material or hot slag. INCLUDES: -Film, steel mill -Heavy duty steps -Reinforced platforms with additional tire clearance -Electrical & hydraulic installation -Cab air filter -Guards: crankcase, hitch, cab bottom (skirt), front frame, tilt cylinders, lights (rear stop & turn/cab work lights). -Ground-level parking brake override & engine shutdown switches (at rear of machine) -Hydraulic hose & electric harness insulation to protect against high temperature. -Steel implement valve cover		

BOOMS, STICKS, AND LINKAGES

LINKAGES

L	498-5643	LINKAGE, STANDARD LIFT 0		NC
		ONLY FOR USE WITH: 509-6646 STANDARD PACKAGE 506-7663 INDUSTRIAL PACKAGE		
L	521-0954	LINKAGE, STANDARD LIFT (QC) 0		\$3,370
		FOR USE IN LANE 3 ONLY REQUIRES: QUICK COUPLER, FUSION ONLY FOR USE WITH: 509-6646 STANDARD PACKAGE		
L	498-5644	LINKAGE, HIGH LIFT 0		\$11,210
		FOR USE IN LANE 3 ONLY Provides increased dump clearance of 9" (220mm) over standard lift arms. ONLY FOR USE WITH: 509-6646 STANDARD PACKAGE 506-7663 INDUSTRIAL PACKAGE		
L	498-5645	LINKAGE, LOGGER 0		\$3,370
		FOR USE IN LANE 3 ONLY Provides linkage for logger applications. INCLUDES: -Heavy duty lift arm -Larger tilt cylinder ONLY FOR USE WITH: 506-7665 LOGGER PACKAGE		
L	498-5647	LINKAGE, STEEL MILL 0		\$1,805
		FOR USE IN LANE 3 ONLY Provides the linkage with insulated hoses and unique B-Pin bearing for high temperature application. ONLY FOR USE WITH: 506-7670 STEEL MILL PACKAGE		

COUNTERWEIGHT

L	367-2346	COUNTERWEIGHT, STD/HL/SM 0		NC
		ONLY FOR USE WITH: 498-5643 LINKAGE, STANDARD LIFT 498-5644 LINKAGE, HIGH LIFT 498-5647 LINKAGE, STEEL MILL		

CATERPILLAR MACHINE PRICE LIST

980M-LR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES (CONT.)

COUNTERWEIGHT (Cont.)

L	468-7445	COUNTERWEIGHT, AGGREGATE 0 REQUIRES: L3 or L4 TIRES ONLY FOR USE WITH: 509-6646 STANDARD PACKAGE - AND - 498-5643 LINKAGE, STANDARD LIFT 521-0954 LINKAGE, STANDARD LIFT (QC)		\$5,870
---	----------	---	--	---------

NOTE: It is recommended to use Caterpillar production measure application with aggregate counterweights to ensure compliance with Medium Wheel Loader Payload policy.

L	367-2349	COUNTERWEIGHT, LOGGER 0 FOR USE WITH LANE 3 ONLY ONLY FOR USE WITH: 498-5645 LINKAGE, LOGGER		\$5,870
---	----------	--	--	---------

L	423-1454	COUNTERWEIGHT, REAR GUARD 0 FOR USE WITH LANE 3 ONLY Hinged guard protecting radiator grill and cores for machine working in confined application. Provide same stability as the standard counterweight. ONLY FOR USE WITH: 498-5643 LINKAGE, STANDARD LIFT 498-5644 LINKAGE, HIGH LIFT		\$18,820
---	----------	--	--	----------

POWERTRAIN

AXLE PACKAGES

Axle packages include a combination of Limited Slip Differentials (LSD), Ecology Drains (ED), Extreme Temperature Seals (ETS), Axle Oil Ready (AOCR), and Axle Oil Cooler (AOC).

L	388-6205	AXLES, OPEN/OPEN, ED 0 INCLUDES: -Open front differential -Open rear differential -Ecology drains CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE		\$575
---	----------	---	--	-------

L	388-6208	AXLES, OPEN/OPEN, ED, AOC RDY 0 INCLUDES: -Open front differential -Open rear differential -Ecology drains -Axle oil cooler ready Provides internal oil tubes and frame hardware for simplified field installation of axle oil cooler. CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE		\$1,455
---	----------	--	--	---------

CATERPILLAR MACHINE PRICE LIST

980M-LR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

POWERTRAIN (CONT.)

AXLE PACKAGES (Cont.)

L	388-6211	AXLES, OPEN/OPEN, ED, AOC 0 INCLUDES: -Open front differential -Open rear differential -Ecology drains -Axle oil cooler Provides installed oil cooler system for front & rear axles. Recommended for machines operating in high energy applications, such as extended load & carry. REQUIRES: 374-0722 GUARD, CRANKCASE CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE	0	\$8,340
L	388-6207	AXLES, LSD/LSD, ED 0 FOR USE WITH LANE 3 ONLY INCLUDES: -Limited slip front differential -Limited slip rear differential -Ecology drains CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE	0	\$8,460
L	388-6210	AXLES, LSD/LSD, ED, AOC RDY 0 FOR USE WITH LANE 3 ONLY INCLUDES: -Limited slip front differential -Limited slip rear differential -Ecology drains -Axle oil cooler ready Provides internal oil tubes and frame hardware for simplified field installation of axle oil cooler. CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE	0	\$9,330
L	388-6213	AXLES, LSD/LSD, ED, AOC 0 FOR USE WITH LANE 3 ONLY INCLUDES: -Limited slip front differential -Limited slip rear differential -Ecology drains -Axle oil cooler Provides installed oil cooler system for front & rear axles. Recommended for machines operating in high energy applications, such as extended load & carry. REQUIRES: 374-0722 GUARD, CRANKCASE CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE	0	\$16,240
L	388-6214	AXLES, OPEN/OPEN, ED, ETS 0 FOR USE WITH LANE 3 ONLY INCLUDES: -Open front differential -Open rear differential -Ecology drains -Extreme temperature seals CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE	0	\$1,795

CATERPILLAR MACHINE PRICE LIST

980M-LR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

POWERTRAIN (CONT.)

AXLE PACKAGES (Cont.)

L	388-6215	AXLES, LSD/LSD, ED, ETS 0 FOR USE WITH LANE 3 ONLY INCLUDES: -Limited slip front differential -Limited slip rear differential -Ecology drains -Extreme temperature seals CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE		\$9,690
L	458-2297	AXLES SM, OPEN/OPEN, ED 0 FOR USE WITH LANE 3 ONLY INCLUDES: -Open front differential -Open rear differential -Ecology drains -Insulated hoses & harness ONLY FOR USE WITH: 506-7670 STEEL MILL PACKAGE		\$595
L	458-2298	AXLES SM, OPEN/LSD, ED, AOC 0 FOR USE WITH LANE 3 ONLY INCLUDES: -Open front differential -Limited slip rear differential -Ecology drains -Axle oil cooler Provides installed oil cooler system for front & rear axles. Recommended for machines operating in high energy applications, such as extended load & carry. ONLY FOR USE WITH: 506-7670 STEEL MILL PACKAGE		\$13,450

TRANSMISSION

L	365-2329	TRANSMISSION, STANDARD 0 ONLY FOR USE WITH: 509-6646 STANDARD PACKAGE 506-7663 INDUSTRIAL PACKAGE		NC
L	377-6108	TRANSMISSION, HEAVY DUTY 0		\$8,640

HYDRAULICS

HYDRAULICS

L	373-3941	HYDRAULICS, 2V RC 0 Provides 2 valve hydraulics and ride control. CANNOT BE USED WITH: 498-5647 LINKAGE, STEEL MILL		NC
L	373-3942	HYDRAULICS, 3V RC, STD/LOGGER 0 Provides 3 valve hydraulics and ride control. ONLY FOR USE WITH: 498-5643 LINKAGE, STANDARD LIFT 498-5645 LINKAGE, LOGGER 521-0954 LINKAGE, STANDARD LIFT (QC)		\$5,650
L	458-2296	HYDRAULICS, 2V RC, SM 0 FOR USE WITH LANE 3 ONLY Provides 2 valve hydraulics and ride control. Also provides insulated hoses. ONLY FOR USE WITH: 498-5647 LINKAGE, STEEL MILL		NC

CATERPILLAR MACHINE PRICE LIST

980M-LR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

HYDRAULICS (Cont.)

L	373-3946	HYDRAULICS, 3V RC, HIGH LIFT 0 FOR USE WITH LANE 3 ONLY Provides 2 valve hydraulics and ride control. ONLY FOR USE WITH: 498-5644 LINKAGE, HIGH LIFT		\$5,650
---	----------	---	--	---------

HYDRAULIC OIL

L	415-5594	HYDRAULIC OIL, STANDARD 0 Cat HYDO Advanced 10 allows to extend oil change intervals up to 6000 hours with S-O-S services. CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE		NC
L	458-2284	HYDRAULIC OIL, STEEL MILL 0 FOR USE WITH LANE 3 ONLY EcoSafe lubricant (FR46 Hydraulic fluid) ONLY FOR USE WITH: 506-7670 STEEL MILL PACKAGE		\$1,870

STARTERS, BATTERIES, & ALTERNATORS

ENGINE STARTING PACKAGES

L	498-0180	STARTING, STANDARD 0 Provides 2 batteries.		NC
L	498-0181	STARTING, COLD (120V) 0 Provides 120V block heater and 4 batteries on the machine for low temperatures. ONLY FOR USE WITH: 509-6646 STANDARD PACKAGE 506-7665 LOGGER PACKAGE		\$1,705
L	506-0792	STARTING, COLD (120V), HD 0 FOR USE WITH LANE 3 ONLY Provides: -120V block heater & 4 batteries on the machine for low temperatures -Cold start battery wiring for HD boxes ONLY FOR USE WITH: 506-7663 INDUSTRIAL PACKAGE 506-7670 STEEL MILL PACKAGE		\$1,705

ELECTRICAL

LIGHTS

L	498-0173	LIGHTS, HALOGEN 0 INCLUDES: -2 halogen forward roading lights (low/high beam) with halogen turn signals -2 halogen rear facing working lights in the hood -2 LED position/stop/turn lights -4 halogen working lights on the cab CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

980M-LR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

ELECTRICAL (CONT.)

LIGHTS (Cont.)

L	498-0174	LIGHTS, HALOGEN, PREMIUM 0 INCLUDES: -2 halogen forward roading lights (low/high beam) with halogen turn signals -2 halogen rear facing working lights in the hood -2 LED position/stop/turn lights -8 halogen working lights on the cab CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE		\$875
L	561-9356	LIGHTS, LED, PREMIUM 0 INCLUDES: -2 LED forward roading lights (low/high beam) with LED turn signals -2 LED rear facing working lights in the hood -2 LED position/stop/turn lights -8 LED working lights on the cab CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE		\$3,360
L	561-9355	LIGHTS, LED 0 Provides Rooding lights: -2 forward roading lights halogen(low/high beam) with Halogen turn signal. -2 rear LED position stop turn lights Provides Halogen Work lights: -2 forward facing standard lights on the top of the cab -2 rear facing standard lights on the top of the cab -2 rear facing standard lights on the Hood CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE		\$2,525
L	561-9358	LIGHTS, LED, STEEL MILL 0 FOR USE WITH LANE 3 ONLY INCLUDES: -4 LED forward facing work lights and 4 LED rear facing work lights, mounted on top of the cab. -2 halogen forward roading lights (low/high beam) -2 LED rear facing working lights in the hood -2 LED position/stop/turn lights -Multi-position roading light brackets -High temperature forward roading lights -Light guards -Insulated harness ONLY FOR USE WITH: 506-7670 STEEL MILL PACKAGE		\$2,130

OPERATOR ENVIRONMENT

CAB WINDOWS AND GUARDS

L	493-9627	WINDOWS, STANDARD 0 CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE		NC
L	493-9631	WINDOWS, STANDARD, FRONT GUARD 0 FOR USE WITH LANE 3 ONLY Provides front window guard. CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE		\$3,575
L	493-9629	WINDOWS, STANDARD, HD GUARD 0 FOR USE WITH LANE 3 ONLY Provides a front window heavy duty guard. CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE		\$9,200

CATERPILLAR MACHINE PRICE LIST

980M-LR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

CAB WINDOWS AND GUARDS (Cont.)

L	493-9630	WINDOWS, STANDARD, FULL GUARD 0 FOR USE WITH LANE 3 ONLY Provides a full window guard. CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE		\$12,290
L	503-2428	WINDOWS, RUBBER MTD, FRONT GD 0 FOR USE WITH LANE 3 ONLY Provides front windows mounted in rubber seals and front window guard. CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE		\$8,700
L	569-0215	WINDOWS, RUBBER MOUNTED 0 FOR USE WITH LANE 3 ONLY Rubber mounted flat glass with heavy duty cab mounts. REQUIRED BY: 506-7670 STEEL MILL PACKAGE		\$5,230

CAB TRIM

L	538-2773	CAB TRIM, COMFORT (LHD) 0 INCLUDES: -SEAT, COMFORT, LHD Provides steering joystick on left hand armrest and comfort seat with ride stiffness adjustment and manual lumbar adjustment. -MIRRORS, EXTERNAL -SUN VISOR, REAR Provides pull down sun screen in rear window. CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE		\$69
L	538-2774	CAB TRIM, DELUXE (LHD) 0 INCLUDES: -SEAT, DELUXE, LHD Provides steering joystick on left hand armrest and deluxe seat containing resistance heating, manual lumbar and 2-way thigh adjustment, ride stiffness adjustment, dynamic end dampening, and suede accents. -MIRRORS, EXTERNAL, HEATED Provides heated & powered mirrors. -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window. CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE		\$1,185

CATERPILLAR MACHINE PRICE LIST

980M-LR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

CAB TRIM (Cont.)

L	538-2775	CAB TRIM, PREMIUM PLUS (LHD) 0 FOR USE WITH LANE 3 ONLY INCLUDES: -SEAT, PREMIUM PLUS, LHD Provides steering joystick on left hand armrest and premium plus seat containing forced air heating and cooling, 2-way thigh adjustment, power lumbar and back bolster adjustment, ride stiffness adjustment, dynamic end dampening, and leather finish. -MIRRORS, EXTERNAL, HEATED Provides heated & powered mirrors. -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window. CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE	0	\$3,905
L	546-3449	CAB TRIM, DELUXE (EH) 0 FOR USE WITH LANE 3 ONLY INCLUDES: -SEAT, DELUXE, EH WHEEL Provides steering wheel and deluxe seat containing resistance heating, manual lumbar and 2-way thigh adjustment, ride stiffness adjustment, dynamic end dampening, and suede accents. -MIRRORS, EXTERNAL, HEATED Provides heated & powered mirrors. -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window. CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE	0	\$4,945
L	546-3450	CAB TRIM, PREMIUM PLUS (EH) 0 FOR USE WITH LANE 3 ONLY INCLUDES: -SEAT, PREMIUM PLUS, EH WHEEL Provides steering wheel and premium plus seat containing forced air heating and cooling, 2-way thigh adjustment, power lumbar and back bolster adjustment, ride stiffness adjustment, dynamic end dampening, and leather finish. -MIRRORS, EXTERNAL, HEATED Provides heated & powered mirrors. -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window. CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE	0	\$7,790

CATERPILLAR MACHINE PRICE LIST

980M-LR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

CAB TRIM (Cont.)

L	561-8839	CAB TRIM, COMFORT, SM, (LHD) 0 FOR USE WITH LANE 3 ONLY INCLUDES: -SEAT, COMFORT, LHD Provides steering joystick on left hand armrest and comfort seat with ride stiffness adjustment and manual lumbar adjustment. -MIRRORS, EXTERNAL, STEEL MILL Provides metallic mirrors for protection against high temperatures. -SUN VISOR, REAR Provides pull down sun screen in rear window. ONLY FOR USE WITH: 506-7670 STEEL MILL PACKAGE	0	\$68
L	561-8838	CAB TRIM, DELUXE, SM (EH) 0 FOR USE WITH LANE 3 ONLY INCLUDES: -SEAT, DELUXE, EH WHEEL Provides steering wheel and deluxe seat containing resistance heating, manual lumbar and 2-way thigh adjustment, ride stiffness adjustment, dynamic end dampening, and suede accents. -MIRRORS, EXTERNAL, STEEL MILL Provides metallic mirrors for protection against high temperatures. -SUN VISOR, REAR Provides pull down sun screen in rear window. ONLY FOR USE WITH: 506-7670 STEEL MILL PACKAGE	0	\$3,990

IMPLEMENT CONTROLS

L	539-6031	SINGLE AXIS LEVERS, 2V, LHD 0 INCLUDES: -2 single action levers for implement lift and tilt controls ONLY FOR USE WITH: 538-2773 CAB TRIM, STANDARD (LHD) 538-2774 CAB TRIM, HEATED (LHD) 538-2775 CAB TRIM, VENTED (LHD) 561-8839 CAB TRIM, STEEL MILL (LHD)	0	NC
L	539-6041	SINGLE AXIS LEVERS, 3V, LHD 0 INCLUDES: -3 single action levers for implement lift, tilt & 3rd function controls ONLY FOR USE WITH: 538-2773 CAB TRIM, STANDARD (LHD) 538-2774 CAB TRIM, HEATED (LHD) 538-2775 CAB TRIM, VENTED (LHD)	0	NC
L	539-6036	JOYSTICK, 2V, LHD 0 INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick ONLY FOR USE WITH: 538-2773 CAB TRIM, STANDARD (LHD) 538-2774 CAB TRIM, HEATED (LHD) 538-2775 CAB TRIM, VENTED (LHD) 561-8839 CAB TRIM, STEEL MILL (LHD)	0	\$1,095

CATERPILLAR MACHINE PRICE LIST

980M-LR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

IMPLEMENT CONTROLS (Cont.)

L	539-6046	JOYSTICK, 3V, LHD 0 INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -1 roller switch controlling the 3rd function integrated in the joystick ONLY FOR USE WITH: 538-2773 CAB TRIM, STANDARD (LHD) 538-2774 CAB TRIM, HEATED (LHD) 538-2775 CAB TRIM, VENTED (LHD)		\$1,535
L	539-6030	SINGLE AXIS LEVERS W/FNR, 2V 0 FOR USE IN LANE 3 ONLY INCLUDES: -2 single action levers for implement lift & tilt controls -FNR switch on implement pod ONLY FOR USE WITH: 546-3449 CAB TRIM, HEATED 546-3450 CAB TRIM, VENTED 561-8838 CAB TRIM, STEEL MILL		NC
L	539-6040	SINGLE AXIS LEVERS W/FNR, 3V 0 FOR USE WITH LANE 3 ONLY INCLUDES: -3 single action levers for implement lift, tilt & 3rd function controls -FNR switch on implement pod ONLY FOR USE WITH: 546-3449 CAB TRIM, HEATED 546-3450 CAB TRIM, VENTED		NC
L	539-6035	JOYSTICK W/FNR, 2V 0 FOR USE WITH LANE 3 ONLY INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick ONLY FOR USE WITH: 546-3449 CAB TRIM, HEATED 546-3450 CAB TRIM, VENTED 561-8838 CAB TRIM, STEEL MILL		\$1,210
L	539-6045	JOYSTICK W/FNR, 3V 0 FOR USE WITH LANE 3 ONLY INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -1 roller switch controlling the 3rd function integrated in the joystick ONLY FOR USE WITH: 546-3449 CAB TRIM, HEATED 546-3450 CAB TRIM, VENTED		\$1,660

STEERING

L	388-6250	STEERING, STANDARD 0 CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE		NC
L	373-3944	STEERING, SECONDARY 0 CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE		\$5,830
L	458-2301	STEERING, STEEL MILL 0 FOR USE WITH LANE 3 ONLY Provides insulated hoses and harnesses. ONLY FOR USE WITH: 506-7670 STEEL MILL PACKAGE		NC

CATERPILLAR MACHINE PRICE LIST

980M-LR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

STEERING (Cont.)

L	458-2302	STEERING, SECONDARY SM 0		\$6,360
		FOR USE WITH LANE 3 ONLY Provides insulated hoses and harnesses. ONLY FOR USE WITH: 506-7670 STEEL MILL PACKAGE		

CAB FILTRATION

L	505-1519	FILTRATION, STANDARD 0		NC
		INCLUDES: -CAB ROOF, NON-METALLIC -COVER, HVAC, NON-METALLIC CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE		
L	505-1520	FILTRATION, STD, PRECLEANER 0		\$690
		FOR USE WITH LANE 3 ONLY INCLUDES: -CAB ROOF, NON-METALLIC -COVER, HVAC, NON-METALLIC -PRECLEANER, HVAC Provides a precleaner for dusty environments for cab air intake. CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE		
L	505-1523	FILTRATION, STD, ACF PRECLNR 0		\$1,870
		FOR USE WITH LANE 3 ONLY INCLUDES: -CAB ROOF, NON-METALLIC -COVER, HVAC, STEEL FOR ACF -ACF PRECLEANER, HVAC CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE		
L	505-1521	FILTRATION, STEEL 0		\$2,155
		FOR USE WITH LANE 3 ONLY INCLUDES: -CAB ROOF, STEEL -COVER, HVAC, STEEL ONLY FOR USE WITH: 506-7670 STEEL MILL PACKAGE		
L	505-1522	FILTRATION, STEEL, ACF PRECLNR 0		\$3,515
		FOR USE WITH LANE 3 ONLY INCLUDES: -CAB ROOF, STEEL -COVER, HVAC, STEEL FOR ACF -ACF PRECLEANER, HVAC CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE		

SEAT BELT

L	551-3397	SEAT BELT, 3" 0		\$104
---	----------	----------------------------------	--	--------------

CATERPILLAR MACHINE PRICE LIST

980M-LR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	434-0691	PRODUCT LINK, CELLULAR PLE641 0		NC
		Product Link Elite series PLE641 (consisting of PL641 radio and PLE601 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		
L	434-0693	PRODUCT LINK, SATELLITE PLE631 0		\$439
		Product Link Elite series PLE631 (consisting of PL631 radio and PLE601 network manager) uses a satellite network to transmit location, utilization and health information for viewing in Product Link user applications. For use in areas with poor or no cellular coverage.		

FUEL SYSTEMS

FUEL TANK

L	436-2381	FUEL TANK, FAST FILL READY 0		NC
L	436-2391	FUEL TANK, FAST FILL (ANSI) 0		\$1,180
		ONLY FOR USE WITH: 561-4441 REGIONAL PACKAGE, AM-N		

COOLING

COOLING SYSTEM

L	521-9362	COOLING CORES, 9 FPI 0		NC
		Provides cooling capability up to 47C (117F) ambient. Recommended for low & medium debris applications.		
L	540-0609	COOLING CORES, 6 FPI 0		\$336
		Provides cooling capability up to 43C (109F) ambient. Recommended for medium & high debris applications.		

COOLING FAN

L	497-3534	FAN, STANDARD 0		NC
		Standard load sensing hydraulically driven fan.		

CATERPILLAR MACHINE PRICE LIST

980M-LR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

COOLING (CONT.)

COOLING FAN (Cont.)

L	493-7704	FAN, VPF, ANSI 0		\$6,730
		FOR USE WITH LANE 3 ONLY Provides an attachment reversing function to the standard hydraulically driven demand fan. This provides the ability to rotate blades and to reverse the airflow direction to remove debris from the radiator and engine enclosures while the machine is still operating. Includes automatic and manual controls for airflow reversal. Recommended for applications with a high content of airborne debris. NOT RECOMMENDED FOR STEEL MILL APPLICATIONS ONLY FOR USE WITH: 561-4441 REGIONAL PACKAGE, AM-N		

COOLANT

L	371-7068	ANTIFREEZE, -34C (-29F) 0		NC
		Premix antifreeze, -34C (-29F)		
L	415-5595	ANTIFREEZE, -50C (-58F) 0		\$275 NET
		Premix antifreeze, -50C (-58F)		

TIRES, RIMS, AND WHEELS

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice. However, if the tire type cannot be supplied we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

NOTE: All tires include rims & come in a set of 4. Tires are tubeless & non-directional unless otherwise stated.

NOTE: Other tires are available upon request.

TIRES AVAILABLE FROM BRIDGESTONE

P	380-7711	TIRES, 29.5R25 BS VJT * L3 5PC 0		\$-5,140
		Bridgestone Radial; Tread Depth=42mm (53/32"); Rim=25"x25" 5 piece Provides reduced vibration, damage resistance and traction in soft to rocky underfoot conditions.		
P	371-0325	TIRES, 29.5R25 BS VSNT * L4 5PC 0		\$2,795
		Bridgestone Radial; Tread Depth=60mm (76/32"); Rim=25"x25" 5 piece Provides damage resistance and traction in moderate rock environments.		

CATERPILLAR MACHINE PRICE LIST

980M-LR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

TIRES AVAILABLE FROM BRIDGESTONE (Cont.)

P	371-0326	TIRES,29.5R25 BS VSDL * L5 5PC 0 FOR USE WITH LANE 3 ONLY Bridgestone Radial; Tread Depth=104mm (131/32"); Rim=25"x25" 5 piece Suitable for severe rock environments where maximum damage protection is needed. CANNOT BE USED WITH: 468-7445 COUNTERWEIGHT, AGGREGATE		\$10,370
P	475-6254	TIRES, 875/65R29 BS VTS * L3 0 FOR USE WITH LANE 3 ONLY Bridgestone Radial; Tread Depth=47.5mm (60/32"); Rim=27"x29" 5 piece Provides increased stability, floatation, damage resistance, and traction in soft to rocky underfoot conditions. Low-profile tire provides increased floatation. Recommended for sand and forestry applications.		\$1,590

TIRES AVAILABLE FROM MICHELIN

P	371-0320	TIRES,29.5R25 MX XHA2 **L3 5PC 0 Michelin Radial; Tread Depth=43mm (54/32"); Rim=25"x25" 5 piece Provides reduced vibration, damage resistance and traction in soft to rocky underfoot conditions.		\$-6,280
P	371-0307	TIRES, 875/65R29 MX XHA2 * L3 0 FOR USE WITH LANE 3 ONLY Michelin Radial; Tread Depth=48mm (60/32"); Rim=27"x29" 5 piece Provides reduced vibration, damage resistance, and traction in soft to rocky underfoot conditions. Low-profile tire provides increased floatation. Recommended for sand and forestry application.		\$3,330
P	497-7890	TIRES, 29.5R25 MX XTXL *** L4 0 Michelin Radial XTXL; Tread Depth=59mm (74/33"); Rim=25.5"x25.5" 5 pc Provides damage resistance and traction in moderate rock environments.		\$18,740

TIRES AVAILABLE FROM MAXAM

P	541-8792	TIRES,29.5R25 MA MS302 **E3/L3 0 MAXAM RADIAL; TREAD DEPTH=42.3mm; Rim=25"x25" 5 piece Provides reduced vibration, damage resistance, and traction in soft to rocky underfoot conditions.		\$-11,530
---	----------	---	--	-----------

TIRES/RIMS, ALLOWANCE FOR OMISSION

Dealers should contact their Application Specialist if they plan to use a tire not offered on the price list. Some tires may require axle oscillation stops or other machine modifications.

P	371-0297	RIMS ONLY (5PC), TIRES OMITTED 0 FOR USE IN LANE 3 ONLY		\$-29,460
P	0P-3649	OMISSION, TIRES AND RIMS 0 FOR USE IN LANE 3 ONLY		\$-35,770

CATERPILLAR MACHINE PRICE LIST

980M-LR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OTHER ATTACHMENTS

ENGINE PRECLEANERS

L	324-8092	AIR INLET STANDARD, RAIN CAP 0 Includes standard strata tubes precleaner ejecting up to 96% of debris.		NC
L	365-0220	PRECLEANER, TURBINE. 0 Turbine engine air inlet precleaner, to be used in extremely high dust and airborne debris environments.		\$725
L	365-0221	AIR INLET PRECLEANER, TRASH. 0 FOR USE WITH LANE 3 ONLY Turbine engine air inlet precleaner, to be used in extremely high dust and airborne debris environments with a grill protecting precleaner from large debris.		\$955

BODY

FENDERS

L	464-6682	FENDERS, BASIC +. 0 ONLY FOR USE WITH: 509-6646 STANDARD PACKAGE 506-7665 LOGGER PACKAGE CANNOT BE USED WITH: TIRES, 875/65R29 (LOW PROFILE)		NC
L	464-6683	FENDERS, ROADING 0 ONLY FOR USE WITH: 509-6646 STANDARD PACKAGE 506-7665 LOGGER PACKAGE CANNOT BE USED WITH: TIRES, 875/65R29 (LOW PROFILE)		\$2,895
L	464-6684	FENDERS, BASIC +, LOW PROFILE. 0 ONLY FOR USE WITH: 509-6646 STANDARD PACKAGE 506-7665 LOGGER PACKAGE TIRES, 875/65R29 (LOW PROFILE)		\$150
L	464-6685	FENDERS, ROADING, LOW PROFILE 0 ONLY FOR USE WITH: 509-6646 STANDARD PACKAGE 506-7665 LOGGER PACKAGE TIRES, 875/65R29 (LOW PROFILE)		\$3,180
L	478-8373	FENDERS, NARROW 0 FOR USE WITH LANE 3 ONLY Provides narrow steel front fenders, Steel rear fender extensions and Heavy duty hanging steel cable steps.		\$3,520
L	478-8376	FENDERS, REAR EGRESS. 0 FOR USE WITH LANE 3 ONLY Provides narrow steel front fenders, machine left hand side rear egress with handrails, machine right hand side platform, and heavy duty hanging steel cable steps. ONLY FOR USE WITH: 506-7663 INDUSTRIAL PACKAGE 506-7670 STEEL MILL PACKAGE		\$12,930

HOOD

L	379-9400	HOOD, NON-METALLIC 0		NC
---	----------	---------------------------------------	--	----

SOUND SUPPRESSION

L	465-6591	SOUND SUPPRESSION, STANDARD 0 ONLY FOR USE WITH: 509-6646 STANDARD PACKAGE 506-7665 LOGGER PACKAGE		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

980M-LR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BODY (CONT.)

SOUND SUPPRESSION (Cont.)

L	483-5890	SOUND SUPPRESSION, IND & SM 0 FOR USE WITH LANE 3 ONLY ONLY FOR USE WITH: 506-7663 INDUSTRIAL PACKAGE 506-7670 STEEL MILL PACKAGE		\$6,040
---	----------	--	--	---------

QUICK COUPLERS

P	0G-0386	NO QUICK COUPLER READY 0 CANNOT BE USED WITH: 521-0954 LINKAGE, STANDARD LIFT (QC)		NC
P	498-5649	QUICK COUPLER READY, STD LIFT 0 FOR USE WITH LANE 3 ONLY Includes all hydraulic lines, vertical wedge activation switch in the cab. Coupler NOT included. ONLY FOR USE WITH: 498-5643 LINKAGE, STANDARD LIFT 521-0954 LINKAGE, STANDARD LIFT (QC) 498-5645 LINKAGE, LOGGER		\$4,385
P	498-5650	QUICK COUPLER READY, HIGH LIFT 0 FOR USE WITH LANE 3 ONLY Includes all hydraulic lines, vertical wedge activation switch in the cab. Coupler NOT included. ONLY FOR USE WITH: 498-5644 LINKAGE, HIGH LIFT		\$4,385

FLUIDS

LUBRICATION ARRANGEMENTS

MANUAL - Requires manual greasing of pin joints according to maintenance schedule. Several fittings remote located and centralize for better access.

AUTOLUBE READY - Linkage and frame hardware installed. This will provide dealers with the flexibility of buying Autolube kits to convert the machine into an Autolube configuration.

AUTOLUBE - Greases pin joints requiring daily lubrication: linkage pin joints, including bucket pins, articulation hitch, steering cylinders and rear axle trunnions.

L	506-0416	LUBRICATION, MANUAL, STD/HL 0 ONLY FOR USE WITH: 498-5643 LINKAGE, STANDARD LIFT 521-0954 LINKAGE, STANDARD LIFT (QC) 498-5644 LINKAGE, HIGH LIFT		NC
L	507-8991	LUBRICATION, MANUAL (AUTO RDY) 0 ONLY FOR USE WITH: 498-5643 LINKAGE, STANDARD LIFT 521-0954 LINKAGE, STANDARD LIFT (QC)		\$1,625
L	495-7529	AUTOLUBE, STD 0 Provides Caterpillar autolube system. Recommended use autolube with counterweight aggregate. ONLY FOR USE WITH: 498-5643 LINKAGE, STANDARD LIFT		\$6,850
L	507-6191	LUBRICATION, MANUAL, LOGGER 0 FOR USE WITH LANE 3 ONLY ONLY FOR USE WITH: 498-5645 LINKAGE, LOGGER		NC

CATERPILLAR MACHINE PRICE LIST

980M-LR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FLUIDS (CONT.)

LUBRICATION ARRANGEMENTS (Cont.)

L	507-6192	LUBRICATION, MANUAL, SM 0 FOR USE WITH LANE 3 ONLY ONLY FOR USE WITH: 498-5647 LINKAGE, STEEL MILL		\$3,135
L	520-9206	AUTOLUBE, STD LIFT, QC 0 FOR USE WITH LANE 3 ONLY Provides Caterpillar autolube system. Recommended use autolube with counterweight aggregate. ONLY FOR USE WITH: 521-0954 LINKAGE, STANDARD LIFT QC		\$6,850
L	495-7531	AUTOLUBE, HIGH LIFT 0 FOR USE WITH LANE 3 ONLY Provides Caterpillar autolube system. ONLY FOR USE WITH: 498-5644 LINKAGE, HIGH LIFT		\$7,140
L	498-5641	AUTOLUBE, LOGGER 0 FOR USE WITH LANE 3 ONLY Provides Caterpillar autolube system. ONLY FOR USE WITH: 498-5645 LINKAGE, LOGGER		\$7,140
L	495-7532	AUTOLUBE, STEEL MILL 0 FOR USE WITH LANE 3 ONLY Provides: -Caterpillar autolube system for steel mill arrangement with cover for pump. -Unique grease path G-Pin for extreme applications ONLY FOR USE WITH: 498-5647 LINKAGE, STEEL MILL		\$10,900

NOTE: Excludes autolube grease lines to the bucket pins.

CATERPILLAR MACHINE PRICE LIST

980M-LR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

OPERATOR ENVIRONMENT

INTEGRATED OBJECT DETECTION SYSTEM.

The Cat Integrated Object Detection adds radar and alarms to the standard on-board rear vision camera to notify the operator when something is close to the rear of the machine. This system is configured with zones, and objects in those zones trigger various levels of alarms. A display screen in the cab provides visual confirmation of the objects detected by the radar, so operators can make informed decisions.

NOTE: C5 radars (below) are the preferred MWL system. C6 radars are available for regions where required, and depends on radar approval. For a list of approved countries, please visit: <https://dealer.cat.com/detect>

L	486-9204	OBJECT DETECTION 0 CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE 423-1454 COUNTERWEIGHT, REAR GUARD		\$2,785
L	486-9205	OBJECT DETN & CB RADIO READY 0 INCLUDES: 486-9204 OBJECT DETECTION 372-1603 RADIO, CB (READY) CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE 423-1454 COUNTERWEIGHT, REAR GUARD		\$3,720

RADIOS

P	372-1603	RADIO, CB (READY) 0 Provides adjustable mounting brackets for two radios, a 20 amp 24V to 12V converter, a CB antenna, CB cable converter, and two separate four wire connectors that contain a ground, 12V and 24 V circuits. INCLUDED IN: 486-9205 OBJECT DETN & CB RADIO READY		\$955
P	372-1600	RADIO, AM/FM/USB/MP3 BLUETOOTH 0 Provides AM/FM/MP3/WB/USB/AUX with integrated BlueTooth. REQUIRED BY: LANE 2 ORDERS		\$590

VISIBILITY

P	380-5964	SECONDARY CAMERA DISPLAY 0 FOR USE WITH LANE 3 ONLY Provides full-time display dedicated to rear-view camera.		\$1,755
---	----------	---	--	---------

SECURITY SYSTEM

P	372-1604	SECURITY SYSTEM, MACHINE 0 FOR USE WITH LANE 3 ONLY Protects from vandalism and theft by preventing unauthorized personnel from starting a machine. Machines start only after a unique MSS key is inserted into the ignition. MSS keys can be programmed to start machines only certain days or hours.		\$700
---	----------	--	--	-------

CATERPILLAR MACHINE PRICE LIST

980M-LR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

LIGHTS

P	513-2458	LIGHTS, REVERSING STROBE 0 Provides 2 reversing white strobes. CANNOT BE USED WITH: 423-1454 COUNTERWEIGHT, REAR GUARD		\$275
P	491-7467	LIGHT, WARNING BEACON 0 Provides hard mounted strobe beacon on hinged (breakaway) bracket mounted to the rear of the cab structure.		\$491
P	460-7450	LIGHT, SEAT BELT WARNING 0 Provides a seat belt warning light mounted to the rear of the cab structure.		\$230

TECHNOLOGY PRODUCTS

SOFTWARE ENABLED ATTACHMENTS (SEA) INSTRUCTIONS

Some dealer enabled technology products require the purchase of an activation code from Cat FPS via the Internet at <https://fps.cat.com> (requires CWS account). Refer to REHS1238 & REHS8401 for instructions.

CATERPILLAR MACHINE PRICE LIST

980M-LR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

CAT PRODUCTION MEASUREMENT (CPM) PAYLOAD WEIGHING SYSTEM

CPM includes an integrated onboard payload weighing scale with material management, cycle count & time recording and wireless production detail reporting capability.

- Payload & cycle totals are sent wirelessly to VisionLink. (Cat Essentials subscription required.)
- Detailed payload reports and KPI metrics can be visualized on-line and downloaded for further analysis, with a subscription to Cat Advanced Productivity. (First 6 months included with purchase of CPM; subscription fee applies thereafter. Requires PLE641 cellular Product Link.) Payload detail may also be downloaded via a wired connection between the loader and a laptop computer for analysis in VIMSpC software (requires purchase of VIMSpC software and VIMS data cable).
- Payload tickets can be printed with an optional printer (kit only, available through the KITS-MWL price list, part number 483-5477)

Refer to <https://dealer.cat.com/payload> for complete technical specifications; operation, sales, marketing and technical support publications.

NOTES:

- 1) Demo and permanent software are available from the factory.
- 2) For field installation, permanent software can be purchased through the Caterpillar Feature Protection System and enabled by a dealer technician with Cat ET and an SEA activation code. SEA p/n 517-4683. Consult ANTARES parts distribution system for current SEA price.
- 3) Requires calibration prior to customer use. Refer to the Systems Test & Adjust manual UENR7119.

P	517-7123	CPM PAYLOAD SOFTWARE 0	\$5,010
		Includes permanent software, factory activated. Includes 6 mo. of prepaid Cat Advanced Productivity VisionLink subscription, with PLE641 cellular Product Link ONLY. (Not available in all countries. Contact PL Admin for details.) ONLY FOR USE WITH: 509-6646 STANDARD PACKAGE	

AUTODIG

Autodig is a software enabled attachment that controls the implement system during the bucket loading portion of a cycle to automatically load aggregate material.

NOT RECOMMENDED for hardbank or large rock loading.

P	453-3250	AUTODIG SOFTWARE 0	\$1,445
		Includes software for Aggregate Autodig. NOT RECOMMENDED for hardbank or large rock loading. ONLY FOR USE WITH: 509-6646 STANDARD PACKAGE	

CATERPILLAR MACHINE PRICE LIST

980M-LR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

GUARDS

P	374-0722	GUARD, CRANKCASE 0 ONLY FOR USE WITH: 509-6646 STANDARD PACKAGE 506-7665 LOGGER PACKAGE REQUIRED BY: 388-6211 AXLES, OPEN/OPEN, ED, AOC 388-6213 AXLES, LSD/LSD, ED, AOC		\$1,015
P	374-0720	GUARD, POWERTRAIN 0 Protects bottom of transmission. ONLY FOR USE WITH: 509-6646 STANDARD PACKAGE 506-7665 LOGGER PACKAGE CANNOT BE USED WITH: 394-0863 HINGED, POWERTRAIN GUARD		\$1,840
P	394-0863	GUARD, HINGED, POWERTRAIN 0 Protects bottom of transmission. CANNOT BE USED WITH: 374-0720 GUARD, POWERTRAIN REQUIRED BY: 506-7663 INDUSTRIAL PACKAGE 506-7670 STEEL MILL PACKAGE		\$3,550
P	485-4387	GUARDS, LIGHT 0 FOR USE WITH LANE 3 ONLY Provide protection guard for lights installed on the cab and counterweight CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE 561-9358 LIGHTS, STEEL MILL 493-9629 WINDOWS, STANDARD, HD GUARD		\$1,590
P	397-8231	ACTUATOR, HINGED BELLY GUARD 0 FOR USE WITH LANE 3 ONLY Provides an electric actuator and switch to raise and lower the hinged heavy duty guard. ONLY FOR USE WITH: 506-7663 INDUSTRIAL PACKAGE and 394-0863 GUARD, HINGED, POWERTRAIN		\$1,225

OTHER ATTACHMENTS

P	365-0313	OIL CHANGE SYSTEM, HIGH SPEED 0 Easy access drain line and Wiggins connector for remote engine oil drain. Provides quick, clean, and easy engine oil change without having to climb under the machine to access a gravity drain.		\$287
P	506-4371	WHEEL CHOCKS 0 Provides wheel chocks that mount to the frame.		\$491

QUICK COUPLERS

P	447-6627	QUICK COUPLER, FUSION 1,802 FOR USE WITH LANE 3 ONLY ONLY FOR USE WITH: 521-0954 LINKAGE, STANDARD LIFT (QC)		\$15,926
---	----------	---	--	----------

CATERPILLAR MACHINE PRICE LIST

980M-LR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

BUCKETS

Buckets must be ordered Installed on a Machine Order.
 For questions on buckets intended for Machine Orders please contact your Marketing Subsidiary Machine Coordinator.

Loose buckets should be ordered on a MISC Order through Caterpillar Work Tools - Wamego using source code OP-0672.

For availability of loose buckets please email worktools@cat.com

If you are going to order a loose bucket from CWTS and a machine from North Little Rock and if you need them shipped at the same time then you need to cross-reference the MSO's with each other.

Material density will determine the appropriate capacity bucket. Refer to the Specalog. Exceeding maximum payload may cause loader instability.

GENERAL PURPOSE PERFORMANCE SERIES BUCKETS (PIN-ON)

P	516-1378	BKTA GP ST 137" 7.5 YD3 PO 7,147 PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE) & CORNER GUARDS REQUIRES: 498-5643 LINKAGE, STANDARD LIFT 468-7445 COUNTERWEIGHT, AGGREGATE		\$27,681
P	515-5841	BKTA GP ST 137" 7.75 YD3 PO 7,242 PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE) & CORNER GUARDS REQUIRES: 498-5643 STANDARD LIFT 468-7445 COUNTERWEIGHT, AGGREGATE		\$29,222
P	516-1626	BKTA GP ST 137" 7.0 YD3 PO 6,920 FOR USE WITH LANE 3 ONLY PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE) & CORNER GUARDS CANNOT BE USED WITH: 468-7445 COUNTERWEIGHT, AGGREGATE 521-0954 LINKAGE, STANDARD LIFT (QC)		\$26,142

GENERAL PURPOSE-ABRASION PERFORMANCE SERIES BUCKETS (PIN-ON)

P	518-6144	BKTA GP AB 137" 7.75 YD3 PO 7,368 FOR USE WITH LANE 3 ONLY PERFORMANCE SERIES BUCKET INCLUDES: ARM BOLT-ON CUTTING EDGE (BOCE) & CORNER GUARDS CAPACITIES: 7.75YD3(6.0M3) w/bolt-on cutting edge, 137"(3481mm) wide(Bucket Tag) 110% Fill Factor: 8.75YD3(6.6M3) w/bolt-on cutting edge, 137"(3481mm) wide(Bucket Tag) REQUIRES: 468-7445 COUNTERWEIGHT, AGGREGATE CANNOT BE USED WITH: 521-0954 LINKAGE, STANDARD LIFT (QC)		\$34,799
---	----------	---	--	----------

CATERPILLAR MACHINE PRICE LIST

980M-LR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

BUCKETS (CONT.)

GENERAL PURPOSE-HEAVY DUTY PERFORMANCE SERIES BUCKETS (PIN-ON)

P	518-8291	BKTA GP HD 137" 7.50 YD3 PO 9,107 FOR USE WITH LANE 3 ONLY PERFORMANCE SERIES BUCKET INCLUDES: HALF-ARROW BOLT-ON CUTTING EDGE (BOCE), CORNER GUARDS, and SIDEBAR PROTECTORS CAPACITIES: 7.50YD3(5.7M3) w/bolt-on cutting edges, 137"(3481mm) wide(Bucket Tag) 110% FILL FACTOR: 8.25YD3(6.3M3) w/bolt-on cutting edges, 137"(3481mm) wide(Bucket Tag) REQUIRES: 468-7445 COUNTERWEIGHT, AGGREGATE CANNOT BE USED WITH: 521-0954 LINKAGE, STANDARD LIFT (QC)		\$36,656
---	----------	---	--	----------

WASTE HANDLING BUCKETS (PIN-ON)

P	517-2578	BKTA WD ST 153" 13.0 YD3 PO 9,513 FOR USE WITH LANE 3 ONLY Dozing style bucket 32.00YD3 dozing capacity with bolt-on cutting edge INCLUDES: BOLT-ON CUTTING EDGE (BOCE) CANNOT BE USED WITH: 468-7445 COUNTERWEIGHT, AGGREGATE 521-0954 LINKAGE, STANDARD LIFT (QC)		\$37,760
P	516-1699	BKTA WD ST 150" 13.0 YD3 PO 9,229 FOR USE WITH LANE 3 ONLY Dozing style bucket 32.00YD3 dozing capacity with bolt-on cutting edge INCLUDES: RUBBER BOLT-ON CUTTING EDGE (BOCE) CANNOT BE USED WITH: 468-7445 COUNTERWEIGHT, AGGREGATE 521-0954 LINKAGE, STANDARD LIFT (QC)		\$40,636
P	516-1756	BKTA WLC ST 153" 14.0 YD3 PO 10,029 FOR USE WITH LANE 3 ONLY Load and Carry style bucket INCLUDES: BOLT-ON CUTTING EDGE (BOCE) CANNOT BE USED WITH: 468-7445 COUNTERWEIGHT, AGGREGATE 521-0954 LINKAGE, STANDARD LIFT (QC)		\$45,353
P	516-1803	BKTA WLC ST 150" 14.0 YD3 PO 9,744 FOR USE WITH LANE 3 ONLY Load and Carry style bucket INCLUDES: RUBBER BOLT-ON CUTTING EDGE (BOCE) CANNOT BE USED WITH: 468-7445 COUNTERWEIGHT, AGGREGATE 521-0954 LINKAGE, STANDARD LIFT (QC)		\$47,914

QUICK COUPLER BUCKETS

P	529-8590	BKTA GP ST 135" 7.5 YD3 FUS 6,861 FOR USE WITH LANE 3 ONLY ONLY FOR USE WITH: 447-6627 QUICK COUPLER, FUSION		\$27,681
---	----------	---	--	----------

INSTRUCTIONS

FILMS

P	468-0173	FILM, FOREST 0 FOR USE WITH LANE 3 ONLY ONLY FOR USE WITH: 506-7665 LOGGER PACKAGE		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

980M-LR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

INSTRUCTIONS (CONT.)

FILMS (Cont.)

P	468-0170	FILM, SCRAP 0 FOR USE WITH LANE 3 ONLY ONLY FOR USE WITH: 506-7663 INDUSTRIAL PACKAGE		NC
P	468-0171	FILM, WASTE 0 FOR USE WITH LANE 3 ONLY ONLY FOR USE WITH: 506-7663 INDUSTRIAL PACKAGE		NC

PACKING

WORKTOOL OMISSION

P	446-0366	OMISSION, WORKTOOL 0 This is required when ordering a machine without an installed bucket or quick coupler to protect the links. CANNOT BE USED WITH: 521-0954 LINKAGE, STANDARD LIFT (QC)		NC
---	----------	--	--	----

PACKING (Must Select One)

	0P-0309	PACK, DOMESTIC TRUCK 0 Complete machine loaded on truck.		NC
	0P-0311	PACK, DOMESTIC TRUCK LESS TIRE 0 FOR USE WITH LANE 3 ONLY Machine loaded on truck with tires removed.		\$234 NET