

CATERPILLAR MACHINE PRICE LIST

CB2.5-MB

CB2.5 VIBRATORY UTILITY COMPACTOR
MINERBIO, ITALY

Ship Weight
lbs

LIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

CAT inline three-cylinder diesel engine
with glow-plug heater
Fuel filter/water separator/electronic
priming pump and electronic water
indicator
Dual element air cleaner with dust
ejection
Hydrostatic transmission
Service and parking brakes - spring
applied and hydraulically released

ELECTRICAL

Engine start switch with auto preheat
12-volt starting and charging system
85 ampere alternator
Maintenance free battery
Backup alarm and forward facing warning
horn
Product Link ready
Beacon ready

OPERATOR ENVIRONMENT

Gauge Cluster:
-Fuel level gauge
-Hour meter
-Engine Coolant Temperature Gauge
Emergency stop switch
Operator warning system indicators:
-Parking brake engaged
-Hydraulic oil temperature high
-Engine oil low pressure
-Electrical system voltage low
-Low fuel
-Engine preheat
-High/low vibe frequency
-Beacon status
Lockable, vandalism guard for
instrument panel
Travel control, single lever
Retractable seatbelt
2 platform handrails/single guardrail
Steering wheel spinner
12-volt power point
Sealed storage compartment
Isolated operator platform
Vibration reducing, diesel resistant
rubber floor mat

DRUMS

Two smooth drums: 1000 mm (39")
wide x 720 mm (28") diameter
Single amplitude with dual frequency
vibratory system
Pressurized drum watering system with
selectable continuous or intermittent
flow

FLUIDS

Premixed 50% concentration of extended
life coolant with freeze protection
to -37C (-35F)

OTHER STANDARD EQUIPMENT

Lockable engine enclosure with
safety hold open latch
Sealed for life hitch bearings
Sight gauges:
-Hydraulic tank level
-Engine Coolant
Lockable hydraulic tank cap
Articulated frame with safety lock
3 point hitch
4 transport tie-down and 4 lift points
Quick connect hydraulic pressure test
ports + 1 SOS port
Caterpillar o-ring face-seals couplings
Offset hitch with 50 mm (2") of
manual adjustment
Ecology drains:
-Hydraulic Tank
-Radiator
-Engine Oil

CATERPILLAR MACHINE PRICE LIST

CB2.5-MB

CB2.5 VIBRATORY UTILITY COMPACTOR
 MINERBIO, ITALY

Ship Weight
 lbs

LIST PRICE
 AT DEALER

562-0799	CB2.5 03A UTILITY COMPACTOR 0 LANE 2 - AVAILABLE FROM MINERBIO FACTORY LANE 3 - AVAILABLE FROM MINERBIO FACTORY	\$51,210
-----------------	--	-----------------

Double drum vibratory compactor with 1000mm (39") drum width
 AVAILABLE FOR: AM-N & PUERTO RICO

0G-0623	CB2.5 MISC MATL 0 AVAILABLE FROM MINERBIO FACTORY	NC
----------------	---	-----------

Only reference numbers that have the text
 "ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order

CATERPILLAR MACHINE PRICE LIST

CB2.5-MB

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER	0	NC

POWERTRAIN

ENGINE

L	609-9719	ENGINE, CAT C1.7T	0	NC
		Meets U.S. EPA Tier 4 Final emission standards.		
		ONLY FOR USE WITH: 562-0799 CB2.5 03A UTILITY COMPACTOR		

ELECTRICAL

LIGHTING

L	568-5154	LIGHTS, WORKING, LED	0	NC
		LED lighting package consisting of two front LED headlights, two LED reverse lights, two rear LED turn signal lights, and two rear mounted red reflectors.		
		ONLY FOR USE WITH: 562-0799 CB2.5 03A UTILITY COMPACTOR		
L	579-8410	LIGHTING, RIGHT HAND TRAFFIC	0	\$475
		LED lighting package consisting of two front LED headlights, two front LED turn signal lights, two front LED position lights, two LED reverse lights, two rear LED turn signal lights, and two rear mounted red reflectors.		
		ONLY FOR USE WITH: 562-0799 CB2.5 03A UTILITY COMPACTOR		

BATTERY DISCONNECT

P	565-3708	SWITCH, BATTERY DISCONNECT	0	\$125
		Disconnect switch with removable key.		
		ONLY FOR USE WITH: 562-0799 CB2.5 03A UTILITY COMPACTOR		
P	565-3671	SWITCH, BATTERY DISCONNECT,RED	0	\$149
		Lockable disconnect switch with large red switch.		
		ONLY FOR USE WITH: 562-0799 CB2.5 03A UTILITY COMPACTOR		

OPERATOR ENVIRONMENT

SEAT SELECTION

L	573-5962	SEAT, WITH SAFETY SWITCH	0	\$620
		Vinyl suspension seat with fore/aft adjustment plus an operator presence seat switch.		
		ONLY FOR USE WITH: 562-0799 CB2.5 03A UTILITY COMPACTOR		

SEAT SUPPORT SELECTION

L	364-2278	SUPPORT, FIXED FOR SEAT	0	NC
P	364-2279	SUPPORT, SLIDING FOR SEAT	0	\$830
		Allows ability to slide seat laterally to either side of the machine providing better visibility on both drum edges		

CATERPILLAR MACHINE PRICE LIST

CB2.5-MB

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

SEAT BELT

L	542-6995	SEAT BELT, 3" 0		\$156
		76 mm (3") wide, high visibility orange, polyester fiber webbed belt. ONLY FOR USE WITH: 573-5962 SEAT, WITH SAFETY SWITCH and 562-0799 CB2.5 03A UTILITY COMPACTOR		

ROPS SELECTION

P	577-7288	ROPS, FIXED 0		\$1,660
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Fixed mounted ROPS. ONLY FOR USE WITH: 562-0799 CB2.5 03A UTILITY COMPACTOR	0	\$1,660 NI
P	574-6088	ROPS, FOLDABLE, LOCKABLE 0		\$1,965
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Foldable and lockable ROPS. ONLY FOR USE WITH: 562-0799 CB2.5 03A UTILITY COMPACTOR	0	\$1,965 NI
P	574-6086	ROPS, FOLDABLE W/CANOPY 0		\$3,795
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Foldable and lockable ROPS with sun canopy. ONLY FOR USE WITH: 562-0799 CB2.5 03A UTILITY COMPACTOR	0	\$3,795 NI

TECHNOLOGY PRODUCTS

TRAVEL CONTROL

L	432-8451	TRAVEL CONTROL, COVER 0		NC
		This package includes a left side cover for single propel lever control.		
P	453-9461	TRAVEL CONTROL, CUP HOLDER 4		\$66
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER This package includes a left side cup holder.	4	\$66 NI
L	367-6538	TRAVEL CONTROL, DUAL LEVER 13		\$955
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides dual propel lever control ONLY FOR USE WITH: 562-0799 CB2.5 03A UTILITY COMPACTOR	0	\$955 NI

CATERPILLAR MACHINE PRICE LIST

CB2.5-MB

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

PRODUCT LINK COMMUNICATIONS

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	577-1414	PRODUCT LINK, CELLULAR PL243 0 Product Link Basic series PL243 uses cellular networks to transmit hour and location information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent data transmission. ONLY FOR USE WITH: 562-0799 CB2.5 03A UTILITY COMPACTOR		NC
L	569-1703	PRODUCT LINK, DUAL PLE683 0 Product Link Elite series dual mode PLE683 (consisting of PL083 radio and PLE602 network manager) uses a combination of cellular and satellite networks to transmit location, utilization and health information for viewing in Product Link user applications. For use where travel between areas of both cellular and satellite coverage is required. ONLY FOR USE WITH: 562-0799 CB2.5 03A UTILITY COMPACTOR and 574-6086 ROPS, FOLDABLE, CANOPY		\$1,410
L	572-7628	PRODUCT LINK, DUAL PLE683 0 Product Link Elite series dual mode PLE683 (consisting of PL083 radio and PLE602 network manager) uses a combination of cellular and satellite networks to transmit location, utilization and health information for viewing in Product Link user applications. For use where travel between areas of both cellular and satellite coverage is required ONLY FOR USE WITH: 562-0799 CB2.5 03A UTILITY COMPACTOR and 577-7288 ROPS, FIXED or 574-6088 ROPS, FOLDABLE, LOCKABLE		\$1,410
L	572-7605	PRODUCT LINK, CELLULAR PLE643 0 Product Link Elite series PLE643 (consisting of PL243 radio and PLE602 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Provides support for remote services, CPM and basic grade control (may be dependent on corresponding machine features). Cellular technology enables more frequent transmission and larger volumes of data. ONLY FOR USE WITH: 562-0799 CB2.5 03A UTILITY COMPACTOR and 577-7288 ROPS, FIXED or 574-6088 ROPS, FOLDABLE, LOCKABLE or 574-6086 ROPS, FOLDABLE, CANOPY		\$917

OTHER ATTACHMENTS

SINGLE POINT LIFT

L	503-1603	PLUG (NON SINGLE LIFT) 0		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

CB2.5-MB

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

SINGLE POINT LIFT (Cont.)

P	574-6034	SINGLE POINT LIFT	0	\$535
			0	\$535 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER		
		ONLY FOR USE WITH: 562-0799 CB2.5 03A UTILITY COMPACTOR		

GUARDS

P	569-8105	PLUG (NO GUARDS, BUMPER)	0	NC
		ONLY FOR USE WITH: 562-0799 CB2.5 03A UTILITY COMPACTOR		
P	569-8093	GUARDS, BUMPER	0	\$90
		Rubber cushions to protect chassis bumpers from damage.		
		ONLY FOR USE WITH: 562-0799 CB2.5 03A UTILITY COMPACTOR		

DRUMS

DRUM SCRAPER SYSTEM

P	603-5146	DRUM SCRAPER, FIXED	0	NC
		ONLY FOR USE WITH: 562-0799 CB2.5 03A UTILITY COMPACTOR		
P	603-5171	DRUM SCRAPER, FOLDING	0	\$202
		ONLY FOR USE WITH: 562-0799 CB2.5 03A UTILITY COMPACTOR		

FLUIDS

HYDRAULIC OIL

L	574-6039	OIL, HYD, STANDARD	0	NC
		ONLY FOR USE WITH: 562-0799 CB2.5 03A UTILITY COMPACTOR		
L	574-6069	OIL, HYD, BIODEGRADABLE	0	\$860
		FOR USE IN LANE 3 ONLY		
		This Hydraulic Environmental Ester Synthetic oil is recommended for hydraulic system when environmental compliance is required or desired. Factory filled.		
		ONLY FOR USE WITH: 562-0799 CB2.5 03A UTILITY COMPACTOR		

INSTRUCTIONS

DECAL PACKAGES

L	574-6030	INSTRUCTIONS, ANSI	0	NC
		ANSI picto warning decals using symbols plus the word "WARNING" as required for North America (except Quebec, Canada).		
		ONLY FOR USE WITH: 562-0799 CB2.5 03A UTILITY COMPACTOR		

CATERPILLAR MACHINE PRICE LIST

CB2.5-MB

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-----------------------------	--------------------	-------------------------

INSTRUCTIONS (CONT.)

OPERATION AND MAINTENANCE MANUALS

421-8926	SERIALIZED TECHNICAL MEDIA KIT 0	NC
-----------------	---	-----------

The technical media kit, will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary.

Any additional media or translations not included in the kit, should be ordered through publications.cat.com

CATERPILLAR MACHINE PRICE LIST

CB2.5-MB

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

HYDRAULICS

L	561-3543	CONTROL, TRACTION 0 Flow divider between front and rear drum improves traction and minimizes drum spinning. Also available from the Caterpillar Parts Network. ONLY FOR USE WITH: 562-0799 CB2.5 03A UTILITY COMPACTOR		\$1,935
---	----------	--	--	---------

CATERPILLAR MACHINE PRICE LIST

CB2.5-MB

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ELECTRICAL

P	575-4459	LIGHTS, WARNING (W/CANOPY)	0 0	\$272 \$272 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 574-6086 ROPS, FOLDABLE, CANOPY and 562-0799 CB2.5 03A UTILITY COMPACTOR		
P	575-4457	LIGHTS, WARNING (W/O CANOPY)	0 0	\$314 \$314 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 577-7288 ROPS, FIXED or 574-6088 ROPS, FOLDABLE, LOCKABLE and 562-0799 CB2.5 03A UTILITY COMPACTOR		

TECHNOLOGY PRODUCTS

CAT COMPACTION CONTROL - MEASURE

Base/Entry level compaction measurement systems that detect changes in soil stiffness and provide the operator with real time compaction information on the standard machine display.

P	574-6198	SENSOR, ACCELEROMETER.	0 0	\$2,680 \$2,680 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Traditional material stiffness measurement providing CMV values resulting from vibration energy imparted to the compacted material. ONLY FOR USE WITH: 562-0799 CB2.5 03A UTILITY COMPACTOR		

OTHER ATTACHMENTS

WATER SYSTEM - UPGRADES

P	457-9152	MATS, COCOA	29 29	\$885 \$885 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 562-0799 CB2.5 03A UTILITY COMPACTOR		
P	574-6076	FREEZE PROTECTION.	0 0	\$128 \$128 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides a means to add windshield washer or RV antifreeze to protect the water lines, pumps, filters, and nozzles from freezing. ONLY FOR USE WITH: 562-0799 CB2.5 03A UTILITY COMPACTOR		

MISCELLANEOUS ATTACHMENTS

P	614-3613	MIRROR, REAR VIEW	0 0	\$189 \$189 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Single bolt on rear view mirror. ONLY FOR USE WITH: 562-0799 CB2.5 03A UTILITY COMPACTOR REQUIRED BY: BRITISH COLUMBIAN DEALERS		

CATERPILLAR MACHINE PRICE LIST

CB2.5-MB

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

MISCELLANEOUS ATTACHMENTS (Cont.)

P	572-3342	BALLAST, 440 LBS	0 0	\$1,505 \$1,505 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides 200 kg (440.9 lbs) additional drum weights to provide maximum machine operating weight. ONLY FOR USE WITH: 562-0799 CB2.5 03A UTILITY COMPACTOR		
P	361-5797	BALLAST, 881 LBS	888 0	\$2,530 \$2,530 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides 400 kg (881.8 lbs) additional drum weights to provide maximum machine operating weight. ONLY FOR USE WITH: 562-0799 CB2.5 03A UTILITY COMPACTOR		

PAINT

P	603-8760	CUSTOM COLOR	0	\$1,600
		CONTACT CUSTOM PRODUCTS FOR AVAILABILITY. Customized color (in place of Caterpillar yellow). Black components remain black. FOR ORDER OF MORE THAN 20 UNITS, CONTACT THE FACTORY. ONLY FOR USE WITH: 562-0799 CB2.5 03A UTILITY COMPACTOR		

FACTORY SOURCED KITS

P	600-9428	CANOPY, FLD	0	\$1,830 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Dealer installed field kit for a sun canopy to be mounted to the folding ROPS. Can also be used on a fixed ROPS but will have extra components REQUIRES: 574-6088 ROPS, FOLDABLE, LOCKABLE ONLY FOR USE WITH: 562-0799 CB2.5 03A UTILITY COMPACTOR		

DOCUMENTATION

CERTIFICATES

OF-5109	CERTIFICATE OF ORIGIN	0	\$97 NET
---------	---------------------------------	---	----------

PACKING

OG-0055	DOMESTIC TRUCK	0	NC
OG-0044	ROLL ON-ROLL OFF	0	NC
	To be used for single order		
OG-0068	PACK, MISCELLANEOUS MATERIAL	0	NC
	No charge for packing. Applicable freight charges may apply		

CATERPILLAR MACHINE PRICE LIST

CB2.5-MB

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------------	--------------------	-------------------------

PACKING (CONT.)

PREPARATION ADDITIONAL

OP-2046	PREPARATION FOR INSPECTION 0 Inspector is sent by dealer to review the machine. Plant must be contacted 2 weeks before the CSD date.	\$447 NET
----------------	---	------------------