

CATERPILLAR MACHINE PRICE LIST

CB2.7GC**CB2.7GC VIBRATORY UTILITY COMPACTOR
MINERBIO, ITALY**Ship Weight
lbsLIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

CAT C1.7T diesel engine
 -Turbocharged, EPA tier 4 final and EU stage IV certified engine with DOC/DPF aftertreatment
 -Gross power per ISO 14396 18.4 kW (24.7 hp) @2200 RPM
 -Liquid cooled, direct injection
 Aftercooler, air to air (ATAAC)
 Fuel filter/water separator/electronic priming pump and electronic water indicator
 Dual element air cleaner with dust ejection
 3 Engine speeds - idle, med, high
 Engine belt guard
 Programable auto Idle Shutdown
 Aluminum bar plate cooling system
 Hydrostatic transmission
 Auto warmup cycle
 Hydraulic on demand cooling fan
 Service and parking brakes - spring applied hydraulically released

ELECTRICAL

Engine start switch with auto preheat
 12-volt starting and charging system
 85-ampere alternator
 Maintenance free battery, 750 CCA
 Isolated and cooled battery compartment
 Backup alarm and front facing warning horn
 Product Link ready
 Beacon ready
 Diagnostic connector
 CAT ET Compatible
 Labeled and sealed electrical connectors
 LED work lights (2 front, 2 rear)

OPERATOR ENVIRONMENT

Gauge Cluster:
 -Water level gauge
 -Fuel level gauge
 -Engine coolant temperature gauge
 -Hour meter
 -Faults
 Simple rocker switches
 Emergency stop switch
 Operator warning system indicators:
 -Parking brake engaged
 -Operator out of seat
 -Hydraulic oil temperature high
 -Hydraulic oil restriction
 -Engine oil low pressure

-Electrical system voltage low
 -Low fuel
 -Engine preheat
 -Engine emission system
 -High/low vibe frequency
 -Beacon status
 Lockable, vandalism guard for instrument panel
 Travel control, single lever
 High Vis Orange retractable seatbelt, 76mm (3")
 2 platform handrails / single guardrail
 Steering wheel spinner
 12-volt power point
 ROPS
 Sealed storage compartment
 Isolated operator platform
 Vibration reducing, diesel resistant rubber floormat

DRUMS

Two smooth drums: 1200 mm (47.2") wide x 720 mm (28.3") diameter and 14 mm (0.55") thick
 Single amplitude with dual frequency vibratory system
 Automatic vibration control to prevent vibration in neutral
 Selection of front drum or both drum vibration
 Pressurized drum watering system with selectable continuous or intermittent flow
 4 nozzle spray bars
 Triple spray system filtration

FLUIDS

Premixed 50% concentration of extended life coolant with freeze protection to -37C (-35F)

OTHER STANDARD EQUIPMENT

Lockable engine enclosure with safety hold open latch
 Lockable external fuel fill
 Sealed for life hitch bearings
 Sight gauges:
 -Hydraulic tank level
 -Engine Coolant
 Lockable hydraulic tank cap
 Articulated frame with safety lock
 3 point hitch
 4 transport tie-down and 4 lift points
 63L (16.3 gal) fuel tank capacity
 200L (52.8 gal) water tank capacity

CATERPILLAR MACHINE PRICE LIST

CB2.7GC

CB2.7GC VIBRATORY UTILITY COMPACTOR
MINERBIO, ITALY

Ship Weight
lbs

LIST PRICE
AT DEALER

OTHER STANDARD EQUIPMENT (CONT.)

- 6 Quick connect hydraulic pressure test ports + 1 SOS port
- Caterpillar o-ring face-seals couplings
- Offset hitch with 50 mm (2") of manual adjustment
- Ecology drains:
 - Hydraulic Tank
 - Radiator
 - Engine Oil

CATERPILLAR MACHINE PRICE LIST

CB2.7GC

CB2.7GC VIBRATORY UTILITY COMPACTOR
MINERBIO, ITALY

Ship Weight
lbs

LIST PRICE
AT DEALER

**Lane 2 is reserved for the Base Order Management Program.
Please use Lane 2 when placing orders that are part of the Base
Orders Management Program.**

CATERPILLAR MACHINE PRICE LIST

CB2.7GC

CB2.7GC VIBRATORY UTILITY COMPACTOR MINERBIO, ITALY	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

547-4537	CB2.7 GC 03A UTILITY COMPACTOR 0 LANE 2 - AVAILABLE FROM MINERBIO FACTORY LANE 3 - AVAILABLE FROM MINERBIO FACTORY	\$54,010
-----------------	---	-----------------

Double drum vibratory compactor with 1200 mm (47.2") drum width
 AVAILABLE FOR: ADSD-N, PUERTO RICO, EUROPE, ISRAEL & PALESTINE

0P-7577	CB2.7 GC MISC MATL 0 AVAILABLE FROM MINERBIO FACTORY	NC
----------------	--	-----------

Only reference numbers that have the text
 "ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order.

CATERPILLAR MACHINE PRICE LIST

CB2.7GC

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER	0	NC

POWERTRAIN

ENGINE

L	564-8160	ENGINE, CAT C1.7T	0	NC
		Meets U.S. EPA Tier 4 Final and EU Stage V emission standards.		

ELECTRICAL

LIGHTING

L	568-5154	LIGHTS, WORKING, LED	0	NC
		LED lighting package consisting of two front LED headlights, two LED reverse lights, two rear LED turn signal lights, and two rear mounted red reflectors.		
L	579-8410	LIGHTING, RIGHT HAND TRAFFIC	0	\$475
		LED lighting package consisting of two front LED headlights, two front LED turn signal lights, two front LED position lights, two LED reverse lights, two rear LED turn signal lights, and two rear mounted red reflectors.		

BATTERY DISCONNECT

P	565-3708	SWITCH, BATTERY DISCONNECT	0	\$125
		Disconnect switch with removable key.		
P	565-3671	SWITCH, BATTERY DISCONNECT,RED	0	\$149
		Lockable disconnect switch with large red switch.		

OPERATOR ENVIRONMENT

SEAT SELECTION

L	573-5962	SEAT, WITH SAFETY SWITCH	0	\$620
		Vinyl suspension seat with fore/aft adjustment plus an operator presence seat switch.		

SEAT SUPPORT SELECTION

L	364-2278	SUPPORT, FIXED FOR SEAT	0	NC
P	364-2279	SUPPORT, SLIDING FOR SEAT	0	\$830
		Allows ability to slide seat laterally to either side of the machine providing better visibility on both drum edges		

SEAT BELT

L	542-6995	SEAT BELT, 3"	0	\$156
		76 mm (3") wide, high visibility orange, polyester fiber webbed belt.		

CATERPILLAR MACHINE PRICE LIST

CB2.7GC

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

ROPS SELECTION

P	577-7288	ROPS, FIXED	0	\$1,660
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Fixed mounted ROPS.	0	\$1,660 NI
P	574-6088	ROPS, FOLDABLE, LOCKABLE	0	\$1,965
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Foldable and lockable ROPS.	0	\$1,965 NI
P	574-6086	ROPS, FOLDABLE W/CANOPY	0	\$3,795
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Foldable and lockable ROPS with sun canopy.	0	\$3,795 NI

TECHNOLOGY PRODUCTS

TRAVEL CONTROL

P	453-9461	TRAVEL CONTROL, CUP HOLDER	4	\$66
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER This package includes a left side cup holder.	4	\$66 NI
P	432-8451	TRAVEL CONTROL, COVER	0	NC
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER This package includes a left side cover.		
P	367-6538	TRAVEL CONTROL, DUAL LEVER	13	\$955
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides dual propel lever control.	0	\$955 NI

PRODUCT LINK COMMUNICATIONS

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	577-1414	PRODUCT LINK, CELLULAR PL243	0	NC
		Product Link Basic series PL243 uses cellular networks to transmit hour and location information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent data transmission.		
L	569-1703	PRODUCT LINK, DUAL PLE683	0	\$1,410
		Product Link Elite series dual mode PLE683 (consisting of PL083 radio and PLE602 network manager) uses a combination of cellular and satellite networks to transmit location, utilization and health information for viewing in Product Link user applications. For use where travel between areas of both cellular and satellite coverage is required. ONLY FOR USE WITH: 574-6086 ROPS, FOLDABLE, CANOPY		

CATERPILLAR MACHINE PRICE LIST

CB2.7GC

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

PRODUCT LINK COMMUNICATIONS (Cont.)

L	572-7628	PRODUCT LINK, DUAL PLE683 0 Product Link Elite series dual mode PLE683 (consisting of PL083 radio and PLE602 network manager) uses a combination of cellular and satellite networks to transmit location, utilization and health information for viewing in Product Link user applications. For use where travel between areas of both cellular and satellite coverage is required ONLY FOR USE WITH: 577-7288 ROPS, FIXED or 574-6088 ROPS, FOLDABLE, LOCKABLE		\$1,410
L	572-7605	PRODUCT LINK, CELLULAR PLE643 0 Product Link Elite series PLE643 (consisting of PL243 radio and PLE602 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Provides support for remote services, CPM and basic grade control (may be dependent on corresponding machine features). Cellular technology enables more frequent transmission and larger volumes of data. ONLY FOR USE WITH: 577-7288 ROPS, FIXED or 574-6088 ROPS, FOLDABLE, LOCKABLE or 574-6086 ROPS, FOLDABLE, CANOPY		\$917

OTHER ATTACHMENTS

SINGLE POINT LIFT

L	503-1603	PLUG (NON SINGLE LIFT) 0		NC
P	574-6034	SINGLE POINT LIFT 0 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER		\$535 \$535 NI

GUARDS

P	569-8105	PLUG (NO GUARDS, BUMPER) 0		NC
P	569-8093	GUARDS, BUMPER 0 Rubber cushions to protect chassis bumpers from damage.		\$90

DRUMS

P	603-5914	DRUM SCRAPER, FIXED 0		NC
P	603-5887	DRUM SCRAPER, FOLDING 0		\$224

FLUIDS

HYDRAULIC OIL

L	574-6039	OIL, HYD, STANDARD 0		NC
---	----------	---------------------------------------	--	----

CATERPILLAR MACHINE PRICE LIST

CB2.7GC

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

FLUIDS (CONT.)

HYDRAULIC OIL (Cont.)

L	574-6069	OIL, HYD, BIODEGRADABLE 0 FOR USE IN LANE 3 ONLY This Hydraulic Environmental Ester Synthetic oil is recommended for hydraulic system when environmental compliance is required or desired. Factory filled.		\$860
---	----------	---	--	-------

INSTRUCTIONS

DECAL PACKAGES

L	574-6030	INSTRUCTIONS, ANSI 0 ANSI picto warning decals using symbols plus the word "WARNING" as required for North America (except Quebec, Canada).		NC
---	----------	--	--	----

OPERATION AND MAINTENANCE MANUALS

	421-8926	SERIALIZED TECHNICAL MEDIA KIT 0 The technical media kit, will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com		NC
--	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

CB2.7GC

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

HYDRAULICS

L	561-3543	CONTROL, TRACTION 0		\$1, 935
		Flow divider between front and rear drum improves traction and minimizes drum spinning. Also available as a stocked kit in parts system.		

ELECTRICAL

P	575-4459	LIGHTS, WARNING (W/CANOPY) 0		\$272
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 574-6086 ROPS, FOLDABLE, CANOPY	0	\$272 NI
P	575-4457	LIGHTS, WARNING (W/O CANOPY) 0		\$314
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 577-7288 ROPS, FIXED or 574-6088 ROPS, FOLDABLE, LOCKABLE	0	\$314 NI

TECHNOLOGY PRODUCTS

CAT COMPACTION CONTROL - MEASURE

Base/Entry level compaction measurement systems that detect changes in soil stiffness and provide the operator with real time compaction information on the standard machine display.

P	574-6198	SENSOR, ACCELEROMETER. 0		\$2, 680
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Traditional material stiffness measurement providing CMV values resulting from vibration energy imparted to the compacted material.	0	\$2, 680 NI

OTHER ATTACHMENTS

WATER SYSTEM - UPGRADES

P	456-9432	MATS, COCOA 29		\$885
		FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER	29	\$885 NI
P	574-6076	FREEZE PROTECTION. 0		\$128
		FOR USE WITH LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides a means to add windshield washer or RV antifreeze to protect the water lines, pumps, filters, and nozzles from freezing.	0	\$128 NI

MISCELLANEOUS ATTACHMENTS

P	614-3613	MIRROR, REAR VIEW. 0		\$189
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Single bolt on rear view mirror. REQUIRED BY: BRITISH COLUMBIAN DEALERS	0	\$189 NI

CATERPILLAR MACHINE PRICE LIST

CB2.7GC

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

MISCELLANEOUS ATTACHMENTS (Cont.)

P	572-3342	BALLAST, 440 LBS	0 0	\$1,505 \$1,505 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides 200 kg (440.9 lbs) additional drum weights to provide maximum machine operating weight.		
P	361-5797	BALLAST, 881 LBS	888 0	\$2,530 \$2,530 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides 400 kg (881.8 lbs) additional drum weights to provide maximum machine operating weight.		

PAINT

P	603-8760	CUSTOM COLOR	0	\$1,600
		FOR USE IN LANE 3 ONLY CONTACT CUSTOM PRODUCTS FOR AVAILABILITY. Customized color (in place of Caterpillar yellow). Black components remain black. FOR ORDER OF MORE THAN 20 UNITS, CONTACT THE FACTORY.		

FACTORY SOURCED KITS

P	600-9428	CANOPY, FLD	0	\$1,830 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Dealer installed field kit for a sun canopy to be mounted to the folding ROPS. Can also be used on a fixed ROPS but will have extra components REQUIRES: 574-6088 ROPS, FOLDABLE, LOCKABLE		

DOCUMENTATION

CERTIFICATES

OF-5109	CERTIFICATE OF ORIGIN	0	\$97 NET
---------	---------------------------------	---	----------

PACKING

OG-0044	ROLL ON-ROLL OFF	0	NC
	To be used for single order		
OG-0068	PACK, MISCELLANEOUS MATERIAL	0	NC
	No charge for packing. Applicable freight charges may apply.		

PREPARATION ADDITIONAL

OP-2046	PREPARATION FOR INSPECTION	0	\$447 NET
	Inspector is sent by dealer to review the machine. Plant must be contacted 2 weeks before the CSD date.		