

## CATERPILLAR MACHINE PRICE LIST

**CB2.9-MB**

CB2.9 VIBRATORY UTILITY COMPACTOR  
MINERBIO, ITALY

Ship Weight  
lbs

LIST PRICE  
AT DEALER

Standard Equipment:

**POWERTRAIN**

CAT inline three-cylinder diesel engine with glow-plug heater  
Fuel filter/water separator/electronic priming pump and electronic water indicator  
Dual element air cleaner with dust ejection  
Hydrostatic transmission  
Service and parking brakes - spring applied hydraulically released

**ELECTRICAL**

Engine start switch with auto preheat  
12-volt starting and charging system  
85-ampere alternator  
Maintenance free battery  
Backup alarm and front facing warning horn  
Product Link ready  
Beacon ready

**OPERATOR ENVIRONMENT**

Gauge Cluster:  
-Fuel level gauge  
-Hour meter  
-Engine Coolant Temperature Gauge  
Emergency stop switch  
Operator warning system indicators:  
-Parking brake engaged  
-Hydraulic oil temperature high  
-Engine oil low pressure  
-Electrical system voltage low  
-Low fuel  
-Engine preheat  
-High/low vibe frequency  
-Beacon status  
Lockable, vandalism guard for instrument panel  
Travel control, single lever  
Retractable seatbelt  
2 platform handrails / single guardrail  
Steering wheel spinner  
12-volt power point  
Sealed storage compartment  
Isolated operator platform  
Vibration reducing, diesel resistant rubber floor mat

**DRUMS**

Two smooth drums: 1300 mm (51.2 inch) wide x 720 mm (28.3 inch) diameter  
Single amplitude with dual frequency vibratory system  
Pressurized drum watering system with selectable continuous or intermittent flow

**FLUIDS**

Premixed 50% concentration of extended life coolant with freeze protection to -37C (-35F)

**OTHER STANDARD EQUIPMENT**

Lockable engine enclosure with safety hold open latch  
Sealed for life hitch bearings  
Sight gauges:  
-Hydraulic tank level  
-Engine Coolant  
Lockable hydraulic tank cap  
Articulated frame with safety lock  
3 point hitch  
4 transport tie-down and 4 lift points  
Quick connect hydraulic pressure test ports + 1 SOS port  
Caterpillar o-ring face-seals couplings  
Offset hitch with 50 mm (2") of manual adjustment  
Ecology drains:  
-Hydraulic Tank  
-Radiator  
-Engine Oil

CATERPILLAR MACHINE PRICE LIST

# CB2.9-MB

CB2.9 VIBRATORY UTILITY COMPACTOR MINERBIO, ITALY	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

<b>562-0999</b>	<b>CB2.9 03A UTILITY COMPACTOR</b> ..... 0 LANE 2 - AVAILABLE FROM MINERBIO FACTORY LANE 3 - AVAILABLE FROM MINERBIO FACTORY	<b>\$62,690</b>
-----------------	--	-----------------

Double drum vibratory compactor with 1300 mm (51") drum width  
 AVAILABLE FOR: AM-N & PUERTO RICO

<b>0G-0625</b>	<b>CB2.9 MISC MATL</b> ..... 0 AVAILABLE FROM MINERBIO FACTORY	<b>NC</b>
----------------	---	-----------

Only reference numbers that have the text  
 "ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order

CATERPILLAR MACHINE PRICE LIST

# CB2.9-MB

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LANE SELECTION**

OP-9002	LANE 2 ORDER . . . . .	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER . . . . .	0	NC

**POWERTRAIN**

**ENGINE**

L	609-9719	ENGINE, CAT C1.7T . . . . .	0	NC
		Meets U.S. EPA Tier 4 Final emission standards.		
		ONLY FOR USE WITH: 562-0999 CB2.9 03A UTILITY COMPACTOR		

**ELECTRICAL**

**LIGHTING**

L	568-5154	LIGHTS, WORKING, LED . . . . .	0	NC
		LED lighting package consisting of two front LED headlights, two LED reverse lights, two rear LED turn signal lights, and two rear mounted red reflectors.		
		ONLY FOR USE WITH: 562-0999 CB2.9 03A UTILITY COMPACTOR		
L	579-8410	LIGHTING, RIGHT HAND TRAFFIC . . . . .	0	\$475
		LED lighting package consisting of two front LED headlights, two front LED turn signal lights, two front LED position lights, two LED reverse lights, two rear LED turn signal lights, and two rear mounted red reflectors.		
		ONLY FOR USE WITH: 562-0999 CB2.9 03A UTILITY COMPACTOR		

**BATTERY DISCONNECT**

P	565-3708	SWITCH, BATTERY DISCONNECT . . . . .	0	\$125
		Disconnect switch with removable key.		
		ONLY FOR USE WITH: 562-0999 CB2.9 03A UTILITY COMPACTOR		
P	565-3671	SWITCH, BATTERY DISCONNECT,RED . . . . .	0	\$149
		Lockable disconnect switch with large red switch.		
		ONLY FOR USE WITH: 562-0999 CB2.9 03A UTILITY COMPACTOR		

**OPERATOR ENVIRONMENT**

**SEAT SELECTION**

L	573-5962	SEAT, WITH SAFETY SWITCH . . . . .	0	\$620
		Vinyl suspension seat with fore/aft adjustment plus an operator presence seat switch.		
		ONLY FOR USE WITH: 562-0999 CB2.9 03A UTILITY COMPACTOR		

**SEAT SUPPORT SELECTION**

L	364-2278	SUPPORT, FIXED FOR SEAT . . . . .	0	NC
P	364-2279	SUPPORT, SLIDING FOR SEAT . . . . .	0	\$830
		Allows ability to slide seat laterally to either side of the machine providing better visibility on both drum edges		

CATERPILLAR MACHINE PRICE LIST

**CB2.9-MB**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**SEAT BELT**

L	542-6995	SEAT BELT, 3" . . . . .	0	\$156
		76 mm (3") wide, high visibility orange, polyester fiber webbed belt. ONLY FOR USE WITH: 573-5962 SEAT, WITH SAFETY SWITCH and 562-0999 CB2.9 03A UTILITY COMPACTOR		

**ROPS SELECTION**

P	577-7288	ROPS, FIXED . . . . .	0	\$1,660
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Fixed mounted ROPS. ONLY FOR USE WITH: 562-0999 CB2.9 03A UTILITY COMPACTOR	0	\$1,660 NI
P	574-6088	ROPS, FOLDABLE, LOCKABLE . . . . .	0	\$1,965
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Foldable and lockable ROPS. ONLY FOR USE WITH: 562-0999 CB2.9 03A UTILITY COMPACTOR	0	\$1,965 NI
P	574-6086	ROPS, FOLDABLE W/CANOPY . . . . .	0	\$3,795
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Foldable and lockable ROPS with sun canopy. ONLY FOR USE WITH: 562-0999 CB2.9 03A UTILITY COMPACTOR	0	\$3,795 NI

**TECHNOLOGY PRODUCTS**

**TRAVEL CONTROL**

L	432-8451	TRAVEL CONTROL, COVER . . . . .	0	NC
		This package includes a left side cover for single propel lever control.		
P	453-9461	TRAVEL CONTROL, CUP HOLDER . . . . .	4	\$66
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER This package includes a left side cup holder.	4	\$66 NI
L	367-6538	TRAVEL CONTROL, DUAL LEVER . . . . .	13	\$955
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides dual propel lever control ONLY FOR USE WITH: 562-0999 CB2.9 03A UTILITY COMPACTOR	0	\$955 NI

CATERPILLAR MACHINE PRICE LIST

**CB2.9-MB**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS (CONT.)**

**PRODUCT LINK COMMUNICATIONS**

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	577-1414	<b>PRODUCT LINK, CELLULAR PL243</b> . . . . . 0 Product Link Basic series PL243 uses cellular networks to transmit hour and location information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent data transmission. ONLY FOR USE WITH: 562-0999 CB2.9 03A UTILITY COMPACTOR		NC
L	569-1703	<b>PRODUCT LINK, DUAL PLE683</b> . . . . . 0 Product Link Elite series dual mode PLE683 (consisting of PL083 radio and PLE602 network manager) uses a combination of cellular and satellite networks to transmit location, utilization and health information for viewing in Product Link user applications. For use where travel between areas of both cellular and satellite coverage is required. ONLY FOR USE WITH: 562-0999 CB2.9 03A UTILITY COMPACTOR and 574-6086 ROPS, FOLDABLE, CANOPY		\$1,410
L	572-7628	<b>PRODUCT LINK, DUAL PLE683</b> . . . . . 0 Product Link Elite series dual mode PLE683 (consisting of PL083 radio and PLE602 network manager) uses a combination of cellular and satellite networks to transmit location, utilization and health information for viewing in Product Link user applications. For use where travel between areas of both cellular and satellite coverage is required ONLY FOR USE WITH: 562-0999 CB2.9 03A UTILITY COMPACTOR and 577-7288 ROPS, FIXED or 574-6088 ROPS, FOLDABLE, LOCKABLE		\$1,410
L	572-7605	<b>PRODUCT LINK, CELLULAR PLE643</b> . . . . . 0 Product Link Elite series PLE643 (consisting of PL243 radio and PLE602 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Provides support for remote services, CPM and basic grade control (may be dependent on corresponding machine features). Cellular technology enables more frequent transmission and larger volumes of data. ONLY FOR USE WITH: 562-0999 CB2.9 03A UTILITY COMPACTOR and 577-7288 ROPS, FIXED or 574-6088 ROPS, FOLDABLE, LOCKABLE or 574-6086 ROPS, FOLDABLE, CANOPY		\$917

**OTHER ATTACHMENTS**

**SINGLE POINT LIFT**

L	503-1603	<b>PLUG (NON SINGLE LIFT)</b> . . . . . 0		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

# CB2.9-MB

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OTHER ATTACHMENTS (CONT.)**

**SINGLE POINT LIFT (Cont.)**

P	574-6034	SINGLE POINT LIFT . . . . .	0	\$535
			0	\$535 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 562-0999 CB2.9 03A UTILITY COMPACTOR		

**GUARDS**

P	569-8105	PLUG (NO GUARDS, BUMPER) . . . . .	0	NC
		ONLY FOR USE WITH: 562-0999 CB2.9 03A UTILITY COMPACTOR		
P	569-8093	GUARDS, BUMPER . . . . .	0	\$90
		Rubber cushions to protect chassis bumpers from damage. ONLY FOR USE WITH: 562-0999 CB2.9 03A UTILITY COMPACTOR		

**DRUMS**

P	603-6176	DRUM SCRAPER, FIXED . . . . .	0	NC
		ONLY FOR USE WITH: 562-0999 CB2.9 03A UTILITY COMPACTOR		
P	603-6146	DRUM SCRAPER, FOLDING . . . . .	0	\$246
		ONLY FOR USE WITH: 562-0999 CB2.9 03A UTILITY COMPACTOR		

**FLUIDS**

**HYDRAULIC OIL**

L	574-6039	OIL, HYD, STANDARD . . . . .	0	NC
		ONLY FOR USE WITH: 562-0999 CB2.9 03A UTILITY COMPACTOR		
L	574-6069	OIL, HYD, BIODEGRADABLE . . . . .	0	\$860
		FOR USE IN LANE 3 ONLY This Hydraulic Environmental Ester Synthetic oil is recommended for hydraulic system when environmental compliance is required or desired. Factory filled. ONLY FOR USE WITH: 562-0999 CB2.9 03A UTILITY COMPACTOR		

**INSTRUCTIONS**

**DECAL PACKAGES**

L	574-6030	INSTRUCTIONS, ANSI . . . . .	0	NC
		ANSI picto warning decals using symbols plus the word "WARNING" as required for North America (except Quebec, Canada). ONLY FOR USE WITH: 562-0999 CB2.9 03A UTILITY COMPACTOR		

**OPERATION AND MAINTENANCE MANUALS**

	421-8926	SERIALIZED TECHNICAL MEDIA KIT . . . . .	0	NC
		The technical media kit, will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary.		

Any additional media or translations not included in the kit, should be ordered through [publications.cat.com](http://publications.cat.com)

CATERPILLAR MACHINE PRICE LIST

**CB2.9-MB**

USE	REF NO.	<b>LANE 2 / 3 OPTIONAL</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------------	--------------------	-------------------------

**HYDRAULICS**

L	561-3543	<b>CONTROL, TRACTION . . . . . 0</b> Flow divider between front and rear drum improves traction and minimizes drum spinning. Also available from the Caterpillar Parts Network. ONLY FOR USE WITH: 562-0999 CB2.9 03A UTILITY COMPACTOR		<b>\$1,935</b>
---	----------	---	--	----------------

CATERPILLAR MACHINE PRICE LIST

# CB2.9-MB

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**ELECTRICAL**

P	575-4459	LIGHTS, WARNING (W/CANOPY) . . . . .	0 0	\$272 \$272 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 574-6086 ROPS, FOLDABLE, CANOPY and 562-0999 CB2.9 03A UTILITY COMPACTOR		
P	575-4457	LIGHTS, WARNING (W/O CANOPY) . . . . .	0 0	\$314 \$314 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 577-7288 ROPS, FIXED or 574-6088 ROPS, FOLDABLE, LOCKABLE and 562-0999 CB2.9 03A UTILITY COMPACTOR		

**TECHNOLOGY PRODUCTS**

**CAT COMPACTION CONTROL - MEASURE**

P	574-6198	SENSOR, ACCELEROMETER. . . . .	0 0	\$2,680 \$2,680 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Traditional material stiffness measurement providing CMV values resulting from vibration energy imparted to the compacted material. ONLY FOR USE WITH: 562-0999 CB2.9 03A UTILITY COMPACTOR		

**OTHER ATTACHMENTS**

**WATER SYSTEM - UPGRADES**

P	457-9153	MATS, COCOA . . . . .	31 31	\$885 \$885 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 562-0999 CB2.9 03A UTILITY COMPACTOR		
P	574-6076	FREEZE PROTECTION. . . . .	0 0	\$128 \$128 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides a means to add windshield washer or RV antifreeze to protect the water lines, pumps, filters, and nozzles from freezing. ONLY FOR USE WITH: 562-0999 CB2.9 03A UTILITY COMPACTOR		

**MISCELLANEOUS ATTACHMENTS**

P	614-3613	MIRROR, REAR VIEW. . . . .	0 0	\$189 \$189 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Single bolt on rear view mirror. ONLY FOR USE WITH: 562-0999 CB2.9 03A UTILITY COMPACTOR REQUIRED BY: BRITISH COLUMBIAN DEALERS		
P	572-3342	BALLAST, 440 LBS . . . . .	0 0	\$1,505 \$1,505 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides 200 kg (440.9 lbs) additional drum weights to provide maximum machine operating weight. ONLY FOR USE WITH: 562-0999 CB2.9 03A UTILITY COMPACTOR		



CATERPILLAR MACHINE PRICE LIST

# CB2.9-MB

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**OTHER ATTACHMENTS (CONT.)**

**MISCELLANEOUS ATTACHMENTS (Cont.)**

P	361-5797	BALLAST, 881 LBS . . . . .	888 0	\$2,530 \$2,530 NI
---	----------	----------------------------	----------	-----------------------

ALSO AVAILABLE ON A MISCELLANEOUS ORDER  
 Provides 400 kg (881.8 lb) additional drum weights to provide maximum machine operating weight.

**PAINT**

P	603-8760	CUSTOM COLOR . . . . .	0	\$1,600
---	----------	------------------------	---	---------

CONTACT CUSTOM PRODUCTS FOR AVAILABILITY.  
 Customized color (in place of Caterpillar yellow).  
 Black components remain black.  
 FOR ORDER OF MORE THAN 20 UNITS, CONTACT THE FACTORY.  
 ONLY FOR USE WITH: 562-0999 CB2.9 03A UTILITY COMPACTOR

**FACTORY SOURCED KITS**

P	600-9428	CANOPY, FLD . . . . .	0	\$1,830 NI
---	----------	-----------------------	---	------------

ALSO AVAILABLE ON A MISCELLANEOUS ORDER  
 Dealer installed field kit for a sun canopy to be mounted to the folding ROPS. Can also be used on a fixed ROPS but will have extra components  
 REQUIRES: 574-6088 ROPS, FOLDABLE, LOCKABLE  
 ONLY FOR USE WITH: 562-0999 CB2.9 03A UTILITY COMPACTOR

**DOCUMENTATION**

**CERTIFICATES**

	0F-5109	CERTIFICATE OF ORIGIN . . . . .	0	\$97 NET
--	---------	---------------------------------	---	----------

**PACKING**

	0G-0044	ROLL ON-ROLL OFF . . . . .	0	NC
--	---------	----------------------------	---	----

To be used for single order.

	0G-0068	PACK, MISCELLANEOUS MATERIAL . . . . .	0	NC
--	---------	--	---	----

No charge for packing. Applicable freight charges may apply.

**PREPARATION ADDITIONAL**

	0P-2046	PREPARATION FOR INSPECTION . . . . .	0	\$447 NET
--	---------	--------------------------------------	---	-----------

Inspector is sent by dealer to review the machine.  
 Plant must be contacted 2 weeks before the CSD date.