

CATERPILLAR MACHINE PRICE LIST

CB4.0-MB

CB4.0 VIBRATORY UTILITY COMPACTOR
MINERBIO, ITALY

Ship Weight
lbs

LIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

CAT C1.7T diesel engine
-Turbocharged, EPA tier 4 final and EU stage V certified engine with DOC/DPF aftertreatment
-Gross power per ISO 14396 36kW (48.3 hp) @2800 RPM
-Liquid cooled, direct injection
Aftercooler, air to air (ATAAC)
Fuel filter/water separator/manual priming pump
Dual element air cleaner with dust ejection
3 Engine speeds - idle, med, high
Engine belt guard
Programable auto Idle Shutdown
Aluminum bar plate cooling system
Hydrostatic transmission
Auto warmup cycle
Hydraulic on demand cooling fan
Service and parking brakes - spring applied hydraulically released

ELECTRICAL

Engine start switch with auto preheat
12-volt starting and charging system
85 ampere alternator
Maintenance free battery, 750 CCA
Isolated and cooled battery compartment
Backup alarm and forward facing warning horn
Product Link ready
Beacon ready
Diagnostic connector
CAT ET Compatible
Labeled and sealed electrical connectors
LED work lights (2 front, 2 rear)

OPERATOR ENVIRONMENT

Gauge Cluster:
-Water level gauge
-Fuel level gauge
-Hour meter
-Engine coolant temperature gauge
-Faults
Simple rocker switches
Emergency stop switch
Operator warning system indicators:
-Water in fuel indicator
-Parking brake engaged
-Operator out of seat
-Hydraulic oil temperature high
-Hydraulic oil restriction
-Engine oil low pressure
-Electrical system voltage low

-Low fuel
-Engine preheat
-Engine emission system
-High/low vibrate frequency
-Beacon status
Lockable, vandalism guard for instrument panel
Travel control, single lever
High Vis Orange retractable seatbelt, 76mm (3")
2 platform handrails/single guardrail
Steering wheel spinner
12-volt power point
ROPS
Sealed storage compartment
Isolated operator platform
Vibration reducing, diesel resistant rubber floor mat

DRUMS

Two smooth drums: 1300 mm (51") wide x 800 mm (31.5") diameter
Single amplitude with dual frequency vibratory system
Automatic vibration control to prevent vibration in neutral
Selection of front drum or both drum vibration
Pressurized drum watering system with selectable continuous or intermittent flow
4 nozzle spray bars
Triple spray system filtration

FLUIDS

Premixed 50% concentration of extended life coolant with freeze protection to -37C (-35F)

OTHER STANDARD EQUIPMENT

Lockable engine enclosure with safety hold open batch
Lockable external fuel fill
Sight gauges:
-Hydraulic tank level
-Engine coolant
Lockable hydraulic tank cap
Articulated frame with safety lock
3 point hitch
4 transport tie-down and 4 lift points
81L (21 gal) fuel tank capacity
300L (79 gal) water tank capacity
6 quick connect hydraulic pressure test ports + 1 SOS port
Caterpillar o-ring face-seals couplings

CATERPILLAR MACHINE PRICE LIST

CB4.0-MB

CB4.0 VIBRATORY UTILITY COMPACTOR
MINERBIO, ITALY

Ship Weight
lbs

LIST PRICE
AT DEALER

OTHER STANDARD EQUIPMENT (CONT.)

Offset hitch with 50 mm (2") of
manual adjustment

Ecology drains:

-Hydraulic Tank

-Radiator

-Engine Oil

CATERPILLAR MACHINE PRICE LIST

CB4.0-MB

CB4.0 VIBRATORY UTILITY COMPACTOR
MINERBIO, ITALY

Ship Weight
lbs

LIST PRICE
AT DEALER

**Lane 2 is reserved for the Base Order Management Program.
Please use Lane 2 when placing orders that are part of the Base
Orders Management Program.**

CATERPILLAR MACHINE PRICE LIST

CB4.0-MB

CB4.0 VIBRATORY UTILITY COMPACTOR MINERBIO, ITALY	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

562-0800	CB4.0 03A UTILITY COMPACTOR 0 LANE 2 - AVAILABLE FROM MINERBIO FACTORY LANE 3 - AVAILABLE FROM MINERBIO FACTORY	\$77,100
-----------------	--	-----------------

Double drum vibratory compactor with 1300mm (51") drum width
 AVAILABLE FOR: ADSD-N, PUERTO RICO, EUROPE, ISRAEL & PALESTINE

0P-7595	CB4.0 MISC MATL 0 AVAILABLE FROM MINERBIO FACTORY	NC
----------------	---	-----------

Only reference numbers that have the text
 "ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order.

CATERPILLAR MACHINE PRICE LIST

CB4.0-MB

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER	0	NC

POWERTRAIN

ENGINE

L	611-1362	ENGINE, CAT C1.7T	0	NC
		Meets U.S. EPA Tier 4 Final and EU Stage V emission standards.		

HYDRAULICS

PUMP SELECTION

L	367-6593	PUMP, PROPEL, STANDARD	40	NC
---	----------	----------------------------------	----	----

ELECTRICAL

LIGHTING

L	568-5154	LIGHTS, WORKING, LED	0	NC
		LED lighting package consisting of two front LED headlights, two LED reverse lights, two rear LED turn signal lights, and two rear mounted red reflectors.		
L	579-8410	LIGHTING, RIGHT HAND TRAFFIC	0	\$475
		LED lighting package consisting of two front LED headlights, two front LED turn signal lights, two front LED position lights, two LED reverse lights, two rear LED turn signal lights, and two rear mounted red reflectors.		

BATTERY DISCONNECT

P	565-3708	SWITCH, BATTERY DISCONNECT	0	\$125
		Disconnect switch with removable key.		
P	565-3671	SWITCH, BATTERY DISCONNECT,RED	0	\$149
		Lockable disconnect switch with large red switch.		

OPERATOR ENVIRONMENT

SEAT SELECTION

L	573-5962	SEAT, WITH SAFETY SWITCH	0	\$620
		Vinyl suspension seat with fore/aft adjustment plus an operator presence seat switch.		

SEAT SUPPORT SELECTION

L	364-2278	SUPPORT, FIXED FOR SEAT	0	NC
P	364-2279	SUPPORT, SLIDING FOR SEAT	0	\$830
		Allows ability to slide seat laterally to either side of the machine providing better visibility on both drum edges		

CATERPILLAR MACHINE PRICE LIST

CB4.0-MB

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

SEAT BELT

L	542-6995	SEAT BELT, 3"	0	\$156
		76 mm (3") wide, high visibility orange, polyester fiber webbed belt.		

ROPS SELECTION

P	576-8244	ROPS, FIXED	0	\$1,660
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER	0	\$1,660 NI
		Fixed mounted ROPS.		
P	562-1043	ROPS, FIXED, CANOPY	0	\$3,490
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER	0	\$3,490 NI
		Fixed mounted ROPS with sun canopy.		
P	576-8242	ROPS, FOLDABLE, LOCKABLE	0	\$2,065
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER	0	\$2,065 NI
		Foldable and lockable ROPS.		
P	576-8241	ROPS, FOLDABLE, CANOPY	0	\$3,895
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER	0	\$3,895 NI
		Foldable and lockable ROPS with sun canopy.		

TECHNOLOGY PRODUCTS

TRAVEL CONTROL

P	453-9461	TRAVEL CONTROL, CUP HOLDER	4	\$66
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER	4	\$66 NI
		This package includes a left side cup holder.		
P	432-8451	TRAVEL CONTROL, COVER	0	NC
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER		
		This package includes a left side cover.		
P	367-6538	TRAVEL CONTROL, DUAL LEVER	13	\$955
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER	0	\$955 NI
		Provides dual propel lever control		

PRODUCT LINK COMMUNICATIONS

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	602-4197	PRODUCT LINK, CELLULAR PL243	0	NC
		Product Link Basic series PL243 uses cellular networks to transmit hour and location information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent data transmission.		

CATERPILLAR MACHINE PRICE LIST

CB4.0-MB

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

OTHER ATTACHMENTS

GUARDS

P	569-8105	PLUG (NO GUARDS, BUMPER)	0	NC
P	569-8093	GUARDS, BUMPER Rubber cushions to protect chassis bumpers from damage.	0	\$90

DRUMS

DRUM SCRAPER SYSTEM

P	562-0851	DRUM SCRAPER, FOLDING	0	NC
---	----------	---------------------------------	---	----

FLUIDS

HYDRAULIC OIL

L	574-6039	OIL, HYD, STANDARD	0	NC
L	574-6069	OIL, HYD, BIODEGRADABLE FOR USE IN LANE 3 ONLY This Hydraulic Environmental Ester Synthetic oil is recommended for hydraulic system when environmental compliance is required or desired. Factory filled.	0	\$860

INSTRUCTIONS

DECAL PACKAGES

L	574-6030	INSTRUCTIONS, ANSI ANSI picto warning decals using symbols plus the word "WARNING" as required for North America (except Quebec, Canada).	0	NC
---	----------	--	---	----

OPERATION AND MAINTENANCE MANUALS

	421-8926	SERIALIZED TECHNICAL MEDIA KIT The technical media kit, will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary.	0	NC
--	----------	--	---	----

Any additional media or translations not included in the kit, should be ordered through publications.cat.com

CATERPILLAR MACHINE PRICE LIST

CB4.0-MB

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

HYDRAULICS

L	562-0808	CONTROL, TRACTION	0 0	\$1,920 \$1,920 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Flow divider between front and rear drum improves traction and minimizes drum spinning.		

ELECTRICAL

P	575-4459	LIGHTS, WARNING (W/CANOPY)	0 0	\$272 \$272 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 576-8241 ROPS, FOLDABLE W/ CANOPY or 562-1043 ROPS, FIXED W/ CANOPY		
P	575-4457	LIGHTS, WARNING (W/O CANOPY)	0 0	\$314 \$314 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 576-8244 ROPS, FIXED or 576-8242 ROPS, FOLDABLE, LOCKABLE		

TECHNOLOGY PRODUCTS

CAT COMPACTION CONTROL - MEASURE

Base/Entry level compaction measurement systems that detect changes in soil stiffness and provide the operator with real time compaction information on the standard machine display.

P	574-6198	SENSOR, ACCELEROMETER.	0 0	\$2,680 \$2,680 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Traditional material stiffness measurement providing CMV values resulting from vibration energy imparted to the compacted material.		

OTHER ATTACHMENTS

WATER SYSTEM - UPGRADES

P	457-9154	MATS, COCOA	31 31	\$885 \$885 NI
		FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER		
P	574-6076	FREEZE PROTECTION.	0 0	\$128 \$128 NI
		FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides a means to add windshield washer or RV antifreeze to protect the water lines, pumps, filters, and nozzles from freezing.		

CATERPILLAR MACHINE PRICE LIST

CB4.0-MB

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

MISCELLANEOUS ATTACHMENTS

P	614-3613	MIRROR, REAR VIEW	0 0	\$189 \$189 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Single bolt on rear view mirror. REQUIRED BY: BRITISH COLUMBIAN DEALERS		
P	572-3342	BALLAST, 440 LBS	0 0	\$1,505 \$1,505 NI
		FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides 200 kg (440.9 lbs) additional drum weights to provide maximum machine operating weight.		
P	361-5797	BALLAST, 881 LBS	888 0	\$2,530 \$2,530 NI
		FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides 400 kg (881.8 lbs) additional drum weights to provide maximum machine operating weight.		
P	483-5920	BALLAST, 1194 LBS	1,261 1,261	\$3,125 \$3,125 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides 542 kg (1194 lbs) additional drum weights to provide maximum machine operating weight.		

FACTORY SOURCED KITS

P	600-9428	CANOPY, FLD	0	\$1,830 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Dealer installed field kit for a sun canopy to be mounted to the folding ROPS. Can also be used on a fixed ROPS but will have extra components		

DOCUMENTATION

CERTIFICATES

OF-5109	CERTIFICATE OF ORIGIN	0	\$97 NET
---------	---------------------------------	---	----------

PACKING

OG-0044	ROLL ON-ROLL OFF	0	NC
	To be used for single order		
OG-0068	PACK, MISCELLANEOUS MATERIAL	0	NC
	No charge for packing. Applicable freight charges may apply		

CATERPILLAR MACHINE PRICE LIST

CB4.0-MB

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-----------------	--------------------	-------------------------

PACKING (CONT.)

PREPARATION ADDITIONAL

OP-2046	PREPARATION FOR INSPECTION 0 Inspector is sent by dealer to review the machine. Plant must be contacted 2 weeks before the CSD date.	\$447 NET
---------	---	------------------