

CATERPILLAR MACHINE PRICE LIST

D1

D1 TRACK TYPE TRACTOR ATHENS, GA, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

Standard Equipment:

POWERTRAIN

Caterpillar C3.6 diesel engine
Turbocharged-aftercooled (TA)
Aluminum bar plate cooling system
(radiator, powertrain)
Radial air cleaner with precleaner,
automatic dust ejection and under-hood
intake
Dual path, closed-loop, hydrostatic
transmission
Electric fuel pump
Fuel/water separator
Automatic traction control

UNDERCARRIAGE

Salt undercarriage (43 - section)
6 roller track frame
Track rollers, lifetime lubricated
Carrier rollers
Track adjusters, hydraulic
Guards, front/rear guiding

HYDRAULICS

3 valve hydraulics
Single lever, three function control
Hydraulic pump and oil
Stable blade control

ELECTRICAL

Alternator, 150 amp, heavy duty
Alarm, backup
Horn, electric
6 work light package
Batteries, heavy duty, maintenance free,
1000 CCA.
Diagnostic connector
Starter electric 12V heavy duty

OPERATOR ENVIRONMENT

ROPS/FOPS canopy
Seat, air suspended, cloth or vinyl
Seatbelt, hi-vis retractable 76mm(3")
Seatbelt buckling indicator/reminder
on monitor
Foot pads, dash
Electronic monitoring system
with gauge for:
-Engine coolant temperature
-Hydraulic oil temperature
-Fuel level
-Diesel exhaust fluid (DEF)
-Chassis slope indication
Travel speed limiter, electronic
Engine RPM and gear display
Hour meter, electronic

Engine air cleaner service indicator
Electronic security system
Water-in-fuel indicator, electronic
Throttle switch, rotary
ECO mode
Controls, seat mounted, fore/aft
adjustment
Armrests, adjustable
Mirror, rearview, inside
Single pedal combining deceleration and
braking functions
Independent forward/reverse speed
settings
Speed recall
Powerport, 12 volt
Coat hook
Storage compartment
Cup holders
Floor mat, rubber, heavy duty

FLUIDS

Antifreeze, extended life coolant (-37C)
HYDO-advanced hydraulic oil (10W)

OTHER STANDARD EQUIPMENT

C-frame, variable pitch link,
Hydraulic cylinders and lines
Engine enclosures
Front pull device
Rigid drawbar
Ecology drains (engine, powertrain and
implement oil, and engine coolant)
Scheduled oil sampling ports (engine,
powertrain implement oil)
Vandalism protection
Heavy duty crankcase guard
Heavy duty front grill

CATERPILLAR MACHINE PRICE LIST

D1

D1 TRACK TYPE TRACTOR ATHENS, GA, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

**Lane 2 is reserved for the Base Order Management Program
 Please use Lane 2 when placing orders that are part of the Base Order
 Management program.**

590-8617	D1 12A LGP TRACTOR DCA10 0 LANE 1 - AVAILABLE FROM ATHENS PDC.	\$137,650
----------	--	------------------

- INCLUDES:
- 558-8522 D1 12A LGP TRACTOR
 - 244-7433 DRAWBAR, STANDARD
 - 244-7503 NO FRONT COUNTERWEIGHT
 - 286-4309 TRACK, 25", MS, SALT, LGP
 - 394-1851 LIGHTS, 6
 - 397-4267 BLADE, 124"
 - 397-4287 GUARD GP, REAR OMISSION
 - 397-4326 UNDERCARRIAGE, SALT
 - 513-6154 INSTRUCTIONS, CANADA
 - 550-6019 AIR CLEANER W/O PRECLEANER
 - 550-6050 GRILL, RADIATOR, HD
 - 551-2972 PROD LINK, PLE643/PLE743 RADIO
 - 552-3229 COOLER, STANDARD
 - 552-3235 TENSIONER, OROPS, NON-AC
 - 552-3248 STARTING AID, ETHER
 - 557-1344 GUARD, BELLY
 - 558-8529 ENGINE, CAT C3.6
 - 558-8535 HYDRAULICS, 3 VALVE, PUMP STD
 - 558-8544 CANOPY, ROPS, HEATER
 - 558-8550 SOUND SUPPRESSION, OMISSION
 - 558-8557 CONTROL, PITCH
 - 558-8567 CONTROL, BASIC
 - 558-8582 INSTRUCTIONS, ANSI
 - 559-5725 SEAT, VINYL
 - 590-0677 FAN, STANDARD

CATERPILLAR MACHINE PRICE LIST

D1

D1 TRACK TYPE TRACTOR ATHENS, GA, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

590-8618	D1 12A LGP TRACTOR DCA11 0	\$144,400
	LANE 1 - AVAILABLE FROM ATHENS PDC	

INCLUDES:
 558-8522 D1 12A LGP TRACTOR
 244-7433 DRAWBAR, STANDARD
 244-7503 NO FRONT COUNTERWEIGHT
 286-4319 TRACK, 25", MS, ABRASION, LGP
 394-1851 LIGHTS, 6
 397-4267 BLADE, 124"
 397-4287 GUARD GP, REAR OMISSION
 397-4206 UNDERCARRIAGE, ABRASION
 513-6154 INSTRUCTIONS, CANADA
 550-6019 AIR CLEANER W/O PRECLEANER
 550-6050 GRILL, RADIATOR, HD
 551-2972 PROD LINK, PLE643/PLE743 RADIO
 552-3229 COOLER, STANDARD
 552-3235 TENSIONER, OROPS, NON-AC
 552-3248 STARTING AID, ETHER
 557-1344 GUARD, BELLY
 558-8529 ENGINE, CAT C3.6
 558-8535 HYDRAULICS, 3 VALVE, PUMP STD
 558-8544 CANOPY, ROPS, HEATER
 558-8550 SOUND SUPPRESSION, OMISSION
 558-8557 CONTROL, PITCH
 558-8567 CONTROL, BASIC
 558-8582 INSTRUCTIONS, ANSI
 559-5725 SEAT, VINYL
 590-0677 FAN, STANDARD

558-8521	D1 12A TRACTOR CFG10 0	\$114,330
	LANE 2 - AVAILABLE FROM ATHENS FACTORY. LANE 3 - AVAILABLE FROM ATHENS FACTORY.	

1495MM(59") gauge
 CANNOT BE USED WITH: EU DEALERS

558-8522	D1 12A LGP TRACTOR CFG11 0	\$121,280
	LANE 2 - AVAILABLE FROM ATHENS FACTORY LANE 3 - AVAILABLE FROM ATHENS FACTORY	

1725MM(68") gauge
 CANNOT BE USED WITH: EU DEALERS

558-8527	D1 12A LGP TRACTOR CFG12 0	\$130,010
	LANE 2 - AVAILABLE FROM ATHENS FACTORY LANE 3 - AVAILABLE FROM ATHENS FACTORY	

1860MM(73") gauge
 30" track
 CANNOT BE USED WITH: EU DEALERS

590-8418	D1 12A TRACTOR CFG13 0	\$134,470
	LANE 3 - AVAILABLE FROM ATHENS FACTORY	

1495MM(59") gauge
 NOTE: FIRE PLOW TRACTOR

CATERPILLAR MACHINE PRICE LIST

D1

D1 TRACK TYPE TRACTOR ATHENS, GA, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

590-8419 D1 12A LGP TRACTOR CFG14 0 LANE 3 - AVAILABLE FROM ATHENS FACTORY		\$141,420
---	--	------------------

1725MM(68") gauge
 NOTE: FIRE PLOW TRACTOR

590-8424 D1 12A LGP TRACTOR CFG15 0 LANE 3 - AVAILABLE FROM ATHENS FACTORY		\$151,040
---	--	------------------

1860MM(73") gauge
 30" track
 NOTE: FIRE PLOW TRACTOR

593-0445 D1 12A TRACTOR FTO15 0 AVAILABLE FROM ATHENS FACTORY LANE 3 - AVAILABLE FROM ATHENS FACTORY		\$263,020
--	--	------------------

- INCLUDES:
- 572-5116 D1 12A MULCHER TRACTOR
 - 250-1699 SCREEN, SIDE
 - 368-0110 TRACK, 16", MS, SALT
 - 379-4986 GUARD,TRK GUIDING,CENTER,SALT
 - 393-4250 SCREEN, REAR, CAB
 - 394-1851 LIGHTS, 6
 - 397-4288 GUARD GP, REAR
 - 397-4326 UNDERCARRIAGE, SALT
 - 397-4341 SWEEPS, FRONT
 - 397-4342 SWEEPS, REAR
 - 550-6018 AIR CLEANER W/PRECLEANER
 - 550-6040 GRILL, RADIATOR, HD, HINGED
 - 551-2972 PROD LINK, PLE643/PLE743 RADIO
 - 551-2980 STANDARD RADIO (12V)
 - 552-3241 TENSIONER, MULCHER
 - 552-3246 HEATER, ENGINE COOLANT (120V)
 - 552-3248 STARTING AID, ETHER
 - 557-1400 GUARD, BELLY, HD
 - 558-8549 CAB, ROPS, POLYCARBONATE
 - 558-8550 SOUND SUPPRESSION, OMISSION
 - 558-8569 CONTROL, BASIC, CAMERA
 - 590-8710 CONTROL, PITCH, MULCHER
 - 590-8770 MULCHER ARRANGEMENT
 - 590-8886 COOLER, HIGH DEBRIS
 - 591-6935 GUARD, BELLY, FRONT, MULCHER
 - 595-1525 WRAP, A/T
 - 559-5727 SEAT, CLOTH
 - 589-7697 HYDRAULICS, 4 VALVE, MULCHER
 - 590-0678 FAN, REVERSING
- NOTE: MULCHER MACHINES

CATERPILLAR MACHINE PRICE LIST

D1

D1 TRACK TYPE TRACTOR ATHENS, GA, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

593-0446	D1 12A LGP TRACTOR FT016 0	\$270,070
	AVAILABLE FROM ATHENS FACTORY	
	LANE 3 - AVAILABLE FROM ATHENS FACTORY	

- INCLUDES:
- 572-5117 D1 12A LGP MULCHER TRACTOR
 - 250-1699 SCREEN, SIDE
 - 379-4986 GUARD,TRK GUIDING,CENTER,SALT
 - 393-4250 SCREEN, REAR, CAB
 - 394-1851 LIGHTS, 6
 - 397-4288 GUARD GP, REAR
 - 397-4326 UNDERCARRIAGE, SALT
 - 397-4341 SWEEPS, FRONT
 - 397-4342 SWEEPS, REAR
 - 550-6018 AIR CLEANER W/PRECLEANER
 - 550-6040 GRILL, RADIATOR, HD, HINGED
 - 551-2972 PROD LINK, PLE643/PLE743 RADIO
 - 551-2980 STANDARD RADIO (12V)
 - 552-3241 TENSIONER, MULCHER
 - 552-3246 HEATER, ENGINE COOLANT (120V)
 - 552-3248 STARTING AID, ETHER
 - 558-8549 CAB, ROPS, POLYCARBONATE
 - 558-8550 SOUND SUPPRESSION, OMISSION
 - 558-8569 CONTROL, BASIC, CAMERA
 - 590-8710 CONTROL, PITCH, MULCHER
 - 590-8770 MULCHER ARRANGEMENT
 - 590-8886 COOLER, HIGH DEBRIS
 - 286-4309 TRACK, 25", MS, SALT, LGP
 - 557-1404 GUARD, BELLY, HD
 - 591-6935 GUARD, BELLY, FRONT, MULCHER
 - 595-1525 WRAP, A/T
 - 559-5727 SEAT, CLOTH
 - 589-7697 HYDRAULICS, 4 VALVE, MULCHER
 - 590-0678 FAN, REVERSING
- NOTE: MULCHER MACHINES

0P-7272	D1 MISC MATERIAL 0	NC
	AVAILABLE FROM ATHENS FACTORY	

Only reference numbers that have the text
 "ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order.

CATERPILLAR MACHINE PRICE LIST

D1

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

0P-9001	LANE 1 ORDER	0	NC
	Order from Product Distribution Center (PDC)		

OPERATION AND MAINTENANCE MANUAL

421-8926	SERIALIZED TECHNICAL MEDIA KIT	0	NC
	The technical media kit will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. included in the kit, can be ordered through the media website. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com.		

DECAL PACKAGE

L	558-8583	INSTRUCTIONS, ISO	0	NC
		ONLY FOR USE WITH: CANADA DEALERS REQUIRED BY: Toromont Dealers		

PROTECTION

0P-2266	SHIPPING/STORAGE PROTECTION	0	\$228 NET
	Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer. REQUIRED BY: Lane 1 Orders and Export Orders		

PACKING

0P-4299	PACKING, LAST MILE PROGRAM	0	NC
---------	--------------------------------------	---	----

CATERPILLAR MACHINE PRICE LIST

D1

USE	REF NO.	LANE 1 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

PDC MACHINE PREP

	590-9289	ATHENS DEALER PDI & FUEL 0		\$474 NET
		The Athens Dealer PDI will include an official Caterpillar STTT PDI inspection complete with an online report for the machine utilizing the CAT Inspect application, diesel fuel top-off, DEF fluid top-off, glycol max line fill, engine oil max line fill, washer fluid top-off, cold weather anti-gelling fuel treatment, and the optional installation of two Dealer supplied decals. Hydraulic fluid will be within top half of gauge which is considered optimal.		
	0P-4656	DEALER PREP, FINNING 0		\$294 NET
		ONLY FOR USE WITH: CANADIAN DEALERS		

SWEEPS

P	397-4341	SWEEPS, FRONT 291		\$2, 670
		CANNOT BE USED WITH: 590-8708 CONTROL, PITCH, TWD		
P	397-4342	SWEEPS, REAR 123		\$1, 215
		Provides protection to rear top portion of cap or canopy REQUIRES: 397-4341 SWEEPS, FRONT		

SCREENS

P	343-3525	SCREEN, FRONT & DOORS, CANOPY 172		\$3, 430
		REQUIRES: 393-4251 SCREEN, REAR		
P	393-4251	SCREEN, REAR, CANOPY 86		\$1, 305
P	250-1699	SCREEN, SIDE 267		\$1, 710

GUARDS, TRACK ROLLER

P	397-4333	GUARD, TRACK ROLLER, FULL, ABR 159		\$1, 525
		ONLY FOR USE WITH: 590-8618 D1 12A LGP TRACTOR DCA11		
P	397-4343	GUARD, TRACK ROLLER, FULL,SALT 163		\$1, 525
		ONLY FOR USE WITH: 590-8617 D1 12A LGP TRACTOR DCA10		
P	379-4991	GUARD,TRK GUIDING,CENTER,ABR 0		\$950
		ONLY FOR USE WITH: 590-8618 D1 12A LGP TRACTOR DCA11		
P	379-4986	GUARD,TRK GUIDING,CENTER,SALT 59		\$950
		ONLY FOR USE WITH: 590-8617 D1 12A LGP TRACTOR DCA10		

CATERPILLAR MACHINE PRICE LIST

D1

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0		NC
	Only for dealers enrolled in the Base Orders Management (BOM) program			
OP-9003	LANE 3 ORDER	0		NC

POWERTRAIN

ENGINE INSTALLATION - Standard Tractor

L	558-8529	ENGINE, CAT C3.6	0	\$10,070
		U.S. EPA Tier 4 Final, EU Stage V, Japan 2014 Certified engine with DOC/DPF/SCR aftertreatment CANNOT BE USED WITH: AME OR CIS DEALERS		

ENGINE INSTALLATION - Fire Tractor

L	572-5118	ENGINE, CAT C3.6, FIRE TR	0	\$2,325
		U.S. EPA Tier 4 Final, EU Stage V, Japan 2014 Certified engine with DOC/DPF/SCR aftertreatment CANNOT BE USED WITH: EU OR ISRAEL DEALERS		
L	572-5119	ENGINE, CAT C3.6, FIRE TR, HHP	0	\$4,205
		U.S. EPA Tier 4 Final, EU Stage V, Japan 2014 Certified engine with DOC/DPF/SCR aftertreatment High Horsepower Option CANNOT BE USED WITH: EU OR ISRAEL DEALERS		

ENGINE PRE-CLEANER SELECTION

L	550-6019	AIR CLEANER W/O PRECLEANER	0	NC
L	550-6018	AIR CLEANER W/PRECLEANER	0	\$565
			0	\$565 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER One week lead time for miscellaneous order.		

CATERPILLAR MACHINE PRICE LIST

D1

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE

UNDERCARRIAGE

CAT Abrasion can be used in most of the HD sealed and lubricated applications.

Center tread idlers now run on the bushings instead of the links, eliminating link scalloping, substantially increasing link life, O&O costs are significantly reduced by elimination of bushing turns and increased components wear life.

Customers should carefully select between CAT Abrasion and SALT undercarriage based on expected application. For attachment guiding / guarding (for CAT Abrasion and SALT configurations), see the Track Guiding Guard Arrangements section.

It is recommended the machines use SALT undercarriage in high debris packing applications.

L	397-4326	UNDERCARRIAGE, SALT	0	NC
		CANNOT BE USED WITH: EU DEALER		
L	397-4206	UNDERCARRIAGE, ABRASION.	0	\$6,750
L	476-0619	UNDERCARRIAGE, SALT, TWD	0	\$2,175
		FOR USE IN LANE 3 ONLY		
		CANNOT BE USED WITH: EU DEALER		
		590-8418 D1 12A TRACTOR CFG13		
		590-8419 D1 12A LGP TRACTOR CFG14		
		590-8424 D1 12A LGP TRACTOR CFG15		

NOTE: Includes coated recoil for corrosive environments.

TRACK PAIRS

SALT

L	368-0110	TRACK, 16", MS, SALT	0	NC
		ONLY FOR USE WITH: 558-8521 D1 12A TRACTOR CFG10 OR		
		558-8522 D1 12A LGP TRACTOR CFG11 OR		
		590-8418 D1 12A TRACTOR CFG13 OR		
		590-8419 D1 12A LGP TRACTOR CFG14 AND		
		476-0619 UNDERCARRIAGE, SALT, TWD OR		
		397-4326 UNDERCARRIAGE, SALT		
L	286-4309	TRACK, 25", MS, SALT, LGP	0	NC
		ONLY FOR USE WITH: 558-8522 D1 12A LGP TRACTOR CFG11 OR		
		590-8419 D1 12A LGP TRACTOR CFG14 AND		
		476-0619 UNDERCARRIAGE, SALT, TWD OR		
		397-4326 UNDERCARRIAGE, SALT		

CATERPILLAR MACHINE PRICE LIST

D1

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

TRACK PAIRS (Cont.)

L	368-0118	TRACK, 14", TG, SALT FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 558-8521 D1 12A TRACTOR CFG10 OR 590-8418 D1 12A TRACTOR CFG13 AND 476-0619 UNDERCARRIAGE, SALT, TWD OR 397-4326 UNDERCARRIAGE, SALT	0	\$815
L	319-9514	TRACK, 25", SELF CLEANING,SALT FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 558-8522 D1 12A LGP TRACTOR CFG11 OR 590-8419 D1 12A LGP TRACTOR CFG14 AND 476-0619 UNDERCARRIAGE, SALT, TWD OR 397-4326 UNDERCARRIAGE, SALT	440	\$8,940
L	368-0112	TRACK, 30", MS, SALT, LGP ONLY FOR USE WITH: 558-8527 D1 12A LGP TRACTOR CFG12 OR 590-8424 D1 12A LGP TRACTOR CFG15 AND 476-0619 UNDERCARRIAGE, SALT, TWD OR 397-4326 UNDERCARRIAGE, SALT	0	NC
L	476-0635	TRACK, 16", CENTERPUNCH, SALT FOR USE IN LANE 3 ONLY Track shoes with center hole. ONLY FOR USE WITH: 558-8521 D1 12A TRACTOR CFG10 AND 397-4326 UNDERCARRIAGE, SALT OR 476-0619 UNDERCARRIAGE, SALT, TWD	0	\$7,980
L	477-7824	TRACK, 25", CENTERPUNCH, SALT FOR USE IN LANE 3 ONLY Track shoes with center hole ONLY FOR USE WITH: 558-8522 D1 12A LGP TRACTOR CFG11 AND 397-4326 UNDERCARRIAGE, SALT OR 476-0619 UNDERCARRIAGE, SALT, TWD	0	\$7,980

ABRASION

L	368-0114	TRACK, 16", MS, ABRASION ONLY FOR USE WITH: 558-8521 D1 12A TRACTOR CFG10 OR 558-8522 D1 12A LGP TRACTOR CFG11 OR 558-8518 D1 12A TRACTOR CFG13 AND 397-4206 UNDERCARRIAGE, ABRASION	0	NC
L	286-4319	TRACK, 25", MS, ABRASION, LGP ONLY FOR USE WITH: 558-8522 D1 12A LGP TRACTOR CFG11 OR 558-8519 D1 12A LGP TRACTOR CFG14 AND 397-4206 UNDERCARRIAGE, ABRASION	0	NC
L	368-0115	TRACK, 30", MS, ABRASION, LGP FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 558-8527 D1 12A LGP TRACTOR CFG12 OR 590-8424 D1 12A LGP TRACTOR CFG15 AND 397-4206 UNDERCARRIAGE, ABRASION	0	NC

CATERPILLAR MACHINE PRICE LIST

D1

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS

HYDRAULICS - Standard Tractor

L	558-8535	HYDRAULICS, 3 VALVE, PUMP STD 0 ONLY FOR USE WITH: 558-8521 D1 12A TRACTOR CFG10 OR 558-8522 D1 12A LGP TRACTOR CFG11 OR 558-8527 D1 12A LGP TRACTOR CFG12 CANNOT BE USED WITH: 397-4317 RIPPER 397-4389 WINCH, MOUNTING PLATE 397-4320 WINCH, PA40 510-6255 WINCH AR, RETRIEVAL		NC
L	558-8536	HYDRAULICS, 3 VALVE, WINCH 0 REQUIRES: 397-4389 WINCH, MOUNTING PLATE OR 397-4320 WINCH, PA40 ONLY FOR USE WITH: 558-8521 D1 12A TRACTOR CFG10 OR 558-8522 D1 12A LGP TRACTOR CFG11 OR 558-8527 D1 12A LGP TRACTOR CFG12 AND CANNOT BE USED WITH: 397-4317 RIPPER 510-6255 WINCH AR, RETRIEVAL		\$5,070
L	558-8538	HYDRAULICS, 4 VALVE, PUMP STD 0 Provides additional AUX valve section. ONLY FOR USE WITH: 558-8521 D1 12A TRACTOR CFG10 OR 558-8522 D1 12A LGP TRACTOR CFG11 OR 558-8527 D1 12A LGP TRACTOR CFG12 AND CANNOT BE USED WITH: 397-4389 WINCH, MOUNTING PLATE 397-4320 WINCH, PA40		\$1,165
L	558-8539	HYDRAULICS, 4 VALVE, WINCH 0 Provides additional AUX valve section. REQUIRES: 397-4389 WINCH, MOUNTING PLATE OR 397-4320 WINCH, PA40 ONLY FOR USE WITH: 558-8521 D1 12A TRACTOR CFG10 OR 558-8522 D1 12A LGP TRACTOR CFG11 OR 558-8527 D1 12A LGP TRACTOR CFG12 AND CANNOT BE USED WITH: 397-4317 RIPPER 510-6255 WINCH AR, RETRIEVAL		\$6,240
L	558-8541	HYDRAULICS, 5 VALVE PUMP STD 0 Provides 2 additional AUX valve section. ONLY FOR USE WITH: 558-8521 D1 12A TRACTOR CFG10 OR 558-8522 D1 12A LGP TRACTOR CFG11 OR 558-8527 D1 12A LGP TRACTOR CFG12 AND CANNOT BE USED WITH: 397-4389 WINCH, MOUNTING PLATE 397-4320 WINCH, PA40		\$2,000
L	558-8542	HYDRAULICS, 5 VALVE, WINCH 0 Provides 2 additional AUX valve section. REQUIRES: 397-4389 WINCH, MOUNTING PLATE OR 397-4320 WINCH, PA40 ONLY FOR USE WITH: 558-8521 D1 12A TRACTOR CFG10 OR 558-8522 D1 12A LGP TRACTOR CFG11 OR 558-8527 D1 12A LGP TRACTOR CFG12 AND CANNOT BE USED WITH: 397-4317 RIPPER 510-6255 WINCH AR, RETRIEVAL		\$7,080

CATERPILLAR MACHINE PRICE LIST

D1

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

HYDRAULICS - Fire Tractor

L	596-6726	HYD, 4 VALVE, PUMP STD 0 Unsheathed Hoses Provides additional AUX valve section ONLY FOR USE WITH: 590-8418 D1 12A TRACTOR CFG13 OR 590-8419 D1 12A LGP TRACTOR CFG14 OR 590-8424 D1 12A LGP TRACTOR CFG15 AND CANNOT BE USED WITH: 397-4389 WINCH, MOUNTING PLATE 397-4320 WINCH, PA40		\$1,315
L	596-6727	HYD, 4 VALVE, PUMP STD, FS 0 Sheathed Hoses Provides additional AUX valve section ONLY FOR USE WITH: 590-8418 D1 12A TRACTOR CFG13 OR 590-8419 D1 12A LGP TRACTOR CFG14 OR 590-8424 D1 12A LGP TRACTOR CFG15 AND CANNOT BE USED WITH: 397-4389 WINCH, MOUNTING PLATE 397-4320 WINCH, PA40		\$1,615
L	596-6728	HYD, 4 VALVE, WINCH 0 Unsheathed Hoses Provides additional AUX valve section REQUIRES: 397-4389 WINCH, MOUNTING PLATE OR 397-4320 WINCH, PA40 ONLY FOR USE WITH: 590-8418 D1 12A TRACTOR CFG13 OR 590-8419 D1 12A LGP TRACTOR CFG14 OR 590-8424 D1 12A LGP TRACTOR CFG15 AND CANNOT BE USED WITH: 397-4317 RIPPER 510-6255 WINCH AR, RETRIEVAL		\$6,410
L	596-6730	HYD, 4 VALVE, WINCH, FS 0 Sheathed Hoses Provides additional AUX valve section REQUIRES: 397-4389 WINCH, MOUNTING PLATE OR 397-4320 WINCH, PA40 ONLY FOR USE WITH: 590-8418 D1 12A TRACTOR CFG13 OR 590-8419 D1 12A LGP TRACTOR CFG14 OR 590-8424 D1 12A LGP TRACTOR CFG15 AND CANNOT BE USED WITH: 397-4317 RIPPER 510-6255 WINCH AR, RETRIEVAL		\$7,670
L	596-6732	HYD, 5 VALVE, PUMP STD 0 Unsheathed Hoses Provides 2 additional AUX valve sections ONLY FOR USE WITH: 590-8418 D1 12A TRACTOR CFG13 OR 590-8419 D1 12A LGP TRACTOR CFG14 OR 590-8424 D1 12A LGP TRACTOR CFG15 AND CANNOT BE USED WITH: 397-4389 WINCH, MOUNTING PLATE 397-4320 WINCH, PA40		\$2,000
L	596-6733	HYD, 5 VALVE, PUMP STD, FS 0 Sheathed Hoses Provides 2 additional AUX valve sections ONLY FOR USE WITH: 590-8418 D1 12A TRACTOR CFG13 OR 590-8419 D1 12A LGP TRACTOR CFG14 OR 590-8424 D1 12A LGP TRACTOR CFG15 AND CANNOT BE USED WITH: 397-4389 WINCH, MOUNTING PLATE 397-4320 WINCH, PA40		\$2,310

CATERPILLAR MACHINE PRICE LIST

D1

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

HYDRAULICS - Fire Tractor (Cont.)

L	596-6734	HYD, 5 VALVE, WINCH 0 Unsheathed Hoses Provides 2 additional AUX valve sections REQUIRES: 397-4389 WINCH, MOUNTING PLATE OR 397-4320 WINCH, PA40 ONLY FOR USE WITH: 590-8418 D1 12A TRACTOR CFG13 OR 590-8419 D1 12A LGP TRACTOR CFG14 OR 590-8424 D1 12A LGP TRACTOR CFG15 AND CANNOT BE USED WITH: 397-4317 RIPPER 510-6255 WINCH AR, RETRIEVAL	0	\$7,080
L	596-6736	HYD, 5 VALVE, WINCH, FS 0 Sheathed Hoses Provides 2 additional AUX valve sections REQUIRES: 397-4389 WINCH, MOUNTING PLATE OR 397-4320 WINCH, PA40 ONLY FOR USE WITH: 590-8418 D1 12A TRACTOR CFG13 OR 590-8419 D1 12A LGP TRACTOR CFG14 OR 590-8424 D1 12A LGP TRACTOR CFG15 AND CANNOT BE USED WITH: 397-4317 RIPPER 510-6255 WINCH AR, RETRIEVAL	0	\$8,350

FRONT END ATTACHMENT - Standard Tractor

L	558-8557	CONTROL, PITCH 0 ONLY FOR USE WITH: 558-8521 D1 12A TRACTOR CFG10 OR 558-8522 D1 12A LGP TRACTOR CFG11	0	NC
L	558-8559	CONTROL, PITCH 0 ONLY FOR USE WITH: 558-8527 D1 12A LGP TRACTOR CFG12	0	NC
L	558-8561	CONTROL, POWER PITCH 0 ONLY FOR USE WITH: 558-8521 D1 12A TRACTOR CFG10 OR 558-8522 D1 12A LGP TRACTOR CFG11	0	\$3,625
L	558-8563	CONTROL, POWER PITCH 0 ONLY FOR USE WITH: 558-8527 D1 12A LGP TRACTOR CFG12	0	\$3,625
L	590-8708	CONTROL, PITCH, TWD 0 FOR USE IN LANE 3 ONLY REQUIRES: 553-2569 BLADE, TWD OR 553-2570 BLADE, TWD CANNOT BE USED WITH: 558-8570 GRADE W/SA 558-8571 GRADE W/3D	0	\$48,000
L	558-8566	NO C-FRAME 0 REQUIRES: 557-1387 NO BLADE CANNOT BE USED WITH: 558-8570 GRADE W/SA 558-8571 GRADE W/3D	0	\$-4,140

FRONT END ATTACHMENT - Fire Tractor

L	590-8711	CONTROL, PITCH, FIRE TRACTOR 0 REQUIRES: 397-4341 SWEEPS, FRONT ONLY FOR USE WITH: 590-8418 D1 12A TRACTOR CFG13 OR 590-8419 D1 12A LGP TRACTOR CFG14	0	NC
---	----------	--	---	----

NOTE: Includes Exhaust Flexpipe

CATERPILLAR MACHINE PRICE LIST

D1

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

FRONT END ATTACHMENT - Fire Tractor (Cont.)

L	590-8713	CONTROL, PITCH, FIRE TRACTOR 0 REQUIRES: 397-4341 SWEEPS, FRONT ONLY FOR USE WITH: 590-8424 D1 12A LGP TRACTOR CFG15 NOTE: Includes Exhaust Flexpipe		NC
---	----------	---	--	----

ELECTRICAL

LIGHTS

L	394-1851	LIGHTS, 6 2 Includes: 6 halogen lights - 4 front, 2 rear.		\$347
L	508-3301	LIGHTS, 6, LED 0 Includes: 6 LED lights - 4 front, 2 rear.		\$1,040

OPERATOR ENVIRONMENT

OPERATOR STATION - Standard Tractor

L	558-8544	CANOPY, ROPS, HEATER 0 INCLUDES: HEATER REQUIRES: 552-3235 TENSIONER, OROPS ONLY FOR USE WITH: 558-8521 D1 12A TRACTOR CFG10 OR 558-8522 D1 12A LGP TRACTOR CFG11 OR 558-8527 D1 12A LGP TRACTOR CFG12		NC
L	558-8547	CAB, ROPS, HEATER & A/C 0 INCLUDES: Air conditioner Glass windows REQUIRES: 552-3236 TENSIONER, EROPS ONLY FOR USE WITH: 558-8521 D1 12A TRACTOR CFG10 OR 558-8522 D1 12A LGP TRACTOR CFG11 OR 558-8527 D1 12A LGP TRACTOR CFG12		\$17,100
L	558-8549	CAB, ROPS, POLYCARBONATE 0 INCLUDES: Air conditioner 12mm Polycarbonate windows on front and doors REQUIRES: 552-3236 TENSIONER, EROPS ONLY FOR USE WITH: 558-8521 D1 12A TRACTOR CFG10 OR 558-8522 D1 12A LGP TRACTOR CFG11 OR 558-8527 D1 12A LGP TRACTOR CFG12		\$17,580

CATERPILLAR MACHINE PRICE LIST

D1

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

OPERATOR STATION - Fire Tractor

L	590-8701	CAB, ROPS, HEATER AND A/C 0		\$17,100
		INCLUDES: Air conditioner Glass windows Quick release floor plate In cab fuel shutoff ONLY FOR USE WITH: 590-8418 D1 12A TRACTOR CFG13 OR 590-8419 D1 12A LGP TRACTOR CFG14 OR 590-8424 D1 12A LGP TRACTOR CFG15		
L	590-8702	CAB, ROPS, POLYCARBONATE 0		\$17,590
		Includes: Air conditioner 12mm Polycarbonate windows on front and doors Quick release floor plate In cab fuel shutoff ONLY FOR USE WITH: 590-8418 D1 12A TRACTOR CFG13 OR 590-8419 D1 12A LGP TRACTOR CFG14 OR 590-8424 D1 12A LGP TRACTOR CFG15		

TENSIONERS - Standard Tractor

L	552-3235	TENSIONER, OROPS, NON-AC 0		NC
		ONLY FOR USE WITH: 558-8544 CANOPY, ROPS, HEATER		
L	552-3236	TENSIONER, EROPS, AC 0		NC
		ONLY FOR USE WITH: 558-8547 CAB, ROPS, HEATER + A/C OR 558-8549 CAB, ROPS, POLYCARBONATE OR 590-8701 CAB, ROPS, HEATER AND A/C OR 590-8702 CAB, ROPS, POLYCARBONATE AND 558-8529 ENGINE, CAT C3.6 OR 558-8530 ENGINE, CAT C3.6 OR 572-5118 ENGINE, CAT C3.6, FIRE TR		
L	552-3238	TENSIONER, EROPS, AC 0		NC
		ONLY FOR USE WITH: 590-8701 CAB, ROPS, HEATER AND A/C OR 590-8702 CAB, ROPS, POLYCARBONATE AND 572-5119 ENGINE, CAT C3.6, FIRE TR, HHP		

SEATS

L	559-5725	SEAT, VINYL 0		NC
		ONLY FOR USE WITH: 558-8544 CANOPY, ROPS, HEATER		
L	559-5726	SEAT, VINYL, HEATED SEAT&CTRLS 0		\$1,230
		Includes: Vinly heated seat Heated joystick control handles ONLY FOR USE WITH: 558-8544 CANOPY, ROPS, HEATER		
L	559-5727	SEAT, CLOTH 0		NC
		ONLY FOR USE WITH: 558-8547 CAB, ROPS, HEATER + A/C OR 558-8549 CAB, ROPS, POLYCARBONATE OR 590-8701 CAB, ROPS, HEATER AND A/C OR 590-8702 CAB, ROPS, POLYCARBONATE		

CATERPILLAR MACHINE PRICE LIST

D1

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

SEATS (Cont.)

L	559-5728	SEAT, CLOTH, HEATED SEAT&CTRLS 0		\$1,230
		Includes: Cloth seat Heated seat Heated joystick control handles ONLY FOR USE WITH: 558-8547 CAB, ROPS, HEATER + A/C OR 558-8549 CAB, ROPS, POLYCARBONATE OR 590-8701 CAB, ROPS, HEATER AND A/C OR 590-8702 CAB, ROPS, POLYCARBONATE		
L	559-5729	SEAT, CLOTH HEATED, VENTILATED 0		\$1,895
		Includes: Cloth seat Heated and ventilated seat Heated joystick control handles ONLY FOR USE WITH: 558-8547 CAB, ROPS, HEATER + A/C OR 558-8549 CAB, ROPS, POLYCARBONATE OR 590-8701 CAB, ROPS, HEATER AND A/C OR 590-8702 CAB, ROPS, POLYCARBONATE		

SOUND SUPPRESSION

L	558-8550	SOUND SUPPRESSION, OMISSION 0		NC
L	558-8552	SOUND SUPPRESSION 0		\$4,695
		CANNOT BE USED WITH: 590-8418 D1 12A TRACTOR CFG13 OR 590-8419 D1 12A LGP TRACTOR CFG14 OR 590-8424 D1 12A LGP TRACTOR CFG15		
L	558-8553	SOUND SUPPRESSION, FAST PINS 0		\$1,090
		Includes: Engine enclosure door, RH hinged Engine enclosure door, LH fast pins ONLY FOR USE WITH: 590-8418 D1 12A TRACTOR CFG13 OR 590-8419 D1 12A LGP TRACTOR CFG14 OR 590-8424 D1 12A LGP TRACTOR CFG15 OR 590-8708 CONTROL, PITCH, TWD		

CATERPILLAR MACHINE PRICE LIST

D1

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS

BLADE CONTROL ORDERING

1) Cat GRADE with Slope Assist - Machine Integrated System that provides slope/angular guidance to the cutting edge for both blade slope and mainfall applications. This feature does not require a base station, laser transmitter, design file, or additional hardware. A sensor and valve calibration is required to be functional and is completed at the factory for machines ordered with blades. This system includes an upgraded machine display and an angle sensor on the blade.

Cat GRADE with Slope Assist includes ARO (Attachment Ready Option): Allows machine to easily be upgraded to Cat GRADE with 3D integrated grade control systems or AccuGrade GNSS, Laser or UTS blade mounted grade control systems. ARO includes IMU sensors, EC520 controller, wiring and blade mounting brackets. Upgrading to Cat GRADE with 3D after factory build requires TD520 display, GNSS receivers and antennas, bracket, data corrections solution, Sitech provided grade license files and Caterpillar provided SEA, part number 567-4125. Dealer to provide price for additional hardware and software.

For example, GNSS systems require a GNSS base station. Laser systems require a laser transmitter. UTS requires a Universal Total Station. AccuGrade electronics kits and site infrastructure must be ordered separately from Cat and/or SITECH dealer.

2) GRADE W/3D: CAT Grade with 3D is a factory installed, integrated grade control system with machine mounted sensors and GNSS antennas mounted to the roof of the cab. Includes TD520 Grade display, GNSS receivers and antennas with GPS, Glonass, Galileo, and Beidou constellations, IMU's, Grade license files, and Caterpillar provided SEA. Additional requirements via Cat/ Sitech dealer includes data corrections solution, measure up and calibration.

Requires an "off-board" radio network or GNSS base station to be functional. Additional requirements via SITECH dealer include on-board data radio installation and measure up.

BLADE GRADE CONTROL

L	558-8567	CONTROL, BASIC	0	NC
L	558-8569	CONTROL, BASIC, CAMERA	0	\$1,170

CATERPILLAR MACHINE PRICE LIST

D1

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

BLADE CONTROL ORDERING (Cont.)

L	558-8570	GRADE W/SA 0		\$8,040
		Includes: Cat GRADE with Slope Assist Attachment Ready option (ARO) Rear camera ONLY FOR USE WITH: 577-4292 BLADE, 104.2"(2646MM), ACCUGRADE OR 577-4293 BLADE, 124"(3149MM), ACCUGRADE OR 577-4301 BLADE, 115"(2921MM), INTERMEDIATE, ACC CANNOT BE USED WITH: 590-8418 D1 12A TRACTOR CFG13 590-8419 D1 12A LGP TRACTOR CFG14 590-8424 D1 12A LGP TRACTOR CFG15 558-8566 NO C-FRAME		

L	558-8571	GRADE W/3D 0		\$60,810
		Includes: Cat GRADE with 3D Cat GRADE with Slope Assist Attachment Ready Option (ARO) Rear camera ONLY FOR USE WITH: 577-4292 BLADE, 104.2"(2646MM), ACCUGRADE OR 577-4293 BLADE, 124"(3149MM), ACCUGRADE OR 577-4301 BLADE, 115"(2921MM), INTERMEDIATE, ACC CANNOT BE USED WITH: CIS DEALERS 590-8418 D1 12A TRACTOR CFG13 590-8419 D1 12A LGP TRACTOR CFG14 590-8424 D1 12A LGP TRACTOR CFG15 558-8566 NO C-FRAME		

GRADE CONTROL REQUIREMENTS

L	394-1871	MOUNTING, RADIO OROPS & ARO 0		NC
		CANNOT BE USED WITH: 590-8418 D1 12A TRACTOR CFG13 590-8419 D1 12A LGP TRACTOR CFG14 590-8424 D1 12A LGP TRACTOR CFG15 REQUIRED BY: 558-8544 CANOPY, ROPS, HEATER AND 558-8570 GRADE W/SA OR 558-8571 GRADE W/3D		

L	395-3461	STOP, CYLINDER 0		NC
		CANNOT BE USED WITH: 590-8418 D1 12A TRACTOR CFG13 590-8419 D1 12A LGP TRACTOR CFG14 590-8424 D1 12A LGP TRACTOR CFG15 REQUIRED BY: 558-8561 CONTROL, POWER PITCH OR 558-8563 CONTROL, POWER PITCH AND 558-8570 GRADE W/SA OR 558-8571 GRADE W/3D		

CATERPILLAR MACHINE PRICE LIST

D1

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Cat marketing representative with questions.

L	551-2972	PROD LINK, PLE643/PLE743 RADIO 0		NC
		Product link radio package PLE643/PLE743 provides a cellular PL243 radio. When the radio is used in combination with a PLE602 network manager (to make a PLE643 system) or PLE702 network manager (to make a PLE743 system) hours, health, utilization, and productivity information is collected and transmitted. The system also provides support for remote services and other advanced features.		
L	551-2974	PROD LINK, PLE683/PLE783 RADIO 0		\$476
		Product link radio package PLE683/PLE783 provides a dual mode PL083 radio for use where travel between areas of both cellular and satellite coverage is required. When the radio is used in combination with a PLE602 network manager (to make a PLE683 system) or PLE702 network manager (to make a PLE783 system) hours, health, utilization, and productivity information is collected and transmitted. The system also provides support for remote services and other advanced features.		

GUARDS

RADIATOR GRILL

P	550-6050	GRILL, RADIATOR, HD 0		\$790
P	550-6040	GRILL, RADIATOR, HD, HINGED 0		\$1,810
				\$1,810 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER One week lead time for miscellaneous order.		

REAR GUARD

L	397-4287	GUARD GP, REAR OMISSION 0		NC
L	397-4288	GUARD GP, REAR 253		\$1,880

BOTTOM GUARD

L	557-1340	GUARD, BELLY 0		NC
		ONLY FOR USE WITH: 558-8521 D1 12A TRACTOR CFG10 OR 590-8418 D1 12A LGP TRACTOR CFG13		
L	557-1344	GUARD, BELLY 0		NC
		ONLY FOR USE WITH: 558-8522 D1 12A LGP TRACTOR CFG11 OR 590-8419 D1 12A LGP TRACTOR CFG14		
L	557-1342	GUARD, BELLY 0		NC
		ONLY FOR USE WITH: 558-8527 D1 12A LGP TRACTOR CFG12 OR 590-8424 D1 12A LGP TRACTOR CFG15		

CATERPILLAR MACHINE PRICE LIST

D1

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

GUARDS (CONT.)

BOTTOM GUARD (Cont.)

L	557-1400	GUARD, BELLY, HD	0	\$960
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER 2-3 weeks lead time for miscellaneous order. ONLY FOR USE WITH: 558-8521 D1 12A TRACTOR CFG10 OR 590-8418 D1 12A LGP TRACTOR CFG13	0	\$960 NI
L	557-1404	GUARD, BELLY, HD	0	\$955
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER 2-3 weeks lead time for miscellaneous order. ONLY FOR USE WITH: 558-8522 D1 12A LGP TRACTOR CFG11 OR 590-8419 D1 12A LGP TRACTOR CFG14	0	\$955 NI
L	557-1402	GUARD, BELLY, HD	0	\$960
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER 2-3 weeks lead time for miscellaneous order. ONLY FOR USE WITH: 558-8527 D1 12A LGP TRACTOR CFG12 OR 590-8424 D1 12A LGP TRACTOR CFG15	0	\$960 NI
L	592-4497	GUARD, BELLY, HINGED	0	\$1,630
		FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 558-8521 D1 12A TRACTOR CFG10 OR 590-8418 D1 12A LGP TRACTOR CFG13	0	
L	592-4498	GUARD, BELLY, HINGED	0	\$1,630
		FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 558-8522 D1 12A LGP TRACTOR CFG11 OR 590-8419 D1 12A LGP TRACTOR CFG14	0	
L	592-4502	GUARD, BELLY, HINGED	0	\$1,630
		FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 558-8527 D1 12A LGP TRACTOR CFG12 OR 590-8424 D1 12A LGP TRACTOR CFG15	0	

OTHER ATTACHMENTS

FANS

L	590-0677	FAN, STANDARD	0	NC
L	590-0678	FAN, REVERSING	0	\$1,795
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER One week lead time for miscellaneous order.	0	\$1,795 NI
L	558-8609	FAN, REVERSING, SHEATHED	0	\$2,120
		Sheathed Hoses FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 590-8418 D1 12A TRACTOR CFG13 OR 590-8419 D1 12A LGP TRACTOR CFG14 OR 590-8424 D1 12A LGP TRACTOR CFG15	0	

RADIATOR OIL COOLER

L	552-3229	COOLER, STANDARD	0	NC
		ONLY FOR USE WITH: 558-8521 D1 12A TRACTOR CFG10 OR 558-8522 D1 12A LGP TRACTOR CFG11 OR 558-8527 D1 12A LGP TRACTOR CFG12	0	

CATERPILLAR MACHINE PRICE LIST

D1

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

RADIATOR OIL COOLER (Cont.)

L	590-8886	COOLER, HIGH DEBRIS 0		\$865
		FOR USE IN LANE 3 ONLY		
		ONLY FOR USE WITH: 558-8521 D1 12A TRACTOR CFG10 OR		
		558-8522 D1 12A LGP TRACTOR CFG11 OR		
		558-8527 D1 12A LGP TRACTOR CFG12		
		CANNOT BE USED WITH: JAPAN DEALERS		

REAR ATTACHMENT

L	244-7433	DRAWBAR, STANDARD 0		NC
		Drawbar extends 5 inches (127 mm).		
		ONLY FOR USE WITH: 558-8535 HYDRAULICS, 3 VALVE, PUMP STD OR		
		558-8538 HYDRAULICS, 4 VALVE, PUMP STD OR		
		558-8541 HYDRAULICS, 5 VALVE PUMP STD OR		
		596-6726 HYD, 4 VALVE, PUMP STD OR		
		596-6727 HYD, 4 VALVE, PUMP STD, FS OR		
		596-6732 HYD, 5 VALVE, PUMP STD OR		
		596-6733 HYD, 5 VALVE, PUMP STD, FS		

L	244-7434	DRAWBAR, TOWING 18		\$605
		Drawbar extends 9.5 inches (241 mm).		
		ONLY FOR USE WITH: 558-8535 HYDRAULICS, 3 VALVE, PUMP STD OR		
		558-8538 HYDRAULICS, 4 VALVE, PUMP STD OR		
		558-8541 HYDRAULICS, 5 VALVE PUMP STD OR		
		596-6726 HYD, 4 VALVE, PUMP STD OR		
		596-6727 HYD, 4 VALVE, PUMP STD, FS OR		
		596-6732 HYD, 5 VALVE, PUMP STD OR		
		596-6733 HYD, 5 VALVE, PUMP STD, FS		

L	397-4317	RIPPER. 1,349		\$12,710
			1,349	\$12,710 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER		
		One week lead time for miscellaneous order.		
		ONLY FOR USE WITH: 558-8538 HYDRAULICS, 4 VALVE, PUMP STD OR		
		558-8541 HYDRAULICS, 5 VALVE PUMP STD OR		
		596-6726 HYD, 4 VALVE, PUMP STD OR		
		596-6727 HYD, 4 VALVE, PUMP STD, FS OR		
		596-6732 HYD, 5 VALVE, PUMP STD OR		
		596-6733 HYD, 5 VALVE, PUMP STD, FS OR		
		593-0445 D1 12A TRACTOR FTO15 OR		
		593-0446 D1 12A LGP TRACTOR FTO16		

L	397-4389	WINCH, MOUNTING PLATE 245		\$1,385
		REQUIRES: 393-4250 SCREEN, REAR, CAB OR		
		393-4251 SCREEN, REAR, CANOPY		
		ONLY FOR USE WITH: 558-8536 HYDRAULICS, 3 VALVE, WINCH OR		
		558-8539 HYDRAULICS, 4 VALVE, WINCH OR		
		558-8542 HYDRAULICS, 5 VALVE, WINCH OR		
		596-6728 HYD, 4 VALVE, WINCH OR		
		596-6730 HYD, 4 VALVE, WINCH, FS OR		
		596-6734 HYD, 5 VALVE, WINCH OR		
		596-6736 HYD, 5 VALVE, WINCH, FS		

CATERPILLAR MACHINE PRICE LIST

D1

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

REAR ATTACHMENT (Cont.)

L	397-4320	WINCH, PA40 0		\$23,670
		ALSO AVAILABLE ON A MISCELLANEOUS PART AS 256-3738		
		REQUIRES: 393-4250 SCREEN, REAR, CAB OR		
		393-4251 SCREEN, REAR, CANOPY		
		ONLY FOR USE WITH: 558-8536 HYDRAULICS, 3 VALVE, WINCH OR		
		558-8539 HYDRAULICS, 4 VALVE, WINCH OR		
		558-8542 HYDRAULICS, 5 VALVE, WINCH OR		
		596-6728 HYD, 4 VALVE, WINCH OR		
		596-6730 HYD, 4 VALVE, WINCH, FS OR		
		596-6734 HYD, 5 VALVE, WINCH OR		
		596-6736 HYD, 5 VALVE, WINCH, FS		
L	510-6255	WINCH AR, RETRIEVAL 0		\$27,380
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER		
		Retrieval Winch (Slower Speed) uses oil flow from 4th		
		valve hydraulic circuit to power winch		
		Maximum Line Pull-bare Drum - 32,150 Lbs (14,583 kg)		
		Maximum Line Speed-bare Drum - 50 ft/min (15 m/min)		
		Includes: 3 Fairlead Rollers - 2 Side and 1 Top Rollers		
		One Week Lead Time		
		REQUIRES: 393-4250 SCREEN, REAR, CAB OR		
		393-4251 SCREEN, REAR, CANOPY		
		ONLY FOR USE WITH: 558-8538 HYDRAULICS, 4 VALVE, PUMP STD OR		
		558-8541 HYDRAULICS, 5 VALVE PUMP STD OR		
		596-6726 HYD, 4 VALVE, PUMP STD OR		
		596-6727 HYD, 4 VALVE, PUMP STD, FS OR		
		596-6732 HYD, 5 VALVE, PUMP STD OR		
		596-6733 HYD, 5 VALVE, PUMP STD, FS OR		
		593-0445 D1 12A TRACTOR FTO15 OR		
		593-0446 D1 12A LGP TRACTOR FTO16		
L	590-8772	GUARD GP, REAR, LIFT EYES 0		\$8,180
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER		
		2-3 weeks lead time for miscellaneous order.		
		ONLY FOR USE WITH: 558-8535 HYDRAULICS, 3 VALVE, PUMP STD OR		
		558-8538 HYDRAULICS, 4 VALVE, PUMP STD OR		
		558-8541 HYDRAULICS, 5 VALVE PUMP STD OR		
		596-6726 HYD, 4 VALVE, PUMP STD OR		
		596-6727 HYD, 4 VALVE, PUMP STD, FS OR		
		596-6732 HYD, 5 VALVE, PUMP STD OR		
		596-6733 HYD, 5 VALVE, PUMP STD, FS		
L	510-2450	COUNTERWEIGHT, REAR, MULCHER 0		\$4,535
		ONLY FOR USE WITH: 593-0445 D1 12A TRACTOR FTO15 OR		
		593-0446 D1 12A LGP TRACTOR FTO16		

COUNTERWEIGHT

L	244-7503	NO FRONT COUNTERWEIGHT 0		NC
---	----------	------------------------------------	--	----

CATERPILLAR MACHINE PRICE LIST

D1

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

COUNTERWEIGHT (Cont.)

L	244-7516	COUNTERWEIGHT, FRONT	631 0	\$1,095 \$1,095 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides 662 lbs.(300 kg) front counter weight 4 week lead time		
		NOTE: Recommended for 397-4317 RIPPER, 397-4320 WINCH, PA40, and 510-6255 WINCH AR, RETRIEVAL.		
L	476-0650	BOTTOM GUARD, HINGED FOR USE IN LANE 3 ONLY	0	\$650

APPLICATION SPECIFIC COMPONENTS

LINES GROUPS - Fire Tractor

L	590-8716	LINES ARRANGEMENT, STD Unsheathed Hoses ONLY FOR USE WITH: 590-8418 D1 12A TRACTOR CFG13	0	NC
L	590-8717	LINES ARRANGEMENT, STD Unsheathed Hoses ONLY FOR USE WITH: 590-8419 D1 12A LGP TRACTOR CFG14	0	NC
L	590-8722	LINES ARRANGEMENT, STD Unsheathed Hoses ONLY FOR USE WITH: 590-8424 D1 12A LGP TRACTOR CFG15	0	NC
L	590-8724	LINES ARRANGEMENT, SHEATHED Sheathed Hoses ONLY FOR USE WITH: 590-8418 D1 12A TRACTOR CFG13	0	\$7,900
L	590-8725	LINES ARRANGEMENT, SHEATHED Sheathed Hoses ONLY FOR USE WITH: 590-8419 D1 12A LGP TRACTOR CFG14	0	\$7,900
L	590-8730	LINES ARRANGEMENT, SHEATHED Sheathed Hoses ONLY FOR USE WITH: 590-8424 D1 12A LGP TRACTOR CFG15	0	\$7,900

BLADES

ALSO AVAILABLE ON A MISCELLANEOUS ORDER
 4 weeks lead time for miscellaneous order.

L	397-4266	BLADE, 104.2" 1.99 yd3 (1.52 m3). 104.2 inches (2646 mm) width variable pitch, power angle and tilt ONLY FOR USE WITH: 558-8521 D1 12A TRACTOR CFG10 OR 590-8418 D1 12A TRACTOR CFG13 AND CANNOT BE USED WITH: 558-8566 NO C-FRAME 558-8570 GRADE W/SA 558-8571 GRADE W/3D 590-8708 CONTROL, PITCH, TWD	0 0	\$4,225 \$4,225 NI
---	----------	---	--------	-----------------------

CATERPILLAR MACHINE PRICE LIST

D1

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
BLADES (CONT.)				
L	397-4267	BLADE, 124"	0	\$4,735
		2.17 yd3 (1.66 m3). 124 inches (3149 mm) width variable pitch, power, angle tilt blade. ONLY FOR USE WITH: 558-8522 D1 12A LGP TRACTOR CFG11 OR 558-8527 D1 12A LGP TRACTOR CFG12 OR 590-8419 D1 12A LGP TRACTOR CFG14 OR 590-8424 D1 12A LGP TRACTOR CFG15 AND CANNOT BE USED WITH: 558-8566 NO C-FRAME 558-8570 GRADE W/SA 558-8571 GRADE W/3D 590-8708 CONTROL, PITCH, TWD	0	\$4,735 NI
L	577-4292	BLADE, 104.2", ACCUGRADE	0	\$4,575
		1.99 yd3 (1.52 m3). 104.2 inches (2646 mm) width variable pitch, power, angle tilt blade. Includes: Mounting brackets for receivers. ONLY FOR USE WITH: 558-8521 D1 12A TRACTOR CFG10 OR 590-8418 D1 12A TRACTOR CFG13 AND CANNOT BE USED WITH: 558-8566 NO C-FRAME 590-8708 CONTROL, PITCH, TWD	0	\$4,575 NI
L	577-4293	BLADE, 124", ACCUGRADE	0	\$5,060
		2.17 yd3 (1.66 m3). 124 inches (3149 mm) width variable pitch, power, angle tilt blade. Includes: Mounting brackets for receivers. ONLY FOR USE WITH: 558-8522 D1 12A LGP TRACTOR CFG11 OR 558-8527 D1 12A LGP TRACTOR CFG12 OR 590-8419 D1 12A LGP TRACTOR CFG14 OR 590-8424 D1 12A LGP TRACTOR CFG15 AND CANNOT BE USED WITH: 558-8566 NO C-FRAME	0	\$5,060 NI
L	397-4280	BLADE, 115", INTERMEDIATE	0	\$4,440
		1.96 yd3 (1.50 m3). 115 inches (2921 mm) width variable pitch, power, angle tilt blade. CANNOT BE USED WITH: 558-8566 NO C-FRAME 558-8570 GRADE W/SA 558-8571 GRADE W/3D 590-8708 CONTROL, PITCH, TWD	0	\$4,440 NI
L	577-4301	BLADE, 115", INTERMEDIATE, ACC	0	\$4,800
		1.96 yd3 (1.50 m3). 115 inches (2921 mm) width variable pitch, power, angle tilt blade. Includes: Mounting brackets for receivers. CANNOT BE USED WITH: 558-8566 NO C-FRAME 590-8708 CONTROL, PITCH, TWD	0	\$4,800 NI
L	553-2569	BLADE, 94", TWD	0	\$17,880
		REQUIRES: 590-8708 CONTROL, PITCH, TWD		
L	553-2570	BLADE, 105", TWD	0	\$19,990
		REQUIRES: 590-8708 CONTROL, PITCH, TWD ONLY FOR USE WITH: 558-8523 D2 12A TRACTOR CFG20 OR 558-8524 D2 12A LGP TRACTOR CFG21		

CATERPILLAR MACHINE PRICE LIST

D1

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
BLADES (CONT.)				
L	537-2444	BLADE, 97" 0	0	\$5,880
		1.85 yd3 (1.41 m3)		\$5,880 NI
		97 inches (2464 mm) width variable pitch, power angle and tilt		
		CANNOT BE USED WITH: 558-8566 NO C-FRAME		
		558-8570 GRADE W/SA		
		558-8571 GRADE W/3D		
		590-8708 CONTROL, PITCH, TWD		
P	557-1387	NO BLADE 0	0	NC
		CANNOT BE USED WITH: 558-8570 GRADE W/SA		
		558-8571 GRADE W/3D		
		590-8708 CONTROL, PITCH, TWD		

INSTRUCTIONS

SERVICE INSTRUCTIONS

	421-8926	SERIALIZED TECHNICAL MEDIA KIT 0		NC
		The technical media kit will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. included in the kit, can be ordered through the media website. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com.		

FILMS

L	558-8582	INSTRUCTIONS, ANSI 0		NC
		ONLY FOR USE WITH: USA DEALERS		
L	558-8596	INSTRUCTIONS, ISO 0		NC
		ONLY FOR USE WITH: 558-8530 ENGINE, CAT C3.6		
		CANNOT BE USED WITH: U.S.A. DEALERS		
		KOREAN DEALERS		
		EU DEALERS		

CATERPILLAR MACHINE PRICE LIST

D1

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

ELECTRICAL

L	551-2983	INSTRUCTIONS, SEALING 0 Corrosive protection on key and electrical connections		\$179
---	----------	--	--	-------

OPERATOR ENVIRONMENT

RADIO

P	551-2980	STANDARD RADIO (12V) 0 Standard 12V AM/FM radio with Bluetooth technology, USB port, and 3.5 mm AUX input. Availability varies by country. ONLY FOR USE WITH: 558-8547 CAB, ROPS, HEATER & A/C OR 558-8549 CAB, ROPS, POLYCARBONATE OR 590-8701 CAB, ROPS, HEATER AND A/C OR 590-8702 CAB, ROPS, POLYCARBONATE		\$610
---	----------	--	--	-------

SAFETY AND SECURITY

L	551-2954	SECURITY SYSTEM, MACHINE 0		\$1,095
---	----------	---	--	---------

GUARDS

SWEEPS

ALSO AVAILABLE ON A MISCELLANEOUS ORDER
 One week lead time for miscellaneous order.

P	397-4341	SWEEPS, FRONT 291 0		\$2,670 \$2,670 NI
CANNOT BE USED WITH: 590-8708 CONTROL, PITCH, TWD				
P	397-4342	SWEEPS, REAR 123 0		\$1,215 \$1,215 NI
Provides protection to rear top portion of cap or canopy REQUIRES: 397-4341 SWEEPS, FRONT				

SCREENS

ALSO AVAILABLE ON A MISCELLANEOUS ORDER

P	343-3525	SCREEN, FRONT & DOORS, CANOPY 172 172		\$3,430 \$3,430 NI
4 weeks lead time for miscellaneous order. REQUIRES: 250-1699 SCREEN, SIDE AND 393-4251 SCREEN, REAR ONLY FOR USE WITH: 558-8544 CANOPY, ROPS, HEATER				
P	250-1699	SCREEN, SIDE 267 0		\$1,710 \$1,710 NI
One week lead time for miscellaneous order.				
P	393-4250	SCREEN, REAR, CAB 95 0		\$1,455 \$1,455 NI
One week lead time for miscellaneous order. ONLY FOR USE WITH: 558-8547 CAB, ROPS, HEATER & A/C OR 558-8549 CAB, ROPS, POLYCARBONATE OR 590-8701 CAB, ROPS, HEATER AND A/C OR 590-8702 CAB, ROPS, POLYCARBONATE				

CATERPILLAR MACHINE PRICE LIST

D1

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

GUARDS (CONT.)

SCREENS (Cont.)

P	393-4251	SCREEN, REAR, CANOPY	86 0	\$1,305 \$1,305 NI
		One week lead time for miscellaneous order. ONLY FOR USE WITH: 558-8544 CANOPY, ROPS, HEATER		
P	597-2033	SCREEN, HINGED	0 0	\$6,910 \$6,910 NI
		Provides Hinged Side and Door Screens along with Front Window and Front Light Screens on the Cab. NOTE: Must order Rear Screen to get full 360 cab guarding. 4 weeks lead time for miscellaneous order. ONLY FOR USE WITH: 558-8547 CAB, ROPS, HEATER + A/C OR 558-8549 CAB, ROPS, POLYCARBONATE OR 590-8701 CAB, ROPS, HEATER AND A/C OR 590-8702 CAB, ROPS, POLYCARBONATE CANNOT BE USED WITH: 250-1699 SCREEN, SIDE		

GUARDS, TRACK ROLLER

ALSO AVAILABLE ON A MISCELLANEOUS ORDER
 2-3 weeks lead time for miscellaneous order.

P	397-4333	GUARD, TRACK ROLLER, FULL, ABR	159 0	\$1,525 \$1,525 NI
		ONLY FOR USE WITH: 397-4206 UNDERCARRIAGE, ABRASION		
P	397-4343	GUARD, TRACK ROLLER, FULL,SALT	163 0	\$1,525 \$1,525 NI
		ONLY FOR USE WITH: 397-4326 UNDERCARRIAGE, SALT OR 476-0619 UNDERCARRIAGE, SALT, TWD		
P	379-4991	GUARD,TRK GUIDING,CENTER,ABR	0 0	\$950 \$950 NI
		ONLY FOR USE WITH: 397-4206 UNDERCARRIAGE, ABRASION CANNOT BE USED WITH: 397-4333 GUARD, TRACK ROLLER, FULL,ABR 397-4343 GUARD, TRACK ROLLER, FULL,SALT		
P	379-4986	GUARD,TRK GUIDING,CENTER,SALT	59 59	\$950 \$950 NI
		ONLY FOR USE WITH: 397-4326 UNDERCARRIAGE, SALT OR 476-0619 UNDERCARRIAGE, SALT, TWD CANNOT BE USED WITH: 397-4333 GUARD, TRACK ROLLER, FULL,ABR 397-4343 GUARD, TRACK ROLLER, FULL,SALT		

OTHER ATTACHMENTS

STARTING AIDS

L	552-3246	HEATER, ENGINE COOLANT (120V)	0	\$252
P	552-3248	STARTING AID, ETHER	0	\$428

CATERPILLAR MACHINE PRICE LIST

D1

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

WINCH ROLLERS

ALSO AVAILABLE ON A MISCELLANEOUS ORDER
 3-4 weeks lead time for miscellaneous order.

L	397-4392	FAIRLEAD, 3 ROLLERS	0	\$3,440
			0	\$3,440 NI
		Provides 2 side rollers and 1 top roller. ONLY FOR USE WITH: 397-4320 WINCH, PA40		
L	397-4393	FAIRLEAD, 4TH ROLLER	0	\$1,150
			0	\$1,150 NI
		Provides 1 bottom roller. REQUIRES: 397-4392 FAIRLEAD, 3 ROLLERS		

APPLICATION SPECIFIC COMPONENTS

FILTER, CAB - Fire Tractor

L	484-1266	FILTER, CAB	0	\$900
		High Efficiency, activated carbon element ONLY FOR USE WITH: 590-8418 D1 12A TRACTOR CFG13 OR 590-8419 D1 12A LGP TRACTOR CFG14 OR 590-8424 D1 12A LGP TRACTOR CFG15		
L	595-1525	WRAP, A/T	0	\$570
		Thermal shield wrap CANNOT BE USED WITH: 558-8530 ENGINE, CAT C3.6 REQUIRED BY: 590-8708 CONTROL, PITCH, TWD AND 590-0678 FAN, REVERSING		

FLUIDS

ANTIFREEZE

	0P-6123	ANTIFREEZE, -50C (-58F)	0	\$303 NET
--	---------	-----------------------------------	---	-----------

NOTE: Standard machine protection includes extended life coolant protection to -37C (-34F).

FACTORY SOURCED KITS

MISC MATERIAL

Misc Material Available for Shipment from Athens, GA
 Use Misc Top Level 0P-7272 to order.
 Quantity limited to 1 per part number.

W	522-5997	KIT, GRADE 3D BRACKETS	0	\$1,460 NI
		One week lead time for miscellaneous order. Contains the brackets and harnesses to support a 3D upgrade on an ARO machine, GRADE 3D electronics must be purchased separately. REQUIRES: 0P-7290 PACKING, 3D BRACKETS		

CATERPILLAR MACHINE PRICE LIST

D1

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FACTORY SOURCED KITS (CONT.)

MISC MATERIAL (Cont.)

W	256-3738	WINCH, HYDROSTATIC	1,345	\$21,944 NI
		High Performance Winch Maximum Line Pull-bare Drum - 40,000 Lbs (18,144 kg) Maximum Line Speed-bare Drum - 131 ft/min (40 m/min) One week lead time REQUIRES: 0P-3929 PACKING, WINCH		
P	518-1005	GUARD GP, REAR	0	\$1,880 NI
		Provides protection below rear window, fuel and hyd fill points. One week lead time for miscellaneous order. REQUIRES: 0P-3924 PACK, GUARD, REAR		

PACKING

PROTECTION

	0P-2266	SHIPPING/STORAGE PROTECTION	0	\$228 NET
		Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer. REQUIRED BY: Lane 1 Orders and Export Orders		

PDC MACHINE PREP

	590-9289	ATHENS DEALER PDI & FUEL	0	\$474 NET
		The Athens Dealer PDI will include an official Caterpillar STTT PDI inspection complete with an online report for the machine utilizing the CAT Inspect application, diesel fuel top-off, DEF fluid top-off, glycol max line fill, engine oil max line fill, washer fluid top-off, cold weather anti-gelling fuel treatment, and the optional installation of two Dealer supplied decals. Hydraulic fluid will be within top half of gauge which is considered optimal.		

PACKING

	0P-4299	PACKING, LAST MILE PROGRAM	0	NC
	0P-0210	PACK, DOMESTIC TRUCK	0	NC
		ONLY FOR USE WITH: MISC MATERIAL ORDERS		
	0P-7133	PACK, BLADE FOR MISC ORDER	0	\$600 NET
		REQUIRED BY: 0P-7272 D1 MISC MATERIAL AND BLADES		
	0P-3923	PACKING, GUARDS, BOTTOM	0	\$349 NET
		REQUIRED BY: 0P-7272 D1 MISC MATERIAL AND 557-1400 GUARD, BELLY, HD OR 557-1404 GUARD, BELLY, HD OR 557-1402 GUARD, BELLY, HD		

CATERPILLAR MACHINE PRICE LIST

D1

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
PACKING (CONT.)				
<i>PACKING (Cont.)</i>				
	OP-3924	PACKING, GUARD, REAR 0 REQUIRED BY: 0P-7272 D1 MISC MATERIAL AND 590-8772 GUARD GP, REAR, LIFT EYES OR 518-1005 GUARD GP, REAR		\$349 NET
	OP-3922	PACKING, GUARDS, TRACK ROLLER 0 REQUIRED BY: 0P-7272 D1 MISC MATERIAL AND TRACK ROLLER GUARDS		\$349 NET
	OP-3928	PACKING, RIPPER 0 REQUIRED BY: 0P-7272 D1 MISC MATERIAL AND 397-4317 RIPPER		\$600 NET
	OP-3921	PACKING, SCREEN 0 REQUIRED BY: 0P-7272 D1 MISC MATERIAL AND 343-3525 SCREEN, FRONT & DOORS, CANOPY OR 250-1699 SCREEN, SIDE OR 393-4250 SCREEN, REAR, CAB OR 393-4251 SCREEN, REAR, CANOPY		\$349 NET
	OP-3925	PACKING, SWEEPS 0 REQUIRED BY: 0P-7272 D1 MISC MATERIAL AND 397-4341 SWEEPS, FRONT OR 397-4342 SWEEPS, REAR		\$349 NET
	OP-3929	PACKING, WINCH 0 REQUIRED BY: 0P-7272 D1 MISC MATERIAL AND 256-3738 WINCH, HYDROSTATIC OR 510-6255 WINCH AR, RETRIEVAL OR 256-3738 WINCH, HYDROSTATIC		\$202 NET
	OP-7287	PACKING, 3 ROLLER FAIRLEAD 0 REQUIRED BY: 0P-7272 D1 MISC MATERIAL AND 397-4392 FAIRLEAD, 3 ROLLERS		\$202 NET
	OP-7288	PACKING, 4TH ROLLER FAIRLEAD 0 REQUIRED BY: 0P-7272 D1 MISC MATERIAL AND 397-4393 FAIRLEAD, 4TH ROLLER		\$202 NET
	OP-7289	PACKING, FRONT COUNTERWEIGHT 0 REQUIRED BY: 0P-7272 D1 MISC MATERIAL AND 244-7516 COUNTERWEIGHT, FRONT		\$202 NET
	OP-7290	PACKING, 3D BRACKETS 0 REQUIRED BY: 0P-7272 D1 MISC MATERIAL AND 522-5997 KIT, GRADE 3D BRACKETS		\$202 NET
	OP-7291	PACKING, HD HINGED GRILL 0 REQUIRED BY: 0P-7272 D1 MISC MATERIAL AND 550-6040 GRILL, RADIATOR, HD, HINGED		\$202 NET

CATERPILLAR MACHINE PRICE LIST

D1

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

PACKING (CONT.)

PACKING (Cont.)

0P-7292		PACKING, REVERSING FAN 0 REQUIRED BY: 0P-7272 D1 MISC MATERIAL AND 590-0678 FAN, REVERSING		\$202 NET
0P-7293		PACKING, PRE-CLEANER. 0 REQUIRED BY: 0P-7272 D1 MISC MATERIAL AND 550-6018 AIR CLEANER W/PRECLEANER		\$202 NET
0P-7416		PACKING, HINGED SCREENS REQUIRED BY: 0P-7272 D1 MISC MATERIAL AND 597-2033 SCREEN, HINGED		