

CATERPILLAR MACHINE PRICE LIST

D3

D3 TRACK TYPE TRACTOR ATHENS, GA, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

Standard Equipment:

POWERTRAIN

- Caterpillar C3.6 diesel engine
- Turbocharged-aftercooled (TA)
- Aluminum bar plate cooling system (radiator, powertrain)
- Radial air cleaner with precleaner, automatic dust ejection and under-hood intake
- Dual path, closed-loop, hydrostatic transmission
- Electric fuel pump
- Fuel/water separator
- Automatic traction control

- Electronic security system
- Water-in-fuel indicator, electronic
- Throttle switch, rotary
- ECO mode
- Controls, seat mounted, fore/aft adjustment
- Armrests, adjustable
- Mirror, rearview, inside
- Single pedal combining deceleration and braking functions
- Independent forward/reverse speed settings
- Speed recall
- Powerport, 12 volt
- Coat hook
- Storage compartment
- Cup holders
- Floor mat, rubber, heavy duty

UNDERCARRIAGE

- 7 roller track frame
- Track rollers, lifetime lubricated
- Carrier rollers
- Track adjusters, hydraulic
- Guards, front/rear guiding

FLUIDS

- Antifreeze, extended life coolant (-37C)
- HYDO-advanced hydraulic oil (10W)

HYDRAULICS

- 3 valve hydraulics
- Single lever, three function control
- Hydraulic pump and oil
- Stable blade control

OTHER STANDARD EQUIPMENT

- C-frame, variable pitch link
- Hydraulic cylinders and lines
- Engine enclosures
- Front pull device
- Rigid drawbar
- Ecology drains (engine, powertrain and implement oil, and engine coolant)
- Scheduled oil sampling ports (engine, powertrain implement oil)
- Vandalism protection
- Heavy duty crankcase guard
- Heavy duty front grill

ELECTRICAL

- Alternator, 150 amp, heavy duty
- Alarm, backup
- Horn, electric
- 6 work light package
- Batteries, heavy duty, maintenance free, 1000 CCA.
- Diagnostic connector
- Starter electric 12V heavy duty

OPERATOR ENVIRONMENT

- ROPS/FOPS canopy
- Seat, air suspended, cloth or vinyl
- Seatbelt, hi-vis retractable 76mm(3")
- Seatbelt buckling indicator/reminder on monitor
- Foot pads, dash
- Electronic monitoring system with gauge for:
 - Engine coolant temperature
 - Hydraulic oil temperature
 - Fuel level
 - Diesel exhaust fluid (DEF)
 - Chassis slope indication
- Travel speed limiter, electronic
- Engine RPM and gear display
- Hour meter, electronic
- Engine air cleaner service indicator

CATERPILLAR MACHINE PRICE LIST

D3

D3 TRACK TYPE TRACTOR ATHENS, GA, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

**Lane 2 is reserved for the Base Order Management Program
 Please use Lane 2 when placing orders that are part of the Base Order
 Management program.**

590-8619	D3 12A TRACTOR DCA30 0 LANE 1 - AVAILABLE FROM ATHENS PDC.	\$214, 610
----------	--	-------------------

- INCLUDES:
- 558-8525 D3 12A TRACTOR
 - 244-7503 NO FRONT COUNTERWEIGHT
 - 286-4315 TRACK, 20", MS, ABRASION
 - 394-1851 LIGHTS, 6
 - 397-4208 UNDERCARRIAGE, ABRASION
 - 397-4287 GUARD GP, REAR OMISSION
 - 513-6154 INSTRUCTIONS, CANADA
 - 550-6019 AIR CLEANER W/O PRECLEANER
 - 550-6050 GRILL, RADIATOR, HD
 - 551-2972 PROD LINK, PLE643/PLE743 RADIO
 - 552-3229 COOLER, STANDARD
 - 552-3238 TENSIONER, EROPS, AC
 - 552-3248 STARTING AID, ETHER
 - 557-1345 GUARD, BELLY
 - 558-8529 ENGINE, CAT C3.6
 - 558-8538 HYDRAULICS, 4 VALVE, PUMP STD
 - 558-8547 CAB, ROPS, HEATER + A/C
 - 558-8550 SOUND SUPPRESSION, OMISSION
 - 558-8558 CONTROL, PITCH
 - 558-8570 GRADE W/SA
 - 558-8582 INSTRUCTIONS, ANSI
 - 559-5727 SEAT, CLOTH
 - 577-4296 BLADE, 109.5", ACCUGRADE
 - 590-0677 FAN, STANDARD

CATERPILLAR MACHINE PRICE LIST

D3

D3 TRACK TYPE TRACTOR ATHENS, GA, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

590-8620	D3 12A TRACTOR DCA31 0	\$205,290
	LANE 1 - AVAILABLE FROM ATHENS PDC	

- INCLUDES:
- 558-8525 D3 12A TRACTOR
 - 244-7503 NO FRONT COUNTERWEIGHT
 - 286-4305 TRACK, 20", MS, SALT
 - 394-1851 LIGHTS, 6
 - 397-4328 UNDERCARRIAGE, SALT
 - 397-4287 GUARD GP, REAR OMISSION
 - 513-6154 INSTRUCTIONS, CANADA
 - 550-6019 AIR CLEANER W/O PRECLEANER
 - 550-6050 GRILL, RADIATOR, HD
 - 551-2972 PROD LINK, PLE643/PLE743 RADIO
 - 552-3229 COOLER, STANDARD
 - 552-3238 TENSIONER, EROPS, AC
 - 552-3248 STARTING AID, ETHER
 - 557-1345 GUARD, BELLY
 - 558-8529 ENGINE, CAT C3.6
 - 558-8538 HYDRAULICS, 4 VALVE, PUMP STD
 - 558-8547 CAB, ROPS, HEATER + A/C
 - 558-8550 SOUND SUPPRESSION, OMISSION
 - 558-8558 CONTROL, PITCH
 - 558-8570 GRADE W/SA
 - 558-8582 INSTRUCTIONS, ANSI
 - 559-5727 SEAT, CLOTH
 - 577-4296 BLADE, 109.5", ACCUGRADE
 - 590-0677 FAN, STANDARD

590-8622	D3 12A LGP TRACTOR DCA32 0	\$223,600
	LANE 1 - AVAILABLE FROM ATHENS PDC	

- INCLUDES:
- 558-8526 D3 12A LGP TRACTOR
 - 244-7433 DRAWBAR, STANDARD
 - 244-7503 NO FRONT COUNTERWEIGHT
 - 394-1851 LIGHTS, 6
 - 286-4320 TRACK, 26", MS, ABRASION, LGP
 - 397-4208 UNDERCARRIAGE, ABRASION
 - 397-4287 GUARD GP, REAR OMISSION
 - 513-6154 INSTRUCTIONS, CANADA
 - 550-6019 AIR CLEANER W/O PRECLEANER
 - 550-6050 GRILL, RADIATOR, HD
 - 551-2972 PROD LINK, PLE643/PLE743 RADIO
 - 552-3229 COOLER, STANDARD
 - 552-3238 TENSIONER, EROPS, AC
 - 552-3248 STARTING AID, ETHER
 - 558-8529 ENGINE, CAT C3.6
 - 558-8547 CAB, ROPS, HEATER + A/C
 - 558-8550 SOUND SUPPRESSION, OMISSION
 - 558-8558 CONTROL, PITCH
 - 558-8570 GRADE W/SA
 - 558-8582 INSTRUCTIONS, ANSI
 - 559-5727 SEAT, CLOTH
 - 590-0677 FAN, STANDARD
 - 577-4297 BLADE, 126.7", ACCUGRADE
 - 557-1346 GUARD, BELLY
 - 558-8535 HYDRAULICS, 3 VALVE, PUMP STD

CATERPILLAR MACHINE PRICE LIST

D3

D3 TRACK TYPE TRACTOR ATHENS, GA, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

590-8623	D3 12A LGP TRACTOR DCA33 0 LANE 1 - AVAILABLE FROM ATHENS PDC	\$214, 280
	INCLUDES: 558-8526 D3 12A LGP TRACTOR 244-7433 DRAWBAR, STANDARD 244-7503 NO FRONT COUNTERWEIGHT 394-1851 LIGHTS, 6 286-4310 TRACK, 26", MS, SALT, LGP 397-4328 UNDERCARRIAGE, SALT 397-4287 GUARD GP, REAR OMISSION 513-6154 INSTRUCTIONS, CANADA 550-6019 AIR CLEANER W/O PRECLEANER 550-6050 GRILL, RADIATOR, HD 551-2972 PROD LINK, PLE643/PLE743 RADIO 552-3229 COOLER, STANDARD 552-3238 TENSIONER, EROPS, AC 552-3248 STARTING AID, ETHER 558-8529 ENGINE, CAT C3.6 558-8547 CAB, ROPS, HEATER + A/C 558-8550 SOUND SUPPRESSION, OMISSION 558-8558 CONTROL, PITCH 558-8570 GRADE W/SA 558-8582 INSTRUCTIONS, ANSI 559-5727 SEAT, CLOTH 590-0677 FAN, STANDARD 577-4297 BLADE, 126.7", ACCUGRADE 557-1346 GUARD, BELLY 558-8535 HYDRAULICS, 3 VALVE, PUMP STD	
558-8525	D3 12A TRACTOR CFG30 0 AVAILABLE FROM ATHENS FACTORY LANE 2 - AVAILABLE FROM ATHENS FACTORY. LANE 3 - AVAILABLE FROM ATHENS FACTORY. 1600MM(65") gauge	\$161, 640
558-8526	D3 12A LGP TRACTOR CFG31 0 AVAILABLE FROM ATHENS FACTORY LANE 2 - AVAILABLE FROM ATHENS FACTORY LANE 3 - AVAILABLE FROM ATHENS FACTORY 1750mm(69") gauge	\$171, 440
558-8528	D3 12A LGP TRACTOR CFG32 0 AVAILABLE FROM ATHENS FACTORY LANE 3 - AVAILABLE FROM ATHENS FACTORY 1860MM(73") gauge 30" track	\$183, 790
590-8422	D3 12A TRACTOR CFG33 0 AVAILABLE FROM ATHENS FACTORY LANE 3 - AVAILABLE FROM ATHENS FACTORY 1600MM(65") gauge NOTE: FIREPLOW TRACTOR	\$181, 360

CATERPILLAR MACHINE PRICE LIST

D3

D3 TRACK TYPE TRACTOR	Ship Weight	LIST PRICE
ATHENS, GA, USA (SAP)	lbs	AT DEALER

590-8423	D3 12A LGP TRACTOR CFG34 0	\$191,190
	AVAILABLE FROM ATHENS FACTORY	
	LANE 3 - AVAILABLE FROM ATHENS FACTORY	

1750mm(69") gauge
 NOTE: FIREPLOW TRACTOR

590-8425	D3 12A LGP TRACTOR CFG35 0	\$204,250
	AVAILABLE FROM ATHENS FACTORY	
	LANE 3 - AVAILABLE FROM ATHENS FACTORY	

1860MM(73") gauge
 30" track
 NOTE: FIREPLOW TRACTOR

0P-7274	D3 MISC MATERIAL 0	NC
	AVAILABLE FROM ATHENS FACTORY	

Only reference numbers that have the text
 "ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order.

CATERPILLAR MACHINE PRICE LIST

D3

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM THE PDC.

0P-9001	LANE 1 ORDER	0	NC
	Order from Product Distribution Center (PDC)		

OPERATION AND MAINTENANCE MANUAL

421-8926	SERIALIZED TECHNICAL MEDIA KIT	0	NC
	The technical media kit will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. included in the kit, can be ordered through the media website. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com.		

DECAL PACKAGE

L 558-8583	INSTRUCTIONS, ISO	0	NC
	ONLY FOR USE WITH: CANADA DEALERS REQUIRED BY: Toromont Dealers		

REAR ATTACHMENTS

L 244-7433	DRAWBAR, STANDARD	0	NC
	Drawbar extends 5 inches (127 mm). ONLY FOR USE WITH: 590-8619 D3 12A TRACTOR DCA30 OR 590-8620 D3 12A TRACTOR DCA31		
L 397-4317	RIPPER	1,349	\$12,710
	ONLY FOR USE WITH: 590-8619 D3 12A TRACTOR DCA30 OR 590-8620 D3 12A TRACTOR DCA31		
L 510-6255	WINCH AR, RETRIEVAL	0	\$27,380
	Retrieval Winch (Slower Speed) uses oil flow from 4th valve hydraulic circuit to power winch Maximum Line Pull-bare Drum - 32,150 Lbs (14,583 kg) Maximum Line Speed-bare Drum - 50 ft/min (15 m/min) Includes: 3 Fairlead Rollers - 2 Side and 1 Top Rollers ONLY FOR USE WITH: 590-8619 D3 12A TRACTOR DCA30 OR 590-8620 D3 12A TRACTOR DCA31		
L 590-8772	GUARD GP, REAR, LIFT EYES	0	\$8,180
	ONLY FOR USE WITH: 590-8619 D3 12A TRACTOR DCA30 OR 590-8620 D3 12A TRACTOR DCA31		

PROTECTION

0P-2266	SHIPPING/STORAGE PROTECTION	0	\$228 NET
	Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer. REQUIRED BY: Lane 1 Orders and Export Orders		

CATERPILLAR MACHINE PRICE LIST

D3

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-------------------------	--------------------	-------------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

PACKING

0P-4299	PACKING, LAST MILE PROGRAM 0	NC
---------	--	----

CATERPILLAR MACHINE PRICE LIST

D3

USE	REF NO.	LANE 1 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

PDC MACHINE PREP

590-9289	ATHENS DEALER PDI & FUEL 0	\$474 NET
	The Athens Dealer PDI will include an official Caterpillar STTT PDI inspection complete with an online report for the machine utilizing the CAT Inspect application, diesel fuel top-off, DEF fluid top-off, glycol max line fill, engine oil max line fill, washer fluid top-off, cold weather anti-gelling fuel treatment, and the optional installation of two Dealer supplied decals. Hydraulic fluid will be within top half of gauge which is considered optimal.	
OP-4656	DEALER PREP, FINNING 0	\$294 NET
	ONLY FOR USE WITH: CANADIAN DEALERS	

CATERPILLAR MACHINE PRICE LIST

D3

USE	REF NO.	LANE 1 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)

MACHINE CONTROL

P	551-2985	KIT, GRADE 3D	0	\$52,760
---	----------	-------------------------	---	----------

SWEEPS

P	397-4341	SWEEPS, FRONT	291	\$2,670
		CANNOT BE USED WITH: 590-8709 CONTROL, PITCH, TWD		
P	397-4342	SWEEPS, REAR	123	\$1,215
		Provides protection to rear top portion of cap or canopy REQUIRES: 397-4341 SWEEPS, FRONT		

SCREENS

P	250-1699	SCREEN, SIDE	267	\$1,710
P	393-4250	SCREEN, REAR, CAB	95	\$1,455

GUARDS, TRACK ROLLER

P	397-4335	GUARD, TRACK ROLLER, FULL, ABR	159	\$1,525
		ONLY FOR USE WITH: 590-8619 D3 12A TRACTOR DCA30 OR 590-8622 D3 12A LGP TRACTOR DCA32		
P	397-4345	GUARD, TRACK ROLLER, FULL,SALT	163	\$1,525
		ONLY FOR USE WITH: 590-8620 D3 12A TRACTOR DCA31 OR 590-8623 D3 12A LGP TRACTOR DCA33		
P	282-3665	GUARD,TRK GUIDING,CENTER,ABR	53	\$950
		ONLY FOR USE WITH: 590-8619 D3 12A TRACTOR DCA30 OR 590-8622 D3 12A LGP TRACTOR DCA32		
P	282-3675	GUARD,TRK GUIDING,CENTER,SALT	51	\$950
		ONLY FOR USE WITH: 590-8620 D3 12A TRACTOR DCA31 OR 590-8623 D3 12A LGP TRACTOR DCA33		

CATERPILLAR MACHINE PRICE LIST

D3

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

0P-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program		
0P-9003	LANE 3 ORDER	0	NC

POWERTRAIN

ENGINE INSTALLATION - Standard Tractor

L	558-8529	ENGINE, CAT C3.6	0	\$10,070
		U.S. EPA Tier 4 Final, EU Stage V, Japan 2014 Certified engine with DOC/DPF/SCR aftertreatment CANNOT BE USED WITH: AME OR CIS DEALERS		

ENGINE INSTALLATION - Fire Tractor

L	572-5118	ENGINE, CAT C3.6, FIRE TR	0	\$2,325
		U.S. EPA Tier 4 Final, EU Stage V, Japan 2014 Certified engine with DOC/DPF/SCR aftertreatment CANNOT BE USED WITH: EU OR ISRAEL DEALERS		
L	572-5119	ENGINE, CAT C3.6, FIRE TR, HHP	0	\$4,205
		U.S. EPA Tier 4 Final, EU Stage V, Japan 2014 Certified engine with DOC/DPF/SCR aftertreatment High Horsepower Option CANNOT BE USED WITH: EU OR ISRAEL DEALERS		

ENGINE PRE-CLEANER SELECTION

L	550-6019	AIR CLEANER W/O PRECLEANER	0	NC
L	550-6018	AIR CLEANER W/PRECLEANER	0	\$565
			0	\$565 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER One week lead time for miscellaneous order.		

CATERPILLAR MACHINE PRICE LIST

D3

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE

UNDERCARRIAGE

CAT Abrasion can be used in most of the HD sealed and lubricated applications.

Center tread idlers now run on the bushings instead of the links, eliminating link scalloping, substantially increasing link life, O&O costs are significantly reduced by elimination of bushing turns and increased components wear life.

Due to the potential increase in undercarriage life resulting from CAT Abrasion, Extreme Service (ES) shoes should be considered for applications that are anticipated to be shoe-life limited in order to match shoe life with link life.

Customers should carefully select between CAT Abrasion and SALT undercarriage based on expected application. For attachment guiding / guarding (for CAT Abrasion and CAT configurations), see the Track Guiding Guard Arrangements section.

It is recommended the machines use SALT undercarriage in high debris packing applications.

L	397-4328	UNDERCARRIAGE, SALT.	0	NC
		CANNOT BE USED WITH: EU DEALER		
L	397-4208	UNDERCARRIAGE, ABRASION.	0	\$9,320
L	476-0620	UNDERCARRIAGE, SALT, TWD	0	\$2,175
		FOR USE IN LANE 3 ONLY		
		CANNOT BE USED WITH: EU DEALER		
		590-8422 D3 12A TRACTOR CFG33		
		590-8423 D3 12A LGP TRACTOR CFG34		
		590-8425 D3 12A LGP TRACTOR CFG35		

NOTE: Includes coated recoil for corrosive environments.

TRACK PAIRS

SALT

L	286-4305	TRACK, 20", MS, SALT	0	NC
		ONLY FOR USE WITH: 558-8525 D3 12A TRACTOR CFG30 OR		
		558-8526 D3 12A LGP TRACTOR CFG31 OR		
		590-8422 D3 12A TRACTOR CFG33 OR		
		590-8423 D3 12A LGP TRACTOR CFG34 AND		
		397-4328 UNDERCARRIAGE, SALT OR		
		476-0620 UNDERCARRIAGE, SALT, TWD		
L	286-4310	TRACK, 26", MS, SALT, LGP	0	NC
		ONLY FOR USE WITH: 558-8526 D3 12A LGP TRACTOR CFG31 OR		
		590-8423 D3 12A LGP TRACTOR CFG34 AND		
		397-4328 UNDERCARRIAGE, SALT OR		
		476-0620 UNDERCARRIAGE, SALT, TWD		

CATERPILLAR MACHINE PRICE LIST

D3

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

TRACK PAIRS (Cont.)

L	286-4307	TRACK, 30", MS, SALT, LGP 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 558-8528 D3 12A LGP TRACTOR CFG32 OR 590-8425 D3 12A LGP TRACTOR CFG35 AND 397-4328 UNDERCARRIAGE, SALT OR 476-0620 UNDERCARRIAGE, SALT, TWD		NC
L	321-3102	TRACK, 20", CENTERPUNCH, SALT 0 FOR USE IN LANE 3 ONLY Track shoes with center hole. Centerpunch track is a double grouser. ONLY FOR USE WITH: 558-8525 D3 12A TRACTOR CFG30 AND 397-4328 UNDERCARRIAGE, SALT OR 476-0620 UNDERCARRIAGE, SALT, TWD		\$7,980
L	286-4302	TRACK, 30", SELF CLEANING, SALT 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 558-8528 D3 12A LGP TRACTOR CFG32 OR 590-8425 D3 12A LGP TRACTOR CFG35 AND 397-4328 UNDERCARRIAGE, SALT OR 476-0620 UNDERCARRIAGE, SALT, TWD		\$14,220

ABRASION

L	286-4315	TRACK, 20", MS, ABRASION 0 ONLY FOR USE WITH: 558-8525 D3 12A TRACTOR CFG30 OR 558-8526 D3 12A LGP TRACTOR CFG31 OR 590-8422 D3 12A TRACTOR CFG33 OR 590-8423 D3 12A LGP TRACTOR CFG34 AND 397-4208 UNDERCARRIAGE, ABRASION		NC
L	286-4320	TRACK, 26", MS, ABRASION, LGP 0 ONLY FOR USE WITH: 558-8526 D3 12A LGP TRACTOR CFG31 OR 590-8423 D3 12A LGP TRACTOR CFG34 AND 397-4208 UNDERCARRIAGE, ABRASION		NC
L	286-4317	TRACK, 30", MS, ABRASION, LGP 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 558-8528 D3 12A LGP TRACTOR CFG32 OR 590-8425 D3 12A LGP TRACTOR CFG35 AND 397-4208 UNDERCARRIAGE, ABRASION		NC
L	326-8247	TRACK, 20", ES, ABRASION 0 ONLY FOR USE WITH: 558-8525 D3 12A TRACTOR CFG30 OR 590-8422 D3 12A TRACTOR CFG33 AND 397-4208 UNDERCARRIAGE, ABRASION		\$1,075
L	326-8248	TRACK, 26", ES, ABRASION, LGP 0 ONLY FOR USE WITH: 558-8526 D3 12A LGP TRACTOR CFG31 OR 590-8423 D3 12A LGP TRACTOR CFG34 AND 397-4208 UNDERCARRIAGE, ABRASION		\$1,075

CATERPILLAR MACHINE PRICE LIST

D3

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS

HYDRAULICS - Standard Tractor

L	558-8535	HYDRAULICS, 3 VALVE, PUMP STD 0 ONLY FOR USE WITH: 558-8525 D3 12A TRACTOR CFG30 OR 558-8526 D3 12A LGP TRACTOR CFG31 OR 558-8528 D3 12A LGP TRACTOR CFG32 AND CANNOT BE USED WITH: 397-4317 RIPPER 397-4389 WINCH, MOUNTING PLATE 397-4320 WINCH, PA40 510-6255 WINCH AR, RETRIEVAL		NC
L	558-8537	HYDRAULICS, 3 VALVE, WINCH 0 REQUIRES: 397-4389 WINCH, MOUNTING PLATE OR 397-4320 WINCH, PA40 ONLY FOR USE WITH: 558-8525 D3 12A TRACTOR CFG30 OR 558-8526 D3 12A LGP TRACTOR CFG31 OR 558-8528 D3 12A LGP TRACTOR CFG32 AND CANNOT BE USED WITH: 397-4317 RIPPER 510-6255 WINCH AR, RETRIEVAL		\$5,070
L	558-8538	HYDRAULICS, 4 VALVE, PUMP STD 0 Provides additional AUX valve section. ONLY FOR USE WITH: 558-8525 D3 12A TRACTOR CFG30 OR 558-8526 D3 12A LGP TRACTOR CFG31 OR 558-8528 D3 12A LGP TRACTOR CFG32 AND CANNOT BE USED WITH: 397-4389 WINCH, MOUNTING PLATE 397-4320 WINCH, PA40		\$1,165
L	558-8540	HYDRAULICS, 4 VALVE, WINCH 0 Provides additional AUX valve section. REQUIRES: 397-4389 WINCH, MOUNTING PLATE OR 397-4320 WINCH, PA40 ONLY FOR USE WITH: 558-8525 D3 12A TRACTOR CFG30 OR 558-8526 D3 12A LGP TRACTOR CFG31 OR 558-8528 D3 12A LGP TRACTOR CFG32 AND CANNOT BE USED WITH: 397-4317 RIPPER 510-6255 WINCH AR, RETRIEVAL		\$6,240
L	558-8541	HYDRAULICS, 5 VALVE PUMP STD 0 Provides 2 additional AUX valve section. ONLY FOR USE WITH: 558-8525 D3 12A TRACTOR CFG30 OR 558-8526 D3 12A LGP TRACTOR CFG31 OR 558-8528 D3 12A LGP TRACTOR CFG32 AND CANNOT BE USED WITH: 397-4389 WINCH, MOUNTING PLATE 397-4320 WINCH, PA40		\$2,000
L	558-8543	HYDRAULICS, 5 VALVE, WINCH 0 Provides 2 additional AUX valve section. REQUIRES: 397-4389 WINCH, MOUNTING PLATE OR 397-4320 WINCH, PA40 ONLY FOR USE WITH: 558-8525 D3 12A TRACTOR CFG30 OR 558-8526 D3 12A LGP TRACTOR CFG31 OR 558-8528 D3 12A LGP TRACTOR CFG32 AND CANNOT BE USED WITH: 397-4317 RIPPER 510-6255 WINCH AR, RETRIEVAL		\$7,080

CATERPILLAR MACHINE PRICE LIST

D3

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

HYDRAULICS - Fire Tractor

L	596-6726	HYD, 4 VALVE, PUMP STD 0 Unsheathed Hoses Provides additional AUX valve section ONLY FOR USE WITH: 590-8422 D3 12A TRACTOR CFG33 OR 590-8423 D3 12A LGP TRACTOR CFG34 OR 590-8425 D3 12A LGP TRACTOR CFG35 AND CANNOT BE USED WITH: 397-4389 WINCH, MOUNTING PLATE 397-4320 WINCH, PA40		\$1,315
L	596-6727	HYD, 4 VALVE, PUMP STD, FS 0 Sheathed Hoses Provides additional AUX valve section ONLY FOR USE WITH: 590-8422 D3 12A TRACTOR CFG33 OR 590-8423 D3 12A LGP TRACTOR CFG34 OR 590-8425 D3 12A LGP TRACTOR CFG35 AND CANNOT BE USED WITH: 397-4389 WINCH, MOUNTING PLATE 397-4320 WINCH, PA40		\$1,615
L	596-6729	HYD, 4 VALVE, WINCH 0 Unsheathed Hoses Provides additional AUX valve section REQUIRES: 397-4389 WINCH, MOUNTING PLATE OR 397-4320 WINCH, PA40 ONLY FOR USE WITH: 590-8422 D3 12A TRACTOR CFG33 OR 590-8423 D3 12A LGP TRACTOR CFG34 OR 590-8425 D3 12A LGP TRACTOR CFG35 AND CANNOT BE USED WITH: 397-4317 RIPPER 510-6255 WINCH AR, RETRIEVAL		\$6,410
L	596-6731	HYD, 4 VALVE, WINCH, FS 0 Sheathed Hoses Provides additional AUX valve section REQUIRES: 397-4389 WINCH, MOUNTING PLATE OR 397-4320 WINCH, PA40 ONLY FOR USE WITH: 590-8422 D3 12A TRACTOR CFG33 OR 590-8423 D3 12A LGP TRACTOR CFG34 OR 590-8425 D3 12A LGP TRACTOR CFG35 AND CANNOT BE USED WITH: 397-4317 RIPPER 510-6255 WINCH AR, RETRIEVAL		\$7,670
L	596-6732	HYD, 5 VALVE, PUMP STD 0 Unsheathed Hoses Provides 2 additional AUX valve sections ONLY FOR USE WITH: 590-8422 D3 12A TRACTOR CFG33 OR 590-8423 D3 12A LGP TRACTOR CFG34 OR 590-8425 D3 12A LGP TRACTOR CFG35 AND CANNOT BE USED WITH: 397-4389 WINCH, MOUNTING PLATE 397-4320 WINCH, PA40		\$2,000
L	596-6733	HYD, 5 VALVE, PUMP STD, FS 0 Sheathed Hoses Provides 2 additional AUX valve sections ONLY FOR USE WITH: 590-8422 D3 12A TRACTOR CFG33 OR 590-8423 D3 12A LGP TRACTOR CFG34 OR 590-8425 D3 12A LGP TRACTOR CFG35 AND CANNOT BE USED WITH: 397-4389 WINCH, MOUNTING PLATE 397-4320 WINCH, PA40		\$2,310

CATERPILLAR MACHINE PRICE LIST

D3

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

HYDRAULICS - Fire Tractor (Cont.)

L	596-6735	HYD, 5 VALVE, WINCH 0		\$7,080
		Unsheathed Hoses Provides 2 additional AUX valve sections REQUIRES: 397-4389 WINCH, MOUNTING PLATE OR 397-4320 WINCH, PA40 ONLY FOR USE WITH: 590-8422 D3 12A TRACTOR CFG33 OR 590-8423 D3 12A LGP TRACTOR CFG34 OR 590-8425 D3 12A LGP TRACTOR CFG35 AND CANNOT BE USED WITH: 397-4317 RIPPER 510-6255 WINCH AR, RETRIEVAL		
L	596-6737	HYD, 5 VALVE, WINCH, FS 0		\$8,350
		Sheathed Hoses Provides 2 additional AUX valve sections REQUIRES: 397-4389 WINCH, MOUNTING PLATE OR 397-4320 WINCH, PA40 ONLY FOR USE WITH: 590-8422 D3 12A TRACTOR CFG33 OR 590-8423 D3 12A LGP TRACTOR CFG34 OR 590-8425 D3 12A LGP TRACTOR CFG35 AND CANNOT BE USED WITH: 397-4317 RIPPER 510-6255 WINCH AR, RETRIEVAL		

FRONT END ATTACHMENT - Standard Tractor

L	558-8558	CONTROL, PITCH 0		NC
		ONLY FOR USE WITH: 558-8525 D3 12A TRACTOR CFG30 OR 558-8526 D3 12A LGP TRACTOR CFG31		
L	558-8560	CONTROL, PITCH 0		NC
		ONLY FOR USE WITH: 558-8528 D3 12A LGP TRACTOR CFG32		
L	558-8562	CONTROL, POWER PITCH 0		\$3,625
		ONLY FOR USE WITH: 558-8525 D3 12A TRACTOR CFG30 OR 558-8526 D3 12A LGP TRACTOR CFG31		
L	558-8564	CONTROL, POWER PITCH 0		\$3,625
		ONLY FOR USE WITH: 558-8528 D3 12A LGP TRACTOR CFG32		
L	590-8709	CONTROL, PITCH, TWD 0		\$58,350
		FOR USE IN LANE 3 ONLY REQUIRES: 553-2571 BLADE, TWD CANNOT BE USED WITH: 558-8570 GRADE W/SA 558-8571 GRADE W/3D		
L	558-8566	NO C-FRAME 0		\$-4,140
		REQUIRES: 557-1387 NO BLADE CANNOT BE USED WITH: 558-8570 GRADE W/SA 558-8571 GRADE W/3D		

FRONT END ATTACHMENT - Fire Tractor

L	590-8712	CONTROL, PITCH, FIRE TRACTOR 0		NC
		REQUIRES: 397-4341 SWEEPS, FRONT ONLY FOR USE WITH: 590-8422 D3 12A TRACTOR CFG33 OR 590-8423 D3 12A LGP TRACTOR CFG34		

NOTE: Includes Exhaust Flexpipe

CATERPILLAR MACHINE PRICE LIST

D3

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

FRONT END ATTACHMENT - Fire Tractor (Cont.)

L	590-8714	CONTROL, PITCH, FIRE TRACTOR 0 REQUIRES: 397-4341 SWEEPS, FRONT ONLY FOR USE WITH: 590-8425 D3 12A LGP TRACTOR CFG35 NOTE: Includes Exhaust Flexpipe		NC
---	----------	---	--	----

ELECTRICAL

LIGHTS

L	394-1851	LIGHTS, 6 2 Includes: 6 halogen lights - 4 front, 2 rear.		\$347
L	508-3301	LIGHTS, 6, LED 0 Includes: 6 LED lights - 4 front, 2 rear.		\$1,040

OPERATOR ENVIRONMENT

OPERATOR STATION - Standard Tractor

L	558-8544	CANOPY, ROPS, HEATER 0 INCLUDES: Heater REQUIRES: 552-3237 TENSIONER, OROPS ONLY FOR USE WITH: 558-8525 D3 12A TRACTOR CFG30 OR 558-8526 D3 12A LGP TRACTOR CFG31 OR 558-8528 D3 12A LGP TRACTOR CFG32 CANNOT BE USED WITH: EU DEALERS		NC
L	558-8547	CAB, ROPS, HEATER & A/C 0 INCLUDES: Air conditioner Glass windows REQUIRES: 552-3238 TENSIONER, EROPS ONLY FOR USE WITH: 558-8525 D3 12A TRACTOR CFG30 OR 558-8526 D3 12A LGP TRACTOR CFG31 OR 558-8528 D3 12A LGP TRACTOR CFG32		\$17,100
L	558-8549	CAB, ROPS, POLYCARBONATE 0 INCLUDES: Air conditioner 12mm Polycarbonate windows on front and doors REQUIRES: 552-3238 TENSIONER, EROPS ONLY FOR USE WITH: 558-8525 D3 12A TRACTOR CFG30 OR 558-8526 D3 12A LGP TRACTOR CFG31 OR 558-8528 D3 12A LGP TRACTOR CFG32		\$17,580

CATERPILLAR MACHINE PRICE LIST

D3

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

OPERATOR STATION - Fire Tractor

L	590-8701	CAB, ROPS, HEATER AND A/C 0		\$17,100
		INCLUDES: Air conditioner Glass windows Quick release floor plate In cab fuel shutoff ONLY FOR USE WITH: 590-8422 D3 12A TRACTOR CFG33 OR 590-8423 D3 12A LGP TRACTOR CFG34 OR 590-8425 D3 12A LGP TRACTOR CFG35		
L	590-8702	CAB, ROPS, POLYCARBONATE 0		\$17,590
		Includes: Air conditioner 12mm Polycarbonate windows on front and doors Quick release floor plate In cab fuel shutoff ONLY FOR USE WITH: 590-8422 D3 12A TRACTOR CFG33 OR 590-8423 D3 12A LGP TRACTOR CFG34 OR 590-8425 D3 12A LGP TRACTOR CFG35		

TENSIONERS - Standard Tractor

L	552-3237	TENSIONER, OROPS, NON-AC 0		NC
		ONLY FOR USE WITH: 558-8544 CANOPY, ROPS, HEATER		
L	552-3238	TENSIONER, EROPS, AC 0		NC
		ONLY FOR USE WITH: 558-8547 CAB, ROPS, HEATER + A/C OR 558-8549 CAB, ROPS, POLYCARBONATE OR 590-8701 CAB, ROPS, HEATER AND A/C OR 590-8702 CAB, ROPS, POLYCARBONATE AND 558-8529 ENGINE, CAT C3.6 OR 558-8530 ENGINE, CAT C3.6 OR 572-5118 ENGINE, CAT C3.6, FIRE TR		
L	552-3241	TENSIONER, FIRE TRACTOR 0		NC
		ONLY FOR USE WITH: 590-8701 CAB, ROPS, HEATER AND A/C OR 590-8702 CAB, ROPS, POLYCARBONATE AND 572-5119 ENGINE, CAT C3.6, FIRE TR, HHP		

SEATS

L	559-5725	SEAT, VINYL 0		NC
		ONLY FOR USE WITH: 558-8544 CANOPY, ROPS, HEATER		
L	559-5726	SEAT, VINYL, HEATED SEAT&CTRLS 0		\$1,230
		Includes: Vinyl heated seat Heated joystick control handles ONLY FOR USE WITH: 558-8544 CANOPY, ROPS, HEATER		
L	559-5727	SEAT, CLOTH 0		NC
		ONLY FOR USE WITH: 558-8547 CAB, ROPS, HEATER + A/C OR 558-8549 CAB, ROPS, POLYCARBONATE OR 590-8701 CAB, ROPS, HEATER AND A/C OR 590-8702 CAB, ROPS, POLYCARBONATE		

CATERPILLAR MACHINE PRICE LIST

D3

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

SEATS (Cont.)

L	559-5728	SEAT, CLOTH, HEATED SEAT&CTRLS 0		\$1,230
		Includes: Cloth seat Heated seat Heated joystick control handles ONLY FOR USE WITH: 558-8547 CAB, ROPS, HEATER + A/C OR 558-8549 CAB, ROPS, POLYCARBONATE OR 590-8701 CAB, ROPS, HEATER AND A/C OR 590-8702 CAB, ROPS, POLYCARBONATE		
L	559-5729	SEAT, CLOTH HEATED, VENTILATED 0		\$1,895
		Includes: Cloth seat Heated and ventilated seat Heated joystick control handles ONLY FOR USE WITH: 558-8547 CAB, ROPS, HEATER + A/C OR 558-8549 CAB, ROPS, POLYCARBONATE OR 590-8701 CAB, ROPS, HEATER AND A/C OR 590-8702 CAB, ROPS, POLYCARBONATE		

SOUND SUPPRESSION

L	558-8550	SOUND SUPPRESSION, OMISSION 0		NC
		CANNOT BE USED WITH: EU DEALERS		
L	558-8552	SOUND SUPPRESSION 0		\$4,695
		CANNOT BE USED WITH: 590-8422 D3 12A TRACTOR CFG33 OR 590-8423 D3 12A LGP TRACTOR CFG34 OR 590-8425 D3 12A LGP TRACTOR CFG35		
L	558-8553	SOUND SUPPRESSION, FAST PINS 0		\$1,090
		Includes: Engine enclosure door, RH hinged Engine enclosure door, LH fast pins ONLY FOR USE WITH: 590-8422 D3 12A TRACTOR CFG33 OR 590-8423 D3 12A LGP TRACTOR CFG34 OR 590-8425 D3 12A LGP TRACTOR CFG35 OR 590-8709 CONTROL, PITCH, TWD		

CATERPILLAR MACHINE PRICE LIST

D3

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS

BLADE CONTROL ORDERING

1) Cat GRADE with Slope Assist - Machine Integrated System that provides slope/angular guidance to the cutting edge for both blade slope and mainfall applications. This feature does not require a base station, laser transmitter, design file, or additional hardware. A sensor and valve calibration is required to be functional and is completed at the factory for machines ordered with blades. This system includes an upgraded machine display and an angle sensor on the blade.

Cat GRADE with Slope Assist includes ARO (Attachment Ready Option): Allows machine to easily be upgraded to Cat GRADE with 3D integrated grade control systems or AccuGrade GNSS, Laser or UTS blade mounted grade control systems. ARO includes IMU sensors, EC520 controller, wiring and blade mounting brackets. Upgrading to Cat GRADE with 3D after factory build requires TD520 display, GNSS receivers and antennas, bracket, data corrections solution, Sitech provided grade license files and Caterpillar provided SEA, part number 567-4125. Dealer to provide price for additional hardware and software.

For example, GNSS systems require a GNSS base station. Laser systems require a laser transmitter. UTS requires a Universal Total Station. AccuGrade electronics kits and site infrastructure must be ordered separately from Cat and/or SITECH dealer.

2) GRADE W/3D: CAT Grade with 3D is a factory installed, integrated grade control system with machine mounted sensors and GNSS antennas mounted to the roof of the cab. Includes TD520 Grade display, GNSS receivers and antennas with GPS, Glonass, Galileo, and Beidou constellations, IMU's, Grade license files, and Caterpillar provided SEA. Additional requirements via Cat/ Sitech dealer includes data corrections solution, measure up and calibration.

Requires an "off-board" radio network or GNSS base station to be functional. Additional requirements via SITECH dealer include on-board data radio installation and measure up.

BLADE GRADE CONTROL

L	558-8567	CONTROL, BASIC	0	NC
L	558-8569	CONTROL, BASIC, CAMERA	0	\$1,170

CATERPILLAR MACHINE PRICE LIST

D3

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

BLADE CONTROL ORDERING (Cont.)

L	558-8570	GRADE W/SA 0 Includes: Cat GRADE with Slope Assist Attachment Ready option (ARO) Rear camera ONLY FOR USE WITH: 577-4296 BLADE, 109.5", ACCUGRADE OR 577-4297 BLADE, 126.7"(3220MM), ACCUGRADE OR 577-4299 BLADE, 115"(2921MM), INTERMEDIATE, ACC CANNOT BE USED WITH: 590-8422 D3 12A TRACTOR CFG33 590-8423 D3 12A LGP TRACTOR CFG34 590-8425 D3 12A LGP TRACTOR CFG35 558-8566 NO C-FRAME	0	\$8,040
L	558-8571	GRADE W/3D 0 Includes: Cat GRADE with 3D Cat GRADE with Slope Assist Attachment Ready Option (ARO) Rear camera ONLY FOR USE WITH: 577-4296 BLADE, 109.5", ACCUGRADE OR 577-4297 BLADE, 126.7"(3220MM), ACCUGRADE OR 577-4299 BLADE, 115"(2921MM), INTERMEDIATE, ACC CANNOT BE USED WITH: CIS DEALERS 590-8422 D3 12A TRACTOR CFG33 590-8423 D3 12A LGP TRACTOR CFG34 590-8425 D3 12A LGP TRACTOR CFG35 558-8566 NO C-FRAME	0	\$60,810

GRADE CONTROL REQUIREMENTS

L	394-1871	MOUNTING, RADIO OROPS & ARO 0 CANNOT BE USED WITH: 590-8422 D3 12A TRACTOR CFG33 590-8423 D3 12A LGP TRACTOR CFG34 590-8425 D3 12A LGP TRACTOR CFG35 REQUIRED BY: 558-8544 CANOPY, ROPS, HEATER AND 558-8570 GRADE W/SA OR 558-8571 GRADE W/3D	0	NC
L	395-3461	STOP, CYLINDER 0 CANNOT BE USED WITH: 590-8422 D3 12A TRACTOR CFG33 590-8423 D3 12A LGP TRACTOR CFG34 590-8425 D3 12A LGP TRACTOR CFG35 REQUIRED BY: 558-8562 CONTROL, POWER PITCH OR 558-8564 CONTROL, POWER PITCH AND 558-8570 GRADE W/SA OR 558-8571 GRADE W/3D	0	NC

CATERPILLAR MACHINE PRICE LIST

D3

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Cat marketing representative with questions.

L	551-2972	PROD LINK, PLE643/PLE743 RADIO 0		NC
		Product link radio package PLE643/PLE743 provides a cellular PL243 radio. When the radio is used in combination with a PLE602 network manager (to make a PLE643 system) or PLE702 network manager (to make a PLE743 system) hours, health, utilization, and productivity information is collected and transmitted. The system also provides support for remote services and other advanced features.		
L	551-2974	PROD LINK, PLE683/PLE783 RADIO 0		\$476
		Product link radio package PLE683/PLE783 provides a dual mode PL083 radio for use where travel between areas of both cellular and satellite coverage is required. When the radio is used in combination with a PLE602 network manager (to make a PLE683 system) or PLE702 network manager (to make a PLE783 system) hours, health, utilization, and productivity information is collected and transmitted. The system also provides support for remote services and other advanced features.		

GUARDS

RADIATOR GRILL

P	550-6050	GRILL, RADIATOR, HD 0		\$790
P	550-6040	GRILL, RADIATOR, HD, HINGED 0		\$1,810
				\$1,810 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER One week lead time for miscellaneous order.		

REAR GUARD

L	397-4287	GUARD GP, REAR OMISSION 0		NC
L	397-4288	GUARD GP, REAR 253		\$1,880

BOTTOM GUARD

L	557-1345	GUARD, BELLY 0		NC
		ONLY FOR USE WITH: 558-8525 D3 12A TRACTOR CFG30 OR 590-8422 D3 12A TRACTOR CFG33		
L	557-1346	GUARD, BELLY 0		NC
		ONLY FOR USE WITH: 558-8526 D3 12A LGP TRACTOR CFG31 OR 590-8423 D3 12A LGP TRACTOR CFG34		
L	557-1347	GUARD, BELLY 0		NC
		ONLY FOR USE WITH: 558-8528 D3 12A LGP TRACTOR CFG32 OR 590-8425 D3 12A LGP TRACTOR CFG35		

CATERPILLAR MACHINE PRICE LIST

D3

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

GUARDS (CONT.)

BOTTOM GUARD (Cont.)

L	557-1405	GUARD, BELLY, HD	0	\$955
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER 2-3 weeks lead time for miscellaneous order. ONLY FOR USE WITH: 558-8525 D3 12A TRACTOR CFG30 OR 590-8422 D3 12A TRACTOR CFG33	0	\$955 NI
L	557-1406	GUARD, BELLY, HD	0	\$955
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER 2-3 weeks lead time for miscellaneous order. ONLY FOR USE WITH: 558-8526 D3 12A LGP TRACTOR CFG31 OR 590-8423 D3 12A LGP TRACTOR CFG34	0	\$955 NI
L	557-1407	GUARD, BELLY, HD	0	\$955
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER 2-3 weeks lead time for miscellaneous order. ONLY FOR USE WITH: 558-8528 D3 12A LGP TRACTOR CFG32 OR 590-8425 D3 12A LGP TRACTOR CFG35	0	\$955 NI
L	592-4500	GUARD, BELLY, HINGED	0	\$1,630
		FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 558-8525 D3 12A TRACTOR CFG30 OR 590-8422 D3 12A TRACTOR CFG33		
L	592-4501	GUARD, BELLY, HINGED	0	\$1,630
		FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 558-8526 D3 12A LGP TRACTOR CFG31 OR 590-8423 D3 12A LGP TRACTOR CFG34		
L	592-4503	GUARD, BELLY, HINGED	0	\$1,630
		FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 558-8528 D3 12A LGP TRACTOR CFG32 OR 590-8425 D3 12A LGP TRACTOR CFG35		

OTHER ATTACHMENTS

FANS

L	590-0677	FAN, STANDARD	0	NC
L	590-0678	FAN, REVERSING	0	\$1,795
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER One week lead time for miscellaneous order.	0	\$1,795 NI
L	558-8609	FAN, REVERSING, SHEATHED	0	\$2,120
		Sheathed Hoses FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 590-8422 D3 12A TRACTOR CFG33 OR 590-8423 D3 12A LGP TRACTOR CFG34 OR 590-8425 D3 12A LGP TRACTOR CFG35		

RADIATOR OIL COOLER

L	552-3229	COOLER, STANDARD	0	NC
		ONLY FOR USE WITH: 558-8525 D3 12A TRACTOR CFG30 OR 558-8526 D3 12A LGP TRACTOR CFG31 OR 558-8528 D3 12A LGP TRACTOR CFG32		

CATERPILLAR MACHINE PRICE LIST

D3

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

RADIATOR OIL COOLER (Cont.)

L	590-8886	COOLER, HIGH DEBRIS 0		\$865
		FOR USE IN LANE 3 ONLY		
		ONLY FOR USE WITH: 558-8525 D3 12A TRACTOR CFG30 OR		
		558-8526 D3 12A LGP TRACTOR CFG31 OR		
		558-8528 D3 12A LGP TRACTOR CFG32		
		CANNOT BE USED WITH: JAPAN DEALERS		

REAR ATTACHMENT

L	244-7433	DRAWBAR, STANDARD 0		NC
		Drawbar extends 5 inches (127 mm).		
		ONLY FOR USE WITH: 558-8535 HYDRAULICS, 3 VALVE, PUMP STD OR		
		558-8538 HYDRAULICS, 4 VALVE, PUMP STD OR		
		558-8541 HYDRAULICS, 5 VALVE PUMP STD OR		
		596-6726 HYD, 4 VALVE, PUMP STD OR		
		596-6727 HYD, 4 VALVE, PUMP STD, FS OR		
		596-6732 HYD, 5 VALVE, PUMP STD OR		
		596-6733 HYD, 5 VALVE, PUMP STD, FS		

L	244-7434	DRAWBAR, TOWING 18		\$605
		Drawbar extends 9.5 inches (241 mm).		
		ONLY FOR USE WITH: 558-8535 HYDRAULICS, 3 VALVE, PUMP STD OR		
		558-8538 HYDRAULICS, 4 VALVE, PUMP STD OR		
		558-8541 HYDRAULICS, 5 VALVE PUMP STD		
		596-6726 HYD, 4 VALVE, PUMP STD OR		
		596-6727 HYD, 4 VALVE, PUMP STD, FS OR		
		596-6732 HYD, 5 VALVE, PUMP STD OR		
		596-6733 HYD, 5 VALVE, PUMP STD, FS		

L	397-4317	RIPPER. 1,349		\$12,710
			1,349	\$12,710 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER		
		One week lead time for miscellaneous order.		
		ONLY FOR USE WITH: 558-8538 HYDRAULICS, 4 VALVE, PUMP STD OR		
		558-8541 HYDRAULICS, 5 VALVE PUMP STD OR		
		596-6726 HYD, 4 VALVE, PUMP STD OR		
		596-6727 HYD, 4 VALVE, PUMP STD, FS OR		
		596-6732 HYD, 5 VALVE, PUMP STD OR		
		596-6733 HYD, 5 VALVE, PUMP STD, FS		

L	397-4389	WINCH, MOUNTING PLATE 245		\$1,385
		REQUIRES: 393-4250 SCREEN, REAR, CAB OR		
		393-4251 SCREEN, REAR, CANOPY		
		ONLY FOR USE WITH: 558-8537 HYDRAULICS, 3 VALVE, WINCH OR		
		558-8540 HYDRAULICS, 4 VALVE, WINCH OR		
		558-8543 HYDRAULICS, 5 VALVE, WINCH OR		
		596-6729 HYD, 4 VALVE, WINCH OR		
		596-6731 HYD, 4 VALVE, WINCH, FS OR		
		596-6735 HYD, 5 VALVE, WINCH OR		
		596-6737 HYD, 5 VALVE, WINCH, FS		

CATERPILLAR MACHINE PRICE LIST

D3

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

REAR ATTACHMENT (Cont.)

L	397-4320	WINCH, PA40	0	\$23,670
			0	\$23,670 NI

ALSO AVAILABLE ON A MISCELLANEOUS PART AS 256-3738

REQUIRES: 393-4250 SCREEN, REAR, CAB OR

393-4251 SCREEN, REAR, CANOPY

ONLY FOR USE WITH: 558-8537 HYDRAULICS, 3 VALVE, WINCH OR

558-8540 HYDRAULICS, 4 VALVE, WINCH OR

558-8543 HYDRAULICS, 5 VALVE, WINCH OR

596-6729 HYD, 4 VALVE, WINCH OR

596-6731 HYD, 4 VALVE, WINCH, FS OR

596-6735 HYD, 5 VALVE, WINCH OR

596-6737 HYD, 5 VALVE, WINCH, FS

L	510-6255	WINCH AR, RETRIEVAL	0	\$27,380
			0	\$27,380 NI

ALSO AVAILABLE ON A MISCELLANEOUS ORDER

Retrieval Winch (Slower Speed) uses oil flow from 4th valve hydraulic circuit to power winch

Maximum Line Pull-bare Drum - 32,150 Lbs (14,583 kg)

Maximum Line Speed-bare Drum - 50 ft/min (15 m/min)

Includes: 3 Fairlead Rollers - 2 Side and 1 Top Rollers

One Week Lead Time

REQUIRES: 393-4250 SCREEN, REAR, CAB OR

393-4251 SCREEN, REAR, CANOPY

ONLY FOR USE WITH: 558-8538 HYDRAULICS, 4 VALVE, PUMP STD OR

558-8541 HYDRAULICS, 5 VALVE PUMP STD OR

596-6726 HYD, 4 VALVE, PUMP STD OR

596-6727 HYD, 4 VALVE, PUMP STD, FS OR

596-6732 HYD, 5 VALVE, PUMP STD OR

596-6733 HYD, 5 VALVE, PUMP STD, FS

L	590-8772	GUARD GP, REAR, LIFT EYES	0	\$8,180
			0	\$8,180 NI

ALSO AVAILABLE ON A MISCELLANEOUS ORDER

2-3 weeks lead time for miscellaneous order.

ONLY FOR USE WITH: 558-8535 HYDRAULICS, 3 VALVE, PUMP STD OR

558-8538 HYDRAULICS, 4 VALVE, PUMP STD OR

558-8541 HYDRAULICS, 5 VALVE PUMP STD

596-6726 HYD, 4 VALVE, PUMP STD OR

596-6727 HYD, 4 VALVE, PUMP STD, FS OR

596-6732 HYD, 5 VALVE, PUMP STD OR

596-6733 HYD, 5 VALVE, PUMP STD, FS

COUNTERWEIGHT

L	244-7503	NO FRONT COUNTERWEIGHT	0	NC
---	----------	------------------------------	---	----

CATERPILLAR MACHINE PRICE LIST

D3

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

COUNTERWEIGHT (Cont.)

L	244-7516	COUNTERWEIGHT, FRONT	631 0	\$1,095 \$1,095 NI
---	----------	--------------------------------	----------	-----------------------

ALSO AVAILABLE ON A MISCELLANEOUS ORDER
 Provides 662 lbs.(300 kg) front counter weight
 4 week lead time

NOTE: Recommended for 397-4317 RIPPER, 397-4320 WINCH, PA40, and 510-6255 WINCH AR, RETRIEVAL.

L	476-0650	BOTTOM GUARD, HINGED	0	\$650
		FOR USE IN LANE 3 ONLY		

APPLICATION SPECIFIC COMPONENTS

LINES GROUPS - Fire Tractor

L	590-8720	LINES ARRANGEMENT, STD	0	NC
		Unsheathed Hoses		
		ONLY FOR USE WITH: 590-8422 D3 12A TRACTOR CFG33		
L	590-8721	LINES ARRANGEMENT, STD	0	NC
		Unsheathed Hoses		
		ONLY FOR USE WITH: 590-8423 D3 12A LGP TRACTOR CFG34		
L	590-8723	LINES ARRANGEMENT, STD	0	NC
		Unsheathed Hoses		
		ONLY FOR USE WITH: 590-8425 D3 12A LGP TRACTOR CFG35		
L	590-8728	LINES ARRANGEMENT, SHEATHED	0	\$7,810
		Sheathed Hoses		
		ONLY FOR USE WITH: 590-8422 D3 12A TRACTOR CFG33		
L	590-8729	LINES ARRANGEMENT, SHEATHED	0	\$7,810
		Sheathed Hoses		
		ONLY FOR USE WITH: 590-8423 D3 12A LGP TRACTOR CFG34		
L	590-8731	LINES ARRANGEMENT, SHEATHED	0	\$7,810
		Sheathed Hoses		
		ONLY FOR USE WITH: 590-8425 D3 12A LGP TRACTOR CFG35		

BLADES

ALSO AVAILABLE ON A MISCELLANEOUS ORDER
 4 weeks lead time for miscellaneous order.

L	397-4270	BLADE, 109.5"	0 0	\$5,280 \$5,280 NI
---	----------	-------------------------	--------	-----------------------

2.86 yd3 (2.19 m3).
 109.5 inches (2782mm) width variable pitch, power angle and tilt
 ONLY FOR USE WITH: 558-8525 D3 12A TRACTOR CFG30 OR
 590-8422 D3 12A TRACTOR CFG33
 CANNOT BE USED WITH: 558-8566 NO C-FRAME
 558-8570 GRADE W/SA
 558-8571 GRADE W/3D
 590-8709 CONTROL, PITCH, TWD

CATERPILLAR MACHINE PRICE LIST

D3

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BLADES (CONT.)

L	397-4271	BLADE, 126.7"	0 0	\$5,850 \$5,850 NI
		3.06 yd3 (2.34 m3). 126.7 inches (3220 mm) width variable pitch, power angle and tilt. ONLY FOR USE WITH: 558-8526 D3 12A LGP TRACTOR CFG31 OR 558-8528 D3 12A LGP TRACTOR CFG32 OR 590-8423 D3 12A LGP TRACTOR CFG34 OR 590-8425 D3 12A LGP TRACTOR CFG35 CANNOT BE USED WITH: 558-8566 NO C-FRAME 558-8570 GRADE W/SA 558-8571 GRADE W/3D 590-8709 CONTROL, PITCH, TWD		
L	577-4296	BLADE, 109.5", ACCUGRADE	0 0	\$5,710 \$5,710 NI
		2.86 yd3 (2.19 m3). 109.5 inches (2782mm) width variable pitch, power angle and tilt. Includes: Mounting brackets for receivers. ONLY FOR USE WITH: 558-8525 D3 12A TRACTOR CFG30 OR 590-8422 D3 12A TRACTOR CFG33 CANNOT BE USED WITH: 558-8566 NO C-FRAME 590-8709 CONTROL, PITCH, TWD		
L	577-4297	BLADE, 126.7", ACCUGRADE	0 0	\$6,060 \$6,060 NI
		3.06 yd3 (2.34 m3). 126.7 inches (3220 mm) width variable pitch, power angle and tilt. Includes: Mounting brackets for receivers. ONLY FOR USE WITH: 558-8526 D3 12A LGP TRACTOR CFG31 OR 558-8528 D3 12A LGP TRACTOR CFG32 OR 590-8423 D3 12A LGP TRACTOR CFG34 OR 590-8425 D3 12A LGP TRACTOR CFG35 CANNOT BE USED WITH: 558-8566 NO C-FRAME 590-8709 CONTROL, PITCH, TWD		
L	397-4278	BLADE, 115", INTERMEDIATE	0 0	\$5,310 \$5,310 NI
		2.73 yd3 (2.09 m3). 115 inches (2921 mm) width variable pitch, power, angle tilt blade. CANNOT BE USED WITH: 558-8566 NO C-FRAME 558-8570 GRADE W/SA 558-8571 GRADE W/3D 590-8709 CONTROL, PITCH, TWD		
L	577-4299	BLADE, 115", INTERMEDIATE, ACC	0 0	\$5,740 \$5,740 NI
		2.73 yd3 (2.09 m3) 115 inches (2921 mm) width variable pitch, power, angle tilt blade. Includes: Mounting brackets for receivers. CANNOT BE USED WITH: 558-8566 NO C-FRAME 590-8709 CONTROL, PITCH, TWD		
L	397-4282	BLADE, 109", D3, FORESTRY	0 0	\$7,930 \$7,930 NI
		FOR USE IN LANE 3 ONLY Includes: Brush guard and thicker moldboard liner CANNOT BE USED WITH: 558-8566 NO C-FRAME 558-8570 GRADE W/SA 558-8571 GRADE W/3D 590-8709 CONTROL, PITCH, TWD		

CATERPILLAR MACHINE PRICE LIST

D3

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
BLADES (CONT.)				
L	537-2444	BLADE, 97" 0 1.85 yd3 (1.41 m3) 97 inches (2464 mm) width variable pitch, power angle and tilt CANNOT BE USED WITH: 558-8566 NO C-FRAME 558-8570 GRADE W/SA 558-8571 GRADE W/3D 590-8709 CONTROL, PITCH, TWD	0	\$5,880 \$5,880 NI
L	553-2569	BLADE, 94", TWD 0 REQUIRES: 590-8709 CONTROL, PITCH, TWD	0	\$17,880
L	553-2570	BLADE, 105", TWD 0 REQUIRES: 590-8709 CONTROL, PITCH, TWD	0	\$19,990
L	553-2571	BLADE, 101", TWD 0 REQUIRES: 590-8709 CONTROL, PITCH, TWD	0	\$22,340
P	557-1387	NO BLADE 0 CANNOT BE USED WITH: 558-8570 GRADE W/SA 558-8571 GRADE W/3D 590-8709 CONTROL, PITCH, TWD	0	NC

INSTRUCTIONS

SERVICE INSTRUCTIONS

	421-8926	SERIALIZED TECHNICAL MEDIA KIT 0 The technical media kit will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. included in the kit, can be ordered through the media website. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com.	0	NC
--	----------	---	---	----

FILMS

L	558-8582	INSTRUCTIONS, ANSI 0 ONLY FOR USE WITH: USA DEALERS	0	NC
L	558-8596	INSTRUCTIONS, ISO 0 ONLY FOR USE WITH: 558-8530 ENGINE, CAT C3.6 CANNOT BE USED WITH: U.S.A. DEALERS KOREAN DEALERS EU DEALERS	0	NC

CATERPILLAR MACHINE PRICE LIST

D3

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

ELECTRICAL

L	551-2983	INSTRUCTIONS, SEALING 0 Corrosive protection on key and electrical connections		\$179
---	----------	--	--	-------

OPERATOR ENVIRONMENT

RADIO

P	551-2980	STANDARD RADIO (12V) 0 Standard 12V AM/FM radio with Bluetooth technology, USB port, and 3.5 mm AUX input. Availability varies by country. ONLY FOR USE WITH: 558-8547 CAB, ROPS, HEATER & A/C OR 558-8549 CAB, ROPS, POLYCARBONATE OR 590-8701 CAB, ROPS, HEATER AND A/C OR 590-8702 CAB, ROPS, POLYCARBONATE		\$610
---	----------	--	--	-------

SAFETY AND SECURITY

L	551-2954	SECURITY SYSTEM, MACHINE 0		\$1,095
---	----------	---	--	---------

GUARDS

SWEEPS

ALSO AVAILABLE ON A MISCELLANEOUS ORDER
 One week lead time for miscellaneous order.

P	397-4341	SWEEPS, FRONT 291 0		\$2,670 \$2,670 NI
CANNOT BE USED WITH: 590-8709 CONTROL, PITCH, TWD				
P	397-4342	SWEEPS, REAR 123 0		\$1,215 \$1,215 NI
Provides protection to rear top portion of cap or canopy REQUIRES: 397-4341 SWEEPS, FRONT				

SCREENS

ALSO AVAILABLE ON A MISCELLANEOUS ORDER

P	343-3525	SCREEN, FRONT & DOORS, CANOPY 172 172		\$3,430 \$3,430 NI
4 Weeks lead time for miscellaneous order. REQUIRES: 250-1699 SCREEN, SIDE AND 393-4251 SCREEN, REAR ONLY FOR USE WITH: 558-8544 CANOPY, ROPS, HEATER				
P	250-1699	SCREEN, SIDE 267 0		\$1,710 \$1,710 NI
One week lead time for miscellaneous order.				
P	393-4250	SCREEN, REAR, CAB 95 0		\$1,455 \$1,455 NI
One Week lead time for miscellaneous order. ONLY FOR USE WITH: 558-8547 CAB, ROPS, HEATER & A/C OR 558-8549 CAB, ROPS, POLYCARBONATE OR 590-8701 CAB, ROPS, HEATER AND A/C OR 590-8702 CAB, ROPS, POLYCARBONATE				

CATERPILLAR MACHINE PRICE LIST

D3

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

GUARDS (CONT.)

SCREENS (Cont.)

P	393-4251	SCREEN, REAR, CANOPY	86 0	\$1,305 \$1,305 NI
		One week lead time for miscellaneous order. ONLY FOR USE WITH: 558-8544 CANOPY, ROPS, HEATER		
P	597-2033	SCREEN, HINGED	0 0	\$6,910 \$6,910 NI
		Provides Hinged Side and Door Screens along with Front Window and Front Light Screens on the Cab. NOTE: Must order Rear Screen to get full 360 cab guarding. 4 Weeks lead time for miscellaneous order. ONLY FOR USE WITH: 558-8547 CAB, ROPS, HEATER + A/C OR 558-8549 CAB, ROPS, POLYCARBONATE OR 590-8701 CAB, ROPS, HEATER AND A/C OR 590-8702 CAB, ROPS, POLYCARBONATE CANNOT BE USED WITH: 250-1699 SCREEN, SIDE		

GUARDS, TRACK ROLLER

ALSO AVAILABLE ON A MISCELLANEOUS ORDER
 2-3 weeks lead time for miscellaneous order.

P	397-4335	GUARD, TRACK ROLLER, FULL, ABR	159 0	\$1,525 \$1,525 NI
		ONLY FOR USE WITH: 397-4208 UNDERCARRIAGE, ABRASION		
P	397-4345	GUARD, TRACK ROLLER, FULL,SALT	163 0	\$1,525 \$1,525 NI
		ONLY FOR USE WITH: 397-4328 UNDERCARRIAGE, SALT OR 476-0620 UNDERCARRIAGE, SALT, TWD		
P	282-3665	GUARD,TRK GUIDING,CENTER,ABR	53 0	\$950 \$950 NI
		ONLY FOR USE WITH: 397-4208 UNDERCARRIAGE, ABRASION CANNOT BE USED WITH: 397-4335 GUARD, TRACK ROLLER, FULL,ABR 397-4345 GUARD, TRACK ROLLER, FULL,SALT		
P	282-3675	GUARD,TRK GUIDING,CENTER,SALT	51 0	\$950 \$950 NI
		ONLY FOR USE WITH: 397-4328 UNDERCARRIAGE, SALT OR 476-0620 UNDERCARRIAGE, SALT, TWD CANNOT BE USED WITH: 397-4335 GUARD, TRACK ROLLER, FULL,ABR 397-4345 GUARD, TRACK ROLLER, FULL,SALT		

OTHER ATTACHMENTS

STARTING AIDS

L	552-3246	HEATER, ENGINE COOLANT (120V)	0	\$252
P	552-3248	STARTING AID, ETHER	0	\$428

CATERPILLAR MACHINE PRICE LIST

D3

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

WINCH ROLLERS

ALSO AVAILABLE ON A MISCELLANEOUS ORDER
 3-4 weeks lead time for miscellaneous order.

L	397-4392	FAIRLEAD, 3 ROLLERS	0	\$3,440
			0	\$3,440 NI
		Provides 2 side rollers and 1 top roller. ONLY FOR USE WITH: 397-4320 WINCH, PA40		
L	397-4393	FAIRLEAD, 4TH ROLLER	0	\$1,150
			0	\$1,150 NI
		Provides 1 bottom roller. REQUIRES: 397-4392 FAIRLEAD, 3 ROLLERS		

APPLICATION SPECIFIC COMPONENTS

FILTER, CAB - Fire Tractor

L	484-1266	FILTER, CAB	0	\$900
		High Efficiency, activated carbon element ONLY FOR USE WITH: 590-8422 D3 12A TRACTOR CFG33 OR 590-8423 D3 12A LGP TRACTOR CFG34 OR 590-8425 D3 12A LGP TRACTOR CFG35		
L	595-1525	WRAP, A/T	0	\$570
		Thermal shield wrap CANNOT BE USED WITH: 558-8530 ENGINE, CAT C3.6 REQUIRED BY: 590-8709 CONTROL, PITCH, TWD AND 590-0678 FAN, REVERSING		

FLUIDS

ANTIFREEZE

	0P-6123	ANTIFREEZE, -50C (-58F)	0	\$303 NET
--	---------	-----------------------------------	---	-----------

NOTE: Standard machine protection includes extended life coolant protection to -37C (-34F).

FACTORY SOURCED KITS

MISC MATERIAL

Misc Material Available for Shipment from Athens, GA
 Use Misc Top Level 0P-7274 to order.
 Quantity limited to 1 per part number.

W	522-5997	KIT, GRADE 3D BRACKETS	0	\$1,460 NI
		One weeks lead time for miscellaneous order. Contains the brackets and harnesses to support a 3D upgrade on an ARO machine, GRADE 3D electronics must be purchased separately. REQUIRES: 0P-7290 PACKING, 3D BRACKETS		

CATERPILLAR MACHINE PRICE LIST

D3

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FACTORY SOURCED KITS (CONT.)

MISC MATERIAL (Cont.)

W	256-3738	WINCH, HYDROSTATIC	1,345	\$21,944 NI
		High Performance Winch Maximum Line Pull-bare Drum - 40,000 Lbs (18,144 kg) Maximum Line Speed-bare Drum - 131 ft/min (40 m/min) One week lead time REQUIRES: 0P-3929 PACKING, WINCH		
W	518-1005	GUARD GP, REAR	0	\$1,880 NI
		Provides protection below rear window, fuel and hyd fill points. One week lead time for miscellaneous order. REQUIRES: 0P-3924 PACK, GUARD, REAR		

PACKING

PROTECTION

	0P-2266	SHIPPING/STORAGE PROTECTION	0	\$228 NET
		Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer. REQUIRED BY: Lane 1 Orders and Export Orders		

PDC MACHINE PREP

	590-9289	ATHENS DEALER PDI & FUEL	0	\$474 NET
		The Athens Dealer PDI will include an official Caterpillar STTT PDI inspection complete with an online report for the machine utilizing the CAT Inspect application, diesel fuel top-off, DEF fluid top-off, glycol max line fill, engine oil max line fill, washer fluid top-off, cold weather anti-gelling fuel treatment, and the optional installation of two Dealer supplied decals. Hydraulic fluid will be within top half of gauge which is considered optimal.		

PACKING

	0P-4299	PACKING, LAST MILE PROGRAM	0	NC
	0P-0210	PACK, DOMESTIC TRUCK	0	NC
		ONLY FOR USE WITH: MISC MATERIAL ORDERS		
	0P-7133	PACK, BLADE FOR MISC ORDER	0	\$600 NET
		REQUIRED BY: 0P-7274 D3 MISC MATERIAL AND BLADES		
	0P-3923	PACKING, GUARDS, BOTTOM	0	\$349 NET
		REQUIRED BY: 0P-7274 D3 MISC MATERIAL AND 557-1405 GUARD, BELLY, HD OR 557-1406 GUARD, BELLY, HD OR 557-1407 GUARD, BELLY, HD		

CATERPILLAR MACHINE PRICE LIST

D3

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
PACKING (CONT.)				
<i>PACKING (Cont.)</i>				
	OP-3924	PACKING, GUARD, REAR 0 REQUIRED BY: OP-7274 D3 MISC MATERIAL AND 590-8772 GUARD GP, REAR, LIFT EYES OR 518-1005 GUARD GP, REAR		\$349 NET
	OP-3922	PACKING, GUARDS, TRACK ROLLER 0 REQUIRED BY: OP-7274 D3 MISC MATERIAL AND TRACK ROLLER GUARDS		\$349 NET
	OP-3928	PACKING, RIPPER 0 REQUIRED BY: OP-7274 D3 MISC MATERIAL AND 397-4317 RIPPER		\$600 NET
	OP-3921	PACKING, SCREEN 0 REQUIRED BY: OP-7274 D3 MISC MATERIAL AND 343-3525 SCREEN, FRONT & DOORS, CANOPY OR 250-1699 SCREEN, SIDE OR 393-4250 SCREEN, REAR, CAB OR 393-4251 SCREEN, REAR, CANOPY		\$349 NET
	OP-3925	PACKING, SWEEPS 0 REQUIRED BY: OP-7274 D3 MISC MATERIAL AND 397-4341 SWEEPS, FRONT OR 397-4342 SWEEPS, REAR		\$349 NET
	OP-3929	PACKING, WINCH 0 REQUIRED BY: OP-7274 D3 MISC MATERIAL AND 256-3738 WINCH, HYDROSTATIC 510-6255 WINCH AR, RETRIEVAL		\$202 NET
	OP-7287	PACKING, 3 ROLLER FAIRLEAD 0 REQUIRED BY: OP-7274 D3 MISC MATERIAL AND 397-4392 FAIRLEAD, 3 ROLLERS		\$202 NET
	OP-7288	PACKING, 4TH ROLLER FAIRLEAD 0 REQUIRED BY: OP-7274 D3 MISC MATERIAL AND 397-4393 FAIRLEAD, 4TH ROLLER		\$202 NET
	OP-7289	PACKING, FRONT COUNTERWEIGHT 0 REQUIRED BY: OP-7274 D3 MISC MATERIAL AND 244-7516 COUNTERWEIGHT, FRONT		\$202 NET
	OP-7290	PACKING, 3D BRACKETS 0 REQUIRED BY: OP-7274 D3 MISC MATERIAL AND 522-5997 KIT, GRADE 3D BRACKETS		\$202 NET
	OP-7291	PACKING, HD HINGED GRILL 0 REQUIRED BY: OP-7274 D3 MISC MATERIAL AND 550-6040 GRILL, RADIATOR, HD, HINGED		\$202 NET
	OP-7292	PACKING, REVERSING FAN 0 REQUIRED BY: OP-7274 D3 MISC MATERIAL AND 590-0678 FAN, REVERSING		\$202 NET

CATERPILLAR MACHINE PRICE LIST

D3

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------	--------------------	-------------------------

PACKING (CONT.)

PACKING (Cont.)

0P-7293	PACKING, PRE-CLEANER 0 REQUIRED BY: 0P-7274 D3 MISC MATERIAL AND 550-6018 AIR CLEANER W/PRECLEANER	\$202 NET
0P-7416	PACKING, HINGED SCREENS REQUIRED BY: 0P-7274 D3 MISC MATERIAL AND 597-2033 SCREEN, HINGED	