

CATERPILLAR MACHINE PRICE LIST

D4

D4 TRACK TYPE TRACTOR PIRACICABA, BRAZIL	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

Standard Equipment:

POWERTRAIN

Tier 4 Final / EU Stage V
 C4.4 TTA Caterpillar ACERT diesel engine
 EPA Tier 4 Final and EU Stage V
 certified Engine with DPF and DOC
 ADEM A6 Electronic Control Module
 Air-to-air aftercooling
 Glow plug starting aid
 3000 meter altitude operation capability
 w/o de-rating
 Hydraulically driven, variable speed fan
 Aluminum bar plate cooling system
 (radiator, powertrain, aftercooler)
 Air cleaner with integrated pre-cleaner,
 dust ejector and under hood air intake
 Electrical lift/priming pump
 Engine decelerating function (rotary
 switch & pedal engine speed control)
 Engine Idle Shutdown
 Hydrostatic, infinite variable speed
 transmission
 Selections and electronic control
 enhancements for the transmission or
 engine system
 Programmable/selectable Bi-Directional
 shifting
 Auto Engine Speed Control

Tier 3 LRC
 Caterpillar C7.1 LRC diesel engine
 Air To Air AfterCooler (ATAAC)
 Glowplug starting aid
 3000 meter altitude operation capability
 w/o de-rating
 Hydraulically driven, variable speed fan
 Aluminum bar plate cooling system
 (radiator, powertrain, aftercooler)
 Air cleaner with integrated pre-cleaner,
 dust ejector and under hood air intake
 Dual path,electronic control, closedloop
 hydrostatic transmission
 Electric fuel priming pump
 Fuel/water separator
 Programmable/selectable bi-directional
 shifting
 Engine idle shutdown
 Auto engine speed control

UNDERCARRIAGE

Tier 4 Final / EU Stage V
 Cat Abrasion or Heavy Duty Undercarriage
 Center tread, sprocketed idler with
 Cat Abrasion, standard idler with HD
 Lifetime lubricated track rollers
 (8 + 2 carrier rollers) and idlers

Tracks 40 sections-560mm (22")
 Moderate Service (MS) for Standard
 Tracks 40 sections-760mm (30")
 Moderate Service (MS) for LGP
 Hydraulic track adjusters
 Center Track Guiding guard (LGP only)
 Replaceable sprocket rim segments

Tier 3 LRC
 Heavy duty undercarriage
 Center tread, sprocketed idler with
 CAT abrasion, standard idler with HD
 lifetime lubricated track rollers (8)
 and idlers
 Carrier rollers (2)
 Hydraulic track adjusters
 Replaceable sprocket rim segments

HYDRAULICS

Three valve hydraulics
 Load sensing hydraulics

ELECTRICAL

Tier 4 Final / EU Stage V
 Horn
 Back-up alarm
 12V converter, 10A
 Diagnostic connector
 950CCA class 31 batteries
 Integrated lights (4 front, 2 rear)
 105 Amp brush-type alternator (24 volt)
 24V electric starter

TIER 3 LRC
 Horn
 Back-up alarm
 12V converter, 10A
 Diagnostic connector
 Batteries, heavy duty, maintenance
 free, 900 CCA
 100A alternator (24 volt)
 24V electric starter

OPERATOR ENVIRONMENT

Tier 4 Final / EU Stage V
 ROPS/FOPS Cab
 Integrated A/C with automatic
 temperature control
 Seat, air suspension, cloth for cab
 Seat belt, retractable 76 mm (3 inch)
 Adjustable armrests
 Foot rests for slope work
 10 inch tactile display
 Electronically programmable speed
 selector

CATERPILLAR MACHINE PRICE LIST

D4

D4 TRACK TYPE TRACTOR PIRACICABA, BRAZIL	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

OPERATOR ENVIRONMENT (CONT.)

Electronic engine air cleaner service indicator
Electronic water-in-fuel switch
Electro-hydraulic implement and steering controls
Product Link ready GSM or Satellite
One 12V power port
Intermittent wiper
12V radio ready (plug and play)
Storage compartment
Cup holder
Coat Hook
Rear view mirror

TIER 3 LRC
ROPS/FOPS cab
Integrated A/C with automatic temperature control
Seat, air suspended, cloth for cab
Seatbelt, retractable 76 mm (3")
Foot pads, dash
Color graphic 17.8 cm (7") display with gauge for:
engine coolant temperature
hydraulic oil temperature
fuel level
Travel speed limiter, electronic
Engine RPM and gear display
Hour meter, electronic
Engine air cleaner service indicator, electronic
Water-in-fuel indicator, electronic
Throttle switch, rotary
Eco mode
Controls, seat mounted, fore/aft adjustment
Armrests, adjustable
Mirror, rearview, inside
Single pedal combining deceleration and braking functions
Independent forward/reverse speed settings
Product link ready
Power port, 12V
Coat hook
Storage compartment
Cup holder
Floor mat, rubber, heavy duty
Intermittent wiper
12V radio ready (plug and play)

TECHNOLOGY PRODUCTS

RADIOS - Authorization varies by country
please contact your Cat marketing lease

representative with questions or click on the link below:<https://dealer.cat.com/en/products/technology.html>

PRODUCT LINK- Availability varies by country, please contact your Cat marketing representative with questions or click on the link below:
<https://dealer.cat.com/pl/certification>

FLUIDS

Antifreeze coolant (-37C / -34.6F)
Extended life coolant
CAT HYDO Advanced 10 hydraulic fluid for STAGE 5 HRC machine

OTHER STANDARD EQUIPMENT

Tier 4 Final / EU Stage V
C-Frame, cylinders and lines
Extended service intervals
(500 hrs engine, 1000 hrs powertrain)
Crankcase guard
Ecology drains (engine oil, engine coolant, hydraulic)
Adjustable pitch link, powered adjust as an attachment
Engine Enclosures, perforated
Scheduled Oil Sampling ports (engine, hydrostatic, hydraulics and engine coolant)
Front pull devices
Hinged radiator louvered grill
Lockable engine enclosures
Rigid drawbar

TIER 3 LRC
C-frame, variable pitch link, hydraulic cylinder and lines
Engine enclosures
Hinged radiator louvered grill
Swing-out radiator fan
Front pull device
Rigid drawbar
Vandalism protection
Ecology drains (engine, powertrain and implement oil, engine coolant)
Scheduled Oil Sampling (SOS) ports (engine, powertrain, implement oil)
Heavy duty crankcase guard

CATERPILLAR MACHINE PRICE LIST

D4

D4 TRACK TYPE TRACTOR
PIRACICABA, BRAZIL

Ship Weight
lbs

LIST PRICE
AT DEALER

CATERPILLAR MACHINE PRICE LIST

D4

D4 TRACK TYPE TRACTOR PIRACICABA, BRAZIL	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

**Lane 2 is reserved for the Base Order Management Program.
 Please use Lane 2 when placing orders that are part of the Base Order
 Management program.**

575-5168	D4 VPAT TRACTOR 0 LANE 2 - AVAILABLE FROM PIRACICABA FACTORY LANE 3 - AVAILABLE FROM PIRACICABA FACTORY For Highly Regulated Countries (HRC) Including C4.4 TTA Caterpillar ACERT diesel engine. Meets EPA Tier 4 Final and EU Stage V emission standards with DPF and DOC.	NC
575-5171	D4 LGP VPAT TRACTOR 0 LANE 2 - AVAILABLE FROM PIRACICABA FACTORY. LANE 3 - AVAILABLE FROM PIRACICABA FACTORY. For Highly Regulated Countries (HRC) Including C4.4 TTA Caterpillar ACERT diesel engine. Meets EPA Tier 4 Final and EU Stage V emission standards with DPF and DOC.	\$12,130
0P-7320	D4 MISCELLANEOUS MATERIAL 0 AVAILABLE FROM PIRACICABA FACTORY Only reference numbers that have the text "ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order.	NC

CATERPILLAR MACHINE PRICE LIST

D4

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0		NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.			
OP-9003	LANE 3 ORDER	0		NC

REGIONAL PACKAGES

L	578-7519 REGIONAL PACKAGE, AM-N	0		NC
	INCLUDES: Sound suppression Hood			

SPECIAL ARRANGEMENTS

L	581-0392 CONFIGURATION 16A VPAT, HRC	0		\$233, 910
	Basic structure for a Variable Pitch Angle Tilt (VPAT) tractor. ONLY FOR USE WITH: 575-5168 D4 VPAT TRACTOR 575-5171 D4 LGP VPAT TRACTOR			

POWERTRAIN

ENGINE ARRANGEMENT

L	577-5974 ENGINE	0		NC
	Available for HRC regions only C4.4 TTA Caterpillar ACERT diesel engine. Meets EPA Tier 4 Final and EU Stage V emission standards with DPF and DOC.			

POWERTRAIN ARRANGEMENT

L	577-5975 POWERTRAIN.	0		NC
	Available for HRC regions only ONLY FOR USE WITH: 575-5168 D4 VPAT TRACTOR			
L	577-5976 POWERTRAIN, LGP	0		NC
	Available for HRC regions only ONLY FOR USE WITH: 575-5171 D4 LGP VPAT TRACTOR			

ENGINE AIR CLEANER

L	584-4810 AIR CLEANER, STANDARD	0		NC
	Available for HRC regions only ONLY FOR USE WITH: 575-5168 D4 VPAT TRACTOR or 575-5171 D4 LGP VPAT TRACTOR			

CATERPILLAR MACHINE PRICE LIST

D4

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

POWERTRAIN (CONT.)

ENGINE AIR CLEANER (Cont.)

L	584-4811	PRECLEANER, TURBINE W/SCREEN 0 FOR USE IN LANE 3 ONLY Available for HRC regions only Turbine air precleaner with screen. Improves filter life. Recommended in high debris application. ONLY FOR USE WITH: 575-5168 D4 VPAT TRACTOR or 575-5171 D4 LGP VPAT TRACTOR		\$1,040
---	----------	---	--	----------------

UNDERCARRIAGE

UNDERCARRIAGE SYSTEMS

- 1) Heavy Duty: For use in all applications. Track bushings can be turned and re-sealed mid-life. Press-fit bushings and pins are well suited for impact applications such as forestry, waste, rock, or v-ditching.
- 2) CAT ABRASION (ABR): For use in low to moderate impact applications and moderate to high abrasion underfoot. A rotating bushing reduces bushing and sprocket wear rate. Relieved Tread Idlers provide longer link wear life and improve finish grading by reducing link scallop. Not for use in high impact.
- 3) CAT ABRASION EXTENDED LIFE (ABR EXT LIFE): For use in high to extremely high abrasion (pure sand) and low to moderate impact applications. Track, segments and rollers have added wear material for applications where the standard Cat Abrasion links and rollers achieve 100% external wear in less than 4000 hours. A rotating bushing reduces bushing and sprocket wear rate. Relieved Tread Idlers provide longer link wear life and improve finish grading by reducing link scallop. Not for use in high impact.

ROLLERFRAMES

L	431-7079	UNDERCARRIAGE, CAT ABR. 0 Caterpillar Abrasion undercarriage with 8 rollers and 2 carriers rollers.		\$6,970
L	431-7080	UNDERCARRIAGE, HEAVY DUTY 0 Heavy Duty undercarriage with 8 rollers and 2 carriers rollers.		NC
L	563-8540	UC LGP, ABRASION EXTENDED LIFE 0 Available for HRC regions only For high abrasive conditions. Please contact your local sales rep before selecting this U/C ONLY FOR USE WITH: 575-5171 D4 LGP VPAT TRACTOR		\$6,970

CATERPILLAR MACHINE PRICE LIST

D4

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

TRACKS

TRACK PAIRS - 40 Sections

FOR USE WITH: TRACTOR WITH CAT ABRASION

L	595-4175	TRACK, 20", MS, CAT ABR 0 FOR USE IN LANE 3 ONLY Moderate Service shoes ONLY FOR USE WITH: 431-7079 UNDERCARRIAGE, S1 / CAT ABR		\$1,075
L	595-4182	TRACK, 20", ES, CAT ABR 0 FOR USE IN LANE 3 ONLY Extreme Service shoes ONLY FOR USE WITH: 431-7079 UNDERCARRIAGE, S1 / CAT ABR		\$2,160
L	595-4171	TRACK, 22", MS, CAT ABR 0 FOR USE IN LANE 3 ONLY Moderate Service shoes ONLY FOR USE WITH: 431-7079 UNDERCARRIAGE, S1 / CAT ABR		\$1,235
L	595-4164	TRACK, 22", ES, CAT ABR 0 Extreme Service shoes ONLY FOR USE WITH: 431-7079 UNDERCARRIAGE, S1 / CAT ABR		\$2,310

FOR USE WITH: TRACTOR WITH HEAVY DUTY UNDERCARRIAGE

L	391-3941	TRACK, 20", ES, HD 0 FOR USE IN LANE 3 ONLY Extreme Service shoes ONLY FOR USE WITH: 431-7080 UNDERCARRIAGE, HEAVY DUTY		\$1,075
L	379-3982	TRACK, 22", ES, HD 0 Moderate Service shoes ONLY FOR USE WITH: 431-7080 UNDERCARRIAGE, HEAVY DUTY		\$1,230

TRACK PAIRS, LGP - 46 Section

FOR USE WITH: LGP TRACTOR WITH CAT ABRASION

L	595-4161	TRACK, 30", ES, LGP, CAT ABR 0 Extreme Service shoes ONLY FOR USE WITH: 431-7079 UNDERCARRIAGE, S1 / CAT ABR		\$2,770
L	595-4167	TRACK, 30", MS, LGP, CAT ABR 0 Moderate Service shoes ONLY FOR USE WITH: 431-7079 UNDERCARRIAGE, S1 / CAT ABR		\$1,235

CATERPILLAR MACHINE PRICE LIST

D4

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

TRACKS (Cont.)

FOR USE WITH: LGP TRACTOR WITH HEAVY DUTY UNDERCARRIAGE

L	379-3983	TRACK, 30", ES, LGP, HD Extreme Service shoes ONLY FOR USE WITH: 431-7080 UNDERCARRIAGE HEAVY DUTY	5,900	\$2,770
L	416-0036	TRACK, 30", SELF CLEAN, LGP FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 431-7080 UNDERCARRIAGE, HEAVY DUTY	5,410	\$18,540

TRACKS - LGP (Abrasion Extended Life)

L	548-4365	TRACK 30"ES LGP ABR EXT LIFE Available for HRC regions only Only suitable for extreme abrasion conditions REQUIRED BY: 563-8540 UNDERCARRIAGE, HIGH ABRAS LGP	0	\$3,575
---	----------	--	---	---------

TRACK GUIDING GUARDS

Track guide-guards help prevent track derailing on side slopes or rough underfoot. Guards can also prevent flow of debris into the track. Derailing and debris can put damaging loads into the track and undercarriage system. Choose a guide-guard arrangement based on underfoot and applications as described below.

- 1) CENTER GUIDE (CTR): Light track guiding with single center track guide guard per track frame. For applications with side slopes 4:1 and shallower, ground objects up to 1"; and little, if any, V-ditching
- 2) FRONT & REAR (F&R): Moderate track guiding with two track guide guards per track frame. For use on side slopes between 4:1 and 2:1; ground objects 1" to 3"; and low to moderate V-ditching.
- 3) FULL GUIDE: Heavy track guiding with full length track guide-guards For applications with side slopes 2:1 and steeper; with ground objects greater than 3", and frequent v-ditching. Not for use in applications with wet, heavy, packable underfoot material.

FOR USE WITH: SYSTEMONE / CAT ABRASION

L	382-6523	GUARD, TRACK GUIDING, CENTER Center guard section ONLY FOR USE WITH: 431-7079 UNDERCARRIAGE, S1 / CAT ABR	88	\$1,095
L	382-6525	GUARD, TRACK GUIDING, F&R. Front and rear guard section ONLY FOR USE WITH: 431-7079 UNDERCARRIAGE, S1 / CAT ABR	0	\$1,960

CATERPILLAR MACHINE PRICE LIST

D4

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

TRACK GUIDING GUARDS (Cont.)

L	368-9742	GUARD, TRACK GUIDING, FULL 0 FOR USE IN LANE 3 ONLY Full length guard section ONLY FOR USE WITH: 431-7079 UNDERCARRIAGE, S1 / CAT ABR		\$2,980
---	----------	--	--	---------

TRACK GUIDING GUARDS, HEAVY DUTY

FOR USE WITH: HEAVY DUTY UNDERCARRIAGE

L	368-9744	GUARD, TRACK GUIDING, CTR 0 Center guard section ONLY FOR USE WITH: 431-7080 UNDERCARRIAGE, HEAVY DUTY		\$1,095
---	----------	--	--	---------

L	382-6524	GUARD, TRACK GUIDING, F&R. 0 Front and rear guard section ONLY FOR USE WITH: 431-7080 UNDERCARRIAGE, HEAVY DUTY		\$1,960
---	----------	---	--	---------

L	368-9741	GUARD, TRACK GUIDING, FULL 0 Full length guard section ONLY FOR USE WITH: 431-7080 UNDERCARRIAGE, HEAVY DUTY		\$2,980
---	----------	--	--	---------

NO TRACK GUIDING GUARD

P	234-4747	GUARD, TRACK GUIDING, NONE 0 No Track guiding guards ONLY FOR USE WITH: 431-7079 UNDERCARRIAGE, S1 / CAT ABR or 431-7080 UNDERCARRIAGE, HEAVY DUTY		NC
---	----------	---	--	----

TRACK GUIDING GUARD (Abrasion Extended Life)

L	563-8541	GUARD, TRACK GUIDING CENTER HA 0 Available for HRC regions only ONLY FOR USE WITH: 548-4365 TRACK, 760MM, ES, LGP CAT ABR		\$1,095
---	----------	---	--	---------

CATERPILLAR MACHINE PRICE LIST

D4

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS

REAR CONTROL PACKAGES

L	578-0536	<p>RIPPER READY PACKAGE 0</p> <p>Available for HRC regions only The machine will be ripper ready when selecting this package. Includes: -Hydraulics, 4 valve For VPAT hydraulic lift, tilt and angle, ripper. -Control, ripper Includes ripper control lever and console cover. -Hydraulics, standard REQUIRES: 579-0200 PITCH, BLADE, MANUAL and 566-5453 FAN, DEMAND or 566-5454 FAN, DEMAND, REVERSING and 579-2337 RIPPER PACKAGE, STRAIGHT or 579-2336 RIPPER PACKAGE, CURVED 578-3046 DRAWBAR or 340-5429 COUNTERWEIGHT, REAR ONLY FOR USE WITH: 575-5168 D4 VPAT TRACTOR or 575-5171 D4 LGP VPAT TRACTOR</p>		\$1,765
L	578-0545	<p>DUAL CONTROL PACKAGE 0</p> <p>FOR USE IN LANE 3 ONLY Available for HRC regions only The machine will be ripper and winch ready when selecting this package. Includes: -Hydraulics, 4 valve For VPAT blade hydraulic lift, tilt and angle, and ripper. -Control, ripper or winch Includes control lever to operate either ripper or winch. Also includes console cover. -Hydraulics, winch ready REQUIRES: 579-0200 PITCH, BLADE, MANUAL and 566-5452 FAN, DEMAND, WINCH or 566-5451 FAN, DEMAND, REVERSING, WINCH ONLY FOR USE WITH: 575-5168 D4 VPAT TRACTOR or 575-5171 D4 LGP VPAT TRACTOR</p>		\$9,290
L	578-0541	<p>WINCH READY PACKAGE 0</p> <p>FOR USE IN LANE 3 ONLY Available for HRC regions only The machine will be winch ready when selecting this package. Includes: -Hydraulics, 3 valve, standard -Control, winch Includes standard console cover. -Hydraulics, standard REQUIRES: 579-0200 PITCH, BLADE, MANUAL and 566-5452 FAN, DEMAND, WINCH or 566-5451 FAN, DEMAND, REVERSING, WINCH and 295-7680 WINCH PREPARATION or 578-3046 DRAWBAR or 340-5429 COUNTERWEIGHT, REAR ONLY FOR USE WITH: 575-5168 D4 VPAT TRACTOR or 575-5171 D4 LGP VPAT TRACTOR</p>		\$7,680

CATERPILLAR MACHINE PRICE LIST

D4

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

REAR CONTROL PACKAGES (Cont.)

L	578-0532	<p>NO REAR HYDRAULIC PACKAGE 0</p> <p>Available for HRC regions only The machine will not be ripper ready neither winch ready when selecting this package. Includes: -Hydraulics, 3 valve, standard -Control, no rear attachment Includes standard console cover. -Hydraulics, standard REQUIRES: 579-0200 PITCH, BLADE, MANUAL and 578-3046 DRAWBAR or 449-5863 NO REAR ATTACHMENT or 340-5429 COUNTERWEIGHT, REAR and 566-5453 FAN, DEMAND or 566-5454 FAN, DEMAND, REVERSING ONLY FOR USE WITH: 575-5168 D4 VPAT TRACTOR or 575-5171 D4 LGP VPAT TRACTOR</p>		NC
L	578-0538	<p>RIPPER READY PKG, POWERPITCH 0</p> <p>FOR USE IN LANE 3 ONLY The machine will be ripper ready and powerpitch ready when selecting this package. Includes: -Hydraulics, 4 valve, For VPAT hydraulic lift, tilt and angle, and ripper. -Control, ripper Includes ripper control lever and console cover. -Hydraulics, standard REQUIRES: 579-0201 PITCH, BLADE, POWERED and 566-5453 FAN, DEMAND or 566-5454 FAN, DEMAND, REVERSING and 579-2337 RIPPER PACKAGE, STRAIGHT or 579-2336 RIPPER PACKAGE, CURVED 578-3046 DRAWBAR or 340-5429 COUNTERWEIGHT, REAR ONLY FOR USE WITH: 575-5168 D4 VPAT TRACTOR or 575-5171 D4 LGP VPAT TRACTOR</p>		\$1,765
L	578-0558	<p>DUAL READY PACKAGE, POWERPITCH 0</p> <p>FOR USE IN LANE 3 ONLY Available for HRC regions only The machine will be ripper / winch ready and powerpitch ready when selecting this package. Includes: -Hydraulics, 4 valve, For VPAT blade hydraulic lift, tilt and angle, and ripper. -Control, ripper or winch Includes control lever to operate either ripper or winch. Also includes console cover. -Hydraulics, winch ready REQUIRES: 579-0201 PITCH, BLADE, POWERED and 566-5452 FAN, DEMAND, WINCH or 566-5451 FAN, DEMAND, REVERSING, WINCH ONLY FOR USE WITH: 575-5168 D4 VPAT TRACTOR or 575-5171 D4 LGP VPAT TRACTOR</p>		\$9,290

CATERPILLAR MACHINE PRICE LIST

D4

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

FRONT CONTROL PACKAGES

L	579-0200	PITCH, BLADE, MANUAL 0		NC
		Available for HRC regions only Mechanical control of the blade pitch by manual settings onto the blade structure itself. ONLY FOR USE WITH: 575-5168 D4 VPAT TRACTOR or 575-5171 D4 LGP VPAT TRACTOR and 578-0536 RIPPER READY PACKAGE or 578-0545 DUAL CONTROL PACKAGE or 578-0541 WINCH READY PACKAGE or 578-0532 NO REAR HYDRAULIC PACKAGE		
L	579-0201	PITCH, BLADE, POWERED 0		\$4,315
		FOR USE IN LANE 3 ONLY Available for HRC regions only Automated control of the blade pitch with the right joystick buttons from the cab. ONLY FOR USE WITH: 578-0538 RIPPER READY PKG, POWERPITCH		

HYDRAULIC FAN

L	566-5453	FAN, DEMAND 0		NC
		Available for HRC regions only Electronically controlled hydraulic demand fan drive. Automatically adapts cooling to engine heat load. Recommended when the machine is used in cold and hot environments. ONLY FOR USE WITH: 575-5168 D4 VPAT TRACTOR or 575-5171 D4 LGP VPAT TRACTOR and 578-0536 RIPPER READY PACKAGE or 578-0538 RIPPER READY PKG, POWERPITCH or 578-0532 NO REAR HYDRAULIC PACKAGE		
L	566-5454	FAN, DEMAND, REVERSING 0		\$1,980
		Available for HRC regions only Electronically controlled hydraulic demand fan drive. Automatically adapts cooling to engine heat load. Allows to reverse air flow through the radiator. Recommended for applications with a risk of radiator plugging. ONLY FOR USE WITH: 575-5168 D4 VPAT TRACTOR or 575-5171 D4 LGP VPAT TRACTOR and 578-0536 RIPPER READY PACKAGE or 578-0538 RIPPER READY PKG, POWERPITCH or 578-0532 NO REAR HYDRAULIC PACKAGE		
L	566-5452	FAN, DEMAND, WINCH 0		NC
		Available for HRC regions only Electronically controlled hydraulic demand fan drive. Automatically adapts cooling to engine heat load. Recommended when the machine is used in cold and hot environments. ONLY FOR USE WITH: 575-5168 D4 VPAT TRACTOR or 575-5171 D4 LGP VPAT TRACTOR and 578-0541 WINCH READY PACKAGE or 578-0545 DUAL CONTROL PACKAGE		

CATERPILLAR MACHINE PRICE LIST

D4

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

HYDRAULIC FAN (Cont.)

L	566-5451	FAN, DEMAND, REVERSING, WINCH 0 FOR USE IN LANE 3 ONLY Available for HRC regions only Electronically controlled hydraulic demand fan drive. Automatically adapts cooling to engine heat load. Allows to reverse air flow through the radiator. Recommended for applications with a risk of radiator plugging. ONLY FOR USE WITH: 575-5168 D4 VPAT TRACTOR or 575-5171 D4 LGP VPAT TRACTOR and 578-0541 WINCH READY PACKAGE or 578-0545 DUAL CONTROL PACKAGE		\$1,980
---	----------	---	--	---------

STARTERS, BATTERIES, & ALTERNATORS

L	465-5604	STARTER, STANDARD 0 ONLY FOR USE WITH: 575-5168 D4 VPAT TRACTOR or 575-5171 D4 LGP VPAT TRACTOR		NC
L	465-5611	STARTER, LOW TEMPERATURE 0 Recommended with a cold weather package in extremely cold application ONLY FOR USE WITH: 575-5168 D4 VPAT TRACTOR or 575-5171 D4 LGP VPAT TRACTOR		\$940

ELECTRICAL

LIGHTS

L	536-9447	LIGHTS, 6 0 6 HALOGEN lights, cab mounted, 4 facing forward, 2 facing rearward		NC
L	536-9448	LIGHTS, 6, LED 0 6 LED lights, cab mounted, 4 facing forward, 2 facing rearward REQUIRED BY: 536-8777 CAB COMFORT PACKAGE or 576-6090 CAB PACKAGE, COMFORT		\$695
L	578-6934	LIGHTS, 8, LED 0 Available only for HRC regions Provides 8 LED working lamps, all cab mounted, 4 facing forward, 4 facing rearward.		\$920

OPERATOR ENVIRONMENT

CAB PACKAGES

L	576-6087	CAB PACKAGE, STANDARD 0 Available for HRC regions only Includes standard cab and air suspension seat. Camera compatible cab. ONLY FOR USE WITH: 575-5168 D4 VPAT TRACTOR or 575-5171 D4 LGP VPAT TRACTOR		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

D4

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

CAB PACKAGES (Cont.)

L	576-6090	CAB PACKAGE, COMFORT 0 Available for HRC regions only Includes : -Standard cab, -Air suspension, heated and ventilated seat, -Heated joystick control handles, ONLY FOR USE WITH: 536-9448 LIGHTS, 6, LED 578-6934 LIGHTS, 8, LED and 575-5168 D4 VPAT TRACTOR or 575-5171 D4 LGP VPAT TRACTOR		\$2,295
L	576-6089	CAB PACKAGE, HEAVY DUTY 0 Available for HRC regions only Includes : -Heavy Duty cab with polycarbonate windows, -Air suspension seat, -Standard joystick control handles, ONLY FOR USE WITH: 575-5168 D4 VPAT TRACTOR or 575-5171 D4 LGP VPAT TRACTOR		\$1,775

REAR CAMERA

P	581-1606	REAR VIEW CAMERA 0 The camera system can be used to enhance the operators visibility of his surroundings, or provide a better view of his work tool. The image is included in the main machine display when the machine is placed in reverse gear. This kit includes the wiring connections to make it a complete and independent solution to be compatible with all versions of cab. ONLY FOR USE WITH: 575-5168 D4 VPAT TRACTOR or 575-5171 D4 LGP VPAT TRACTOR REQUIRED BY: HRC dealers		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

D4

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS

MACHINE CONTROL

A complete range of tools are available to match customer application and dozing automation needs.

1. **STABLE BLADE:** Complements the operators blade-control input for attaining finish grades quicker with less effort.
2. **TRACTION CONTROL:** Automatically reduces track slip in poor underfoot and blade overloading conditions, improving productivity and surface finish quality.
3. **SLOPE INDICATE:** it inform operators about the main-fall and side angle values. These are available in the main machine display.
4. **SLOPE ASSIST:** Helps operators more easily reach main-fall and slope targets by automatically maintaining the dozer blade's established blade angles. This feature does not require a base station, laser transmitter, design file, or additional hardware. It includes an upgraded machine display and an angle sensor on the blade
5. **ATTACHMENT READY OPTION (ARO):** allows the machine to easily be upgraded to Cat Grade with 3D integrated grade control systems, or Accugrade GNSS, laser, or UTS blade mounted Grade Control Systems. ARO includes IMU sensors, EC520 controller, wiring, and mounting brackets. Upgrading to Cat Grade with 3D after build requires grade display, GNSS receivers and antennas, data corrections solutions, SITECH provided Grade license files, and Caterpillar provided SEA. SEA part #513-5980. Dealer to provide price for additional hardware and software.
6. **GRADE WITH 3D:** Cat GRADE with 3D is a factory installed, integrated grade control system with chassis mounted sensors and GNSS antennas mounted to roof of cab. Includes grade display, GNSS receivers and antennas, GRADE license files, and Caterpillar provided SEA. Additional requirements via CAT/SITECH Dealer include data corrections solution and measure up calibration.

L	579-2171	CONTROL, PREMIUM DISPLAY 0		\$1,175
		INCLUDES: STABLE BLADE TRACTION CONTROL SLOPE INDICATE ONLY FOR USE WITH: 575-5168 D4 VPAT TRACTOR or 575-5171 D4 LGP VPAT TRACTOR		
L	579-2173	CONTROL, ARO W/ASSIST 0		\$8,040
		ARO, ASSIST. Grade Control Ready for integrated and blade mounted systems. INCLUDES: STABLE BLADE TRACTION CONTROL SLOPE INDICATE SLOPE ASSIST ATTACHMENT READY OPTION ONLY FOR USE WITH: 575-5168 D4 VPAT TRACTOR or 575-5171 D4 LGP VPAT TRACTOR		

CATERPILLAR MACHINE PRICE LIST

D4

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

MACHINE CONTROL (Cont.)

L	579-2174	CONTROL, GRADE W/3D 0 CAT GRADE w/3D: Factory integrated grade control systems INCLUDES: STABLE BLADE TRACTION CONTROL SLOPE INDICATE SLOPE ASSIST ATTACHMENT READY OPTION GRADE WITH 3D ONLY FOR USE WITH: 575-5168 D4 VPAT TRACTOR or 575-5171 D4 LGP VPAT TRACTOR		\$60,810
---	----------	--	--	----------

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Cat marketing representative with questions.

L	578-9247	PRODUCT LINK, CELLULAR PLE743 0 Product Link Elite series PLE743 (consisting of PL243 radio and PLE702 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Provides support for remote services and other advanced feature. Cellular technology enables more frequent transmission and larger volumes of data. NOTE: FOR HRC REGIONS ONLY FOR USE WITH: 575-5168 D4 VPAT TRACTOR or 575-5171 D4 LGP VPAT TRACTOR		NC
L	573-4528	PRODUCT LINK, DUAL PLE783 0 Product Link Elite series dual mode PLE783 (consisting of PL083 radio and PLE702 network manager) uses a combination of cellular and satellite networks to transmit location, utilization and health information for viewing in Product Link user applications. For use where travel between areas of both cellular and satellite coverage is required. NOTE: FOR HRC REGIONS ONLY FOR USE WITH: 575-5168 D4 VPAT TRACTOR or 575-5171 D4 LGP VPAT TRACTOR		\$1,361
L	319-4492	NO PRODUCT LINK 0 NOTE: FOR HRC REGIONS ONLY FOR USE WITH: 575-5168 D4 VPAT TRACTOR or 575-5171 D4 LGP VPAT TRACTOR		NC

CATERPILLAR MACHINE PRICE LIST

D4

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FUEL SYSTEMS

TANK FUEL

L	585-3842	TANK FUEL, STANDARD 0 Available for HRC regions only Standard fuel tank ONLY FOR USE WITH: 575-5168 D4 VPAT TRACTOR or 575-5171 D4 LGP VPAT TRACTOR		NC
L	585-3843	TANK FUEL, FAST FILL READY 0 Available for HRC regions only Provides fuel tank with openings for either the fast fill system or the refilling fuel pump. ONLY FOR USE WITH: 578-0536 RIPPER READY PACKAGE or 578-0545 DUAL CONTROL PACKAGE or 578-0532 NO REAR HYDRAULIC PACKAGE and 575-5168 D4 VPAT TRACTOR or 575-5171 D4 LGP VPAT TRACTOR CANNOT BE USED WITH: 295-7680 WINCH PREPARATION 441-5461 SCREEN, REAR 579-9303 CAB PROTECTION PKG, STANDARD 579-9304 CAB PROTECTION PKG, HEAVY DUTY		\$247

GUARDS

PROTECTION PACKAGES

L	578-7617	PROTECTION PACKAGE, STANDARD 0 Available for HRC regions only Includes: - Grill radiator, standard - Guard, crankcase, standard ONLY FOR USE WITH: 575-5168 D4 VPAT TRACTOR or 575-5171 D4 LGP VPAT TRACTOR		NC
L	578-7619	PROTECTION PACKAGE, FRONT 0 Available for HRC regions only This package is recommended in harsh environments Includes: - Grill, radiator, Heavy duty. Provides additional protection to the radiator. - Guard, crankcase, standard ONLY FOR USE WITH: 575-5168 D4 VPAT TRACTOR or 575-5171 D4 LGP VPAT TRACTOR		\$625

CATERPILLAR MACHINE PRICE LIST

D4

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

GUARDS (CONT.)

PROTECTION PACKAGES (Cont.)

L	578-7621	PROTECTION PACKAGE, HEAVY DUTY 0 Available for HRC regions only This package is recommended for severe applications. Includes: - Guard, Heavy duty for tank fuel, standard. 10 mm-thick steel guard protecting rear of the machine. - Grill, radiator, Heavy duty. Provides additional protection to the radiator. - Guard, crankcase, heavy duty. Recommended in harsh environments. ONLY FOR USE WITH: 575-5168 D4 VPAT TRACTOR or 575-5171 D4 LGP VPAT TRACTOR CANNOT BE USED WITH: 585-3843 TANK FUEL, FAST FILL READY		\$2,785
---	----------	---	--	---------

L	578-7624	PROTECTION PKG, HEAVY DUTY, FF 0 FOR USE IN LANE 3 ONLY Available for HRC regions only This package is recommended for severe applications. Includes: - Guard, Heavy duty for tank fuel, fast fill and refill ready. 10 mm-thick steel guard protecting rear of the machine. - Grill, radiator, Heavy duty. Provides additional protection to the radiator. - Guard, crankcase, heavy duty. Recommended in harsh environments. ONLY FOR USE WITH: 575-5168 D4 VPAT TRACTOR or 575-5171 D4 LGP VPAT TRACTOR CANNOT BE USED WITH: 585-3842 TANK FUEL, STANDARD		\$2,785
---	----------	--	--	---------

OTHER ATTACHMENTS

REAR ATTACHMENTS

P	579-2337	RIPPER PACKAGE, STRAIGHT 0 Available for HRC regions only Includes: - Ripper, Multi-shank. Ripper, hydraulic, parallelogram rear-mounted. When installed on an LGP machine, the ripper is intended for scarifying hard soil only, not for normal ripping applications. - Teeth straight, set of 3 Three straight shank ripper teeth AVAILABLE AS INSTALLED OR NOT INSTALLED WITH A MACHINE ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: RIPPER READY PACKAGES or DUAL CONTROL PACKAGES and 575-5168 D4 VPAT TRACTOR or 575-5171 D4 LGP VPAT TRACTOR		\$17,120 \$17,120 NI
---	----------	--	--	-------------------------

CATERPILLAR MACHINE PRICE LIST

D4

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

REAR ATTACHMENTS (Cont.)

P	579-2336	RIPPER PACKAGE, CURVED	0 0	\$17,120 \$17,120 NI
		Available for HRC regions only Includes: - Ripper, Multi-shank Ripper, hydraulic, parallelogram rear-mounted. When installed on an LGP machine, the ripper is intended for scarifying hard soil only, not for normal ripping applications. - Teeth curved, set of 3 Three curved shank ripper teeth AVAILABLE AS INSTALLED OR NOT INSTALLED WITH A MACHINE ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: RIPPER READY PACKAGES or DUAL CONTROL PACKAGES and 575-5168 D4 VPAT TRACTOR or 575-5171 D4 LGP VPAT TRACTOR		
P	295-7680	WINCH PREPARATION	0	\$-349
		FOR USE IN LANE 3 ONLY Preparation to be listed with the WINCH READY or DUAL hydraulic package to make a complete winch-ready machine. This preparation doesn't include the winch itself that is not delivered from factory, but available as detailed in the CFG INFORMATION section. REQUIRES: 556-9002 CAB, PROTECTION PACKAGE, HD or 556-9001 CAB, PROTECTION PACKAGE or 579-9303 CAB PROTECTION PKG, STANDARD or 579-9304 CAB PROTECTION PKG, HEAVY DUTY or 441-5461 SCREEN, REAR		
P	340-5429	COUNTERWEIGHT, REAR	1,190 0	\$4,440 \$4,440 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides a 540 kg (1190 lbs) rear counterweight (includes a rear drawbar) to reach optimum balance if extra weight is added to the front of the machine and when no ripper or winch is installed. Extra slabs (78 kg / 172 lbs) each are available. ONLY FOR USE WITH: 575-5168 D4 VPAT TRACTOR or 575-5171 D4 LGP VPAT TRACTOR		
L	578-3046	DRAWBAR	0	NC
L	449-5863	NO REAR ATTACHMENT	0	NC

FLUIDS

HYDRAULIC OIL

L	525-6315	HYDRAULIC OIL, STANDARD	0	NC
		Standard hydraulic oil, factory filled. For the implement hydraulic system only.		

CATERPILLAR MACHINE PRICE LIST

D4

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FLUIDS (CONT.)

HYDRAULIC OIL (Cont.)

L	525-6316	HYDRAULIC OIL, BIO 0 This Hydraulic Environmental Ester Synthetic oil is recommended when required for environmental compliance. Factory filled. For the implement and differential steering hydraulic systems.		\$2,300
---	----------	--	--	---------

FLUID FILM

	0P-3940	PROTECTION, CYLINDER ROD 0		NC
--	---------	--------------------------------------	--	----

ANTIFREEZE

	0P-1939	ANTIFREEZE WINDSHIELD WASHER 0		NC
--	---------	--	--	----

INSTRUCTIONS

	421-8926	SERIALIZED TECHNICAL MEDIA KIT 0 The technical media kit will include the Operations & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, Should be ordered through https://catpublications.com		NC
--	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

D4

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

STARTERS, BATTERIES, & ALTERNATORS

COLD WEATHER PACKAGES

L	584-5557	COLD WEATHER, 120V, PACKAGE 0		\$276
		Available for HRC regions only Recommended in cold ambient temperature environments. Includes: Heater, engine coolant, 120V Ether starting aid ONLY FOR USE WITH: 575-5168 D4 VPAT TRACTOR or 575-5171 D4 LGP VPAT TRACTOR		

BREATHER

L	485-7652	ELECTRICAL INSULATED BREATHER. 0		\$2,160
		FOR USE IN LANE 3 ONLY For operation on ambient climates of -25C to -40C, it is recommended that the cold climate pack is fitted This consists of a heated filter canister and insulated hoses ONLY FOR USE WITH: 575-5168 D4 VPAT TRACTOR or 575-5171 D4 LGP VPAT TRACTOR		

ELECTRICAL

L	582-1981	BEACON, LED FLASHING 0		\$725
		Flashing Beacon. Heavy duty bracket design allows beacon to be retracted to avoid damage during transportation in wooded areas.		

OPERATOR ENVIRONMENT

RADIO

L	585-5659	STANDARD RADIO (12V) 0		\$610
		Available for HRC regions only 12V AM/FM Stereo with Bluetooth technology and USB connection. Includes individual bass/treble controls, loudness adjustment and station pre-set capability. Pre-set memory is maintained by internal battery. ONLY FOR USE WITH: 575-5168 D4 VPAT TRACTOR or 575-5171 D4 LGP VPAT TRACTOR		

CATERPILLAR MACHINE PRICE LIST

D4

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

CAB PROTECTION

L	579-9303	CAB PROTECTION PKG, STANDARD 0 Available for HRC regions only This Package is recommended for forestry and severe applications. Includes : - Sweeps, Cab Bolt-on sweeps. - Screen, Rear Cab Protective screen for rear window. REQUIRED BY: 295-7680 WINCH PREPARATION ONLY FOR USE WITH: 575-5168 D4 VPAT TRACTOR or 575-5171 D4 LGP VPAT TRACTOR CANNOT BE USED WITH: 585-3843 TANK FUEL, FAST FILL READY	0	\$5,160
L	579-9304	CAB PROTECTION PKG, HEAVY DUTY 0 Available for HRC regions only This Package is recommended for forestry and severe applications. Includes : - Sweeps, Cab Bolt-on sweeps. - Screen, rear Cab Protective screen for rear window. - Guard, lights, rear Protective screen for rear lights. - Screen, side Protective screens for side windows REQUIRED BY: 295-7680 WINCH PREPARATION ONLY FOR USE WITH: 575-5168 D4 VPAT TRACTOR or 575-5171 D4 LGP VPAT TRACTOR CANNOT BE USED WITH: 585-3843 TANK FUEL, FAST FILL READY	0	\$7,370
L	441-5461	SCREEN, REAR 75 FOR USE IN LANE 3 ONLY Protective screen for rear window Recommended for forestry and severe applications. REQUIRED BY: 295-7680 WINCH PREPARATION	75	\$1,395

OTHER ATTACHMENTS

MAINTENANCE

L	600-6304	SHOVEL, FASTENER 0 Available for HRC regions only Convenient feature to fasten the shovel on the machine. ONLY FOR USE WITH: 575-5168 D4 VPAT TRACTOR or 575-5171 D4 LGP VPAT TRACTOR	0	\$188
---	----------	--	---	-------

CATERPILLAR MACHINE PRICE LIST

D4

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

MAINTENANCE (Cont.)

P	583-8632	FUEL PUMP, REFILLING 0 FOR USE IN LANE 3 ONLY Provides an electrical fuel refilling pump (50 liters/min), with automatic shut-off. Refills the fuel tank in about 6 min. Includes 3 meter hose and filter. ONLY FOR USE WITH: 575-5168 D4 VPAT TRACTOR or 575-5171 D4 LGP VPAT TRACTOR and CANNOT BE USED WITH: 295-7680 WINCH PREPARATION		\$1,555
L	582-9277	OIL CHANGE, HIGH SPEED 0 Easy access drain line and Wiggins connector for remote engine oil drain. Provides quick, clean and easy engine oil change without having to go under the machine to access a gravity drain. ONLY FOR USE WITH: 575-5168 D4 VPAT TRACTOR or 575-5171 D4 LGP VPAT TRACTOR		\$347

REAR ATTACHMENTS

P	340-5433	COUNTERWEIGHT, REAR SLAB 172 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Additional weight 78kg / 172 lbs per slab. Slabs can be ordered quantity 1 or 2, INSTALLED with the machine ONLY FOR USE WITH: 575-5168 D4 VPAT TRACTOR or 575-5171 D4 LGP VPAT TRACTOR and 340-5429 COUNTERWEIGHT, REAR	0	\$505 \$505 NI
---	----------	--	---	-------------------

BLADES

P	582-6693	BLADE, 126" ARO 0 Available for HRC regions only Power-Angle-Tilt blade with finishing end bits. ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 575-5168 D4 VPAT TRACTOR		\$8,900 NI
P	582-6694	BLADE, 126" FOLDABLE ARO 0 Available for HRC regions only Power-Angle-Tilt blade with finishing end bits. Blade has one foldable end which can be manually folded toward the front of the machine to fit within the 2.50 meter (8.36 ft) transportation width. ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 575-5168 D4 VPAT TRACTOR		\$13,360 NI
P	582-6695	BLADE, 145" ARO, LGP 0 Available for HRC regions only Power-Angle-Tilt LGP blade with finishing end bits. ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 575-5171 D4 LGP VPAT TRACTOR		\$9,310 NI

CATERPILLAR MACHINE PRICE LIST

D4

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

BLADES (CONT.)

P	582-6696	BLADE, 145" FOLDABLE ARO, LGP 0 Available for HRC regions only Power-Angle-Tilt LGP Blade with finishing end bits. Blade has one foldable end which can be manually folded toward the front of the machine to fit within the 3.00 meter (9.84 ft) transportation width. AVAILABLE AS INSTALLED OR NOT INSTALLED WITH A MACHINE ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 575-5171 D4 LGP VPAT TRACTOR		\$13,970 NI
---	----------	---	--	--------------------

FLUIDS

	0P-6749	ANTIFREEZE, -50C (-58F) 0 Provides cooling system antifreeze protection down to -50C		\$303 NET
--	---------	--	--	------------------

FUEL ANTIFREEZE

	0P-3978	FUEL ANTIFREEZE, -25C (-13F) 0 Provides fuel (diesel) antifreeze protection down to -25C (-13F) REQUIRED BY: AM-N DEALERS		NC
--	---------	--	--	-----------

PACKING

	0P-6637	ROLL ON-ROLL OFF 0 Packing for a dismantled or not installed blade		\$224 NET
	0P-6706	BUNDLE EXPORT PACKING 0 This OP should be ordered for all miscellaneous orders.		NC

AM-NORTH INFORMATION

REGIONAL ORDERING INFORMATION FOR WINCH ATTACHMENTS

Winches available from CAT Work Tools for North America only.
 Please refer to the Work Tools - TTT Price list for current prices and contact info for availability.

CATERPILLAR MACHINE PRICE LIST

D4

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------------	--------------------	-------------------------

AM-NORTH INFORMATION (CONT.)

438-1061 PA50 WINCH, VARIABLE SPEED

Variable speed, hydrostatic winch

Bare drum line pull: 50.000lbs

ONLY FOR USE WITH: 295-7680 WINCH PREPARATION

187-1713 KIT, CONVERSION, PA50 4TH ROLL

REQUIRES: 187-1710 FAIRLEAD, 3 ROLLERS

187-1710 FAIRLEAD, PA50 3 ROLLERS

ONLY FOR USE WITH: 438-1061 PA50 WINCH, VARIABLE SPEED

504-9635 WINCH ARRANGEMENT, TOWING

373-8042 WINCH STEP