

## CATERPILLAR MACHINE PRICE LIST

**D5-GR**

D5 TRACK TYPE TRACTOR  
GRENOBLE, FRANCE

Ship Weight  
lbs

LIST PRICE  
AT DEALER

Standard Equipment:

**POWERTRAIN**

C7.1 Caterpillar Diesel engine  
Enhanced Auto Shift (EAS)  
Torque divider, lock up clutch  
Transmission, electronically controlled  
Powershift, 3-speed  
Shift management  
-automatic directional and downshift  
-controlled throttle, load compensated  
-programmable/selectable Bi-Directional shifting  
-infinite Ground Speed Adjustment (GSA)  
Air cleaner, integrated pre-cleaner with dust ejector  
Aftercooler, air to air (ATAAC)  
Coolant, extended life  
Fuel priming pump, electric  
Radiator, aluminum bar plate  
Starting aid, ether ready, automatic

**UNDERCARRIAGE**

Carrier rollers, lifetime lubricated  
Equalizer bar  
Idlers, sealed and lubricated  
Rollers, lifetime lubricated  
Track adjusters, hydraulic  
Track roller frames, tubular  
Track, sealed and lubricated  
Sprocket segments, replaceable

**HYDRAULICS**

Independent steering and implement pumps  
Load sensing hydraulics  
Fan, hydraulic, cold weather

**ELECTRICAL**

LED lights  
Alarm, backup  
Alternator, 105 A  
Batteries, two maintenance-free 12 V (950 cca) (24 V system)  
Converter, one 15A 12V outlets  
Horn, forward warning  
Starter, 24 V

**OPERATOR ENVIRONMENT**

One-piece cab, sound suppressed  
-Integrated rollover protection IROPS/IROPS/FOPS  
-Cab-mounted modular HVAC system  
8-inch (203 mm) gauge cluster display  
Cloth seat  
Machine Security System  
Lights - 4 LED  
Slope Indicate

Cupholders  
Electro-hydraulic implement steering controls  
Footpads, dash  
Glovebox  
Lunchbox storage  
Mirror, rear view  
Seatbelt, retractable, 76mm (3 inch)  
Wipers  
Mounts, cab, viscous

**OTHER STANDARD EQUIPMENT**

C-Frame, cylinders (VPAT) and lines  
Guards, hinged bottom  
Grill, radiator, heavy duty  
Ecology drains (engine oil, engine coolant, powertrain case, hydraulic)  
Pitch link, adjustable (VPAT)  
Engine enclosures, perforated, lockable  
Scheduled Oil Sampling (SOS) ports  
Pressure taps, centralized & remote mounted  
Front pull device  
Stable Blade Control  
Ground level service center with remote electrical disconnect, and secondary shutdown switch  
Extended service intervals (500 hrs engine, 1000 hrs powertrain)  
Rear access ladder  
Shovel holder  
Drawbar

CATERPILLAR MACHINE PRICE LIST

**D5-GR**

D5 TRACK TYPE TRACTOR GRENOBLE, FRANCE	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

**Lane 2 is reserved for the Base Order Management Program.  
 Please use Lane 2 when placing orders that are part of the Base Order  
 Management program.**

510-7535	<b>D5 VPAT TRACTOR</b> ..... 0 LANE 2 - AVAILABLE FROM GRENOBLE FACTORY LANE 3 - AVAILABLE FROM GRENOBLE FACTORY AVAILABLE FOR: EU DEALERS KOREAN DEALERS AUSTRALIAN AND NEW ZEALAND DEALERS NORTHERN AMERICAN DEALERS	NC
510-7536	<b>D5 LGP VPAT TRACTOR</b> ..... 0 LANE 2 - AVAILABLE FROM GRENOBLE FACTORY LANE 3 - AVAILABLE FROM GRENOBLE FACTORY AVAILABLE FOR: EU DEALERS KOREAN DEALERS AUSTRALIAN AND NEW ZEALAND DEALERS NORTHERN AMERICAN DEALERS JAPAN DEALERS	\$15,730
505-5308	<b>D5 VPAT TRACTOR</b> ..... 0 LANE 3 - AVAILABLE FROM GRENOBLE FACTORY. AVAILABLE FOR: CAT DEFENSE & FEDERAL PRODUCTS	NC
505-5309	<b>D5 LGP VPAT TRACTOR</b> ..... 0 LANE 3 - AVAILABLE FROM GRENOBLE FACTORY AVAILABLE FOR: CAT DEFENSE & FEDERAL PRODUCTS	\$15,480
0P-6840	<b>D5 MISC MATERIAL</b> ..... 0 AVAILABLE FROM GRENOBLE FACTORY  Only reference numbers that have the text "ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order. AVAILABLE FOR: EU DEALERS KOREAN DEALERS AUSTRALIAN AND NEW ZEALAND DEALERS NORTHERN AMERICAN DEALERS	NC

CATERPILLAR MACHINE PRICE LIST

# D5-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------	--------------------	-------------------------

### LANE SELECTION

OP-9003	LANE 3 ORDER . . . . . 0	NC
---------	--------------------------	----

CATERPILLAR MACHINE PRICE LIST

**D5-GR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**REGIONAL PACKAGES**

L	550-5590	<b>REGIONAL PACKAGE AM-N</b> . . . . . 0 FOR USE IN LANE 3 ONLY Includes warning decals, ANSI. ONLY FOR USE WITH: 510-7535 D5 VPAT TRACTOR 510-7536 D5 LGP VPAT TRACTOR		<b>NC</b>
L	550-9961	<b>REGIONAL PACKAGE, AM-N, T3</b> . . . . . 0 FOR USE IN LANE 3 ONLY Includes warning decals, ANSI. ONLY FOR USE WITH: 505-5308 D5 VPAT TRACTOR 505-5309 D5 LGP VPAT TRACTOR		<b>NC</b>

**SPECIAL ARRANGEMENTS**

**CONFIGURATION ARRANGEMENTS**

L	532-9785	<b>CONFIGURATION 17B, VPAT, HRC</b> . . . . . 0 Basic structure for a Variable Pitch Angle Tilt (VPAT) tractor. ONLY FOR USE WITH: 510-7535 D5 VPAT TRACTOR 510-7536 D5 LGP VPAT TRACTOR		<b>\$356,350</b>
L	532-9786	<b>CONFIGURATION 17B, VPAT, LRC</b> . . . . . 0 FOR USE IN LANE 3 ONLY Basic structure for Variable Pitch Angle Tilt (VPAT) machine. ONLY FOR USE WITH: 505-5308 D5 VPAT TRACTOR or 505-5309 D5 LGP VPAT TRACTOR		<b>\$326,460</b>
L	532-9811	<b>CONFIGURATION 17B, FSD</b> . . . . . 0 FOR USE IN LANE 3 ONLY Basic structure for a VPAT Fire Suppression Dozer.  AVAILABILITY IS EXPECTED TO BE LONGER THAN THE USUAL LANE 3. PLEASE CONTACT ORDER ENTRY TO GET AN AVAILABILITY ESTIMATE. ONLY FOR USE WITH: 510-7535 D5 VPAT TRACTOR 510-7536 D5 LGP VPAT TRACTOR		<b>\$352,820</b>

**APPLICATION PACKAGES**

L	532-9793	<b>STANDARD DUTY PACKAGE</b> . . . . . 0 Primary package for general earthmoving tasks. It contains standard rear enclosures, upper cab hand rail and engine dust ejector. ONLY FOR USE WITH: 532-9785 CONFIGURATION 17B, VPAT, HRC 532-9786 CONFIGURATION 17B, VPAT, LRC 532-9812 CONFIGURATION 17B, SUPER LGP CANNOT BE USED WITH: 583-9464 CAB, HIGH DEBRIS 583-9465 CAB, HEAVY DUTY 575-9798 BLADE, WASTE, VPAT or 575-9801 BLADE, LGP, WASTE, VPAT		<b>NC</b>
---	----------	---	--	-----------

CATERPILLAR MACHINE PRICE LIST

**D5-GR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**SPECIAL ARRANGEMENTS (CONT.)**

**APPLICATION PACKAGES (Cont.)**

L	532-9801	<b>FIRE SUPPRESSION DOZER, VPAT</b> . . . . . 0		<b>\$66,120</b>
---	----------	---	--	-----------------

- FOR USE IN LANE 3 ONLY  
 INCLUDES:  
 - All fluid lines (hydraulic, fuel, A/C, DEF, fuel, water), harnesses and battery cables fire resistant wrapped,  
 - Heavy duty bottom guards (0.62" / 16mm thick),  
 - Fuel tank guard HD,  
 - Harnesses to connect 16 lights (typically 12 bright lights + 4 amber lights)  
 - 4x4200 lumens heat resistant lights (casing & lens), two mounted on the radiator guard facing forward and two mounted on cab facing rearward,  
 - Front and rear sweeps equipped with roof top and a meshed grill between sweep arms at front  
 - One front towing eye (keeps front tie-downs),  
 - Silicone sealing between cab and fenders  
 - Hydraulic reversing fan  
 - Standard batteries  
 - Assist, Fire Dozer including Slope indicate, Stable blade and Slope Assist but no ARO.

- HIGHLY RECOMMENDED OPTIONS for all customers:  
 - 579-5793 LIGHTS,8 BRIGHT + 4 AMBER,FSD : Provides 8 additional 4200 Lum bright lights and 4 additional 3370 Lum amber lights.  
 - 566-2423 or 566-2424 BLADE, VPAT, BRUSH GUARD : blade equipped with a brush guard and supplied with two cables protecting the front hydraulic lines between the radiator guard and the brush guard blade  
 - 572-5775 FSD READY OPTION, ON BOARD

RECOMMENDED OPTIONS for mountaineous areas:  
 XtraRear undercarriage when machine is equipped with a winch and needs to crawl on steep slopes and loose material.

- REQUIRES: 588-6170 FLOOR, CAB, QUICK ACCESS  
 583-3614 or 584-8897 ENGINE, FSD  
 588-1432 or 588-1433 CAB, FSD  
 579-3006 or 579-3010 DOZER CTL, FSD  
 566-2420 or 566-2421 BULLDOZER PACKAGE, VPAT, FSD  
 577-7698 PROD LINK, PLE683/PLE783 RADIO  
 CANNOT BE USED WITH: 521-4270 AIR CLEANER, STANDARD  
 CAT ABRASION UNDERCARRIAGES  
 510-1533 RADIATOR, TRASH RESISTANT  
 515-3719 REAR BOX WITH STRIKER BAR  
 527-8728 SCREEN, REAR, FIXED  
 599-7940 SCREEN, REAR, HINGED  
 600-1434 SCREEN, SIDES, HINGED  
 575-5630 GUARD, LIGHTS, PREMIUM, VPAT

CATERPILLAR MACHINE PRICE LIST

# D5-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**POWERTRAIN**

**FINAL DRIVES**

L	510-9717	<b>FINAL DRIVE, 74"</b> ..... 0 ONLY FOR USE WITH: 510-7535 D5 VPAT TRACTOR or 505-5308 D5 VPAT TRACTOR CANNOT BE USED WITH: 532-9797 WASTE HANDLING PACKAGE, VPAT		NC
L	510-9719	<b>FINAL DRIVE, 74", GRD</b> ..... 0 FOR USE IN LANE 3 ONLY Includes two final drives with labyrinth guard rings to provide extra protection for the duo cone seals. Specific for waste or other applications with wrapping debris. Not recommended for general dirt work or muddy applications. ONLY FOR USE WITH: 510-7535 D5 VPAT TRACTOR or 505-5308 D5 VPAT TRACTOR		\$5,730
L	510-9718	<b>FINAL DRIVE, LGP, 85"</b> ..... 0 ONLY FOR USE WITH: 510-7536 D5 LGP VPAT TRACTOR or 505-5309 D5 LGP VPAT TRACTOR CANNOT BE USED WITH: 532-9797 WASTE HANDLING PACKAGE, VPAT 532-9812 CONFIGURATION 17B, SUPER LGP		NC
L	510-9720	<b>FINAL DRIVE, LGP, 85", GRD</b> ..... 0 FOR USE IN LANE 3 ONLY Includes two final drives with labyrinth guard rings to provide extra protection for the duo cone seals. Specific for waste or other applications with wrapping debris. Not recommended for general dirt work or muddy applications. ONLY FOR USE WITH: 510-7536 D5 LGP VPAT TRACTOR or 505-5309 D5 LGP VPAT TRACTOR CANNOT BE USED WITH: 532-9812 CONFIGURATION 17B, SUPER LGP		\$5,730

**ENGINES**

L	575-9708	<b>ENGINE</b> ..... 0 FOR USE IN LANE 3 ONLY C7.1 Caterpillar diesel engine. Meets Brazil MAR-1 emission standards and emits equivalent to U.S. EPA Tier 3 and EU Stage IIIA. ONLY FOR USE WITH: 532-9786 CONFIGURATION 17B, VPAT, LRC		NC
L	575-9709	<b>ENGINE</b> ..... 0 C7.1 Caterpillar diesel engine. Meets EPA/ARB Tier 4 Final/EU Stage V emission standards. ONLY FOR USE WITH: 532-9785 CONFIGURATION 17B, VPAT, HRC or 532-9812 CONFIGURATION 17B, SUPER LGP		NC

CATERPILLAR MACHINE PRICE LIST

**D5-GR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**POWERTRAIN (CONT.)**

**ENGINES (Cont.)**

L	583-3614	<b>ENGINE, FSD, EMERGENCY</b> ..... 0 FOR USE IN LANE 3 ONLY C7.1 Caterpillar diesel engine. Meets EU Stage V, Japan 2014 (Tier 4. Final), and Korea (Tier 4 Final) emission standards. Special engine arrangement for emergency vehicles as defined in EPA 40 CFR Part 1039.801. To be configured only for US fire agencies and federal customers. - Harnesses, hoses and fuel lines fire wrapped - engine derates disabled in case of engine malfunction or lack of DEF Contact the Factory through DOCS to justify this order and obtain approval. ONLY FOR USE WITH: 532-9811 CONFIGURATION 17B, FSD		\$1,630
L	584-8897	<b>ENGINE, FSD</b> ..... 0 FOR USE IN LANE 3 ONLY C7.1 Caterpillar diesel engine. Meets EU Stage V, Japan 2014 (Tier 4. Final), and Korea (Tier 4 Final) emission standards. Engine equipped with harnesses, hoses and fuel lines fire wrapped. ONLY FOR USE WITH: 532-9811 CONFIGURATION 17B, FSD		\$1,085

**ENGINE AIR CLEANERS**

L	521-4270	<b>AIR CLEANER, STANDARD</b> ..... 0 CANNOT BE USED WITH: 532-9811 CONFIGURATION 17B, FSD		NC
L	521-3388	<b>PRECLEANER, TURBINE W/SCREEN</b> ..... 0 RECOMMENDED IN HEAVY DUTY AND WASTE HANDLING APPLICATIONS CANNOT BE USED WITH: 532-9811 CONFIGURATION 17B, FSD		\$1,265

CATERPILLAR MACHINE PRICE LIST

**D5-GR**

USE	REF NO.	<b>LANE 2 / 3 MANDATORY</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	-----------------	----------------------

**UNDERCARRIAGE**

Customers should carefully select between CAT ABRASION and HEAVY DUTY EXTENDED LIFE Undercarriage based on expected underfoot and application. Please refer to the Undercarriage Application Guide. [https://oneclick.cat.com/files/UAGuide\\_3\\_27\\_13/index.html](https://oneclick.cat.com/files/UAGuide_3_27_13/index.html) or PEBJ0024

**UNDERCARRIAGE SYSTEMS**

Heavy Duty Extended Life (HDXL): For use in all applications. Track bushings can be turned and re-sealed mid-life. Press-fit bushings and PPR2 pin retention are particularly well suited for impact applications such as forestry, waste, rock, or V-ditching. Heavy Duty Extended Life with Duralink.

CAT ABRASION (ABR): For use in low to moderate impact applications and moderate to high abrasion underfoot. A rotating bushing reduces bushing and sprocket wear rate. Relieved Tread Idlers provide longer link wear life and improve finish grading by reducing link scallop. Not for use in high impact or waste.

Standard: Has alternating Single Flange and Double Flange track rollers. For use in applications with side slopes up to 4:1; ground objects up to 1"; and little if any V-ditching. Recommended to order with Center Guides.

Tall Double Flange: Has Tall Double Flange track rollers in all positions except the end rollers. Provides improved track guiding in rough underfoot or side slope applications steeper than 4:1. Recommended to order with Partial Guides.

Waste: Includes Kevlar guarded, sealed idlers to help prevent debris such as wire, string or plastic bags from wrapping into seals. Has alternating Single Flange and Double Flange track rollers. Recommended to order with Center Guides.

Fine Grading: Uses 8 roller track frame from the LGP version that provides more tracks on the ground for increased fore/aft stability and improved grading.

NOTE: Undercarriage and Track Guiding Guards are included into 532-9812 CONFIGURATION 17B, SUPER LGP

**40 SECTION UNDERCARRIAGES**

FOR USE WITH: 510-7535 D5 VPAT TRACTOR or 505-5308 D5 VPAT TRACTOR

L	523-9390	UNDERCARRIAGE, S1/ABR. . . . .	0	\$10,270
L	523-9388	UC, HDXL . . . . . For moderate slopes that are shallower than 4:1	0	NC
L	523-9389	UC, HDXL W/ TALL DBL FLANGE . . . . . FOR USE IN LANE 3 ONLY For steep slopes that are 4:1 or greater	0	\$620



CATERPILLAR MACHINE PRICE LIST

**D5-GR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**UNDERCARRIAGE (CONT.)**

**43 SECTION UNDERCARRIAGE, FIRE SUPPRESSION DOZER**

FOR USE WITH: 510-7535 D5 VPAT TRACTOR, and  
 532-9811 FIRE SUPPRESSION DOZER, VPAT

L	566-2417	UNDERCARRIAGE, HD, XR, FSD . . . . .	0	\$9,240
		FOR USE IN LANE 3 ONLY Adds one roller at rear to bring additional machine stability in steep slopes and loose material when machine is equipped with a winch. Not compatible with a Ripper		

**46 SECTION UNDERCARRIAGES, FINE GRADING**

FOR USE WITH: 510-7535 D5 VPAT TRACTOR or 505-5308 D5 VPAT TRACTOR  
 CANNOT BE USED WITH: 532-9812 CONFIGURATION 17B, SUPER LGP

L	523-9395	UC, S1/ABR, FINE GRADING . . . . .	0	\$19,800
		REQUIRES: 579-5773 TRACK,610MM (24"),MS,S1/ABR,FINE GRD 384-7414 or 384-7415 TRACK GUIDING GUARDS 550-5570 or 550-5572 DOZER CTL 515-3738 BULLDOZER PACKAGE, LGP, VPAT 575-9796 or 575-9797 BLADE, VPAT		

L	523-9394	UC, HDXL, FINE GRADING . . . . .	0	\$10,110
		FOR USE IN LANE 3 ONLY For moderate slopes that are shallower than 4:1 REQUIRES: 575-7736 TRACK, 600MM (24"), MS, HDXL, FINE GRD 205-6129 or 205-6130 TRACK GUIDING GUARDS 550-5570 or 550-5572 DOZER CTL 515-3738 BULLDOZER PACKAGE, LGP, VPAT 575-9796 or 575-9797 BLADE, VPAT		

**46 SECTION UNDERCARRIAGES, LGP**

FOR USE WITH: 510-7536 D5 LGP VPAT TRACTOR or  
 505-5309 D5 LGP VPAT TRACTOR

L	523-9393	UNDERCARRIAGE, LGP, S1/ABR . . . . .	0	\$10,770
L	523-9391	UC, LGP, HDXL . . . . .	0	NC
		For moderate slopes that are shallower than 4:1		
L	523-9392	UC, LGP, HDXL TALL DBL FLANGE . . . . .	0	\$620
		For steep slopes that are 4:1 or greater		

**40 SECTION TRACK PAIRS**

FOR USE WITH 40 SECTION UNDERCARRIAGES

L	579-5770	TRACK, 22", ES, S1/ABR . . . . .	0	NC
		FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 523-9390 UNDERCARRIAGE, S1/ABR		

CATERPILLAR MACHINE PRICE LIST

**D5-GR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**UNDERCARRIAGE (CONT.)**

**40 SECTION TRACK PAIRS (Cont.)**

L	579-5771	TRACK, 24", ES, S1/ABR ONLY FOR USE WITH: 523-9390 UNDERCARRIAGE, S1/ABR	0	\$242
L	579-5772	TRACK, 24", ES CTR HOLE, S1/ABR FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 523-9390 UNDERCARRIAGE, S1/ABR	0	\$1,590
L	575-7734	TRACK, 22", ES HDXL FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 523-9388 UC, HDXL 523-9389 UC, HDXL W/ TALL DBL FLANGE 563-1027 UC, HDXL, WASTE	0	\$121
L	575-7733	TRACK, 24", ES, HDXL ONLY FOR USE WITH: 523-9388 UC, HDXL 523-9389 UC, HDXL W/ TALL DBL FLANGE 563-1027 UC, HDXL, WASTE	0	\$362
L	575-7735	TRACK, 24", ES CENT HOLE, HDXL FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 523-9388 UC, HDXL 523-9389 UC, HDXL W/ TALL DBL FLANGE 563-1027 UC, HDXL, WASTE	0	\$1,495

**43 SECTION TRACK PAIRS, FIRE SUPPRESSION DOZER**

FOR USE WITH 43 SECTION UNDERCARRIAGE

L	583-6211	TRACK, 22", ES HDXL, XR, FSD FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 566-2417 UNDERCARRIAGE, HD, XR, FSD	0	\$1,065
---	----------	--	---	---------

**46 SECTION TRACK PAIRS, FINE GRADING**

FOR USE WITH 46 SECTION UNDERCARRIAGES, FINE GRADING

L	579-5773	TRACK, 24", MS, S1/ABR, FINE GRD ONLY FOR USE WITH: 523-9395 UC, S1/ABR, FINE GRADING	0	\$3,700
L	575-7736	TRACK, 24", MS, HDXL, FINE GRD FOR USE IN LANE 3 ONLY. ONLY FOR USE WITH: 523-9394 UC, HDXL, FINE GRADING	0	\$3,855

**46 SECTION TRACK PAIRS, LGP**

FOR USE WITH 46 SECTION UNDERCARRIAGES, LGP

L	579-5774	TRACK, 31", ES, LGP, S1/ABR FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 523-9393 UNDERCARRIAGE, LGP, S1/ABR	0	\$1,340
---	----------	---	---	---------

CATERPILLAR MACHINE PRICE LIST

**D5-GR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**UNDERCARRIAGE (CONT.)**

**46 SECTION TRACK PAIRS, LGP (Cont.)**

L	579-5776	TRACK, 33", MS, LGP, S1/ABR . . . . . 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 523-9393 UNDERCARRIAGE, LGP, S1/ABR		\$473
L	579-5775	TRACK, 33", ES, LGP, S1/ABR . . . . . 0 ONLY FOR USE WITH: 523-9393 UNDERCARRIAGE, LGP, S1/ABR		\$1,340
L	579-5777	TRACK, 34", ES, LGP, S1/ABR . . . . . 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 523-9393 UNDERCARRIAGE, LGP, S1/ABR		\$2,295
L	575-7738	TRACK, 33", ES, LGP, HDXL . . . . . 0 ONLY FOR USE WITH: 523-9391 UC, LGP, HDXL or 523-9392 UC, LGP, HDXL TALL DBL FLANGE or 563-1028 UC, LGP, HDXL, WASTE		\$1,725
L	575-7739	TRACK, 33", ES, C.HOLE LGP HDXL . . . . . 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 523-9391 UC, LGP, HDXL or 523-9392 UC, LGP, HDXL TALL DBL FLANGE or 563-1028 UC, LGP, HDXL, WASTE		\$2,855
L	575-7740	TRACK, 34", ES, LGP, HDXL . . . . . 0 ONLY FOR USE WITH: 523-9391 UC, LGP, HDXL or 523-9392 UC, LGP, HDXL TALL DBL FLANGE or 563-1028 UC, LGP, HDXL, WASTE		\$2,000

**TRACK GUIDING GUARDS**

No guide: No track guide guards. Only for use in flat underfoot, ground objects 2.5 cm (1") and smaller and no V-ditching.

Center guide: Light track guiding with single center track guide guards. Use in applications with side slopes up to 4:1; ground objects up to 2.5 cm (1"); and little if any, V-ditching.

Partial guide: Moderate track guiding with two center track guide guards per track frame. Use in applications with side slopes between 4:1 and 2:1; with ground objects 2.5 to 7.5 cm (1 to 3"); and low to moderate V-ditching.

Full guide: Heavy track guiding with full length track guide-guards. Use in applications with side slopes 2:1 and steeper; with ground objects greater than 7.5 cm (3"), and frequent V-ditching. Full length guards should not be used in applications with wet, heavy, packable underfoot material.

CATERPILLAR MACHINE PRICE LIST

**D5-GR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**UNDERCARRIAGE (CONT.)**

**GUIDING GUARDS FOR 40 SECTION TRACKS**

L	384-7412	<b>NO GUIDING GUARD</b> . . . . . 0 Select this attachment when no track guiding guard is desired. ONLY FOR USE WITH: 523-9390 UNDERCARRIAGE, S1/ABR 523-9388 UC, HDXL		<b>NC</b>
L	271-6164	<b>GUARD GUIDING, CENTER, S1/ABR</b> . . . . . 104 ONLY FOR USE WITH: 523-9390 UNDERCARRIAGE, S1/ABR		<b>\$1, 355</b>
L	251-8616	<b>GUARD GUIDING, PART, S1/ABR</b> . . . . . 207 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 523-9390 UNDERCARRIAGE, S1/ABR		<b>\$2, 300</b>
L	251-8619	<b>GUARD GUIDING, FULL, S1/ABR</b> . . . . . 359 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 523-9390 UNDERCARRIAGE, S1/ABR		<b>\$4, 010</b>
L	606-5091	<b>GUARD GUIDING, CENTER, HDXL</b> . . . . . 0 ONLY FOR USE WITH: 523-9388 UC, HDXL or 563-1027 UC, HDXL, WASTE		<b>\$1, 345</b>
L	606-5092	<b>GUARD GUIDING, PART, HDXL</b> . . . . . 0 RECOMMENDED:523-9389 UC, HDXL W/ TALL DBL FLANGE ONLY FOR USE WITH: 523-9388 UC, HDXL or 523-9389 UC, HDXL W/ TALL DBL FLANGE or 563-1027 UC, HDXL, WASTE		<b>\$2, 280</b>
L	606-5093	<b>GUARD GUIDING, FULL, HDXL</b> . . . . . 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 523-9389 UC, HDXL W/ TALL DBL FLANGE		<b>\$3, 970</b>

**GUIDING GUARDS FOR 43 SECTION TRACKS**

L	606-5094	<b>GUARD GUIDING, FULL, HDXL, XR, FSD</b> . . . . . 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 583-6211 TRACK, 560MM, ES HDXL, XR, FSD		<b>\$4, 315</b>
---	----------	---	--	-----------------

**GUIDING GUARDS FOR 46 SECTION TRACKS**

L	394-7564	<b>GUARD GUIDING, CENTER, S1/ABR</b> . . . . . 104 ONLY FOR USE WITH: 523-9393 UNDERCARRIAGE, LGP, S1/ABR		<b>NC</b>
L	384-7414	<b>GUARD GUIDING, LGP, S1/ABR, PART</b> . . . . . 183 REQUIRED BY: 579-5773 TRACK, 610MM, MS, S1/ABR, FINE GRD		<b>\$2, 300</b>
L	384-7415	<b>GUARD GUIDING, LGP, S1/ABR, FULL</b> . . . . . 434 REQUIRED BY: 579-5773 TRACK, 610MM, MS, S1/ABR, FINE GRD		<b>\$4, 010</b>

CATERPILLAR MACHINE PRICE LIST

**D5-GR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**UNDERCARRIAGE (CONT.)**

**GUIDING GUARDS FOR 46 SECTION TRACKS (Cont.)**

L	606-5095	GUARD GUIDING, LGP, CTR, HDXL . . . . . 0 ONLY FOR USE WITH: 523-9394 UC, HDXL, FINE GRADING or 523-9391 UC, LGP, HDXL or 563-1028 UC, LGP, HDXL, WASTE		\$1,345
L	606-5096	GUARD GUIDING, LGP, PART, HDXL . . . . . 0 RECOMMENDED:523-9392 UC, LGP, HDXL TALL DBL FLANGE REQUIRED BY: 575-7736 TRACK, 600MM,MS,HDXL, FINE GRD		\$1,665
L	606-5097	GUARD GUIDING, LGP, FULL, HDXL . . . . . 0 ONLY FOR USE WITH: 523-9392 UC, LGP, HDXL TALL DBL FLANGE or 523-9394 UC, HDXL, FINE GRADING REQUIRED BY: 575-7736 TRACK, 600MM,MS,HDXL, FINE GRD		\$3,600

**HYDRAULICS**

**REAR CONTROL PACKAGES**

L	565-5309	NO REAR HYDRAULIC PACKAGE . . . . . 0 FOR USE IN LANE 3 ONLY Includes cup holder and storage compartment. Does not include joystick or rear control hydraulic lines. REQUIRES: 515-3712 DRAWBAR, ONLY FOR USE WITH: 532-9785 CONFIGURATION 17B, VPAT, HRC or 532-9786 CONFIGURATION 17B, VPAT, LRC or 532-9812 CONFIGURATION 17B, SUPER LGP		NC
L	515-7372	RIPPER CONTROL PACKAGE . . . . . 0 Operator control package for ripper operations. Includes a single axis joystick, hydraulic lines and adjacent storage compartment. ONLY FOR USE WITH: 532-9785 CONFIGURATION 17B, VPAT, HRC 532-9786 CONFIGURATION 17B, VPAT, LRC or		\$2,010
L	515-7373	DUAL CONTROL PACKAGE . . . . . 0 Operator control package for ripper or winch operations. Includes a dual axis joystick and hydraulic lines. INCLUDED IN: 532-9801 FIRE SUPPRESSION DOZER, VPAT		\$3,625

**HYDRAULIC FANS**

Hydraulically driven. Includes a valve that allows for low fan speed to improve cold weather performance.

L	510-1530	FAN, STANDARD . . . . . 0		NC
---	----------	---------------------------	--	----

CATERPILLAR MACHINE PRICE LIST

# D5-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**HYDRAULICS (CONT.)**

**HYDRAULIC FANS (Cont.)**

L	510-1532	<b>FAN, REVERSING</b> . . . . . 0 Auto-reversing fan which changes direction to automatically purge debris from radiator and enclosures. RECOMMENDED for high debris applications. INCLUDED IN: 532-9801 FIRE SUPPRESSION DOZER, VPAT REQUIRED BY: 532-9797 WASTE HANDLING PACKAGE, VPAT		<b>\$1,895</b>
---	----------	--	--	----------------

**COOLING**

L	510-1531	<b>RADIATOR, STANDARD HRC</b> . . . . . 0 ONLY FOR USE WITH: 532-9785 CONFIGURATION 17B, VPAT, HRC or 532-9812 CONFIGURATION 17B, SUPER LGP CANNOT BE USED WITH: 532-9797 WASTE HANDLING PACKAGE, VPAT		<b>NC</b>
L	559-6007	<b>RADIATOR, STANDARD LRC</b> . . . . . 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 505-5308 D5 VPAT TRACTOR or 505-5309 D5 LGP VPAT TRACTOR		<b>NC</b>

**STARTERS, BATTERIES, & ALTERNATORS**

**WEATHER PACKAGES AND BATTERIES**

L	550-5561	<b>BATTERY, STANDARD PACKAGE</b> . . . . . 0 Standard 950 CCA Batteries. Includes a standard starter. ONLY FOR USE WITH: 532-9785 CONFIGURATION 17B, VPAT, HRC or 532-9786 CONFIGURATION 17B, VPAT, LRC or 532-9812 CONFIGURATION 17B, SUPER LGP INCLUDED IN: 532-9801 FIRE SUPPRESSION DOZER, VPAT		<b>NC</b>
L	550-5562	<b>BATTERY, HEAVY DUTY PACKAGE</b> . . . . . 0 Two 12-Volt batteries, 1400 CCA, replacing standard batteries. Includes a standard starter. RECOMMENDED in cold ambient temperature environments. ONLY FOR USE WITH: 532-9785 CONFIGURATION 17B, VPAT, HRC or 532-9786 CONFIGURATION 17B, VPAT, LRC or 532-9812 CONFIGURATION 17B, SUPER LGP		<b>\$473</b>

CATERPILLAR MACHINE PRICE LIST

**D5-GR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**STARTERS, BATTERIES, & ALTERNATORS (CONT.)**

**WEATHER PACKAGES AND BATTERIES (Cont.)**

L	550-5563	<b>COLD WEATHER, 110V, PACKAGE</b> ..... 0 FOR USE IN LANE 3 ONLY RECOMMENDED in extreme cold ambient temperature environments, and for 110V voltage compliant countries. Includes: -Starter, Heavy Duty -Heater, engine coolant, 110V -Ether starting aid -Two 12-Volt batteries, 1400 CCA ONLY FOR USE WITH: 532-9785 CONFIGURATION 17B, VPAT, HRC or 532-9812 CONFIGURATION 17B, SUPER LGP		\$1,075
L	575-9704	<b>COLD WEATHER, 220V, PACKAGE</b> ..... 0 FOR USE IN LANE 3 ONLY RECOMMENDED in extreme cold ambient temperature environments, and for 220V voltage compliant countries. Includes: -Starter, Heavy Duty, Heater -Engine coolant, -220V, Ether starting aid -Two 12-Volt batteries, 1400 CCA ONLY FOR USE WITH: 505-5308 D5 VPAT TRACTOR or 505-5309 D5 LGP VPAT TRACTOR		\$1,075

**ELECTRICAL**

**LIGHTS**

L	575-5507	<b>LIGHTS, 6, LED, VPAT</b> ..... 0 Six LED lights with 800 Lumen power each. Two mounted above the radiator grill, two mounted on cab facing forward, and two more mounted on cab facing rear. 12-light ready wired. ONLY FOR USE WITH: 532-9785 CONFIGURATION 17B, VPAT, HRC or 532-9786 CONFIGURATION 17B, VPAT, LRC or 532-9812 CONFIGURATION 17B, SUPER LGP and 532-9793 STANDARD DUTY PACKAGE or 532-9799 OPEN SWEEPS PACKAGE, VPAT		\$695
L	575-5509	<b>LIGHTS, 12, LED, PREMIUM, VPAT</b> ..... 0 Adds six additional LED lights with output of 1500 Lumen power each to 575-5507 LIGHTS, 6, LED, VPAT package. Two lights mounted on engine hood, and two more mounted on each rear cab corner for a total of 360 degrees of visibility. ONLY FOR USE WITH: 532-9785 CONFIGURATION 17B, VPAT, HRC or 532-9786 CONFIGURATION 17B, VPAT, LRC or 532-9812 CONFIGURATION 17B, SUPER LGP INCLUDED IN: 532-9795 HEAVY DUTY PACKAGE, VPAT 532-9797 WASTE HANDLING PACKAGE, VPAT		\$2,155

CATERPILLAR MACHINE PRICE LIST

**D5-GR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT**

**CAB PACKAGES**

L	583-9463	<b>CAB, PREMIUM</b> . . . . . 0 Includes adjustable armrests, laminated safety glass, sliding side windows and screen ready cab. Cab is Remote Control (RC) ready. ONLY FOR USE WITH: 532-9793 STANDARD DUTY PACKAGE or 532-9799 OPEN SWEEPS, PACKAGE, VPAT		\$3,390
L	588-1432	<b>CAB, TEMPERED GLASS, FSD</b> . . . . . 0 FOR USE IN LANE 3 ONLY Fire suppression cab equipped with: - sealed standard glass - emergency fuel shut-off inside the cab - hinged rear & side screens - 6 switches controlling each pair of lights on the dashboard - dual control winch/ripper - electrical provision to connect an external strobe light or beacon - Remote Control (RC) ready. ONLY FOR USE WITH: 532-9801 FIRE SUPPRESSION DOZER, VPAT		\$5,920
L	588-1433	<b>CAB, LAMINATED GLASS, FSD</b> . . . . . 0 FOR USE IN LANE 3 ONLY Same as 588-1432 but cab equipped with sealed laminated glass instead. ONLY FOR USE WITH: 532-9801 FIRE SUPPRESSION DOZER, VPAT		\$7,600

**GRAB HANDLES**

L	505-5306	<b>GRAB HANDLES, VPAT</b> . . . . . 0 Includes Grab handle and a rear ladder for the operator to easily access the machine. ONLY FOR USE WITH: 510-7535 D5 VPAT TRACTOR 505-5308 D5 VPAT TRACTOR		NC
L	505-5307	<b>GRAB HANDLES, LGP, VPAT</b> . . . . . 0 Grab handle and rear ladder for LGP machine versions. ONLY FOR USE WITH: 510-7536 D5 LGP VPAT TRACTOR or 505-5309 D5 LGP VPAT TRACTOR OR 510-7535 D5 VPAT TRACTOR - FINE GRADING or 505-5308 D5 VPAT TRACTOR - FINE GRADING		NC
L	566-2411	<b>GRAB HANDLES, XR, VPAT, FSD</b> . . . . . 0 FOR USE IN LANE 3 ONLY Grab handle and rear ladder for XR undercarriage version. ONLY FOR USE WITH: 566-2417 UNDERCARRIAGE, HD, XR, FSD		NC

**SEATS**

L	470-7252	<b>SEAT, STANDARD</b> . . . . . 0 Comfort plus cloth seat with mechanical lumbar support.		NC
---	----------	--	--	----



CATERPILLAR MACHINE PRICE LIST

**D5-GR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**SEATS (Cont.)**

L	560-9088	SEAT, HEATED & VENTILATED . . . . . 0 Comfort premium leather seat. Heated and ventilated. Side and back cushion bolsters. Air adjust upper and lower lumbar support.		\$1,875
---	----------	--	--	---------

**RADIO**

L	579-5779	PREMIUM CORP RADIO (12V) . . . . . 0 Premium 12V AM/FM radio with Bluetooth technology, USB port, and 3.5 mm AUX input. Availability varies by country.		\$605
L	579-5778	NO RADIO . . . . . 0 Radio ready. Requires customer provided entertainment radio.		NC

**REAR CAMERA**

L	577-8623	REAR CAMERA. . . . . 0 Rear camera system to enhance operator visibility of surroundings and machine. The camera image is shown on primary display. Rearview camera shows in home screen and automatically switches to full screen when machine is placed in reverse gear. Camera image includes back up lines that show edge of machine tracks and distance reference. remains in standard mode until the machine is placed in reverse gear.		\$550
---	----------	--	--	-------

**CAB FLOORS**

L	543-1114	FLOOR, CAB, PREMIUM . . . . . 0 Includes adjustable footrests and a thick floor plate for noise reduction in the operator station		\$266
L	588-6170	FLOOR, CAB, QUICK ACCESS . . . . . 0 Provides quick tool-less access to below cab floor opening floor. Includes adjustable footrests and a thick floor plate for noise reduction in the operator station. REQUIRED BY: 532-9801 FIRE SUPPRESSION DOZER, VPAT		\$1,185

**AIR CONDITIONING**

L	575-9698	AIR CONDITIONING, QUICK DISC . . . . . 0 Provides intermediate connections under the cab that can be quickly unplugged without the need to evacuate the refrigerant. This allows for easy "30-minute" cab removal for maintenance purposes. INCLUDED IN: 532-9801 FIRE SUPPRESSION DOZER, VPAT		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

**D5-GR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**CAB AIR PRECLEANERS**

L	441-9252	<b>AIR FILTER, CAB</b> . . . . . 0 Provides an external and accessible cartridge with a cylindrical filter (MERV16) to prevent the cab from normal dust intrusions. ONLY FOR USE WITH: 532-9793 STD DUTY PACKAGE 532-9795 HEAVY DUTY PACKAGE, VPAT		NC
L	588-1061	<b>PRECLEANER, CAB POWERED</b> . . . . . 0 Provides powered pre-cleaner with advanced cabin filtration that helps provide cleaner operator environment. Recommend in high debris applications. Includes: -Extended service times for air filter -Improved cabin pressurization to keep dirt out -External accessible cartridge with cylindrical filter (MERV16) to prevent the cab from normal dust intrusions. -Upgrade compatible with HEPA with activated carbon for order control filtration. REQUIRED BY: 532-9797 WASTE HANDLING PACKAGE, VPAT		\$3,120
L	592-5403	<b>AIR FILTRATION, ENHANCED, CAB</b> . . . . . 0 FOR USE IN LANE 3 ONLY Powered turbine precleaner equipped with ember screen and supplied with a HEPA air filter (filters 99.9% of particles below 0.3 micro meters). The combination of activated carbon and high efficiency particulate air (HEPA) filter, usually required by fire agencies, is available from parts only (503-7917) in order to not reduce the carbon element life before customer use. ONLY FOR USE WITH: 532-9801 FIRE SUPPRESSION DOZER, VPAT		\$3,480

CATERPILLAR MACHINE PRICE LIST

# D5-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

## TECHNOLOGY PRODUCTS

### MACHINE TECHNOLOGY

A complete range of tools are available to match customer applications and dozing automation needs.

1) SLOPE INDICATE: Provides operator real time machine cross slope and mainfall information on the primary display.

2) BLADE LOAD MONITOR: Provides real time feedback of the current current load vs. the target machine load to fully utilize machine capacity. Feature not operational indoors or in areas where a GPS signal is not available.

3) STABLE BLADE: Complements the operators blade inputs to attain finish grades quicker with less effort.

4) SLOPE ASSIST: Helps operators reach cross slope and mainfall targets by automatically maintaining the dozer blades established blade angles. This feature does not require a base station, laser transmitter, design file, or additional hardware.

5) TRACTION CONTROL: Automatically prevents excessive track slip to improve efficiency and reduce burden on operator. Feature not operational indoors or in areas where a GPS signal is not available.

6) AUTOCARRY: Automates blade lift to maximize blade load, improve load consistency and reduce track slip. Feature not operational indoors or in areas where a GPS signal is not available.

7) ARO (Attachment Ready Option): Allows machine to easily be upgraded to Cat Grade with 3D integrated grade control systems or Accugrade GNSS, laser, or UTS blade mounted Grade Control Systems. ARO includes IMU sensors, EC520 controller, wiring, and mounting brackets. Upgrading to Cat Grade With 3D after build requires grade display, GNSS receivers and antennas, data corrections solutions, SITECH provided Grade license files, and Caterpillar provided SEA, part number 513-5980. Dealer to provide price for additional hardware and software.

8) GRADE W/3D: Cat Grade with 3D is a factory installed, integrated grade control system with chassis mounted sensors and GNSS antennas mounted to roof of cab. Includes grade display, GNSS receivers and antennas, GRADE license files, and Caterpillar provided SEA. Additional requirements via Cat/SITECH Dealer include data corrections solution and measure up calibration.

Note: Availability varies by country. Contact your Caterpillar Marketing representative with questions.

ARO w/ Assist: Includes G6:M6. Reference:

<https://dealer.cat.com/en/products/technology/construction-technology> for certified countries.

GRADE 3D: Includes MS955 and RZ2. Reference:

[Dealer.cat.com/en/products/technology/construction-technology/grade](https://dealer.cat.com/en/products/technology/construction-technology/grade) for certified countries.

L	587-7161	PREMIUM DISPLAY, NON ARO	0	\$1,510
---	----------	--------------------------	---	---------

CATERPILLAR MACHINE PRICE LIST

**D5-GR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS (CONT.)**

**MACHINE TECHNOLOGY (Cont.)**

Provides a 10" touchscreen display and glove box.

INCLUDES:

SLOPE INDICATE

ONLY FOR USE WITH: 532-9785 CONFIGURATION 17B, VPAT, HRC

532-9786 CONFIGURATION 17B, VPAT, LRC

CANNOT BE USED WITH: 532-9811 CONFIGURATION 17B, FSD

INCLUDED IN: 532-9812 CONFIGURATION 17B, SUPER LGP

L	587-7162	<b>ARO W/ ASSIST</b> . . . . .	0	\$9,090
---	----------	--------------------------------	---	---------

Provides a 10" touchscreen display and glove box.

INCLUDES:

SLOPE INDICATE

BLADE LOAD MONITOR

STABLE BLADE

SLOPE ASSIST

TRACTION CONTROL

AUTOCARRY

ATTACHMENT READY OPTION (ARO)

ONLY FOR USE WITH: 532-9785 CONFIGURATION 17B, VPAT, HRC

532-9786 CONFIGURATION 17B, VPAT, LRC

CANNOT BE USED WITH: 532-9811 CONFIGURATION 17B, FSD

L	587-7163	<b>GRADE W/3D</b> . . . . .	0	\$62,650
---	----------	-----------------------------	---	----------

Provides a 10" touchscreen display and glove box.

INCLUDES:

SLOPE INDICATE

BLADE LOAD MONITOR

STABLE BLADE

SLOPE ASSIST

TRACTION CONTROL

AUTOCARRY

ATTACHMENT READY OPTION (ARO)

GRADE W/ 3D

ONLY FOR USE WITH: 532-9785 CONFIGURATION 17B, VPAT, HRC

532-9786 CONFIGURATION 17B, VPAT, LRC

CANNOT BE USED WITH: 532-9811 CONFIGURATION 17B, FSD

**JOYSTICK CONTROL**

L	435-5757	<b>JOYSTICK, STANDARD, VPAT</b> . . . . .	0	NC
---	----------	---	---	----

FOR USE IN LANE 3 ONLY.

ONLY FOR USE WITH: 587-7161 PREMIUM DISPLAY, NON ARO

L	435-5759	<b>JOYSTICK, ARO/GRADE, VPAT</b> . . . . .	0	NC
---	----------	--	---	----

ONLY FOR USE WITH: 587-7162 ARO W/ASSIST, or

587-7163 GRADE W/3D, or

587-7164 GRADE W/3D, SWEEPS or

532-9811 CONFIGURATION 17B, FSD

CATERPILLAR MACHINE PRICE LIST

**D5-GR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS (CONT.)**

***MACHINE TECHNOLOGY INSTALLATION***

L	550-5570	DOZER CTL, STANDARD, VPAT . . . . . 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 532-9785 CONFIGURATION 17B, VPAT, HRC or 532-9786 CONFIGURATION 17B, VPAT, LRC or 587-7161 PREMIUM DISPLAY, NON ARO		NC
L	550-5571	DOZER CTL, ARO/GRADE, VPAT . . . . . 0 ONLY FOR USE WITH: 510-7535 D5 VPAT TRACTOR and 532-9785 CONFIGURATION 17B, VPAT, HRC or 532-9786 CONFIGURATION 17B, VPAT, LRC CANNOT BE USED WITH: 587-7161 PREMIUM DISPLAY, NON ARO		NC
L	550-5572	DOZER CTL, ARO/GRADE, LGP VPAT . . . . . 0 ONLY FOR USE WITH: 510-7536 D5 LGP VPAT TRACTOR, or 510-7535 D5 VPAT TRACTOR - FINE GRADING and 532-9785 CONFIGURATION 17B, VPAT, HRC or 532-9786 CONFIGURATION 17B, VPAT, LRC CANNOT BE USED WITH: 587-7161 PREMIUM DISPLAY, NON ARO		NC
L	579-3006	DOZER CTL, FSD . . . . . 0 FOR USE IN LANE 3 ONLY REQUIRES: 435-5759 JOYSTICK, ARO/GRADE, VPAT ONLY FOR USE WITH: 510-7535 D5 VPAT TRACTOR 532-9811 CONFIGURATION 17B, FSD		NC
L	579-3010	DOZER CTL, LGP, FSD . . . . . 0 FOR USE IN LANE 3 ONLY REQUIRES: 435-5759 JOYSTICK, ARO/GRADE, VPAT ONLY FOR USE WITH: 510-7536 D5 LGP VPAT TRACTOR, or 510-7535 D5 VPAT TRACTOR - FINE GRADING and 532-9811 CONFIGURATION 17B, FSD		NC

CATERPILLAR MACHINE PRICE LIST

**D5-GR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS (CONT.)**

**PRODUCT LINK**

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

Cab selection determines Product Link network manager. CAB, STANDARD uses PL602. All other cab selections use PL702.

L	577-7697	PROD LINK, PLE643/PLE743 RADIO . . . . . 0 Product link radio package PLE643/PLE743 provides a cellular PL243 radio. When the radio is used in combination with a PLE602 network manager (to make a PLE643 system) or PLE702 network manager (to make a PLE743 system) hours, health, utilization, and productivity information is collected and transmitted. The system also provides support for remote services and other advanced features.		NC
L	577-7698	PROD LINK, PLE683/PLE783 RADIO . . . . . 0 Product link radio package PLE683/PLE783 provides a dual mode PL083 radio for use where travel between areas of both cellular and satellite coverage is required. When the radio is used in combination with a PLE602 network manager (to make a PLE683 system) or PLE702 network manager (to make a PLE783 system) hours, health, utilization, and productivity information is collected and transmitted. The system also provides support for remote services and other advanced features. REQUIRED BY: 532-9801 FIRE SUPPRESSION DOZER, VPAT		\$476
L	383-8226	NO PRODUCT LINK . . . . . 0		NC

**FUEL SYSTEMS**

**FUEL TANKS**

L	508-1610	FUEL TANK, BASIC . . . . . 0 INCLUDED IN: 532-9811 CONFIGURATION 17B, FSD		NC
L	508-1609	FUEL TANK, FAST FILL . . . . . 0 Provides fuel tank with openings for either a simple cover without refilling system, the fast fill system, or the refilling fuel pump. REQUIRES: 523-3958 COVER, or 523-3959 FUEL SYSTEM, FAST FILL, or 523-3955 FUEL SYSTEM, PUMP FILL CANNOT BE USED WITH: 572-5775 FSD READY OPTION, ON BOARD 532-9811 CONFIGURATION 17B, FSD		\$252

CATERPILLAR MACHINE PRICE LIST

**D5-GR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**FUEL SYSTEMS (CONT.)**

**FUEL LINES**

L	575-9705	FUEL LINES, STANDARD . . . . . 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 505-5308 D5 VPAT TRACTOR or 505-5309 D5 LGP VPAT TRACTOR		NC
---	----------	--	--	----

**GUARDS**

**BOTTOM AND FUEL TANK GUARDS**

L	550-5585	GUARD, BOTTOM, VPAT . . . . . 0 Includes a standard bottom guard. ONLY FOR USE WITH: 532-9793 STANDARD DUTY PACKAGE		NC
L	550-5587	GUARD, HEAVY DUTY PKG, VPAT . . . . . 0 FOR USE IN LANE 3 ONLY Includes heavy duty bottom guards and a fuel tank guard. ONLY FOR USE WITH: 532-9793 STANDARD DUTY PACKAGE INCLUDED IN: 532-9795 HEAVY DUTY PACKAGE, VPAT 532-9797 WASTE HANDLING PACKAGE, VPAT		\$2,365

**OTHER ATTACHMENTS**

**REAR ATTACHMENTS**

L	515-3715	RIPPER PKG, STRAIGHT TEETH . . . . . 0 0 AVAILABLE AS BOTH INSTALLED OR NOT INSTALLED WITH A MACHINE. ALSO AVAILABLE ON A MISCELLANEOUS ORDER Ripper, hydraulic, parallelogram, rear-mounted. Includes three straight shanks with teeth. When installed on an LGP machine, the ripper is intended for scarifying hard soil only. CANNOT BE USED WITH: 565-5309 NO REAR HYDRAULIC PACKAGE		\$24,610 \$24,610 NI
L	515-3716	RIPPER PKG, CURVED TEETH . . . . . 0 0 AVAILABLE AS BOTH INSTALLED OR NOT INSTALLED WITH A MACHINE. ALSO AVAILABLE ON A MISCELLANEOUS ORDER Ripper, hydraulic, parallelogram, rear-mounted. Includes three curved shanks with teeth. When installed on an LGP machine, the ripper is intended for scarifying hard soil only. CANNOT BE USED WITH: 565-5309 NO REAR HYDRAULIC PACKAGE		\$24,610 \$24,610 NI

CATERPILLAR MACHINE PRICE LIST

**D5-GR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OTHER ATTACHMENTS (CONT.)**

**REAR ATTACHMENTS (Cont.)**

L	515-3713	PA55 WINCH, STANDARD SPEED PKG . . . . .	0 0	\$45,140 \$45,140 NI
		FOR USE IN LANE 3 ONLY AVAILABLE AS INSTALLED ONLY WITH A MACHINE. ALSO AVAILABLE ON A MISCELLANEOUS ORDER Transmission PTO driven. Bare drum line speed 96-151 feet (29.2-46 meters) per minute. Maximum rated line pull 51,200lbs (23,245kg bare drum). Cable dia. 0.75 inch(19mm). Additional fairleads available as options. Powershift standard speed gears with free-spool. Any machine ordered with a winch <b>REQUIRES</b> a rear screen group. Note: Also available on the WT-TTT pricelist as 591-8849 PA55 WINCH, STANDARD SPEED PKG REQUIRES: 527-8728 SCREEN, REAR, FIXED, or 599-7940 SCREEN, REAR, HINGED CANNOT BE USED WITH: 515-7372 RIPPER CONTROL PACKAGE 565-5309 NO REAR HYDRAULIC PACKAGE		
L	515-3714	PA55 WINCH, SLOW SPEED, PKG . . . . .	0 0	\$44,100 \$44,100 NI
		FOR USE IN LANE 3 ONLY AVAILABLE AS INSTALLED ONLY WITH A MACHINE. ALSO AVAILABLE ON A MISCELLANEOUS ORDER Transmission PTO driven. Bare drum line speed 41-63 feet (12.5-19.2 meters) per minute. Maximum rated line pull 51,200lbs (23,245kg bare drum). Cable dia. 0.75 inch(19mm). Additional fairleads available as options. Powershift standard speed gears with free-spool. Any machine ordered with a winch <b>REQUIRES</b> a rear screen group. Note: Also available on the WT-TTT pricelist as 591-8848 PA55 WINCH, SLOW SPEED, PKG REQUIRES: 527-8728 SCREEN, REAR, FIXED, or 599-7940 SCREEN, REAR, HINGED CANNOT BE USED WITH: 515-7372 RIPPER CONTROL PACKAGE 565-5309 NO REAR HYDRAULIC PACKAGE		
L	515-3712	DRAWBAR . . . . .	0	NC
		REQUIRED BY: 532-9812 CONFIGURATION 17B, SUPER LGP		
L	515-3711	NO REAR ATTACHMENT . . . . .	0	NC
		This reference must be selected only when the dealer wants to install their own rear attachments at the dealership or in the field. In any case, the machine must be sold to the final customer with an appropriate rear attachment (drawbar, ripper, winch, Striker box) to reach the optimum balance of the complete machine. Please check the global configuration of the machine is consistent with the intended rear equipment. Contact the Account Coordinator through DOCS to justify this order and obtain approval.		



CATERPILLAR MACHINE PRICE LIST

**D5-GR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BLADES**

**BULLDOZER VPAT PACKAGES**

Bulldozer VPAT Packages do NOT include a blade. Blades are optional attachments. PLEASE MAKE SURE TO SELECT ONE BLADE FROM THE OPTIONAL SECTION OF THIS PRICE LIST IF INTENDED TO GET A COMPLETE MACHINE.

L	515-3737	<b>BULLDOZER PACKAGE, VPAT</b> . . . . . 0		<b>NC</b>
		Includes: -Bulldozer VPAT (with C-Frame, 2 lift, 2 angle and 1 tilt cylinders) -Hydraulic lines with protection guards above the lift and tilt cylinder lines ONLY FOR USE WITH: 510-7535 D5 VPAT TRACTOR or 505-5308 D5 VPAT TRACTOR and 532-9785 CONFIGURATION 17B, VPAT, HRC or 532-9786 CONFIGURATION 17B, VPAT, LRC		
L	515-3738	<b>BULLDOZER PACKAGE, LGP, VPAT</b> . . . . . 0		<b>NC</b>
		Includes: -Bulldozer VPAT, LGP (with C-Frame, 2 lift, 2 angle and 1 tilt cylinders) -Hydraulic lines with protection guards above the lift and tilt cylinder lines ONLY FOR USE WITH: 510-7536 D5 LGP VPAT TRACTOR, or 505-5309 D5 LGP VPAT TRACTOR or 510-7535 D5 VPAT TRACTOR - FINEGRADING or 505-5308 D5 VPAT TRACTOR - FINEGRADING and 532-9785 CONFIGURATION 17B, VPAT, HRC or 532-9786 CONFIGURATION 17B, VPAT, LRC		
L	566-2420	<b>BULLDOZER PACKAGE, VPAT, FSD</b> . . . . . 0		<b>NC</b>
		FOR USE IN LANE 3 ONLY Bulldozer lift & angles lines equipped with thermal and abrasion wrap. ONLY FOR USE WITH: 510-7535 D5 VPAT TRACTOR 532-9811 CONFIGURATION 17B, FSD		
L	566-2421	<b>BULLDOZER PKG, LGP, VPAT, FSD</b> . . . . . 0		<b>NC</b>
		FOR USE IN LANE 3 ONLY Bulldozer lift & angles lines equipped with thermal and abrasion wrap. ONLY FOR USE WITH: 510-7536 D5 LGP VPAT TRACTOR, or 510-7535 D5 VPAT TRACTOR - FINE GRADING and 532-9811 CONFIGURATION 17B, FSD		

**FLUIDS**

**HYDRAULIC OIL**

Oils for the hydraulic implements and differential steering systems. Factory filled.

L	550-5600	<b>HYDRAULIC OIL, STANDARD</b> . . . . . 0		<b>NC</b>
---	----------	--	--	-----------

CATERPILLAR MACHINE PRICE LIST

**D5-GR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**FLUIDS (CONT.)**

**HYDRAULIC OIL (Cont.)**

L	550-5601	HYDRAULIC OIL, BIODEGRADABLE . . . . . 0 Hydraulic Environmental Ester Synthetic oil. Complies with environmental requirements.		\$2,200
L	550-5602	HYDRAULIC OIL, FIRE RETARDANT . . . . . 0 FOR USE IN LANE 3 ONLY Ecosafe FR46 fire retardant oil. ONLY FOR USE WITH: 532-9811 CONFIGURATION 17B, FSD		\$1,705

**COOLANT**

Engine coolant, lubricating oils and other fluids. Factory filled.  
 All Engine Coolants are Extended Life

L	579-5798	ENGINE COOLANT, -35F . . . . . 0 ONLY FOR USE WITH: 510-7535 D5 VPAT TRACTOR or 510-7536 D5 LGP VPAT TRACTOR or 505-5308 D5 VPAT TRACTOR or 505-5309 D5 LGP VPAT TRACTOR		NC
L	579-5799	ENGINE COOLANT, -58F . . . . . 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 510-7535 D5 VPAT TRACTOR or 510-7536 D5 LGP VPAT TRACTOR or 505-5308 D5 VPAT TRACTOR or 505-5309 D5 LGP VPAT TRACTOR		\$277 NET

**LUBRICANTS**

Oils for transmission, engine, track roller frames, pivot shafts,  
 final drives and grease plus windshield washer fluid.

L	579-5795	LUBRICANT, STANDARD . . . . . 0 Fluid package for mild climate ONLY FOR USE WITH: 510-7535 D5 VPAT TRACTOR or 510-7536 D5 LGP VPAT TRACTOR		NC
L	579-5796	LUBRICANT, HIGH AMBIENT . . . . . 0 FOR USE WITH LANE 3 ONLY Fluid package for high ambient temperature ONLY FOR USE WITH: 505-5308 D5 VPAT TRACTOR or 505-5309 D5 LGP VPAT TRACTOR		NC

CATERPILLAR MACHINE PRICE LIST

**D5-GR**

USE	REF NO.	<b>LANE 2 / 3 MANDATORY</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	--------------------	-------------------------

**INSTRUCTIONS**

***OPERATION AND MAINTENANCE MANUAL***

<b>421-8926</b>	<b>SERIALIZED TECHNICAL MEDIA KIT . . . . . 0</b>	<b>NC</b>
-----------------	---	-----------

The technical media kit, will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary.

Any additional media or translations not included in the kit, should be ordered through [publications.cat.com](http://publications.cat.com)

**PACKING**

<b>0G-9236</b>	<b>COMPLETE STORAGE PROTECTION . . . . . 0</b>	<b>\$264 NET</b>
----------------	--	------------------

Machines have been sprayed with Fluid Film TM. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer. Cilix AND foam protection on all cylinders are also included in this storage protection procedure. Recommended : Sea and all type or long distance shipment

CATERPILLAR MACHINE PRICE LIST

**D5-GR**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**SPECIAL ARRANGEMENTS**

***FIRE SUPPRESSION DOZER ARRANGEMENT***

L	572-5775	FSD READY OPTION, ON BOARD . . . . . 0 FOR USE IN LANE 3 ONLY On board, fire suppression ready system including a 22 gal / 84 liter tank (minimum capacity), a pump activated from the operator seat, a hose with hand spray nozzle and a valve ready to plug a sprinkling system (not supplied). ONLY FOR USE WITH: 532-9811 CONFIGURATION 17B, FSD CANNOT BE USED WITH: RIPPER		\$5,970
---	----------	--	--	---------

***RIPPER INSULATION LINES - FIRE SUPPRESSION DOZER***

L	615-1085	INSULATION, RIPPER LINES, FSD . . . . . 0 ONLY FOR USE WITH: 532-9811 CONFIGURATION 17B, FSD and 515-3715 RIPPER PKG, STRAIGHT TEETH or 515-3716 RIPPER PKG, CURVED TEETH		\$140
---	----------	--	--	-------

CATERPILLAR MACHINE PRICE LIST

**D5-GR**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**STARTERS, BATTERIES, & ALTERNATORS**

**BREATHER KIT**

L	381-6262	<b>ELECTRICAL INSULATED BREATHER.</b> . . . . . 0 FOR USE IN LANE 3 ONLY Heated engine crankcase, filter canister and insulated hoses for ambient climates of -25C to -40C.		\$2,160
---	----------	---	--	---------

**ELECTRICAL**

**LIGHTS**

L	589-3554	<b>LIGHT, WARNING</b> . . . . . 0 3 LED lights integrated into the top perimeter of the cab. One above each door and one in the rear. Fully visible for a 360 degree view.		\$1,035
L	575-5503	<b>LIGHT, UNDERHOOD</b> . . . . . 0 Light inside the left-hand engine compartment with on/off switch.		\$131
L	579-5793	<b>LIGHTS,8 BRIGHT + 4 AMBER,FSD</b> . . . . . 0 FOR USE IN LANE 3 ONLY Provides 8 additional 4200 Lum bright lights and 4 additional 3370 Lum amber lights. Lights have their body and lens heat resistant and are guarded. Bright lights locations : One pair on hood facing forward, one pair under the sweep roof facing forward, two pairs facing rearward and sideways. Amber lights locations : One pair located on the hood and one pair at front of radiator, all lights facing forward. ONLY FOR USE WITH: 532-9811 CONFIGURATION 17B, FSD		\$3,950

**ACCESSORIES**

L	601-6315	<b>RECEPTACLE, JUMP START</b> . . . . . 0 FOR USE IN LANE 3 ONLY		\$175
---	----------	---	--	-------

**OPERATOR ENVIRONMENT**

**CB MOUNTING**

L	589-3552	<b>RADIO, CB (READY)</b> . . . . . 0 FOR USE IN LANE 3 ONLY Provides factory integrated solution for mounting CB radio on right rear cab C-Post. Includes adjustable mounting bracket, Co-Ax cables, CB antenna, 2nd power converter, and integrated power connection by radio.		\$1,020
---	----------	---	--	---------

CATERPILLAR MACHINE PRICE LIST

**D5-GR**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**FUEL SYSTEMS**

**FUELING ATTACHMENTS**

One of the following must be selected to close the fuel tank, fast fill.

L	523-3958	COVER. . . . .	0	NC
		REQUIRED BY: 508-1609 FUEL TANK, FAST FILL		
L	523-3959	FUEL SYSTEM, FAST FILL . . . . .	0	\$1,385
		AVAILABLE AS INSTALLED ONLY WITH A MACHINE. ALSO AVAILABLE ON A MISCELLANEOUS ORDER This fast fuel system is designed to be compatible with the 4C-6716 (Wiggins) fuel nozzle system. It may or may not be compatible with other fuel fill nozzle systems. REQUIRED BY: 508-1609 FUEL TANK, FAST FILL	0	\$1,385 NI

**GUARDS**

**CAB PROTECTIONS**

L	527-8728	SCREEN, REAR, FIXED . . . . .	0	\$1,455
		FOR USE IN LANE 3 ONLY Protective bolted screen covering the rear cab window. CANNOT BE USED WITH: 532-9795 HEAVY DUTY PACKAGE, VPAT 532-9801 FIRE SUPPRESSION DOZER, VPAT 599-7940 SCREEN, REAR, HINGED REQUIRED BY: 515-3713 or 515-3714 WINCH PACKAGES		
L	599-7940	SCREEN, REAR, HINGED . . . . .	0	\$1,685
		FOR USE IN LANE 3 ONLY Provides a protective hinged screen covering the rear cab window. Allows for ease of cleaning and changing of wiper blades. CANNOT BE USED WITH: 527-8728 SCREEN, REAR, FIXED INCLUDED IN: 532-9795 HEAVY DUTY PACKAGE, VPAT 532-9801 FIRE SUPPRESSION DOZER, VPAT REQUIRED BY: 515-3713 or 515-3714 WINCH PACKAGES		
L	600-1434	SCREEN, SIDES, HINGED . . . . .	0	\$1,985
		FOR USE IN LANE 3 ONLY Protective hinged screens covering the back left and right windows. CAN BE ADDED TO ANY SCREEN, REAR INCLUDED IN: 532-9795 HEAVY DUTY PACKAGE, VPAT 532-9801 FIRE SUPPRESSION DOZER, VPAT		

CATERPILLAR MACHINE PRICE LIST

**D5-GR**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**GUARDS (CONT.)**

**CAB PROTECTIONS (Cont.)**

L	582-7509	<b>SCREENS, FR WINDOW, CAB DOORS</b> ..... 0 FOR USE IN LANE 3 ONLY Additional hinged screens to guard the front windshield and the cab doors. ONLY FOR USE WITH: 532-9811 CONFIGURATION 17B, FSD		\$2,935
---	----------	--	--	---------

**COVERS FOR FUEL TANK GUARD**

Must be selected when a fuel tank guard is ordered.

L	550-5565	<b>COVER, FUEL TK GRD, BASIC</b> ..... 0 FOR USE IN LANE 3 ONLY Must be selected when the machine is ordered with a fuel tank guard and a basic fuel tank. CANNOT BE USED WITH: 572-5775 FSD READY OPTION, ON BOARD REQUIRED BY: 532-9795 HEAVY DUTY PACKAGE, VPAT, or 532-9797 WASTE HANDLING PACKAGE, VPAT, or 532-9801 FIRE SUPPRESSION DOZER, VPAT, or 550-5587 GUARD, HEAVY DUTY PKG, VPAT and 508-1610 FUEL TANK, BASIC		NC
---	----------	--	--	----

L	550-5567	<b>COVER, FUEL TK GRD, FF W/FAST</b> ..... 0 FOR USE IN LANE 3 ONLY Must be selected when the machine is ordered with a fuel tank guard and a fast-fill fuel tank, outfitted with the fast-fill fuel system. REQUIRED BY: 532-9795 HEAVY DUTY PACKAGE, VPAT, or 532-9797 WASTE HANDLING PACKAGE, VPAT, or 532-9801 FIRE SUPPRESSION DOZER, VPAT, or 550-5587 GUARD, HEAVY DUTY PKG, VPAT and 508-1609 FUEL TANK, FAST FILL and 523-3959 FUEL SYSTEM, FAST FILL		NC
---	----------	--	--	----

**COVER FOR FUEL LINES, FIRE DOZER**

L	579-5791	<b>COVER, FUEL LINES, FSD</b> ..... 0 FOR USE IN LANE 3 ONLY CANNOT BE USED WITH: 515-3713 PA55 WINCH, STANDARD SPEED PKG 515-3714 PA55 WINCH, SLOW SPEED, PKG REQUIRED BY: 532-9811 CONFIGURATION 17B, FSD		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

**D5-GR**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**GUARDS (CONT.)**

**LIGHT GUARDS**

L	575-5630	<b>GUARD, LIGHTS, PREMIUM, VPAT</b> ..... 0 FOR USE IN LANE 3 ONLY Wire guards for front and side facing lights. ONLY FOR USE WITH: 575-5509 LIGHTS, 12, LED, PREMIUM, VPAT CANNOT BE USED WITH: 532-9801 FIRE SUPPRESSION DOZER, VPAT INCLUDED IN: 532-9795 HEAVY DUTY PACKAGE, VPAT 532-9797 WASTE HANDLING PACKAGE, VPAT		\$308
---	----------	---	--	-------

**OTHER ATTACHMENTS**

**HOURMETER**

P	577-7750	<b>HOUR METER</b> ..... 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 505-5308 D5 VPAT TRACTOR or 505-5309 D5 LGP VPAT TRACTOR		\$373
---	----------	---	--	-------

**WINCH OPTIONS**

L	118-7211	<b>FAIRLEAD, 3 ROLLERS</b> ..... 710 FOR USE IN LANE 3 ONLY AVAILABLE AS NOT INSTALLED ONLY WITH A MACHINE. ALSO AVAILABLE ON A MISCELLANEOUS ORDER Bolt on design. ONLY FOR USE WITH: 515-3713 PA55 WINCH, STANDARD SPEED PKG 515-3714 PA55 WINCH, SLOW SPEED, PKG		\$8,910 NI
L	174-4770	<b>FOURTH ROLLER</b> ..... 0 FOR USE IN LANE 3 ONLY AVAILABLE AS NOT INSTALLED ONLY WITH A MACHINE. ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 118-7211 FAIRLEAD, 3 ROLLERS		\$1,580 NI

**MAINTENANCE AND RELATED ATTACHMENTS**

L	523-8887	<b>OIL CHANGE SYSTEM, HIGH SPEED</b> ..... 0 Easy access to Wiggins connector for remote engine oil drain. Provides quick, clean and easy engine oil change without having to use a gravity drain. ONLY FOR USE WITH: 510-7535 D5 VPAT TRACTOR or 510-7536 D5 LGP VPAT TRACTOR CANNOT BE USED WITH: 532-9811 CONFIGURATION 17B, FSD		\$352
---	----------	---	--	-------



CATERPILLAR MACHINE PRICE LIST

**D5-GR**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**OTHER ATTACHMENTS (CONT.)**

**MAINTENANCE AND RELATED ATTACHMENTS (Cont.)**

L	579-5792	<b>OIL CHANGE SYSTEM, HS, FSD</b> ..... 0 FOR USE IN LANE 3 ONLY Easy access to Wiggins connector for remote engine oil drain. Provides quick, clean and easy engine oil change without having to use a gravity drain. ONLY FOR USE WITH: 532-9811 CONFIGURATION 17B, FSD and 510-7535 D5 VPAT TRACTOR or 510-7536 D5 LGP VPAT TRACTOR		\$352
L	568-5979	<b>OIL CHANGE SYSTEM, HIGH SPEED</b> ..... 0 FOR USE IN LANE 3 ONLY Easy access to Wiggins connector for remote engine oil drain. Provides quick, clean and easy engine oil change without having to use a gravity drain. ONLY FOR USE WITH: 505-5308 D5 VPAT TRACTOR or 505-5309 D5 LGP VPAT TRACTOR		\$352

**BLADES**

**VPAT BLADES**

Blades are optional attachments. PLEASE MAKE SURE TO SELECT ONE BLADE FROM THE FOLLOWING LIST IF INTENDED TO GET A COMPLETE MACHINE.

All blades include mounting brackets and are ready for Accugrade GNSS, laser, or UTS blade mounted Grade Control systems.

L	575-9796	<b>BLADE, VPAT</b> ..... 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Width: 3272MM/129". Capacity: 3.5CUM/4.6CYD. REQUIRES: 0G-3256 PACK-DISMOUNTED OR NI BLADE ONLY FOR USE WITH: 515-3737 BULLDOZER PACKAGE, VPAT, or FINE GRADING CONFIGURATION CANNOT BE USED WITH: 532-9797 WASTE HANDLING PACKAGE, VPAT		\$11,330 NI
L	575-9797	<b>BLADE, FOLDABLE, VPAT</b> ..... 0 ..... 0 AVAILABLE AS BOTH INSTALLED OR NOT INSTALLED WITH A MACHINE. ALSO AVAILABLE ON A MISCELLANEOUS ORDER Width: 3272MM/129". Capacity: 3.5CUM/4.6CYD. Can be folded and angled to limit shipping width to 3M/9.84FT. REQUIRES: 0G-3256 PACK-DISMOUNTED OR NI BLADE (if NI or MISC order) ONLY FOR USE WITH: 515-3737 BULLDOZER PACKAGE, VPAT, or FINE GRADING CONFIGURATION CANNOT BE USED WITH: 532-9797 WASTE HANDLING PACKAGE, VPAT		\$17,680 \$17,680 NI

CATERPILLAR MACHINE PRICE LIST

# D5-GR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**BLADES (CONT.)**

**VPAT BLADES (Cont.)**

L	566-2423	<b>BLADE, VPAT, BRUSH GUARD</b> ..... 0 FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Width: 3272MM/128.8". Capacity: 6.2CUM/8.1CYD. Blade equipped with a brush guard at the top of the blade, which measures an additional 305MM/12" in height on the sides and 406MM/16" in height at the middle. ONLY FOR USE WITH: 566-2420 BULLDOZER PACKAGE, VPAT, FSD, or FINE GRADING CONFIGURATION, FSD		\$16,560 NI
L	575-9799	<b>BLADE, LGP, VPAT</b> ..... 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Width: 4080MM/160". Capacity: 4.0CUM/5.2CYD. REQUIRES: 0G-3256 PACK-DISMOUNTED OR NI BLADE ONLY FOR USE WITH: 515-3738 BULLDOZER PACKAGE, LGP, VPAT CANNOT BE USED WITH: 532-9797 WASTE HANDLING PACKAGE, VPAT FINE GRADING CONFIGURATION		\$13,380 NI
L	575-9800	<b>BLADE, LGP, FOLDABLE, VPAT</b> ..... 0 ..... 0 AVAILABLE AS BOTH INSTALLED OR NOT INSTALLED WITH A MACHINE. ALSO AVAILABLE ON A MISCELLANEOUS ORDER Width: 4080MM/160". Capacity: 4.2CUM/5.5CYD. Can be folded and angled to limit shipping dimensions. If equipped with narrower tracks than 840MM/33", the overall machine width with the folded blade is below 3M/9.84FT. REQUIRES: 0G-3256 PACK-DISMOUNTED OR NI BLADE (if NI or MISC order) ONLY FOR USE WITH: 515-3738 BULLDOZER PACKAGE, LGP, VPAT CANNOT BE USED WITH: 532-9797 WASTE HANDLING PACKAGE, VPAT FINE GRADING CONFIGURATION		\$22,290 \$22,290 NI
L	566-2424	<b>BLADE, LGP, VPAT, BRUSH GUARD</b> ..... 0 FOR USE IN LANE 3 ONLY Width: 4080MM/160.6". Capacity: 6.3CUM/8.3CYD. Blade equipped with a brush guard at the top of the blade, which measures an additional 305MM/12" in height on the sides and 406MM/16" in height at the middle. ONLY FOR USE WITH: 566-2421 BULLDOZER PKG, LGP, VPAT, FSD CANNOT BE USED WITH: FINE GRADING CONFIGURATION		\$18,600 NI

**PACKING**

0G-3256	<b>PACK-DISMOUNTED OR N.I. BLADE</b> ..... 0 Packing for a dismounted or not installed blade.	\$233 NET
0G-3257	<b>PACK-NOT INSTALLED RIPPER</b> ..... 0 To be selected when a ripper is ordered as Not Installed attachment or as MISCellaneous order.	\$289 NET

CATERPILLAR MACHINE PRICE LIST

# D5-GR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	--------------------	-------------------------

**PACKING (CONT.)**

0G-0370	<b>PACK - SPECIAL MISC. MATERIAL . . . . . 0</b> FOR USE IN LANE 3 ONLY Packing for a dismounted or not installed attachment, out of the blades and rippers.	<b>\$117 NET</b>
---------	---	------------------