

## CATERPILLAR MACHINE PRICE LIST

**D6-RY**

D6 TRACK TYPE TRACTOR RAYONG, THAILAND	Ship Weight lbs	List Price At Factory
---	--------------------	--------------------------

Standard Equipment:

**POWERTRAIN**

Enhanced Full Auto Shift  
Torque Divider, Lock up  
Transmission, Electronically Controlled Powershift, 4 Speed  
Shift Management  
Automatic Directional and Downshift Controlled Throttle, Load Compensated  
Decelerator and Brake Pedals  
Powertrain Control Module  
Throttle Dial, Electronic  
Programmable/selectable bi-directional shifting  
C9.3B diesel engine  
EPA/ARB Tier 4 final certified engine with aftertreatment  
Air cleaner, Strata tube precleaner with dust ejection  
Air filter w/electronic service indicator  
Aftercooler, air to air (ATAAC)  
Coolant, extended life  
Fan, hydraulic reversing, cold weather  
Final drives, double reduction planetary  
Radiator, aluminum bar plate  
Fuel priming pump, electric  
Parking brake, electronic  
Starting aid, ether ready, automatic  
Turbocharger  
Fuel water separator  
Ecology drain

**UNDERCARRIAGE**

Carrier rollers, lifetime lubricated  
Clamp Master Link  
Equalizer bar, maintenance free  
Guards, End Track Guide  
Idlers, Center Tread  
Rollers, lifetime lubricated  
Track, lifetime lubricated  
Track roller frames, tubular  
Track adjusters, hydraulic  
Sprocket rim segments, replaceable

**ELECTRICAL**

LED lights, 6 standard  
Alarm, backup  
Alternator, 150 AMP  
Batteries, 2 maintenance free 12V (1400 cca) (24V system), heavy duty  
Converter, One 15A, 12V outlets  
Starter, heavy duty, 24V  
Horn, forward warning  
Light, work, underhood

**OPERATOR ENVIRONMENT**

One piece cab, sound suppressed,  
Integrated roll over protection(IROPS), adjustable operator controls and armrests, cab mounted modular HVAC system, and screen ready.  
Cup holders  
Lunchbox storage  
Electro-hydraulic implement steering controls  
Foot pads, dash  
Mirror, rearview  
Seatbelt, retractable 76mm(3 in)  
Wipers  
Glove box

**TECHNOLOGY PRODUCTS**

Full color LCD display, 254mm (10 inch) integrated with rear camera  
Product Link, cellular PLE743  
Remote Troubleshoot  
Remote Software flash  
Operator ID (dealer must enable)  
Machine Security System with Passcode (dealer must enable)  
Remote Control Ready

**OTHER STANDARD EQUIPMENT**

Ripper ready rear hydraulics  
30 minute cab removal  
Ladder, rear access  
Mounting provision for grease gun, shovel and fire extinguisher  
Engine enclosures, perforated hinged, removable  
Bottom guards, hinged, removable  
Ground level service center with remote electrical disconnect, secondary shutdown switch & hour meter  
Hood, perforated  
Hydraulics, independent steering and implement  
Hydraulics, load sensing, dozer lift and tilt  
Radiator doors, perforated, hinged, louvered  
S.O.S sampling ports  
Vandalism protection for fluid compartments and battery box



CATERPILLAR MACHINE PRICE LIST

# D6-RY

D6 TRACK TYPE TRACTOR RAYONG, THAILAND	Ship Weight lbs	List Price At Factory
---	--------------------	--------------------------

**D6 will be transitioning from Build 20A to Build 20B in 1Q 2021.  
 Build 20B machines can be identified by machine PIN Plate and will  
 have a serial number 1000 + .  
 All D6's from CRTT will be Build 20B**

<b>464-5807</b>	<b>D6 20 TTT CFG1</b> . . . . . 0	<b>\$449,420</b>
	LANE 2 - AVAILABLE FROM RAYONG FACTORY	
	LANE 3 - AVAILABLE FROM RAYONG FACTORY	

76 inch gauge. 8 roller track frame,  
 Up to 24 inch track shoes available.  
 AVAILABLE FOR: AUSTRALIAN AND NEW ZEALAND DEALERS  
 JAPANESE DEALERS  
 AM-N DEALERS  
 KOREAN DEALERS

<b>464-5808</b>	<b>D6 20 LGP TTT CFG2</b> . . . . . 0	<b>\$460,530</b>
	LANE 3 - AVAILABLE FROM RAYONG FACTORY	

82 inch gauge. 8 roller track frame.  
 Up to 30 inch track shoes available.  
 Low ground pressure (6.6 psi) capability  
 AVAILABLE FOR: AUSTRALIAN AND NEW ZEALAND DEALERS  
 AM-N DEALERS  
 KOREAN DEALERS

<b>464-5809</b>	<b>D6 20 LGP TTT CFG3</b> . . . . . 0	<b>\$480,380</b>
	LANE 2 - AVAILABLE FROM RAYONG FACTORY	
	LANE 3 - AVAILABLE FROM RAYONG FACTORY	

90 inch gauge. 8 roller track frame.  
 Up to 36 inch track shoes available.  
 Ultra-low ground pressure (5.1 psi) capability.  
 AVAILABLE FOR: AUSTRALIAN AND NEW ZEALAND DEALERS  
 JAPANESE DEALERS  
 AM-N DEALERS  
 KOREAN DEALERS

<b>464-5810</b>	<b>D6 20 VPAT TTT CFG4</b> . . . . . 0	<b>\$448,930</b>
	LANE 3 - AVAILABLE FROM RAYONG FACTORY	

82 inch gauge. 8 roller track frame.  
 Up to 24 inch track shoes available.  
 AVAILABLE FOR: AUSTRALIAN AND NEW ZEALAND DEALERS  
 AM-N DEALERS  
 KOREAN DEALERS

CATERPILLAR MACHINE PRICE LIST

# D6-RY

D6 TRACK TYPE TRACTOR RAYONG, THAILAND	Ship Weight lbs	List Price At Factory
---	--------------------	--------------------------

<b>464-5811</b> <b>D6 20 LGP VPAT TTT CFG5</b> . . . . . 0 LANE 2 - AVAILABLE FROM RAYONG FACTORY LANE 3 - AVAILABLE FROM RAYONG FACTORY		<b>\$468,070</b>
--	--	------------------

90 inch gauge. 8 roller track frame. 10 roller track frame optional for fine grading applications.  
 Up to 30 inch track shoes available.  
 Low ground pressure (6.0 psi) capability.  
 AVAILABLE FOR: AUSTRALIAN AND NEW ZEALAND DEALERS  
 JAPANESE DEALERS  
 AM-N DEALERS  
 KOREAN DEALERS

<b>464-5812</b> <b>D6 20 LGP VPAT TTT CFG6</b> . . . . . 0 LANE 3 - AVAILABLE FROM RAYONG FACTORY		<b>\$485,880</b>
--	--	------------------

94 inch gauge. 8 roller track frame. 10 roller track frame optional for fine grading applications.  
 Up to 36 inch track shoes available.  
 Ultra-low ground pressure (5.0 psi) capability.  
 AVAILABLE FOR: AUSTRALIAN AND NEW ZEALAND DEALERS  
 JAPANESE DEALERS  
 AM-N DEALERS  
 KOREAN DEALERS

<b>OP-6850</b> <b>D6 MISC MATERIAL</b> . . . . . 0		<b>NC</b>
--	--	-----------

AVAILABLE FROM RAYONG FACTORY  
 Only reference numbers that have the text  
 ALSO AVAILABLE ON A MISCELLANEOUS ORDER can be used on a MISC order.  
 AVAILABLE FOR: AM-N DEALERS  
 AUSTRALIAN AND NEW ZEALAND DEALERS  
 JAPANESE DEALERS  
 KOREAN DEALERS

CATERPILLAR MACHINE PRICE LIST

# D6-RY

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

**LANE SELECTION**

OP-9003	LANE 3 ORDER . . . . .	0	NC
---------	------------------------	---	----

**SPECIAL ARRANGEMENTS**

L	464-5587	BASIC ARRANGEMENT . . . . . Common pusharm and VPAT configuration for general applications.	0	NC
---	----------	--	---	----

L	589-0994	FORESTRY ARRANGEMENT, PUSHARM . . . . . FOR USE IN LANE 3 ONLY INCLUDES: FORESTRY (CLOSED) SWEEPS	0	\$8,190
		RECOMMENDED: 464-5557 PRECLEANER WITH SCREEN 600-1435 SCREENS, SIDE 533-5463 GUARD, LIGHTS, PREMIUM, PA PREMIUM LIGHTS, 12, LED, PA		

REQUIRES: 583-9465 CAB, HEAVY DUTY  
 471-7279 GUARD, BTM, SEALED,HD, PUSHARM  
 599-7940 SCREEN, REAR, HINGED  
 511-6789 SEALS, HIGH DEBRIS  
 505-6705 GRAB HANDLES, HD, PUSHARM  
 522-7670 GUARD, FUEL TANK or  
 475-7084 GUARD, FUEL TANK, FAST FILL  
 ONLY FOR USE WITH: 464-5807 D6 20 TTT CFG1  
 464-5808 D6 20 LGP TTT CFG2  
 464-5809 D6 20 LGP TTT CFG3

L	594-8211	FORESTRY ARRANGEMENT, VPAT . . . . . FOR USE IN LANE 3 ONLY INCLUDES: FORESTRY (CLOSED) SWEEPS	0	\$8,190
---	----------	--	---	---------

RECOMMENDED: 464-5557 PRECLEANER WITH SCREEN  
 600-1435 SCREENS, SIDE  
 606-4162 GUARD, LIGHTS, PREMIUM, VPAT  
 PREMIUM LIGHTS, 12, LED, VPAT

REQUIRES: 583-9465 CAB, HEAVY DUTY  
 599-7940 SCREEN, REAR, HINGED  
 581-7411 SEALS, HIGH DEBRIS, VPAT  
 505-6967 GRAB HANDLES, HD, VPAT  
 522-7670 GUARD, FUEL TANK or  
 475-7084 GUARD, FUEL TANK, FAST FILL  
 ONLY FOR USE WITH: 464-5810 D6 20 VPAT TTT CFG4  
 464-5811 D6 20 LGP VPAT TTT CFG5  
 464-5812 D6 20 LGP VPAT TTT CFG6

CATERPILLAR MACHINE PRICE LIST

# D6-RY

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

**SPECIAL ARRANGEMENTS (CONT.)**

L	567-2132	<b>OPEN SWEEPS, PUSHARM</b> ..... 0 FOR USE IN LANE 3 ONLY INCLUDES: SWEEPS, OPEN  RECOMMENDED: 583-9465 CAB, HEAVY DUTY 511-6789 SEALS, HIGH DEBRIS 533-5463 GUARD, LIGHTS, PREMIUM, PA PREMIUM LIGHTS, 12, LED, PA  REQUIRES: 522-7670 GUARD, FUEL TANK or 475-7084 GUARD, FUEL TANK, FAST FILL 505-6705 GRAB HANDLES, HD, PUSHARM 471-7279 GUARD, BTM, SEALED,HD, PUSHARM ONLY FOR USE WITH: 464-5807 D6 20 TTT CFG1 464-5808 D6 20 LGP TTT CFG2 464-5809 D6 20 LGP TTT CFG3		\$7,920
---	----------	--	--	---------

L	567-2133	<b>OPEN SWEEPS, VPAT</b> ..... 0 FOR USE IN LANE 3 ONLY INCLUDES: SWEEPS, OPEN  RECOMMENDED: 583-9465 CAB, HEAVY DUTY 581-7411 SEALS, HIGH DEBRIS, VPAT 606-4162 GUARD, LIGHTS, PREMIUM, VPAT PREMIUM LIGHTS, 12, LED, VPAT  REQUIRES: 522-7670 GUARD, FUEL TANK or 475-7084 GUARD, FUEL TANK, FAST FILL 505-6967 GRAB HANDLES, HEAVY DUTY, VPAT ONLY FOR USE WITH: 464-5810 D6 20 VPAT TTT CFG4 464-5811 D6 20 LGP VPAT TTT CFG5 464-5812 D6 20 LGP VPAT TTT CFG6		\$7,920
---	----------	--	--	---------

**POWERTRAIN**

**FINAL DRIVE ARRANGEMENTS**

L	464-5180	<b>FINAL DRIVE, 76" (1930 MM)</b> ..... 0 Includes two basic final drives for 76" gauge tractor. ONLY FOR USE WITH: 464-5807 D6 20 TTT CFG1		NC
L	464-5183	<b>FINAL DRIVE, 82" (2083 MM)</b> ..... 0 Includes two basic final drives for 82" gauge tractor. ONLY FOR USE WITH: 464-5808 D6 20 LGP TTT CFG2 464-5810 D6 20 VPAT TTT CFG4		NC
L	464-5186	<b>FINAL DRIVE, 90" (2286 MM)</b> ..... 0 Includes two basic final drives for 90" gauge tractor. ONLY FOR USE WITH: 464-5809 D6 20 LGP TTT CFG3 464-5811 D6 20 LGP VPAT TTT CFG5		NC
L	464-5189	<b>FINAL DRIVE, 94" (2388MM)</b> ..... 0 Includes two basic final drives for 94" gauge tractor. ONLY FOR USE WITH: 464-5812 D6 20 LGP VPAT TTT CFG6		NC

CATERPILLAR MACHINE PRICE LIST

**D6-RY**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

**POWERTRAIN (CONT.)**

**ENGINE ARRANGEMENTS**

All Engines are C9.3B Diesel Engines EPA/ARB Tier 4 Final and MLIT (Tier 4 Final) with Aftertreatment

L	464-5201	ENGINE, LUC, STANDARD .....	0	NC
---	----------	-----------------------------	---	----

**ENGINE AIR PRECLEANERS**

L	464-5556	PRECLEANER, BASIC. ....	0	NC
L	464-5557	PRECLEANER, WITH SCREEN. .... FOR USE IN LANE 3 ONLY For use in heavy debris applications. May improve filter life.	0	\$1,545

**OIL CHANGE SYSTEM**

L	460-4590	OIL DRAIN, BASIC .....	0	NC
L	460-4580	OIL CHANGE SYSTEM, HIGH SPEED .....	0	\$985
		Easy access Wiggins connectors and remote engine and powertrain drain lines for quick, and easy oil changes without having to use gravity drains.		

**UNDERCARRIAGE**

Customers should carefully select between Cat Abrasion and Heavy Duty Undercarriage based on expected underfoot and application. Please refer to the Undercarriage Application Guide.  
[https://oneclick.cat.com/files/UAGuide\\_3\\_27\\_13/index.html](https://oneclick.cat.com/files/UAGuide_3_27_13/index.html) or PEBJ0024

**UNDERCARRIAGE SYSTEMS**

- 1) Heavy Duty Extended Life (HDXL): For use in all applications. Track bushings can be turned and re-sealed mid-life. Press-fit bushings and PPR2 pin retention are particularly well suited for impact applications such as forestry, waste, rock, or v-ditching.
- 2) CAT ABRASION: For use in low to moderate impact applications and moderate to high abrasion underfoot. A rotating bushing reduces bushing and sprocket wear rate. Relieved Tread Idlers provide longer link wear life and improve finish grading by reducing link scallop. Not for use in high impact or waste applications.

CATERPILLAR MACHINE PRICE LIST

**D6-RY**

USE	REF NO.	<b>LANE 2 / 3 MANDATORY</b>	Ship Weight lbs	List Price At Factory
-----	---------	-----------------------------	-----------------	-----------------------

**UNDERCARRIAGE (CONT.)**

**TRACK ROLLERS AND GUIDE GUARDS**

The undercarriage selection provides options for track rollers and guide-guards to prevent track derailing on side slopes or rough underfoot. Guards also prevent flow of debris into the track. Derailing and debris can put damaging loads into the track and undercarriage system. Choose a guide-guard arrangement based on underfoot and applications as described below.

**TRACK ROLLERS**

- 1) **SINGLE FLANGE(S)**: Bottom rollers have flanges that guide only on the outside edge of each track chain. Cat Abrasion Undercarriage uses all single flange track rollers (SSSSSSSS).
- 2) **DOUBLE FLANGE(D)**: Bottom rollers have flanges that guide along the outer and inner edges of each track chain. They provide basic guiding but will not fully prevent track derail if used on side slopes steeper than 4:1. Flange diameter is the same as Single Flange, which allows for full UC system wear before flanges contact track pin bosses.
- 3) **TALL DOUBLE FLANGE(T)**: Bottom rollers have taller outer and inner flanges to better engage the track. Tall flanges provide required guiding for slopes steeper than 4:1 and minimize track derail. The taller flanges can contact track pin bosses in the last 10-15% of UC system wear life.

**TRACK GUIDE GUARDS**

- 1) **CENTER GUIDE**: Light track guiding with single center track guide guard. HDXL center guide undercarriage has bottom rollers in a mixed Single/Double flange configuration (SDSDDSDS). For applications with side slopes 4:1 and shallower, ground objects up to 1"; and little, if any, V-ditching.
- 2) **PARTIAL GUIDE, TALL FLANGE**: Moderate track guiding with two center track guide-guards. HDXL partial guide with tall flange UC includes tall double flange bottom rollers in all positions except end rollers (STTTTTTS). For frequent use on side slopes between 4:1 and 2:1; ground objects 1" to 3"; and low to moderate V-ditching.
- 3) **FULL GUIDE**: Heavy track guiding with full length track guide-guards HDXL full guide undercarriage includes tall double flange bottom rollers in all positions except end rollers (STTTTTTS). For applications with side slopes 2:1 and steeper; with ground objects greater than 3", and frequent v-ditching. Not for use in applications with wet, heavy, packable underfoot material.

**OPTIONAL ARRANGEMENTS**

- 1) **WASTE**: Includes Kevlar guarded, sealed idlers to help prevent wire wrap and keep debris out. Includes centre guides.
- 2) **FINE GRADING**: Includes 10 bottom rollers for smoother grades at higher speeds, even in difficult surfaces like sand and gravel.



CATERPILLAR MACHINE PRICE LIST

# D6-RY

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

**UNDERCARRIAGE (CONT.)**

**42 SECTION UNDERCARRIAGE ARRANGEMENT**

( For USE WITH 464-5807 D6 20 TTT CFG1 or 464-5808 D6 20 LGP TTT CFG2 )

L	578-2382	UNDERCARRIAGE, HDXL. . . . .	0	NC
		FOR USE IN LANE 3 ONLY		
L	578-2387	UNDERCARRIAGE, HDXL, FULL GDE . . . . .	0	\$5,310
		FOR USE IN LANE 3 ONLY		
L	604-8214	UC, HDXL, PART GUIDE, TALL . . . . .	0	\$5,090

**45 SECTION UNDERCARRIAGE ARRANGEMENT**

( FOR USE WITH 464-5809 D6 20 LGP TTT CFG3 )

L	464-5412	UNDERCARRIAGE, HDXL, CTR GUIDE. . . . .	0	NC
L	464-5414	UNDERCARRIAGE, HDXL, FULL GUIDE. . . . .	0	\$5,280
		FOR USE IN LANE 3 ONLY		
L	542-5766	UC, HDXL, FINE GRADING . . . . .	0	\$6,270
		FOR USE IN LANE 3 ONLY		
		Part guide		
L	604-8215	UC, HDXL, PART GUIDE, TALL . . . . .	0	\$3,140

**45 Section UNDERCARRIAGE ARRANGEMENT**

( FOR USE WITH 464-5810 D6 20 VPAT TTT CFG4 )

L	542-5760	UNDERCARRIAGE, HDXL, CTR GUIDE. . . . .	0	NC
		FOR USE IN LANE 3 ONLY		
L	542-5762	UNDERCARRIAGE, HDXL, FULL GDE . . . . .	0	\$5,290
		FOR USE IN LANE 3 ONLY		
L	604-8218	UC, HDXL, PART GUIDE, TALL . . . . .	0	\$5,080
		FOR USE IN LANE 3 ONLY		

**46 SECTION UNDERCARRIAGE ARRANGEMENT**

( FOR USE WITH 464-5811 D6 20 LGP VPAT TTT CFG5 or 464-5812 D6 20 LGP VPAT TTT CFG6 )

L	464-5420	UNDERCARRIAGE, HDXL, CTR GUIDE. . . . .	0	NC
L	464-5422	UNDERCARRIAGE, HDXL, FULL GDE . . . . .	0	\$5,290
		FOR USE IN LANE 3 ONLY		
L	542-5771	UC, HDXL, FINE GRADING . . . . .	0	\$7,250
		FOR USE IN LANE 3 ONLY		
		10 rollers arrangement with part guide.		
L	604-8217	UC, HDXL, PART GUIDE, TALL . . . . .	0	\$4,110

CATERPILLAR MACHINE PRICE LIST

**D6-RY**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

**UNDERCARRIAGE (CONT.)**

**46 SECTION UNDERCARRIAGE ARRANGEMENT (Cont.)**

TRACK GROUPS

- 1) MODERATE SERVICE(MS): Moderate Service shoe is the best shoe for low to medium impact and abrasive conditions. It gives the best penetration and traction, resists wear and bending and is available in various widths and modifications.
- 2) EXTREME SERVICE(ES): Extreme Service shoes should be used wherever the Moderate Service shoe bends or breaks, or when links outlast shoes. Extreme Service shoes are both stronger to resist bending and breaking and have more allowable wear and material than the Moderate Service shoe.
- 3) CENTER(CTR): SystemOne track includes center holes which reduce extrudable packing between the shoe and the bushing since the holes allow the sprocket to punch out dirt and debris. Recommended for applications where debris tends to pack in the track causing the track to tighten and accelerate bushing wear.
- 4) TRAPEZOIDAL(TRAP): HDXL track includes trapezoidal holes which reduce extrudable packing between the shoe and the bushing since the holes allow the sprocket to punch out dirt and debris. Recommended for applications where debris tends to pack in the track causing the track to tighten and accelerate bushing wear.

**TRACK PAIRS (42 SECTION)**

( FOR USE WITH 464-5807 D6 20 TTT CFG1 )

L	545-3920	TRACK, 22" MS HDXL . . . . .	0	NC
		FOR USE IN LANE 3 ONLY		
L	545-3922	TRACK, 22" ES HDXL . . . . .	0	\$2,085
L	545-3926	TRACK, 24" MS HDXL . . . . .	0	\$1,020
		FOR USE IN LANE 3 ONLY		
		Can be used with: 464-5808 D6 20 LGP TTT CFG2		
L	545-3928	TRACK, 24" ES HDXL . . . . .	0	\$3,275
		FOR USE IN LANE 3 ONLY		
		Can be used with: 464-5808 D6 20 LGP TTT CFG2		

**Track Pairs (42 SECTION)**

( FOR USE WITH 464-5808 D6 20 LGP TTT CFG2 )

L	545-3932	TRACK, 30" MS HDXL . . . . .	0	NC
		FOR USE IN LANE 3 ONLY		
L	545-3934	TRACK, 30" ES HDXL . . . . .	0	\$2,835
		FOR USE IN LANE 3 ONLY		

**TRACK PAIRS (45 SECTION)**

( FOR USE WITH 464-5809 D6 20 LGP TTT CFG3 )

L	545-3938	TRACK, 30" MS HD . . . . .	0	NC
---	----------	----------------------------	---	----

CATERPILLAR MACHINE PRICE LIST

# D6-RY

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

**UNDERCARRIAGE (CONT.)**

**TRACK PAIRS (45 SECTION) (Cont.)**

L	545-3940	TRACK, 30" ES HD . . . . . 0 FOR USE IN LANE 3 ONLY		\$-340
L	545-3944	TRACK, 36" MS HDXL . . . . . 0		NC
L	545-3946	TRACK, 36" ES HDXL . . . . . 10,961		\$3,730
L	545-3952	TRACK, 39" SELF-CLEAN HD . . . . . 9,530 Self-cleaning track. HDXL WITH Duralink. For use in soft underfoot conditions where flotation is a problem. Tracks separate from one another as they move around the sprocket and idler allowing dirt and debris to fall out. Not recommended for use in landfills.		\$31,760

**Track Pairs (45 SECTION)**

( FOR USE WITH 464-5810 D6 20 VPAT TTT CFG4 )

L	545-3958	TRACK, 24" MS HDXL . . . . . 0 FOR USE IN LANE 3 ONLY Can be used with: 464-5809 D6 20 LGP TTT CFG3		NC
L	545-3960	TRACK, 24" ES HDXL . . . . . 0 FOR USE IN LANE 3 ONLY Can be used with: 464-5809 D6 20 LGP TTT CFG3		\$2,085

**TRACK PAIRS (46 SECTION)**

( FOR USE WITH 464-5811 D6 20 LGP VPAT TTT CFG5 )

L	545-3964	TRACK, 24" MS HD . . . . . 0 FOR USE IN LANE 3 ONLY Can be used with: 464-5812 D6 20 LGP VPAT TTT CFG6		\$-2,140
L	545-3966	TRACK, 24" ES HD . . . . . 0 FOR USE IN LANE 3 ONLY Can be used with: 464-5812 D6 20 LGP VPAT TTT CFG6		\$248
L	545-3970	TRACK, 26" MS HDXL . . . . . 0		\$-1,360
L	594-8228	TRACK, 28" MS HDXL . . . . . 0		NC
L	545-3972	TRACK, 30" MS HDXL . . . . . 0 Can be used with: 464-5812 D6 20 LGP VPAT TTT CFG6		NC
L	545-3974	TRACK, 30" ES HDXL . . . . . 0 FOR USE IN LANE 3 ONLY Can be used with: 464-5812 D6 20 LGP VPAT TTT CFG6		\$5,710

**Track Pairs (46 SECTION)**

( FOR USE WITH 464-5812 D6 20 LGP VPAT TTT CFG6 )

L	545-3978	TRACK, 36" MS HDXL . . . . . 0 FOR USE IN LANE 3 ONLY		NC
L	545-3980	TRACK, 36" ES HDXL . . . . . 0 FOR USE IN LANE 3 ONLY		\$5,710

CATERPILLAR MACHINE PRICE LIST

**D6-RY**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

**HYDRAULICS**

**HYDRAULIC FAN**

Hydraulically driven, auto-reversing fan which changes direction automatically to purge debris from radiator and enclosures. Also includes a hydraulic valve that allows for zero fan speed to improve cold weather performance.

L	460-7149	FAN, REVERSING, PUSHARM . . . . .	0	NC
		ONLY FOR USE WITH: 464-5807 D6 20 TTT CFG1		
		464-5808 D6 20 LGP TTT CFG2		
		464-5809 D6 20 LGP TTT CFG3		
L	471-0420	FAN, REVERSING, VPAT . . . . .	0	NC
		ONLY FOR USE WITH: 464-5810 D6 20 VPAT TTT CFG4		
		464-5811 D6 20 LGP VPAT TTT CFG5		
		464-5812 D6 20 LGP VPAT TTT CFG6		

**REAR HYDRAULICS**

Includes hydraulic valve and lines for operation of ripper.

L	464-5463	HYDRAULICS, PUSHARM . . . . .	0	NC
		ONLY FOR USE WITH: 464-5807 D6 20 TTT CFG1		
		464-5808 D6 20 LGP TTT CFG2		
		464-5809 D6 20 LGP TTT CFG3		
L	464-5464	HYDRAULICS, VPAT . . . . .	0	NC
		ONLY FOR USE WITH: 464-5810 D6 20 VPAT TTT CFG4		
		464-5811 D6 20 LGP VPAT TTT CFG5		
		464-5812 D6 20 LGP VPAT TTT CFG6		

**REAR ATTACHMENT CONTROLS**

L	464-5459	CONTROL, RIPPER . . . . .	0	NC
L	464-5460	CONTROL, RIPPER/WINCH . . . . .	0	\$1,110
		FOR USE IN LANE 3 ONLY		
		Required for use with winch.		

**STARTERS, BATTERIES, & ALTERNATORS**

**ALTERNATORS**

L	464-5174	ALTERNATOR, 150 AMP . . . . .	0	NC
L	464-5175	ALTERNATOR, 150 AMP, DUCTED . . . . .	0	\$760
		Recommended for use in high debris environment.		

CATERPILLAR MACHINE PRICE LIST

**D6-RY**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

**ELECTRICAL**

**LIGHTING GROUP**

L	571-6177	<b>LIGHTS, 6 LED, PUSHARM</b> ..... 0 6 LED lights with 800 lumens each for added visibility. 2 mounted on front facing forward, 2 mounted on cab facing forward and 2 more mounted on cab facing rear. ONLY FOR USE WITH: 464-5807 D6 20 TTT CFG1 464-5808 D6 20 LGP TTT CFG2		\$695
L	571-6178	<b>LIGHTS, 12, LED, PREMIUM PUSHARM</b> ..... 0 Adds 6 additional LED lights to basic arrangement with output of 1500 lumens each. Provides 2 more lights mounted on front of dozer and 2 more mounted on each rear cab corner for a total of 360 degrees of visibility. ONLY FOR USE WITH: 464-5807 D6 20 TTT CFG1 464-5808 D6 20 LGP TTT CFG2		\$2,155
L	571-7817	<b>LIGHTS, 6 LED, PUSHARM</b> ..... 0 6 LED lights with 800 lumens each for added visibility. 2 mounted on front facing forward, 2 mounted on cab facing forward and 2 more mounted on cab facing rear. ONLY FOR USE WITH: 464-5809 D6 20 LGP TTT CFG3		\$695
L	571-7818	<b>LIGHTS, 12, LED, PREMIUM PUSHARM</b> ..... 0 FOR USE IN LANE 3 ONLY Adds 6 additional LED lights to basic arrangement with output of 1500 lumens each. Provides 2 more lights mounted on front of dozer and 2 more mounted on each rear cab corner for a total of 360 degrees of visibility. ONLY FOR USE WITH: 464-5809 D6 20 LGP TTT CFG3		\$2,155
L	571-6186	<b>LIGHTS, 6 LED, VPAT</b> ..... 0 6 LED lights with 800 lumens each for added visibility. 2 mounted on front facing forward, 2 mounted on cab facing forward and 2 more mounted on cab facing rear. ONLY FOR USE WITH: 464-5810 D6 20 VPAT TTT CFG4 464-5811 D6 20 LGP VPAT TTT CFG5 464-5812 D6 20 LGP VPAT TTT CFG6		\$695
L	571-6187	<b>LIGHTS, 12, LED, PREMIUM VPAT</b> ..... 0 Adds 6 additional LED lights to basic arrangement with output of 1500 lumens each. Provides 2 more lights mounted on radiator guard facing forward and 2 more mounted on each rear cab corner for a total of 360 degrees of visibility. ONLY FOR USE WITH: 464-5810 D6 20 VPAT TTT CFG4 464-5811 D6 20 LGP VPAT TTT CFG5 464-5812 D6 20 LGP VPAT TTT CFG6		\$2,155

CATERPILLAR MACHINE PRICE LIST

**D6-RY**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

**OPERATOR ENVIRONMENT**

**CAB**

L	583-9463	<b>CAB, PREMIUM</b> . . . . . 0 Includes adjustable armrests, laminated safety glass, sliding side windows and screen ready cab. Cab is Remote Control (RC) ready.		\$3,390
L	583-9465	<b>CAB, HEAVY DUTY</b> . . . . . 0 FOR USE IN LANE 3 ONLY For heavy duty or forestry applications. Includes features of the premium cab plus poly-carbonate glass doors for added impact resistance. Cab is Remote Control (RC) ready.		\$5,970

**SEATS**

L	470-7252	<b>SEAT, STANDARD</b> . . . . . 0 Comfort plus cloth seat with mechanical lumbar support.		NC
L	560-9088	<b>SEAT, HEATED &amp; VENTILATED</b> . . . . . 0 Comfort premium leather seat. Heated and ventilated. Side and back cushion bolsters. Air adjust upper and lower lumbar support.		\$1,875

**CAB FLOOR**

L	543-1114	<b>FLOOR, CAB, PREMIUM</b> . . . . . 0 Includes adjustable footrests and a thick floor plate for noise reduction in the operators station.		\$266
---	----------	---	--	-------

**VISIBILITY ARRANGEMENT**

L	577-8623	<b>REAR CAMERA</b> . . . . . 0 Rear camera system to enhance operator visibility of surroundings and machine. The camera image is shown on primary display. Rearview camera shows in home screen and automatically switches to full screen when machine is placed in reverse gear. Camera image includes back-up lines that show edge of machine tracks and distance reference.		\$550
---	----------	--	--	-------

**CAB AIR PRECLEANER**

L	441-9252	<b>AIR FILTER, CAB</b> . . . . . 0 Provides an external and accessible cartridge with a cylindrical filter (MERV16) to prevent the cab from normal dust intrusions.		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

**D6-RY**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

**OPERATOR ENVIRONMENT (CONT.)**

***CAB AIR PRECLEANER (Cont.)***

L	588-1061	<b>PRECLEANER, CAB POWERED . . . . . 0</b> Provides powered pre-cleaner with advanced cabin filtration that helps provide cleaner operator environment. Recommended in high debris applications. Includes: -Extended service times for air filter -Improved cabin pressurization to keep dirt out -External accessible cartridge with cylindrical filter (MERV16) to prevent the cab from normal dust intrusions. -Upgrade compatible with HEPA with activated carbon for order control filtration.		<b>\$3,120</b>
---	----------	---	--	----------------

***RADIO***

L	579-5779	<b>PREMIUM CORP RADIO (12V) . . . . . 0</b> Premium 12V AM/FM radio with Bluetooth technology, USB port, and 3.5 mm AUX input. Availability varies by country.		<b>\$605</b>
---	----------	---	--	--------------

CATERPILLAR MACHINE PRICE LIST

**D6-RY**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

**TECHNOLOGY PRODUCTS**

**MACHINE CONTROLS**

A complete range of tools are available to match customer applications and dozing automation needs.

- 1) SLOPE INDICATE: Provides operator real time machine cross slope and mainfall information on the primary display.
- 2) BLADE LOAD MONITOR: Provides operator real-time feedback of the current load vs. the target machine load to fully utilize machines capacity. Feature not operational indoors or in areas where a GPS signal is not available.
- 3) STABLE BLADE: Complements the operators blade inputs to attain finish grades quicker with less effort.
- 4) SLOPE ASSIST: Helps operators reach cross slope and mainfall targets by automatically maintaining the dozer blades established blade angles. This feature does not require a base station, laser transmitter, design file, or additional hardware.
- 5) TRACTION CONTROL: Automatically prevents excessive track slip to improve efficiency and reduce burden on operator. Feature not operational indoors or in areas where a GPS signal is not available
- 6) AUTOCARRY: Automates blade lift to maximize blade load, improve load consistency, and reduce track slip. Feature not operational indoors or in areas where a GPS signal is not available.
- 7) ARO (Attachment Ready Option): Allows machine to easily be upgraded to Cat Grade with 3D integrated grade control systems or Accugrade GNSS, laser, or UTS blade mounted Grade Control Systems. ARO includes IMU sensors, EC520 controller, wiring, and mounting brackets. Upgrading to Cat Grade With 3D after build requires grade display, GNSS receivers and antennas, data corrections solutions, SITECH provided Grade license files, and Caterpillar provided SEA, part number 513-5980. Dealer to provide price for additional hardware and software.
- 8) GRADE W/3D: Cat Grade with 3D is a factory installed, integrated grade control system with chassis mounted sensors and GNSS antennas mounted to roof of cab. Includes grade display, GNSS receivers and antennas, GRADE license files, and Caterpillar provided SEA. Additional requirements via Cat/SITECH Dealer include data corrections solution and measure up calibration.

Note: Availability varies by country. Contact your Caterpillar Marketing representative with questions.  
 - ARO w/ Assist: Includes G6:M6. Reference: <https://dealer.cat.com/en/products/technology/construction-technology> for certified countries.  
 - GRADE 3D: Includes MS955 and RZ2. Reference: [dealer.cat.com/en/products/technology/construction-technology/grade](https://dealer.cat.com/en/products/technology/construction-technology/grade) for certified countries.

L	587-7161	PREMIUM DISPLAY, NON ARO	0	\$1,510
---	----------	--------------------------	---	---------



CATERPILLAR MACHINE PRICE LIST

**D6-RY**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

**TECHNOLOGY PRODUCTS (CONT.)**

**MACHINE CONTROLS (Cont.)**

Provides a 10" touchscreen display and glove box.  
 INCLUDES:  
 - SLOPE INDICATE

L	587-7162	<b>ARO W/ ASSIST</b> . . . . . 0		<b>\$9,090</b>
		Provides a 10" touchscreen display and glove box. INCLUDES: - SLOPE INDICATE - BLADE LOAD MONITOR - STABLE BLADE - SLOPE ASSIST - TRACTION CONTROL - AUTOCARRY - ATTACHMENT READY OPTION (ARO) CANNOT BE USED WITH: ANGLE BLADE		

L	587-7163	<b>GRADE W/3D</b> . . . . . 0		<b>\$62,650</b>
		Provides a 10" touchscreen display and glove box. INCLUDES: - SLOPE INDICATE - BLADE LOAD MONITOR - STABLE BLADE - SLOPE ASSIST - TRACTION CONTROL - AUTOCARRY - ATTACHMENT READY OPTION (ARO) - GRADE W/ 3D CANNOT BE USED WITH: SWEEPS or ANGLE BLADE		

L	587-7164	<b>GRADE W/3D, SWEEPS</b> . . . . . 0		<b>\$62,650</b>
		FOR USE IN LANE 3 ONLY Provides a 10" touchscreen display and glove box. INCLUDES: Same features as listed in GRADE W/3D ONLY FOR USE WITH: SWEEPS or 589-0994 FORESTRY ARRANGEMENT, PUSHARM or 594-8211 FORESTRY ARRANGEMENT, VPAT CANNOT BE USED WITH: ANGLE BLADE		

**JOYSTICK CONTROLS**

L	435-5757	<b>JOYSTICK, STANDARD, VPAT</b> . . . . . 0		<b>NC</b>
		ONLY FOR USE WITH: 587-7161 PREMIUM DISPLAY, NON ARO and 464-5810 D6 20 VPAT TTT CFG4 or 464-5811 D6 20 LGP VPAT TTT CFG5 or 464-5812 D6 20 LGP VPAT TTT CFG6		
L	435-5759	<b>JOYSTICK, ARO/GRADE, VPAT</b> . . . . . 0		<b>NC</b>
		ONLY FOR USE WITH: 464-5810 D6 20 VPAT TTT CFG4 or 464-5811 D6 20 LGP VPAT TTT CFG5 or 464-5812 D6 20 LGP VPAT TTT CFG6 CANNOT BE USED WITH: 587-7161 PREMIUM DISPLAY, NON ARO		

CATERPILLAR MACHINE PRICE LIST

**D6-RY**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

**TECHNOLOGY PRODUCTS (CONT.)**

**JOYSTICK CONTROLS (Cont.)**

L	435-5756	JOYSTICK, STANDARD, PA . . . . . 0 ONLY FOR USE WITH: 587-7161 PREMIUM DISPLAY, NON ARO and 464-5807 D6 20 TTT CFG1 or 464-5808 D6 20 LGP TTT CFG2 or 464-5809 D6 20 LGP TTT CFG3		NC
L	435-5758	JOYSTICK, ARO/GRADE, PA . . . . . 0 ONLY FOR USE WITH: 464-5807 D6 20 TTT CFG1 or 464-5808 D6 20 LGP TTT CFG2 or 464-5809 D6 20 LGP TTT CFG3 CANNOT BE USED WITH: 587-7161 PREMIUM DISPLAY, NON ARO		NC

**DOZER CONTROL**

L	594-7759	DOZER CTL, STANDARD, VPAT . . . . . 0 ONLY FOR USE WITH: 587-7161 PREMIUM DISPLAY, NON ARO and 464-5810 D6 20 VPAT TTT CFG4 or 464-5811 D6 20 LGP VPAT TTT CFG5 or 464-5812 D6 20 LGP VPAT TTT CFG6		NC
L	594-7760	DOZER CTL, ARO/GRADE, VPAT . . . . . 0 ONLY FOR USE WITH: 464-5810 D6 20 VPAT TTT CFG4 or 464-5811 D6 20 LGP VPAT TTT CFG5 or 464-5812 D6 20 LGP VPAT TTT CFG6 CANNOT BE USED WITH: 587-7161 PREMIUM DISPLAY, NON ARO		NC
L	594-7761	DOZER CTL, STANDARD, PA . . . . . 0 ONLY FOR USE WITH: 587-7161 PREMIUM DISPLAY, NON ARO and 464-5807 D6 20 TTT CFG1 or 464-5808 D6 20 LGP TTT CFG2 or 464-5809 D6 20 LGP TTT CFG3		NC
L	594-7762	DOZER CTL, ARO/GRADE, PA . . . . . 0 ONLY FOR USE WITH: 464-5807 D6 20 TTT CFG1 or 464-5808 D6 20 LGP TTT CFG2 CANNOT BE USED WITH: 587-7161 PREMIUM DISPLAY, NON ARO		NC
L	594-7763	DOZER CTL, ARO/GRADE, PA . . . . . 0 ONLY FOR USE WITH: 464-5809 D6 20 LGP TTT CFG3 CANNOT BE USED WITH: 587-7161 PREMIUM DISPLAY, NON ARO		NC

CATERPILLAR MACHINE PRICE LIST

**D6-RY**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

**TECHNOLOGY PRODUCTS (CONT.)**

**PRODUCT LINK**

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Cat marketing representative with questions.

Cab selection determines Product Link network manager. CAB, STANDARD uses PL602. All other cab selections use PL702.

L	577-7697	PROD LINK, PLE643/PLE743 RADIO . . . . . 0		NC
		Product link radio package PLE643/PLE743 provides a cellular PL243 radio. When the radio is used in combination with a PLE602 network manager (to make a PLE643 system) or PLE702 network manager (to make a PLE743 system) hours, health, utilization, and productivity information is collected and transmitted. The system also provides support for remote services and other advanced features.		
L	577-7698	PROD LINK, PLE683/PLE783 RADIO . . . . . 0		\$476
		Product link radio package PLE683/PLE783 provides a dual mode PL083 radio for use where travel between areas of both cellular and satellite coverage is required. When the radio is used in combination with a PLE602 network manager (to make a PLE683 system) or PLE702 network manager (to make a PLE783 system) hours, health, utilization, and productivity information is collected and transmitted. The system also provides support for remote services and other advanced features.		

**FUEL SYSTEMS**

L	522-7680	FUEL TANK, BASIC . . . . . 0		NC
L	500-4769	FUEL TANK, FAST FILL . . . . . 0		\$900
		Fuel tank ready for an optional 526-7834 NOZZLE, FAST FILL or refilling pump equipment.		

**GUARDS**

**BOTTOM GUARDS**

L	471-7277	GUARD, BOTTOM, PA . . . . . 0		NC
		ONLY FOR USE WITH: 464-5807 D6 20 TTT CFG1 464-5808 D6 20 LGP TTT CFG2 464-5809 D6 20 LGP TTT CFG3		
L	471-7279	GUARD, BTM, SEALED,HD, PUSHARM . . . . . 0		\$2,330
		Includes heavy duty and sealed bottom guards. ONLY FOR USE WITH: 464-5807 D6 20 TTT CFG1 464-5808 D6 20 LGP TTT CFG2 464-5809 D6 20 LGP TTT CFG3		

CATERPILLAR MACHINE PRICE LIST

# D6-RY

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

**GUARDS (CONT.)**

***BOTTOM GUARDS (Cont.)***

L	471-6558	GUARD, BOTTOM, HD, VPAT . . . . . 0		\$2,330
		ONLY FOR USE WITH: 464-5810 D6 20 VPAT TTT CFG4		
		464-5811 D6 20 LGP VPAT TTT CFG5		
		464-5812 D6 20 LGP VPAT TTT CFG6		

***ENGINE ENCLOSURES***

L	471-0416	ENCLOSURE, ENGINE, PUSHARM . . . . . 0		NC
		Provides standard enclosure access to engine for Pusharm Tractors		
		ONLY FOR USE WITH: 464-5807 D6 20 TTT CFG1		
		464-5808 D6 20 LGP TTT CFG2		
		464-5809 D6 20 LGP TTT CFG3		
L	471-0418	ENCLOSURE, ENGINE, VPAT . . . . . 0		NC
		Provides standard enclosure access to engine for VPAT Tractors		
		ONLY FOR USE WITH: 464-5810 D6 20 VPAT TTT CFG4		
		464-5811 D6 20 LGP VPAT TTT CFG5		
		464-5812 D6 20 LGP VPAT TTT CFG6		

**OTHER ATTACHMENTS**

***REAR ATTACHMENTS***

L	458-2640	RIPPER, HIGH LIFT . . . . . 0		\$25,760
			0	\$25,240 NI
		DOES NOT INCLUDE RIPPER SHANKS THAT MUST BE ORDERED SEPARATELY		
		High lift capability for increased departure angle.		
		Can accommodate 3 teeth (not included).		
		NOTE: Machines with 36" shoes are not recommended for normal ripping applications. When installed with 36" shoes, this ripper is intended ONLY for scarifying applications.		
		AVAILABLE AS INSTALLED ONLY WITH A MACHINE		
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER		
		Teeth will be ordered Installed if the ripper is Installed, they will be ordered Not Installed if ripper Not Installed.		
L	471-7300	DRAWBAR . . . . . 0		\$1,610
L	528-4030	TOW POINT, REAR . . . . . 0		\$1,595
		Only for use in applications requiring 5 PSI.		
		ONLY FOR USE WITH: 464-5812 D6 20 LGP VPAT TTT CFG6		
L	528-4042	NO REAR ATTACHMENT . . . . . 0		NC
		This allows the selection of No Rear Attachment, however, dealers must ensure that a rear attachment is installed upon delivery. Minimum requirement is a drawbar as a retrieval device. Enter a DOCS case if desired.		

CATERPILLAR MACHINE PRICE LIST

**D6-RY**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

**OTHER ATTACHMENTS (CONT.)**

**GRAB HANDLES**

L	505-6704	GRAB HANDLES, STD, PUSHARM . . . . . 0 ONLY FOR USE WITH: 464-5807 D6 20 TTT CFG1 464-5808 D6 20 LGP TTT CFG2 464-5809 D6 20 LGP TTT CFG3		NC
L	505-6705	GRAB HANDLES, HD, PUSHARM . . . . . 0 Increased strength grab irons to resist damage caused by debris in landfill or other severe applications. ONLY FOR USE WITH: 464-5807 D6 20 TTT CFG1 464-5808 D6 20 LGP TTT CFG2 464-5809 D6 20 LGP TTT CFG3		\$1,055
L	505-6966	GRAB HANDLES, STANDARD, VPAT . . . . . 0 ONLY FOR USE WITH: 464-5810 D6 20 VPAT TTT CFG4 464-5811 D6 20 LGP VPAT TTT CFG5 464-5812 D6 20 LGP VPAT TTT CFG6		NC
L	505-6967	GRAB HANDLES, HEAVY DUTY, VPAT . . . . . 0 Increased strength grab irons to resist damage caused by debris in landfill or other severe applications. ONLY FOR USE WITH: 464-5810 D6 20 VPAT TTT CFG4 464-5811 D6 20 LGP VPAT TTT CFG5 464-5812 D6 20 LGP VPAT TTT CFG6		\$1,055

**WATER JACKET HEATER**

L	472-5602	WATER JACKET HEATER, 110V . . . . . 0		\$299
L	472-5603	WATER JACKET HEATER, 220V . . . . . 0		\$299
L	594-8215	NO WATER JACKET HEATER . . . . . 0		NC

**FLUIDS**

**COOLANTS**

L	464-5283	FLUIDS, STD OIL, -35F . . . . . 0 Includes standard engine and transmission oil. Provides cooling system antifreeze protection down to -37C (-35F).		NC
L	566-5515	FLUIDS, STD OIL, -58F . . . . . 0 FOR USE IN LANE 3 ONLY Includes standard engine and transmission oil. Provides cooling system antifreeze protection down to -50C (-58F).		\$303 NET

CATERPILLAR MACHINE PRICE LIST

**D6-RY**

USE	REF NO.	<b>LANE 2 / 3 MANDATORY</b>	Ship Weight lbs	List Price At Factory
-----	------------	-----------------------------	--------------------	--------------------------

**INSTRUCTIONS**

***FILMS***

L	555-5500	FILM, WARNING, ANSI ..... 0 Includes all films and instructions to comply with the American National Standard Institute regulations.	0	NC
---	----------	--	---	----

***INSTRUCTIONS***

	0P-3380	INSTRUCTIONS, ENGLISH ..... 0	0	NC
--	---------	-------------------------------	---	----

CATERPILLAR MACHINE PRICE LIST

**D6-RY**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	List Price At Factory
<b>ELECTRICAL</b>				
<b>LIGHTS</b>				
L	589-3554	<b>LIGHT, WARNING</b> . . . . . 0 3 LED lights integrated into the top perimeter of the cab. One above each door and one in the rear. Fully visible for a 360 degree view.		\$1,035
L	577-7228	<b>LIGHT, REAR WORK</b> . . . . . 0 LED light to shine on rear attachment. Controlled with dedicated keypad button.		\$326
<b>OPERATOR ENVIRONMENT</b>				
<b>CB MOUNTING</b>				
L	589-3552	<b>RADIO, CB (READY)</b> . . . . . 0 Provides factory integrated solution for mounting CB radio on right rear cab C-Post. Includes adjustable mounting bracket, Co-Ax cables, CB antenna, 2nd power converter, and integrated power connection by radio.		\$1,020
<b>FUEL SYSTEMS</b>				
<b>FUELLING ATTACHMENTS</b>				
L	526-7834	<b>NOZZLE, FAST FILL</b> . . . . . 0 This fast fuel system is designed to be compatible with the 4C-6716 (Wiggin) fuel nozzle system. It may or may not be compatible with other fuel fill nozzle systems. ONLY FOR USE WITH: 500-4769 FUEL TANK, FAST FILL		\$1,345
<b>GUARDS</b>				
<b>CAB PROTECTION</b>				
L	599-7940	<b>SCREEN, REAR, HINGED</b> . . . . . 0 FOR USE IN LANE 3 ONLY Provides a protective hinged screen covering the rear cab window. Allows for ease of cleaning and changing of wiper blades.		\$1,685
L	600-1435	<b>SCREENS, SIDE</b> . . . . . 0 FOR USE IN LANE 3 ONLY Provides protective screens covering the side cab windows.		\$1,985
<b>FUEL TANK GUARDS</b>				
L	522-7670	<b>GUARD, FUEL TANK</b> . . . . . 0 ONLY FOR USE WITH: 522-7680 FUEL TANK, BASIC		\$3,335
L	475-7084	<b>GUARD, FUEL TANK, FAST FILL</b> . . . . . 0 ONLY FOR USE WITH: 500-4769 FUEL TANK, FAST FILL		\$3,335

CATERPILLAR MACHINE PRICE LIST

**D6-RY**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	List Price At Factory
-----	---------	---------------------	-----------------	-----------------------

**GUARDS (CONT.)**

**LIGHT GUARDS**

L	533-5463	GUARD, LIGHTS, PREMIUM, PA Wire guards for front and side facing lights. ONLY FOR USE WITH: LIGHTS,12,LED,PREMIUM	0	\$311
L	606-4162	GUARD, LIGHTS, PREMIUM, VPAT ONLY FOR USE WITH: 571-6187 LIGHTS, 12, LED, PREMIUM VPAT	0	\$311

**SEAL GROUP**

L	511-6789	SEALS, HIGH DEBRIS FOR USE IN LANE 3 ONLY Includes additional seals around fenders, fuel tank, radiator guard and rear hood support. For use in high debris applications. ONLY FOR USE WITH: PUSHARM MACHINES and 522-7670 GUARD, FUEL TANK or 475-7084 GUARD, FUEL TANK, FAST FILL	0	\$1,130
L	581-7411	SEALS, HIGH DEBRIS, VPAT FOR USE IN LANE 3 ONLY Includes additional seals around fenders, fuel tank, radiator guard and rear hood support. For use in high debris applications. ONLY FOR USE WITH: VPAT MACHINES and 522-7670 GUARD, FUEL TANK or 475-7084 GUARD, FUEL TANK, FAST FILL	0	\$1,130
L	564-8431	SEALS, REAR FOR USE IN LANE 3 ONLY Provides a seal across the top, rear of the case to prevent high debris entry. Required for machines when working in high debris environments. ONLY FOR USE WITH: 511-6789 SEALS, HIGH DEBRIS or 581-7411 SEALS, HIGH DEBRIS, VPAT	0	\$520

**OTHER ATTACHMENTS**

**WINCH HYDRAULICS**

L	535-7648	HYDRAULICS, WINCH READY LINES FOR USE IN LANE 3 ONLY Provides additional hydraulic lines to enable the use of PA85 winch. ONLY FOR USE WITH: 464-5460 CONTROL, RIPPER/WINCH	0	\$306
---	----------	--	---	-------



CATERPILLAR MACHINE PRICE LIST

**D6-RY**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	List Price At Factory
-----	---------	---------------------	-----------------	-----------------------

**OTHER ATTACHMENTS (CONT.)**

**REAR ATTACHMENTS - COUNTERWEIGHTS**

L	528-4038	<b>COUNTERWEIGHT, REAR</b> . . . . . 717 Provides a 2000 lbs (907 kg) rear counterweight. Can add upto two extra slabs (760 lbs each). Note: The new design of D6-20 provides improved balance. Counterweights are only recommended with foldable or heavier aftermarket blades. ONLY FOR USE WITH: 471-7300 DRAWBAR		<b>\$7,340</b>
L	117-9058	<b>COUNTERWEIGHT, REAR SLAB</b> . . . . . 760 FOR USE IN LANE 3 ONLY Additional weight of 760 lbs (345 kg). 1 or 2 slabs can be ordered. ONLY FOR USE WITH: 528-4038 COUNTERWEIGHT, REAR		<b>\$3,245</b>

**BLADES**

**BULLDOZER INSTALLATION PACKAGES**

PUSHARM bulldozer arrangements are made of separate attachments to order from the following bulldozer, cylinder and blade sections. Cylinders are installed and mandatory attachments, blades are not installed and optional. PLEASE MAKE SURE TO SELECT ONE BLADE IF INTENDED TO GET A COMPLETE MACHINE. VPAT Bulldozer packages (Power, Angle and Tilt) include the cylinders and are completely installed. VPAT blades are mandatory attachments to be added from the blade section below. The foldable blade will be delivered installed, straight ones will be dismantled for shipment.

L	472-7310	<b>6SU BULLDOZER</b> . . . . . 760 Includes push arms, trunnions, tilt cylinder lines, and tilt cylinder. ONLY FOR USE WITH: 464-5807 D6 20 TTT CFG1		<b>\$15,460 NI</b>
L	472-7312	<b>6SU LGP BULLDOZER</b> . . . . . 760 Includes push arms, trunnions, tilt cylinder lines, and tilt cylinder. ONLY FOR USE WITH: 464-5808 D6 20 LGP TTT CFG2		<b>\$18,860 NI</b>
L	472-7314	<b>6S LGP BULLDOZER</b> . . . . . 0 Includes push arms, trunnions, tilt cylinder lines, and tilt cylinder. ONLY FOR USE WITH: 464-5809 D6 20 LGP TTT CFG3		<b>\$18,940 NI</b>
L	538-1329	<b>VPAT DOZER PACKAGE</b> . . . . . 0 Includes trunnions, c-frame, all cylinders with lines. ONLY FOR USE WITH: 464-5810 D6 20 VPAT TTT CFG4 464-5811 D6 20 LGP VPAT TTT CFG5 464-5812 D6 20 LGP VPAT TTT CFG6		<b>\$35,120</b>

**BULLDOZER LIFT CYLINDERS**

L	566-3144	<b>CYLINDER LINES, PUSHARM</b> . . . . . 0 ONLY FOR USE WITH: 464-5807 D6 20 TTT CFG1 or 464-5808 D6 20 LGP TTT CFG2		<b>\$8,550</b>
---	----------	--	--	----------------

CATERPILLAR MACHINE PRICE LIST

# D6-RY

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	List Price At Factory
-----	---------	---------------------	-----------------	-----------------------

**BLADES (CONT.)**

**BULLDOZER LIFT CYLINDERS (Cont.)**

L	566-3145	CYLINDER LINES, PUSHARM . . . . . 0 ONLY FOR USE WITH: 464-5809 D6 20 LGP TTT CFG3		\$9,080
---	----------	---	--	---------

**BLADES**

L	463-5863	BLADE, 6SU ARO . . . . . 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Blade capacity is 5.7m3/7.4 yd3. Includes finish dozing cutting edges, end bits and left, right, and center AccuGrade mounts. ONLY FOR USE WITH: 464-5807 D6 20 TTT CFG1		\$13,070 NI
L	472-7306	BLADE, 6SU LGP, ARO . . . . . 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Blade capacity is 5.8m3/7.5 yd3. Includes finish dozing cutting edges, end bits and left, right, and center AccuGrade mounts. ONLY FOR USE WITH: 464-5808 D6 20 LGP TTT CFG2		\$14,530 NI
L	472-7308	BLADE, 6S LGP ARO . . . . . 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Blade capacity is 3.8m3/5.0 yd3. Includes finish dozing cutting edges, end bits and left, right, and center AccuGrade mounts. ONLY FOR USE WITH: 464-5809 D6 20 LGP TTT CFG3		\$12,790 NI
L	538-1333	BLADE, VPAT . . . . . 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Blade capacity is 4.1m3/5.4 yd3. Includes finish dozing cutting edges, end bits and left, right, and center AccuGrade mounts. ONLY FOR USE WITH: 464-5810 D6 20 VPAT TTT CFG4		\$13,480 NI
L	538-1334	BLADE, LGP VPAT . . . . . 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Blade capacity is 4.5m3/5.8 yd3. Includes finish dozing cutting edges, end bits and left, right, and center AccuGrade mounts. ONLY FOR USE WITH: 464-5811 D6 20 LGP VPAT TTT CFG5		\$16,260 NI
L	538-1335	BLADE, LGP VPAT . . . . . 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Blade capacity is 4.9m3/6.4 yd3. Includes finish dozing cutting edges end bits and left, right, and center AccuGrade mounts. ONLY FOR USE WITH: 464-5812 D6 20 LGP VPAT TTT CFG6		\$21,330 NI
L	340-7729	NO BLADE . . . . . 0		NC

CATERPILLAR MACHINE PRICE LIST

**D6-RY**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	List Price At Factory
-----	---------	---------------------	-----------------	-----------------------

**GROUND ENGAGING TOOLS**

***RIPPER SHANKS***

Rippers do not include any shanks. Teeth are mandatory attachments to the ripper. They will be ordered installed if the ripper is installed, not installed if the ripper is not installed.

L	<b>9J-8926</b>	<b>TOOTH, CURVED</b> . . . . .	481	<b>\$1,480</b>
			481	<b>\$1,480 NI</b>
		ALSO AVAILABLE AS MISCELLANEOUS ORDER One tooth. Curved shank with centerline tip. ONLY AVAILABLE IN QUANTITY OF 3. REQUIRED BY: 458-2640 RIPPER, HIGH LIFT		
L	<b>8J-2189</b>	<b>TOOTH, STRAIGHT</b> . . . . .	456	<b>\$1,525</b>
			456	<b>\$1,525 NI</b>
		ALSO AVAILABLE AS MISCELLANEOUS ORDER One tooth. Straight shank with penetration tip. ONLY AVAILABLE IN QUANTITY OF 3. REQUIRED BY: 458-2640 RIPPER, HIGH LIFT		

**FIELD INSTALLED ATTACHMENTS**

**WINCHES ARE AVAILABLE FROM CAT WORK TOOLS FOR NORTH AMERICA ONLY  
 PLEASE REFER TO THE WORK TOOLS-TTT PRICE LIST FOR CURRENT PRICES AND  
 CONTACT INFO FOR AVAILABILITY.**

**DOCUMENTATION**

***CERTIFICATE***

OP-2046	<b>PREPARATION FOR INSPECTION</b> . . . . .	0	<b>\$447 NET</b>
	Inspector is sent by dealer to review the machine. Plant must be contacted 2 weeks before the APPRTS / OPD date.		

**PACKING**

***TRACTOR PACKING***

OP-2832	<b>ROLL ON - ROLL OFF</b> . . . . .	0	<b>\$373 NET</b>
	Tractor ships complete with exception of bulldozer attachments		
OP-2833	<b>BUNDLED, BULLDOZER</b> . . . . .	0	<b>\$333 NET</b>
	Must be selected when ordering bulldozer packages or blades as "not installed"		

CATERPILLAR MACHINE PRICE LIST

**D6-RY**

USE	REF NO.	<b>LANE 2 / 3 OPTIONAL</b>	Ship Weight lbs	List Price At Factory
-----	------------	----------------------------	--------------------	--------------------------

**PACKING (CONT.)**

***BUNDLED, RIPPER (MISC ORDER ONLY)***

0P-2834	<b>BUNDLED, RIPPER . . . . . 0</b> Must be selected when ordering ripper as a misc order.	<b>\$467 NET</b>
---------	--	------------------

***STORAGE PROTECTION***

0P-2266	<b>SHIPPING/STORAGE PROTECTION . . . . . 0</b> Machines have been sprayed with Fluid Film TM. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer	<b>\$228 NET</b>
---------	---	------------------