

CATERPILLAR MACHINE PRICE LIST

D7

D7 TRACK TYPE TRACTOR PIRACICABA, BRAZIL	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

Standard Equipment:

POWERTRAIN

C9.3B Caterpillar diesel engine
Air cleaner, strata tube precleaner
with dust ejection
Air filter w/electronic service
indicator
Aftercooler, air to air (ATAAC)
Coolant, extended life
Fan, Hydraulic
Final drives, 3-planet double reduction
planetary
Fuel priming pump, electric
Parking brake, electronic
Radiator, aluminum bar plate
Turbocharger
Fuel water separator
Ecology drain
Enhanced full auto shift
Torque divider, lock up
Transmission, electronically controlled
powershift, 4 speed
Shift management
-Automatic directional and downshift
-Controlled throttle, load compensated
Engine decelerator and brake pedals

Cloth seat
Communication radio ready
Lights - 4 LED
Slope Indicate
Cupholders
Electro-hydraulic implement steering
controls
Footpads, dash
Glovebox,
Lunchbox storage
Mirror, rear view
Seatbelt, retractable, 76mm (3 inch)
Wipers

TECHNOLOGY PRODUCTS

RADIOS - Authorization varies by country
please contact your Cat marketing
representative with questions or click
on the link below:[https://dealer.cat.com
/en/products/technology.html](https://dealer.cat.com/en/products/technology.html)

PRODUCT LINK- Availability varies by
country, please contact your Cat
marketing representative with
questions or click on the link below:
<https://dealer.cat.com/pl/certification>

UNDERCARRIAGE

Clamp master link
Equalizer bar, Maintenance Free
Guards, end track guiding
Idlers, center tread
Rollers, lifetime lubricated
Track, lifetime lubricated
Track roller frames, tubular
Track adjusters, hydraulic
Sprocket rim segments, replaceable

OTHER STANDARD EQUIPMENT

Ripper ready rear hydraulics
Shovel holder
Mounting provision fire extinguisher
Fuel tank as (Fast fill ready)
Engine enclosures, perforated, hinged,
Removable
Bottom guards, hinged, removable
Ground level service center with
-Remote electrical disconnect
-Secondary shutdown switch & hour meter
Hood, perforated
Hydraulics, independent steering,
work tool and fan pumps
Hydraulics, load sensing, dozer lift
and tilt
Radiator doors, perforated, louvered
S.O.S sampling ports
Vandalism protection for fluid
compartments and battery box

ELECTRICAL

LED lights
Alarm, backup
Alternator, Brushless
Batteries, 2 Maintenance Free 12V
(1400 CCA) (24V system), Heavy Duty
Converter, one 15A, 12V Outlets
Connector, diagnostic
Starter, heavy duty, 24V
Horn, forward warning
Light, work, underhood

OPERATOR ENVIRONMENT

One piece cab, sound suressed,
integrated roll over protection
IROPS/FOPS
Cab-mounted modular HVAC system
8-inch (203 mm) gauge cluster display

CATERPILLAR MACHINE PRICE LIST

D7

D7 TRACK TYPE TRACTOR PIRACICABA, BRAZIL	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

<p>524-4736 D7 TRACTOR 0 LANE 3 - AVAILABLE FROM PIRACICABA FACTORY For Highly Regulated Countries (HRC)</p>	0	NC
<p>524-4737 D7 LGP TRACTOR 0 LANE 3 - AVAILABLE FROM PIRACICABA FACTORY. For Highly Regulated Countries (HRC)</p>	0	\$53,550
<p>0P-7363 D7 MISCELLANEOUS MATERIAL 0 AVAILABLE FROM PIRACICABA FACTORY. Only reference numbers that have the text "ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order</p>	0	NC

CATERPILLAR MACHINE PRICE LIST

D7

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE SELECTION

OP-9003	LANE 3 ORDER	0	NC
---------	------------------------	---	----

SPECIAL ARRANGEMENTS

L	588-0565	CONFIGURATION 17A BASIC For Highly Regulated Countries (HRC) ONLY FOR USE WITH: 524-4736 D7 TRACTOR 524-4737 D7 LGP TRACTOR	0	\$650,100
---	----------	--	---	-----------

APPLICATION PACKAGES

L	588-0566	STANDARD MACHINE PACKAGE Also Available for Turkey and Australia	0	NC
L	616-1703	WASTE HANDLING PACKAGE (STD) INCLUDES: 511-0249 ALTERNATOR, 150AMP, DUCTED 583-9469 CAB, HIGH DEBRIS 577-8623 REAR CAMERA 569-4514 FAN, REVERSING 519-1278 GUARD, BOTTOM, HD SEALED 539-3164 GUARD, FUEL TANK 588-6170 FLOOR, CAB, QUICK ACCESS 510-8802 PRECLEANER, SCREEN HIGH DEBRIS 588-1061 PRECLEANER, CAB POWERED 591-8356 SEAL GP, CAB 543-5286 UNDERCARRIAGE, WASTE RECOMMENDED: 555-7850 STRIKER BAR BOX, REAR 238-1177 COUNTERWEIGHT, ADDITIONAL 552-5082 GUARD, AC COVER 589-3552 RADIO, CB (READY) 508-1978 FINAL DRIVE, STD, GUARDED 546-5549 TRACK, 24" ES, TRAP HDXL 41SEC REQUIRES: 506-3702 ENGINE THERMAL HEAT SHIELD or 553-3389 ENGINE, THERMAL HEAT SHIELD, STG5 and 546-3297 SEAL, WASTE & WOODCHIP or 569-5263 SEALS, SND, WASTE & WOODCHIP ONLY FOR USE WITH: 524-4736 D7 TRACTOR	0	\$33,340

CATERPILLAR MACHINE PRICE LIST

D7

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

SPECIAL ARRANGEMENTS (CONT.)

APPLICATION PACKAGES (Cont.)

L	616-1704	WASTE HANDLING PACKAGE (LGP) 0 INCLUDES: 511-0249 ALTERNATOR, 150AMP, DUCTED 583-9469 CAB, HIGH DEBRIS 577-8623 REAR CAMERA 569-4514 FAN, REVERSING 519-1278 GUARD, BOTTOM, HD SEALED 539-3164 GUARD, FUEL TANK 588-6170 FLOOR, CAB, QUICK ACCESS 510-8802 PRECLEANER, SCREEN HIGH DEBRIS 588-1061 PRECLEANER, CAB POWERED 591-8356 SEAL GP, CAB 543-5281 UNDERCARRIAGE, WASTE, LGP RECOMMENDED: 555-7850 STRIKER BAR BOX, REAR 238-1177 COUNTERWEIGHT, ADDITIONAL 552-5082 GUARD, AC COVER 589-3552 RADIO, CB (READY) 508-1981 FINAL DRIVE, LGP, GUARD 571-6712 TRACK 915MM (36"), ES HDXL TRAP 43SEC REQUIRES: 506-3702 ENGINE THERMAL HEAT SHIELD or 553-3389 ENGINE, THERMAL HEAT SHIELD, STG5 and 546-3297 SEAL, WASTE & WOODCHIP or 569-5263 SEALS, SND, WASTE & WOODCHIP ONLY FOR USE WITH: 524-4737 D7 LGP TRACTOR	0	\$36,640
L	583-5537	WASTE HANDLING PACKAGE (STD) 0 INCLUDES: 511-0249 ALTERNATOR, 150AMP, DUCTED 583-9469 CAB, HIGH DEBRIS 577-8623 REAR CAMERA 569-4514 FAN, REVERSING 519-1278 GUARD, BOTTOM, HD SEALED 539-3164 GUARD, FUEL TANK 588-6170 FLOOR, CAB, QUICK ACCESS 510-8802 PRECLEANER, SCREEN HIGH DEBRIS 588-1061 PRECLEANER, CAB POWERED 591-8356 SEAL GP, CAB 607-2564, 22" ES, TRAP HDXL 41SEC UNDERCARRIAGE W/FRONT STRIKER BAR RECOMMENDED: 555-7850 STRIKER BAR BOX, REAR 238-1177 COUNTERWEIGHT, ADDITIONAL 552-5082 GUARD, AC COVER 589-3552 RADIO, CB (READY) 508-1978 FINAL DRIVE, STD, GUARDED REQUIRES: 506-3702 ENGINE THERMAL HEAT SHIELD or 553-3389 ENGINE, THERMAL HEAT SHIELD, STG5 and 546-3297 SEAL, WASTE & WOODCHIP or 569-5263 SEALS, SND, WASTE & WOODCHIP ONLY FOR USE WITH: 524-4736 D7 TRACTOR	0	\$53,430

CATERPILLAR MACHINE PRICE LIST

D7

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

SPECIAL ARRANGEMENTS (CONT.)

APPLICATION PACKAGES (Cont.)

L	583-5527	STOCKPILE PACKAGE	0	\$13,900
		INCLUDES:		
		511-0249 ALTERNATOR, 150 AMP, DUCTED		
		519-1273 BOTTOM GUARD, WOODCHIP		
		510-8802 PRECLEANER, SCREEN HIGH DEBRIS		
		569-4513 FAN, REVERSING, HIGH ABRASION		
		577-1297 SEAL, WOODCHIP & STOCKPILE		
		588-1061 PRECLEANER, CAB POWERED		
		588-6170 FLOOR, CAB QUICK ACCESS		
		599-8736 ENCLOSURE, STOCKPILE		
		552-5082 GUARD, AC COVER		
		RECOMMENDED:		
		589-3554 LIGHTS, WARNING BEACON		
		589-3552 RADIO, CB (READY)		
		REQUIRES: 506-3702 ENGINE THERMAL HEAT SHIELD or		
		553-3389 ENGINE, THERMAL HEAT SHIELD, STG5		
		ONLY FOR USE WITH: 524-4736 D7 TRACTOR		
		524-4737 D7 LGP TRACTOR		
		CANNOT BE USED WITH: EU MARKET BECAUSE OF SOUND REGULATION TARGETS.		
L	583-5528	DREDGING PACKAGE (STD)	0	\$15,050
		INCLUDES:		
		511-0249 ALTERNATOR, 150 AMP, DUCTED		
		506-7771 CARRIER ROLLERS, STD		
		595-6282 TRACK 24" MS RBT (41SEC)		
		599-2083 UNDERCARRIAGE, DREDGING		
		RECOMMENDED:		
		589-3552 RADIO, CB (READY)		
		393-0279 DRAWBAR, REAR (RIGID)		
		574-7847 COUNTERWEIGHT, REAR		
		541-7801 RIPPER, ADJUSTABLE TILT, MULTI-SHANK		
		519-7816 WINCH AR -HYD		
		ONLY FOR USE WITH: 524-4736 D7 TRACTOR		

POWERTRAIN

STD FINAL DRIVES

L	508-1976	FINAL DRIVES, STD	0	NC
		ONLY FOR USE WITH: 524-4736 D7 TRACTOR		
		553-3383 D7 TRACTOR		
L	508-1977	FINAL DRIVES, STD COLD WEATHER	0	NC
		ONLY FOR USE WITH: 524-4736 D7 TRACTOR		
		553-3383 D7 TRACTOR		
L	508-1978	FINAL DRIVE, STD, GUARDED	0	\$10,590
		ONLY FOR USE WITH: 524-4736 D7 TRACTOR		
		553-3383 D7 TRACTOR		

LGP FINAL DRIVES

L	508-1979	FINAL DRIVES, LGP	0	NC
		ONLY FOR USE WITH: 524-4737 D7 LGP TRACTOR		
		553-3384 D7 LGP TRACTOR		

CATERPILLAR MACHINE PRICE LIST

D7

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

POWERTRAIN (CONT.)

LGP FINAL DRIVES (Cont.)

L	508-1980	FINAL DRIVE, LGP, COLD WEATHER 0 ONLY FOR USE WITH: 524-4737 D7 LGP TRACTOR 553-3384 D7 LGP TRACTOR		NC
L	508-1981	FINAL DRIVE, LGP, GUARD 0 ONLY FOR USE WITH: 524-4737 D7 LGP TRACTOR 553-3384 D7 LGP TRACTOR		\$11,330

ENGINES

L	506-3701	ENGINE, STANDARD 0 EPA/ARB Tier 4 certified engine. ONLY FOR USE WITH: 524-4736 D7 TRACTOR or 524-4737 D7 LGP TRACTOR		NC
L	506-3702	ENGINE, THERMAL HEAT SHIELD 0 EPA/ARB Tier 4 certified engine. Provides thermal insulation covering for the machine exhaust system. For use in high debris applications such as waste handling and woodchip.		\$12,500

ENGINE AIR PRECLEANERS

L	510-8801	PRECLEANER, STANDARD 0 Includes engine air cleaner and standard precleaner screen for the HRC markets. ONLY FOR USE WITH: 524-4736 D7 TRACTOR 524-4737 D7 LGP TRACTOR		NC
L	510-8802	PRECLEANER, SCREEN HIGH DEBRIS 0 Includes engine air cleaner and screened engine precleaner for high debris applications in the HRC markets. REQUIRED FOR WASTE AND WOOD CHIP APPLICATIONS ONLY FOR USE WITH: 524-4736 D7 TRACTOR 524-4737 D7 LGP TRACTOR		\$1,515

CATERPILLAR MACHINE PRICE LIST

D7

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-------------------------	--------------------	-------------------------

UNDERCARRIAGE

1) Heavy Duty Extended Life with Duralink (HDXL): For use in all Customers should select Undercarriage based on expected underfoot and application.

TRACK

1) Heavy Duty Extended Life with Duralink (HDXL): For use in all applications. Track bushings can be turned and re-sealed mid-life. Press-fit bushings and PPR2 pin retention are particularly well suited for impact applications such as forestry, waste, rock, or v-ditching.

2) Rotating Bushing Track (RBT): Only for use in high abrasion and low impact applications. Rotating bushing design significantly reduces bushing and sprocket wear rate. Not for use in high or moderate impact or waste applications.

TRACK ROLLERS AND GUIDE GUARDS

The undercarriage selection provides options for track rollers and guide-guards to prevent track derailing on side slopes or rough underfoot. Guards also prevent flow of debris into the track. Derailing and debris can put damaging loads into the track and undercarriage system. Choose a guide-guard arrangement based on underfoot and applications as described below.

TRACK ROLLERS

SINGLE FLANGE (S): Bottom rollers have flanges that guide only on the outside edge of each track chain.

DOUBLE FLANGE (D) Bottom rollers have flanges that guide along the outer and inner edges of each track chain. They provide basic guiding but will not fully prevent track derail if used on side slopes steeper than 4:1. Flange diameter is the same as Single Flange, which allows for full UC system wear before flanges contact track pin bosses.

TALL DOUBLE FLANGE (T): Bottom rollers have taller outer and inner flanges to better engage the track. Tall flanges provide superior guiding for slopes steeper than 4:1 and minimize track derail. The taller flanges can contact track pin bosses in the last 10-15% of UC system wear life.

TRACK GUIDE GUARDS

1) **CENTER GUIDE:** Light track guiding with single center track guide-guard (except 41 section has no guard). Alternating Single/Double flange (SDSDDSDS) for applications with side slopes 4:1 and shallower, ground objects up to 1"; and little, if any, V-ditching.

2) **PARTIAL GUIDE:** Moderate track guiding with two center track guide-guards. Includes tall double flange bottom rollers in all positions except end rollers (STTTTTTS). For use on side slopes between 4:1 and 2:1; ground objects 1" to 3"; and low to moderate V-ditching.

3) **FULL GUIDE:** Heavy track guiding with full length track guide-guards. Includes tall double flange bottom rollers in all positions except end rollers (STTTTTTS). For applications with side slopes 2:1 and steeper with ground objects greater than 3", and frequent v-ditching. Not for use in applications with wet, heavy, packable underfoot material.

OPTIONAL ARRANGEMENTS

1) **WASTE:** Includes Kevlar guarded, sealed idlers to help prevent wire

CATERPILLAR MACHINE PRICE LIST

D7

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

. (Cont.)

and keep debris out. Includes Center guide Arrangement.
 2) COLD WEATHER (CW): Includes rollers and idlers filled with arctic oil. Includes Partial Guide Arrangement.

41 SECTIONS UNDERCARRIAGE

L	543-5285	UC, STANDARD (8 ROLLER) 0 Contains a 8 roller track frame with no track guides. REQUIRES: 506-7771 CARRIER ROLLERS, STD ONLY FOR USE WITH: 524-4736 D7 TRACTOR 553-3383 D7 TRACTOR		\$1,915
L	543-5286	UC, WASTE 0 Includes 8 rollers, waste idlers and partial track guides. ONLY FOR USE WITH: 524-4736 D7 TRACTOR 553-3383 D7 TRACTOR		\$9,230
L	543-5287	UC, PARTIAL GUIDE ARCTIC 0 Includes 8 arctic rollers, arctic idlers, and partial track guides. REQUIRES: 506-7772 CARRIER ROLLERS, ARCTIC. ONLY FOR USE WITH: 524-4736 D7 TRACTOR 553-3383 D7 TRACTOR		\$8,020
L	543-5288	UC, PARTIAL GUIDE 0 Includes 8 rollers, Partial track guides. REQUIRES: 506-7771 CARRIER ROLLERS, STD ONLY FOR USE WITH: 524-4736 D7 TRACTOR 553-3383 D7 TRACTOR		\$6,810
L	543-5289	UC, FULL GUIDE 0 Includes 8 rollers and full track guides. REQUIRES: 506-7771 CARRIER ROLLERS, STD ONLY FOR USE WITH: 524-4736 D7 TRACTOR or 553-3383 D7 TRACTOR		\$8,220
L	599-2083	UC, DREDGING 0 Single piece sprocket segment and includes 8 rollers and no track guides. RECOMMENDED:595-6282 TRACK REQUIRES: 506-7771 CARRIER ROLLERS, STD ONLY FOR USE WITH: 524-4736 D7 TRACTOR		\$5,570

43 SECTIONS UNDERCARRIAGE LGP

L	543-5281	UC, WASTE, LGP 0 Includes 9 rollers, waste idlers, partial track guides and carrier rollers. ONLY FOR USE WITH: 524-4737 D7 LGP TRACTOR 553-3384 D7 LGP TRACTOR		\$12,530
L	543-5282	UC, PARTIAL GUIDE, ARCTIC LGP 0 Includes 9 arctic rollers, arctic idlers, partial track guides and arctic carrier rollers. ONLY FOR USE WITH: 524-4737 D7 LGP TRACTOR or 553-3384 D7 LGP TRACTOR		\$11,320

CATERPILLAR MACHINE PRICE LIST

D7

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

43 SECTIONS UNDERCARRIAGE LGP (Cont.)

L	543-5283	UC, PARTIAL GUIDE, LGP 0		\$10,110
		Includes 9 rollers, partial track guides and carrier rollers. ONLY FOR USE WITH: 524-4737 D7 LGP TRACTOR 553-3384 D7 LGP TRACTOR		
L	543-5284	UC, FULL GUIDE, LGP 0		\$11,530
		Includes 9 rollers, full track guides and carrier rollers. ONLY FOR USE WITH: 524-4737 D7 LGP TRACTOR or 553-3384 D7 LGP TRACTOR		

41 SECTIONS TRACK PAIRS

L	607-2564	TRACK 22" ES HDXL TRAP (41SEC) 0		\$1,500
		ONLY FOR USE WITH: 524-4736 D7 TRACTOR 553-3383 D7 TRACTOR		
L	546-5547	TRACK, 24" ES, HDXL (41SEC) 0		\$3,640
		ONLY FOR USE WITH: 524-4736 D7 TRACTOR 553-3383 D7 TRACTOR		
L	546-5549	TRACK, 24" ES, TRAP HDXL 41SEC 0		\$4,690
		ONLY FOR USE WITH: 524-4736 D7 TRACTOR 553-3383 D7 TRACTOR		
L	595-6282	TRACK, 24" MS, RBT (41SEC) 0		\$5,010
		ONLY FOR USE WITH: 524-4736 D7 TRACTOR		
L	546-5551	TRACK, 26" ES, HDXL (41SEC) 0		\$5,370
		ONLY FOR USE WITH: 524-4736 D7 TRACTOR 553-3383 D7 TRACTOR		
L	571-6715	TRACK, 26", MS HDXL (41SEC) 0		\$3,310
		ONLY FOR USE WITH: 524-4736 D7 TRACTOR 553-3383 D7 TRACTOR		

43 SECTIONS TRACK PAIRS LGP

L	546-5553	TRACK, 36" MS, HDXL (43SEC) 0		NC
		ONLY FOR USE WITH: 524-4737 D7 LGP TRACTOR 553-3384 D7 LGP TRACTOR		
L	581-1067	TRACK, 36" ES, HDXL (43SEC) 0		\$4,005
		ONLY FOR USE WITH: 524-4737 D7 LGP TRACTOR 553-3384 D7 LGP TRACTOR		
L	571-6712	TRACK, 36" ES, TRAP HDXL 43SEC 0		\$5,500
		ONLY FOR USE WITH: 524-4737 D7 LGP TRACTOR 553-3384 D7 LGP TRACTOR		
L	571-6714	TRACK, 36", SELF CLEANING HDXL 0		\$30,610
		ONLY FOR USE WITH: 553-3384 D7 LGP TRACTOR 524-4737 D7 LGP TRACTOR		

CARRIER ROLLERS

L	506-7771	CARRIER ROLLERS, STD. 0		\$3,295
		REQUIRED FOR STD MACHINE CONFIGURATION ONLY FOR USE WITH: 524-4736 D7 TRACTOR 553-3383 D7 TRACTOR		
L	506-7772	CARRIER ROLLERS, COLD WEATHER. 0		\$3,295
		REQUIRES STD COLD WEATHER UNDERCARRIAGE AR ONLY FOR USE WITH: 524-4736 D7 TRACTOR 553-3383 D7 TRACTOR		

CATERPILLAR MACHINE PRICE LIST

D7

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

CARRIER ROLLERS (Cont.)

L	506-7773	NO CARRIER ROLLERS. 0 ONLY FOR SPECIAL APPLICATIONS WITH CONCERNS WITH PACKING OR DEBRIS WRAPPING ONLY FOR USE WITH: 524-4736 D7 TRACTOR or 553-3383 D7 TRACTOR and 583-5525 WASTE HANDLING PACKAGE (STD) CANNOT BE USED WITH: 587-7162 ARO W/ ASSIST 602-1698 GRADE W/3D 602-1699 GRADE W/3D, SWEEPS		NC
---	----------	--	--	----

HYDRAULICS

REAR CONTROL PACKAGES

L	519-4551	CONTROL, BASIC 0 Includes cup holder and storage compartment inside of the cab for no rear implement attachment configuration. Also, includes hydraulic manifold and lines.		NC
L	519-4552	CONTROL, RIPPER. 0 Includes dual function ripper control handle inside of the cab, along with hydraulic manifold and lines. REQUIRED FOR USE WITH ADJUSTABLE RIPPER		\$3,790
L	519-4553	CONTROL, WINCH 0 Includes winch control handle inside of the cab, along with hydraulic manifold and lines. REQUIRED FOR USE WITH WINCH		\$3,790

HYDRAULICS FAN

Hydraulically driven. Includes a valve that allows for low fan speed to improve cold weather performance.

L	569-4514	FAN, REVERSING 0 Hydraulic driven demand suction fan with reversing function.		\$1,295
L	569-4513	FAN, REV. DEBRIS GUARD 0 Hydraulic driven demand suction fan with reversing function. Includes grid guarding between the fan and radiator. REQUIRED FOR WOOD CHIP & STOCKPILE APPLICATIONS INCLUDED IN: 583-5527 STOCKPILE PACKAGE		\$3,840

STARTERS, BATTERIES, & ALTERNATORS

ALTERNATORS

L	533-4180	ALTERNATOR, 150 AMP, BASIC 0 150 Amp Alternator.		\$745
L	511-0249	ALTERNATOR, 150AMP, DUCTED 0 Recommended 150 Amp Ducted Alternator for use in high debris environment. ONLY FOR USE WITH: 524-4736 D7 TRACTOR 524-4737 D7 LGP TRACTOR		\$1,170

CATERPILLAR MACHINE PRICE LIST

D7

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

STARTERS, BATTERIES, & ALTERNATORS (CONT.)

BATTERIES

L	542-2524	BATTERY, HEAVY DUTY 0 Maintenance free batteries (2000 CCA).		\$1,060
L	546-5886	BATTERY, ARCTIC 0 Provides batteries for -50F (-45C) applications.		\$1,060

ELECTRICAL

LIGHTING

L	570-0374	LIGHTS, 6 LED 0 6 LED lights with 800 lumens each for added visibility. 2 mounted on front facing forward, 2 mounted on cab facing forward and 2 more mounted on cab facing rear and w/Ground Level Service Light Access		\$690
L	570-0375	LIGHTS, 12, LED 0 Adds 6 additional LED lights to basic arrangement with output of 1500 lumens each. Provides 2 more lights mounted on front of dozer and 2 more mounted on each rear cab corner for a total of 360 degrees of visibility and w/Ground Level Service Light Access		\$2,140

OPERATOR ENVIRONMENT

CAB

L	583-9468	CAB, PREMIUM 0 Includes adjustable armrests, laminated safety glass, sliding side windows, and screen ready cab. Cab is Remote Control (RC) ready.		\$3,375
L	583-9469	CAB, HIGH DEBRIS 0 For high debris or waste applications. Includes features of the premium cab plus poly-carbonate glass doors for added impact resistance. Cab side windows are solid for improved pressurization. Cab is Remote Control (RC) ready.		\$6,490

SEAT

L	470-7252	SEAT, STANDARD 0 Comfort plus cloth seat with mechanical lumbar support.		NC
L	560-9088	SEAT, HEATED & VENTILATED 0 Comfort premium leather seat. Heated and ventilated. Side and back cushion bolsters. Air adjust upper and lower lumbar support. CANNOT BE USED WITH: 583-9466 CAB, STANDARD		\$1,875

CAB FLOOR

L	543-1114	FLOOR, CAB, PREMIUM 0 Includes adjustable footrests and a thick floor plate for noise reduction in the operators station.		\$266
L	588-6170	FLOOR, CAB, QUICK ACCESS 0 Provides quick tool-less access to below cab floor opening floor. Includes adjustable footrests and a thick floor plate for noise reduction in the operators station.		\$1,185

CATERPILLAR MACHINE PRICE LIST

D7

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

REAR CAMERA

L	577-8623	REAR CAMERA. 0 Rear camera system to enhance operator visibility of surroundings and machine. The camera image is shown on primary display. Rearview camera shows in home screen and automatically switches to full screen when machine is placed in reverse gear. Camera image includes back-up lines that show edge of machine tracks and distance reference. CANNOT BE USED WITH: 583-9466 CAB, STANDARD		\$550
---	----------	---	--	-------

CAB AIR PRECLEANERS

L	441-9252	AIR FILTER, CAB 0 Provides an external and accessible cartridge with a cylindrical filter(MERV16) to prevent the cab from normal dust intrusions.		NC
L	588-1061	PRECLEANER, CAB POWERED 0 Provides powered pre-cleaner with advanced cabin filtration that helps provide cleaner operator environment. Recommend in high debris applications. Includes: -Extended service times for air filter -Improved cabin pressurization to keep dirt out -External accessible cartridge with cylindrical filter (MERV16) to prevent the cab from normal dust intrusions. -upgrade compatible with HEPA with activated carbon for order control filtration.		\$3,120

AIR CONDITIONER

L	553-3387	AIR CONDITIONING, QUICK DISC 0 Provides intermediate connections under the cab that can be quickly unplugged without the need to evacuate the refrigerant. This allows for easy "30-minute" cab removal for maintenance purposes. CANNOT BE USED WITH: 583-9466 CAB, STANDARD		NC
---	----------	---	--	----

SWEEPS

L	548-1353	HANDRAIL, CAB 0 No sweep option with handrail mounted to the top of the cab. Includes tie down locations.		NC
L	548-1354	SWEEPS 0 Open sweeps option. Includes tie down locations.		\$8,770
L	569-5264	SWEEPS, FORESTRY 0		\$13,490

RADIO

L	579-5778	NO RADIO 0 Radio ready. Requires customer provided entertainment radio.		NC
L	579-5779	PREMIUM CORP RADIO (12V) 0 Premium 12V AM/FM radio with Bluetooth technology, USB port, and 3.5 mm AUX input. Availability varies by country. CANNOT BE USED WITH: 583-9466 CAB, STANDARD		\$605

CATERPILLAR MACHINE PRICE LIST

D7

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	------------------	--------------------	-------------------------

TECHNOLOGY PRODUCTS***MACHINE CONTROLS***

A complete range of tools are available to match customer applications and dozing automation needs.

- 1) **SLOPE INDICATE:** Provides operator real time machine cross slope and mainfall information on the primary display.
- 2) **BLADE LOAD MONITOR:** Provides operator real-time feedback on current load versus the optimal blade load based on your ground conditions to maximize material movement. Feature not operational indoors or in areas where a GPS signal is not available.
- 3) **STABLE BLADE:** Complements the operators blade inputs to create smooth surfaces with less effort.
- 4) **SLOPE ASSIST:** Helps operators reach cross slope and mainfall targets by automatically maintaining the dozer blades established blade angles. This feature does not require a base station, laser transmitter, design file, or additional hardware.
- 5) **TRACTION CONTROL:** Automatically prevents excessive track slip to improve efficiency and reduce burden on operator. Feature not operational indoors or in areas where a GPS signal is not available.
- 6) **AUTOCARRY:** Automates blade lift to maximize blade load, improve load consistency, and reduce track slip. Feature not operational indoors or in areas where a GPS signal is not available.
- 7) **ARO (Attachment Ready Option):** Allows machine to easily be upgrade to Cat Grade with 3D integrated grade control systems or Accugrade GNSS, laser, or UTS blade mounted Grade Control Systems. ARO includes Blade IMU sensor, EC520 controller, wiring, and mounting brackets. Upgrading to Cat Grade With 3D after build requires additional IMU/HW (See D7 Grade 3D Upgrade*), grade display, GNSS receivers and antennas data corrections solutions, SITECH provided Grade license files, and Caterpillar provided SEA, part number 602-6521. Dealer to provide price for additional hardware and software.
Note: *D7 Grade 3D Upgrade requires additional push arm frame IMU, wiring, and brackets to upgrade to Grade 3D that is NOT included with ARO w/ Assist. The SEA price is lower for D7 to reflect this difference. Additional HW can be purchased through local Cat Dealer/SITECH.
- 8) **GRADE W/3D:** Cat Grade with 3D is a factory installed, integrated grade control system with chassis mounted sensors and GNSS antennas mounted to roof of cab. Includes grade display, GNSS receivers and antennas, GRADE license files, and Caterpillar provided SEA. Additional requirements via Cat/SITECH Dealer include data corrections solution and measure up calibration.

Note: Availability varies by country. Contact your Caterpillar Marketing representative with questions.

ARO w/ Assist: Includes G6:M6. Reference:

<https://dealer.cat.com/en/products/technology/construction-technology>
for certified countries.

CATERPILLAR MACHINE PRICE LIST

D7

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

MACHINE CONTROLS (Cont.)

GRADE 3D: Includes MS955 and RZ2. Reference:
 Dealer.cat.com/en/products/technology/construction-technology/grade
 for certified countries.

L	587-7161	PREMIUM DISPLAY, NON ARO 0 Provides a 10" touchscreen display and glove box. INCLUDES: SLOPE INDICATE REQUIRES: 435-5756 JOYSTICK, STANDARD, PA and 564-8395 DOZER CTL, STANDARD PA CANNOT BE USED WITH: 583-9466 CAB, STANDARD		\$1,510
L	587-7162	ARO W/ ASSIST 0 Provides a 10" touchscreen display and glove box. INCLUDES: SLOPE INDICATE BLADE LOAD MONITOR STABLE BLADE SLOPE ASSIST TRACTION CONTROL AUTOCARRY ATTACHMENT READY OPTION (ARO) REQUIRES: 435-5758 JOYSTICK, ARO/GRADE, PA and 564-8398 DOZER CTL, ARO, PA or 564-8399 DOZER CTL, ARO, LGP PA CANNOT BE USED WITH: 583-9466 CAB, STANDARD		\$9,090

JOYSTICK CONTROLS

L	435-5756	JOYSTICK, STANDARD, PA 0 ONLY FOR USE WITH: 587-7160 BASIC DISPLAY, NON ARO or 587-7161 PREMIUM DISPLAY, NON ARO		NC
L	435-5758	JOYSTICK, ARO/GRADE, PA 0 CANNOT BE USED WITH: 587-7160 BASIC DISPLAY, NON ARO or 587-7161 PREMIUM DISPLAY, NON ARO		NC

DOZER CONTROLS

L	564-8395	DOZER CTL, STANDARD, PA 0 ONLY FOR USE WITH: 587-7160 BASIC DISPLAY, NON ARO or 587-7161 PREMIUM DISPLAY, NON ARO		NC
L	564-8398	DOZER CTL, ARO, PA 0 PLEASE ORDER THIS ATTACHMENT AS DETACHED REQUIRES: OPTIONAL BLADE & PUSHARMS OFFERING FOR DOZER CONTROL ARO CONFIGURATION ONLY FOR USE WITH: 553-3383 D7 TRACTOR or 524-4736 D7 TRACTOR and 587-7162 ARO W/ ASSIST		NC

CATERPILLAR MACHINE PRICE LIST

D7

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

DOZER CONTROLS (Cont.)

L	564-8399	DOZER CTL, ARO, LGP PA 0		NC
		PLEASE ORDER THIS ATTACHMENT AS DETACHED REQUIRES: OPTIONAL BLADE & PUSHARMS OFFERING FOR DOZER CONTROL ARO CONFIGURATION ONLY FOR USE WITH: 553-3384 D7 LGP TRACTOR or 524-4737 D7 LGP TRACTOR and 587-7162 ARO W/ ASSIST		

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

Cab selection determines Product Link network manager. CAB, STANDARD uses PL602. All other cab selections use PL702.

L	577-7697	PROD LINK, PLE643/PLE743 RADIO 0		NC
		Product link radio package PLE643/PLE743 provides a cellular PL243 radio. When the radio is used in combination with a PL602 network manager (to make a PLE643 system) or PL702 network manager (to make a PLE743 system) hours, health, utilization, and productivity information is collected and transmitted. The system also provides support for remote services and other advanced features.		
L	577-7698	PROD LINK, PLE683/PLE783 RADIO 0		\$476
		Product link radio package PLE683/PLE783 provides a dual mode PL083 radio for use where travel between areas of both cellular and satellite coverage is required. When the radio is used in combination with a PLE602 network manager (to make a PLE683 system) or PLE702 network manager (to make a PLE783 system) hours, health, utilization, and productivity information is collected and transmitted. The system also provides support for remote services and other advanced features.		

FUEL SYSTEMS

FUEL TANK FILLING SYSTEMS

L	593-7680	FUEL SYSTEM, BASIC 0		NC
		Fuel Tank covers. No Fast Fuel Fill Option.		
L	573-1522	FUEL SYSTEM, FAST FILL 0		\$3,230
		This fast fuel system is designed to be compatible with the 4C-6716 Wiggins fuel fill nozzle system. It may or may not be compatible with other fuel fill nozzle systems. ONLY FOR USE WITH: 524-4736 D7 TRACTOR 524-4737 D7 LGP TRACTOR		

CATERPILLAR MACHINE PRICE LIST

D7

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

GUARDS

BOTTOM GUARDS

L	519-1277	GUARD, BOTTOM 0 Includes full set of Standard Bottom Guards.		\$2,790
L	519-1278	GUARD, BOTTOM, HD SEALED 0 Includes Heavy Duty Sealed Bottom Guards.		\$5,690
L	519-1273	BOTTOM GUARDS, WOODCHIP 0 This group only contains the front guard with retrieval hitch. The rear guards are removed. ONLY FOR USE WITH: 524-4736 D7 TRACTOR 524-4737 D7 LGP TRACTOR INCLUDED IN: 583-5527 STOCKPILE PACKAGE		NC

GRAB HANDLES

L	543-0546	GRAB HANDLES, STANDARD 0 Provides grab handles on the fenders and side of the radiator guard.		NC
L	543-0547	GRAB HANDLES, HEAVY DUTY 0 Provides heavy duty grab handles on the fenders and side of the radiator guard. Increased strength grab irons to resist damage caused by debris in landfill or other severe applications.		\$211

ENGINE ENCLOSURES

L	536-3780	ENCLOSURE, ENGINE BASIC 0		NC
L	546-0251	ENCLOSURE, ENG SND SUPPRESSED 0 REQUIRED FOR THE EU MARKET Includes Sound Reduction Material and Reduced perf		\$309
L	599-8736	ENCLOSURE, ENG STOCKPILE 0 Includes a solid hood. FOR USE ONLY IN STOCKPILE & WOOD CHIP APPLICATIONS INCLUDED IN: 583-5527 STOCKPILE PACKAGE		NC

OTHER ATTACHMENTS

REAR ATTACHMENTS

L	469-5551	NO REAR ATTACHMENT 0 This allows the selection of NO Rear Attachment Work Tool. however dealer must assure that a work tool is attached upon delivery to customer. Minimum requirement is a Drawbar as a retrieval device.		NC
L	393-0279	DRAWBAR, RIGID 895 Includes ability to add optional counterweight and includes hitch. ALSO AVAILABLE ON A MISCELLANEOUS ORDER		\$6,960
L	541-7801	RIPPER, MULTI SHANK 0 Parallelogram design. D7 multi-shank ripper allows use of one, two or three shanks depending on job conditions ALSO AVAILABLE ON A MISCELLANEOUS ORDER DOES NOT INCLUDE RIPPER SHANKS THAT MUST BE ORDERED SEPARATELY. REQUIRES: 9J-1641 TOOTH, RIPPER, ADDITIONAL ONLY FOR USE WITH: 519-4552 CONTROL, RIPPER		\$49,510

CATERPILLAR MACHINE PRICE LIST

D7

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

REAR ATTACHMENTS (Cont.)

L	518-7816	WINCH, PACCAR PA110 VAR DISP 0 PA110 variable speed, hydraulic winch manufactured for Caterpillar by Paccar. Integrated fairlead and drawbar. ALSO AVAILABLE ON A MISCELLANEOUS ORDER REQUIRES: 527-8728 SCREEN, REAR, FIXED or 599-7940 SCREEN, REAR, HINGED and 519-4553 CONTROL, WINCH		\$69,370
L	555-7850	STRIKER BAR BOX, REAR 0 Includes drawbar and storage area. Mounts to rear of machine and helps protect fenders and other sheet metal from debris carried by track. ALSO AVAILABLE ON A MISCELLANEOUS ORDER REQUIRES AT LEAST (1) 238-1177 COUNTERWEIGHT, ADDITIONAL FOR WASTE MACHINE CONFIGURATIONS.		\$18,930

FLUIDS

OIL CHANGE SYSTEM

L	380-2384	OIL DRAIN, STANDARD 0		NC
L	583-5529	OIL CHANGE SYSTEM, HS HRC 0 Provides the capability to change engine and powertrain oil using Wiggins connectors ONLY FOR USE WITH: 524-4736 D7 TRACTOR or 524-4737 D7 LGP TRACTOR		\$965

LUBRICANTS / OILS

L	521-4276	LUBRICANT GRP, STD HRC 0 Includes oils, fuel, DEF, and grease for shipment of HRC machines working in standard working environments. ONLY FOR USE WITH: 524-4736 D7 TRACTOR or 524-4737 D7 LGP TRACTOR.		NC
L	521-4275	LUBRICANT GRP, ARCTIC HRC 0 Includes oils, fuel, DEF, and grease for shipment of HRC machines working in cold weather working environments. ONLY FOR USE WITH: 524-4736 D7 TRACTOR or 524-4737 D7 LGP TRACTOR.		\$635

COOLANTS

L	382-5934	ENGINE COOLANT, STD (-37C) 0 Provides cooling system antifreeze protection down to -37C (-35F)		NC
L	371-6899	ENGINE COOLANT, ARCTIC (-51C) 0 Provides cooling system antifreeze protection down to -51C (-60F)		\$303 NET

FUEL ANTIFREEZE

	0P-3978	FUEL ANTIFREEZE, -25C (-13F) 0 Provides fuel (diesel) antifreeze protection down to -25C (-13F) REQUIRED BY: AMERICAN & CANADIAN DEALERS.		NC
--	---------	--	--	----

CATERPILLAR MACHINE PRICE LIST

D7

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

FLUIDS (CONT.)

CAB ANTIFREEZE

OP-1939	ANTIFREEZE WINDSHIELD WASHER	0	NC
---------	--	---	----

CYLINDER PROTECTION

OP-3940	PROTECTION, CYLINDER ROD	0	NC
---------	------------------------------------	---	----

INSTRUCTIONS

FILMS

L	521-4273	INSTRUCTION, ANSI ONLY FOR USE WITH: 524-4736 D7 TRACTOR or 524-4737 D7 LGP TRACTOR	0	NC
L	521-4274	INSTRUCTION, ISO Includes all films and instructions to comply with the International Standards Organization regulations. ONLY FOR USE WITH: 524-4736 D7 TRACTOR or 524-4737 D7 LGP TRACTOR	0	NC

MANUAL

421-8926	SERIALIZED TECHNICAL MEDIA KIT FOR USE IN LANE 3 ONLY The technical media kit will include the Operations & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through https://catpublications.com	0	NC
----------	--	---	----

CATERPILLAR MACHINE PRICE LIST

D7

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

STARTERS, BATTERIES, & ALTERNATORS

STARTING AIDS

L	537-5582	HEATER, ENGINE COOLANT, 120V 0 Includes a 120-volt, 1500-watt jacket water electrical heater. ONLY FOR USE WITH: 524-4736 D7 TRACTOR or 524-4737 D7 LGP TRACTOR		\$299
L	593-7929	HEATER, ENGINE COOLANT, 240V 0 Includes a 240-volt, 1500-watt jacket water electrical heater. ONLY FOR USE WITH: 524-4736 D7 TRACTOR or 524-4737 D7 LGP TRACTOR		\$299

ELECTRICAL

JUMP START

L	536-6999	JUMP START 0 Provides an SAE J1283 compatible receptacle for jump starting or battery charging. This SAE Standard defines the requirements for a plug and receptacle used in an auxiliary starting system. This system provides proper polarity during connector mating, secure electrical connections, and standard circuit color coding.		\$175
---	----------	--	--	-------

BEACON LIGHTS

L	589-3554	LIGHT, WARNING 0 3 LED lights integrated into the top perimeter of the cab. One above each door and one in the rear. Fully visible for a 360 degree view.		\$1,035
---	----------	---	--	---------

OPERATOR ENVIRONMENT

CB MOUNTING

L	589-3552	RADIO, CB (READY) 0 Provides factory integrated solution for mounting CB radio on right rear cab C-Post. Includes adjustable mounting bracket, Co-Ax cables, CB antenna, 2nd power converter, and integrated power connection by radio.		\$1,020
---	----------	---	--	---------

OPERATOR VISIBILITY

L	543-2284	MIRRORS 0 Provides 1 mirror on each lift cylinder. REQUIRED FOR THE EU/TURKEY MARKETS		\$590
---	----------	--	--	-------

GUARDS

CAB PROTECTIONS

L	527-8728	SCREEN, REAR, FIXED 0 Protective bolted screen covering the rear window of the cab.		\$1,455
L	599-7940	SCREEN, REAR, HINGED 0 Protective hinged screen covering the rear cab window. Allows for ease of cleaning and changing of wiper blades. REQUIRED IN FORESTRY APPLICATIONS		\$1,685

CATERPILLAR MACHINE PRICE LIST

D7

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

GUARDS (CONT.)

CAB PROTECTIONS (Cont.)

L	600-1436	SCREEN, SIDES, HINGED 0 Provides protective screens covering the side cab windows. REQUIRED IN FORESTRY APPLICATIONS		\$1,980
---	----------	---	--	---------

FUEL TANK GUARD COVERS

L	539-3164	GUARD, FUEL TANK 0 Includes guarding for fuel tank, hydraulic tank and battery box. INCLUDED IN OPTION AR-WASTE CANNOT BE USED WITH: 566-9833 FUEL TANK, HIGH CAPACITY		\$3,090
L	548-1214	GUARD, FAST FUEL 0 Includes guarding for fuel tank fast fill ONLY FOR USE WITH: 569-5180 GUARDS FUEL TANK,HIGH CAPACITY or 539-3164 GUARD, FUEL TANK and 593-8143 FUEL SYSTEM, FAST FILL or 593-8279 FUEL SYSTEM, FAST FILL, HC or 573-1522 FUEL SYSTEM, FAST FILL		\$530

LIGHT GUARDS

L	593-6048	GUARDS, LIGHTS 0 Provides guarding around the front LED Lights on the 6 LED light package. RECOMMENDED FOR WASTE APPLICATIONS ONLY FOR USE WITH: 570-0374 LIGHTS, 6 LED		\$216
L	593-6049	GUARDS, LIGHTS, PREMIUM 0 Provides guarding around the front LED lights. RECOMMENDED FOR WASTE APPLICATIONS ONLY FOR USE WITH: 570-0375 LIGHTS, 12, LED		\$310
L	558-5712	CROSSMEMBER, SWEEPS 0 Provides a crossbar that connects to the front sweeps for additional front light protection. REQUIRES: 548-1354 SWEEPS or 569-5264 SWEEPS, FORESTRY		\$1,285
L	552-5082	GUARDS -FILTER. 0 Provides guarding on top of the cab around the AC condenser fans to prevent debris entering into the fans. Does increase overall machine shipping height. RECOMMENDED FOR WASTE APPLICATIONS CANNOT BE USED WITH: 569-5264 SWEEPS, FORESTRY INCLUDED IN: 583-5527 STOCKPILE PACKAGE		\$321

GRAB HANDLES

L	539-9040	GRAB HANDLES, PUSH ARM 0 REQUIRES ONE OF THE BULLDOZER OFFERINGS. NOT FOR USE WITH A BLADE OFFERINGS FROM CAT WORK TOOLS.		NC NI
---	----------	--	--	-------

CATERPILLAR MACHINE PRICE LIST

D7

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

OTHER ATTACHMENTS

SEAL PACKAGES

L	546-3297	SEAL, WASTE 0 Machine seals and hardware for waste applications. ONLY FOR USE WITH: 506-3702 ENGINE, THERMAL HEAT SHIELD and 519-1278 GUARD, BOTTOM, HD SEALED and 583-5525 WASTE HANDLING PACKAGE (STD) or 583-5526 WASTE HANDLING PACKAGE (LGP) REQUIRED BY: 506-3702 ENGINE, THERMAL HEAT SHIELD and 519-1278 GUARD, BOTTOM, HD SEALED and 583-5525 WASTE HANDLING PACKAGE (STD) or 583-5526 WASTE HANDLING PACKAGE (LGP)		\$2,425
L	569-5263	SEALS, SND & WASTE 0 REQUIRED FOR THE EU MARKET Includes machine sound seals and sound insulation along with hardware for waste applications. ONLY FOR USE WITH: 519-1278 GUARD, BOTTOM, HD SEALED 583-5525 WASTE HANDLING PACKAGE (STD) or 583-5526 WASTE HANDLING PACKAGE (LGP) 553-3389 ENGINE, THERM HEAT SHIELD,STG5 REQUIRED BY: 519-1278 GUARD, BOTTOM, HD SEALED 583-5525 WASTE HANDLING PACKAGE (STD) or 583-5526 WASTE HANDLING PACKAGE (LGP) 553-3389 ENGINE, THERM HEAT SHIELD,STG5		\$3,170
L	577-1297	SEALS & BAFFLES (WOODCHIP HRC) 0 Provides seals and baffles along with hardware for woodchip and stockpile applications. ONLY FOR USE WITH: 524-4736 D7 TRACTOR or 524-4737 D7 LGP TRACTOR INCLUDED IN: 583-5527 STOCKPILE PACKAGE REQUIRED BY: 524-4736 D7 TRACTOR or 524-4737 D7 LGP TRACTOR and 553-3389 ENGINE, THERM HEAT SHIELD,STG5 or 506-3704 TIER 3 ENGINE, THERMAL HEAT SHIELD		\$2,745

REAR COUNTERWEIGHT

L	464-8589	COUNTERWEIGHT, REAR SLAB 0 Additional rear counterweight slabs for rear counterweight option. ONLY FOR USE WITH: 574-7847 COUNTERWEIGHT, REAR and 393-0279 DRAWBAR, RIGID		\$3,125
L	574-7847	COUNTERWEIGHT, REAR. 0 Rear counterweight and hitch. ONLY FOR USE WITH: 393-0279 DRAWBAR, RIGID		\$7,820
P	238-1177	COUNTERWEIGHT, ADDITIONAL 672 Minimum quantity which can be ordered is 1, maximum of 3 Weight of each additional counterweight is 695 lbs. Extra weight extends the rear hitch back 114 mm for each counterweight added. ONLY FOR USE WITH: 555-7850 STRIKER BAR BOX, REAR		\$2,965

CATERPILLAR MACHINE PRICE LIST

D7

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

BLADES

BULLDOZERS

L	539-9101	7 STD BULLDOZER BASIC 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER INCLUDES: Trunnions Cylinder lines Single tilt cylinder Pusharms ONLY FOR USE WITH: 524-4736 D7 TRACTOR or 553-3383 D7 TRACTOR		\$23,970 NI
L	539-9102	7 STD BULLDOZER, GUARDED 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides sleeves to protect cylinder lines in harsh applications INCLUDES: Trunnions Cylinder lines Single tilt cylinder Pusharms ONLY FOR USE WITH: 524-4736 D7 TRACTOR or 553-3383 D7 TRACTOR REQUIRED BY: 583-5526 WASTE HANDLING PACKAGE (LGP) 583-5525 WASTE HANDLING PACKAGE (STD)		\$25,550 NI
L	539-9104	7 LGP BULLDOZER, BASIC 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER INCLUDES: Trunnions Cylinder lines Single tilt cylinder Pusharms ONLY FOR USE WITH: 524-4737 D7 LGP TRACTOR or 553-3384 D7 LGP TRACTOR		\$26,620 NI
L	539-9105	7 LGP BULLDOZER, GUARDED 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides sleeves to protect cylinder lines in harsh applications. INCLUDES: Trunnions Cylinder lines Single tilt cylinder Pusharms ONLY FOR USE WITH: 524-4737 D7 LGP TRACTOR or 553-3384 D7 LGP TRACTOR REQUIRED BY: 583-5526 WASTE HANDLING PACKAGE (LGP)		\$28,170 NI
L	595-9892	CONVERSION ARR -FORESTRY (STD) 0 FOR USE IN LANE 3 ONLY. ONLY CONTAINS STD TRUNNIONS. NO PUSH ARM OR TAG LINK INCLUDED. PLEASE ORDER THIS ATTACHMENT AS A DETACHED. ONLY FOR USE WITH: 553-3383 D7 TRACTOR or 524-4736 D7 TRACTOR		\$4,505

CATERPILLAR MACHINE PRICE LIST

D7

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
BLADES (CONT.)				
BLADES				
L	539-0771	BLADE 7SU, ARO 0 ACCUGRADE READY SU BLADE BLADE MAST MOUNTS ARE INCORPORATED ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 524-4736 D7 TRACTOR or 553-3383 D7 TRACTOR and 539-9101 7 STD BULLDOZER BASIC or 539-9102 7 STD BULLDOZER, GUARDED		\$18,080 NI
L	539-0772	BLADE, 7SU RK GUARD & WEAR PLT 0 WEAR PLT ROCK GRD NO CENTER MAST GRADE MOUNTING ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 524-4736 D7 TRACTOR or 553-3383 D7 TRACTOR and 539-9101 STD BULLDOZER BASIC and 539-9102 STD BULLDOZER, GUARDED		\$23,110 NI
L	539-0773	BLADE, 7SU RK GRD & WEAR PLATE 0 WEAR PLT, ROCK GRD, PERF CUTTING EDGES (HD) NO CENTER MAST GRADE MOUNTING ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 524-4736 D7 TRACTOR or 553-3383 D7 TRACTOR and 539-9101 7 STD BULLDOZER BASIC or 539-9102 7 STD BULLDOZER, GUARDED		\$24,320 NI
L	539-0777	BLADE 7SU, LANDFILL WR PLT ARO 0 INCLUDES TRASH RACK AND ACCUGRADE READY MOUNTS ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 524-4736 D7 TRACTOR or 553-3383 D7 TRACTOR and 539-9101 7 STD BULLDOZER BASIC or 539-9102 7 STD BULLDOZER, GUARDED		\$28,250 NI
L	539-0774	BLADE 7SU, LAND CLEARING 0 INCLUDES GUARD RACK NO CENTER MAST GRADE MOUNTING ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 524-4736 D7 TRACTOR or 553-3383 D7 TRACTOR and 539-9101 7 STD BULLDOZER BASIC or 539-9102 7 STD BULLDOZER, GUARDED		\$21,040 NI
L	539-9057	BLADE 7U, STANDARD ARO 0 FOR USE WITH LANE 3 ONLY ACCUGRADE READY U BLADE ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 524-4736 D7 TRACTOR or 553-3383 D7 TRACTOR and 539-9101 7 STD BULLDOZER BASIC or 539-9102 7 STD BULLDOZER, GUARDED		\$22,410 NI

CATERPILLAR MACHINE PRICE LIST

D7

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

BLADES (CONT.)

BLADES (Cont.)

L	539-9059	BLADE,7U LANDFILL WEAR PLT ARO 0 ACCUGRADE READY U BLADE ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 524-4736 D7 TRACTOR or 553-3383 D7 TRACTOR and 539-9101 7 STD BULLDOZER BASIC or 539-9102 7 STD BULLDOZER, GUARDED		\$34,980 NI
L	539-9051	BLADE 7S, LGP ARO 0 ACCUGRADE READY S BLADE ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 524-4737 D7 LGP TRACTOR or 553-3384 D7 LGP TRACTOR and 539-9104 7 LGP BULLDOZER, BASIC or 539-9105 7 LGP BULLDOZER, GUARDED		\$18,240 NI
L	539-9053	BLADE 7S, LANDFILL, WEAR PLATE 0 INCLUDES TRASH RACK AND ACCUGRADE READY MOUNTS ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 524-4737 D7 LGP TRACTOR or 553-3384 D7 LGP TRACTOR and 539-9104 7 LGP BULLDOZER, BASIC or 539-9105 7 LGP BULLDOZER, GUARDED		\$29,210 NI
L	582-8893	BLADE 7SU LGP, ARO 0 ACCUGRADE READY SU BLADE ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 524-4737 D7 LGP TRACTOR or 553-3384 D7 LGP TRACTOR and 539-9104 7 LGP BULLDOZER, BASIC or 539-9105 7 LGP BULLDOZER, GUARDED		\$23,470 NI

GROUND ENGAGING TOOLS

L	9J-1641	TOOTH, RIPPER, ADDITIONAL 320 320 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes one straight ripper shank with center line tip. Can be ordered in quantities of 1,2, or 3 ONLY FOR USE WITH: 541-7801 RIPPER, MULTI SHANK or 571-3843 RIPPER FIXED TILT, MULTI-SHANK		\$2,655 \$2,655 NI
---	---------	---	--	-----------------------

ALTERNATE SOURCED ATTACHMENTS

7A Bulldozer Installation Package available through Work tools (WT-TTT) price list

CATERPILLAR MACHINE PRICE LIST

D7

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	--------------------	-------------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

576-6521 BULLDOZER, 7A STD 180" 5.4yd3

Includes Pusharms, A Blade, Lines, Cylinder & Grab Handles.
 REQUIRES:435-5756 JOYSTICK, STANDARD, PA
 564-8395 DOZER CTL, STANDARD PA
 CANNOT BE USED WITH: 587-7162 ARO W/ ASSIST

576-6514 BULLDOZER, 7A LGP 198" 6.2yd3

Includes Pusharms, A Blade, Lines, Cylinder & Grab Handles.
 REQUIRES: 435-5756 JOYSTICK, STANDARD, PA
 564-8395 DOZER CONTROL, STANDARD PA
 CANNOT BE USED WITH: 587-7162 ARO W/ ASSIST

PACKING

OP-6655	ROLL ON-ROLL OFF	2	\$373 NET
OP-6706	BUNDLE EXPORT PACKING	0	NC
	This OP should be ordered for all miscellaneous orders.		