

CONSTRUCTION EQUIPMENT

U.S. PRICE LIST

WHEEL LOADERS

PL-200 CE SAP REVISION 35

EFFECTIVE JULY 9, 2021

THIS IS AN ELECTRONIC COPY ONLY – HARD COPIES WILL NOT BE DISTRIBUTED.

This price list is intended for dealers with the Wheel Loaders (CE) contract only.

The prices included in this revision supersede any prices established prior to the effective date shown unless specifically identified in a price bulletin as superseding this price list.

Below is a list of Family(s) and Model(s) that are included in this price list.

Wheel Loaders

521G TS Tier 4 Final

621G TS Tier 4 Final

721G TS Tier 4 Final

821G TS Tier 4 Final

921G TS Tier 4 Final

1021G TS Tier 4 Final

1121G TS Tier 4 Final

PLEASE NOTE: Retain the price book pages of the discontinued series for your records.

Copyright 2021 By

CNH Industrial America LLC



(This page intentionally left blank)



General Information

DISTRIBUTION OF PRICE LISTS / REQUESTS FOR ADDITIONAL COPIES

Price lists will be provided electronically via that Dealer Portal.

Contact information for additional copies of Case Construction Equipment Price Lists

Additional price lists, divider tabs and binders may be ordered at the Document Management Center. From Dealer Portal click on Tools then Document Management Center link. Any questions you can call the Document Management Center at 262-636-7540

You will only receive price lists for contracts covered by your current Dealer Agreement with the Company.

The revisions are dated and are effective as of that date. However, PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

YGR ORDERS

If a machine is being ordered for a government bid that doesn't match a Quick Pick, first try to convert to a quick pick package and if you are not able to, select "YGR Order" which will allow you to configure the order as needed without losing the discount. All orders ran this way will be audited for qualifications.



**WHEEL LOADERS CE
 TABLE OF CONTENTS**

G SERIES WHEEL LOADERS

521G TS TIER 4 FINAL ARTICULATED WHEEL LOADER	
Standard Features	CE- 7
Quick Picks	CE- 10
Dealer Installed Accessories	CE- 17
621G TS TIER 4 FINAL ARTICULATED WHEEL LOADER	
Standard Features	CE- 19
Quick Picks	CE- 22
Dealer Installed Accessories	CE- 31
721G TS TIER 4 FINAL ARTICULATED WHEEL LOADER	
Standard Features	CE- 33
Quick Picks	CE- 36
Dealer Installed Accessories	CE- 45
821G TS TIER 4 FINAL ARTICULATED WHEEL LOADER	
Standard Features	CE- 47
Quick Picks	CE- 50
Dealer Installed Accessories	CE- 57
921G TS TIER 4 FINAL ARTICULATED WHEEL LOADER	
Standard Features	CE- 59
Dealer Installed Accessories	CE- 69
1021G TS TIER 4 FINAL ARTICULATED WHEEL LOADER	
Standard Features	CE- 71
Dealer Installed Accessories	CE- 81
1121G TS TIER 4 FINAL ARTICULATED WHEEL LOADER	
Standard Features	CE- 83
Dealer Installed Accessories	CE- 93
Dealer Installed Couplers	CE- 95



(This page intentionally left blank)



**521G TS T4 FINAL WHEEL LOADERS
US PRICE LIST**

(Ex Werks, Fargo, ND)

Standard Equipment

ENGINE:

FPT - F4HFE413NB
Tier 4 - Final Certified (SCR)
Displacement: 275 cu in (4.5 L)
Standard Power @ 2000 RPM:
- Rated Gross: 118 HP (88 kW)
- Rated Net: 106 HP (79 kW)
Boosted Power @ 2000 RPM:
- Rated Gross: 141 HP (105 kW)
- Rated Net: 129 HP (96 kW)
Power Modes (Smart and Max)
Air-to-Air aftercooler
Anti-freeze solution -34°F (-37°C)
Engine Block Heater
Fuel Tank: 50 gal. U.S. (189 L)
DEF Tank: 11.7 gal. U.S. (44.2 L)
Air cleaner - 2 stage with radial seal elements
Mid-mounted cooling module w/
hydraulically driven reversible fan
Auto idle control and Auto shutdown
Common Rail Electronic Fuel Injector

OPERATOR'S PROTECTIVE STRUCTURE:

Cab with ROPS, AC and heater
Wipers, rear and intermittent front
Front sunscreen
Rearview mirror, right hand side
Rear window defroster
Exterior Mirrors, Left and Right side
Tilt-steering wheel with integral steering knob
Suspension seat, with 3-inch (76 mm), seat belt
Fully adjustable wrist rest
Radio Ready (antenna, speakers, wiring harness and radio fuse included.) 20A converter (24V to 12V), 12V auxiliary power and USB outlets
Storage tray, Cup holder, Coat hook

AXLES:

Limited slip differentials - Front/Rear

TRANSMISSION:

Speeds: 4F-3R
Computer controlled, full-power, proportional shifting
Single lever electronic shift control on steering column
FNR shuttle shift switch
Programmable gear selection
Selectable fully-automatic and manual modes
Electronic transmission disconnect
On-board diagnostics with fault code storage and retrieval
Low Temperature Cooler by-pass valve

HYDRAULICS:

Closed center hydraulics, Load Sensing
Vertically mounted, spin-on oil filter
O-ring face seal hydraulic fittings
Full-flow oil cooler
Cushioned steering cylinders
Low temperature cooler by-pass valve
Ride Control
Locking Hydraulics for Coupler

LOADER SYSTEM:

Adjustable EH joystick loader control w/ 1 aux function, responsiveness settings for lift and tilt functions
- Smooth, Moderate, Aggressive
Automatic return-to-dig, height control, float, & return-to-travel
EH parallel lift (Zbar and XR linkages)
Position indicator on bucket
Z-bar loader linkage - standard version
Single piece, flame cut, loader arms
-Ground level lubrication points

BRAKES:

4-Wheel, outboard mounted, wet disc hydraulic brakes
Parking brake; switch actuated, spring applied hydraulic release
Separate front and rear brake systems
Single brake pedal



**521G TS T4 FINAL WHEEL LOADERS
US PRICE LIST**

(Ex Werks, Fargo, ND)

Standard Equipment

INSTRUMENTATION:

- LCD Touchscreen Display with configurable buttons:
1. Tachometer
 2. Speedometer
 3. Gear selected
 4. Time
 5. Transmission Diagnostics
 6. Digital Gauges
 7. Trip computer A/B
 8. Warning Prompts
 9. DeCluth Indication
 10. Diff. Lock (if equipped)
 11. Error Reporting
 12. Engine Mode Indicator

Digital Gauges for:

1. Trans. Oil Temp.
2. DEF level
3. Fuel Level
4. Engine Coolant Temp.

Indicator Lights for:

1. Master warning (cautionary)
2. Master warning (critical)
3. Turn signals
4. Steering pressure (low)
5. Low fuel
6. Brake pressure
7. High beam
8. Grid heater
9. Parking brake

Maintenance Reminders

1. Cab air filters
2. DEF tank vent filter
3. Engine air & oil filter
4. SCR supply filter
5. Hydraulic oil and filter
6. Engine coolant
7. Fuel pre-filter

ELECTRICAL:

- 24 volt system
 Alternator: 70 amp
 Battery isolator / Electrical disconnect
 2 - 12V (700 CCA) batteries
 Halogen lights:
 2 front flood (top mtd.)
 2 front driving (hi/lo beam)
 2 rear flood (top mtd.)
 LED stop/tail lights
 Front/rear turn signals and flashers
 Integrated 4-Corner Amber Strobe
 Horn
 Backup alarm
 Mechanical shock assist hood
 Remote jump start posts

OTHER BASIC EQUIPMENT:

- Articulation and loader lift arm locking bars
 Drawbar hitch (pins not included)
 Front/rear fenders, partial coverage
 Remote drain points
 Front and rear lift and tie down points
 Rear frame side covers
 License plate brackets; front bracket and lit rear bracket
 Rubber steering stops to reduce impact at full articulation
 CASE ProCare - Full Machine Protection
 Factory Warranty (3-yr/3000-hr),
 Planned Maintenance (3-yr/2000-hr)
 and SiteWatch™ Telematics with remote diagnostic capability through 4G connection
 Remote Service Tool ("RST") requires customer to utilize SiteManager App
 CASE SiteWatch™ Telematics
 Includes hardware and a 3-yr advanced data subscription
 Special Paint available upon request
 please contact your SSM for pricing and availability

**521G TS T4 FINAL WHEEL LOADERS
US PRICE LIST**

(Ex Werks, Fargo, ND)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
521G ZBAR TS T4F	24,290 LB		\$220,780.00
521G XR TS T4F	25,834 LB		\$222,578.00
521G XT TS T4F	24,572 LB		\$238,470.00

**521G TS T4 FINAL WHEEL LOADERS
US PRICE LIST**

**(Ex Werks, Fargo, ND)
Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

PACKAGES

SD_V9007 QUICK PICK WL

	XV9007X	No Quick Pick			No Charge
	734145	Quick Pick 1 - D LR 1906 734152 - Enhanced Cab Comfort 734154 - Enhanced Visibility Package 782510 - Standard Fenders w/ Left Hand and Right Hand Steps 782503 - Ride Control 734054 - Joystick w/ 1 Aux Function			(\$5,000.00)
	734146	Quick Pick 2 - D W 1906 734152 - Enhanced Cab Comfort 734154 - Enhanced Visibility Package 782511 - Full Fenders w/ Left Hand and Right Hand Steps 782503 - Ride Control 734054 - Joystick w/ 1 Aux Function			(\$5,000.00)
	734147	Quick Pick 3 - D NOAUX LR 1906 734152 - Enhanced Cab Comfort 734154 - Enhanced Visibility Package 782510 - Standard Fenders w/ Left Hand and Right Hand Steps 782503 - Ride Control 734052 - Joystick			(\$5,000.00)
	734148	Quick Pick 4 - ECC SV LR 1906 734152 - Enhanced Cab Comfort 734153 - Standard Visibility Package 782510 - Standard Fenders w/ Left Hand and Right Hand Steps 782503 - Ride Control 734054 - Joystick w/ 1 Aux Function			(\$5,000.00)
	734149	Quick Pick 5 - B SP L 1906 734151 - Standard Cab Comfort 734153 - Standard Visibility Package 782509 - Standard Fenders w/ Left Hand Steps 782503 - Ride Control 734054 - Joystick w/ 1 Aux Function 482027 - Skid Plate/Transmission Guard			(\$5,000.00)
	734144	YGR ONLY Quick Pick Must be YGR order Government, State/Provincial, Federal, Public Utilities, and Non-profit/charitable Org.			(\$5,000.00)

**521G TS T4 FINAL WHEEL LOADERS
US PRICE LIST**

(Ex Werks, Fargo, ND)

AXLES

SD_15001 AXLES

		782122	Limited Slip Differentials Not for use with Trans Control Unit option 482918			No Charge
		424235	Heavy-duty Axles with hydraulically-actuated differential lock on front axle, open differential on rear axle. Recommended for applications on hard surfaces, or with solid tires. Axles have studs for lug nuts.			\$3,213.00

OPERATOR'S PROTECTIVE STRUCTURE

SD_V9008 Cab Comfort Bundles

		734151	Standard Cab Comfort Includes Mechanical Seat with Headrest, No Sound Suppression, Radio Ready (Includes antenna, speakers, wiring harness, radio fuse, 20A converter - 24-volt to 12-volt, 12V auxiliary power outlet and USB outlet), and No Convenience Package.			No Charge
		734152	Enhanced Cab Comfort Includes Heated Air Seat w/ Headrest, Sound Suppression Package (Sound insulating material to reduce the exterior noise by 1 to 2 dBa), Convenience Package (sun shade, extra left side interior mirror, seat drawer, 24 volt cigar lighter and ash tray), and AM/FM Bluetooth Radio.			\$1,444.00

SD_V9009 Visibility Bundles

		734153	Standard Visibility Bundle Includes Right & Left Rear View Mirrors, 2 Halogen Headlights - Hi/Lo Beam, 2 front and 2 rear halogen work lights, and No Rear View Camera.			No Charge
		734154	Enhanced Visibility Bundle Includes Right & Left Heated Mirrors, 2 LED Headlights - Hi/Low Beam, 4 front & 2 rear LED work lights, and a Rear View Camera w/ overlay lines.			\$2,823.00

STEERING SYSTEM

SD_20111 HYDRAULIC STEERING

		782441	Standard Hydraulic Steering Does NOT include auxiliary steering system.			No Charge
--	--	--------	---	--	--	-----------



**521G TS T4 FINAL WHEEL LOADERS
US PRICE LIST**

(Ex Werks, Fargo, ND)

	782442	Auxiliary Steering System Includes auxiliary steering system that supplies hydraulic pressure to the steering circuit in a dead engine situation.			\$2,990.00
--	--------	---	--	--	------------

HYDRAULIC CONTROL VALVES

SD_20195 CONTROL VALVES

	734052	Joystick One Joystick controls loader lift arms and bucket.			(\$800.00)
	734054	Joystick with 1 Aux Function Joystick controls loader lift arms and bucket, a proportional roller switch on the joystick controls auxiliary hydraulics (includes hydraulic lines to lift arm cross tube). Auxiliary roller switch includes DETENT.			No Charge
	734055	Joystick with 2 Aux Functions Joystick controls loader lift arms and bucket. The two proportional roller switches on the joystick control auxiliary functions. 3rd function plumbing includes hydraulic lines to lift arm cross tube. 4th function plumbing is capped at the valve section. 4th function roller switch includes DETENT.			\$1,290.00

STEPS, PLATFORMS AND FENDERS

SD_18009 STEPS/REAR FENDERS

	782509	Standard Fenders w/ LH Steps Left hand steps with front and rear standard width fenders			No Charge
	782510	Standard Fenders w/LH/RH Steps Left hand and right hand steps with front and rear standard width fenders			\$335.00
	782511	Full Fenders w/RH & LH Steps Left hand and right hand steps with front and rear full coverage.			\$1,106.00

WHEELS AND TIRES

SD_16072 TIRE BRAND PREFERENCE

	482595	No Tire Brand Preference			No Charge
	482596	Firestone Brand			\$2,000.00
	482597	Goodyear Brand			\$3,500.00
	482598	Galaxy/Primex Brand			\$787.00
	482599	Michelin Brand			\$2,953.00
	482600	Titan/General Brand			\$787.00

**521G TS T4 FINAL WHEEL LOADERS
US PRICE LIST**

(Ex Werks, Fargo, ND)

TIRES

SD_16012 4WS WHEELS

9420431	17.5x25 L2 Bias (1 pc rim) 12 Ply brand availability: Firestone, Galaxy & Titan Note: No tire ballast is permitted.			No Charge
9420432	17.5R25 L2 Radial (3 pc rim) 1 Star rated brand preference: Galaxy, Michelin & Titan Note: No tire ballast is permitted.			\$4,247.00
9420434	17.5x25 L3 Bias (1 pc rim) 12 Ply brand preference: Firestone Note: No tire ballast is permitted.			\$1,108.00
9420435	17.5R25 L3 Radial (3 pc rim) 1 Star rated brand preference: Michelin & Titan 2 Star rated brand preference: Primex Note: No tire ballast is permitted.			\$5,725.00
9420437	20.5x25 L2 Bias (3 pc rim) 12 Ply brand availability: Titan & Galaxy 16 Ply brand availability: Firestone Requires Axle Oscillation Stops option 782983. Note: No tire ballast is permitted.			\$3,000.00
9420438	20.5R25 L2 Radial (3 pc rim) 1 Star rated brand preference: Michelin 2 Star rated brand preference: Primex Requires Axle Oscillation Stops option 782983. Note: No tire ballast is permitted.			\$5,078.00
9420439	20.5x25 L3 Bias (3 pc rim) 16 Ply brand preference: Galaxy & Firestone Requires Axle Oscillation Stops option 782983. Note: No tire ballast is permitted.			\$4,000.00
9420440	20.5R25 L3 Radial (3 pc rim) 1 Star rated brand preference: Goodyear, Michelin & Titan 2 Star rated brand preference: Galaxy Requires Axle Oscillation Stops option 782983. Note: No tire ballast is permitted.			\$6,555.00
9420466	20.5R25 Michelin Snoplus 3 pc 1 Star rated brand preference Requires Axle Oscillation Stops option 782983. Must also order Michelin Brand tire brand preference option 482599 Note: No tire ballast is permitted.			\$11,661.00
9420516	20.5R25 ATG All Season Tire Winter and Summer earthmoving tire (3 pc rim) 1 star rated Alliance brand Must also order No Brand tire brand preference 482595 Note: No tire ballast is permitted.			\$8,000.00

**521G TS T4 FINAL WHEEL LOADERS
US PRICE LIST**

(Ex Werks, Fargo, ND)

SD_21015 CONTROL UNIT FOR TRANS

		X21015X	No Control Unit for Power			No Charge
		482918	Trans Control Unit Transmission speed limited to 12.4 mph (20 kph) - Required for use with solid tire applications			No Charge

SD_50008 TIRE PRESSURE MONITO

		X50008X	No Tire Pressure Monitor Sys.			No Charge
		734137	Tire Pressure Monitor System Individual sensors that mount to the valve stem of each tire along with a receiver module that monitors pressure in each tire. Tire pressure information is shared with the operator via display.			\$1,500.00

PIN-ON ATTACHMENTS

SD_V5202 BUCKETS, PINS & COUPLERS

		XV5202X	No Bucket No Pins Included			(\$465.00)
		782537	Bucket Pins, No Bkt or Coupler Includes pins to attach bucket or coupler.			No Charge
		424920	2.1 cu. yd. w/pin on bucket Bucket includes bolt-on cutting edge. 2.1 cu. yd. (1.6m) with bolt on cutting edge 2.0 cu. yd. (1.5m) with teeth. Teeth and segmented edges are only available through Parts.			\$5,489.00
Coupler System						
		482047	CNH Coupler - JRB Compatible CNH Coupler and Bucket package are compatible with JRB 416 Series attachments.			\$4,883.00
		734006	CNH Coupler - ACS Compatible Case Coupler is comparable to the ACS Pro Series 2000 Size 30 Coupler.			\$4,883.00
		424988	2.1 cu. yd. bkt w/CNH Coupler CNH Coupler and Bucket package are compatible with JRB 416 Series attachments. Bucket includes bolt-on cutting edge. 2.1 cu. yd. (1.6m) with bolt on cutting edge 2.0 cu. yd. (1.5m) with teeth. Teeth and segmented edges are only available through Parts.			\$10,746.00
		734007	2.1 cu. yd. w/CNH Coupler(ACS) Bucket includes bolt-on cutting edge. 2.1 cu. yd. (1.6m) with bolt on cutting edge 2.0 cu. yd. (1.5m) with teeth. Teeth and segmented edges are only available through Parts.			\$11,401.00



**521G TS T4 FINAL WHEEL LOADERS
US PRICE LIST**

(Ex Werks, Fargo, ND)

SD_40026 Integrated Payload System

	X40026X	No Integrated Payload System			No Charge
	734066	Integrated Payload System Integrated Payload weighing system This measures and/or records: Payload weight, material ID, truck ID, cycle (bucket dumps) count. Detailed payload data is reported wirelessly via SiteWatch. Payload tickets can be printed w/ an optional printer through AMS. Payload requires calibration to be completed by either dealer or customer.			\$6,800.00

SD_50060 LOCKING HYDRAULICS

	424911	Locking Hydraulic for Coupler Used to actuate coupler locking pins and latching mechanisms fitted to machine. Oil supplied by system pressure circuit, 800-1500 psi (5500 to 10,300 KPa). Operator can roll bucket back (over relief) to increase locking pressure to maximum. Includes solenoid/pressure reducing manifold, hoses to lift arm cross tube and mounting hardware. Provides hydraulic lines to operate an aftermarket coupler.			No Charge
--	--------	--	--	--	-----------

DECALS AND LITERATURE

SD_32003 DECALS & LITERATURE

	482105	English Literature			No Charge
	482106	French Literature			No Charge
	482107	Spanish Literature			No Charge

ADDITIONAL EQUIPMENT WHL

MISCELLANEOUS

SD_02025 COLD WEATHER STARTING

	X02025X	No Grid Heater/Cold Start			No Charge
	482322	Cold Weather package Includes Heavy duty batteries (2 x 950 CCA), Low-temp Hytran Ultra hydraulic oil, grid heater, and heated fuel filter/water separator.			\$1,803.00

SD_15002 AXLE STOPS

	X15002X	No Rear Axle Oscillation Stops			No Charge
--	---------	--------------------------------	--	--	-----------

**521G TS T4 FINAL WHEEL LOADERS
US PRICE LIST**

(Ex Werks, Fargo, ND)

		782983	Axle Oscillation Stops Used when 17.5 R25 tires are fitted with tire chains or with the use of 20.5 R25 tires. Use of the stops prevents chains or tires from contacting the fender mounting brackets.			\$178.00
--	--	--------	--	--	--	----------

HYDRAULIC SYSTEM AND LATCHING OPTIONS

SD_20178 RIDE CONTROL

		X20178X	No Ride Control			(\$1,200.00)
		782503	Ride Control Provides hydraulic cushioning of loader lift arms for smoother ride when traveling with loads.			No Charge

PROTECTION AND SHIELDING OPTIONS

SD_39038 SKID PLATE

		X39038X	No Skid Plate/Transmission Grd			No Charge
		482027	Skid Plate/Transmission Guard and front chassis bottom guard			\$1,000.00

SD_E9970 Transport Protection

		XE9970X	No Transport Protection			No Charge
		734596	Transport Protection Provides protection against corrosion during transport & storage.			No Charge

TELEMATICS

SD_V9000 TELEMATICS

		734168	Sitewatch Verizon Recommended modem for US orders			No Charge
		734169	Sitewatch Vodafone Recommended modem for CAD orders			No Charge

521G Dealer Installed Accessories

Place orders for these kits / components through SERVICE PARTS.

P/N	Kit Name	Kit Description
47686363	KIT, FIELD RIGHT HAND BRAKE PEDAL	Brake pedal positioned on the right hand side of steering column.
47982517	KIT, FIELD REAR VIEW CAMERA	Rear view camera system, displays on primary cab display.
48012381	COOLER BOX	Powered cooler (food / beverage), requires Convenience Package option or 24V outlet (sits to the left of the seat).
47933276	KIT, FIELD RADIO 12V INSTALL	12-volt radio system. Note: Order individual components through Service Parts
47780019	ACCESSORY MOUNTING POLE	Bar to mount accessories off front right cab post.
51601521* 51581431*	KIT, JOYSTICK STEERING W/STD HYD STEERING, 521G	Joystick steering control (left hand arm rest); used on machines with standard hydraulic steering system.
51601522* 51533691*	KIT, JOYSTICK STEERING W/ AUX ELEC STEER, 521G	Joystick steering control (left hand arm rest); used on machines with auxiliary steering systems.
51624481	KIT, FIELD AIR CONDITIONER CAB	Air conditioning system.
47686520	KIT, FIELD COLD WEATHER PACKAGE	Note: Order individual components through Service Parts
47686519	KIT, FIELD VARIABLE SPEED REVERSIBLE FAN	Reversible fan option to upgrade standard cooling system fan.
48122261* 51429893*	KIT, FIELD RIDE CONTROL CONVERSION	Ride control system.
51583094**	KIT, FIELD 2 FN LEVER - 3 FN LEVER - EH	Loader Control conversion kit - EH control kit only.
51583095**	KIT, FIELD 2 FN LEVER - 2 FN JOYSTICK - EH	Loader Control conversion kit - EH control kit only.
51583096**	KIT, FIELD LEVERS - 3 FN JOYSTICK - EH	Loader Control conversion kit - EH control kit only.
51583097**	KIT, FIELD LEVERS - 4 FN JOYSTICK - EH	Loader Control conversion kit - EH control kit only.
51583098**	KIT, FIELD 2 FN JOYSTICK - 3 FN JOYSTICK - EH	Loader Control conversion kit - EH control kit only.
51583099**	KIT, FIELD 2 FN JOYSTICK - 4 FN JOYSTICK - EH	Loader Control conversion kit - EH control kit only.
51516871	KIT, FIELD 3 FN JOYSTICK - 4 FN JOYSTICK - EH	Loader Control conversion kit - EH control kit only.
51583101**	KIT, FIELD 2 FN JOYSTICK - 2 FN LEVER - EH	Loader Control conversion kit - EH control kit only.
51583102**	KIT, FIELD JOYSTICK - 3 FN LEVER - EH	Loader Control conversion kit - EH control kit only.
47930553	KIT, FIELD ADD SPOOL	521G/621G spool kit for an additional auxiliary hydraulic supply circuit.
51632548	KIT, FIELD 3 & 4 FN EH HOSES	Hose kit for additional auxiliary hydraulic supply circuit.
51549410	KIT, FIELD LOCKING HYDRAULICS ZBAR	Coupler locking kit for ZBAR or XR loader arm configuration.
90397249**	KIT, FIELD LOCKING HYDRAULICS XT	Coupler locking kit for XT loader arm configuration.
48039257* 51549386*	KIT, ACCESSORY LINE – ZBAR	3 rd Spool accessory plumbing kit for ZBAR loader arms.
48039259	KIT, ACCESSORY LINE - XT	3 rd Spool accessory plumbing kit for XT loader arms.
48039261* 51549392*	KIT, ACCESSORY LINE - XR	3 rd Spool accessory plumbing kit for XR loader arms.
51525485	KIT, DIA 521G XT 4TH SPOOL PLUMBING	Completion kit for 4 th spool for XT loader arm configuration
51547883	KIT, DIA ZB/XR 4TH SPOOL PLUMBING	Completion kit for 4 th spool for Zbar/XR loader
48044358	KIT, FRONT CHASSIS GUARD	Center and side skid plates for the front chassis.
51583778**	KIT, TIRE PRESSURE MONITOR SYSTEM	Tire Pressure Monitor System
51576150**	KIT, PAYLOAD SYSTEM PRINTER	Printer for Payload System
90383754**	KIT, PAYLOAD SYSTEM	Payload System

* See parts catalog, choose kit based on S/N break.

** For TS Models only, see parts catalog for previous kits

This table of field installed accessories is current as of March 2021. This table is only intended to provide guidance on where field installed accessories are ordered. Dealers should reference the online PARTS manual for each model for an up-to-date list of components, field kits, and accessories. These kits are subject to change without notice.

EH Controls - Conversion Type & Kits Required				521	621	721	821	921	1021	1121
Current	Switch To:	Kits Required - Description	Qty Rqd							
2 FN Lever	3 FN Lever	EH - Controls Kit	1	51583094	51583094	51583094	51583094	51583094	51583094	51583094
		Loader Valve - Add Spool Kit	1	47930553	47930553	51526327	48024944	48024944	47930579	47930579
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679
		3rd Spool Acc hoses	1	ZBAR	51549386	51549412	51445318	48192034	48192034	51643367
	XT	48039259		48039264	48039268					
	XR	51549392		51549414	51445321	48192037	48192037	51643371	51643371	
2 FN Lever	2 FN Joystick	EH - Controls Kit	1	51583095	51583095	51583095	51583095	51583095	51583095	51583095
		Loader Valve - Add Spool Kit	0							
		Additional Hoses Kit	0							
2 FN Lever	3 FN Joystick	EH - Controls Kit	1	51583096	51583096	51583096	51583096	51583096	51583096	51583096
		Loader Valve - Add Spool Kit	1	47930553	47930553	51526327	48024944	48024944	47930579	47930579
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679
		3rd Spool Acc hoses	1	ZBAR	51549386	51549412	51445318	48192034	48192034	51643367
	XT	48039259		48039264	48039268					
	XR	51549392		51549414	51445321	48192037	48192037	51643371	51643371	
3 FN Lever	3 FN Joystick	EH - Controls Kit	1	51583096	51583096	51583096	51583096	51583096	51583096	51583096
		Loader Valve - Add Spool Kit	0							
		Additional Hoses Kit	0							
2 FN Lever	4 FN Joystick	EH - Controls Kit	1	51583097	51583097	51583097	51583097	51583097	51583097	51583097
		Loader Valve - Add Spool Kit	2	47930553	47930553	51526327	48024944	48024944	47930579	47930579
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679
		3rd Spool Acc hoses	1	ZBAR	51549386	51549412	51445318	48192034	48192034	51643367
	XT	48039259		48039264	48039268					
	XR	51549392		51549414	51445321	48192037	48192037	51643371	51643371	
3 FN Lever	4 FN Joystick	EH - Controls Kit	1	51583097	51583097	51583097	51583097	51583097	51583097	51583097
		Loader Valve - Add Spool Kit	1	47930553	47930553	51526327	48024944	48024944	47930579	47930579
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679
2 FN Joystick	3 FN Joystick	EH - Controls Kit	1	51583098	51583098	51583098	51583098	51583098	51583098	51583098
		Loader Valve - Add Spool Kit	1	47930553	47930553	51526327	48024944	48024944	47930579	47930579
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679
		3rd Spool Acc hoses	1	ZBAR	51549386	51549412	51445318	48192034	48192034	51643367
	XT	48039259		48039264	48039268					
	XR	51549392		51549414	51445321	48192037	48192037	51643371	51643371	
2 FN Joystick	4 FN Joystick	EH - Controls Kit	1	51583099	51583099	51583099	51583099	51583099	51583099	51583099
		Loader Valve - Add Spool Kit	2	47930553	47930553	51526327	48024944	48024944	47930579	47930579
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679
		3rd Spool Acc hoses	1	ZBAR	51549386	51549412	51445318	48192034	48192034	51643367
	XT	48039259		48039264	48039268					
	XR	51549392		51549414	51445321	48192037	48192037	51643371	51643371	
3 FN Joystick	4 FN Joystick	EH - Controls Kit	1	51583100	51583100	51583100	51583100	51583100	51583100	51583100
		Loader Valve - Add Spool Kit	1	47930553	47930553	51526327	48024944	48024944	47930579	47930579
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679
2 FN Joystick	2 FN Lever	EH - Controls Kit	1	51583101	51583101	51583101	51583101	51583101	51583101	51583101
		Loader Valve - Add Spool Kit	0							
		Additional Hoses Kit	0							
2 FN Joystick	3 FN Lever	EH - Controls Kit	1	51583102	51583102	51583102	51583102	51583102	51583102	51583102
		Loader Valve - Add Spool Kit	1	47930553	47930553	51526327	48024944	48024944	47930579	47930579
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679
		3rd Spool Acc hoses	1	ZBAR	51549386	51549412	51445318	48192034	48192034	51643367
	XT	48039259		48039264	48039268					
	XR	51549392		51549414	51445321	48192037	48192037	51643371	51643371	
3 FN Joystick	3 FN Lever	EH - Controls Kit	1	51583102	51583102	51583102	51583102	51583102	51583102	51583102
		Loader Valve - Add Spool Kit	0							
		Additional Hoses Kit	0							

**621G TS T4F ARTICULATED WHEEL LOADER
US PRICE LIST**

**(Ex Works Fargo, ND)
Standard Equipment**

ENGINE:

FPT - F4HFE613W
 Tier 4 Final Certified (SCR)
 Displacement: 411 cu in (6.7 L)
 Standard Power Range:
 -Net HP @ rated: 151 HP
 (113 kW) @ 2000 RPM
 - Peak Net HPT: 162 HP
 (121 kW) @ 1800 RPM
 Boosted Power Range:
 - Net HP @ rated: 151 HP
 (113 kW) @ 2000 RPM
 - Peak Net HP: 162 HP
 (121 kW) @ 1800 RPM
 Power Modes (Smart and Max)
 Air-to-Air aftercooler
 Anti-freeze solution -34°F (-37°C)
 Engine block heater
 Fuel Tank: 65 gal. U.S. (246 L)
 DEF tank 15.6 gal. US (58.9 L)
 Air cleaner - 2 stage w radial seal
 elements
 Mid-mounted cooling module w/
 hydraulically driven reversible fan
 Auto idle control and Auto shutdown
 Common rail electronic fuel injector

OPERATOR'S PROTECTIVE STRUCTURE:

Cab with ROPS, AC and heater
 Wipers, rear and intermittent front
 Front sunscreen
 Rearview mirror, right hand side
 Rear window defroster
 Exterior Mirrors, Left and Right side
 Tilt-steering wheel with integral
 steering knob
 Suspension seat, with 3-inch
 (76 mm), seat belt
 Fully adjustable wrist rest
 Radio Ready (antenna, speakers,
 wiring harness and radio fuse
 included.) 20A converter (24V to
 12V), 12V aux. power & USB outlets
 Storage tray, Cup holder, Coat hook

AXLES:

Limited slip differentials - Front/Rear

TRANSMISSION:

Speeds: 4F-3R
 Computer controlled, full-power,
 proportional shifting
 Single lever electronic shift control on
 steering column
 FNR shuttle shift switch
 Programmable gear selection
 Selectable fully-automatic and
 manual modes
 Electronic transmission disconnect
 On-board diagnostics with fault code
 storage and retrieval
 Low Temperature Cooler by-pass valve

HYDRAULICS:

Closed center hydraulics, Load Sensing
 Vertically mounted, spin-on oil filter
 O-ring face seal hydraulic fittings
 Full-flow oil cooler
 Cushioned steering cylinders
 Low temperature cooler by-pass valve
 Ride Control
 Locking Hydraulics for Coupler

LOADER SYSTEM:

Adjustable EH joystick loader control
 w/ 1 aux function, responsiveness
 settings for lift and tilt functions
 -Smooth, Moderate, Aggressive
 Automatic return-to-dig, height
 control, float, & return-to-travel
 EH parallel lift (Zbar and XR linkages)
 Position indicator on bucket
 Z-bar loader linkage - standard version
 Single piece, flame cut, loader arms
 -Ground level lubrication points

BRAKES:

4-Wheel, outboard mounted, wet disc
 hydraulic brakes
 Parking brake; switch actuated, spring
 applied hydraulic release
 Separate front and rear brake systems
 Single brake pedal



**621G TS T4F ARTICULATED WHEEL LOADER
US PRICE LIST**

**(Ex Works Fargo, ND)
Standard Equipment**

INSTRUMENTATION:

- LCD Touchscreen Display with configurable buttons:
1. Tachometer
 2. Speedometer
 3. Gear selected
 4. Time
 5. Transmission Diagnostics
 6. Digital Gauges
 7. Trip computer A/B
 8. Warning Prompts
 9. DeClutch Indication
 10. Diff. Lock (if equipped)
 11. Error Reporting
 12. Engine Mode Indicator

Digital Gauges for:

1. Trans. Oil Temp.
2. DEF level
3. Fuel Level
4. Engine Coolant Temp.

Indicator Lights for:

1. Master warning (cautionary)
2. Master warning (critical)
3. Turn signals
4. Steering pressure (low)
5. Low fuel
6. Brake pressure
7. High beam
8. Grid heater
9. Parking brake

Maintenance Reminders

1. Cab air filters
2. DEF tank vent filter
3. Engine air & oil filter
4. SCR supply filter
5. Hydraulic oil and filter
6. Engine coolant
7. Fuel pre-filter

ELECTRICAL:

- 24 volt system
 2 - 12V (700 CCA) batteries
 Alternator: 120 amp
 Battery isolator / Electrical disconnect
 Halogen lights:
 2 front flood (top mtd.)
 2 front driving (hi/lo beam)
 2 rear flood (top mtd.)
 LED stop/tail lights
 Front/rear turn signals and flashers
 Integrated 4-corner amber strobe
 Horn
 Backup alarm
 Electric hood
 Remote jump start posts

OTHER BASIC EQUIPMENT:

- Articulation and loader lift arm locking bars
 Drawbar hitch (pins not included)
 Front/rear fenders, partial coverage
 Remote drain points
 Front and rear lift and tie down points
 Rear frame side covers
 License Plate Brackets; front bracket and lit rear bracket
 Rubber steering stops to reduce impact at full articulation
 CASE ProCare - Full Machine Protection
 Factory Warranty (3-yr/3000-hr),
 Planned Maintenance (3-yr/2000-hr)
 and SiteWatch™ Telematics with remote diagnostic capability through 4G connection
 Remote Service Tool ("RST") requires customer to utilize SiteManager App
 CASE SiteWatch™ Telematics
 Includes hardware and a 3-yr advanced data subscription
 Special Paint available upon request
 please contact your SSM for pricing and availability

**621G TS T4F ARTICULATED WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
621G ZBAR TS T4F	28,159 LB		\$257,538.00
621G XR TS T4F	28,483 LB		\$265,031.00
621G XT TS T4F	29,076 LB		\$278,319.00

**621G TS T4F ARTICULATED WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

PACKAGES

SD_V9007 QUICK PICK WL

	XV9007X	No Quick Pick			No Charge
	734145	Quick Pick 1 - D LR 1906 734152 - Enhanced Cab Comfort 734154 - Enhanced Visibility Package 782510 - Standard Fenders w/ Left Hand and Right Hand Steps 782503 - Ride Control 482585 - Cooling System w/ Reversing fan 734054 - Joystick w/ 1 Aux Function 424223 - Ejector Pre-Cleaner (Sy-Klone Brand)			(\$5,000.00)
	734146	Quick Pick 2 - D W 1906 734152 - Enhanced Cab Comfort 734154 - Enhanced Visibility Package 782511 - Full Fenders w/ Left Hand and Right Hand Steps 782503 - Ride Control 482585 - Cooling System w/ Reversing fan 734054 - Joystick w/ 1 Aux Function 424223 - Ejector Pre-Cleaner (Sy-Klone Brand)			(\$5,000.00)
	734147	Quick Pick 3 - D NOAUX LR 1906 734152 - Enhanced Cab Comfort 734154 - Enhanced Visibility Package 782510 - Standard Fenders w/ Left Hand and Right Hand Steps 782503 - Ride Control 482585 - Cooling System w/ Reversing fan 734052 - Joystick 424223 - Ejector Pre-Cleaner (Sy-Klone Brand)			(\$5,000.00)
	734148	Quick Pick 4 - ECC SV LR 1906 734152 - Enhanced Cab Comfort 734153 - Standard Visibility Package 782510 - Standard Fenders w/ Left Hand and Right Hand Steps 782503 - Ride Control 482585 - Cooling System w/ Reversing fan 734054 - Joystick w/ 1 Aux Function 424223 - Ejector Pre-Cleaner (Sy-Klone Brand)			(\$5,000.00)



**621G TS T4F ARTICULATED WHEEL LOADER
 US PRICE LIST**

(Ex Works Fargo, ND)

734149	Quick Pick 5 - B SP L 1906 734151 - Standard Cab Comfort 734153 - Standard Visibility Package 782509 - Standard Fenders w/ Left Hand Steps 782503 - Ride Control 482585 - Cooling System w/ Reversing fan 734054 - Joystick w/ 1 Aux Function X02055X - No Precleaner 482027 - Skid Plate/Transmission Guard				(\$5,000.00)
734150	Quick Pick 6 - D CK LR 1906 734152 - Enhanced Cab Comfort 734154 - Enhanced Visibility Package 782510 - Standard Fenders w/ Left Hand and Right Hand Steps 482931 - Heavy Debris Cooling System 782503 - Ride Control 734054 - Joystick w/ 1 Aux Function 424223 - Ejector Pre-Cleaner (Sy-Klone Brand)				(\$5,000.00)
734144	YGR ONLY Quick Pick Must be YGR order Government, State/Provincial, Federal, Public Utilities, and Non-profit/charitable Org.				(\$5,000.00)

TRANSMISSION

SD_V5500 TRANSMISSION

424224	4-speed Transmission				No Charge
424225	5-speed Transmission with Lockup Torque Converter, Includes PowerInch progressive de-clutch Not for use with Trans Control Unit option 482918				\$4,451.00

AXLES

SD_15001 AXLES

782122	Limited Slip Differentials Not for use with Trans Control Unit option 482918				No Charge
424235	Heavy-duty Axles Recommended for applications on hard surfaces, or with solid tires. Axles have studs for lug nuts. Larger size axles front and rear with automatic hydraulically-actuated differential lock on front axle, open differential on rear axle.				\$3,213.00

**621G TS T4F ARTICULATED WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

COOLING SYSTEM

SD_02018 RADIATOR OPTIONS

		482585	Cooling System w/Reversing Fan Includes hydraulic oil cooler and auto-reversing variable speed fan.		No Charge
		482931	Heavy Debris Cooling System Often called the "Commodity King" package. Includes enhanced sealing of the cooling module covers, wider radiator, hydraulic, and transmission cooler fin spacing (radiator = 6.5 fins/in,trans/hyd = 7.5 fins/in), auto-reversing variable speed fan. Recommended for use with option 424235 Heavy Duty Axle. Also recommended for use in TRASH and HIGH DEBRIS applications. Must also order Syklone engine air precleaner.		\$1,150.00

OPERATOR'S PROTECTIVE STRUCTURE

SD_V9008 Cab Comfort Bundles

		734151	Standard Cab Comfort Includes Mechanical Seat with Headrest, No Sound Suppression, Radio Ready (Includes antenna, speakers, wiring harness, radio fuse, 20A converter - 24-volt to 12-volt, 12V auxiliary power outlet and USB outlet), and No Convenience Package.		No Charge
		734152	Enhanced Cab Comfort Includes Heated Air Seat w/ Headrest, Sound Suppression Package (Sound insulating material to reduce the exterior noise by 1 to 2 dBa), Convenience Package (sun shade, extra left side interior mirror, seat drawer, 24 volt cigar lighter and ash tray), and AM/FM Bluetooth Radio.		\$1,444.00

SD_V9009 Visibility Bundles

		734153	Standard Visibility Bundle Includes Right & Left Rear View Mirrors, 2 Halogen Headlights - Hi/Lo Beam, 2 front and 2 rear halogen work lights, and No Rear View Camera.		No Charge
		734154	Enhanced Visibility Bundle Includes Right & Left Heated Mirrors, 2 LED Headlights - Hi/Low Beam, 4 front & 2 rear LED work lights, and a Rear View Camera w/ overlay lines.		\$2,823.00

**621G TS T4F ARTICULATED WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

STEERING SYSTEM

SD_20111 HYDRAULIC STEERING

		782441	Standard Hydraulic Steering Does NOT include auxiliary steering.		No Charge
		782442	Auxiliary Steering System Includes auxiliary steering system that supplies hydraulic pressure to the steering circuit in a dead engine situation.		\$3,595.00

HYDRAULIC CONTROL VALVES

SD_20195 CONTROL VALVES

		734052	Joystick One Joystick controls loader lift arms and bucket.		(\$800.00)
		734054	Joystick with 1 Aux Function Joystick controls loader lift arms and bucket, a proportional roller switch on the joystick controls auxiliary hydraulics (includes hydraulic lines to lift arm cross tube). Auxiliary roller switch includes DETENT.		No Charge
		734055	Joystick with 2 Aux Functions Joystick controls loader lift arms and bucket. The two proportional roller switches on the joystick control auxiliary functions. 3rd function plumbing includes hydraulic lines to lift arm cross tube. 4th function plumbing is capped at the valve section. 4th function roller switch includes DETENT.		\$1,290.00

STEPS, PLATFORMS AND FENDERS

SD_18009 STEPS/REAR FENDERS

		782509	Standard Fenders w/ LH Steps Left hand steps with front and rear standard width fenders		No Charge
		782510	Standard Fenders w/LH/RH Steps Left Hand and Right Hand steps with front and rear standard width fenders		\$335.00
		782511	Full Fenders w/RH & LH Steps Left Hand and Right Hand steps with front and rear FULL COVERAGE (wide fenders)		\$1,106.00



**621G TS T4F ARTICULATED WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

WHEELS AND TIRES

SD_16072 TIRE BRAND PREFERENCE

	482595	No Tire Brand Preference			No Charge
	482596	Firestone Brand			\$2,000.00
	482597	Goodyear Brand			\$3,500.00
	482598	Galaxy/Primex Brand			\$761.00
	482599	Michelin Brand			\$2,854.00
	482600	Titan/General Brand			\$761.00

TIRES

SD_16012 4WS WHEELS

	9420437	20.5x25 L2 Bias (3 pc rim) 12 Ply brand availability: Titan & Galaxy 16 Ply brand availability: Firestone Note: No tire ballast is permitted.			No Charge
	9420438	20.5R25 L2 Radial (3 pc rim) 1 Star rated brand availability: Michelin 2 Star rated brand availability: Primex Note: No tire ballast is permitted.			\$4,732.00
	9420439	20.5x25 L3 Bias (3 pc rim) 16 Ply brand availability: Galaxy & Firestone Note: No tire ballast is permitted.			\$806.00
	9420440	20.5R25 L3 Radial (3 pc rim) 1 Star rated brand preference: Goodyear & Titan 2 Star rated brand preference: Galaxy & Michelin Note: No tire ballast is permitted.			\$5,265.00
	9420466	20.5R25 Michelin Snoplus 3 pc 1 Star rated (3 pc rim) Must also order Michelin Brand tire brand preference option 482599 Note: No tire ballast is permitted.			\$11,653.00
	9420516	20.5R25 ATG All Season Tire Winter and Summer earthmoving tire (3 pc rim) 1 star rated Alliance brand Must also order No Brand tire brand preference 482595 Note: No tire ballast is permitted.			\$8,000.00

SD_21015 CONTROL UNIT FOR TRANS

	X21015X	No Control Unit for Power			No Charge
	482918	Trans Control Unit Transmission speed limited to 12.4 mph (20 kph) - Required for use with solid tire applications			No Charge



**621G TS T4F ARTICULATED WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

SD_50008 TIRE PRESSURE MONITO

	X50008X	No Tire Pressure Monitor Sys.			No Charge
	734137	Tire Pressure Monitor System Individual sensors that mount to the valve stem of each tire along with a receiver module that monitors pressure in each tire. Tire pressure information is shared with the operator via display.			\$1,500.00

PIN-ON ATTACHMENTS

SD_V5202 BUCKETS, PINS & COUPLERS

	XV5202X	No Bucket No Pins Included.			(\$506.00)
	782537	Bucket Pins, No Bkt or Coupler Includes pins to attach bucket or coupler. ADDITIONAL BUCKETS AVAILABLE from Attachment Catalog: refer to PM-15851 CASE CE-US, PM-15852 CASE CE-CAN Light Material, pin-on buckets with BOE, sizes: 4.0, 4.5, 5.0 yd3 Multi-Purpose 4-1, pin-on buckets with BOE, sizes: 2.25, 2.5 yd3 (Refer to catalog for max. material densities)			No Charge
Medium Density Materials					
	482396	3.0 cu. yd. pin on bucket Bucket includes bolt-on cutting edge. 3.0 cu. yd. (2.3m) with bolt on cutting edge Teeth and segmented edges are only available through Parts.			\$7,500.00
Coupler System					
	482047	CNH Coupler - JRB Compatible CNH Coupler and Bucket package are compatible with JRB 416 Series attachments.			\$4,842.00
	734006	CNH Coupler - ACS Compatible Case Coupler is comparable to the ACS Pro Series 2000 Size 30 Coupler.			\$4,842.00
	734008	2.5 cu. yd. w/CNH Coupler(ACS) Bucket includes bolt-on cutting edge. General purpose bucket. 2.5 cu. yd. (1.9 cu. m.) 2.4 cu. yd. (1.8 cu. m.) with teeth and segments. Case Coupler is comparable to the ACS Pro Series 2000 Size 30 Coupler. Hydraulic latching and hydraulic supply kit. Teeth and segmented edges are only available through Parts.			\$13,350.00

**621G TS T4F ARTICULATED WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

	424248	3.0 cu. yd. w/CNH Coupler(JRB) Bucket includes bolt-on cutting edge. 3.0 cu. yd. (2.3m) with bolt on cutting edge Teeth and segmented edges are only available through Parts. CNH Coupler and Bucket package are compatible with JRB 416 Series attachments.			\$13,063.00
	424917	2.5 cu. yd. w/CNH Coupler(JRB) Bucket includes bolt-on cutting edge. General purpose bucket. 2.5 cu. yd. (1.9 cu. m.) 2.4 cu. yd. (1.8 cu. m.) with teeth and segments. Teeth & segmented edges are only available through Parts. CNH Coupler and Bucket package are compatible with JRB 416 Series attachments.			\$11,925.00
	734009	3.0 cu. yd. w/CNH Coupler(ACS) Bucket includes bolt-on cutting edge. 3.0 cu. yd. (2.3m) with bolt on cutting edge Teeth and segmented edges are only available through Parts.			\$14,712.00
Low Density Materials					
	424259	4.5 cu. yd. pin on bucket Bucket includes bolt-on cutting edge. Light material bucket, developed for Commodity King. 4.5 cu. yd. (3.44 cu. m.), not available with teeth. Not available with 621G XT Commercial Model. Maximum material density: 1,600 lb/cu. yd.			\$11,500.00

SD_40026 Integrated Payload System

	X40026X	No Integrated Payload System			No Charge
	734066	Integrated Payload System Integrated Payload weighing system This measures and/or records: Payload weight, material ID, truck ID, cycle (bucket dumps) count. Detailed payload data is reported wirelessly via SiteWatch. Payload tickets can be printed w/ an optional printer through AMS. Payload requires calibration to be completed by either dealer or customer.			\$6,800.00

SD_50060 LOCKING HYDRAULICS

	424911	Locking Hydraulic for Coupler Used to actuate coupler locking pins and latching mechanisms fitted to machine. Oil supplied by system pressure circuit, 800-1500 psi (5500 to 10,300 KPa). Operator can roll bucket back (over relief) to increase locking pressure to maximum. Includes solenoid/pressure reducing manifold, hoses to lift arm cross tube and mounting hardware. Provides hydraulic lines to operate an aftermarket coupler.			No Charge
--	--------	--	--	--	-----------



**621G TS T4F ARTICULATED WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

DECALS AND LITERATURE

SD_32003 DECALS & LITERATURE

	482105	English Literature			No Charge
	482106	French Literature			No Charge
	482107	Spanish Literature			No Charge

ADDITIONAL EQUIPMENT WHL

SD_02055 AIR PRECLEANER

	X02055X	No Precleaner			No Charge
	424223	Ejector Type Precleaner Sy-Klone brand.			\$441.00

MISCELLANEOUS

SD_02025 COLD WEATHER STARTING

	X02025X	No Grid Heater/Cold Start			No Charge
	482322	Cold Weather package Includes Heavy duty batteries (2 x 950 CCA), Low-temp Hytran Ultra hydraulic oil, grid heater, DEF line insulating blanket, and heated fuel filter/water separator.			\$1,803.00

SD_15002 AXLE STOPS

	X15002X	No Rear Axle Oscillation Stops			No Charge
	782983	Axle Oscillation Stops Used when tires are fitted with tire chains. Use of the stops prevents chains from contacting the fender mounting brackets.			\$178.00

HYDRAULIC SYSTEM AND LATCHING OPTIONS

SD_20178 RIDE CONTROL

	X20178X	No Ride Control			(\$1,200.00)
	782503	Ride Control Provides hydraulic cushioning of loader lift arms			No Charge

PROTECTION AND SHIELDING OPTIONS

SD_39038 SKID PLATE

	X39038X	No Skid Plate/Transmission Grd			No Charge
	482027	Skid Plate/Transmission Guard			\$1,000.00

SD_E9970 Transport Protection

	XE9970X	No Transport Protection			No Charge
--	---------	-------------------------	--	--	-----------

**621G TS T4F ARTICULATED WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

		734596	Transport Protection Provides protection against corrosion during transport and storage.			No Charge
--	--	--------	--	--	--	-----------

TELEMATICS

SD_V9000 TELEMATICS

		734168	Sitewatch Verizon Recommended modem for US orders			No Charge
		734169	Sitewatch Vodafone Recommended modem for CAD orders			No Charge

621G Dealer Installed Accessories

Place orders for these kits / components through SERVICE PARTS.

P/N	Kit Name	Kit Description
47686363	KIT, FIELD RIGHT HAND BRAKE PEDAL	Brake pedal positioned on the right hand side of steering column.
47982513	KIT, FIELD REAR VIEW CAMERA CASE	Rear view camera system, displays on primary cab display.
48012381	COOLER BOX	Powered cooler (food / beverage), requires Convenience Package option or 24V outlet (sits to the left of the seat).
47933276	KIT, FIELD RADIO 12V INSTALL	12-volt radio system. Note: Order individual components through Service Parts
47780019	ACCESSORY MOUNTING POLE	Bar to mount accessories off front right cab post.
48135593* 51641876*	KIT, JOYSTICK STEERING W/ STD HYD STEER, 621G	Joystick steering control (left hand arm rest); used on machines with standard hydraulic steering system.
48135595* 51641877*	KIT, JOYSTICK STEERING W/ AUX ELEC STEER, 621G	Joystick steering control (left hand arm rest); used on machines with auxiliary steering systems.
47687034	KIT, FIELD COLD WEATHER PACKAGE	Note: Order individual components through Service Parts
48122264	KIT, FIELD RIDE CONTROL CONVERSION	Ride control system.
51583094**	KIT, FIELD 2 FN LEVER - 3 FN LEVER - EH	Loader Control conversion kit - EH control kit only.
51583095**	KIT, FIELD 2 FN LEVER - 2 FN JOYSTICK - EH	Loader Control conversion kit - EH control kit only.
51583096**	KIT, FIELD LEVERS - 3 FN JOYSTICK - EH	Loader Control conversion kit - EH control kit only.
51583097**	KIT, FIELD LEVERS - 4 FN JOYSTICK - EH	Loader Control conversion kit - EH control kit only.
51583098**	KIT, FIELD 2 FN JOYSTICK - 3 FN JOYSTICK - EH	Loader Control conversion kit - EH control kit only.
51583099**	KIT, FIELD 2 FN JOYSTICK - 4 FN JOYSTICK - EH	Loader Control conversion kit - EH control kit only.
51516871	KIT, FIELD 3 FN JOYSTICK - 4 FN JOYSTICK - EH	Loader Control conversion kit - EH control kit only.
51583101**	KIT, FIELD 2 FN JOYSTICK - 2 FN LEVER - EH	Loader Control conversion kit - EH control kit only.
51583102**	KIT, FIELD JOYSTICK - 3 FN LEVER - EH	Loader Control conversion kit - EH control kit only.
47930553	KIT, FIELD ADD SPOOL -	521G/621G spool kit for an additional auxiliary hydraulic supply circuit.
51632548	KIT, FIELD 3 & 4 FN EH HOSES	Hose kit for additional auxiliary hydraulic supply circuit.
51549410	KIT, FIELD LOCKING HYDRAULICS Z-BAR	Coupler locking kit for ZBAR or XR loader arm configuration.
90397251**	KIT, FIELD LOCKING HYDRAULICS XT	Coupler locking kit for XT loader arm configuration.
48039263* 51549412*	KIT, ACCESSORY LINE - ZBAR	3 rd Spool accessory plumbing kit for ZBAR loader arms.
48039264	KIT, ACCESSORY LINE - XT/TC	3 rd Spool accessory plumbing kit for XT loader arms.
48039265* 51549414*	KIT, ACCESSORY LINE - XR	3 rd Spool accessory plumbing kit for XR loader arms.
51526501	KIT, DIA 621G XT 4TH SPOOL PLUMBING	Completion kit for 4 th spool for XT loader arm configuration
51547888	KIT, DIA ZB/XR 4TH SPOOL PLUMBING	Completion kit for 4 th spool for Zbar/XR loader
51453562	KIT, FIELD WINDSHIELD GUARD	Windshield guard.
47687036	KIT, FIELD WASTE HANDLER LIGHTS	Front light guards.
47844068	KIT, FRONT AND ARTICULATION GUARDS	Front chassis and articulation joint debris guards.
47855581	KIT, REAR CHASSIS SIDE GUARDS CASE	Rear chassis side covers.
48044365	KIT, FIELD SKID PLATE	Skid plate guard.
48044366	KIT, SKID AND FUEL TANK GUARDS	Skid plate and transmission guard.
51583778**	KIT, TIRE PRESSURE MONITOR SYSTEM	Tire Pressure Monitor System
51576150**	KIT, PAYLOAD SYSTEM PRINTER	Printer for Payload System
90383754**	KIT, PAYLOAD SYSTEM	Payload System

* See parts catalog, choose kit based on S/N break.

** For TS Models only, see parts catalog for previous kits

This table of field installed accessories is current as of March 2021. This table is only intended to provide guidance on where field installed accessories are ordered. Dealers should reference the online PARTS manual for each model for an up-to-date list of components, field kits, and accessories. These kits are subject to change without notice.

EH Controls - Conversion Type & Kits Required				521	621	721	821	921	1021	1121	
Current	Switch To:	Kits Required - Description	Qty Rqd								
2 FN Lever	3 FN Lever	EH - Controls Kit	1	51583094	51583094	51583094	51583094	51583094	51583094	51583094	
		Loader Valve - Add Spool Kit	1	47930553	47930553	51526327	48024944	48024944	47930579	47930579	
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679	
		3rd Spool Acc hoses	1	ZBAR	51549386	51549412	51445318	48192034	48192034	51643367	51643367
		XT		48039259	48039264	48039268					
XR	51549392	51549414	51445321	48192037	48192037	51643371	51643371				
2 FN Lever	2 FN Joystick	EH - Controls Kit	1	51583095	51583095	51583095	51583095	51583095	51583095	51583095	
		Loader Valve - Add Spool Kit	0								
		Additional Hoses Kit	0								
2 FN Lever	3 FN Joystick	EH - Controls Kit	1	51583096	51583096	51583096	51583096	51583096	51583096	51583096	
		Loader Valve - Add Spool Kit	1	47930553	47930553	51526327	48024944	48024944	47930579	47930579	
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679	
		3rd Spool Acc hoses	1	ZBAR	51549386	51549412	51445318	48192034	48192034	51643367	51643367
		XT		48039259	48039264	48039268					
XR	51549392	51549414	51445321	48192037	48192037	51643371	51643371				
3 FN Lever	3 FN Joystick	EH - Controls Kit	1	51583096	51583096	51583096	51583096	51583096	51583096	51583096	
		Loader Valve - Add Spool Kit	0								
		Additional Hoses Kit	0								
2 FN Lever	4 FN Joystick	EH - Controls Kit	1	51583097	51583097	51583097	51583097	51583097	51583097	51583097	
		Loader Valve - Add Spool Kit	2	47930553	47930553	51526327	48024944	48024944	47930579	47930579	
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679	
		3rd Spool Acc hoses	1	ZBAR	51549386	51549412	51445318	48192034	48192034	51643367	51643367
		XT		48039259	48039264	48039268					
XR	51549392	51549414	51445321	48192037	48192037	51643371	51643371				
3 FN Lever	4 FN Joystick	EH - Controls Kit	1	51583097	51583097	51583097	51583097	51583097	51583097	51583097	
		Loader Valve - Add Spool Kit	1	47930553	47930553	51526327	48024944	48024944	47930579	47930579	
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679	
2 FN Joystick	3 FN Joystick	EH - Controls Kit	1	51583098	51583098	51583098	51583098	51583098	51583098	51583098	
		Loader Valve - Add Spool Kit	1	47930553	47930553	51526327	48024944	48024944	47930579	47930579	
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679	
		3rd Spool Acc hoses	1	ZBAR	51549386	51549412	51445318	48192034	48192034	51643367	51643367
		XT		48039259	48039264	48039268					
XR	51549392	51549414	51445321	48192037	48192037	51643371	51643371				
2 FN Joystick	4 FN Joystick	EH - Controls Kit	1	51583099	51583099	51583099	51583099	51583099	51583099	51583099	
		Loader Valve - Add Spool Kit	2	47930553	47930553	51526327	48024944	48024944	47930579	47930579	
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679	
		3rd Spool Acc hoses	1	ZBAR	51549386	51549412	51445318	48192034	48192034	51643367	51643367
		XT		48039259	48039264	48039268					
XR	51549392	51549414	51445321	48192037	48192037	51643371	51643371				
3 FN Joystick	4 FN Joystick	EH - Controls Kit	1	51583100	51583100	51583100	51583100	51583100	51583100	51583100	
		Loader Valve - Add Spool Kit	1	47930553	47930553	51526327	48024944	48024944	47930579	47930579	
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679	
2 FN Joystick	2 FN Lever	EH - Controls Kit	1	51583101	51583101	51583101	51583101	51583101	51583101	51583101	
		Loader Valve - Add Spool Kit	0								
		Additional Hoses Kit	0								
2 FN Joystick	3 FN Lever	EH - Controls Kit	1	51583102	51583102	51583102	51583102	51583102	51583102	51583102	
		Loader Valve - Add Spool Kit	1	47930553	47930553	51526327	48024944	48024944	47930579	47930579	
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679	
		3rd Spool Acc hoses	1	ZBAR	51549386	51549412	51445318	48192034	48192034	51643367	51643367
		XT		48039259	48039264	48039268					
XR	51549392	51549414	51445321	48192037	48192037	51643371	51643371				
3 FN Joystick	3 FN Lever	EH - Controls Kit	1	51583102	51583102	51583102	51583102	51583102	51583102	51583102	
		Loader Valve - Add Spool Kit	0								
		Additional Hoses Kit	0								



**721G TS T4F ARTICULATED WHEEL LOADER
US PRICE LIST**

**(Ex Works Fargo, ND)
Standard Equipment**

ENGINE:

FPT - F4HFE613T
Tier 4 Final Certified (SCR)
Displacement: 411 cu. in. (6.7 L)
Standard Power Range:
- Net HP @ Rated RPM 144 hp
(107 kW) @ 2000 RPM
- Peak Net HP 163 hp
(121 kW) @ 1600 RPM
Max Power Range @ 2000 RPM:
- Net HP @ Rated: 179 hp (133kW)
- Peak Net HP 179 hp (133 kw)
Power Modes (Smart and Max)
Air-to-air aftercooler
Anti-freeze solution -34°F (-37°C)
Engine block heater
Fuel Tank: 65 gal. U.S. (246 L)
DEF Tank 15.6 gal. U.S. (58.9 L)
Air cleaner - 2 stage with radial seal
elements
Mid-mounted cooling module w/
Hydraulically driven Reversible Fan
Auto idle control and auto shutdown
Common rail electronic fuel injector

OPERATOR'S PROTECTIVE STRUCTURE:

Cab with ROPS, AC and heater
Wipers, rear and intermittent front
Front sunscreen
Rearview mirror, right hand side
Rear window defroster
Exterior Mirrors, Left and Right side
Tilt-steering wheel with integral
steering knob
Suspension seat, with 3-inch
(76 mm), seat belt
Fully adjustable wrist rest
Radio Ready (antenna, speakers,
wiring harness and radio fuse
included.) 20A converter (24V to
12V), 12V aux. power & USB outlets
Storage tray, Cup holder, Coat hook

AXLES:

Limited slip differentials - Front/Rear

TRANSMISSION:

Speeds: 4F-3R
Computer controlled, full-power,
proportional shifting
Single lever electronic shift control on
steering column
FNR shuttle shift switch
Programmable gear selection
Selectable fully-automatic and
manual modes
Electronic transmission disconnect
On-board diagnostics with fault code
storage and retrieval
Low Temperature Cooler by-pass valve

HYDRAULICS:

Closed center hydraulics, Load Sensing
Vertically mounted, spin-on oil filter
O-ring face seal hydraulic fittings
Full-flow oil cooler
Cushioned steering cylinders
Low temperature cooler by-pass valve
Ride Control
Locking Hydraulics for Coupler

LOADER SYSTEM:

Adjustable EH joystick loader control
w/ 1 aux function, responsiveness
settings for lift and tilt functions
- Smooth, Moderate, Aggressive
Automatic return-to-dig, height
control, float, & return-to-travel
EH parallel lift (Zbar and XR linkages)
Position indicator on bucket
Z-bar loader linkage - standard version
Single piece, flame cut, loader arms
-Ground level lubrication points

BRAKES:

4-Wheel, outboard mounted, wet disc
hydraulic brakes
Parking brake; switch actuated, spring
applied hydraulic release
Separate front and rear brake systems
Single brake pedal



**721G TS T4F ARTICULATED WHEEL LOADER
US PRICE LIST**

**(Ex Works Fargo, ND)
Standard Equipment**

INSTRUMENTATION:

- LCD touchscreen display with configurable buttons:
1. Tachometer
 2. Speedometer
 3. Gear selected
 4. Time
 5. Transmission Diagnostics
 6. Digital Gauges
 7. Trip computer A/B
 8. Warning Prompts
 9. DeClutch Indication
 10. Diff. Lock (if equipped)
 11. Error Reporting
 12. Engine Mode Indicator

Digital Gauges for:

1. Trans. Oil Temp.
2. DEF level
3. Fuel Level
4. Engine Coolant Temp.

Indicator Lights for:

1. Master warning (cautionary)
2. Master warning (critical)
3. Turn signals
4. Steering pressure (low)
5. Low fuel
6. Brake pressure
7. High beam
8. Grid heater
9. Parking brake

Maintenance Reminders

1. Cab air filters
2. DEF tank vent filter
3. Engine air & oil filter
4. SCR supply filter
5. Hydraulic oil and filter
6. Engine coolant
7. Fuel pre-filter

ELECTRICAL:

- 24 volt system
2 - 12V (700 CCA) batteries
Alternator: 120 amp
Battery isolator / Electrical disconnect
Halogen lights:
2 front flood (top mtd.)
2 front driving (hi/lo beam)
2 rear flood (top mtd.)
LED stop/tail lights
Front/rear turn signals and flashers
Integrated 4-Corner Amber Strobe
Horn
Backup alarm
Electric hood
Remote jump start posts

OTHER BASIC EQUIPMENT:

- Articulation and loader lift arm locking bars
Drawbar hitch (pins not included)
Front/rear fenders, partial coverage
Remote drain points
Front and rear lift and tie down points
Rear Frame Side Covers
License Plate Brackets; front bracket and lit rear bracket
CASE ProCare - Full Machine Protection
Factory Warranty (3-yr/3000-hr),
Planned Maintenance (3-yr/2000-hr)
and SiteWatch™ Telematics with remote diagnostic capability through 4G connection
Remote Service Tool ("RST") requires customer to utilize SiteManager App
CASE SiteWatch™ Telematics
Includes hardware and a 3-yr advanced data subscription
Telematics antenna installed under cab roof
Special Paint available upon request
please contact your SSM for pricing and availability

**721G TS T4F ARTICULATED WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
721G ZBAR TS T4F	32,492 LB		\$311,999.00
721G XR TS T4F	32,851 LB		\$314,739.00
721G XT TS T4F	32,392 LB		\$335,211.00

**721G TS T4F ARTICULATED WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)
Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

PACKAGES

SD_V9007 QUICK PICK WL

	XV9007X	No Quick Pick		No Charge
	734145	Quick Pick 1 - D LR 1906 734152 - Enhanced Cab Comfort 734154 - Enhanced Visibility Package 782510 - Standard Fenders w/ Left Hand and Right Hand Steps 782503 - Ride Control 482585 - Cooling System w/ Reversing fan 734054 - Joystick w/ 1 Aux Function 424223 - Ejector Pre-Cleaner (Sy-Klone Brand)		(\$7,000.00)
	734146	Quick Pick 2 - D W 1906 734152 - Enhanced Cab Comfort 734154 - Enhanced Visibility Package 782511 - Full Fenders w/ Left Hand and Right Hand Steps 782503 - Ride Control 482585 - Cooling System w/ Reversing fan 734054 - Joystick w/ 1 Aux Function 424223 - Ejector Pre-Cleaner (Sy-Klone Brand)		(\$7,000.00)
	734147	Quick Pick 3 - D NOAUX LR 1906 734152 - Enhanced Cab Comfort 734154 - Enhanced Visibility Package 782510 - Standard Fenders w/ Left Hand and Right Hand Steps 782503 - Ride Control 482585 - Cooling System w/ Reversing fan 734052 - Joystick 424223 - Ejector Pre-Cleaner (Sy-Klone Brand)		(\$7,000.00)
	734148	Quick Pick 4 - ECC SV LR 1906 734152 - Enhanced Cab Comfort 734153 - Standard Visibility Package 782510 - Standard Fenders w/ Left Hand and Right Hand Steps 782503 - Ride Control 482585 - Cooling System w/ Reversing fan 734054 - Joystick w/ 1 Aux Function 424223 - Ejector Pre-Cleaner (Sy-Klone Brand)		(\$7,000.00)

**721G TS T4F ARTICULATED WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

	734149	Quick Pick 5 - B SP L 1906 734151 - Standard Cab Comfort 734153 - Standard Visibility Package 782509 - Standard Fenders w/ Left Hand Steps 782503 - Ride Control 482585 - Cooling System w/ Reversing fan 734054 - Joystick w/ 1 Aux Function X02055X - No Precleaner 482027 - Skid Plate/Transmission Guard			(\$7,000.00)
	734150	Quick Pick 6 - D CK LR 1906 734152 - Enhanced Cab Comfort 734154 - Enhanced Visibility Package 782510 - Standard Fenders w/ Left Hand and Right Hand Steps 482931 - Heavy Debris Cooling System 782503 - Ride Control 734054 - Joystick w/ 1 Aux Function 424223 - Ejector Pre-Cleaner (Sy-Klone Brand)			(\$7,000.00)
	734144	YGR ONLY Quick Pick Must be YGR order Government, State/Provincial, Federal, Public Utilities, and Non-profit/charitable Org.			(\$7,000.00)

TRANSMISSION

SD_V5500 TRANSMISSION

	424224	4-speed Transmission			No Charge
	424225	5-speed Transmission with Lockup Torque Converter, Includes PowerInch progressive de-clutch Not for use with Trans Control Unit option 482918			\$3,987.00

AXLES

SD_15001 AXLES

	782122	Limited Slip Differentials Not for use with Trans Control Unit option 482918			No Charge
	424235	Heavy-duty Axles Larger size axles front and rear with automatic hydraulically-actuated differential lock on front axle, open differential on rear axle. Recommended for applications on hard surfaces or with solid tires.			\$4,570.00

**721G TS T4F ARTICULATED WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

COOLING SYSTEM

SD_02018 RADIATOR OPTIONS

		482585	Cooling System w/Reversing Fan Includes hydraulic oil cooler and auto-reversing variable speed fan.		No Charge
		482931	Heavy Debris Cooling System Often called the "Commodity King" package. Includes enhanced sealing of the cooling module covers, wider radiator, hydraulic, and transmission cooler fin spacing (radiator = 6.5 fins/in,trans/hyd = 7.5 fins/in) and auto-reversing variable speed fan. Recommended for use with option 424235 Heavy Duty Axle. Also recommended for use in TRASH and HIGH DEBRIS applications. Must also order Syklone engine air precleaner.		\$1,150.00

OPERATOR'S PROTECTIVE STRUCTURE

SD_V9008 Cab Comfort Bundles

		734151	Standard Cab Comfort Includes Mechanical Seat with Headrest, No Sound Suppression, Radio Ready (Includes antenna, speakers, wiring harness, radio fuse, 20A converter - 24-volt to 12-volt, 12V auxiliary power outlet and USB outlet), and No Convenience Package.		No Charge
		734152	Enhanced Cab Comfort Includes Heated Air Seat w/ Headrest, Sound Suppression Package (Sound insulating material to reduce the exterior noise by 1 to 2 dBa), Convenience Package (sun shade, extra left side interior mirror, seat drawer, 24 volt cigar lighter and ash tray), and AM/FM Bluetooth Radio.		\$1,444.00

SD_V9009 Visibility Bundles

		734153	Standard Visibility Bundle Includes Right & Left Rear View Mirrors, 2 Halogen Headlights - Hi/Lo Beam, 2 front and 2 rear halogen work lights, and No Rear View Camera.		No Charge
		734154	Enhanced Visibility Bundle Includes Right & Left Heated Mirrors, 2 LED Headlights - Hi/Low Beam, 4 front & 2 rear LED work lights, and a Rear View Camera w/ overlay lines.		\$2,823.00

**721G TS T4F ARTICULATED WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

STEERING SYSTEM

SD_20111 HYDRAULIC STEERING

		782441	Standard Hydraulic Steering Does NOT include auxiliary steering system.		No Charge
		782442	Auxiliary Steering System Includes auxiliary steering system that supplies hydraulic pressure to the steering circuit in a dead engine situation.		\$3,822.00

HYDRAULIC CONTROL VALVES

SD_20195 CONTROL VALVES

		734052	Joystick One Joystick controls loader lift arms and bucket.		(\$800.00)
		734054	Joystick with 1 Aux Function Joystick controls loader lift arms and bucket, a proportional roller switch on the joystick controls auxiliary hydraulics (includes hydraulic lines to lift arm cross tube). Auxiliary roller switch includes DETENT.		No Charge
		734055	Joystick with 2 Aux Functions Joystick controls loader lift arms and bucket. The two proportional roller switches on the joystick control auxiliary functions. 3rd function plumbing includes hydraulic lines to lift arm cross tube. 4th function plumbing is capped at the valve section. 4th function roller switch includes DETENT.		\$1,560.00

STEPS, PLATFORMS AND FENDERS

SD_18009 STEPS/REAR FENDERS

		782509	Standard Fenders w/ LH Steps Left hand steps with front and rear standard width fenders		No Charge
		782510	Standard Fenders w/LH/RH Steps Left and right hand steps with front and rear standard width fenders		\$452.00
		782511	Full Fenders w/RH & LH Steps Left and right hand steps with front and rear FULL WIDTH COVERAGE (wide fenders)		\$1,176.00



**721G TS T4F ARTICULATED WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

WHEELS AND TIRES

SD_16072 TIRE BRAND PREFERENCE

	482595	No Tire Brand Preference			No Charge
	482596	Firestone Brand			\$2,000.00
	482597	Goodyear Brand			\$3,500.00
	482598	Galaxy/Primex Brand			\$809.00
	482599	Michelin Brand			\$3,036.00
	482600	Titan/General Brand			\$809.00

TIRES

SD_16012 4WS WHEELS

	9420437	20.5x25 L2 Bias (3 pc rim) 16 Ply brand availability: Firestone, Galaxy & Titan Note: No tire ballast is permitted.			No Charge
	9420438	20.5R25 L2 Radial (3 pc rim) 1 Star rated brand availability: Michelin 2 Star rated brand availability: Primex Note: No tire ballast is permitted.			\$5,035.00
	9420439	20.5x25 L3 Bias (3 pc rim) 16 Ply brand availability: Galaxy & Firestone Note: No tire ballast is permitted.			\$855.00
	9420440	20.5R25 L3 Radial (3 pc rim) 1 Star rated brand availability: Goodyear, Titan, & Michelin 2 Star rated brand availability: Galaxy Note: No tire ballast is permitted.			\$5,604.00
	9420466	20.5R25 Michelin Snoplus 3 pc 1 Star rated Must also order Michelin Brand tire brand preference option 482599 Note: No tire ballast is permitted.			\$11,654.00
	9420516	20.5R25 ATG All Season Tire Winter and Summer earthmoving tire (3 pc rim) 1 star rated Alliance brand Must also order No Brand tire brand preference 482595 Note: No tire ballast is permitted.			\$8,000.00

SD_21015 CONTROL UNIT FOR TRANS

	X21015X	No Control Unit for Power			No Charge
	482918	Trans Control Unit Transmission speed limited to 12.4 mph (20 kph) - Required for use with solid tire applications			No Charge



**721G TS T4F ARTICULATED WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

SD_50008 TIRE PRESSURE MONITO

	X50008X	No Tire Pressure Monitor Sys.			No Charge
	734137	Tire Pressure Monitor System Individual sensors that mount to the valve stem of each tire along with a receiver module that monitors pressure in each tire. Tire pressure information is shared with the operator via display.			\$1,500.00

PIN-ON ATTACHMENTS

SD_V5202 BUCKETS, PINS & COUPLERS

	XV5202X	No Bucket No Pins Included.			(\$744.00)
	782537	Bucket Pins, No Bkt or Coupler ADDITIONAL BUCKETS AVAILABLE from Attachment Catalog: refer to PM-15851 CASE CE-US, PM-15852 CASE CE-CAN Light Material, pin-on buckets with BOE, sizes: 4.0, 5.0, 6.0 cu. yd. Multi-Purpose 4-1, pin-on buckets with BOE, sizes 2.75, 3.0 cu. yd. (Refer to catalog for max. material densities)			No Charge
High Density Materials					
	482396	3.0 cu. yd. pin on bucket Bucket includes bolt-on cutting edge. 3.0 cu. yd. (2.3 cu. m.) heaped capacity. 2.8 cu. yd. (2.1 cu. m.) with teeth and segmented edges Teeth and segmented edges are only available through Parts. Not available on 721G XT TS T4F model.			\$8,000.00
Medium Density Materials					
	424243	3.25 cu. yd. pin on bucket Bucket includes bolt-on cutting edge. Base bucket with teeth provides 3.0 cu. yd. (2.3 cu. m.) heaped capacity. Bucket with teeth and segmented edges or full length bolt-on cutting edge provides 3.25 cu. yd. (2.5 cu. m.) heaped capacity. Teeth and segmented edges are only available through Parts. Not available on 721G XT TS T4F model.			\$8,900.00
	424244	3.5 cu. yd. pin on bucket Bucket includes bolt-on cutting edge. 3.5 cu. yd. (2.7 cu. m.) heaped capacity Not available on 721G XT TS T4F model.			\$9,560.00
Coupler System					
	482047	CNH Coupler - JRB Compatible CNH Coupler and Bucket package are compatible with JRB 416 Series attachments.			\$4,538.00
	734006	CNH Coupler - ACS Compatible Case Coupler is comparable to the ACS Pro Series 2000 Size 30 Coupler.			\$4,538.00

**721G TS T4F ARTICULATED WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

	424248	3.0 cu. yd. w/CNH Coupler(JRB) Bucket includes bolt-on cutting edge. Base bucket with teeth provides 2.8 cu. yd. (2.1 cu. m.) heaped capacity. Bucket with teeth and segmented edges or full length bolt-on cutting edge provides 3.0 cu. yd. (2.25 cu. m.) heaped capacity. Teeth and segmented edges are only available through Parts. CNH Coupler and Bucket package are compatible with JRB 416 Series attachments.			\$12,759.00
	734009	3.0 cu. yd. w/CNH Coupler(ACS) Bucket includes bolt-on cutting edge. Base bucket with teeth provides 2.8 cu. yd. heaped capacity. Bucket with teeth and segmented edges or full length bolt-on cutting edge provides 3.0 cu. yd. heaped capacity. Case Coupler is comparable to the ACS Pro Series 2000 Size 30 Coupler. Hydraulic latching and hydraulic supply kit. Teeth and segmented edges are only available through Parts.			\$14,409.00
	424910	3.5 cu. yd. w/CNH Coupler(JRB) Bucket includes bolt-on cutting edge. Teeth and segmented edges are only available through Parts. CNH Coupler and Bucket package are compatible with JRB 416 Series attachments.			\$18,045.00
Low Density Materials					
	424245	3.5 cu. yd. pin on and grapple Bucket includes bolt-on cutting edge. Grapple bucket, developed for Commodity King. 3.5 cu. yd. (2.7 cu. m.) Not available on 721G XT TS T4F model or with Joystick opt 734052 Maximum material density: 2,400 lb/cu. yd.			\$19,619.00
	424246	5.5 cu. yd. pin on bucket Bucket includes bolt-on cutting edge. Light material bucket, developed for Commodity King. 5.5 cu.yd. (4.2 cu. m.) when ordered with bolt on cutting edge, not available with teeth. Maximum material density: 1,600 lb/cu. yd. Not available on 721G XT TS T4F model.			\$12,000.00

SD_40026 Integrated Payload System

	X40026X	No Integrated Payload System			No Charge
--	---------	------------------------------	--	--	-----------



**721G TS T4F ARTICULATED WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

		734066	Integrated Payload System Integrated Payload weighing system This measures and/or records: Payload weight, material ID, truck ID, cycle (bucket dumps) count. Detailed payload data is reported wirelessly via SiteWatch. Payload tickets can be printed w/ an optional printer through AMS. Payload requires calibration to be completed by either dealer or customer.			\$6,800.00
--	--	--------	---	--	--	------------

SD_50060 LOCKING HYDRAULICS

		424911	Locking Hydraulic for Coupler Used to actuate coupler locking pins and latching mechanisms fitted to machine. Oil supplied by system pressure circuit, 800-1500 psi (5500 to 10,300 KPa). Operator can roll bucket back (over relief) to increase locking pressure to maximum. Includes solenoid/pressure reducing manifold, hoses to lift arm cross tube and mounting hardware. Provides hydraulic lines to operate an aftermarket coupler.			No Charge
--	--	--------	--	--	--	-----------

DECALS AND LITERATURE

SD_32003 DECALS & LITERATURE

		482105	English Literature			No Charge
		482106	French Literature			No Charge
		482107	Spanish Literature			No Charge

ADDITIONAL EQUIPMENT WHL

SD_02055 AIR PRECLEANER

		X02055X	No Precleaner			No Charge
		424223	Ejector Type Precleaner Sy-Klone brand.			\$441.00

MISCELLANEOUS

SD_02025 COLD WEATHER STARTING

		X02025X	No Grid Heater/Cold Start			No Charge
		482322	Cold Weather package Includes Heavy duty batteries (2 x 950 CCA), Low-temp Hytran Ultra hydraulic oil, grid heater, DEF line insulating blanket, and heated fuel filter/water separator.			\$1,985.00

SD_15002 AXLE STOPS

		X15002X	No Rear Axle Oscillation Stops			No Charge
--	--	---------	--------------------------------	--	--	-----------

**721G TS T4F ARTICULATED WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

		782983	Axle Oscillation Stops Used when tires are fitted with tire chains. Use of the stops prevents chains from contacting the fender mounting brackets.			\$188.00
--	--	--------	--	--	--	----------

HYDRAULIC SYSTEM AND LATCHING OPTIONS

SD_20178 RIDE CONTROL

		X20178X	No Ride Control			(\$1,200.00)
		782503	Ride Control Provides hydraulic cushioning of loader lift arms			No Charge

PROTECTION AND SHIELDING OPTIONS

SD_39038 SKID PLATE

		X39038X	No Skid Plate/Transmission Grd			No Charge
		482027	Skid Plate/Transmission Guard			\$1,000.00

SD_E9970 Transport Protection

		XE9970X	No Transport Protection			No Charge
		734596	Transport Protection Provides protection against corrosion during transport and storage.			No Charge

TELEMATICS

SD_V9000 TELEMATICS

		734168	Sitewatch Verizon Recommended modem for US orders			No Charge
		734169	Sitewatch Vodafone Recommended modem for CAD orders			No Charge

721G Dealer Installed Accessories

Place orders for these kits / components through SERVICE PARTS.

P/N	Kit Name	Kit Description
47686363	KIT, FIELD RIGHT HAND BRAKE PEDAL	Brake pedal positioned on the right hand side of steering column.
47982513	KIT, FIELD REAR VIEW CAMERA CASE	Rear view camera system, displays on primary cab display.
48012381	COOLER BOX	Powered cooler (food / beverage), requires Convenience Package option or 24V outlet (sits to the left of the seat).
47933276	KIT, FIELD RADIO 12V INSTALL	12-volt radio system. Note: Order individual components through Service Parts
47780019	ACCESSORY MOUNTING POLE	Bar to mount accessories off front right cab post.
48135603* 51496161* 90360251*	KIT, JOYSTICK STEERING W/ STD HYD STEER, 721G	Joystick steering control (left hand arm rest); used on machines with standard hydraulic steering system.
48135605* 51496164* 90359761*	KIT, JOYSTICK STEERING W/ AUX ELEC STEER, 721G	Joystick steering control (left hand arm rest); used on machines with auxiliary steering systems.
47687034	KIT, FIELD COLD WEATHER PACKAGE	Note: Order individual components through Service Parts
48122268* 51558071*	KIT, FIELD RIDE CONTROL CONVERSION	Ride control system.
51583094**	KIT, FIELD 2 FN LEVER - 3 FN LEVER - EH	Loader Control conversion kit - EH control kit only.
51583095**	KIT, FIELD 2 FN LEVER - 2 FN JOYSTICK - EH	Loader Control conversion kit - EH control kit only.
51583096**	KIT, FIELD LEVERS - 3 FN JOYSTICK - EH	Loader Control conversion kit - EH control kit only.
51583097**	KIT, FIELD LEVERS - 4 FN JOYSTICK - EH	Loader Control conversion kit - EH control kit only.
51583098**	KIT, FIELD 2 FN JOYSTICK - 3 FN JOYSTICK - EH	Loader Control conversion kit - EH control kit only.
51583099**	KIT, FIELD 2 FN JOYSTICK - 4 FN JOYSTICK - EH	Loader Control conversion kit - EH control kit only.
51516871	KIT, FIELD 3 FN JOYSTICK - 4 FN JOYSTICK - EH	Loader Control conversion kit - EH control kit only.
51583101**	KIT, FIELD 2 FN JOYSTICK - 2 FN LEVER - EH	Loader Control conversion kit - EH control kit only.
51583102**	KIT, FIELD JOYSTICK - 3 FN LEVER - EH	Loader Control conversion kit - EH control kit only.
51526327	KIT, FIELD ADD SPOOL	721G spool kit for an additional auxiliary hydraulic supply circuit.
47930677	KIT, FIELD 3 AND 4 FN EH HOSES	Hose kit for additional auxiliary hydraulic supply circuit.
90397265**	KIT, FIELD LOCKING HYDRAULICS Z-BAR/XR	Coupler locking kit for ZBAR or XR loader arm configuration.
90397267**	KIT, FIELD LOCKING HYDRAULICS XT	Coupler locking kit for XT loader arm configuration.
48140795* 51445318*	KIT, ACCESSORY LINE - ZBAR	3 rd Spool accessory plumbing kit for ZBAR loader arms.
48039268	KIT, ACCESSORY LINE - XT	3 rd Spool accessory plumbing kit for XT loader arms.
48140797* 51445321*	KIT, ACCESSORY LINE - XR	3 rd Spool accessory plumbing kit for XR loader arms.
51526503	KIT, DIA 721G XT 4TH SPOOL PLUMBING	Completion kit for 4 th spool for XT loader arm configuration
51547890	KIT, DIA ZB/XR 4TH SPOOL PLUMBING	Completion kit for 4 th spool for Zbar/XR loader
51453562	KIT, FIELD WINDSHIELD GUARD	Windshield guard.
47687036	KIT, FIELD WASTE HANDLER LIGHTS	Front light guards.
47865196	KIT, FRONT AND ARTICULATION GUARDS	Front chassis and articulation joint debris guards.
48044369	KIT, SKID PLATE	Skid plate guard.
48044374	KIT, SKID AND FUEL TANK GUARDS	Skid plate and transmission guard.
51583778**	KIT, TIRE PRESSURE MONITOR SYSTEM	Tire Pressure Monitor System
51576150**	KIT, PAYLOAD SYSTEM PRINTER	Printer for Payload System
90383756**	KIT, PAYLOAD SYSTEM ZB/XR	Payload System for ZB/XR models
90383757**	KIT, PAYLOAD SYSTEM XT	Payload System for XT models

* See parts catalog, choose kit based on S/N break.

** For TS Models only, see parts catalog for previous kits

This table of field installed accessories is current as of March 2021. This table is only intended to provide guidance on where field installed accessories are ordered. Dealers should reference the online PARTS manual for each model for an up-to-date list of components, field kits, and accessories. These kits are subject to change without notice.

EH Controls - Conversion Type & Kits Required				521	621	721	821	921	1021	1121
Current	Switch To:	Kits Required - Description	Qty Rqd							
2 FN Lever	3 FN Lever	EH - Controls Kit	1	51583094	51583094	51583094	51583094	51583094	51583094	51583094
		Loader Valve - Add Spool Kit	1	47930553	47930553	51526327	48024944	48024944	47930579	47930579
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679
		3rd Spool Acc hoses	1	ZBAR	51549386	51549412	51445318	48192034	48192034	51643367
	XT	48039259		48039264	48039268					
	XR	51549392		51549414	51445321	48192037	48192037	51643371	51643371	
2 FN Lever	2 FN Joystick	EH - Controls Kit	1	51583095	51583095	51583095	51583095	51583095	51583095	51583095
		Loader Valve - Add Spool Kit	0							
		Additional Hoses Kit	0							
2 FN Lever	3 FN Joystick	EH - Controls Kit	1	51583096	51583096	51583096	51583096	51583096	51583096	51583096
		Loader Valve - Add Spool Kit	1	47930553	47930553	51526327	48024944	48024944	47930579	47930579
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679
		3rd Spool Acc hoses	1	ZBAR	51549386	51549412	51445318	48192034	48192034	51643367
	XT	48039259		48039264	48039268					
	XR	51549392		51549414	51445321	48192037	48192037	51643371	51643371	
3 FN Lever	3 FN Joystick	EH - Controls Kit	1	51583096	51583096	51583096	51583096	51583096	51583096	51583096
		Loader Valve - Add Spool Kit	0							
		Additional Hoses Kit	0							
2 FN Lever	4 FN Joystick	EH - Controls Kit	1	51583097	51583097	51583097	51583097	51583097	51583097	51583097
		Loader Valve - Add Spool Kit	2	47930553	47930553	51526327	48024944	48024944	47930579	47930579
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679
		3rd Spool Acc hoses	1	ZBAR	51549386	51549412	51445318	48192034	48192034	51643367
	XT	48039259		48039264	48039268					
	XR	51549392		51549414	51445321	48192037	48192037	51643371	51643371	
3 FN Lever	4 FN Joystick	EH - Controls Kit	1	51583097	51583097	51583097	51583097	51583097	51583097	51583097
		Loader Valve - Add Spool Kit	1	47930553	47930553	51526327	48024944	48024944	47930579	47930579
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679
2 FN Joystick	3 FN Joystick	EH - Controls Kit	1	51583098	51583098	51583098	51583098	51583098	51583098	51583098
		Loader Valve - Add Spool Kit	1	47930553	47930553	51526327	48024944	48024944	47930579	47930579
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679
		3rd Spool Acc hoses	1	ZBAR	51549386	51549412	51445318	48192034	48192034	51643367
	XT	48039259		48039264	48039268					
	XR	51549392		51549414	51445321	48192037	48192037	51643371	51643371	
2 FN Joystick	4 FN Joystick	EH - Controls Kit	1	51583099	51583099	51583099	51583099	51583099	51583099	51583099
		Loader Valve - Add Spool Kit	2	47930553	47930553	51526327	48024944	48024944	47930579	47930579
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679
		3rd Spool Acc hoses	1	ZBAR	51549386	51549412	51445318	48192034	48192034	51643367
	XT	48039259		48039264	48039268					
	XR	51549392		51549414	51445321	48192037	48192037	51643371	51643371	
3 FN Joystick	4 FN Joystick	EH - Controls Kit	1	51583100	51583100	51583100	51583100	51583100	51583100	51583100
		Loader Valve - Add Spool Kit	1	47930553	47930553	51526327	48024944	48024944	47930579	47930579
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679
2 FN Joystick	2 FN Lever	EH - Controls Kit	1	51583101	51583101	51583101	51583101	51583101	51583101	51583101
		Loader Valve - Add Spool Kit	0							
		Additional Hoses Kit	0							
2 FN Joystick	3 FN Lever	EH - Controls Kit	1	51583102	51583102	51583102	51583102	51583102	51583102	51583102
		Loader Valve - Add Spool Kit	1	47930553	47930553	51526327	48024944	48024944	47930579	47930579
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679
		3rd Spool Acc hoses	1	ZBAR	51549386	51549412	51445318	48192034	48192034	51643367
	XT	48039259		48039264	48039268					
	XR	51549392		51549414	51445321	48192037	48192037	51643371	51643371	
3 FN Joystick	3 FN Lever	EH - Controls Kit	1	51583102	51583102	51583102	51583102	51583102	51583102	51583102
		Loader Valve - Add Spool Kit	0							
		Additional Hoses Kit	0							

**821G TS T4F ARTICULATED WHEEL LOADER
US PRICE LIST**

**(Ex Works Fargo, ND)
Standard Equipment**

ENGINE:

FPT - F4HFE613S
 Tier 4 Final Certified (SCR)
 Displacement: 411 cu. in. (6.7 L)
 Standard Power Range:
 - Net HP @ Rated RPM 178 hp
 (133 kW) @ 2000 RPM
 - Peak Net HP 193 hp (144 kW)
 @ 1700 RPM
 Max Power Range:
 - Net HP @ Rated RPM 206 hp
 (153 kW) @ 2000 RPM
 - Peak Net HP 211 hp (158 kW)
 @ 1800 RPM
 Power Modes (Smart and Max)
 Air-to-air aftercooler
 Anti-freeze solution -34°F (-37°C)
 Engine block heater
 Fuel Tank: 76 gal. U.S. (288 L)
 DEF Tank 15.6 gal. U.S. (58.9 L)
 Air cleaner - 2 stage with radial seal
 elements
 Mid-mounted cooling module w/
 Hydraulically driven reversible fan
 Auto shutdown and auto idle control
 Common rail electronic fuel injector

OPERATOR'S PROTECTIVE STRUCTURE:

Cab with ROPS, AC and heater
 Wipers, rear and intermittent front
 Front sunscreen
 Rearview mirror, right hand side
 Rear window defroster
 Exterior Mirrors, Left and Right side
 Tilt-steering wheel with integral
 steering knob
 Suspension seat, with 3-inch
 (76 mm), seat belt
 Fully adjustable wrist rest
 Radio Ready (antenna, speakers,
 wiring harness and radio fuse
 included.) 20A converter (24V to
 12V), 12V aux. power & USB outlets
 Storage tray, Cup holder, Coat hook

AXLES:

Limited slip differentials - Front/Rear

TRANSMISSION:

Speeds: 4F-3R
 Computer controlled, full-power,
 proportional shifting
 Single lever electronic shift control on
 steering column
 FNR shuttle shift switch
 Programmable gear selection
 Selectable fully-automatic and
 manual modes
 Electronic transmission disconnect
 On-board diagnostics with fault code
 storage and retrieval
 Low Temperature Cooler by-pass valve

HYDRAULICS:

Closed center hydraulics, Load Sensing
 Vertically mounted, spin-on oil filter
 O-ring face seal hydraulic fittings
 Full-flow oil cooler
 Cushioned steering cylinders
 Low temperature cooler by-pass valve
 Ride Control
 Locking Hydraulics for Coupler

LOADER SYSTEM:

Adjustable EH joystick loader control
 w/ 1 aux function, responsiveness
 settings for lift and tilt functions
 - Smooth, Moderate, Aggressive
 Automatic return-to-dig, height
 control, float, & return-to-travel
 EH parallel lift (Zbar and XR linkages)
 Position indicator on bucket
 Z-bar loader linkage - standard version
 Single piece, flame cut, loader arms
 -Ground level lubrication points

BRAKES:

4-Wheel, outboard mounted, wet disc
 hydraulic brakes
 Parking brake; switch actuated, spring
 applied hydraulic release
 Separate front and rear brake systems
 Single brake pedal



**821G TS T4F ARTICULATED WHEEL LOADER
US PRICE LIST**

**(Ex Works Fargo, ND)
Standard Equipment**

INSTRUMENTATION:

- LCD touchscreen display with configurable buttons:
1. Tachometer
 2. Speedometer
 3. Gear selected
 4. Time
 5. Transmission Diagnostics
 6. Digital Gauges
 7. Trip computer A/B
 8. Warning Prompts
 9. DeCluth Indication
 10. Diff. Lock (if equipped)
 11. Error Reporting
 12. Engine Mode Indicator

Digital Gauges for:

1. Trans. Oil Temp.
2. DEF level
3. Fuel Level
4. Engine Coolant Temp.

Indicator Lights for:

1. Master warning (cautionary)
2. Master warning (critical)
3. Turn signals
4. Steering pressure (low)
5. Low fuel
6. Brake pressure
7. High beam
8. Grid heater
9. Parking brake

Maintenance Reminders

1. Cab air filters
2. DEF tank vent filter
3. Engine air & oil filter
4. SCR supply filter
5. Hydraulic oil and filter
6. Engine coolant
7. Fuel pre-filter

ELECTRICAL:

- 24 volt system
- 2 - 12V (700 CCA) batteries
- Alternator: 120 amp
- Battery isolator / Electrical disconnect
- Halogen lights:
 - 2 front flood (top mtd.)
 - 2 front driving (hi/lo beam)
 - 2 rear flood (top mtd.)
- LED stop/tail lights
- Front/rear turn signals and flashers
- Integrated 4-Corner Amber Strobe
- Horn
- Backup alarm
- Electric hood
- Remote jump start posts

OTHER BASIC EQUIPMENT:

- Articulation and loader lift arm locking bars
- Drawbar hitch (pins not included)
- Front/rear fenders, partial coverage
- Remote drain points
- Front and rear lift and tie down points
- Rear frame side covers
- License plate brackets; front bracket and lit rear bracket
- Rubber steering stops to reduce impact at full articulation
- CASE ProCare - Full Machine Protection Factory Warranty (3-yr/3000-hr), Planned Maintenance (3-yr/2000-hr) and SiteWatch™ Telematics with remote diagnostic capability through 4G connection
- Remote Service Tool ("RST") requires customer to utilize SiteManager App
- CASE SiteWatch™ Telematics Includes hardware and a 3-yr advanced data subscription
- Special Paint available upon request please contact your SSM for pricing and availability



**821G TS T4F ARTICULATED WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
821G ZBAR TS T4F	40,057 LB		\$384,370.00
821G XR TS T4F	40,648 LB		\$390,258.00

**821G TS T4F ARTICULATED WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)
Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

PACKAGES

SD_V9007 QUICK PICK WL

	XV9007X	No Quick Pick		No Charge
	734145	Quick Pick 1 - D LR 1906 734152 - Enhanced Cab Comfort 734154 - Enhanced Visibility Package 782510 - Standard Fenders w/ Left Hand and Right Hand Steps 782503 - Ride Control 734054 - Joystick w/ 1 Aux Function 424223 - Ejector Pre-Cleaner (Sy-Klone Brand)		(\$7,000.00)
	734146	Quick Pick 2 - D W 1906 734152 - Enhanced Cab Comfort 734154 - Enhanced Visibility Package 782511 - Full Fenders w/ Left Hand and Right Hand Steps 782503 - Ride Control 734054 - Joystick w/ 1 Aux Function 424223 - Ejector Pre-Cleaner (Sy-Klone Brand)		(\$7,000.00)
	734147	Quick Pick 3 - D NOAUX LR 1906 734152 - Enhanced Cab Comfort 734154 - Enhanced Visibility Package 782510 - Standard Fenders w/ Left Hand and Right Hand Steps 782503 - Ride Control 734052 - Joystick 424223 - Ejector Pre-Cleaner (Sy-Klone Brand)		(\$7,000.00)
	734148	Quick Pick 4 - ECC SV LR 1906 734152 - Enhanced Cab Comfort 734153 - Standard Visibility Package 782510 - Standard Fenders w/ Left Hand and Right Hand Steps 782503 - Ride Control 734054 - Joystick w/ 1 Aux Function 424223 - Ejector Pre-Cleaner (Sy-Klone Brand)		(\$7,000.00)
	734149	Quick Pick 5 - B SP L 1906 734151 - Standard Cab Comfort 734153 - Standard Visibility Package 782509 - Standard Fenders w/ Left Hand Steps 782503 - Ride Control 734054 - Joystick w/ 1 Aux Function X02055X - No Precleaner 482027 - Skid Plate/Transmission Guard		(\$7,000.00)

**821G TS T4F ARTICULATED WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

		734144	YGR ONLY Quick Pick Must be YGR order Government, State/Provincial, Federal, Public Utilities, and Non-profit/charitable Org.			(\$7,000.00)
--	--	--------	---	--	--	--------------

TRANSMISSION

SD_V5500 TRANSMISSION

		424224	4-speed Transmission			No Charge
		424225	5-speed Transmission with Lockup Torque Converter, includes PowerInch progressive de-clutch Not for use with Trans Control Unit option 482918			\$4,600.00

AXLES

SD_15001 AXLES

		782122	Limited Slip Differentials Not for use with Trans Control Unit option 482918			No Charge
		424235	Heavy-duty Axles Larger size axles front and rear with automatic hydraulically-actuated differential lock on front axle, open differential on rear axle. Recommended for applications on hard surfaces, or with solid tires.			\$6,027.00

OPERATOR'S PROTECTIVE STRUCTURE

SD_V9008 Cab Comfort Bundles

		734151	Standard Cab Comfort Includes Mechanical Seat with Headrest, No Sound Suppression, Radio Ready (Includes antenna, speakers, wiring harness, radio fuse, 20A converter - 24-volt to 12-volt, 12V auxiliary power outlet and USB outlet), and No Convenience Package.			No Charge
		734152	Enhanced Cab Comfort Includes Heated Air Seat w/ Headrest, Sound Suppression Package (Sound insulating material to reduce the exterior noise by 1 to 2 dBa), Convenience Package (sun shade, extra left side interior mirror, seat drawer, 24 volt cigar lighter and ash tray), and AM/FM Bluetooth Radio.			\$1,444.00



**821G TS T4F ARTICULATED WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

SD_V9009 Visibility Bundles

	734153	Standard Visibility Bundle Includes Right & Left Rear View Mirrors, 2 Halogen Headlights - Hi/Lo Beam, 2 front and 2 rear halogen work lights, and No Rear View Camera.			No Charge
	734154	Enhanced Visibility Bundle Includes Right & Left Heated Mirrors, 2 LED Headlights - Hi/Low Beam, 4 front & 2 rear LED work lights, and a Rear View Camera w/ overlay lines.			\$2,823.00

STEERING SYSTEM

SD_20111 HYDRAULIC STEERING

	782441	Standard Hydraulic Steering Does NOT include auxiliary steering system.			No Charge
	782442	Auxiliary Steering System Includes auxiliary steering system that supplies hydraulic pressure to the steering circuit in a dead engine situation.			\$3,937.00

HYDRAULIC CONTROL VALVES

SD_20195 CONTROL VALVES

	734052	Joystick One Joystick controls loader lift arms and bucket.			(\$800.00)
	734054	Joystick with 1 Aux Function Joystick controls loader lift arms and bucket, a proportional roller switch on the joystick controls auxiliary hydraulics (includes hydraulic lines to lift arm cross tube). Auxiliary roller switch includes DETENT.			No Charge
	734055	Joystick with 2 Aux Functions Joystick controls loader lift arms and bucket. The two proportional roller switches on the joystick control auxiliary functions. 3rd function plumbing includes hydraulic lines to lift arm cross tube. 4th function plumbing is capped at the valve section. 4th function roller switch includes DETENT.			\$1,560.00

STEPS, PLATFORMS AND FENDERS

SD_18009 STEPS/REAR FENDERS

	782509	Standard Fenders w/ LH Steps Left hand steps with front and rear standard width fenders.			No Charge
--	--------	--	--	--	-----------



**821G TS T4F ARTICULATED WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

	782510	Standard Fenders w/LH/RH Steps Left hand and right hand steps with front and rear standard width fenders.			\$445.00
	782511	Full Fenders w/RH & LH Steps Left hand and right hand steps with front and rear FULL WIDTH COVERAGE (wide fenders).			\$1,263.00

WHEELS AND TIRES

SD_16072 TIRE BRAND PREFERENCE

	482595	No Tire Brand Preference			No Charge
	482596	Firestone Brand			\$3,000.00
	482597	Goodyear Brand			\$4,500.00
	482598	Galaxy/Primex Brand			\$836.00
	482599	Michelin Brand			\$4,066.00
	482600	Titan/General Brand			\$836.00

TIRES

SD_16012 4WS WHEELS

	9420441	23.5x25 L2 Bias (3 pc rim) 16 Ply brand availability: Galaxy 20 Ply brand availability: Firestone & Titan Note: No tire ballast is permitted.			No Charge
	9420442	23.5R25 L2 Radial (3 pc rim) 1 Star rated brand preference: Michelin 2 Star rated brand preference: Primex Note: No tire ballast is permitted.			\$8,561.00
	9420443	23.5x25 L3 Bias (3 pc rim) 20 Ply brand availability: Galaxy & Firestone Note: No tire ballast is permitted.			\$1,470.00
	9420444	23.5R25 L3 Radial (3 pc rim) 1 Star rated brand availability: Titan, Goodyear & Michelin 2 Star rated brand availability: Galaxy/Primex Note: No tire ballast is permitted.			\$8,829.00
	9420497	23.5R25 Michelin Snoplus Must also order Michelin Brand tire brand preference option 482599 Note: No tire ballast is permitted.			\$13,745.00

SD_21015 CONTROL UNIT FOR TRANS

	X21015X	No Control Unit for Power			No Charge
	482918	Trans Control Unit Transmission speed limited to 12.4 mph (20 kph) - Required for use with solid tire applications			No Charge



**821G TS T4F ARTICULATED WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

SD_50008 TIRE PRESSURE MONITO

	X50008X	No Tire Pressure Monitor Sys.			No Charge
	734137	Tire Pressure Monitor System Individual sensors that mount to the valve stem of each tire along with a receiver module that monitors pressure in each tire. Tire pressure information is shared with the operator via display.			\$1,500.00

PIN-ON ATTACHMENTS

SD_V5202 BUCKETS, PINS & COUPLERS

	XV5202X	No Bucket No Pins Included.			(\$469.00)
	782537	Bucket Pins, No Bkt or Coupler Includes pins to attach bucket or coupler. For use with Z-Bar Std. and Z-Bar XR loader arms Commercial Models. ADDITIONAL BUCKETS AVAILABLE from attachment Catalog: refer to PM-15851 CASE CE-US, PM-15852 CASE CE-CAN Light Material, pin-on buckets with BOE, sizes 5.5, 6.0, 7.0, 8.0, cu. yd. Multi-Purpose 4-1, pin-on buckets with BOE, sizes: 3.0, 3.5 cu. yd. (Refer to catalog for max. material densities)			No Charge
Medium Density Materials					
	424258	4.25 cu. yd. pin on bucket Bucket includes bolt-on cutting edge. Bucket with teeth and segmented edges provides 4.25 cu. yd. (3.1 cu. m.) heaped capacity. Teeth and segmented edges are only available through Parts.			\$12,526.00
	424259	4.5 cu. yd. pin on bucket Bucket includes bolt-on cutting edge. 4.5 cu. yd. (3.4 cu. m.) heaped capacity Teeth and segmented edges are available thru Parts.			\$15,185.00
Coupler System					
	482047	CNH Coupler - JRB Compatible CNH Coupler and Bucket package are compatible with JRB 418 Series attachments.			\$7,115.00
	734006	CNH Coupler - ACS Compatible Case Coupler is comparable to the ACS Pro Series 2000 Size 60 Coupler. Only available with No Bucket Accessories Option XV5203X			\$8,061.00
	734011	4.0 cu. yd. w/CNH Coupler(ACS) Bucket includes bolt-on cutting edge. 3.8 cu yd (2.9m) with teeth. Teeth and segmented edges are available thru Parts.			\$20,701.00



**821G TS T4F ARTICULATED WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

	424999	4.0 cu. yd. w/CNH Coupler(JRB) Bucket includes bolt-on cutting edge. 4.0 cu yd (3.1m) 3.8 cu yd (2.9m) with teeth Teeth and segmented edges are available thru Parts. CNH Coupler and Bucket package are compatible with JRB 418 Series attachments.			\$20,587.00
--	--------	--	--	--	-------------

SD_40026 Integrated Payload System

	X40026X	No Integrated Payload System			No Charge
	734066	Integrated Payload System Integrated Payload weighing system This measures and/or records: Payload weight, material ID, truck ID, cycle (bucket dumps) count. Detailed payload data is reported wirelessly via SiteWatch. Payload tickets can be printed w/ an optional printer through AMS. Payload requires calibration to be completed by either dealer or customer.			\$6,800.00

SD_50060 LOCKING HYDRAULICS

	424911	Locking Hydraulic for Coupler Used to actuate coupler locking pins and latching mechanisms fitted to machine. Oil supplied by system pressure circuit, 800-1500 psi (5500 to 10,300 KPa). Operator can roll bucket back (over relief) to increase locking pressure to maximum. Includes solenoid/pressure reducing manifold, hoses to lift arm cross tube and mounting hardware. Provides hydraulic lines to operate an aftermarket coupler.			No Charge
--	--------	--	--	--	-----------

DECALS AND LITERATURE

SD_32003 DECALS & LITERATURE

	482105	English Literature			No Charge
	482106	French Literature			No Charge
	482107	Spanish Literature			No Charge

ADDITIONAL EQUIPMENT WHL

MISCELLANEOUS

SD_02025 COLD WEATHER STARTING

	X02025X	No Grid Heater/Cold Start			No Charge
--	---------	---------------------------	--	--	-----------



**821G TS T4F ARTICULATED WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

	482322	Cold Weather package Includes Heavy duty batteries (2 x 950 CCA), Low-temp Hytran Ultra hydraulic oil, grid heater, DEF line insulating blanket, and heated fuel filter/water separator.			\$1,985.00
--	--------	--	--	--	------------

SD_02055 AIR PRECLEANER

	X02055X	No Precleaner			No Charge
	424223	Ejector Type Precleaner Sy-Klone brand			\$455.00

SD_15002 AXLE STOPS

	X15002X	No Rear Axle Oscillation Stops			No Charge
	782983	Axle Oscillation Stops Used when tires are fitted with tire chains. Use of the stops prevents chains from contacting the fender mounting brackets.			\$193.00

HYDRAULIC SYSTEM OPTIONS (REQUIRE SELECTION)

SD_20178 RIDE CONTROL

	X20178X	No Ride Control			(\$1,200.00)
	782503	Ride Control Provides hydraulic cushioning of loader lift arms.			No Charge

PROTECTION AND SHIELDING OPTIONS

SD_39038 SKID PLATE

	X39038X	No Skid Plate/Transmission Grd			No Charge
	482027	Skid Plate/Transmission Guard			\$1,000.00

SD_E9970 Transport Protection

	XE9970X	No Transport Protection			No Charge
	734596	Transport Protection Provides protection against corrosion during transport and storage.			No Charge

TELEMATICS

SD_V9000 TELEMATICS

	734168	Sitewatch Verizon Recommended modem for US orders			No Charge
	734169	Sitewatch Vodafone Recommended modem for CAD orders			No Charge

821G Dealer Installed Accessories

Place orders for these kits / components through SERVICE PARTS.

P/N	Kit Name	Kit Description
47686363	KIT, FIELD RIGHT HAND BRAKE PEDAL	Brake pedal positioned on the right hand side of steering column.
47982513	KIT, FIELD REAR VIEW CAMERA CASE	Rear view camera system, displays on primary cab display.
48012381	COOLER BOX	Powered cooler (food / beverage), requires Convenience Package option or 24V outlet (sits to the left of the seat).
47933276	KIT, FIELD RADIO 12V INSTALL	12-volt radio system. Note: Order individual components through Service Parts
47780019	ACCESSORY MOUNTING POLE	Bar to mount accessories off front right cab post.
48135607* 90360329*	KIT, JOYSTICK STEERING W/ STD HYD STEER, 821G	Joystick steering control (left hand arm rest); used on machines with standard hydraulic steering system.
48135609* 90359765*	KIT, JOYSTICK STEERING W/ AUX ELEC STEER, 821G	Joystick steering control (left hand arm rest); used on machines with auxiliary steering systems.
51624485	KIT, FIELD AIR CONDITIONER CAB	Air conditioning system.
47687034	KIT, FIELD COLD WEATHER PACKAGE	Note: Order individual components through Service Parts
47686571	KIT, FIELD VARIABLE SPEED REVERSIBLE FAN	Reversible fan option to upgrade from standard cooling system fan.
48056822* 51472284*	KIT, FIELD RIDE CONTROL CONVERSION	Ride control system.
51583094**	KIT, FIELD 2 FN LEVER - 3 FN LEVER - EH	Loader Control conversion kit - EH control kit only.
51583095**	KIT, FIELD 2 FN LEVER - 2 FN JOYSTICK - EH	Loader Control conversion kit - EH control kit only.
51583096**	KIT, FIELD LEVERS - 3 FN JOYSTICK - EH	Loader Control conversion kit - EH control kit only.
51583097**	KIT, FIELD LEVERS - 4 FN JOYSTICK - EH	Loader Control conversion kit - EH control kit only.
51583098**	KIT, FIELD 2 FN JOYSTICK - 3 FN JOYSTICK - EH	Loader Control conversion kit - EH control kit only.
51583099**	KIT, FIELD 2 FN JOYSTICK - 4 FN JOYSTICK - EH	Loader Control conversion kit - EH control kit only.
51516871	KIT, FIELD 3 FN JOYSTICK - 4 FN JOYSTICK - EH	Loader Control conversion kit - EH control kit only.
51583101**	KIT, FIELD 2 FN JOYSTICK - 2 FN LEVER - EH	Loader Control conversion kit - EH control kit only.
51583102**	KIT, FIELD JOYSTICK - 3 FN LEVER - EH	Loader Control conversion kit - EH control kit only.
48024944	KIT, FIELD ADD SPOOL	821G spool kit for an additional auxiliary hydraulic supply circuit.
51522693	KIT, FIELD 3 AND 4 FN EH HOSES	Hose kit for additional auxiliary hydraulic supply circuit.
90397269**	KIT, FIELD LOCKING HYDRAULICS Z-BAR/XR	Coupler locking kit for ZBAR or XR loader arm configuration.
48192034	KIT, ACCESSORY LINE - ZBAR	3 rd Spool accessory plumbing kit for ZBAR loader arms.
48192037	KIT, ACCESSORY LINE - XR	3 rd Spool accessory plumbing kit for XR loader arms.
48044378	KIT, SKID PLATE	Skid plate guard.
51583778**	KIT, TIRE PRESSURE MONITOR SYSTEM	Tire Pressure Monitor System
51576150**	KIT, PAYLOAD SYSTEM PRINTER	Printer for Payload System
90383758**	KIT, PAYLOAD SYSTEM	Payload System

* See parts catalog, choose kit based on S/N break.

** For TS Models only, see parts catalog for previous kits

This table of field installed accessories is current as of March 2021. This table is only intended to provide guidance on where field installed accessories are ordered. Dealers should reference the online PARTS manual for each model for an up-to-date list of components, field kits, and accessories. These kits are subject to change without notice.

EH Controls - Conversion Type & Kits Required				521	621	721	821	921	1021	1121
Current	Switch To:	Kits Required - Description	Qty Rqd							
2 FN Lever	3 FN Lever	EH - Controls Kit	1	51583094	51583094	51583094	51583094	51583094	51583094	51583094
		Loader Valve - Add Spool Kit	1	47930553	47930553	51526327	48024944	48024944	47930579	47930579
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679
		3rd Spool Acc hoses	1	ZBAR	51549386	51549412	51445318	48192034	48192034	51643367
	XT	48039259		48039264	48039268					
	XR	51549392		51549414	51445321	48192037	48192037	51643371	51643371	
2 FN Lever	2 FN Joystick	EH - Controls Kit	1	51583095	51583095	51583095	51583095	51583095	51583095	51583095
		Loader Valve - Add Spool Kit	0							
		Additional Hoses Kit	0							
2 FN Lever	3 FN Joystick	EH - Controls Kit	1	51583096	51583096	51583096	51583096	51583096	51583096	51583096
		Loader Valve - Add Spool Kit	1	47930553	47930553	51526327	48024944	48024944	47930579	47930579
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679
		3rd Spool Acc hoses	1	ZBAR	51549386	51549412	51445318	48192034	48192034	51643367
	XT	48039259		48039264	48039268					
	XR	51549392		51549414	51445321	48192037	48192037	51643371	51643371	
3 FN Lever	3 FN Joystick	EH - Controls Kit	1	51583096	51583096	51583096	51583096	51583096	51583096	51583096
		Loader Valve - Add Spool Kit	0							
		Additional Hoses Kit	0							
2 FN Lever	4 FN Joystick	EH - Controls Kit	1	51583097	51583097	51583097	51583097	51583097	51583097	51583097
		Loader Valve - Add Spool Kit	2	47930553	47930553	51526327	48024944	48024944	47930579	47930579
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679
		3rd Spool Acc hoses	1	ZBAR	51549386	51549412	51445318	48192034	48192034	51643367
	XT	48039259		48039264	48039268					
	XR	51549392		51549414	51445321	48192037	48192037	51643371	51643371	
3 FN Lever	4 FN Joystick	EH - Controls Kit	1	51583097	51583097	51583097	51583097	51583097	51583097	51583097
		Loader Valve - Add Spool Kit	1	47930553	47930553	51526327	48024944	48024944	47930579	47930579
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679
2 FN Joystick	3 FN Joystick	EH - Controls Kit	1	51583098	51583098	51583098	51583098	51583098	51583098	51583098
		Loader Valve - Add Spool Kit	1	47930553	47930553	51526327	48024944	48024944	47930579	47930579
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679
		3rd Spool Acc hoses	1	ZBAR	51549386	51549412	51445318	48192034	48192034	51643367
	XT	48039259		48039264	48039268					
	XR	51549392		51549414	51445321	48192037	48192037	51643371	51643371	
2 FN Joystick	4 FN Joystick	EH - Controls Kit	1	51583099	51583099	51583099	51583099	51583099	51583099	51583099
		Loader Valve - Add Spool Kit	2	47930553	47930553	51526327	48024944	48024944	47930579	47930579
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679
		3rd Spool Acc hoses	1	ZBAR	51549386	51549412	51445318	48192034	48192034	51643367
	XT	48039259		48039264	48039268					
	XR	51549392		51549414	51445321	48192037	48192037	51643371	51643371	
3 FN Joystick	4 FN Joystick	EH - Controls Kit	1	51583100	51583100	51583100	51583100	51583100	51583100	51583100
		Loader Valve - Add Spool Kit	1	47930553	47930553	51526327	48024944	48024944	47930579	47930579
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679
2 FN Joystick	2 FN Lever	EH - Controls Kit	1	51583101	51583101	51583101	51583101	51583101	51583101	51583101
		Loader Valve - Add Spool Kit	0							
		Additional Hoses Kit	0							
2 FN Joystick	3 FN Lever	EH - Controls Kit	1	51583102	51583102	51583102	51583102	51583102	51583102	51583102
		Loader Valve - Add Spool Kit	1	47930553	47930553	51526327	48024944	48024944	47930579	47930579
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679
		3rd Spool Acc hoses	1	ZBAR	51549386	51549412	51445318	48192034	48192034	51643367
	XT	48039259		48039264	48039268					
	XR	51549392		51549414	51445321	48192037	48192037	51643371	51643371	
3 FN Joystick	3 FN Lever	EH - Controls Kit	1	51583102	51583102	51583102	51583102	51583102	51583102	51583102
		Loader Valve - Add Spool Kit	0							
		Additional Hoses Kit	0							

**921G TS T4F ARTICULATED WHEEL LOADER
US PRICE LIST**

**(Ex Works Fargo, ND)
Standard Equipment**

ENGINE:

FPT - F4HFE613R
 Tier 4 Final Certified (SCR)
 Displacement: 411 cu. in. (6.7 L)
 Standard Power Range:
 - Net HP @ Rated RPM 185 hp
 (138 kW) @ 2000 RPM
 - Peak Net HP 213 hp (159 kW)
 @ 1600 RPM
 Max Power Range:
 - Net HP @ Rated RPM 225 hp
 (168 kW) @ 2000 RPM
 - Peak Net HP 242 hp (180 kW)
 @ 1600 RPM
 Air-to-air aftercooler
 Anti-freeze solution -34°F (-37°C)
 Engine block heater
 Fuel Tank: 76 gal. U.S. (288 L)
 DEF Tank 15.6 gal. U.S. (58.9 L)
 Air cleaner - 2 stage with radial seal
 elements
 Mid-mounted cooling module w/
 Hydraulically driven reversible fan
 Auto idle control and auto shutdown
 Common rail electronic fuel injector
 Ejector Type Air Precleaner
 Sound Suppression, reduces exterior
 noise by 1-2 dBa

OPERATOR'S PROTECTIVE STRUCTURE:

Cab with ROPS, AC and heater
 Wipers, rear and intermittent front
 AM/FM Bluetooth Stereo Radio
 Front sunscreen
 Rearview mirror, right hand side
 Exterior Mirrors, right/left hand side
 Rear window defroster
 Tilt-steering wheel with integral
 steering knob
 Heated Air Seat w/ headrest, and
 3-inch (76 mm), seat belt
 Fully adjustable wrist rest
 Convenience Package (sun shade,
 seat drawer, 24v cigar lighter, ash
 tray, and extra interior side mirror
 Storage tray, Cup holder, Coat hook

AXLES:

Heavy-duty Axles: front diff lock,
 rear open diff

TRANSMISSION:

Speeds: 4F-3R
 Computer controlled, full-power,
 proportional shifting
 Single lever electronic shift control on
 steering column
 FNR shuttle shift switch
 Programmable gear selection
 Selectable fully-automatic and
 manual modes
 Electronic transmission disconnect
 On-board diagnostics with fault code
 storage and retrieval
 Low Temperature Cooler by-pass valve

HYDRAULICS:

Closed center hydraulics, Load Sensing
 Vertically mounted, spin-on oil filter
 O-ring face seal hydraulic fittings
 Full-flow oil cooler
 Cushioned steering cylinders
 Low temperature cooler by-pass valve
 Ride Control
 Locking Hydraulics for Coupler

LOADER SYSTEM:

Adjustable EH joystick loader control
 responsiveness settings for lift and
 tilt functions
 - Smooth, Moderate, Aggressive
 Automatic return-to-dig, height
 control, float, and return-to-travel
 EH parallel lift (Zbar and XR linkages)
 Position indicator on bucket
 Z-bar loader linkage - standard version
 Single piece, flame cut, loader arms
 -Ground level lubrication points

BRAKES:

4-Wheel, outboard mounted, wet disc
 hydraulic brakes
 Parking brake; switch actuated, spring
 applied hydraulic release
 Separate front and rear brake systems
 Single brake pedal



**921G TS T4F ARTICULATED WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

Standard Equipment

INSTRUMENTATION:

- LCD Touchscreen display with configurable buttons:
1. Tachometer
 2. Speedometer
 3. Gear selected
 4. Time
 5. Transmission Diagnostics
 6. Digital Gauges
 7. Trip computer A/B
 8. Warning Prompts
 9. DeCluth Indication
 10. Diff. Lock (if equipped)
 11. Error Reporting
 12. Engine Mode Indicator

Digital Gauges for:

1. Trans. Oil Temp.
2. DEF level
3. Fuel Level
4. Engine Coolant Temp.

Indicator Lights for:

1. Master warning (cautionary)
2. Master warning (critical)
3. Turn signals
4. Steering pressure (low)
5. Low fuel
6. Brake pressure
7. High beam
8. Grid heater
9. Parking brake

Maintenance Reminders

1. Cab air filters
2. DEF tank vent filter
3. Engine air & oil filter
4. SCR supply filter
5. Hydraulic oil and filter
6. Engine coolant
7. Fuel pre-filter

ELECTRICAL:

- 24 volt system
 Alternator: 120 amp
 Battery isolator / Electrical disconnect
 2 - 12V (700 CCA) batteries
 Halogen lights:
 2 front flood (top mtd.)
 2 front driving (hi/lo beam)
 2 rear flood (top mtd.)
 LED stop/tail lights
 Front/rear turn signals and flashers
 Integrated 4-corner amber strobe
 Horn
 Backup alarm
 Electric Hood
 Remote jump start posts

OTHER BASIC EQUIPMENT:

- Articulation and loader lift arm locking bars
 Drawbar hitch (pins not included)
 Front and rear fenders, partial coverage w/ Left/Right hand steps
 Remote drain points
 Front and rear lift and tie down points
 Rear frame side covers
 License plate bracket; front bracket and lit rear bracket
 Rubber steering stops to reduce impact at full articulation
 CASE ProCare - Full Machine Protection Factory Warranty (3-yr/3000-hr), Planned Maintenance (3-yr/2000-hr) and SiteWatch™ Telematics with remote diagnostic capability through 4G connection
 Remote Service Tool ("RST") requires customer to utilize SiteManager App
 CASE SiteWatch™ Telematics Includes hardware and a 3-yr advanced data subscription
 Special Paint available upon request please contact your SSM for pricing and availability

**921G TS T4F ARTICULATED WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
921G ZBAR TS T4F	45,070 LB		\$408,049.00
921G XR TS T4F	45,651 LB		\$414,376.00

**921G TS T4F ARTICULATED WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)
Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

TRANSMISSION

SD_V5500 TRANSMISSION

	424224	4-speed Transmission			No Charge
	424225	5-speed Transmission with Lockup Torque Converter, includes PowerInch progressive de-clutch Not for use with Trans Control Unit option 482918			\$4,600.00

AXLES

SD_15001 AXLES

	424235	Heavy-duty Axles Same size axles as standard, but with automatic hydraulically-actuated differential lock on front axle, open differential on rear axle. Recommended for applications on hard surfaces, or with solid tires.			No Charge
--	--------	--	--	--	-----------

OPERATOR'S PROTECTIVE STRUCTURE

SD_05129 OPERATOR'S SEAT

	734119	Heated Air Seat w/ Headrest			No Charge
	734120	Premium Seat w/ Headrest Premium leather seat with active suspension. Has an electronic auto-weight adjustment and Dynamic Dampening System. Comes with a heating switch, wider armrests, an adjustable backrest and you can adjust the seats height. Also includes a Low Frequency Absorber and a Fore/Aft Isolator for a comfortable ride.			\$2,500.00

SD_V9009 Visibility Bundles

	734153	Standard Visibility Bundle Includes Right & Left Rear View Mirrors, 2 Halogen Headlights - Hi/Lo Beam, 2 front and 2 rear halogen work lights, and No Rear View Camera.			No Charge
--	--------	---	--	--	-----------



**921G TS T4F ARTICULATED WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

	734154	Enhanced Visibility Bundle Includes Right & Left Heated Mirrors, 2 LED Headlights - Hi/Low Beam, 4 front & 2 rear LED work lights, and a Rear View Camera w/ overlay lines.			\$2,823.00
--	--------	---	--	--	------------

STEERING SYSTEM

SD_20111 HYDRAULIC STEERING

	782441	Standard Hydraulic Steering Does NOT include auxiliary steering system			No Charge
	782442	Auxiliary Steering System Includes auxiliary steering system that supplies hydraulic pressure to the steering circuit in a dead engine situation.			\$4,052.00
	482930	Joystick w/oAuxiliary Steering Redesigned Joystick steering without auxiliary steering system. Left-hand mounted joystick steering package with separate transmission speed and transmission control. Steering-wheel steering system is also included, allows operator to quickly switch between joystick and steering wheel steering.			\$6,491.00
	482913	Joystick w/ Auxiliary Steering Redesigned Joystick steering with auxiliary steering system that supplies hydraulic pressure to the steering circuit, if required. Left-hand mounted joystick steering package with separate transmission speed and transmission control. Steering-wheel steering system is also included, allows operator to quickly switch between joystick and steering wheel steering.			\$10,547.00

HYDRAULIC CONTROL VALVES

SD_20195 CONTROL VALVES

	734052	Joystick One Joystick controls loader lift arms and bucket.			No Charge
	734053	2 Lever with 1 Aux Function First lever controls auxiliary functions, second lever controls bucket and third lever controls loader lift arms (includes hydraulic lines to lift arm cross tubes)			\$1,800.00
	734054	Joystick with 1 Aux Function Joystick controls loader lift arms and bucket, a proportional roller switch on the joystick controls auxiliary hydraulics (includes hydraulic lines to lift arm cross tube). Auxiliary roller switch includes DETENT.			\$2,100.00

**921G TS T4F ARTICULATED WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

		734055	Joystick with 2 Aux Functions Joystick controls loader lift arms and bucket. The two proportional roller switches on the joystick control auxiliary functions. 3rd function plumbing includes hydraulic lines to lift arm cross tube. 4th function plumbing is capped at the valve section. 4th function roller switch includes DETENT.		\$3,300.00
--	--	--------	---	--	------------

STEPS, PLATFORMS AND FENDERS

SD_18009 STEPS/REAR FENDERS

		782510	Standard Fenders w/LH/RH Steps Left and right hand steps with front and rear standard width fenders		No Charge
		782511	Full Fenders w/RH & LH Steps Left and right hand steps with front and rear FULL WIDTH COVERAGE (wide fenders)		\$818.00

WHEELS AND TIRES

SD_16072 TIRE BRAND PREFERENCE

		482595	No Tire Brand Preference		No Charge
		482596	Firestone Brand		\$3,000.00
		482597	Goodyear Brand		\$4,500.00
		482598	Galaxy/Primex Brand		\$836.00
		482599	Michelin Brand		\$4,066.00
		482600	Titan/General Brand		\$836.00

TIRES

SD_16012 4WS WHEELS

		9420441	23.5x25 L2 Bias (3 pc rim) 16 Ply brand availability: Galaxy 20 Ply brand availability: Firestone & Titan Note: No tire ballast is permitted.		No Charge
		9420442	23.5R25 L2 Radial (3 pc rim) 1 Star rated brand availability: Michelin 2 Star rated brand availability: Primex Note: No tire ballast is permitted.		\$8,562.00
		9420443	23.5x25 L3 Bias (3 pc rim) 20 Ply rated brand availability: Galaxy & Firestone Note: No tire ballast is permitted.		\$1,470.00
		9420444	23.5R25 L3 Radial (3 pc rim) 1 Star rated brand availability: Titan, Goodyear & Michelin 2 Star rated brand availability: Galaxy/Primex Note: No tire ballast is permitted.		\$8,829.00



**921G TS T4F ARTICULATED WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

	9420497	23.5R25 Michelin Snoplus 1 star rated Must also order Michelin Brand tire brand preference option 482599 Note: No tire ballast is permitted.			\$13,745.00
--	---------	--	--	--	-------------

SD_21015 CONTROL UNIT FOR TRANS

	X21015X	No Control Unit for Power			No Charge
	482918	Trans Control Unit Transmission speed limited to 12.4 mph (20 kph) - Required for use with solid tire applications			No Charge

SD_50008 TIRE PRESSURE MONITO

	X50008X	No Tire Pressure Monitor Sys.			No Charge
	734137	Tire Pressure Monitor System Individual sensors that mount to the valve stem of each tire along with a receiver module that monitors pressure in each tire. Tire pressure information is shared with the operator via display.			\$1,500.00

PIN-ON ATTACHMENTS

SD_V5202 BUCKETS, PINS & COUPLERS

	XV5202X	No Bucket No Pins Included.			(\$469.00)
	782537	Bucket Pins, No Bkt or Coupler Includes pins to attach Bucket or Coupler. For use with the 921G ZBar or XR commercial model. ADDITIONAL BUCKETS AVAILABLE from Attachment Catalog: refer to PM-15851 CASE CE-US, PM-15852 CASE CE-CAN Light Material, pin-on buckets with BOE, sizes: 5.5, 6.0, 7.0, 8.0 cu. yd. (Refer to catalog for max. material densities)			No Charge
	482047	CNH Coupler - JRB Compatible CNH Coupler and Bucket package are compatible with JRB 418 Series attachments.			\$6,637.00
	734006	CNH Coupler - ACS Compatible Case Coupler is comparable to the ACS Pro Series 2000 Size 60 Coupler.			\$8,061.00
	424999	4.0 cu. yd. w/CNH Coupler(JRB) Bucket includes bolt-on cutting edge. Teeth and Segmented edges are only available through Parts. CNH Coupler and Bucket package are compatible with JRB 418 Series attachments.			\$22,416.00



**921G TS T4F ARTICULATED WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

	424906	4.75 cu. yd. pin on bucket Bucket includes bolt-on cutting edge. Bucket with teeth and segmented edges provides 4.75 cu. yd. (3.63 cu. m.) heaped capacity. Teeth and segmented edges are only available through Parts.			\$14,322.00
--	--------	---	--	--	-------------

SD_40026 Integrated Payload System

	X40026X	No Integrated Payload System			No Charge
	734066	Integrated Payload System Integrated Payload weighing system This measures and/or records: Payload weight, material ID, truck ID, cycle (bucket dumps) count. Detailed payload data is reported wirelessly via SiteWatch. Payload tickets can be printed w/ an optional printer through AMS. Payload requires calibration to be completed by either dealer or customer.			\$6,800.00

SD_50060 LOCKING HYDRAULICS

	424911	Locking Hydraulic for Coupler Used to actuate coupler locking pins and latching mechanisms fitted to machine. Oil supplied by system pressure circuit, 800-1500 psi (5500 to 10,300 KPa). Operator can roll bucket back (over relief) to increase locking pressure to maximum. Includes solenoid/pressure reducing manifold, hoses to lift arm cross tube and mounting hardware. Provides hydraulic lines to operate an aftermarket coupler.			No Charge
--	--------	--	--	--	-----------

DECALS AND LITERATURE

SD_32003 DECALS & LITERATURE

	482105	English Literature			No Charge
	482106	French Literature			No Charge
	482107	Spanish Literature			No Charge

ADDITIONAL EQUIPMENT WHL

MISCELLANEOUS

SD_02025 COLD WEATHER STARTING

	X02025X	No Grid Heater/Cold Start			No Charge
	482322	Cold Weather package Includes Heavy duty batteries (2 x 950 CCA), Low-temp Hytran Ultra hydraulic oil, grid heater, DEF line insulating blanket, and heated fuel filter/water separator.			\$2,110.00

**921G TS T4F ARTICULATED WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

SD_15002 AXLE STOPS

		X15002X	No Rear Axle Oscillation Stops			No Charge
		782983	Axle Oscillation Stops Used when tires are fitted with tire chains. Use of the stops prevents chains from contacting the fender mounting brackets.			\$193.00

PROTECTION AND SHIELDING OPTIONS

SD_39038 SKID PLATE

		X39038X	No Skid Plate/Transmission Grd			No Charge
		482027	Skid Plate/Transmission Guard			\$1,000.00

SD_E9970 Transport Protection

		XE9970X	No Transport Protection			No Charge
		734596	Transport Protection Provides protection against corrosion during transport and storage.			No Charge

TELEMATICS

SD_V9000 TELEMATICS

		734168	Sitewatch Verizon Recommended modem for US orders			No Charge
		734169	Sitewatch Vodafone Recommended modem for CAD orders			No Charge



(This page intentionally left blank)

921G Dealer Installed Accessories

Place orders for these kits / components through SERVICE PARTS.

P/N	Kit Name	Kit Description
47686363	KIT, FIELD RIGHT HAND BRAKE PEDAL	Brake pedal positioned on the right hand side of steering column.
47982513	KIT, FIELD REAR VIEW CAMERA CASE	Rear view camera system, displays on primary cab display.
48012381	COOLER BOX	Powered cooler (food / beverage), requires Convenience Package option or 24V outlet (sits to the left of the seat).
47933276	KIT, FIELD RADIO 12V INSTALL	12-volt radio system. Note: Order individual components through Service Parts
47780019	ACCESSORY MOUNTING POLE	Bar to mount accessories off front right cab post.
48135617* 90359773*	KIT, JOYSTICK STEERING W/ STD HYD STEER, 921G	Joystick steering control (left hand arm rest); used on machines with standard hydraulic steering system.
48135619* 90359768*	KIT, JOYSTICK STEERING W/ AUX ELEC STEER, 921G	Joystick steering control (left hand arm rest); used on machines with auxiliary steering systems.
51624485	KIT, FIELD AIR CONDITIONER CAB T4	Air conditioning system.
47687034	KIT, FIELD COLD WEATHER PACKAGE	Note: Order individual components through Service Parts
47686571	KIT, FIELD VARIABLE SPEED REVERSIBLE FAN	Reversible fan option to upgrade from standard cooling system fan.
48056822* 51472284*	KIT, FIELD RIDE CONTROL CONVERSION	Ride control system.
51583094**	KIT, FIELD 2 FN LEVER - 3 FN LEVER - EH	Loader Control conversion kit - EH control kit only.
51583095**	KIT, FIELD 2 FN LEVER - 2 FN JOYSTICK - EH	Loader Control conversion kit - EH control kit only.
51583096**	KIT, FIELD LEVERS - 3 FN JOYSTICK - EH	Loader Control conversion kit - EH control kit only.
51583097**	KIT, FIELD LEVERS - 4 FN JOYSTICK - EH	Loader Control conversion kit - EH control kit only.
51583098**	KIT, FIELD 2 FN JOYSTICK - 3 FN JOYSTICK - EH	Loader Control conversion kit - EH control kit only.
51583099**	KIT, FIELD 2 FN JOYSTICK - 4 FN JOYSTICK - EH	Loader Control conversion kit - EH control kit only.
51516871	KIT, FIELD 3 FN JOYSTICK - 4 FN JOYSTICK - EH	Loader Control conversion kit - EH control kit only.
51583101**	KIT, FIELD 2 FN JOYSTICK - 2 FN LEVER - EH	Loader Control conversion kit - EH control kit only.
51583102**	KIT, FIELD JOYSTICK - 3 FN LEVER - EH	Loader Control conversion kit - EH control kit only.
48024944	KIT, FIELD ADD SPOOL	921G spool kit for an additional auxiliary hydraulic supply circuit.
51522693	KIT, FIELD 3 AND 4 FN EH HOSES	Hose kit for additional auxiliary hydraulic supply circuit.
90397271**	KIT, FIELD LOCKING HYDRAULICS Z-BAR/XR	Coupler locking kit for ZBAR or XR loader arm configuration.
48192034	KIT, ACCESSORY LINE - ZBAR	3 rd Spool accessory plumbing kit for ZBAR loader arms.
48192037	KIT, ACCESSORY LINE - XR	3 rd Spool accessory plumbing kit for XR loader arms.
48044378	KIT, SKID PLATE	Skid plate guard.
51583778**	KIT, TIRE PRESSURE MONITOR SYSTEM	Tire Pressure Monitor System
51576150**	KIT, PAYLOAD SYSTEM PRINTER	Printer for Payload System
90383758**	KIT, PAYLOAD SYSTEM	Payload System

* See parts catalog, choose kit based on S/N break.

** For TS Models only, see parts catalog for previous kits

This table of field installed accessories is current as of March 2021. This table is only intended to provide guidance on where field installed accessories are ordered. Dealers should reference the online PARTS manual for each model for an up-to-date list of components, field kits, and accessories. These kits are subject to change without notice.

EH Controls - Conversion Type & Kits Required				521	621	721	821	921	1021	1121
Current	Switch To:	Kits Required - Description	Qty Rqd							
2 FN Lever	3 FN Lever	EH - Controls Kit	1	51583094	51583094	51583094	51583094	51583094	51583094	51583094
		Loader Valve - Add Spool Kit	1	47930553	47930553	51526327	48024944	48024944	47930579	47930579
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679
		3rd Spool Acc hoses	1	ZBAR	51549386	51549412	51445318	48192034	48192034	51643367
	XT	48039259		48039264	48039268					
	XR	51549392		51549414	51445321	48192037	48192037	51643371	51643371	
2 FN Lever	2 FN Joystick	EH - Controls Kit	1	51583095	51583095	51583095	51583095	51583095	51583095	51583095
		Loader Valve - Add Spool Kit	0							
		Additional Hoses Kit	0							
2 FN Lever	3 FN Joystick	EH - Controls Kit	1	51583096	51583096	51583096	51583096	51583096	51583096	51583096
		Loader Valve - Add Spool Kit	1	47930553	47930553	51526327	48024944	48024944	47930579	47930579
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679
		3rd Spool Acc hoses	1	ZBAR	51549386	51549412	51445318	48192034	48192034	51643367
	XT	48039259		48039264	48039268					
	XR	51549392		51549414	51445321	48192037	48192037	51643371	51643371	
3 FN Lever	3 FN Joystick	EH - Controls Kit	1	51583096	51583096	51583096	51583096	51583096	51583096	51583096
		Loader Valve - Add Spool Kit	0							
		Additional Hoses Kit	0							
2 FN Lever	4 FN Joystick	EH - Controls Kit	1	51583097	51583097	51583097	51583097	51583097	51583097	51583097
		Loader Valve - Add Spool Kit	2	47930553	47930553	51526327	48024944	48024944	47930579	47930579
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679
		3rd Spool Acc hoses	1	ZBAR	51549386	51549412	51445318	48192034	48192034	51643367
	XT	48039259		48039264	48039268					
	XR	51549392		51549414	51445321	48192037	48192037	51643371	51643371	
3 FN Lever	4 FN Joystick	EH - Controls Kit	1	51583097	51583097	51583097	51583097	51583097	51583097	51583097
		Loader Valve - Add Spool Kit	1	47930553	47930553	51526327	48024944	48024944	47930579	47930579
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679
2 FN Joystick	3 FN Joystick	EH - Controls Kit	1	51583098	51583098	51583098	51583098	51583098	51583098	51583098
		Loader Valve - Add Spool Kit	1	47930553	47930553	51526327	48024944	48024944	47930579	47930579
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679
		3rd Spool Acc hoses	1	ZBAR	51549386	51549412	51445318	48192034	48192034	51643367
	XT	48039259		48039264	48039268					
	XR	51549392		51549414	51445321	48192037	48192037	51643371	51643371	
2 FN Joystick	4 FN Joystick	EH - Controls Kit	1	51583099	51583099	51583099	51583099	51583099	51583099	51583099
		Loader Valve - Add Spool Kit	2	47930553	47930553	51526327	48024944	48024944	47930579	47930579
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679
		3rd Spool Acc hoses	1	ZBAR	51549386	51549412	51445318	48192034	48192034	51643367
	XT	48039259		48039264	48039268					
	XR	51549392		51549414	51445321	48192037	48192037	51643371	51643371	
3 FN Joystick	4 FN Joystick	EH - Controls Kit	1	51583100	51583100	51583100	51583100	51583100	51583100	51583100
		Loader Valve - Add Spool Kit	1	47930553	47930553	51526327	48024944	48024944	47930579	47930579
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679
2 FN Joystick	2 FN Lever	EH - Controls Kit	1	51583101	51583101	51583101	51583101	51583101	51583101	51583101
		Loader Valve - Add Spool Kit	0							
		Additional Hoses Kit	0							
2 FN Joystick	3 FN Lever	EH - Controls Kit	1	51583102	51583102	51583102	51583102	51583102	51583102	51583102
		Loader Valve - Add Spool Kit	1	47930553	47930553	51526327	48024944	48024944	47930579	47930579
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679
		3rd Spool Acc hoses	1	ZBAR	51549386	51549412	51445318	48192034	48192034	51643367
	XT	48039259		48039264	48039268					
	XR	51549392		51549414	51445321	48192037	48192037	51643371	51643371	
3 FN Joystick	3 FN Lever	EH - Controls Kit	1	51583102	51583102	51583102	51583102	51583102	51583102	51583102
		Loader Valve - Add Spool Kit	0							
		Additional Hoses Kit	0							



**1021G TS T4F ARTICULATED WHEEL LOADERS
US PRICE LIST**

**(Ex Works Fargo, ND)
Standard Equipment**

ENGINE:

FPT - F2CFE614H
Tier 4 Final Certified (SCR)
Displacement: 531 cu. in. (8.7 L)
Max Power Range:
- Net Rated 262 hp
(195 kW) @ 2100 rpm
- Peak Net 296 hp
(221 kW) @ 1800 rpm
Power Modes (Smart and Max)
Air-to-air aftercooler, turbocharger
Anti-freeze solution -34°F (-37°C)
Engine block heater
Fuel Tank: 125 gal. U.S. (473 L)
DEF Tank 24 gal. (90.8 L)
Air cleaner - 2 stage with radial seal
elements
Standard Aspirator System
Rear-mounted cooling module w/
Hydraulically driven reversible fan
Auto idle control and auto shutdown
Common rail electronic fuel injection
Ejector type air precleaner
Sound Suppression, reduces exterior
noise by 1-2 dBa

OPERATOR'S PROTECTIVE STRUCTURE:

Cab with ROPS, AC and heater
Wipers, rear and intermittent front
AM/FM Bluetooth Stereo Radio
Front sunscreen
Rearview mirror, right hand side
Exterior Mirrors, Right/Left hand side
Rear window defroster
Tilt-steering wheel with integral
steering knob
Heated Air Seat w/ headrest, and
3-inch (76 mm), seat belt
Fully adjustable wrist rest
Storage tray, Cup holder, Coat hook
Convenience Package (sun shade,
seat drawer, 24v cigar lighter, ash
tray, and extra interior side mirror

AXLES:

Heavy Duty Axles w/o Coolers
Outboard planetary axles

TRANSMISSION:

Speeds: 4F-3R
Computer controlled, full-power,
proportional shifting
Single lever electronic shift control on
steering column
FNR shuttle shift switch
Programmable gear selection
Selectable fully-automatic and
manual modes
Electronic transmission disconnect
On-board diagnostics with fault code
storage and retrieval
Low Temperature Cooler by-pass valve

HYDRAULICS:

Closed center hydraulics, Load Sensing
Vertically mounted, spin-on oil filter
O-ring face seal hydraulic fittings
Full-flow oil cooler
Cushioned steering cylinders
Low temperature cooler by-pass valve
Ride Control

LOADER SYSTEM:

Adjustable EH joystick loader control
responsiveness settings for lift and
tilt functions
- Smooth, Moderate, Aggressive
Automatic return-to-dig, height
control, float, and return-to-travel
EH parallel lift (Zbar and XR linkages)
Position indicator on bucket
Z-bar loader linkage - standard version
Single piece, flame cut, loader arms
-Ground level lubrication points

BRAKES:

4-Wheel, outboard mounted, wet disc
hydraulic brakes
Parking brake; switch actuated, spring
applied hydraulic release
Separate front and rear brake systems
Single brake pedal



**1021G TS T4F ARTICULATED WHEEL LOADERS
US PRICE LIST**

**(Ex Works Fargo, ND)
Standard Equipment**

INSTRUMENTATION:

- LCD Touchscreen display with configurable buttons:
1. Tachometer
 2. Speedometer
 3. Gear selected
 4. Time
 5. Transmission Diagnostics
 6. Digital Gauges
 7. Trip computer A/B
 8. Warning Prompts
 9. DeCluth Indication
 10. Diff. Lock (if equipped)
 11. Error Reporting
 12. Engine Mode Indicator

Digital Gauges for:

1. Trans. Oil Temp.
2. DEF level
3. Fuel Level
4. Engine Coolant Temp.

Indicator Lights for:

1. Master warning (cautionary)
2. Master warning (critical)
3. Turn signals
4. Steering pressure (low)
5. Low fuel
6. Brake pressure
7. High beam
8. Grid heater
9. Parking brake

Maintenance Reminders

1. Cab air filters
2. DEF tank vent filter
3. Engine air & oil filter
4. SCR supply filter
5. Hydraulic oil and filter
6. Engine coolant
7. Fuel pre-filter

ELECTRICAL:

- 24 volt system
 Alternator: 120 amp
 Battery isolator / Electrical disconnect
 2 - 12V (900 CCA) batteries
 Halogen lights:
 2 front flood (top mtd.)
 2 front driving (hi/lo beam)
 2 rear flood (top mtd.)
 LED stop/tail lights
 Front/rear turn signals and flashers
 Integrated 4-corner amber strobe
 Horn
 Backup alarm
 Electric hood
 Remote jump start posts

OTHER BASIC EQUIPMENT:

- Articulation and loader lift arm locking bars
 Drawbar hitch (pins not included)
 Front and rear fenders, partial coverage w/ right/left hand steps
 Remote drain points
 Front and rear lift and tie down points
 Rear frame side covers
 License plate bracket; front bracket and lit rear bracket
 Rubber steering stops to reduce impact at full articulation
 CASE ProCare - Full Machine Protection
 Factory Warranty (3-yr/3000-hr),
 Planned Maintenance (3-yr/2000-hr)
 and SiteWatch™ Telematics with remote diagnostic capability through 4G connection
 Remote Service Tool ("RST") requires customer to utilize SiteManager App
 CASE SiteWatch™ Telematics
 Includes hardware and a 3-yr advanced data subscription
 Special Paint available upon request
 please contact your SSM for pricing and availability

**1021G TS T4F ARTICULATED WHEEL LOADERS
US PRICE LIST**

(Ex Works Fargo, ND)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
1021G ZBAR TS T4F	56,365 LB		\$527,278.00
1021G XR TS T4F	58,711 LB		\$534,809.00

**1021G TS T4F ARTICULATED WHEEL LOADERS
US PRICE LIST**

(Ex Works Fargo, ND)

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

AXLES

SD_15001 AXLES

734045	Heavy Duty Axles w/o Coolers Larger size axles front and rear with automatic hydraulically-actuated differential lock on front axle, open differential on rear axle. Recommended for applications on all surfaces, with solid, or pneumatic tires. For all applications requiring large buckets and heavy operating loads. Axles have bronze brakes.			No Charge
424235	Heavy-duty Axles Larger size axles front and rear with automatic hydraulically-actuated differential lock on front axle, open differential on rear axle. Recommended for applications on all surfaces, with solid, or pneumatic tires. For all applications requiring large buckets and heavy operating loads. Axles have coolers and bronze brakes.			\$4,634.00

OPERATOR'S PROTECTIVE STRUCTURE

SD_05129 OPERATOR'S SEAT

734119	Heated Air Seat w/ Headrest			No Charge
734120	Premium Seat w/ Headrest Premium leather seat with active suspension. Has an electronic auto-weight adjustment and Dynamic Dampening System. Comes with a heating switch, wider armrests, an adjustable backrest and you can adjust the seats height. Also includes a Low Frequency Absorber and a Fore/Aft Isolator for a comfortable ride.			\$2,500.00

SD_V9009 Visibility Bundles

734153	Standard Visibility Bundle Includes Right & Left Rear View Mirrors, 2 Halogen Headlights - Hi/Lo Beam, 2 front and 2 rear halogen work lights, and No Rear View Camera.			No Charge
734154	Enhanced Visibility Bundle Includes Right & Left Heated Mirrors, 2 LED Headlights - Hi/Low Beam, 4 front & 2 rear LED work lights, and a Rear View Camera w/ overlay lines.			\$2,823.00



**1021G TS T4F ARTICULATED WHEEL LOADERS
US PRICE LIST**

(Ex Works Fargo, ND)

STEERING SYSTEM

SD_20111 HYDRAULIC STEERING

	782441	Standard Hydraulic Steering Does NOT include auxiliary steering system			No Charge
	782442	Auxiliary Steering System Includes auxiliary steering system that supplies hydraulic pressure to the steering circuit in a dead engine situation.			\$4,524.00
	482930	Joystick w/oAuxiliary Steering Redesigned Joystick steering without auxiliary steering system. Left-hand mounted joystick steering package with separate transmission speed and transmission control. Steering-wheel steering system is also included, allows operator to quickly switch between joystick and steering wheel steering.			\$7,241.00
	482913	Joystick w/ Auxiliary Steering Redesigned Joystick steering with auxiliary steering system that supplies hydraulic pressure to the steering circuit, if required. Left-hand mounted joysick steering package with separate transmission speed and transmission control. Steering-wheel steering system is also included, allows operator to quickly switch between joystick and steering wheel steering.			\$11,765.00

HYDRAULIC CONTROL VALVES

SD_20195 CONTROL VALVES

	734052	Joystick One Joystick controls loader lift arms and bucket.			No Charge
	734053	2 Lever with 1 Aux Function First lever controls auxiliary functions, second lever controls bucket and third lever controls loader lift arms (includes hydraulic lines to lift arm cross tubes).			\$2,038.00
	734054	Joystick with 1 Aux Function Joystick controls loader lift arms and bucket, a proportional roller switch on the joystick controls auxiliary hydraulics (includes hydraulic lines to lift arm cross tube). Auxiliary roller switch includes DETENT.			\$2,235.00
	734055	Joystick with 2 Aux Functions Joystick controls loader lift arms and bucket. The two proportional roller switches on the joystick control auxiliary functions. 3rd function plumbing includes hydraulic lines to lift arm cross tube. 4th function plumbing is capped at the valve section. 4th function roller switch includes DETENT.			\$3,440.00



**1021G TS T4F ARTICULATED WHEEL LOADERS
US PRICE LIST**

(Ex Works Fargo, ND)

STEPS, PLATFORMS AND FENDERS

SD_18009 STEPS/REAR FENDERS

	782510	Standard Fenders w/LH/RH Steps Left and right hand steps with front and rear standard width fenders			No Charge
	782511	Full Fenders w/RH & LH Steps Left and right hand steps with front and rear FULL WIDTH COVERAGE wide fenders.			\$3,350.00

WHEELS AND TIRES

SD_16072 TIRE BRAND PREFERENCE

	482595	No Tire Brand Preference			No Charge
	482596	Firestone Brand			\$3,500.00
	482597	Goodyear Brand			\$4,500.00
	482598	Galaxy/Primex Brand			\$789.00
	482599	Michelin Brand			\$3,835.00
	482600	Titan/General Brand			\$789.00

TIRES

SD_16012 4WS WHEELS

	9420446	26.5x25 L3 Bias (3 pc rim) 20 Ply brand availability: Firestone 28 Ply brand availability: Galaxy Note: No tire ballast is permitted.			No Charge
	9420447	26.5R25 L3 Radial (3 pc rim) 1 Star rated brand availability: Titan & Goodyear 2 Star rated brand availability: Primex/Galaxy & Michelin Note: No tire ballast is permitted.			\$5,413.00
	9420449	26.5x25 L5 Bias (3 pc rim) 20 Ply brand availability: Firestone Note: No tire ballast is permitted.			\$10,621.00
	9420812	26.5R25 L5 Radial (3 pc rim) 1 Star rated brand availability: Michelin Note: No tire ballast is permitted.			\$32,787.00

SD_21015 CONTROL UNIT FOR TRANS

	X21015X	No Control Unit for Power			No Charge
	482918	Trans Control Unit Transmission speed limited to 12.4 mph (20 kph) - Required for use with solid tire applications			No Charge

**1021G TS T4F ARTICULATED WHEEL LOADERS
US PRICE LIST**

(Ex Works Fargo, ND)

SD_50008 TIRE PRESSURE MONITO

		X50008X	No Tire Pressure Monitor Sys.		No Charge
		734137	Tire Pressure Monitor System Individual sensors that mount to the valve stem of each tire along with a receiver module that monitors pressure in each tire. Tire pressure information is shared with the operator via display.		\$1,500.00

PIN-ON ATTACHMENTS

SD_V5202 BUCKETS, PINS & COUPLERS

		XV5202X	No Bucket No Pins Included.		(\$507.00)
		782537	Bucket Pins, No Bkt or Coupler Includes pins to attach Bucket or Coupler. ADDITIONAL BUCKETS AVAILABLE from Attachment Catalog: refer to PM-15851 CASE CE-US, PM-15852 CASE CE-CAN Light Material, pin-on buckets with BOE, sizes: 7.0, 8.0, 9.0 cu. yd Rock bkts, straight edge available in sizes: 4.75, 5.25, 5.5, 6.25 cu. yd. Rock bkts, spade edge available in sizes: 4.75, 5.25, 5.5, 6.25 cu. yd. (Refer to catalog for max. material densities)		No Charge
		424246	5.5 cu. yd. pin on bucket Bucket includes bolt-on cutting edge. Bucket with teeth and segmented edges provides 5.5 cu. yd. (4.2 cu. m.) heaped capacity. Teeth and segmented edges are only available through Parts.		\$15,600.00

SD_40026 Integrated Payload System

		X40026X	No Integrated Payload System		No Charge
		734066	Integrated Payload System Integrated Payload weighing system This measures and/or records: Payload weight, material ID, truck ID, cycle (bucket dumps) count. Detailed payload data is reported wirelessly via SiteWatch. Payload tickets can be printed w/ an optional printer through AMS. Payload requires calibration to be completed by either dealer or customer.		\$6,800.00

SD_50060 LOCKING HYDRAULICS

		X50060X	No Locking Hydraulics		No Charge
--	--	---------	-----------------------	--	-----------



**1021G TS T4F ARTICULATED WHEEL LOADERS
US PRICE LIST**

(Ex Works Fargo, ND)

	424911	Locking Hydraulic for Coupler Used to actuate coupler locking pins and latching mechanisms fitted to machine. Oil supplied by system pressure circuit, 800-1500 psi (5500 to 10,300 KPa). Operator can roll bucket back (over relief) to increase locking pressure to maximum. Includes solenoid/pressure reducing manifold, hoses to lift arm cross tube and mounting hardware. Provides hydraulic lines to operate an aftermarket coupler.			\$950.00
--	--------	--	--	--	----------

DECALS AND LITERATURE

SD_32003 DECALS & LITERATURE

	482105	English Literature			No Charge
	482106	French Literature			No Charge
	482107	Spanish Literature			No Charge

ADDITIONAL EQUIPMENT WHL

MISCELLANEOUS

SD_02025 COLD WEATHER STARTING

	X02025X	No Grid Heater/Cold Start			No Charge
	482322	Cold Weather package Includes Low-temp Hytran Ultra hydraulic oil, grid heater, and heated fuel filter/water separator.			\$2,184.00

SD_15002 AXLE STOPS

	X15002X	No Rear Axle Oscillation Stops			No Charge
	782983	Axle Oscillation Stops Used when tires are fitted with tire chains. Use of the stops prevents chains from contacting the fender mounting brackets.			\$585.00

PROTECTION AND SHIELDING OPTIONS

SD_E9970 Transport Protection

	XE9970X	No Transport Protection			No Charge
	734596	Transport Protection Provides protection against corrosion during transport and storage.			No Charge

TELEMATICS

SD_V9000 TELEMATICS

	734168	Sitewatch Verizon Recommended modem for US orders			No Charge
--	--------	---	--	--	-----------



**1021G TS T4F ARTICULATED WHEEL LOADERS
US PRICE LIST**

(Ex Works Fargo, ND)

	734169	Sitewatch Vodafone Recommended modem for CAD orders			No Charge
--	--------	---	--	--	-----------



(This page intentionally left blank)

1021G Dealer Installed Accessories

Place orders for these kits / components through SERVICE PARTS.

P/N	Kit Name	Kit Description
47686363	KIT, FIELD RIGHT HAND BRAKE PEDAL	Brake pedal positioned on the right hand side of steering column.
47982528	KIT, FIELD REAR VIEW CAMERA	Rear view camera system, displays on primary cab display.
48012381	COOLER BOX	Powered cooler (food / beverage), requires Convenience Package option or 24V outlet (sits to the left of the seat).
47933276	KIT, FIELD RADIO 12V INSTALL	12-volt radio system. Note: Order individual components through Service Parts
47780019	ACCESSORY MOUNTING POLE	Bar to mount accessories off front right cab post.
48137369* 51555439* 51640120*	KIT, JOYSTICK STEERING W/ STD HYD STEER, 1021G/1121G	Joystick steering control (left hand arm rest); used on machines with standard hydraulic steering system.
48137371* 51555441* 51640129*	KIT, JOYSTICK STEERING W/ AUX ELEC STEER, 1021G/1121G	Joystick steering control (left hand arm rest); used on machines with auxiliary steering systems.
48078938	KIT, FIELD COLD WEATHER PACKAGE	Note: Order individual components through Service Parts
47687155	KIT, FIELD VARIABLE SPEED REVERSIBLE FAN	Reversible fan option to upgrade from standard cooling system fan.
48001535	KIT, FIELD RIDE CONTROL CONVERSION	Ride control system.
51583094**	KIT, FIELD 2 FN LEVER - 3 FN LEVER - EH	Loader Control conversion kit - EH control kit only.
51583095**	KIT, FIELD 2 FN LEVER - 2 FN JOYSTICK - EH	Loader Control conversion kit - EH control kit only.
51583096**	KIT, FIELD LEVERS - 3 FN JOYSTICK - EH	Loader Control conversion kit - EH control kit only.
51583097**	KIT, FIELD LEVERS - 4 FN JOYSTICK - EH	Loader Control conversion kit - EH control kit only.
51583098**	KIT, FIELD 2 FN JOYSTICK - 3 FN JOYSTICK - EH	Loader Control conversion kit - EH control kit only.
51583099**	KIT, FIELD 2 FN JOYSTICK - 4 FN JOYSTICK - EH	Loader Control conversion kit - EH control kit only.
51516871	KIT, FIELD 3 FN JOYSTICK - 4 FN JOYSTICK - EH	Loader Control conversion kit - EH control kit only.
51583101**	KIT, FIELD 2 FN JOYSTICK - 2 FN LEVER - EH	Loader Control conversion kit - EH control kit only.
51583102**	KIT, FIELD JOYSTICK - 3 FN LEVER - EH	Loader Control conversion kit - EH control kit only.
47930579	KIT, FIELD ADD SPOOL	1021G/1121G spool kit for an additional auxiliary hydraulic supply circuit.
47930679	KIT, FIELD 3 AND 4 FN EH HOSES	Hose kit for additional auxiliary hydraulic supply circuit.
47930632* 51422777* 51643367*	KIT, ACCESSORY LINE - Z-BAR	3 rd Spool accessory plumbing kit for ZBAR loader arms.
47930633* 51422780* 51643371*	KIT, ACCESSORY LINE - XR	3 rd Spool accessory plumbing kit for XR loader arms.
51583778**	KIT, TIRE PRESSURE MONITOR SYSTEM	Tire Pressure Monitor System
51576150**	KIT, PAYLOAD SYSTEM PRINTER	Printer for Payload System
90383759**	KIT, PAYLOAD SYSTEM	Payload System

* See parts catalog, choose kit based on S/N break.

** For TS Models only, see parts catalog for previous kits

This table of field installed accessories is current as of March 2021. This table is only intended to provide guidance on where field installed accessories are ordered. Dealers should reference the online PARTS manual for each model for an up-to-date list of components, field kits, and accessories. These kits are subject to change without notice.

EH Controls - Conversion Type & Kits Required				521	621	721	821	921	1021	1121
Current	Switch To:	Kits Required - Description	Qty Rqd							
2 FN Lever	3 FN Lever	EH - Controls Kit	1	51583094	51583094	51583094	51583094	51583094	51583094	51583094
		Loader Valve - Add Spool Kit	1	47930553	47930553	51526327	48024944	48024944	47930579	47930579
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679
		3rd Spool Acc hoses	1	ZBAR	51549386	51549412	51445318	48192034	48192034	51643367
	XT	48039259		48039264	48039268					
	XR	51549392		51549414	51445321	48192037	48192037	51643371	51643371	
2 FN Lever	2 FN Joystick	EH - Controls Kit	1	51583095	51583095	51583095	51583095	51583095	51583095	51583095
		Loader Valve - Add Spool Kit	0							
		Additional Hoses Kit	0							
2 FN Lever	3 FN Joystick	EH - Controls Kit	1	51583096	51583096	51583096	51583096	51583096	51583096	51583096
		Loader Valve - Add Spool Kit	1	47930553	47930553	51526327	48024944	48024944	47930579	47930579
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679
		3rd Spool Acc hoses	1	ZBAR	51549386	51549412	51445318	48192034	48192034	51643367
	XT	48039259		48039264	48039268					
	XR	51549392		51549414	51445321	48192037	48192037	51643371	51643371	
3 FN Lever	3 FN Joystick	EH - Controls Kit	1	51583096	51583096	51583096	51583096	51583096	51583096	51583096
		Loader Valve - Add Spool Kit	0							
		Additional Hoses Kit	0							
2 FN Lever	4 FN Joystick	EH - Controls Kit	1	51583097	51583097	51583097	51583097	51583097	51583097	51583097
		Loader Valve - Add Spool Kit	2	47930553	47930553	51526327	48024944	48024944	47930579	47930579
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679
		3rd Spool Acc hoses	1	ZBAR	51549386	51549412	51445318	48192034	48192034	51643367
	XT	48039259		48039264	48039268					
	XR	51549392		51549414	51445321	48192037	48192037	51643371	51643371	
3 FN Lever	4 FN Joystick	EH - Controls Kit	1	51583097	51583097	51583097	51583097	51583097	51583097	51583097
		Loader Valve - Add Spool Kit	1	47930553	47930553	51526327	48024944	48024944	47930579	47930579
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679
2 FN Joystick	3 FN Joystick	EH - Controls Kit	1	51583098	51583098	51583098	51583098	51583098	51583098	51583098
		Loader Valve - Add Spool Kit	1	47930553	47930553	51526327	48024944	48024944	47930579	47930579
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679
		3rd Spool Acc hoses	1	ZBAR	51549386	51549412	51445318	48192034	48192034	51643367
	XT	48039259		48039264	48039268					
	XR	51549392		51549414	51445321	48192037	48192037	51643371	51643371	
2 FN Joystick	4 FN Joystick	EH - Controls Kit	1	51583099	51583099	51583099	51583099	51583099	51583099	51583099
		Loader Valve - Add Spool Kit	2	47930553	47930553	51526327	48024944	48024944	47930579	47930579
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679
		3rd Spool Acc hoses	1	ZBAR	51549386	51549412	51445318	48192034	48192034	51643367
	XT	48039259		48039264	48039268					
	XR	51549392		51549414	51445321	48192037	48192037	51643371	51643371	
3 FN Joystick	4 FN Joystick	EH - Controls Kit	1	51583100	51583100	51583100	51583100	51583100	51583100	51583100
		Loader Valve - Add Spool Kit	1	47930553	47930553	51526327	48024944	48024944	47930579	47930579
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679
2 FN Joystick	2 FN Lever	EH - Controls Kit	1	51583101	51583101	51583101	51583101	51583101	51583101	51583101
		Loader Valve - Add Spool Kit	0							
		Additional Hoses Kit	0							
2 FN Joystick	3 FN Lever	EH - Controls Kit	1	51583102	51583102	51583102	51583102	51583102	51583102	51583102
		Loader Valve - Add Spool Kit	1	47930553	47930553	51526327	48024944	48024944	47930579	47930579
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679
		3rd Spool Acc hoses	1	ZBAR	51549386	51549412	51445318	48192034	48192034	51643367
	XT	48039259		48039264	48039268					
	XR	51549392		51549414	51445321	48192037	48192037	51643371	51643371	
3 FN Joystick	3 FN Lever	EH - Controls Kit	1	51583102	51583102	51583102	51583102	51583102	51583102	51583102
		Loader Valve - Add Spool Kit	0							
		Additional Hoses Kit	0							

**1121G TS T4F ARTICULATED WHEEL LOADERS
US PRICE LIST**

**(Ex Works Fargo, ND)
Standard Equipment**

ENGINE:

FPT - F2CFE614F
 Tier 4 Final Certified (SCR)
 Displacement: 531 cu. in. (8.7 L)
 Max Power:
 - Net Rated 284 hp
 (212 kW) @ 2100 rpm
 - Peak Net 320 hp
 (239 kW) @ 1800 rpm
 Power Modes (Smart and Max)
 Air-to-air aftercooler, turbocharger
 Anti-freeze solution -34°F (-37°C)
 Engine block heater
 Fuel Tank: 125 gal. U.S. (473 L)
 DEF Tank: 24 gal. U.S. (90.8 L)
 Air cleaner - 2 stage with radial seal
 elements
 Standard Aspirator System
 Common rail electronic fuel injection
 Rear-mounted cooling module w/
 Hydraulically driven reversible fan
 Auto idle control and Auto shutdown
 Ejector Type Air Precleaner
 Sound Suppression, reduces exterior
 noise by 1-2 dBa

OPERATOR'S PROTECTIVE STRUCTURE:

Cab with ROPS, AC and heater
 Wipers, rear and intermittent front
 AM/FM Bluetooth Stereo Radio
 Front sunscreen
 Rearview mirror, right hand side
 Exterior Mirrors, Right/Left hand side
 Defroster, rear window
 Tilt-steering wheel with integral
 steering knob
 Heated Air Seat w/ headrest, and
 3-inch (76 mm), seat belt
 Fully adjustable wrist rest
 Storage tray, Cup holder, Coat hook
 Convenience Package (sun shade,
 seat drawer, 24v cigar lighter, ash
 tray, and extra interior side mirror)

AXLES:

Heavy Duty - front & rear
 Outboard planetary axles

TRANSMISSION:

Speeds: 4F-3R
 Computer controlled, full-power,
 proportional shifting
 Single lever electronic shift control on
 steering column
 FNR shuttle shift switch
 Programmable gear selection
 Selectable fully-automatic and
 manual modes
 Electronic transmission disconnect
 On-board diagnostics with fault code
 storage and retrieval
 Low Temperature Cooler by-pass valve

HYDRAULICS:

Closed center hydraulics, Load Sensing
 Vertically mounted, spin-on oil filter
 O-ring face seal hydraulic fittings
 Full-flow oil cooler
 Cushioned steering cylinders
 Low temperature cooler by-pass valve
 Ride Control

LOADER SYSTEM:

Adjustable EH joystick loader control
 responsiveness settings for lift and
 tilt functions
 - Smooth, Moderate, Aggressive
 Automatic return-to-dig, height
 control, float, and return-to-travel
 EH parallel lift (Zbar and XR linkages)
 Position indicator on bucket
 Z-bar loader linkage - standard version
 Single piece, flame cut, loader arms
 -Ground level lubrication points

BRAKES:

4-Wheel, outboard mounted, wet disc
 hydraulic brakes
 Parking brake; switch actuated, spring
 applied hydraulic release
 Separate front and rear brake systems
 Single brake pedal



**1121G TS T4F ARTICULATED WHEEL LOADERS
US PRICE LIST**

**(Ex Works Fargo, ND)
Standard Equipment**

INSTRUMENTATION:

- LCD Touchscreen Display with configurable buttons:
1. Tachometer
 2. Speedometer
 3. Gear selected
 4. Time
 5. Transmission Diagnostics
 6. Digital Gauges
 7. Trip computer A/B
 8. Warning Prompts
 9. DeCluth Indication
 10. Diff. Lock (if equipped)
 11. Error Reporting
 12. Engine Mode Indicator

Digital Gauges for:

1. Trans. Oil Temp.
2. DEF level
3. Fuel Level
4. Engine Coolant Temp.

Indicator Lights for:

1. Master warning (cautionary)
2. Master warning (critical)
3. Turn signals
4. Steering pressure (low)
5. Low fuel
6. Brake pressure
7. High beam
8. Grid heater
9. Parking brake

Maintenance Reminders

1. Cab air filters
2. DEF tank vent filter
3. Engine air & oil filter
4. SCR supply filter
5. Hydraulic oil and filter
6. Engine coolant
7. Fuel pre-filter

ELECTRICAL:

- 24 volt system
 Alternator: 120 amp
 Battery isolator / Electrical disconnect
 2 - 12V (900 CCA) batteries
 Halogen lights:
 2 front flood (top mtd.)
 2 front driving (hi/lo beam)
 2 rear flood (top mtd.)
 LED stop/tail lights
 Front/rear turn signals and flashers
 Integrated 4-corner amber strobe
 Horn
 Backup alarm
 Electric hood
 Remote jump start posts

OTHER BASIC EQUIPMENT:

- Articulation and loader lift arm locking bars
 Drawbar hitch (pins not included)
 Front and rear fenders, partial coverage w/ right/left hand steps
 Remote drain points
 Front and rear lift and tie down points
 Rear frame side covers
 License plate bracket; front bracket and lit rear bracket
 CASE ProCare - Full Machine Protection
 Factory Warranty (3-yr/3000-hr),
 Planned Maintenance (3-yr/2000-hr)
 and SiteWatch™ Telematics with remote diagnostic capability through 4G connection
 Remote Service Tool ("RST") requires customer to utilize SiteManager App
 CASE SiteWatch™ Telematics
 Includes hardware and a 3-yr advanced data subscription
 Special Paint available upon request
 please contact your SSM for pricing and availability



**1121G TS T4F ARTICULATED WHEEL LOADERS
US PRICE LIST**

(Ex Works Fargo, ND)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
1121G ZBAR TS T4F	61,650 LB		\$547,385.00
1121G XR TS T4F	63,443 LB		\$555,260.00

**1121G TS T4F ARTICULATED WHEEL LOADERS
US PRICE LIST**

**(Ex Works Fargo, ND)
Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

AXLES

SD_15001 AXLES

	734045	Heavy Duty Axles w/o Coolers Automatic hydraulically-actuated differential lock on front axle, open differential on rear axle. Recommended for applications on all surfaces, or with solid or pneumatic tires. Axles bronze brakes.			No Charge
	424235	Heavy-duty Axles Automatic hydraulically-actuated differential lock on front axle, open differential on rear axle. Recommended for applications on all surfaces, or with solid or pneumatic tires. Axles have coolers and bronze brakes.			\$4,642.00

OPERATOR'S PROTECTIVE STRUCTURE

SD_05129 OPERATOR'S SEAT

	734119	Heated Air Seat w/ Headrest			No Charge
	734120	Premium Seat w/ Headrest Premium leather seat with active suspension. Has an electronic auto-weight adjustment and Dynamic Dampening System. Comes with a heating switch, wider armrests, an adjustable backrest and you can adjust the seats height. Also includes a Low Frequency Absorber and a Fore/Aft Isolator for a comfortable ride.			\$2,500.00

SD_V9009 Visibility Bundles

	734153	Standard Visibility Bundle Includes Right & Left Rear View Mirrors, 2 Halogen Headlights - Hi/Lo Beam, 2 front and 2 rear halogen work lights, and No Rear View Camera.			No Charge
	734154	Enhanced Visibility Bundle Includes Right & Left Heated Mirrors, 2 LED Headlights - Hi/Low Beam, 4 front & 2 rear LED work lights, and a Rear View Camera w/ overlay lines.			\$2,823.00



**1121G TS T4F ARTICULATED WHEEL LOADERS
US PRICE LIST**

(Ex Works Fargo, ND)

STEERING SYSTEM

SD_20111 HYDRAULIC STEERING

	782441	Standard Hydraulic Steering Does NOT include auxiliary steering system			No Charge
	782442	Auxiliary Steering System Includes auxiliary steering system that supplies hydraulic pressure to the steering circuit in a dead engine situation.			\$4,524.00
	482930	Joystick w/oAuxiliary Steering Redesigned Joystick steering without auxiliary steering system. Left-hand mounted joystick steering package with separate transmission speed and transmission control. Steering-wheel steering system is also included, allows operator to quickly switch between joystick and steering wheel steering.			\$7,241.00
	482913	Joystick w/ Auxiliary Steering Redesigned Joystick steering with auxiliary steering system that supplies hydraulic pressure to the steering circuit, if required. Left-hand mounted joysick steering package with separate transmission speed and transmission control. Steering-wheel steering system is also included, allows operator to quickly switch between joystick and steering wheel steering.			\$11,765.00

HYDRAULIC CONTROL VALVES

SD_20195 CONTROL VALVES

	734052	Joystick One Joystick controls loader lift arms and bucket.			No Charge
	734053	2 Lever with 1 Aux Function First lever controls auxiliary functions, second lever controls bucket and third lever controls loader lift arms (includes hydraulic lines to lift arm cross tubes)			\$2,038.00
	734054	Joystick with 1 Aux Function Joystick controls loader lift arms and bucket, a proportional roller switch on the joystick controls auxiliary hydraulics (includes hydraulic lines to lift arm cross tube). Auxiliary roller switch includes DETENT.			\$2,235.00
	734055	Joystick with 2 Aux Functions Joystick controls loader lift arms and bucket. The two proportional roller switches on the joystick control auxiliary functions. 3rd function plumbing includes hydraulic lines to lift arm cross tube. 4th function plumbing is capped at the valve section. 4th function roller switch includes DETENT.			\$3,440.00



**1121G TS T4F ARTICULATED WHEEL LOADERS
US PRICE LIST**

(Ex Works Fargo, ND)

STEPS, PLATFORMS AND FENDERS

SD_18009 STEPS/REAR FENDERS

	782510	Standard Fenders w/LH/RH Steps Left and right hand steps with front and rear standard width fenders			No Charge
	782511	Full Fenders w/RH & LH Steps Left and right hand steps with front and rear FULL WIDTH COVERAGE wide fenders.			\$3,350.00

WHEELS AND TIRES

SD_16072 TIRE BRAND PREFERENCE

	482595	No Tire Brand Preference			No Charge
	482596	Firestone Brand			\$3,500.00
	482597	Goodyear Brand			\$4,500.00
	482598	Galaxy/Primex Brand			\$789.00
	482599	Michelin Brand			\$3,835.00
	482600	Titan/General Brand			\$789.00

TIRES

SD_16012 4WS WHEELS

	9420446	26.5x25 L3 Bias (3 pc rim) 26 Ply brand availability: Firestone 28 Ply brand availability: Galaxy Note: No tire ballast is permitted.			No Charge
	9420447	26.5R25 L3 Radial (3 pc rim) 1 Star rated brand availability: Goodyear, & Titan 2 Star rated brand availability: Michelin & Primex/Galaxy Note: No tire ballast is permitted.			\$5,413.00
	9420449	26.5x25 L5 Bias (3 pc rim) 26 Ply brand availability: Firestone Note: No tire ballast is permitted.			\$10,621.00
	9420812	26.5R25 L5 Radial (3 pc rim) 1 Star rated brand availability: Michelin Note: No tire ballast is permitted.			\$32,786.00

SD_21015 CONTROL UNIT FOR TRANS

	X21015X	No Control Unit for Power			No Charge
	482918	Trans Control Unit Transmission speed limited to 12.4 mph (20 kph) - Required for use with solid tire applications			No Charge



**1121G TS T4F ARTICULATED WHEEL LOADERS
US PRICE LIST**

(Ex Works Fargo, ND)

SD_50008 TIRE PRESSURE MONITO

	X50008X	No Tire Pressure Monitor Sys.			No Charge
	734137	Tire Pressure Monitor System Individual sensors that mount to the valve stem of each tire along with a receiver module that monitors pressure in each tire. Tire pressure information is shared with the operator via display.			\$1,500.00

PIN-ON ATTACHMENTS

SD_V5202 BUCKETS, PINS & COUPLERS

	XV5202X	No Bucket No Pins Included.			(\$507.00)
	782537	Bucket Pins, No Bkt or Coupler Includes pins to attach Bucket or Coupler. ADDITIONAL BUCKETS AVAILABLE from Attachment Catalog: refer to PM-15851 CASE CE-US, PM-15852 CASE CE-CAN Light Material, pin-on buckets with BOE, sizes: 7.0, 8.0, 9.0 cu. yd. Rock bkts, straight edge available in sizes: 4.75, 5.25, 5.5, 6.25 cu. yd. Rock bkts, spade edge available in sizes: 4.75, 5.25, 5.5, 6.25 cu. yd. (Refer to catalog for max. material densities)			No Charge
	424908	6.25 cu. yd. pin on bucket Bucket includes bolt-on cutting edge. Bucket with teeth and segmented edges provides 6.25 cu. yd. (4.78 cu. m.) heaped capacity. Teeth and segmented edges are only available through Parts.			\$16,500.00

SD_40026 Integrated Payload System

	X40026X	No Integrated Payload System			No Charge
	734066	Integrated Payload System Integrated Payload weighing system This measures and/or records: Payload weight, material ID, truck ID, cycle (bucket dumps) count. Detailed payload data is reported wirelessly via SiteWatch. Payload tickets can be printed w/ an optional printer through AMS. Payload requires calibration to be completed by either dealer or customer.			\$6,800.00

SD_50060 LOCKING HYDRAULICS

	X50060X	No Locking Hydraulics			No Charge
--	---------	-----------------------	--	--	-----------

**1121G TS T4F ARTICULATED WHEEL LOADERS
US PRICE LIST**

(Ex Works Fargo, ND)

		424911	Locking Hydraulic for Coupler Used to actuate coupler locking pins and latching mechanisms fitted to machine. Oil supplied by system pressure circuit, 800-1500 psi (5500 to 10,300 KPa). Operator can roll bucket back (over relief) to increase locking pressure to maximum. Includes solenoid/pressure reducing manifold, hoses to lift arm cross tube and mounting hardware. Provides hydraulic lines to operate an aftermarket coupler.			\$950.00
--	--	--------	--	--	--	----------

DECALS AND LITERATURE

SD_32003 DECALS & LITERATURE

		482105	English Literature			No Charge
		482106	French Literature			No Charge
		482107	Spanish Literature			No Charge

ADDITIONAL EQUIPMENT WHL

MISCELLANEOUS

SD_02025 COLD WEATHER STARTING

		X02025X	No Grid Heater/Cold Start			No Charge
		482322	Cold Weather package Includes Low-temp Hytran Ultra hydraulic oil, grid heater, and heated fuel filter/water separator.			\$2,184.00

SD_15002 AXLE STOPS

		X15002X	No Rear Axle Oscillation Stops			No Charge
		782983	Axle Oscillation Stops Used when tires are fitted with tire chains. Use of the stops prevents chains from contacting the fender mounting brackets.			\$585.00

PROTECTION AND SHIELDING OPTIONS

SD_E9970 Transport Protection

		XE9970X	No Transport Protection			No Charge
		734596	Transport Protection Provides protection against corrosion during transport and storage.			No Charge

TELEMATICS

SD_V9000 TELEMATICS

		734168	Sitewatch Verizon Recommended modem for US orders			No Charge
--	--	--------	---	--	--	-----------



**1121G TS T4F ARTICULATED WHEEL LOADERS
US PRICE LIST**

(Ex Works Fargo, ND)

	734169	Sitewatch Vodafone Recommended modem for CAD orders			No Charge
--	--------	---	--	--	-----------



(This page intentionally left blank)

1121G Dealer Installed Accessories

Place orders for these kits / components through SERVICE PARTS.

P/N	Kit Name	Kit Description
47686363	KIT, FIELD RIGHT HAND BRAKE PEDAL	Brake pedal positioned on the right hand side of steering column.
47982528	KIT, FIELD REAR VIEW CAMERA	Rear view camera system, displays on primary cab display.
48012381	COOLER BOX	Powered cooler (food / beverage), requires Convenience Package option or 24V outlet (sits to the left of the seat).
47933276	KIT, FIELD RADIO 12V INSTALL	12-volt radio system. Note: Order individual components through Service Parts
47780019	ACCESSORY MOUNTING POLE	Bar to mount accessories off front right cab post.
48137369* 51555439* 51640120*	KIT, JOYSTICK STEERING W/ STD HYD STEER, 1021G/1121G	Joystick steering control (left hand arm rest); used on machines with standard hydraulic steering system.
48137371* 51555441* 51640129*	KIT, JOYSTICK STEERING W/ AUX ELEC STEER, 1021G/1121G	Joystick steering control (left hand arm rest); used on machines with auxiliary steering systems.
48078938	KIT, FIELD COLD WEATHER PACKAGE	Note: Order individual components through Service Parts
47687155	KIT, FIELD VARIABLE SPEED REVERSIBLE FAN	Reversible fan option to upgrade from standard cooling system fan.
48001535	KIT, FIELD RIDE CONTROL CONVERSION	Ride control system.
51583094**	KIT, FIELD 2 FN LEVER - 3 FN LEVER - EH	Loader Control conversion kit - EH control kit only.
51583095**	KIT, FIELD 2 FN LEVER - 2 FN JOYSTICK - EH	Loader Control conversion kit - EH control kit only.
51583096**	KIT, FIELD LEVERS - 3 FN JOYSTICK - EH	Loader Control conversion kit - EH control kit only.
51583097**	KIT, FIELD LEVERS - 4 FN JOYSTICK - EH	Loader Control conversion kit - EH control kit only.
51583098**	KIT, FIELD 2 FN JOYSTICK - 3 FN JOYSTICK - EH	Loader Control conversion kit - EH control kit only.
51583099**	KIT, FIELD 2 FN JOYSTICK - 4 FN JOYSTICK - EH	Loader Control conversion kit - EH control kit only.
51516871	KIT, FIELD 3 FN JOYSTICK - 4 FN JOYSTICK - EH	Loader Control conversion kit - EH control kit only.
51583101**	KIT, FIELD 2 FN JOYSTICK - 2 FN LEVER - EH	Loader Control conversion kit - EH control kit only.
51583102**	KIT, FIELD JOYSTICK - 3 FN LEVER - EH	Loader Control conversion kit - EH control kit only.
47930579	KIT, FIELD ADD SPOOL	1021G/1121G spool kit for an additional auxiliary hydraulic supply circuit.
47930679	KIT, FIELD 3 AND 4 FN EH HOSES	Hose kit for additional auxiliary hydraulic supply circuit.
47930632* 51422777* 51643367*	KIT, ACCESSORY LINE - Z-BAR	3 rd Spool accessory plumbing kit for ZBAR loader arms.
47930633* 51422780* 51643371*	KIT, ACCESSORY LINE - XR/LR	3 rd Spool accessory plumbing kit for XR loader arms.
51583778**	KIT, TIRE PRESSURE MONITOR SYSTEM	Tire Pressure Monitor System
51576150**	KIT, PAYLOAD SYSTEM PRINTER	Printer for Payload System
90383759**	KIT, PAYLOAD SYSTEM	Payload System

* See parts catalog, choose kit based on S/N break.

** For TS Models only, see parts catalog for previous kits

This table of field installed accessories is current as of March 2021. This table is only intended to provide guidance on where field installed accessories are ordered. Dealers should reference the online PARTS manual for each model for an up-to-date list of components, field kits, and accessories. These kits are subject to change without notice.

EH Controls - Conversion Type & Kits Required				521	621	721	821	921	1021	1121
Current	Switch To:	Kits Required - Description	Qty Rqd							
2 FN Lever	3 FN Lever	EH - Controls Kit	1	51583094	51583094	51583094	51583094	51583094	51583094	51583094
		Loader Valve - Add Spool Kit	1	47930553	47930553	51526327	48024944	48024944	47930579	47930579
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679
		3rd Spool Acc hoses	1	ZBAR	51549386	51549412	51445318	48192034	48192034	51643367
	XT	48039259		48039264	48039268					
	XR	51549392		51549414	51445321	48192037	48192037	51643371	51643371	
2 FN Lever	2 FN Joystick	EH - Controls Kit	1	51583095	51583095	51583095	51583095	51583095	51583095	51583095
		Loader Valve - Add Spool Kit	0							
		Additional Hoses Kit	0							
2 FN Lever	3 FN Joystick	EH - Controls Kit	1	51583096	51583096	51583096	51583096	51583096	51583096	51583096
		Loader Valve - Add Spool Kit	1	47930553	47930553	51526327	48024944	48024944	47930579	47930579
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679
		3rd Spool Acc hoses	1	ZBAR	51549386	51549412	51445318	48192034	48192034	51643367
	XT	48039259		48039264	48039268					
	XR	51549392		51549414	51445321	48192037	48192037	51643371	51643371	
3 FN Lever	3 FN Joystick	EH - Controls Kit	1	51583096	51583096	51583096	51583096	51583096	51583096	51583096
		Loader Valve - Add Spool Kit	0							
		Additional Hoses Kit	0							
2 FN Lever	4 FN Joystick	EH - Controls Kit	1	51583097	51583097	51583097	51583097	51583097	51583097	51583097
		Loader Valve - Add Spool Kit	2	47930553	47930553	51526327	48024944	48024944	47930579	47930579
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679
		3rd Spool Acc hoses	1	ZBAR	51549386	51549412	51445318	48192034	48192034	51643367
	XT	48039259		48039264	48039268					
	XR	51549392		51549414	51445321	48192037	48192037	51643371	51643371	
3 FN Lever	4 FN Joystick	EH - Controls Kit	1	51583097	51583097	51583097	51583097	51583097	51583097	51583097
		Loader Valve - Add Spool Kit	1	47930553	47930553	51526327	48024944	48024944	47930579	47930579
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679
2 FN Joystick	3 FN Joystick	EH - Controls Kit	1	51583098	51583098	51583098	51583098	51583098	51583098	51583098
		Loader Valve - Add Spool Kit	1	47930553	47930553	51526327	48024944	48024944	47930579	47930579
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679
		3rd Spool Acc hoses	1	ZBAR	51549386	51549412	51445318	48192034	48192034	51643367
	XT	48039259		48039264	48039268					
	XR	51549392		51549414	51445321	48192037	48192037	51643371	51643371	
2 FN Joystick	4 FN Joystick	EH - Controls Kit	1	51583099	51583099	51583099	51583099	51583099	51583099	51583099
		Loader Valve - Add Spool Kit	2	47930553	47930553	51526327	48024944	48024944	47930579	47930579
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679
		3rd Spool Acc hoses	1	ZBAR	51549386	51549412	51445318	48192034	48192034	51643367
	XT	48039259		48039264	48039268					
	XR	51549392		51549414	51445321	48192037	48192037	51643371	51643371	
3 FN Joystick	4 FN Joystick	EH - Controls Kit	1	51583100	51583100	51583100	51583100	51583100	51583100	51583100
		Loader Valve - Add Spool Kit	1	47930553	47930553	51526327	48024944	48024944	47930579	47930579
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679
2 FN Joystick	2 FN Lever	EH - Controls Kit	1	51583101	51583101	51583101	51583101	51583101	51583101	51583101
		Loader Valve - Add Spool Kit	0							
		Additional Hoses Kit	0							
2 FN Joystick	3 FN Lever	EH - Controls Kit	1	51583102	51583102	51583102	51583102	51583102	51583102	51583102
		Loader Valve - Add Spool Kit	1	47930553	47930553	51526327	48024944	48024944	47930579	47930579
		Additional Hoses Kit	1	47930676	51632548	47930677	51522693	51522693	47930679	47930679
		3rd Spool Acc hoses	1	ZBAR	51549386	51549412	51445318	48192034	48192034	51643367
	XT	48039259		48039264	48039268					
	XR	51549392		51549414	51445321	48192037	48192037	51643371	51643371	
3 FN Joystick	3 FN Lever	EH - Controls Kit	1	51583102	51583102	51583102	51583102	51583102	51583102	51583102
		Loader Valve - Add Spool Kit	0							
		Additional Hoses Kit	0							

Dealer Installed Kits

Place orders for these kits / components through Wholegoods.

For pricing information please contact your Sales Support Manager

P/N	Kit Name	Kit Description
51512829	KIT, DIA ZB/XR JRB COMP COUPLER – 521G	For use with ZB/XR loader arms.
51514803	KIT, DIA XT JRB COMP COUPLER – 521G	For use with XT loader arms.
51512849	KIT, DIA ZB/XR ACS COMP COUPLER – 521G	For use with ZB/XR loader arms.
51512946	KIT, DIA XT ACS COMP COUPLER – 521G	For use with XT loader arms.
51512948	KIT, DIA ZB/XR JRB COUPLER – 621G	For use with ZB/XR loader arms.
51513380	KIT, DIA XT JRB COMP COUPLER – 621G	For use with XT loader arms.
51513374	KIT, DIA ZBAR/XR ACS COMP COUPLER – 621G	For use with ZB/XR loader arms.
51513391	KIT, DIA XT ACS COMP COUPLER – 621G	For use with XT loader arms.
51513397	KIT, DIA ZB/XR JRB COMP COUPLER – 721G	For use with ZB/XR loader arms.
51513421	KIT, DIA XT JRB COMP COUPLER – 721G	For use with XT loader arms.
51513404	KIT, DIA ZB/XR ACS COMP COUPLER – 721G	For use with ZB/XR loader arms.
51513445	KIT, DIA XT ACS COMP COUPLER – 721G	For use with XT loader arms.
51513468	KIT, DIA ZB/XR JRB COMP COUPLER – 821G/921G	For use with ZB/XR loader arms.
51513472	KIT, DIA ZB/XR ACS COMP COUPLER – 821G/921G	For use with ZB/XR loader arms.



(This page intentionally left blank)