



CRANE SERVICE BODIES

**HT25**

SUGGESTED SELLING PRICE LIST

## HT25 SERIES CRANE SERVICE BODIES

Available only with Venturo Cranes up to the ET/HT30KX

### STANDARD FEATURES

- LIGHTING WIRING HARNESS
- ELECTRICAL JUNCTION BOX
- PRE-DRILLED CRANE COMPARTMENT TOP PLATE
- DRAIN HOLES AND PLUGS IN ALL COMPARTMENTS

DESCRIPTION	PART #	WEIGHT	SELLING PRICE
<b>Crane Service Body:</b> 60" CA, Integral crane reinforcement up to 25,000 ft. lbs., 44" compartment height, 50" flat cargo floor, 22" compartment depth, adjustable uni-strut shelf strips (see accessories for shelving packages), six (6) HD tie downs, three point keyed-alike "T" handle door locks, automotive weather-tight door seals, 1/8" tread-plate floor, 14GA tread-plate on all sides of cargo area and top of compartments, full undercoating, epoxy primer, mud flaps, all D.O.T. lighting, installed rear bumper, 6" x 4" rear outrigger cross tube and 4" x 3" front outrigger cross tube. (See crane price sheets for outrigger packages.)	HT25-107-FLT	2,550	\$17,532.00
<b>Crane Service Body:</b> Same as part number HT25-107 FLT, except with 62" tall curbside front compartment	HT25-107-TFC	2,625	\$18,308.00
<b>Crane Service Body:</b> 84" CA, Integral crane reinforcement up to 25,000 ft. lbs., 44" compartment height, 50" flat cargo floor, 22" compartment depth, adjustable uni-strut shelf strips (see accessories for shelving packages), six (6) HD tie downs, three point keyed-alike "T" handle door locks, automotive weather-tight door seals, 1/8" tread-plate floor, 14GA tread-plate on all sides of cargo area and top of compartments, full undercoating, epoxy primer, mud flaps, all D.O.T. lighting, installed rear bumper, 6" x 4" rear outrigger cross tube and 4" x 3" front outrigger cross tube. (See crane price sheets for outrigger packages.)	HT25-131-FLT	2,970	\$18,884.00
<b>Crane Service Body:</b> Same as part number HT25-131 FLT except with 62" tall curbside front compartment.	HT25-131-TFC	3,045	\$19,660.00
<b>Crane Service Body:</b> Same as part number HT25-131 FLT except with 62" tall curbside and streetside front compartments.	HT25-131-DTF	3,120	\$20,580.00

**Consult factory for additional compartment configurations.**

**Note:** Minimum chassis requirements: 10,500 lbs. GVWR for cranes up to 25,000 ft.-lbs. / 14,500 lbs. GVWR for cranes up to 40,000 ft.-lbs. ; 34" frame rail width; dual rear wheels (89 inch min overall width). Actual chassis requirements should be determined by adding the weight of the body, crane, accessories and anticipated cargo. It is the sole responsibility of the installer to insure that the total structure of crane, truck, and outriggers are structurally sound and that the completed vehicle has sufficient stability against overturning. It is the responsibility of the crane installer to comply with the OSHA Truck Crane stability requirements as specified by 29CFR Part 1910-180 (c) (1).

F.O.B: CINCINNATI, OHIO

EFFECTIVE DATE: JANUARY 2, 2019

REV: JANUARY 2, 2019

SUBJECT TO CHANGE WITHOUT NOTICE



**CRANE SERVICE BODIES**  
**ACCESSORIES**  
 SUGGESTED SELLING PRICE LIST

**AVAILABLE ACCESSORIES FOR HT25/40/50/66 SERIES CRANE SERVICE BODIES**

<b>CRANE BODIES</b>			
<b>DESCRIPTION</b>	<b>MODEL APPLICATION</b>	<b>PART #</b>	<b>SELLING PRICE</b>
<b>SHELVING PACKAGE</b> - For 107" body consisting of 7 adjustable shelves, all with small parts dividers. Crane body price includes adjustable uni-strut shelf strips installed as standard.	HT25-107	SP109 (for 107" body) 7 shelves	\$948.00
<b>SHELVING PACKAGE</b> - For 131" body consisting of 11 adjustable shelves, all with small parts dividers. Crane body price includes adjustable uni-strut shelf strips installed as standard.	HT25-131 HT40-131 HT50-131	SP133 (for 131" body) 11 shelves	\$1,012.00
<b>SHELVING PACKAGE</b> - For 163" body consisting of 15 adjustable shelves, all with small parts dividers. Crane body price includes adjustable uni-strut shelf strips installed as standard.	HT66-163	SP163 (for 163" body) 15 shelves	\$1,332.00
<b>INTERIOR LIGHT KIT</b> - Individually switched.	HT25-107	ILK109 (for 107" body Installed)	\$424.00
	HT25-131 HT40-131 HT50-131	ILK133 (for 131" body Installed)	\$572.00
	HT66-163	ILK163 (for 163" body Installed)	\$688.00
	ALL BODIES	For 131" body Installed	\$1,360.00
<b>INTERIOR LIGHT KIT - LED ROPE LIGHT KIT</b>	ALL BODIES	For 131" body Installed	\$1,360.00
<b>FENDER WELL LINERS</b>		FW14 (Installed)	\$204.00
<b>TWO OXYGEN &amp; ACETYLENE BOTTLE HOLDERS</b> - With hose holder, 2 compartment vents and floor reinforcement.	ALL BODIES	OA (Not Installed)	\$228.00
<b>24" WORKBENCH BUMPER</b> - With vise plate, storage area and hinged doors.	HT50-131	WBB50DD (Installed)	\$1,968.00
<b>19" WORKBENCH BUMPER</b> - With vise plate, storage area and hinged doors.	HT40-131	WBB40DD (Installed)	\$1,932.00
<b>19" WORKBENCH BUMPER</b> - With vise plate, storage area and hinged doors.	HT25-107 HT25-131	WBB25DD (Installed)	\$1,932.00
<b>GRIP STRUT STEPS</b> - For workbench bumper. 2 fold-away 20" steps.	ALL BODIES	GSS	\$504.00
<b>MASTER LOCKING SYSTEM</b>	HT25-131 HT40-131 HT50-131	MLS	\$1,012.00
<b>MASTER LOCKING SYSTEM</b>	HT66-163	MLS-66	\$2,032.00
<b>TELESCOPING TOPS</b>	CALL FOR MODELS	RT	CALL FOR QUOTE

EFFECTIVE DATE: JANUARY 2, 2019

F.O.B: CINCINNATI, OHIO  
 REV: JANUARY 2, 2019

SUBJECT TO CHANGE WITHOUT NOTICE




**CRANE SERVICE BODIES**

**DRAWER UNITS**

**SUGGESTED SELLING PRICE LIST**

<b>DRAWER UNITS</b>			
<b>PART #</b>	<b>DIMENSIONS</b>	<b>DRAWER CONFIGURATIONS</b>	<b>PRICE</b>
AGDU-7	28" WIDE, 30" TALL	INCLUDES (1) 7", (2) 5", (4) 3" DRAWERS, 3" RISER AND 1.5" TOP SHELF	\$1,984.00
AGDU-8-14	14" WIDE, 33" TALL	INCLUDES (1) 7", (2) 5", (5) 3" DRAWERS, 3" RISER AND 1.5" TOP SHELF	\$2,156.00
AGDU-8-20	20" WIDE, 33" TALL	INCLUDES (1) 7", (2) 5", (5) 3" DRAWERS, 3" RISER AND 1.5" TOP SHELF	\$2,196.00
AGDU-11	28" WIDE, 42" TALL	INCLUDES (1) 7", (2) 5", (8) 3" DRAWERS, 3" RISER AND 1.5" TOP SHELF	\$3,016.00
AGDU-15	40" WIDE, 15" TALL	BOLT BIN (3) DRAWERS HIGH by (5) DRAWERS WIDE, 3" RISER (no top shelf)	\$1,300.00

- Durable, chip-resistant white powder coat finish.
- Unique one-hand 2-point latching system (on drawers 22" wide and greater.)
- Heavy-duty drawer slides with a 250 lb. capacity. (Limited lifetime warranty on drawer slides)>
- A60 Galvannealed steel construction for rust and corrosion resistance.
- Drop-in dividers per drawer included.
- 2 All-purpose mounting brackets per unit.





RUGGED. RELIABLE. REAL.

HYDRAULIC SERVICE CRANES

**HT25KX**

SUGGESTED SELLING PRICE LIST

**SPECIFICATIONS**

MODEL	MAX CAPACITY (LB)	FT / LB RATING	WIRE ROPE
HT25KX	5,000	25,000	80 FT. OF 5/16"

**STANDARD EQUIPMENT**

MOMENT OVERLOAD SHUTOFF SYSTEM	25 FT PLUG-IN COMPARTMENT REMOTE CONTROL PENDANT
ANTI-TWO BLOCKING	SWIVEL LOAD BLOCK WITH SAFETY HOOK
WIRE ROPE WITH SAFETY HOOK (SEE ABOVE)	POWER ROTATION – 400 DEGREES

**PRICES**

MODEL	CONTROLS	BOOM LENGTH	BOOM EXTENSION		INSTALL WEIGHT	SHIPPING WEIGHT	SELLING PRICE
			POWER	MANUAL			
HT25KX	NON-PROP	10' – 20'	6'	4'	1535#	1635#	\$17,716.00
HT25KX-P	PROPORTIONAL	10' – 20'	10'	0'	1535#	1635#	\$18,640.00

**OPTIONS**

RADIO REMOTE CONTROLS WITH ONBOARD DIAGNOSTIC SYSTEM				
PROPORTIONAL CONTROLS – Wireless pistol grip transmitter and compartment mounted receiver with troubleshooting error code display. Includes battery recharger.	In Lieu of Standard Corded Remote	\$1,152.00		
	In addition to Standard Corded Remote	\$2,268.00		
NON-PROPORTIONAL - Wireless pistol grip transmitter and compartment mounted receiver with troubleshooting error code display.	In Lieu of Standard Corded Remote	\$1,040.00		
	In addition to Standard Corded Remote	\$1,488.00		
ENGINE START/STOP & THROTTLE CONTROL				
Includes pendant switches, wiring harness and relays to supply a 12 volt or ground signal to the engine compartment. Does not include an auxiliary electric or vacuum speed controller. (Available only with Proportional Controls)		\$252.00		
CUSTOM PAINT (Solid color, single-stage Imron, non-metallic)		PART #		
White/Black		24838		
Red/Yellow/Blue/Green or similar		24838-1		
PUMPS (hoses/fittings not included)				
MODEL	PART#	GPM	PUMP TYPE	SELLING PRICE
HT25KX	19296-1.60	2.0 @ 1250 RPM	A FLANGE, 5/8" – 9 SPLINE	\$308.00
HT25KX-P	19296-4.00	4.0 @ 1000 RPM	A FLANGE, 5/8" – 9 SPLINE	\$460.00

RESERVOIRS (hoses/fittings not included)			
DESCRIPTION	PART #	WEIGHT	SELLING PRICE
10 GAL. BULKHEAD MOUNT	19294	49	\$592.00

NOTE: RESERVOIRS INCLUDE 100 MESH SUCTION SCREEN, 10 MICRON RETURN FILTER, RETURN AND SUPPLY PRESSURE GAUGES, SIGHT GLASS AND BREATHER CAP.

EFFECTIVE DATE: JANUARY 2, 2019

F.O.B: CINCINNATI, OHIO  
REV: DECEMBER 26, 2018

SUBJECT TO CHANGE WITHOUT NOTICE



RUGGED. RELIABLE. REAL.

HYDRAULIC SERVICE CRANES

HT25KX

SUGGESTED SELLING PRICE LIST

**OUTRIGGER PACKAGES**

DESCRIPTION	PART #	INSTALL WEIGHT	SHIPPING WEIGHT	SELLING PRICE
Manual pullouts, manual crank down. Full width mounting tube 6" x 4" x 81", two pullouts (36" curbside 12" streetside) total spread of 142", retracted 94", vertical travel of 13 1/2" pin adjustment plus 12" crank adjustment.	24962-CD	315#	380#	\$1,760.00
Manual pullouts, hydraulic down. Full width mounting tube 6" x 4" x 81", two pullouts (36" curbside 12" streetside) total spread of 143", retracted 95", vertical travel of 20", includes 2 way control valve, selector valve and concealed hydraulic hoses.	24962-PH	410#	475#	\$4,020.00
<p><b>OUTRIGGER PACKAGES FOR VENTURO HT CRANE BODIES</b> – All of the above Outrigger Packages are available for Venturo HT Crane Bodies. Installation of outrigger cross tube is included at no additional charge. 24971-LCT Front outriggers may be required for additional stability. SEE BELOW</p>				

**OTHER MANUAL OUTRIGGERS**

(For use as auxiliary outriggers in addition to one of the packages listed above.)

DESCRIPTION	PART #	INSTALL WEIGHT	SELLING PRICE
Single Front Outrigger - For CS or SS installation in pre-installed mounting tube on Venturo HT crane body. 12" pullout. Vertical travel of 30" pin adjustment plus 5" screw foot adjustment.	24971-LCT	45#	\$444.00
Front Outrigger Package - For installation on non-Venturo crane body. Manual pullouts, manual down. Full width mounting tube 3" x 4" x 80", two pullouts (12" CS-12"SS) total spread of 116", retracted 92", vertical travel of 30" pin adjustment plus 5" screw foot adjustment.	24971-FP	180#	\$1,052.00
Fold Away Type - For Platform Body. Vertically extends from 28-1/2" to 44" plus 5" screw foot adjustment.	23960-2	43#	\$364.00
Pullout Type - 8" extension with 32" mounting tube. Vertically extends from 4 1/2" to 30" plus 5" screw foot adjustment.	23962-2	53#	\$504.00

**MOUNTING PEDESTALS**

DESCRIPTION	PART #	WEIGHT	SELLING PRICE
Mounting Pedestal – 36" High (HT40/50KX) – For platform body	17576-36	197#	\$828.00

**BOOM REST**

DESCRIPTION	PART #	WEIGHT	SELLING PRICE
BOOM REST – Adjustable 18" – 26" – For utility body	20381-2	48#	\$284.00

EFFECTIVE DATE: JANUARY 2, 2019

F.O.B: CINCINNATI, OHIO  
 REV: DECEMBER 26, 2018

SUBJECT TO CHANGE WITHOUT NOTICE



RUGGED. RELIABLE. REAL.

ELECTRIC SERVICE CRANES

**ET25KX**

SUGGESTED SELLING PRICE LIST

**SPECIFICATIONS**

MODEL	MAX CAPACITY (LB)	FT / LB RATING	WIRE ROPE
ET25KX	5,000	25,000	80 FT. OF 5/16"
POWER ROTATION – 360 DEGREE CONTINUOUS		POWER BOOM ELEVATION	
12V DC ELECTRIC / HYDRAULIC OPERATION		POWER BOOM EXTENSION	

**(ALSO AVAILABLE IN FULLY HYDRAULIC VERSION. SEE HT25KX PRICE SHEET.)**

**STANDARD EQUIPMENT**

CAPCITY OVERLOAD SHUTOFF SYSTEM	SWIVEL LOAD BLOCK WITH SAFETY HOOK
ANTI-TWO BLOCKING	MASTER DISCONNECT SWITCH AND BRACKET
25 FT PLUG IN REMOTE CONTROL PENDANT	25 FT X #2 GA BATTERY CABLE PLUS 4 FT FROM CRANE TO DISCONNECT SWITCH

**MINIMUM REQUIREMENTS**

24962 SERIES OUTRIGGERS – OR EQUIVALENT	10,500 GVWR CHASSIS
---	---------------------

**PRICES**

MODEL	BOOM LENGTH	BOOM EXTENSION		INSTALL WEIGHT	SHIPPING WEIGHT	SELLING PRICE
		POWER	MANUAL			
ET25KX	10' – 20'	6'	4'	1500#	1600#	\$17,560.00
ET25KXX	10' – 20'	10'	-	1500#	1600#	\$18,444.00

**OPTIONS**

RADIO REMOTE CONTROLS WITH ONBOARD DIAGNOSTIC SYSTEM			
DESCRIPTION	PART #	WEIGHT	SELLING PRICE
Hand-held push-button transmitter and compartment mounted receiver with troubleshooting error code display.	In Lieu of Standard Corded Remote		\$1,088.00
	In addition to Standard Corded Remote		\$1,500.00
Mounting Pedestal – 36" High for platform body	17576-36	197#	\$828.00
Boom Rest – Adjustable 18" – 26" for utility body	20381-2	48#	\$284.00
Circuit Breaker Kit – Requires a minimum 300 AMP breaker	22946-300	-	\$84.00
CUSTOM PAINT (Solid color, single-stage Imron, non-metallic)			
White/Black	24838	-	\$412.00
Red/Yellow/Blue/Green or similar	24838-1	-	\$636.00

EFFECTIVE DATE: JANUARY 2, 2019

F.O.B: CINCINNATI, OHIO  
 REV: DECEMBER 26, 2018

SUBJECT TO CHANGE WITHOUT NOTICE



RUGGED. RELIABLE. REAL.

ELECTRIC SERVICE CRANES

**ET25KX**

SUGGESTED SELLING PRICE LIST

**OUTRIGGER PACKAGES**

DESCRIPTION	PART #	INSTALL WEIGHT	SHIPPING WEIGHT	SELLING PRICE
Manual pullouts, manual crank down. Full width mounting tube 6" x 4" x 81", two pullouts (36" curbside 12" streetside) total spread of 142", retracted 94", vertical travel of 13 1/2" pin adjustment plus 12" crank adjustment.	24962-CD	315#	380#	\$1,760.00
Manual pullouts, hydraulic down with 2 way control valve, and electric/hydraulic pump and hoses. Full width mounting tube 6" x 4" x 81", two pullouts (36" curbside 12" streetside) total spread of 143", retracted 95", vertical travel of 20".	24962-PHE	450#	515#	\$4,812.00

**OUTRIGGER PACKAGES FOR VENTURO HT CRANE BODIES** – All of the above Outrigger Packages are available for Venturo HT Crane Bodies. Installation of outrigger cross tube is included at no additional charge. 24971-LCT Front outriggers may be required for additional stability.  
 SEE BELOW

**OTHER MANUAL OUTRIGGERS**

(For use as auxiliary outriggers in addition to one of the packages listed above.)

DESCRIPTION	PART #	INSTALL WEIGHT	SELLING PRICE
Fold Away Type - For Platform Body. Vertically extends from 28-1/2" to 44" plus 5" screw foot adjustment.	23960-2	43#	\$364.00
Pullout Type - 8" extension with 32" mounting tube. Vertically extends from 4 1/2" to 30" plus 5" screw foot adjustment.	23962-2	53#	\$504.00



RUGGED. RELIABLE. REAL.

ELECTRIC SERVICE CRANES

**ET18KX**

SUGGESTED SELLING PRICE LIST

**SPECIFICATIONS**

MODEL	MAX CAPACITY (LB)	FT / LB RATING	WIRE ROPE
ET18KX	4,500	18,000	80 FT. OF 5/16"
POWER ROTATION – 360 DEGREE CONTINUOUS		POWER BOOM ELEVATION	
12V DC ELECTRIC / HYDRAULIC OPERATION		POWER BOOM EXTENSION	

**STANDARD EQUIPMENT**

CAPACITY OVERLOAD SHUTOFF SYSTEM	SWIVEL LOAD BLOCK WITH SAFETY HOOK
ANTI-TWO BLOCKING	MASTER DISCONNECT SWITCH AND BRACKET
25 FT PLUG IN REMOTE CONTROL PENDANT	25 FT X #2 GA BATTERY CABLE PLUS 4 FT FROM CRANE TO DISCONNECT SWITCH

**MINIMUM REQUIREMENTS**

24962 SERIES OUTRIGGERS – OR EQUIVALENT	10,500 GVWR CHASSIS
---	---------------------

**PRICES**

MODEL	BOOM LENGTH	BOOM EXTENSION		INSTALL WEIGHT	SHIPPING WEIGHT	SELLING PRICE
		POWER	MANUAL			
ET18KX	8' – 16'	4'	4'	1020#	1150#	\$14,192.00

**OPTIONS**

RADIO REMOTE CONTROLS WITH ONBOARD DIAGNOSTIC SYSTEM			
DESCRIPTION	PART #	WEIGHT	SELLING PRICE
Hand-held push-button transmitter and compartment mounted receiver with troubleshooting error code display.	In Lieu of Standard Corded Remote		\$1,088.00
	In addition to Standard Corded Remote		\$1,500.00
Mounting Pedestal – 36" High for platform body	21699-36	197#	\$736.00
Boom Rest – Adjustable 18" – 26" for utility body	20381-2	48#	\$284.00
Circuit Breaker Kit – Requires a minimum 250 AMP breaker	22946-250	-	\$76.00
<b>CUSTOM PAINT (Solid color, single-stage Imron, non-metallic)</b>			
White/Black	24838	-	\$412.00
Red/Yellow/Blue/Green or similar	24838-1	-	\$636.00

EFFECTIVE DATE: JANUARY 2, 2019

F.O.B: CINCINNATI, OHIO  
 REV: DECEMBER 26, 2018

SUBJECT TO CHANGE WITHOUT NOTICE





RUGGED. RELIABLE. REAL.

ELECTRIC SERVICE CRANES

**ET18KX**

SUGGESTED SELLING PRICE LIST

**OUTRIGGER PACKAGES**

DESCRIPTION	PART #	INSTALL WEIGHT	SHIPPING WEIGHT	SELLING PRICE
Manual pullouts, manual crank down. Full width mounting tube 6" x 4" x 81", two pullouts (36" curbside 12" streetside) total spread of 142", retracted 94", vertical travel of 13 1/2" pin adjustment plus 12" crank adjustment.	24962-CD	315#	380#	\$1,760.00
Manual pullouts, hydraulic down with 2 way control valve, and electric/hydraulic pump and hoses. Full width mounting tube 6" x 4" x 81", two pullouts (36" curbside 12" streetside) total spread of 143", retracted 95", vertical travel of 20".	24962-PHE	450#	515#	\$4,812.00
<p><b>OUTRIGGER PACKAGES FOR VENTURO HT CRANE BODIES</b> – All of the above Outrigger Packages are available for Venturo HT Crane Bodies. Installation of outrigger cross tube is included at no additional charge. 24971-LCT Front outriggers may be required for additional stability.                      SEE BELOW</p>				

**OTHER MANUAL OUTRIGGERS**

(For use as auxiliary outriggers in addition to one of the packages listed above.)

DESCRIPTION	PART #	INSTALL WEIGHT	SELLING PRICE
Fold Away Type - For Platform Body. Vertically extends from 28-1/2" to 44" plus 5" screw foot adjustment.	23960-2	43#	\$364.00
Pullout Type - 8" extension with 32" mounting tube. Vertically extends from 4 1/2" to 30" plus 5" screw foot adjustment.	23962-2	53#	\$504.00



RUGGED. RELIABLE. REAL.

ELECTRIC SERVICE CRANES

**ET16KX**

SUGGESTED SELLING PRICE LIST

**SPECIFICATIONS**

MODEL	MAX CAPACITY (LB)	FT / LB RATING	WIRE ROPE
ET16KX	4,000	16,000	80 FT. OF 5/16"
POWER ROTATION – 360 DEGREE CONTINUOUS		POWER BOOM ELEVATION	
12V DC ELECTRIC / HYDRAULIC OPERATION		POWER BOOM EXTENSION	

**STANDARD EQUIPMENT**

CAPACITY OVERLOAD SHUTOFF SYSTEM	SWIVEL LOAD BLOCK WITH SAFETY HOOK
ANTI-TWO BLOCKING	MASTER DISCONNECT SWITCH AND BRACKET
25 FT PLUG IN REMOTE CONTROL PENDANT	25 FT X #2 GA BATTERY CABLE PLUS 4 FT FROM CRANE TO DISCONNECT SWITCH

**MINIMUM REQUIREMENTS**

24962 SERIES OUTRIGGERS – OR EQUIVALENT	10,500 GVWR CHASSIS
---	---------------------

**PRICES**

MODEL	BOOM LENGTH	BOOM EXTENSION		INSTALL WEIGHT	SHIPPING WEIGHT	SELLING PRICE
		POWER	MANUAL			
ET16KX	8' – 16'	4'	4'	1020#	1150#	\$13,692.00

**OPTIONS**

RADIO REMOTE CONTROLS WITH ONBOARD DIAGNOSTIC SYSTEM			
DESCRIPTION	PART #	WEIGHT	SELLING PRICE
Hand-held push-button transmitter and compartment mounted receiver with troubleshooting error code display.	In Lieu of Standard Corded Remote		\$1,088.00
	In addition to Standard Corded Remote		\$1,500.00
Mounting Pedestal – 36" High for platform body	21699-36	197#	\$736.00
Boom Rest – Adjustable 18" – 26" for utility body	20381-2	48#	\$284.00
Circuit Breaker Kit – Requires a minimum 250 AMP breaker	22946-250	-	\$76.00
<b>CUSTOM PAINT (Solid color, single-stage Imron, non-metallic)</b>			
White/Black	24838	-	\$412.00
Red/Yellow/Blue/Green or similar	24838-1	-	\$636.00

EFFECTIVE DATE: JANUARY 2, 2018

F.O.B: CINCINNATI, OHIO  
 REV: DECEMBER 26, 2018

SUBJECT TO CHANGE WITHOUT NOTICE



RUGGED. RELIABLE. REAL.

ELECTRIC SERVICE CRANES

**ET16KX**

SUGGESTED SELLING PRICE LIST

**OUTRIGGER PACKAGES**

DESCRIPTION	PART #	INSTALL WEIGHT	SHIPPING WEIGHT	SELLING PRICE
Manual pullouts, manual crank down. Full width mounting tube 6" x 4" x 81", two pullouts (36" curbside 12" streetside) total spread of 142", retracted 94", vertical travel of 13 1/2" pin adjustment plus 12" crank adjustment.	24962-CD	315#	380#	\$1,760.00
Manual pullouts, hydraulic down with 2 way control valve, and electric/hydraulic pump and hoses. Full width mounting tube 6" x 4" x 81", two pullouts (36" curbside 12" streetside) total spread of 143", retracted 95", vertical travel of 20".	24962-PHE	450#	515#	\$4,812.00

**OUTRIGGER PACKAGES FOR VENTURO HT CRANE BODIES** – All of the above Outrigger Packages are available for Venturo HT Crane Bodies. Installation of outrigger cross tube is included at no additional charge. 24971-LCT Front outriggers may be required for additional stability.  
 SEE BELOW

**OTHER MANUAL OUTRIGGERS**

(For use as auxiliary outriggers in addition to one of the packages listed above.)

DESCRIPTION	PART #	INSTALL WEIGHT	SELLING PRICE
Fold Away Type - For Platform Body. Vertically extends from 28-1/2" to 44" plus 5" screw foot adjustment.	23960-2	43#	\$364.00
Pullout Type - 8" extension with 32" mounting tube. Vertically extends from 4 1/2" to 30" plus 5" screw foot adjustment.	23962-2	53#	\$504.00



RUGGED. RELIABLE. REAL.

ELECTRIC SERVICE CRANES

**ET12KX(P)**

SUGGESTED SELLING PRICE LIST

**SPECIFICATIONS**

MODEL	MAX CAPACITY (LB)	FT / LB RATING	WIRE ROPE
ET12K(X)	3,500	12,000	65 FT OF ¼"

**STANDARD EQUIPMENT**

CAPACITY OVERLOAD SHUTOFF SYSTEM	SWIVEL LOAD BLOCK WITH SAFETY HOOK
ANTI-TWO BLOCKING	MASTER DISCONNECT SWITCH AND BRACKET
25 FT PLUG-IN REMOTE CONTROL PENDANT	12V DC ELECTRIC/HYDRAULIC OPERATION

**PRICES**

MODEL	CONTROLS	BOOM LENGTH	BOOM EXTENSION		INSTALL WEIGHT	SHIPPING WEIGHT	SELLING PRICE
			POWER	MANUAL			
ET12K	Non-Proportional	7' – 15'	-	4' + 4'	700#	820#	\$9,920.00
ET12KX	Non-Proportional	7' – 15'	4'	4'	700#	820#	\$11,560.00
ET12KX-P	Proportional	9' – 16'	7'	-	700#	820#	\$13,050.00

**OPTIONS**

WIRELESS REMOTE CONTROLS WITH ONBOARD DIAGNOSTIC SYSTEM			
DESCRIPTION	PART #	WEIGHT	SELLING PRICE
PROPORTIONAL CONTROLS – Wireless, pistol-grip transmitter and compartment mounted receiver with troubleshooting error code display.	In Lieu of Standard Coded Remote		\$1,152.00
	In addition to Standard Coded Remote		\$2,268.00
NON-PROPORTIONAL – Hand-held push-button transmitter and compartment mounted receiver with troubleshooting error code display.	In Lieu of Standard Coded Remote		\$1,088.00
	In addition to Standard Coded Remote		\$1,500.00
CAPACITY OVERLOAD ALARM (Capacity Overload Shut-Off System Standard)	17356	-	\$160.00
Mounting Pedestal – 12" High for platform body	21571-21	95#	\$504.00
Mounting Pedestal – 36" High for platform body	21571-36	130#	\$572.00
Boom Rest – Adjustable (13" – 19") with hook	21440	30#	\$260.00
Circuit Breaker Kit – Requires minimum 250 AMP	22946-250	-	\$76.00
CUSTOM PAINT (Solid color, single-stage Imron, non-metallic)		PART #	
White/Black		24838	\$412.00
Red/Yellow/Blue/Green or similar		24838-1	\$636.00

**OUTRIGGERS**

DESCRIPTION	PART #	WEIGHT	SELLING PRICE
CRANKDOWN OUTRIGGER PACKAGE - Manual Pullout/Manual Crankdown. Full width mounting tube 3 1/2" x 3 1/2" x 88". Curbside pullout (28 1/2" extension), streetside permanent mount. Total spread of 126". Vertical travel of 13 1/2" pin adjustment plus 15 1/2" crank adjustment.	18500-CD	225#	\$1,036.00
SIDE BRACKET TYPE - Single jackleg for utility body - Extends 0-24"	13500	24#	\$184.00
FOLD AWAY TYPE - Single jackleg for platform body - Extends 27"-45"	11822-2	31#	\$260.00

F.O.B: CINCINNATI, OHIO

EFFECTIVE DATE: JANUARY 2, 2019

REV: DECEMBER 26, 2018

SUBJECT TO CHANGE WITHOUT NOTICE



RUGGED. RELIABLE. REAL.

ELECTRIC SERVICE CRANES

**ET8K ET8KX**

SUGGESTED SELLING PRICE LIST

**SPECIFICATIONS**

MODEL	MAX CAPACITY (LB)	FT / LB RATING	WIRE ROPE
ET8K(X)	3,200	8,000	65 FT OF 7/32"
POWER ROTATION – 360 DEGREE CONTINUOUS		POWER BOOM ELEVATION	
12V DC ELECTRIC / HYDRAULIC OPERATION		TELESCOPIC BOOM – MANUAL (K) OR POWER EXTENSION (KX)	

**STANDARD EQUIPMENT**

CAPCITY OVERLOAD SHUTOFF SYSTEM	SWIVEL LOAD BLOCK WITH SAFETY HOOK
ANTI-TWO BLOCKING	MASTER DISCONNECT SWITCH AND BRACKET
25 FT PLUG IN REMOTE CONTROL PENDANT	25 FT X #2 GA BATTERY CABLE PLUS 4 FT FROM CRANE TO DISCONNECT SWITCH

**PRICES**

MODEL	BOOM LENGTH	BOOM EXTENSION		INSTALL WEIGHT	SHIPPING WEIGHT	SELLING PRICE
		POWER	MANUAL			
ET8K	6' – 14'	--	4' + 4'	560#	630#	\$9,672.00
ET8KX	6' – 14'	4'	4'	650#	720#	\$10,840.00

**OPTIONS**

RADIO REMOTE CONTROLS WITH ONBOARD DIAGNOSTIC SYSTEM			
DESCRIPTION	PART #	WEIGHT	SELLING PRICE
Hand-held push-button transmitter and compartment mounted receiver with troubleshooting error code display.	In Lieu of Standard Corded Remote		\$1,088.00
	In addition to Standard Corded Remote		\$1,500.00
<b>CAPACITY OVERLOAD ALARM</b> (Capacity Overload Shut-Off System Standard)	17356		\$160.00
<b>Mounting Pedestal – 21" High for platform body</b>	21571-21	95#	\$504.00
<b>Mounting Pedestal – 36" High for platform body</b>	21571-36	130#	\$572.00
<b>BOOM REST Adjustable (13" – 19") with hook restraint</b>	21440	30#	\$260.00
<b>Circuit Breaker Kit – Requires a minimum 250 AMP breaker</b>	22946-250	-	\$76.00
<b>CUSTOM PAINT (Solid color, single-stage Imron, non-metallic)</b>			
White/Black	24838	-	\$412.00
Red/Yellow/Blue/Green or similar	24838-1	-	\$636.00

**OUTRIGGERS**

DESCRIPTION	PART #	WEIGHT	SELLING PRICE
<b>CRANKDOWN OUTRIGGER PACKAGE - Manual Pullout/Manual</b> Crankdown. Full width mounting tube 3 1/2" x 3 1/2" x 88". Curbside pullout (28 1/2" extension), streetside permanent mount. Total spread of 126". Vertical travel of 13 1/2" pin adjustment plus 15 1/2" crank adjustment.	18500-CD	225#	\$1,036.00
<b>SIDE BRACKET TYPE - Single jackleg for utility body - Extends 0-24"</b>	13500	24#	\$184.00
<b>FOLD AWAY TYPE - Single jackleg for platform body - Extends 27"-45"</b>	11822-2	31#	\$260.00

F.O.B: CINCINNATI, OHIO

EFFECTIVE DATE: JANUARY 2, 2019

REV: DECEMBER 26, 2018

SUBJECT TO CHANGE WITHOUT NOTICE



**ELECTRIC SERVICE CRANES**

**ET6K**

**SUGGESTED SELLING PRICE LIST**

**SPECIFICATIONS**

MODEL	MAX CAPACITY (LB)	FT / LB RATING	WIRE ROPE
ET6K	2,000	6,000	50 FT OF 3/16"
CONTINUOUS POWER ROTATION		POWER BOOM ELEVATION	
12V DC ELECTRIC / HYDRAULIC OPERATION		TELESCOPIC BOOM – MANUAL	

**STANDARD EQUIPMENT**

CAPACITY OVERLOAD SHUTOFF SYSTEM	SWIVEL LOAD BLOCK WITH SAFETY HOOK
MASTER DISCONNECT SWITCH AND BRACKET	25 FT X #4 GA BATTERY CABLE
20 FT PLUG IN REMOTE CONTROL PENDANT	ANTI-TWO BLOCK

**PRICES**

MODEL	BOOM LENGTH	BOOM EXTENSION		INSTALL WEIGHT	SHIPPING WEIGHT	SELLING PRICE
		POWER	MANUAL			
ET6K	6' – 10'	--	4'	380#	450#	\$8,384.00

**OPTIONS**

RADIO REMOTE CONTROLS WITH ONBOARD DIAGNOSTIC SYSTEM			
DESCRIPTION	PART #	WEIGHT	SELLING PRICE
Hand-held push-button transmitter and compartment mounted receiver with troubleshooting error code display.	In Lieu of Standard Corded Remote		\$1,088.00
	In addition to Standard Corded Remote		\$1,500.00
<b>CAPACITY OVERLOAD ALARM</b> (Capacity Overload Shut-Off System Standard)	17356	-	\$160.00
<b>Mounting Pedestal – 21" High for platform body</b>	20480-21	95#	\$368.00
<b>Mounting Pedestal – 36" High for platform body</b>	20480-36	130#	\$412.00
<b>BOOM REST Adjustable (13" – 19") with hook restraint</b>	21440	30#	\$260.00
<b>Circuit Breaker Kit – Requires a minimum 250 AMP breaker</b>	22946-250	-	\$76.00
CUSTOM PAINT (Solid color, single-stage Imron, non-metallic)			
White/Black	24838	-	\$412.00
Red/Yellow/Blue/Green or similar	24838-1	-	\$636.00

**OUTRIGGERS**

DESCRIPTION	PART #	WEIGHT	SELLING PRICE
<b>CRANKDOWN OUTRIGGER PACKAGE</b> - Manual Pullout/Manual Crankdown. Full width mounting tube 3 1/2" x 3 1/2" x 88". Curbside pullout (28 1/2" extension), streetside permanent mount. Total spread of 126". Vertical travel of 13 1/2" pin adjustment plus 15 1/2" crank adjustment.	18500-CD	225#	\$1,036.00
<b>SIDE BRACKET TYPE</b> - Single jackleg for utility body - Extends 0-24"	13500	24#	\$184.00
<b>FOLD AWAY TYPE</b> - Single jackleg for platform body - Extends 27"-45"	11822-2	31#	\$260.00

EFFECTIVE DATE: JANUARY 2, 2019

F.O.B: CINCINNATI, OHIO

REV: DECEMBER 26, 2018

SUBJECT TO CHANGE WITHOUT NOTICE



RUGGED. RELIABLE. REAL.

ELECTRIC SERVICE CRANES

**DT7K**

SUGGESTED SELLING PRICE LIST

**SPECIFICATIONS**

MODEL	MAX CAPACITY (LB)	FT / LB RATING	WIRE ROPE
DT7K	2,200	7,000	50 FT OF 3/16"
MANUAL ROTATION WITH 8 POSITIVE PIN LOCK		MANUAL 3 POSITION BOOM ELEVATION WITH SPRING COUNTER BALANCE	
12V DC ELECTRIC / HYDRAULIC OPERATION		MANUAL TELESCOPIC BOOM	

**STANDARD EQUIPMENT**

15 FT PLUG IN REMOTE CONTROL PENDANT	SWIVEL LOAD BLOCK WITH SAFETY HOOK
25 FT X #2 GA BATTERY CABLE PLUS 4 FT FROM CRANE TO DISCONNECT SWITCH	MASTER DISCONNECT SWITCH AND BRACKET

**PRICES**

MODEL	BOOM LENGTH	BOOM EXTENSION		INSTALL WEIGHT	SHIPPING WEIGHT	SELLING PRICE
		POWER	MANUAL			
DT7K	6' - 10'	--	4'	310#	380#	\$4,760.00

**OPTIONS**

DESCRIPTION	PART #	WEIGHT	SELLING PRICE
Mounting Pedestal - 21" High for platform body	14930-21	65#	\$488.00
Mounting Pedestal - 36" High for platform body	14930-36	95#	\$632.00
Circuit Breaker Kit - Requires a minimum 250 AMP breaker	22946-250	-	\$76.00
<b>CUSTOM PAINT (Solid color, single-stage Imron, non-metallic)</b>			
White/Black	24838	-	\$412.00
Red/Yellow/Blue/Green or similar	24838-1	-	\$636.00

**OUTRIGGERS**

DESCRIPTION	PART #	WEIGHT	SELLING PRICE
<b>CRANKDOWN OUTRIGGER PACKAGE</b> - Manual Pullout/Manual Crankdown. Full width mounting tube 3 1/2" x 3 1/2" x 88". Curbside pullout (28 1/2" extension), streetside permanent mount. Total spread of 126". Vertical travel of 13 1/2" pin adjustment plus 15 1/2" crank adjustment.	18500-CD	225#	\$1,036.00
<b>SIDE BRACKET TYPE</b> - Single jackleg for utility body - Extends 0-24"	13500	24#	\$184.00
<b>FOLD AWAY TYPE</b> - Single jackleg for platform body - Extends 27"-45"	11822-2	31#	\$260.00

EFFECTIVE DATE: JANUARY 2, 2019

F.O.B: CINCINNATI, OHIO  
 REV: DECEMBER 26, 2018

SUBJECT TO CHANGE WITHOUT NOTICE



RUGGED. RELIABLE. REAL.

**ELECTRIC MAST SERVICE CRANES**

**CT310KX**

**SUGGESTED SELLING PRICE LIST**

**SPECIFICATIONS**

MODEL	MAX CAPACITY (LB)	FT / LB RATING	WIRE ROPE
CT310KX	1,900	6,650	50 FT OF 3/16"
POWER ROTATION – 322 DEGREES		POWER BOOM ELEVATION	
12V DC ELECTRIC / HYDRAULIC OPERATION		POWER BOOM EXTENSION	

**STANDARD EQUIPMENT**

CAPACITY OVERLOAD SENSOR WITH AUDIBLE ALARM	SWIVEL LOAD BLOCK WITH SAFETY HOOK
25 FT X #2 GA BATTERY CABLE PLUS 4 FT FROM CRANE TO DISCONNECT SWITCH	MASTER DISCONNECT SWITCH AND BRACKET
20 FT. PLUG IN REMOTE CONTROL PENDANT	

**PRICES**

MODEL	BOOM LENGTH	BOOM EXTENSION		INSTALL WEIGHT	SHIPPING WEIGHT	SELLING PRICE
		POWER	MANUAL			
CT310KX	3' – 9.3'	3' 3"	3'	490#	535#	\$10,420.00

**OPTIONS**

RADIO REMOTE CONTROLS WITH ONBOARD DIAGNOSTIC SYSTEM		
Hand-held push-button transmitter and compartment mounted receiver with troubleshooting error code display.	In Lieu of Standard Corded Remote	\$1,088.00
	In addition to Standard Corded Remote	\$1,500.00
CIRCUIT BREAKERS		PART #
Circuit Breaker Kit – Requires a minimum 250 AMP breaker		22946-250
Circuit Breaker Kit – Requires a minimum 250 AMP breaker		\$76.00
CUSTOM PAINT (Solid color, single-stage Imron, non-metallic)		PART #
White/Black		24838-2
White/Black		\$380.00
Red/Yellow/Blue/Green or similar		24838-3
Red/Yellow/Blue/Green or similar		\$588.00

**OUTRIGGERS**

DESCRIPTION	PART #	WEIGHT	SELLING PRICE
<b>CRANKDOWN OUTRIGGER PACKAGE</b> - Manual Pullout/Manual Crankdown. Full width mounting tube 3 1/2" x 3 1/2" x 88". Curbside pullout (28 1/2" extension), streetside permanent mount. Total spread of 126". Vertical travel of 13 1/2" pin adjustment plus 15 1/2" crank adjustment.	18500-CD	225#	\$1,036.00
<b>SIDE BRACKET TYPE</b> - Single jackleg for utility body - Extends 0-24"	13500	24#	\$184.00
<b>FOLD AWAY TYPE</b> - Single jackleg for platform body - Extends 27"-45"	11822-2	31#	\$260.00

EFFECTIVE DATE: JANUARY 2, 2019

F.O.B: CINCINNATI, OHIO  
 REV: DECEMBER 26, 2018

SUBJECT TO CHANGE WITHOUT NOTICE





**HEAVY DUTY MAST SERVICE CRANE SERIES  
 CT2003FB CT2004FB CT2005**

**SUGGESTED SELLING PRICE LIST**

**SPECIFICATIONS**

2,000 LB. MAXIMUM CAPACITY	MANUAL ROTATION WITH 8 POSITION POSITIVE PIN LOCK
6,000 FT. / LB. RATING	MANUAL TELESCOPIC FOLDING BOOM (CT2005 WILL NOT FOLD)
12V DC WINCH, HEAVY DUTY, HIGH TORQUE, HIGHSPEED	

**STANDARD EQUIPMENT**

35 FT. OF 3/16" WIRE ROPE WITH SAFETY HOOK	SWIVEL LOAD BLOCK WITH SAFETY HOOK
15 FT. PLUG IN REMOTE CONTROL PENDANT	25 FT. X #4 GA BATTERY CABLE
MOUNTING SOCKET – TYPE C – SURFACE MOUNT	MASTER DISCONNECT SWITCH KIT

**PRICES**

MODEL	BOOM LENGTH	CAPACITY	INSTALL WEIGHT	SHIPPING WEIGHT	SELLING PRICE
CT2003FB	3 – 5 FT	2,000# - 1,000#	235#	290#	\$2,952.00
CT2004FB	4 – 7 FT	1,500# - 700#	265#	320#	\$3,068.00
CT2005	5 – 9 FT	1,200# - 500#	280#	335#	\$3,180.00

**MOUNTING SOCKETS:**

Type C, surface mount socket is standard. Type A, recessed mount is available at no extra charge.

*Note: If necessary mounting socket is used with CT2004FB, boom will not fold.*

**OPTIONS AND ACCESSORIES**

DESCRIPTION	PART #	SELLING PRICE
EXTRA SOCKETS – TYPE "A" – Flush Mount	13171	\$212.00
EXTRA SOCKETS – TYPE "C" – Surface Mount	13172	\$236.00
SHORT MAST (Specify Height) CT SERIES ONLY	SPECIFY	\$212.00
QUICK DISCONNECT SOCKET & PLUG	11645	\$96.00
CIRCUIT BREAKER KIT - Requires a minimum 250 AMP breaker	22946-250	\$76.00
DISPLAY STAND	21040	CONTACT SALES DEPT
CUSTOM PAINT (Solid color, single-stage Imron, non-metallic)	PART #	
White/Black	24838-2	\$380.00
Red/Yellow/Blue/Green or similar	24838-3	\$588.00

**OUTRIGGERS**

DESCRIPTION	PART #	WEIGHT	SELLING PRICE
SIDE BRACKET TYPE - Single jackleg for utility body - Extends 0-24"	13500	24#	\$184.00
FOLD AWAY TYPE - Single jackleg for platform body - Extends 27"-45"	11822-2	31#	\$260.00



**HEAVY/MEDIUM DUTY MAST SERVICE CRANES**

**CE6K**

**SUGGESTED SELLING PRICE LIST**

**SPECIFICATIONS**

2,000 LB. MAXIMUM CAPACITY	MANUAL ROTATION WITH BAND BRAKE
6,000 FT. / LB. RATING	MANUAL 3 POSITION BOOM ELEVATION
12V DC WINCH, HEAVY DUTY, HIGH TORQUE, HIGHSPEED	MANUAL TELESCOPIC FOLDING BOOM

**STANDARD EQUIPMENT**

35 FT. OF 3/16" WIRE ROPE WITH SAFETY HOOK – Standard Winch	SWIVEL LOAD BLOCK WITH SAFETY HOOK
65 FT OF 3/16" WIRE ROPE WITH SAFETY HOOK – Heavy Duty Winch	25 FT. X #4 GA BATTERY CABLE
12 FT PLUG IN REMOTE CONTROL PENDANT	MASTER DISCONNECT SWITCH KIT

**PRICES**

MODEL	PART #	BOOM LENGTH	WINCH	MAST	INSTALL WEIGHT	SHIPPING WEIGHT	SELLING PRICE
CE6K-3	19600-3-DC	3' – 5'	Standard 12V	TALL	325#	355#	\$2,808.00
CE6K-3	19600-3-DC-S	3' – 5'	Standard 12V	SHORT	220#	290#	\$2,784.00
CE6K-3/HD	19600-3-DCHD	3' – 5'	Heavy Duty 12V	TALL	265#	335#	\$3,544.00
CE6K-3/HD	19600-3-DCHD-S	3' – 5'	Heavy Duty 12V	SHORT	230#	300#	\$3,516.00
CE6K-4	19600-4-DC	4' – 7'	Standard 12V	TALL	275#	345#	\$2,880.00
CE6K-4	19600-4-DC-S	4' – 7'	Standard 12V	SHORT	235#	305#	\$2,848.00
CE6K-4/HD	19600-4-DCHD	4' – 7'	Heavy Duty 12V	TALL	280#	350#	\$3,588.00
CE6K-4/HD	19600-4-DCHD-S	4' – 7'	Heavy Duty 12V	SHORT	240#	310#	\$3,564.00

**OPTIONS AND ACCESSORIES**

DESCRIPTION	PART #	SELLING PRICE
CIRCUIT BREAKER (SD) - Requires a minimum 150 AMP breaker	22946-150	\$56.00
CIRCUIT BREAKER (HD) - Requires a minimum 250 AMP breaker	22946-250	\$76.00
DISPLAY STAND	21040	CONTACT SALES DEPT
CUSTOM PAINT (Solid color, single-stage Imron, non-metallic)		
White/Black	24838-2	\$380.00
Red/Yellow/Blue/Green or similar	24838-3	\$588.00

**OUTRIGGERS**

DESCRIPTION	PART #	WEIGHT	SELLING PRICE
SIDE BRACKET TYPE - Single jackleg for utility body - Extends 0-24"	13500	24#	\$184.00
FOLD AWAY TYPE - Single jackleg for platform body - Extends 27"-45"	11822-2	31#	\$260.00

EFFECTIVE DATE: JANUARY 2, 2019

F.O.B: CINCINNATI, OHIO  
REV: DECEMBER 26, 2018

SUBJECT TO CHANGE WITHOUT NOTICE



**LIGHT DUTY MAST SERVICE CRANES**

**CE1500FB**

**SUGGESTED SELLING PRICE LIST**

**SPECIFICATIONS**

1,500 LB. MAXIMUM CAPACITY	MANUAL 360 DEGREE ROTATION WITH BAND BRAKE
4,500 FT. / LB. RATING	MANUAL 3' – 5' TELESCOPIC FOLDING BOOM
CHOICES OF WINCHES: 12 VOLD DC, 120 VOLT AC	

**CE 1500FB STANDARD EQUIPMENT**

WINCH/WIRE ROPE (See Below)	BATTERY CABLES WITH TERMINALS
SWIVEL LOAD BLOCK WITH SAFETY HOOK	MOUNTING BOLTS AND PLATES
PISTOL GRIP, REMOVABLE PENDANT CONTROL WITH 12 FT CORD	HANSAVER BAR
80 AMP CIRCUIT BREAKER	MASTER DISCONNECT SWITCH KIT

**PRICES**

MODEL	PART #	WINCH	WIRE ROPE	INSTALL WEIGHT	SHIPPING WEIGHT	SELLING PRICE
CE1500FB	CE-057	12V-DC	25' X 3/16"	165#	220#	\$2,052.00
CE1500FB-AC	CE057-AC	120V-AC	45' X 5/32"	165#	220#	\$2,416.00

**OPTIONS**

DESCRIPTION	PART #	SELLING PRICE
CIRCUIT BREAKER KIT – Requires a minimum 150 AMP breaker	22946-150	\$56.00
<b>CUSTOM PAINT (Solid color, single-stage Imron, non-metallic)</b>	<b>PART #</b>	
White/Black	24838-2	\$380.00
Red/Yellow/Blue/Green or similar	24838-3	\$588.00

EFFECTIVE DATE: JANUARY 2, 2019

F.O.B: CINCINNATI, OHIO  
 REV: DECEMBER 26, 2018

SUBJECT TO CHANGE WITHOUT NOTICE



RUGGED. RELIABLE. REAL.

ENCLOSED SERVICE VAN CRANE

**ESV1000**

SUGGESTED SELLING PRICE LIST

**SPECIFICATIONS**

ENCLOSED SERVICE VAN CRANE WITH 1,000 LB. MAXIMUM CAPACITY	MANUAL 360 DEGREE ROTATION WITH BAND BRAKE
3,000 FT. / LB. RATING	TELESCOPIC BOOM: 2 FT – 3 FT
WINCH: 12 VOLT DC	13" X 15" BASE MOUNTING PLATE

**ESV1000 STANDARD EQUIPMENT**

WINCH/WIRE ROPE (See Below)	BATTERY CABLES WITH TERMINALS
MASTER DISCONNECT SWITCH KIT	MOUNTING BOLTS AND PLATES
PISTOL GRIP, REMOVABLE PENDANT CONTROL WITH 12 FT CORD	HANSAVER BAR

**PRICES**

MODEL	MOUNT LOCATION	PART #	WINCH	WIRE ROPE	INSTALL WEIGHT	SHIPPING WEIGHT	SELLING PRICE
ESV1000	Street-Side	VKELAA	12V-DC	25' X 3/16"	175#	220#	\$2,264.00
ESV1000	Curbside	VKERAA	12V-DC	25' X 3/16"	175#	220#	\$2,264.00

**OPTIONS**

DESCRIPTION	PART #	SELLING PRICE
CIRCUIT BREAKER KIT – Requires a minimum 150 AMP breaker	22946-150	\$56.00
DISPLAY STAND – ESV1000 Showroom Display	23413	-
<b>CUSTOM PAINT (Solid color, single-stage Imron, non-metallic)</b>	<b>PART #</b>	
White/Black	24838-2	\$380.00
Red/Yellow/Blue/Green or similar	24838-3	\$588.00

**Note: It is the sole responsibility of the installer to determine if additional floor reinforcement is necessary.**

EFFECTIVE DATE: JANUARY 2, 2019

F.O.B: CINCINNATI, OHIO  
 REV: DECEMBER 26, 2018

SUBJECT TO CHANGE WITHOUT NOTICE



RUGGED. RELIABLE. REAL.

FLOOR MOUNTED VAN CRANE

**VC750FB**

SUGGESTED SELLING PRICE LIST

**SPECIFICATIONS**

750 LB. MAXIMUM CAPACITY – FORD TRANSIT SIDE-DOOR	MANUAL 360 DEGREE ROTATION WITH BAND BRAKE
1,950 FT. / LB. RATING	FIXED LENGTH BOOM: 2 FT., 6 IN.
WINCH: 12 VOLT DC	REINFORCED MOUNTING PLATE

**VC750FB STANDARD EQUIPMENT**

WINCH/WIRE ROPE (See Below)	BATTERY CABLES WITH TERMINALS
MASTER DISCONNECT SWITCH KIT	MOUNTING BOLTS AND PLATES FOR FORD TRANSIT SIDE-DOOR*
PISTOL GRIP, REMOVABLE PENDANT CONTROL WITH 12 FT CORD	HANSAVER BAR

**PRICES**

MODEL	PART #	WINCH	WIRE ROPE	INSTALL WEIGHT	SHIPPING WEIGHT	SELLING PRICE
VC750FB	VJCAA	12V-DC	25' X 3/16"	165#	220#	\$2,052.00

**OPTIONS**

DESCRIPTION	PART #	SELLING PRICE
CIRCUIT BREAKER KIT – Requires a minimum 150 AMP breaker	22946-150	\$56.00
<b>CUSTOM PAINT (Solid color, single-stage Imron, non-metallic)</b>	<b>PART #</b>	
White/Black	24838-2	\$380.00
Red/Yellow/Blue/Green or similar	24838-3	\$588.00

**Note: 750 LB maximum capacity is based on typical van floor structure limitations, not winch capacity. It is the sole responsibility of the installer to determine if additional floor reinforcement is necessary.**

**\*Other applications currently in development.**



RUGGED. RELIABLE. REAL.

**EURO-STYLE VAN CRANE**

**VC1000**

**SUGGESTED SELLING PRICE LIST**

**SPECIFICATIONS**

1000 LB. MAXIMUM CAPACITY	MANUAL ROTATION WITH HAND-LEVER BRAKE
6,000 FT. / LB. RATING	HORIZONTALLY ARTICULATED BOOM WITH 2' – 6' REACH
WINCH: 12 VOLT DC	TELESCOPING MAST FOR FORD TRANSIT MID OR HIGH ROOF APPLICATIONS
REAR DOOR ONLY	

**VC1000 STANDARD EQUIPMENT**

WINCH/WIRE ROPE (See Below)	BATTERY CABLES WITH TERMINALS
MASTER DISCONNECT SWITCH KIT	TOP/BOTTOM MOUNTING BRACKETS
PISTOL GRIP, REMOVABLE PENDANT CONTROL WITH 12 FT CORD	(2) HAND-LEVER CONTROLLED ROTATION STOPS
SINGLE HAND-CRANK JACKLEG OUTRIGGER*	MOUNTING HARDWARE AND FLOOR CHANNEL SHIMS

**PRICES**

MODEL	PART #	BOOM LENGTH	WIRE ROPE	MOUNTING KIT PART#	SHIPPING WEIGHT	SELLING PRICE
TRANSIT VC1000	VGDAAA	6'	25' X 3/16"	23367-2	320#	\$3,080.00
SPRINTER VC1000	VHDAAA	5 ½'	25' X 3/16"	23367-4	320#	\$3,080.00

**OPTIONS**

DESCRIPTION	PART #	SELLING PRICE
CIRCUIT BREAKER KIT – Requires a minimum 150 AMP breaker	22946-150	\$56.00
<b>CUSTOM PAINT (Solid color, single-stage Imron, non-metallic)</b>	<b>PART #</b>	
White/Black	24838-2	\$380.00
Red/Yellow/Blue/Green or similar	24838-3	\$588.00

*\*Requires Class III receiver hitch, not included.*