

CATERPILLAR MACHINE PRICE LIST

WT-CWL**COMPACT WHEEL LOADER WORK TOOLS**Ship Weight
lbsLIST PRICE
AT DEALER

Standard Equipment:

This WT-CWL price list consists of Work Tool offerings for Compact Wheel Loader models: 902, 903, 904, 906, 907, 908, 910, 914, 918 & IT14

This price list has been divided into the following sections
 - CURRENT MODELS SMALLER THAN 906
 - CURRENT MODELS 906/ 907/ 908
 - CURRENT MODELS LARGER THAN 908
 - NON CURRENT MODELS

FOR NORTH AND SOUTH AMERICA
 Orders for BCP products will automatically transfer from CMOPS to Antares Parts Ordering.

FOR THE REST OF THE WORLD
 This price list is for REFERENCE ONLY.
 Work Tool orders must be placed using Antares Parts Ordering.

FOR JAPAN
 Please access the usual regional resources for pricing information

For BCP Attachment Product and Application Support
 1-866-963-3531, Option #1, Option #2
 E-mail: BCP_Work_Tools@Cat.com

For Order Management/Availability Support
 1-866-963-3531, Option #1, Option #1
 E-mail:
 Cat_Parts_BCP_Work_Tools_Support@Cat.com

CATERPILLAR MACHINE PRICE LIST

WT-CWL

COMPACT WHEEL LOADER WORK TOOLS

Ship Weight
lbs

LIST PRICE
AT DEALER

0P-0199

COMPACT WHEEL LOADER WORK TOOL 0
Please use this reference number when ordering.

NC

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

CWL - CURRENT MODELS SMALLER THAN 906

903D - BUCKETS - General Purpose

W	276-5715	BUCKET-GP, 0.8 YD3, SSL, BOCE 686 70" (1770mm) wide, includes 1 piece Bolt on edge FOR USE WITH: Skid Steer Coupler		\$3,140 NI
W	384-1700	BUCKET-GP, 1.0 YD3, SSL, BOCE 814 74" (1880mm) wide, incl 1 piece Bolt-on cutting edge FOR USE WITH: Skid Steer Coupler		\$3,190 NI

903D - BUCKETS: Light Material

W	261-1368	BUCKET-LM, 1.3 YD3, SSL, BOCE 862 70" (1780mm) wide, incl 1 piece Bolt-on cutting edge FOR USE WITH: Skid Steer Coupler		\$3,771 NI
---	----------	---	--	------------

903D - BUCKETS: Material Handling

W	472-2546	BUCKET-MH, 86", BOCE 804 1.43 YD3 / 38.6 CFT (1.07 M3) Heaped Capacity INCLUDES: Bolt-on cutting edge, 1 piece FOR USE WITH: 903C2 with Skid Steer Coupler		\$2,326 NI
W	472-2548	BUCKET-MH, 98", BOCE 881 1.63 YD3 / 44.8 CFT (1.25 M3) Heaped Capacity INCLUDES: Bolt-on cutting edge, 1 piece FOR USE WITH: Skid Steer Coupler		\$2,403 NI
W	469-0774	BUCKET-MH, 104", BOCE 920 1.74 YD3 / 47.8 CFT (1.33 M3) Heaped Capacity INCLUDES: Bolt-on cutting edge, 1 piece FOR USE WITH: Skid Steer Coupler		\$2,444 NI

903D - CARRIAGES and FORKS (TINES)

W	261-1315	CARRIAGE, 46" CLASS II 190 46" (1170mm) wide REQUIRES: 2 Tines (Forks) Class II, NOT INCLUDED FOR USE WITH: Skid Steer Coupler		\$1,478 NI
W	195-6943	FORK, PAL C2, 36" X 4" X 1.5" 92 1.5" x 4" x 36" (40mm x 100mm x 910mm) Hook Type, pull retention Price & Weight Each. Please order 2 for a pair. REQUIRES: Class II Carriage 261-1315		\$174 NI
W	195-6942	FORK, PAL C2, 42" X 4" X 1.5" 104 1.5" x 4" x 42" (40mm x 100mm x 1070mm) Hook Type, pull retention Price & Weight Each. Please order 2 for a pair. REQUIRES: Class II Carriage 261-1315		\$208 NI

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	------------------------	--------------------	-------------------------

CWL - CURRENT MODELS SMALLER THAN 906 (CONT.)**903D SSL Work Tools**

The selection table below, gives you an indication of the requirements for the 903D to operate the SSL tools. For further details on the tools see section 906-908.

No field installed worktool harness kit available, only factory installed.

Work tools Compatible on 903D		Remarks for 903D only
Augers: SF	C	
HF	NC	No HF or HF XPS available
Blades: Angle	C	
Dozer	C	
Box Blades	NC	To Heavy
Brooms: Angle Man	C	
Angle Hydr	C	
Utility	C	
Pick up	C	Chains required
Brushcutter BR160	C	
SF	C	Oil Flow limitations
HF	NC	No HF or HF XPS available
Buckets: GP, LP, MP, LM	C	
Industrial, Skeleton	C	
Mixing		
Side Discharge		
Cold planers: SF	C	Oil Flow, Machine weight
HF PC205B	NC	No HF or HF XPS available
HF PC3XXB	NC	No HF or HF XPS available
Carriages and Forks	C	
Grapple Bucket 368-2500		
Hammers	NC	No hammers allowed
Industrial / Utility Grapple: buckets, forks, rakes	C	
Landscape Rake, Tiller	C	
MH Arm	C	Might hit linkage
Mulchers	NC	Machine weight
Power Box Rake	C	PR172 only
Snow Blower: SF	C	SR117 only
HF	NC	No HF or HF XPS available
Snow Plows	C	
Stump Grinder: SF	C	Oil Flow
HF	NC	No HF or HF XPS available
Trencher: SF	C	
HF	NC	No HF or HF XPS available
Vibratory Compactor	C	
Wheel Saw	NC	No HF or HF XPS available

C= Compatible but See remarks, NC = Not Compatible/Not Allowed

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS 906/ 907/ 908

BUCKETS - General Purpose

	906H/H2/K/M	907H/H2/K/M	908H/H2/K/M
General Purpose Buckets			
1.0 yd3 (0.76m3)	C	C	C
1.2 yd3 (0.9m3)	C		
1.3 yd3 (1.0m3)		C	
1.4 yd3 (1.1m3)			C
1.7 yd3 (1.3m3)			C

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

W	384-1700	BUCKET-GP, 1.0 YD3, SSL, BOCE	814	\$3,190 NI
		74" (1880mm) wide, incl 1 piece Bolt-on cutting edge		
		FOR USE WITH: Skid Steer Coupler		
W	261-1341	BUCKET-GP, 1.2 YD3, SSL	790	\$3,156 NI
		74" (1880mm) wide, base edge incl drilled mounting holes		
		FOR USE WITH: 906H/M with Skid Steer Coupler		
W	284-9279	BUCKET-GP, 1.2 YD3, SSL, BOCE	869	\$3,399 NI
		74" (1880mm) wide, incl 1 piece Bolt-on cutting edge		
		FOR USE WITH: 906H/M with Skid Steer Coupler		
W	284-9280	BUCKET-GP, 1.2 YD3, SSL, BOT	822	\$3,739 NI
		74" (1880mm) wide, incl 7x Bolt-on teeth		
		FOR USE WITH: 906H/M with Skid Steer Coupler		
W	284-9281	BUCKET-GP, 1.2 YD3, HPL, BOCE	871	\$3,399 NI
		74" (1880mm) wide, incl 1 piece Bolt-on cutting edge		
		FOR USE WITH: 906H/M with Volvo L30 style horizontal pin coupler		
W	284-9282	BUCKET-GP, 1.2 YD3, HPL, BOT	822	\$3,739 NI
		74" (1880mm) wide, incl 7x Bolt-on teeth		
		FOR USE WITH: 906H/M with Volvo L30 style horizontal pin coupler		
W	312-0121	BUCKET-GP, 1.3 YD3, SSL	849	\$3,282 NI
		80" (2025mm) wide, Base edge with drilled mounting holes		
		FOR USE WITH: 907H/M with Skid Steer Coupler		
W	312-0122	BUCKET-GP, 1.3 YD3, SSL, BOCE	908	\$3,525 NI
		80" (2025mm) wide, incl 1 piece Bolt-on cutting edge		
		FOR USE WITH: 907H/M with Skid Steer Coupler		
W	312-0123	BUCKET-GP, 1.3 YD3, SSL, BOT	864	\$3,963 NI
		80" (2025mm) wide, incl 7x Bolt on teeth		
		FOR USE WITH: 907H/M with Skid Steer Coupler		
W	311-7776	BUCKET-GP, 1.3 YD3, HPL, BOCE	911	\$3,525 NI
		80" (2025mm) wide, incl 1 piece Bolt-on cutting edge		
		FOR USE WITH: 907H/M with Volvo L30 style horizontal pin coupler		
W	311-7777	BUCKET-GP, 1.3 YD3, HPL, BOT	866	\$3,963 NI
		80" (2025mm) wide, incl 7x Bolt on teeth		
		FOR USE WITH: 907H/M with Volvo L30 style horizontal pin coupler		

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)				
<i>BUCKETS - General Purpose (Cont.)</i>				
W	261-1362	BUCKET-GP, 1.4 YD3, SSL	888	\$3,426 NI
		81" (2060mm) Wide, base edge with drilled mounting holes FOR USE WITH: 908H/M with Skid Steer Coupler		
W	286-0581	BUCKET-GP, 1.4 YD3, SSL, BOCE	979	\$3,669 NI
		81" (2060mm) Wide, incl 1 piece Bolt-on cutting edge FOR USE WITH: 908H/M with Skid Steer Coupler		
W	286-0582	BUCKET-GP, 1.4 YD3, SSL, BOT	924	\$4,010 NI
		81" (2060mm) Wide, incl 7x Bolt on teeth FOR USE WITH: 908H/M with Skid Steer Coupler		
W	286-0584	BUCKET-GP, 1.4 YD3, HPL, BOCE	979	\$3,669 NI
		81" (2060mm) Wide, incl 1 piece Bolt-on cutting edge FOR USE WITH: 908H/M with Volvo L30 style horizontal pin coupler		
W	286-0583	BUCKET-GP, 1.4 YD3, HPL, BOT	926	\$4,010 NI
		81" (2060mm) Wide, incl 7x Bolt on teeth FOR USE WITH: 908H/M with Volvo L30 style horizontal pin coupler		
W	472-5370	BUCKET-GP, 1.7 YD3, HPL, BOCE	966	\$4,085 NI
		81" (2060mm) wide, includes Bolt-on cutting edge Max material density = 1600kg/m3 FOR USE WITH: 908H/M with Volvo L30 style horizontal pin coupler		
W	472-5371	BUCKET-GP, 1.7 YD3, HPL, BOT	1,016	\$4,425 NI
		81" (2060mm) wide, includes Bolt-on teeth Max material density = 1600kg/m3 FOR USE WITH: 908H/M with Volvo L30 style horizontal pin coupler		

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

BUCKETS - Light Material

	906H/H2/K/M	907H/H2/K/M	908H/H2/K/M
LM Buckets			
1.6 yd3 (1.2m3)	C	C	
2.0 yd3 (1.5m3)			C

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

W	261-1385	BUCKET-LM, 1.6 YD3, SSL, BOCE	1,016	\$4,099 NI
		81" (2060mm) wide, incl 1 piece Bolt-on cutting edge FOR USE WITH: 906H/M, 907H/M with Skid Steer Coupler		
W	261-1391	BUCKET-LM, 1.5 YD3, HPL, BOCE	1,019	\$3,999 NI
		81" (2060mm) wide, incl 1 piece Bolt-on cutting edge FOR USE WITH: 906H/M, 907H/M with Volvo L30 style horiz pin coupler		
W	261-1396	BUCKET-LM, 2.0 YD3, SSL, BOCE	1,135	\$4,539 NI
		81" (2060mm) wide, incl 1 piece Bolt-on cutting edge FOR USE WITH: 908H/M with Skid Steer Coupler		
W	261-1404	BUCKET-LM, 2.0 YD3, HPL, BOCE	1,135	\$4,539 NI
		81" (2060mm) wide, incl 1 piece Bolt-on cutting edge FOR USE WITH: 908H/M with Volvo L30 style horizontal pin coupler		

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

BUCKETS - Multi Purpose, High Spec

These MP buckets have additional features compared to the standard MP buckets:

- a BOCE on the Dozer (approx 450 BRN hardness, same as the front optioned BOT)
- an adjustable rectangle profile BOCE on the rear side if the clamp is closed
- larger capacity

	906H/H2/K/M	907H/H2/K/M	908H/H2/K/M
MP High Spec Buckets			
0.9m3 (1.18yd3)	C	C	
1.05m3 (1.37yd3)			C

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

W	494-7609	BUCKET-MP HD,1.2YD3,HPL-V,BOCE	1,367	\$10,068 NI
		Width: 1890mm (75"), Max material density: 1760kg/m3		
		Includes: 1 piece Bolt-on edge on dozer and on rear side of clamp and bolt-on teeth on front edge		
		FOR USE WITH: 906H/M, 907H/M with Volvo L30 style horiz pin coupler		
		REQUIRES: 3rd Valve lines & Control on machine to operate		
W	492-2510	BUCKET-MP HD,1.2 YD3,HPL-V,BOT	1,415	\$9,694 NI
		Width: 1890mm (75"), Max material density: 1760kg/m3		
		Includes: 1 piece Bolt-on edge on dozer, on rear side of clamp and on front edge		
		FOR USE WITH: 906H/M, 907H/M with Volvo L30 style horiz pin coupler		
		REQUIRES: 3rd Valve lines & Control on machine to operate		
W	494-7610	BUCKET-MP HD,1.4YD3,HPL-V,BOCE	1,448	\$10,764 NI
		Width: 2080mm (82"), Max material density: 1815kg/m3		
		Includes: 1 piece Bolt-on edge on dozer and on rear side of clamp and bolt-on teeth on front edge		
		FOR USE WITH: 908H/M with Volvo L30 style horizontal pin coupler		
		REQUIRES: 3rd Valve lines & Control on machine to operate		
W	492-2511	BUCKET-MP HD,1.4 YD3,HPL-V BOT	1,506	\$10,389 NI
		Width: 2080mm (82"), Max material density: 1815kg/m3		
		Includes: 1 piece Bolt-on Edge on dozer and on rear side of clamp on front edge		
		FOR USE WITH: 908H/M with Volvo L30 style horizontal pin coupler		
		REQUIRES: 3rd Valve lines & Control on machine to operate		

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

BUCKETS - Multi Purpose

	906H/H2/K/M	907H/H2/K/M	908H/H2/K/M
MP Buckets			
1.0 yd3 (0.75m3)	C	C	
1.2 yd3 (0.9m3)			C

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

W	337-8941	BUCKET-MP, 1.0 YD3, SSL, BOCE	1,177	\$8,035 NI
		74" (1880mm) wide, incl Bolt-on Dozer edge + Bolt-on Cutting edge FOR USE WITH: 906H/M, 907H/M with Skid Steer Coupler REQUIRES: 3rd Valve lines & Control on machine to operate		
W	337-8942	BUCKET-MP, 1.0 YD3, SSL, BOT	1,131	\$8,375 NI
		74" (1880mm) wide, incl Bolt-on Dozer edge + 7x Bolt-on teeth FOR USE WITH: 906H/M, 907H/M with Skid Steer Coupler REQUIRES: 3rd Valve lines & Control on machine to operate		
W	337-8943	BUCKET-MP, 1.0 YD3,HPL-V, BOCE	1,228	\$8,035 NI
		74" (1880mm) wide, incl Bolt-on Dozer edge + Bolt-on Cutting edge FOR USE WITH: 906H/M-907H/M + Horiz Pin Coupler(similar to Volvo L30) REQUIRES: 3rd Valve lines & Control on machine to operate		
W	337-8944	BUCKET-MP, 1.0 YD3,HPL-V, BOT	1,131	\$8,375 NI
		74" (1880mm) wide, incl Bolt-on Dozer edge + 7x Bolt-on teeth FOR USE WITH: 906H/M-907H/M + Horiz Pin Coupler(similar to Volvo L30) REQUIRES: 3rd Valve lines & Control on machine to operate		
W	337-8947	BUCKET-MP, 1.2 YD3,HPL-V, BOCE	1,329	\$8,813 NI
		81" (2060mm) wide, incl Bolt-on Dozer edge + Bolt-on cutting edge FOR USE WITH: 908H/M with Volvo L30 style horizontal pin coupler REQUIRES: 3rd Valve lines & Control on machine to operate		
W	337-8945	BUCKET-MP, 1.2 YD3, SSL, BOCE	1,283	\$8,813 NI
		81" (2060mm) wide, incl Bolt-on Dozer edge + Bolt-on Cutting edge FOR USE WITH: 908H/M with Skid Steer Coupler REQUIRES: 3rd Valve lines & Control on machine to operate		
W	337-8948	BUCKET-MP, 1.2 YD3,HPL-V, BOT	1,274	\$9,153 NI
		81" (2060mm) wide, incl Bolt-on Dozer edge + Bolt-on teeth FOR USE WITH: 908H/M with Volvo L30 style horizontal pin coupler REQUIRES: 3rd Valve lines & Control on machine to operate		
W	337-8946	BUCKET-MP, 1.2 YD3, SSL, BOT	1,230	\$9,153 NI
		81" (2060mm) wide, incl Bolt-on Dozer edge + Bolt-on teeth FOR USE WITH: 908H/M with Skid Steer Coupler REQUIRES: 3rd Valve lines & Control on machine to operate		

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

BUCKET: SIDE DISCHARGE

The side discharge buckets can discharge left or right hand side. The sawdust version is for light materials like sawdust, mulch, straw or silage. The sand version is for heavier materials like sand, soil or light aggregate.

W	477-9895	BUCKET-SD, 72", BD118, SAWDUST 1,179 Capacity: 1.53m3 (2.0yd3), Belt width 305mm (12") Inside / Overall width: 1860mm (72") / 1854mm (73") 3 Direct Drive hydr.motors (2 for the belt and 1 for sawdust agitator) FOR USE WITH: Skid Steer Coupler REQUIRES: Standard Flow Hydraulics		\$7,917 NI
W	479-8085	BUCKET-SD, 84", BD121, SAWDUST 1,276 Capacity: 1.78m3 (2.33yd3), Belt width 305mm (12") Inside / Overall width: 2160mm (84") / 2159mm (85") 3 Direct Drive hydr.motors (2 for the belt and 1 for sawdust agitator) FOR USE WITH: Skid Steer Coupler REQUIRES: Standard Flow Hydraulics		\$9,583 NI
W	479-8095	BUCKET-SD, 72", BD118, SAND 1,060 Capacity: 0.76m3 (1.0yd3), Belt width 305mm (12") Inside / Overall width: 1860mm (72") / 1854mm (73") 3 Direct Drive hydr.motors (2 for the belt and 1 for sand agitator) FOR USE WITH: Skid Steer Coupler REQUIRES: Standard Flow Hydraulics		\$7,917 NI
W	479-8105	BUCKET-SD, 84", BD121, SAND 1,151 Capacity: 1.02m3 (1.33yd3), Belt width 305mm (12") Inside / Overall width: 2160mm (84") / 2159mm (85") 3 Direct Drive hydr.motors (2 for the belt and 1 for sand agitator) FOR USE WITH: Skid Steer Coupler REQUIRES: Standard Flow Hydraulics		\$9,583 NI

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

CARRIAGES and FORKS (TINES)

			906H/H2/K/M	907H/H2/K/M	908H/H2/K/M
Carriages					
55" (1400mm)	Class II	C		C	
55" (1400mm)	Class III				C
Tines					
44" (1120mm)	Class II	C		C	
48" (1220mm)	Class II	C		C	
44" (1120mm)	Class III				C
48" (1220mm)	Class III				C
48" Offset	Class III				C

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

CARRIAGES

W	261-1350	CARRIAGE, PAL CL2, 51", SSL 249	\$1,447 NI
		Standard Class II carriage, 55" (1400mm) wide FOR USE WITH: 906H/M, 907H/M with Skid Steer Coupler REQUIRES: 2 Tines (Forks) Class II, NOT INCLUDED	
W	260-1716	CARRIAGE, PAL CL2, 51", HPL-V 205	\$1,410 NI
		Standard Class II carriage, 55" (1400mm) wide FOR USE WITH: 906H/M, 907H/M with Horizontal Pin Coupler REQUIRES: 2 Tines (Forks) Class II, NOT INCLUDED	
W	261-1425	CARRIAGE, 51", CLASS III 311	\$2,472 NI
		Standard Class III Carriage, 51" (1300mm) wide FOR USE WITH: 908H/M with Skid Steer Coupler REQUIRES: 2 Tines (Forks) Class III, NOT INCLUDED	
W	261-1413	CARRIAGE, PAL CL3, 51", HPL-V 284	\$3,375 NI
		Standard Class III carriage, 51" (1300mm) wide FOR USE WITH: 908H/M with Horizontal Pin Coupler REQUIRES: 2 Tines (Forks) Class III, NOT INCLUDED	

FORKS (TINES)

A carriage requires 2 forks of the same Class.

W	149-7665	FORK, PALLET 44" CLASS II 110	\$215 NI
		1.8" x 4" x 44" (45mm x 100mm x 1120mm) Hook Type, lever retention Price & Weight Each. Please order 2 for a pair. REQUIRES: Class II Carriage 261-1350 or 260-1716	
W	195-8545	FORK, PAL C2, 48" X 4" X 1.5" 114	\$222 NI
		1.6" x 4" x 48" (40mm x 100mm x 1220mm) Hook Type, pull retention Price & Weight Each. Please order 2 for a pair. REQUIRES: Class II Carriage 261-1350 or 260-1716	

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)				
<i>FORKS (TINES) (Cont.)</i>				
W	161-2437	FORK, PAL C2, 48" X 4" X 1.5" 114 1.8" x 4" x 48" (45mm x 100mm x 1220mm) Hook Type, lever retention Price & Weight Each. Please order 2 for a pair. REQUIRES: Class II Carriage 261-1350 or 260-1716		\$222 NI
W	138-8896	FORK, PALLET, 44" CLASS III 168 2" x 4" x 44" (50mm x 100mm x 1120mm) Hook Type, lever retention Price & Weight Each. Please order 2 for a pair. REQUIRES: Class III Carriage 261-1425 or 261-1413		\$250 NI
W	202-5483	FORK, PALLET, 48" CLASS III 112 2" x 4" x 48" (50mm x 100mm x 1220mm) Hook Type, lever retention Price & Weight Each. Please order 2 for a pair. REQUIRES: Class III Carriage 261-1425 or 261-1413		\$264 NI
W	368-2610	FORK, PALLET 48", CLASS III 157 Offset (drop) forks used to prevent loader arm dragging in truck bed 7" (178mm) Vertical Extension 2"x4"x48" (50mm x 100mm x 1220mm) Hook Type, pull retention Price & Weight Each. Please order 2 for a pair. REQUIRES: Class III Carriage 261-1425 or 261-1413		\$722 NI

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

CARRIAGES and FORKS (TINES), HEAVY DUTY

CARRIAGE, HEAVY DUTY Class 2

Please note 908 K/M requires a Class 3 carriage.

	906H/H2/K/M	907H/H2/K/M	908H/H2/K/M
HD Carriage 1524mm (60")	C	C	
Forks:			
1067mm (42")	C	C	
1219mm (48")	C	C	
1524mm (60")	C	C	

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

W	532-7810	CARRIAGE, PAL HD C2, 57", SSL	320	\$1,042 NI
		FOR USE WITH: 906H/M, 907H/M with Skid Steer Coupler		
		REQUIRES: FORKS 2x540-1431, 2x540-1432 or 2x540-1433, NOT INCLUDED		
W	556-3173	KIT, HYD. POSITIONER, SSL, HD	44	\$1,500 NI
		Conversion kit to add hydraulic adjustability of the fork tines		
		FOR USE WITH: Heavy duty Carriage 532-7810		
		NOT AVIALABLE FOR THE EU AS IT DOES NOT HAVE CE.		
W	540-1431	FORK, PAL HD C2, 42"X4.8"X1.8"	130	\$333 NI
		1067X122X45MM (42"X4.8"X1.8"), Please order 2 for a full set.		
		FOR USE WITH: Heavy duty Class 2 Carriage 532-7810		
W	540-1432	FORK, PAL HD C2, 48"X4.8"X1.8"	146	\$347 NI
		1219X122X45MM (48"X4.8"X1.8") Please order 2 for a full set.		
		FOR USE WITH: Heavy duty Class 2 Carriage 532-7810		
W	540-1433	FORK, PAL HD C2, 60"X4.8"X1.8"	174	\$417 NI
		1524X122X45MM (60"X4.8"X1.8") Please order 2 for a full set.		
		FOR USE WITH: Heavy duty Class 2 Carriage 532-7810		

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	------------------------	--------------------	-------------------------

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)**ADAPTER INTERFACE, HPL TO SSL**

For 906-908H,H2,K&M models with horizontal pin quick coupler to use work tools with SSL type interface. Not be used for buckets with SSL interface.

Work tools	Compatible	Conversion kits required
Augers: SF	C	QD
HF	C	241-3763
Bale spears	C	
Blades: Angle	C	QD + longer hoses
Dozer	C	QD + 377-1579
Brooms: Angle Man	C	QD
Angle Hydr	C	QD + 377-1579
Pick up	C	QD + longer hoses + chain
Brushcutter	NC	
Buckets, GP, LP, MP, LM	NC	
Cold planers: SF	C	QD
HF PC205B	C	
HF PC3XXB	C	371-3725
Carriages and Forks	C	494-6852
Grapple Bucket 368-2500	NC	
Hammers	NC	
Industrial / Utility		
grapple buckets	NC	
grapple forks	NC	
grapple rakes	NC	
Landscape Rake	C	QD + 494-6852
Landscape Tiller	C	QD
MH Arm	C	494-6852
Mulchers	NC	
Power Box Rake	C	QD + 377-1579
Saw Wheel	C	371-3725 + 494-6852
Snow Blower: SF	C	QD + 377-1579 + 494-6852
HF	C	377-1579 + 494-6852
Stump Grinder: SF	C	QD
HF	C	QD + 377-1579
Trencher: SF	C	QD
HF	C	371-3725
Virbratory Compactor	C	QD

C = Compatible, NC = Not Compatible/Not Allowed
 SF = Standard Flow, HF = High Flow
 QD = machine side QDs size 10, work tool side QDs size 12:
 convert machine, work tool or make conversion hoses

If no reference numbers appear below there are currently no items available in your region.

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)				
ADAPTER INTERFACE, HPL TO SSL (Cont.)				
W	471-8330	ADAPTER INTERFACE, HPL TO SSL 143 Converts SSL work tools to be used with HPL Quick Coupler For installation instructions see media ref no. SEHS0544 FOR USE WITH: 906-908H,H2,K,M CAN NOT BE USED WITH: Buckets with SSL interface REQUIRES: 494-6852 Rack stop for certain work tools.		\$1,458 NI
W	494-6852	KIT, RACK BACK STOP 5 FOR USE WITH: 471-8330, check in table on previous page were required		\$49 NI
W	377-1579	HARNES, CVRSN 14WT TO 8SSL 1		\$151 NI
W	371-3725	KIT KS - WKTL CVRSN TO 5-LINES 3		\$356 NI

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

AUGERS

Nomenclature change: A23 is replacement for A14B, NO technical changes
 A23 stands for Auger with a Torque= 2300Nm (A23 = A14B)
 Nomenclature change: A41 is replacement for A19B, NO technical changes
 A41 stands for Auger with a Torque= 4100Nm (A41 = A19B)
 Nomenclature change: A68 is replacement for A26B, NO technical changes
 A68 stands for Auger with a Torque= 6826Nm (A68 = A26B)

Augers	906H/H2/K/M	907H/H2/K/M	908H/H2/K/M
A23	C	C	C
A41	C	C	C
A68 HF/XPS			C

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

W	218-3178	AUGER, A23, SSL	377	\$2,486 NI
		A23 (old A14B) has a torque of 2300Nm Direct drive unit with 2"(50mm) hex output shaft. INCLUDES: Drive unit, Mounting Group and Lines FOR USE WITH: Skid Steer Coupler REQUIRES: Standard Flow Hydraulics		
W	219-7706	AUGER, A41, SSL	417	\$2,951 NI
		A41 (old A19B) has a torque of 4100Nm Planetary drive unit with 2"(50mm) hex output shaft. INCLUDES: Drive unit, Mounting Group and Lines FOR USE WITH: Skid Steer Coupler REQUIRES: Standard Flow Hydraulics		
W	424-0440	AUGER, A68, SSL HF	391	\$4,743 NI
		A68 (old A26B) has a torque of 6826Nm Planetary drive unit with 2" hex output shaft FOR USE WITH: Skid Steer Coupler INCLUDES: Drive unit, Mounting Group, Lines and 14 pins HF plug. REQUIRES: High Flow Hydraulics REQUIRES: H Series and older models jumper plug 241-3763 REQUIRES: For 906-908K/M, Horizontal Pin QC & High Flow: plug 241-3763		

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

AUGER BITS - Standard Flights

Standard Duty, Approx. 50" (1270mm) Length, HEX Shaft, Double Flight
 Bit teeth are hardened, reversible and forged from medium carbon alloy steel. Teeth are held in place by bolt and nut.

Bit/Flight compatibility matrix vs Auger drive unit

Diam	mm	102	152	229	305	380	457	610	762	914
	inch	4	6	9	12	15	18	24	30	36

A23	Standard	++	++	++	++	++	++	++	+-	NA
A41	Standard	++	++	++	++	++	++	++	++	+-
A68	Standard	++	++	++	++	++	++	++	++	++

Qty teeth #	0	2	4	4	5	6	8	10	12
-------------	---	---	---	---	---	---	---	----	----

++ = good performance, +- = acceptable performance, NA = Not Allowed
 # = 1 pilot point per flight, not included in teeth count

If no reference numbers appear below there are currently no items available in your region.

W	366-7751	BIT, AUGER 4"	40	\$375 NI
W	153-4083	BIT, AUGER 6"	50	\$375 NI
W	153-4084	BIT, AUGER 9"	75	\$493 NI
W	153-4085	BIT, AUGER 12"	100	\$618 NI
W	366-7752	BIT, AUGER 15"	109	\$750 NI
W	153-4086	BIT, AUGER 18"	144	\$875 NI
W	153-4089	BIT, AUGER 24"	200	\$1,125 NI
W	217-3194	BIT, AUGER 30"	212	\$1,368 NI
W	153-4091	BIT, AUGER 36"	380	\$1,604 NI

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

AUGER BITS - Rock Head for Standard Flights

Transforms standard auger bit to rock drill bit by mounting bolt-on rock head to standard bit. Rotating bits (similar to cold planer bits) extend life and provide better penetration into rocky conditions. Bolt-on rock head can be quickly installed and removed depending on ground conditions for maximum versatility.

Bit/Flight compatibility matrix vs Auger drive unit

Diam	mm	152	229	305	380	457	610
	inch	6	9	12	15	18	24

A23	Rock Head	++	++	++	+-	+-	+-
A41	Rock Head	++	++	++	+-	+-	+-
A68	Rock Head	++	++	++	++	++	++
Qty	teeth #	8	10	12	14	16	20

++ = good performance, +- = acceptable performance, NA = Not Allowed
 # = 1 pilot point per flight, included in teeth count (4 pcs)

If no reference numbers appear below there are currently no items available in your region.

W	372-0230	ROCK HEAD, 6" BOLT-ON	23	\$278 NI
		FOR USE WITH: 153-4083 Auger flight		
W	372-0231	ROCK HEAD, 9" BOLT-ON	33	\$354 NI
		FOR USE WITH: 153-4084 Auger flight		
W	372-0232	ROCK HEAD, 12", BOLT-ON	41	\$438 NI
		FOR USE WITH: 153-4085 Auger flight		
W	372-0233	ROCK HEAD, 15" BOLT-ON	47	\$514 NI
		FOR USE WITH: 366-7752 Auger flight		
W	372-0234	ROCK HEAD, 18", BOLT-ON	55	\$590 NI
		FOR USE WITH: 153-4086 Auger flight		
W	372-0235	ROCK HEAD, 24", BOLT-ON	79	\$750 NI
		FOR USE WITH: 153-4089 Auger flight		

Optional replacement teeth available through Parts only:
 367-6967 Bit pilot (excluding 4 teeth)
 372-0259 Standard Rock Drill Head Tooth

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

AUGER BITS - Industrial Flights

Bit/Flight compatibility matrix vs Auger drive unit

Diam	mm	152	229	305	405	457	610	762	914	1067	1219
	inch	6	9	12	16	18	24	30	36	42	48

A23	Industrial	++	++	++	+-	+-	+-	+-	NA	NA	NA
A41	Industrial	++	++	++	+-	+-	+-	+-	+-	+-	+-
A68	Industrial	++	++	++	++	++	++	++	++	++	++
Qty	teeth #	2	4	4	6	6	8	10	12	16	18

++ = good performance, +- = acceptable performance, NA = Not Allowed
 # = 1 pilot point per flight, NOT included in teeth count

If no reference numbers appear below there are currently no items available in your region.

W	372-0260	BIT, AUGER 6" INDUSTRIAL	57	\$521 NI
W	372-0261	BIT, AUGER 9" INDUSTRIAL	72	\$639 NI
W	372-0262	BIT, AUGER 12" INDUSTRIAL	91	\$757 NI
W	372-0263	BIT, AUGER 16" INDUSTRIAL	114	\$917 NI
W	372-0264	BIT, AUGER 18" INDUSTRIAL	107	\$1,000 NI
W	372-0265	BIT, AUGER 24", INDUSTRIAL	151	\$1,236 NI
W	372-0266	BIT, AUGER 30" INDUSTRIAL	180	\$1,472 NI
W	372-0267	BIT, AUGER 36" INDUSTRIAL	223	\$1,708 NI
W	372-0268	BIT, AUGER 42" INDUSTRIAL	289	\$2,493 NI
W	372-0269	BIT, AUGER 48" INDUSTRIAL	343	\$2,736 NI

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

AUGER BITS - Industrial Rock Flight

Industrial Rock Flights, approx. 1220mm (48") length, HEX shaft, for heavy duty applications. The thickness of the flight is 19mm (3/4"). with a welded on Rock head including a bolt-on pilot bit.

Bit/Flight compatibility matrix vs Auger drive unit

Diam	mm	152	229	305	405	457	610	762	914
inch		6	9	12	16	18	24	30	36

A23	Ind.Rock	++	++	++	+-	+-	+-	+-	NA
A41	Ind.Rock	++	++	++	+-	+-	+-	+-	+-
A68	Ind.Rock	++	++	++	++	++	++	++	++
Qty	teeth #	8	10	12	15	16	20	24	26

++ = good performance, +- = acceptable performance, NA = Not Allowed
 # = 1 pilot bit per flight, included in teeth count (4 pcs)

If no reference numbers appear below there are currently no items available in your region.

W	372-0270	BIT, ROCK AUGER 6"	78	\$1,181 NI
W	372-0271	BIT, ROCK AUGER 9"	107	\$1,319 NI
W	372-0272	BIT, ROCK AUGER 12"	134	\$1,458 NI
W	372-0273	BIT, ROCK AUGER 16"	167	\$2,569 NI
W	372-0274	BIT, ROCK AUGER 18"	191	\$2,847 NI
W	372-0275	BIT, ROCK AUGER 20"	217	\$3,125 NI
W	372-0276	BIT, ROCK AUGER 24"	281	\$3,681 NI
W	372-0277	BIT, ROCK AUGER 30"	310	\$4,514 NI
W	372-0278	BIT, ROCK AUGER 36"	409	\$5,347 NI

Optional replacement teeth available through Parts only:
 367-6967 Bit pilot (excluding 4 teeth)
 372-0289 Rock Drill Head Tooth

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

AUGER BITS - Tree Flight

Conical auger flights, for use in nurseries and landscaping to drill holes for trees and shrubs with root balls.

Diam	mm	610	914
	inch	24	36

A23	Tree Bit	++	NA
A41	Tree Bit	++	+-
A68	Tree Bit	++	++

++ = good performance
 +- = acceptable performance
 NA = Not applicable / Not Allowed

If no reference numbers appear below there are currently no items available in your region.

W	153-4092	TREE BIT, AUGER 24"	163	\$986 NI
		Tapered bit, INCLUDES: 5 teeth on 24" (610mm) width, 4 teeth on 12" (305mm) width and pilot point.		
W	153-4095	TREE BIT, AUGER 36"	310	\$1,549 NI
		Tapered bit, INCLUDES: 7 teeth on 36" (914mm) width, 6 teeth on 18" (457mm) width and pilot point.		

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)				
<i>AUGER BITS - Adapters and Extensions</i>				
W	156-6329	ADAPTER, AUGER - HEX TO ROUND 15 HEX output shaft 2" (50mm) to round output shaft 2 9/16" (65mm)		\$208 NI
W	217-3191	ADAPTER, AUGER - ROUND TO HEX 15 Round output shaft 2.56" (65mm) to HEX output shaft 2" (50mm)		\$208 NI
W	372-0256	EXTENSION, TELESCOPING 3' 43 Three holes at 1'(0.3M) increments on extension to insert retention pin to vary depth; Insert extension inside auger bit Recommend retention pin 372-0258 for quick depth change FOR USE WITH: All Auger Bits		\$361 NI
W	372-0257	EXTENSION, TELESCOPING 6' 77 Six holes at 1'(0.3M) increments on extension to insert retention pin to vary depth; Insert extension inside auger bit Recommend retention pin 372-0258 for quick depth change FOR USE WITH: All Auger Bits		\$611 NI
W	156-6328	EXTENSION, AUGER 12" 20 12" (305mm) length HEX shaft		\$208 NI
W	217-3192	EXTENSION, AUGER 24" 33 24" (610mm) length HEX shaft		\$243 NI

Available through Parts only: NO BRIDGE ORDERS
 372-0258 Retention Pin Kit
 Retention pin uses lynch (ring) pin to secure bit & drive unit instead of bolt & 2 nuts. Allows for quick change of flights, extensions, & drive kits.

Replacement teeth and hardware for all auger bits:
 153-4094 Standard Duty Tooth
 174-9566 Hard Face Tooth Optional
 174-9567 Carbide Inserted Tooth Optional
 153-4093 Pilot Point
 Required Pilot Point Hardware:
 7X-2549 (1) Bolt + 6V-7687 (1) Locknut
 Required Teeth Hardware:
 6V-8959 (1) Bolt + 6V-7687 (1) Locknut

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

BALE GRABS

Cat Bale Grabs are designed for grasping and carrying baled material. Bales of wheat, hay and other materials are easily transported for livestock feed, bedding, to and from bale wrapper, and movement to storage. The Bale Grab firmly grasps baled materials but due to the rounded arm design no damage will take place to the bale. Offering the ability to pick up bales sitting flat or on their side the Bale Grab increases machine versatility to manipulate round or square bales in any position.

W	477-9896	BALE GRAB, 71" 575 2400lb. (1091kg) Rated Capacity 71- (1803mm) working width REQUIRES: Standard Flow Hydraulics, SSL Universal Coupler Interface Includes - Hydraulic lines with 1/2" quick disconnects		\$3,000 NI
W	489-0075	BALE GRAB, 84" 580 2400lb. (1091kg) Rated Capacity 84- (2133mm) overall width REQUIRES: Standard Flow Hydraulics, SSL Universal Coupler Interface Includes - Hydraulic lines with 1/2" quick disconnects		\$3,333 NI

BALE SPEARS

Bale spears	906H/H2/K/M	907H/H2/K/M	908H/H2/K/M
39" (990mm)	C	C	C
49" (1245mm)	C	C	C

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

W	475-6074	BALE SPEAR, SINGLE 39" 154 51" (1285mm) overall width, 39" (990mm) tine length Includes frame & tine assembly FOR USE WITH: Skid Steer (vertical pin) coupler		\$660 NI
W	475-6079	BALE SPEAR, SINGLE 49" 159 51" (1285mm) overall width, 49" (1245mm) tine length Includes frame & tine assembly FOR USE WITH: Skid Steer (vertical pin) coupler		\$681 NI
W	475-6070	BALE SPEAR, DUAL 39" 260 55" (1407mm) overall width, 39" (990mm) tine lengths Includes frame & two tine assemblies FOR USE WITH: Skid Steer (vertical pin) coupler		\$1,111 NI
W	475-6080	BALE SPEAR, DUAL 49" 267 55" (1407mm) overall width, 49" (1245mm) tine lengths Includes frame & two tine assemblies FOR USE WITH: Skid Steer (vertical pin) coupler		\$1,153 NI

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

BLADES - Angle

Blades, Angle	906H/H2/K/M	907H/H2/K/M	908H/H2/K/M
72" (1829mm)	C	C	C
84" (2133mm)	C	C	C

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

W	177-1989	BLADE, ANGLE, 72"	690	\$3,493 NI
		72" (1829mm) overall width, 24" (610mm) blade height Hydraulic Angling: 30 degree left or right of center FOR USE WITH: Skid Steer Coupler INCLUDES: Hydraulic lines with quick disconnects, mounting bracket and hardware, 1 piece Bolt-On Cutting edge 4 Trip Springs, 2 Heavy Duty Adjustable Skid Feet REQUIRES: Standard Flow Hydraulics		
W	177-1990	BLADE, ANGLE, 84"	730	\$3,722 NI
		Same as 177-1989, except for: 84" (2133mm) Overall Width.		

BLADES - Angle, Options

NOTE: Snow kits include guard, markers, and mounting hardware.
 Non-Metallic edge not included in snow kits.

Description Part#	Blade 1828mm	Blade 2133mm
Non-Mettallic BOCE 165-8477	1 x	
Non-Mettallic BOCE 165-8478		1 x
Bolt 8T-4140	6 x	7 x
Locknut 8T-4778	6 x	7 x
Wasser 165-7095	6 x	7 x

Above parts only available directly through Antares Parts Ordering

If no reference numbers appear below there are currently no items available in your region.

W	225-9522	KIT, SNOW AND IMPACT, 72"	50	\$619 NI
		FOR USE WITH: 177-1989		
W	225-9523	KIT, SNOW AND IMPACT, 84"	50	\$619 NI
		FOR USE WITH: 177-1990 Available through Antares / Parts system: 165-8477 Non-metallic 72" BOCE REQUIRES: 6x 8T-4140 Bolt + 6x 8T-4778 Locknut + 6x 165-7095 Washer 165-8478 Non-metallic 84" BOCE REQUIRES: 7x 8T-4140 Bolt + 7x 8T-4778 Locknut + 7x 165-7095 Washer		

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

BLADES - Dozer

	906H/H2/K/M	907H/H2/K/M	908H/H2/K/M
Blades, Dozer			
79" (2002mm)	C	C	C
92" (2342mm)	C	C	C

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

W	541-0940	BLADE, DOZER, 6-WAY, 79"	1,014	\$6,847 NI
		2002mm (79") overall and working width, 737mm (29") overall height Hydr. Tilt +/- 10 degr, Angle/Rotation: 30 degr. left/right of center Comes with spill guard and 2 brackets for laser masts. FOR USE WITH: Skid Steer Coupler INCLUDES: Hydraulic lines with quick disconnects, mounting bracket and hardware, 3 piece Bolt-On Cutting Edge REQUIRES: Standard Flow Hydraulics: 90 lpm (20 gpm), Work Tool Harness 14 pin and Tandem valve is preferred to parallel. REQUIRES: Conversion harness 377-1579 for all models except for H2/K/M with SSL quick coupler and High Flow Hydraulics		
W	541-0945	BLADE, DOZER, 6-WAY, 92"	1,085	\$7,521 NI
		2342mm (92") overall and working width, 737mm (29") overall height Hydr. Tilt +/- 10 degr, Angle/Rotation: 30 degr. left/right of center Comes with spill guard and 2 brackets for laser masts. FOR USE WITH: Skid Steer Coupler INCLUDES: Hydraulic lines with quick disconnects, mounting bracket and hardware, 3 piece Bolt-On Cutting Edge REQUIRES: Standard Flow Hydraulics: 90 lpm (20 gpm), Work Tool Harness 14 pin and Tandem valve is preferred to parallel. REQUIRES: Conversion harness 377-1579 for all models except for H2/K/M with SSL quick coupler and High Flow Hydraulics		

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

BROOMS COMPACT - Angle BA118C

	906H/H2/K/M	907H/H2/K/M	908H/H2/K/M
BA118C Ang Broom	C	C	C

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

W	448-5660	BROOM, MANUAL ANGLE, BA118C	905	\$7,819 NI
		MANUAL Angling - 30 degrees left or right of center 2637mm (104") overall width, 815mm (32") brush diameter Sweeping width straight-angled: 2119mm (83") - 1849mm (73") Brush material - 50% polypropylene / 50% steel wire FOR USE WITH: Skid Steer Coupler INCLUDES: hydraulic lines with 1/2" quick disconnects, mounting bracket and hardware REQUIRES: Standard Flow Hydraulics Aux 3V		
W	448-5670	BROOM, HYDRAULIC ANGLE, BA118C	955	\$9,333 NI
		HYDRAULIC Angling - 30 degrees left or right of center 2637mm (104") overall width, 815mm (32") brush diameter Sweeping width straight-angled: 2119mm (83") - 1849mm (73") Brush material - 50% polypropylene / 50% steel wire FOR USE WITH: Skid Steer Coupler INCLUDES: Hydraulic lines with 1/2" quick disconnects, mounting bracket, & 14-pin electrical harness REQUIRES: Standard Flow Hydraulics REQUIRES: Work Tool Harness 14 pins REQUIRES: Conver. harness 377-1579 for all models except for H2/K/M with SSL quick coupler and High Flow Hydraulics.		

BROOMS, COMPACT - Angle Broom Options

W	452-4200	KIT, DEFLECTOR, BA118C	40	\$729 NI
		Angle Broom Deflector Kit INCLUDES: rubber debris deflector flap and mounting hardware FOR USE WITH: 448-5600 or 448-5670 BA118C CAN NOT BE USED WITH: 452-4175 KIT, WATER SPRINKLER Installation time: 1.0 hour, instructions see REHS8317		
W	452-4195	KIT, HYDR. ANGLE CONV., BA118C	22	\$1,563 NI
		Converts manual angle broom BA118C into a hydraulic angle broom FOR USE WITH: 448-5660 BROOM, MANUAL ANGLE, BA118C REQUIRES: Work Tool Harness 14 pins REQUIRES: Conver. harness 377-1579 for all models except for H2/K/M with SSL quick coupler and High Flow Hydraulics. Installation time: 3.0 hours, instructions see REHS8316		

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

BROOMS, COMPACT - Pick-up BP115C, BP118C

	906H/H2/K/M	907H/H2/K/M	908H/H2/K/M
BP115C P/U Broom	C	C	C
BP118C P/U Broom	C	C	C

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

W	448-5680	BROOM, PICKUP, BP115C	1,160	\$7,243 NI
		1990mm (78") overall width, 1524mm (60") working width 660mm (26") brush diameter Brush material - 50% polypropylene / 50% steel wire Adjustable brush height. Volumizer increases material retention. FOR USE WITH: Skid Steer Coupler INCLUDES: Hydraulic lines with 1/2" QDS and brush frame chains (chains need to be attached to loader arms by dealer) REQUIRES: Standard Flow Hydraulics NOTE: For chain installation see M0116997		

W	448-5690	BROOM, PICKUP, BP118C	1,258	\$7,785 NI
		2295mm (90") overall width, 1829mm (72") working width 660mm (26") brush diameter Brush material - 50% polypropylene / 50% steel wire Adjustable brush height. Volumizer increases material retention. FOR USE WITH: Skid Steer Coupler INCLUDES: Hydraulic lines with 1/2" QDS and brush frame chains (chains need to be attached to loader arms by dealer) REQUIRES: Standard Flow Hydraulics NOTE: For chain installation see M0116997		

BROOMS, COMPACT - Pick up Broom Options

- Replacement brushes:
 BP115C: 165-9069 Kit Polypropylene Brush (1/2 a set)
 BP115C: 165-9070 Kit Steel Wire Brush (1/2 a set)
 BP118C: 165-9071 Kit Polypropylene Brush (1/2 a set)
 BP118C: 165-9072 Kit Steel Wire Brush (1/2 a set)

- Replacement Gutter Bristles:
 172-4563 Bristles, Steel Wire, Gutter Brush
 460-9777 Bristles, Poly, Gutter Brush

W	452-4150	KIT, GUTTER BRUSH, C-SERIES	90	\$1,785 NI
		100% steel wire bristle gutter brush for left or right side mount FOR USE WITH: 448-5680 BP115C and 448-5690 BP118C INCLUDES: motor, hoses and mounting hardware Installation time: 3.0 hours, instructions see REHS8313		

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

BROOMS, COMPACT - Pick up Broom Options (Cont.)

W	452-4185	KIT, WATER SPRINK, BP115C-118C 6		\$194 NI
		Water sprinkler kit for dust control INCLUDES: 2 sprinkler heads, hoses and mounting hardware FOR USE WITH: 448-5680 BP115C or 448-5690 BP118C REQUIRES: Machines Control, Work Tool, Electrical REQUIRES: Water Tank Installation time: 1.0 hour, instructions see REHS8315		

BROOMS, COMPACT - Utility BU115, BU118

	906H/H2/K/M	907H/H2/K/M	908H/H2/K/M
BU115	C	C	C
BU118	C	C	C

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

W	493-2258	BROOM, UTILITY, BU115, BOCE 967		\$4,944 NI
		1810mm (71") overall width, 1510mm (59") sweeping width 660mm (26") brush diameter - brush material: 100% polypropylene Includes: bolt-on cutting edge Requires: Standard Flow Hydraulics		
W	493-2259	BROOM, UTILITY, BU118, BOCE 1,067		\$5,375 NI
		2115mm (83") overall width, 1865mm (73") sweeping width 660mm (26") brush diameter - brush material 100% polypropylene Includes: bolt on cutting edge Requires: Standard Flow Hydraulics		

BROOMS, COMPACT - Utility Broom Options

- Replacement brushes:
 BU115: 165-9069 Kit Polypropylene Brush (1/2 a set)
 BU115: 165-9070 Kit Steel Wire Brush (1/2 a set)
 BU118: 165-9071 Kit Polypropylene Brush (1/2 a set)
 BU115: 165-9072 Kit Steel Wire Brush (1/2 a set)

W	304-9870	KIT, WATER TANK, BROOM 31		\$850 NI
		Broom mounted water tank-110 litres (29 Gallons) Includes -Tank,Pump,Filter,Electrics,Hose & Mounting hardware -257-3140 MOUNTING BRACKET, NOZZLE Requires -Basic Electrics (Worktool) -256-9335 Kit, Water sprinkler		
W	256-9335	KIT, WATER SPRINKLER 10		\$235 NI
		Work tool water sprinkling kit complete with sprinkler heads (4) hoses, mounting hardware and quick disconnects for effective dust control.		

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-------------------------------	-----------------	----------------------

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

BROOMS, COMPACT - Utility Broom Options (Cont.)

W	242-7200	BRUSH, GUTTER, B-SERIES 119 100% steel wire Left or right side mount All hydraulic lines included FOR USE WITH: BP15B, BP18B, BU115 or BU118 (See note below) NOTE: 242-7200 Gutter Brush requires mounting kit 257-5229 when used on BU115 and BU118 Brooms. Order 257-5229 from the Parts System.	119	\$2,826 NI
---	----------	---	-----	-------------------

The following Broom options available through Parts only:
 489-6702 Edge, Cutting (Qty 1 for BU115 & BP15B)
 4F-3648 Bolt (Qty 6)
 6V-8188 Nut (Qty 6)
 489-6703 Edge, Cutting (Qty 1 for BU118 & BP18B)
 4F-3648 Bolt (Qty 7)
 6V-8188 Nut (Qty 7)

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

BROOMS, LARGE

	906H/H2/K/M	907H/H2/K/M	908H/H2/K/M
BA22 Ang Broom	C	C	C
BP22 P/U Broom	C	C	C

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

BROOMS, LARGE - BA22 Angle Broom

W	329-8637	BA22 ANGLE BROOM, HYD, 12V 1,015 Hydraulic angling - 30 degrees left or right of center Sweeping width straight -- max angled: 86.6"(2200mm) -- 74.8"(1900mm) 27.5" (700mm) brush diameter, 12V diverter valve for angling Brush material - 50% Polypropylene / 50% Steel Wire REQUIRES: Hook group, jumper lines, quick couplings, electric kit REQUIRES: machines side: hydraulic 3rd valve, work tool harness 12V, Continuous flow		\$12,090 NI
W	329-8638	BA22 ANGLE BROOM, HYD,12V, WTR 1,213 Same as 3829-8637, except for: Water sprinkler system: includes piping, sprinkler heads, hoses, 100-gallon (400 L) water tank and 12V electric pump		\$16,722 NI

BROOMS, LARGE - BP22 Pick-up Broom

W	329-8639	BP22 PICK-UP BROOM, 12V 1,169 86.6" (2200mm) sweeping width, 27.5" (700mm) brush diameter. Brush material 100% Polypropylene INCLUDES: Water sprinkler system - complete with piping, sprinkler heads, hoses, 100-gallon (400 L) water tank and 12V electric pump REQUIRES: Hook group, jumper lines, quick couplings, electric kit REQUIRES: machines side: hydraulic 3rd valve, work tool harness 12V, Continious flow		\$17,299 NI
---	----------	---	--	-------------

BROOMS, LARGE - Hook Groups for BA22 and BP22

W	329-8634	HOOK, BROOM, ISO (SSL) 70 FOR USE WITH: Skid Steer Coupler		\$850 NI
W	329-8631	HOOK, BROOM, HPL (L35) 101 FOR USE WITH: Horizontal Pin Coupler (similar to L35)		\$743 NI

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS			Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	--	--	-----------------	----------------------

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

BROOMS, UTILITY - BRISTLES and BOLT-ON CUTTING EDGES

Please order direct from parts/Antares (no bridge orders)

Bolt-on-Cutting Edges:	BU115 BP15B	BU118 BP18B	BP115C	BP118C
489-6702 Edge *	1x			
489-6703 Edge *		1x		
452-4147 Edge *				1x
452-4148 Edge *			1x	
4F-3648 Bolt	6x	7x	6x	7x
6V-8188 Nut	6x	7x	6x	7x

* = Requires Nuts and bolts. Order qty as stated in table.

Bristles	BA18 BA118C	BU115	BU118	BP15B BP115C	BP18B BP118C
----------	----------------	-------	-------	-----------------	-----------------

Bristles kits: These kits are 1/2 of a full set. Order 2 for a full set. You can go 50/50% Poly/Wire or 100% Poly or 100% Wire.

562-7622 Poly Yellow (22)	C*				
562-7623 Poly Cold Blue #	C*				
562-7624 Wire Steel (21)	C*				
562-7202 Poly Yellow (18)		C**		C*	
562-7203 Poly Cold Blue #		C**		C*	
562-7204 Wire Steel (17)		C**		C*	
562-7212 Poly Yellow (21)			C**		C*
562-7213 Poly Cold Blue #)			C**		C*
562-7214 Wire Steel (20)			C**		C*

Gutter Brush Bristles, full set:

460-9777 Poly		C	C	C	C
172-4563 Wire		C	C	C	C

C = Compatible

= Special cold weather, blue, poly bristle kit, order 2 for full kit

* = BP15B, BP115C, BA18, BA118C come standard 50/50% Poly/Wire

**= BU115 and BU118 comes standard 100% Poly.

BUCKETS - CONCRETE SLAB

A simple way for handling concrete slabs with this slab bucket.

906H/H2/K/M 907H/H2/K/M 908H/H2/K/M

Slab bucket	+-	+-	+-
-------------	----	----	----

+- = Acceptable performance (due to angle of SSL bracket)

W	598-2232	BUCKET, CONCRETE SLAB, 24"	463	\$2,264 NI
		Working - overall width: 607mm (24") - 1150mm (45.3"),		
		Overall height - length: 460mm (18.1") - 1332mm (52.4")		
		Side plates: material thickness: 20mm (0.8"), Opening: 202mm (7.9")		
		INCLUDES: 3 x J200 Long Tip Teeth (width over teeth 541mm (17.8"))		

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

COLD PLANERS

	906H/H2/K/M	907H/H2/K/M	908H/H2/K/M
PC104 (or B)	++	++	++
PC205 (or B)	++*	++*	++*
PC305 (or B)	+-*	+-*	+-*
PC306 (or B)	+-*	+-*	+-*
PC310 (or B)	+-*	+-*	+-*

++ = Optimal performance
 +- = Acceptable but reduced performance
 * = requires High Flow hydraulics

If no reference numbers appear below there are currently no items available in your region.

W	529-5760	COLD PLANER, PC104 1,504	\$13,639 NI
		350mm (14") drum width - 42 all purpose conical bits 1720mm (68") overall width, Manual tilt and depth Hydraulic Side Shift (manual selection on diverter valve on planer) Max Pro Pressure Gauge (for identifying optimal performance) Drum center and drum front indication gauges on both sides Optimal FLOW / Pressure : 80 l/min (21 gpm) / 230 bar (3330 psi) INCLUDES: gear direct drive motor, 150mm (6") max. depth of cut, hydraulic lines with quick disconnects, mounting bracket and hardware. FOR USE WITH: skid steer quick coupler REQUIRES: Standard Flow Hydraulics	
W	529-5770	COLD PLANER, PC105 1,629	\$17,111 NI
		450mm (18") drum width - 42 all purpose conical bits 1860mm (73") overall width, Self-Levelling, replaceable side skids Max Pro Pressure Gauge (for identifying optimal performance) Drum center and drum front indication gauges on both sides Manually adjusted independent left/right depth control Optimal Flow / Pressure : 115 l/min (31gpm) / 230 bar (3330 psi) INCLUDES: piston direct drive motor, 150mm (6") max. depth of cut, hydraulic lines with quick disconnects, mounting bracket and hardware. REQUIRES: High Flow Hydraulics or Standard Flow with case drain connection and min flow of 80 l/min (21 gpm). For XPS machines run in Standard Flow with case drain. Do not use plug for XPS machines REQUIRES: 377-1579 Conversion Kit for B/B2/B3 SF/C/C2 Series	

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

COLD PLANERS (Cont.)

W	529-5780	COLD PLANER, PC305 1,870 450mm (18") drum width - 48 all purpose conical bits 1860mm (73") overall width, Self-Levelling, replaceable side skids Max Pro Pressure Gauge (for identifying optimal performance) Drum center and drum front indication gauges on both sides Electro-Hydraulic: Independent left/right depth control, Sideshift, Tilt, Float-Tilt Switch to switch between float or tilt control INCLUDES: 1 piston direct drive motor, 170mm (6.7") max depth of cut, hydraulic lines with 1/2" quick disconnects, case drain line, 14-pin electrical harness, mounting brackets, and hardware Optimal Flow / Pressure: 125 l/min (33 gpm) / 280 bart (4000 psi) FOR USE WITH: Skid Steer Coupler REQUIRES: Prop. High Flow Hydraulics & Control, Work Tool, Electrical Creeper Control Recommended REQUIRES: For 906-908H/H2/K/M series: kit 377-1579, EXCEPT for H2/K/M series machines with HF & SSL quick coupler.		\$20,993 NI
W	529-5790	COLD PLANER, PC306 1,530 600mm (24") drum width, 60 all-purpose conical bits 1860mm (73") overall width, Self-Levelling, replaceable side skids Max Pro Pressure Gauge (for identifying optimal performance) Drum center and drum front indication gauges on both sides Electro-Hydraulic: Independent left/right depth control, Side shift, Tilt, Float-Tilt Switch to switch between float or tilt control INCLUDES: 1 piston direct drive motor, 170mm (6.7") max depth of cut, hydraulic lines with 1/2" quick disconnects, case drain line, 14-pin electrical harness, mounting brackets, and hardware Optimal Flow / Pressure: 125 l/min (33 gpm) / 280 bar (4000 psi) FOR USE WITH: Skid Steer Coupler REQUIRES: Prop. High Flow Hydraulics & Control, Work Tool, Electrical Creeper Control Recommended REQUIRES: For 906-908H/H2/K/M series: kit 377-1579, EXCEPT for H2/K/M series machines with HF & SSL quick coupler.		\$22,521 NI
W	529-5791	COLD PLANER, PC306, 42GAL TANK 2,108 Includes intergrated 160 ltr (42 Gal) water tank + water sprinklers. 600mm (24") drum width, 60 all-purpose conical bits 1860mm (73") overall width, Self-Levelling, replaceable side skids Max Pro Pressure Gauge (for identifying optimal performance) Drum center and drum front indication gauges on both sides Electro-Hydraulic: Independent left/right depth control, Side shift, Tilt, Float-Tilt Switch to switch between float or tilt control Optimal Flow / Pressure: 125 l/min (33 gpm) / 280 bar (4000 psi) FOR USE WITH: Skid Steer Coupler INCLUDES: 1 piston direct drive motor, 170mm (6.7") max depth of cut, hydraulic lines with 1/2" quick disconnects, case drain line, 1 electrical harness, mounting brackets, and hardware REQUIRES: Prop. High Flow Hydraulics & Control, Work Tool, Electrical Creeper Control Recommended REQUIRES: For 906-908H/H2/K/M series: kit 377-1579, EXCEPT for H2/K/M series machines with HF & SSL quick coupler.		\$24,153 NI

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

COLD PLANERS (Cont.)

W	529-5820	COLD PLANER, PC310 2,293 1000mm (39") drum width, 78 all-purpose conical bits 1860mm (73") overall width, Self-Levelling, replaceable side skids Max Pro Pressure Gauge (for identifying optimal performance) Drum center and drum front indication gauges on both sides Electro-Hydraulic: Independent left/right depth control, Side shift, Tilt, Float-Tilt Switch to switch between float or tilt control INCLUDES: 1 piston direct drive motor, 130mm (5.1") max depth of cut, hydraulic lines with 1/2" quick disconnects, case drain line, 14-pin electrical harness, mounting brackets, and hardware Optimal Flow / Pressure: 125 l/min (33 gpm) / 280 bar (4000 psi) REQUIRES: Prop. High Flow Hydraulics & Control, Work Tool, Electrical Creeper Control Recommended REQUIRES: For 906-908H/H2/K/M series: kit 377-1579, EXCEPT for H2/K/M series machines with HF & SSL quick coupler.		\$31,389 NI
---	----------	---	--	-------------

COLD PLANERS - Options

W	231-2590	KIT, WATER SPRAY, PCX03/4/5 22 Work tool water sprinkling kit: includes 2x sprinkler heads, hoses, mounting hardware and quick disconnects for effective dust control. REQUIRES: Control Work Tool, Electrical and Water tank FOR USE WITH: PC104B, PC205B, PC305B		\$203 NI
W	231-2591	KIT, WATER SPRAY, PCX06/8 24 Work tool water sprinkling kit: includes 3x sprinkler heads, hoses, mounting hardware and quick disconnects for effective dust control. REQUIRES: Control Work Tool, Electrical and Water tank FOR USE WITH: PC306B		\$250 NI
W	231-2592	KIT, WATER SPRAY, PC210/310B 26 Work tool water sprinkling kit: includes 4x sprinkler heads, hoses, mounting hardware and quick disconnects for effective dust control. REQUIRES: Control Work Tool, Electrical and Water tank FOR USE WITH: PC310B		\$300 NI

COLD PLANERS - Drums

W	231-2572	DRUM, ASPHALT, 3" 123 Width: 75mm(3"), Cut depth min-max: 50mm(2")- 200mm(8"), 24 GP bits FOR USE WITH: PC104, PC105, PC104B, PC203, PC204, PC205, PC205B		\$1,528 NI
W	231-2573	DRUM, ASPHALT, 6" 132 Width: 150mm(6"), Cut depth min-max: 50mm(2")- 200mm(8"), 24 GP bits FOR USE WITH: PC104, PC105, PC104B, PC203, PC204, PC205, PC205B		\$1,854 NI
W	231-2575	DRUM, ASPHALT, 12" 223 Width: 300mm(12"), Cut depth min-max: 50mm(2")- 200mm(8"), 42 GP bits FOR USE WITH: PC104, PC105, PC104B, PC203, PC204, PC205, PC205B		\$2,083 NI
W	231-2580	DRUM, ASPHALT, 3" 159 Width: 80mm(3.1"), Cut depth min-max: 50mm(2")-200mm(8"), 24 GP bits FOR USE WITH: PC206, PC305, PC306, PC305B, PC306B		\$1,667 NI

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)				
<i>COLD PLANERS - Drums (Cont.)</i>				
W	231-2581	DRUM, ASPHALT, 6" 159 Width: 150mm(6"), Cut depth min-max: 50mm(2")-200mm(8"), 28 GP bits FOR USE WITH: PC206, PC305, PC306, PC305B, PC306B		\$1,993 NI
W	606-2524	DRUM, ASPHALT, 12" 263 Width: 200mm(8"), Cut depth min-max: 50mm(2")- 200mm(8"), 36 GP bits FOR USE WITH: PC104, PC105, PC104B, PC203, PC204, PC205, PC205B		\$2,896 NI
W	231-2583	DRUM, ASPHALT, 12" 278 Width: 300mm(12"), Cut depth min-max: 50mm(2")-200mm(8"), 42 GP bits FOR USE WITH: PC206, PC306, PC306B		\$2,896 NI
W	224-7360	DRUM, ASPHALT, 18" 304 Width: 450mm(18"), Cut depth min-max: 0mm(0")- 150mm(6"), 48 GP bits FOR USE WITH: PC105, PC204, PC205, PC205B		\$2,104 NI
W	231-2586	DRUM, ASPHALT, 18" 362 Width: 450mm(18"), Cut depth min-max: 50mm(2")-200mm(8"), 48 GP bits FOR USE WITH: PC206, PC306, PC306B		\$2,431 NI
W	224-7384	DRUM, ASPHALT, 24" 368 Width: 600mm(24"), Cut depth min-max: 0mm(0")-170mm(7"), 60 GP bits FOR USE WITH: PC206, PC306, PC306B		\$2,549 NI
W	467-8067	KIT, DRUM, FINE TOOTH, 18" 331 Width: 450mm(18"), Cut.depth min-max: 0mm(0")- 30mm(1 1/6"), 208 fine FOR USE WITH: PC205, PC205B, PC105		\$9,243 NI
W	467-8068	KIT, DRUM, FINE TOOTH, 24" 478 Width: 600mm(24"), Cut.depth min-max: 0mm(0")- 30mm(1 1/6"), 308 fine FOR USE WITH: PC206, PC306B, PC306		\$11,750 NI
W	467-8069	KIT, DRUM, FINE TOOTH, 40" 657 Width: 1000mm(40"), Cut.depth min-max: 0mm(0")- 30mm(1 1/6"),508 fine FOR USE WITH: PC210, PC310B, PC310		\$18,924 NI

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

COMPACTORS, VIBRATORY

Nomenclature change: CV117 is replacement for CV16B, NO techn. changes
 CV117 stands for standard flow + working width ca. 1.7m
 Nomenclature change: CV119 is replacement for CV18B, NO techn. changes
 CV119 stands for standard flow + working width ca. 1.9m

	906H/H2/K/M	907H/H2/K/M	908H/H2/K/M
CV117	C	C	C
CV119	C	C	C

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

W	231-8600	VIBRATORY COMPACTOR, CV117 2,174	\$12,021 NI
		CV117 (old CV16B) with working width of approx. 1.4m 73" (1855mm) Overall width, 66" (1676mm) Drum width 24" (610mm) Diameter SMOOTH drum design Drum Frequency - 2946 vpm @ max flow Dynamic (centrifugal) Force - 11,903 lb (5399 kg) Spring loaded dual-direction non-metallic scraper bar FOR USE WITH: Skid Steer Coupler INCLUDES: DIRECT drive unit, hydraulic lines with QDs and mntg bracket REQUIRES: Standard Flow Hydraulics, Creeper Control is recommended	
W	231-8601	VIBRATORY COMPACTOR, CV119 2,260	\$12,535 NI
		CV119 (old CV18B) with working width of approx. 1.9m Width overall - drum:: 2032mm (80") 1854mm (73") 610mm (24") Diameter SMOOTH drum design Drum Frequency - 2946 vpm @ max flow Dynamic (centrifugal) Force - 11,903 lb (5399 kg) Spring loaded dual-direction non-metallic scraper bar FOR USE WITH: Skid Steer Coupler INCLUDES: DIRECT drive unit, hydraulic lines with QDs and mntg bracket REQUIRES: Standard Flow Hydraulics, Creeper Control is recommended	

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

INDUSTRIAL GRAPPLE BUCKET

	906H/H2/K/M	907H/H2/K/M	908H/H2/K/M
Ind. Grapple Bucket 81" (2057mm)	C	C	C

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

W 368-2500 BUCKET-IND. GR, 81", BOCE 1,295 \$8,418 NI
 81" (2057mm) Wide, incl 1 piece Bolt-on cutting edge
 Two cylinders and two heavy duty independent grapple assemblies
 FOR USE WITH: 906H/M - 908H/M with Skid Steer Coupler
 REQUIRES: 3rd Valve lines & Control on machine to operate

LANDSCAPE RAKES

Nomenclature change: LR116 is replacement for LR15B, NO tech. changes
 LR116 stands for standard flow + working width ca. 1.6m
 Nomenclature change: LR119 is replacement for LR18B, NO tech. changes
 LR119 stands for standard flow + working width ca. 1.9m

	906H/H2/K/M	907H/H2/K/M	908H/H2/K/M
LR116	C	C	C
LR119	C	C	C

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

W 224-9220 LANDSCAPE RAKE, LR116. 1,309 \$7,750 NI
 LR116 (old LR15B) with working width of approx. 1.6m
 1676mm (66") overall width, 1576mm (62") working width
 1397mm (55") raking width, struck capacity 0.31m3 (0.4 yd3)
 Rake bars on conveyer chains, Poppet valve controlled circuitry
 FOR USE WITH: Skid Steer Coupler
 REQUIRES: Standard Flow Hydraulics, Creeper Control is recommended

W 224-9221 LANDSCAPE RAKE, LR119. 1,437 \$8,292 NI
 LR119 (old LR18B) with working width of approx. 1.9m
 1930mm (76") overall width, 1880mm (74") working width
 1702mm (67") raking width, struck capacity 0.34m3 (0.44 yd3)
 Rake bars on conveyer chains, Poppet valve controlled circuitry
 FOR USE WITH: Skid Steer Coupler
 REQUIRES: Standard Flow Hydraulics, Creeper Control is recommended

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

LANDSCAPE TILLER

Nomenclature change: LT114 is replacement for LT13B, NO technical changes. LT114 stands for standard flow + working width ca. 1.4m
 Nomenclature change: LT118 is replacement for LT18B, NO technical changes. LT118 stands for standard flow + working width ca. 1.8m

For breaking up and pulverizing soil, mixing material into the soil, stabilizing and leveling terrain in landscaping, agricultural and other ground maintenance applications.

	906H/H2/K/M	907H/H2/K/M	908H/H2/K/M
LT114	++	++	++
LT118	++	++	++

++ = Optimal performance

If no reference numbers appear below there are currently no items available in your region.

W	219-7165	LANDSCAPE TILLER, LT114 735	\$5,479 NI
		LT114 (old LT13B) with working width of approx. 1.4m Width overall / working: 1788mm (70.5") / 1354mm (52), 24 Bi-Rotational hardened tines, Working depth 25-152mm (1"- 6"), Bi-Directional Hydraulic Motor, offset to cover right side tire Hydraulic Flow range: 42-83 l/min (11-22 gpm) Hydraulic Pressure range: 145-235 bar (2,100-3,400 psi) INCLUDES: DIRECT drive unit, hydraulic lines with quick disconnects, mounting bracket and hardware. FOR USE WITH: Skid Steer Coupler REQUIRES: Standard Flow Hydraulics, Creeper Control is recommended	
W	219-0426	LANDSCAPE TILLER, LT118 907	\$6,215 NI
		LT118 (old LT18B) with working width of approx. 1.8m Width overall / working: 2271mm (89.5") / 1848mm (73), 36 Bi-Rotational hardened tines, Working depth 25-152mm (1"- 6"), Bi-Directional Hydraulic Motor, offset to cover right side tire Hydraulic Flow range: 83-114 l/min (22-30 gpm) Hydraulic Pressure range: 207-310 bar (3,000-4,500 psi) INCLUDES: DIRECT drive unit, hydraulic lines with quick disconnects, mounting bracket and hardware. FOR USE WITH: Skid Steer Coupler REQUIRES: Standard Flow Hydraulics, Creeper Control is recommended	

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

MIXING BUCKETS

Mixing Buckets are designed for material mixing in a variety of applications. Utilizing a chain driven auger equipped with replaceable paddles, the Cat Mixing Buckets ensure complete and repeatable mixing. Operated from the machine cab, mixing buckets are equipped with a hydraulically controlled dispensing chute. The Mixing Buckets allow work to be completed in difficult to access areas, improving productivity and savings on transportation costs.

W	489-2150	BUCKET, MIXING, MB200, 0.26YD3 639 0.26 YD3 / 7.06 CFT (0.20 M3) Capacity 63" (1605mm) overall width REQUIRES: Standard Flow Hydraulics Includes - Hydraulic lines with 1/2" quick disconnects, Rigid Chute and Flexible Chute		\$7,222 NI
W	489-2200	BUCKET, MIXING, MB250, 0.33YD3 948 0.33 YD3 / 8.83 CFT (0.25 M3) Capacity 63" (1605mm) overall width REQUIRES: Standard Flow Hydraulics Includes - Hydraulic lines with 1/2" quick disconnects, Rigid Chute and Flexible Chute.		\$7,556 NI

POWER BOX RAKES

	906H/H2/K/M	907H/H2/K/M	908H/H2/K/M
PR172	C	C	C
PR184	C	C	C
PR190	C	C	C

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

W	424-0420	POWER BOX RAKE-HYDRAULIC,PR172 925 72" (1829mm) working width, 81" (2057mm) overall width Hydraulic angling +/- 20 degrees INCLUDES: 14 pins work tool harness FOR USE WITH: Skid Steer Coupler REQUIRES: Standard Flow Hydraulics & Work Tool Elec. Harness REQUIRES: For 906-908H2/K/M & SSL QC & Standard Flow: kit 371-3725 REQUIRES: H Series and older models conversion kit 371-3725		\$11,306 NI
W	424-0421	POWER BOX RAKE-HYDRAULIC,PR184 1,050 84" (2134mm) working width, 93" (2362mm) overall width Hydraulic angling +/- 20 degrees INCLUDES: 14 pins work tool harness FOR USE WITH: Skid Steer Coupler REQUIRES: Standard Flow Hydraulics & Work Tool Elec. Harness REQUIRES: For 906-908H2/K/M & SSL QC & Standard Flow: kit 371-3725 REQUIRES: H Series and older models conversion kit 371-3725		\$11,958 NI

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

POWER BOX RAKES (Cont.)

W	424-0422	POWER BOX RAKE-HYDRAULIC, PR190 1,320 90" (2286mm) working width, 99" (2515mm) overall width Hydraulic angling +/- 20 degrees INCLUDES: 14 pins work tool harness FOR USE WITH: Skid Steer Coupler REQUIRES: Standard Flow Hydraulics & Work Tool Elec. Harness REQUIRES: For 906-908H2/K/M & SSL QC & Standard Flow: kit 371-3725 REQUIRES: H Series and older models conversion kit 371-3725		\$12,889 NI
W	277-8210	POWER BOX RAKE-MANUAL, PR172 900 72" (1829mm) working width 81" (2057mm) overall width Requires: Standard Flow hydraulics Manual angling +/- 20 degrees		\$10,368 NI
W	277-8215	POWER BOX RAKE-MANUAL, PR184 1,026 84" (2134mm) working width 93" (2362mm) overall width Requires: Standard Flow hydraulics Manual angling +/- 20 degrees		\$10,743 NI

MATERIAL HANDLING ARM

	906H/H2/K/M	907H/H2/K/M	908H/H2/K/M
MH Arm	C	C	C

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

W	216-8756	ARM, MATERIAL HANDLING, SSL 280 Lift Capacity : Maximum 2000 lbs.(908kg) (not to exceed rated load capacity of machine) Overall Width, with step, 52" (1319mm). Maximum horizontal reach 84" (2135mm). Maximum vertical reach 53" (1357mm). Single bent boom design with heavy duty clasped hook. Two hook locations and easy access load tie down points. Two compartments for chains and hooks. FOR USE WITH: Skid Steer Coupler		\$1,724 NI
---	----------	--	--	-------------------

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS			Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	--	--	-----------------	----------------------

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

SAW WHEEL

906H/H2/K/M 907H/H2/K/M 908H/H2/K/M

SW345, 3" HF			C
--------------	--	--	---

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

W	529-5880	WHEEL SAW, SW345, 3"	2,482	\$26,125 NI
Optimal Flow / Pressure: 33 gpm / 4000 psi (125 l/min / 280 bar) Dimensions (L x W x H): 85" x 73" x 57" (2165 x 1850 x 1455mm) Saw Width x max Dig Depth: 3" x 18" (80mm x 450mm) Bits: 64 x 227-7340 Concrete Conical bits Electro-Hydraulic Sideshift, Depth Control Max Pro Pressure Gauge (for identifying optimal performance) INCLUDES: hydraulic lines with quick disconnects, mounting bracket FOR USE WITH: Skid Steer Coupler INCLUDES: 14 pins work tool harness REQUIRES: Proportional High Flow Hydraulics & Work Tool Elec. Harness Creeper Control recommended REQUIRES: For 908H2/K/M & Horz Pin QC & High Flow: kit 371-3725 REQUIRES: H Series and older models conversion kit 371-3725 Note: Cannot be used with trench cleaning device.				

SNOWBLOWER

**Availability can be restricted due to snow season.
 Please contact your BCP Work Tools contact.**

906H/H2/K/M 907H/H2/K/M 908H/H2/K/M

Snow Blowers				
SR118		C	C	C
SR121		C	C	C
SR318	XPS	C	C	C
SR321	XPS	C	C	C

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

SNOW PLOWS

Availability can be restricted due to snow season.
Please contact your BCP Work Tools contact.

	906H/H2/K/M	907H/H2/K/M	908H/H2/K/M
Snow Plows			
72" (1829mm)	C	C	C
84" (2134mm)	C	C	C
96" (2438mm)	C	C	C
108" (2743mm)	C	C	C
120" (3048mm)	C	C	C

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

W	481-3666	SNOW PLOW, 6', SSL 990 1826mm (72") overall width, Blade height: 800mm (31") Hydraulic Angling - 30 degrees left or right of center 5 degrees lateral float 1 piece STEEL trip edge with 1 piece BOCE 152mm (6") 4 adjustable springs, 2 heavy duty adjustable skid feet INCLUDES: hydraulic lines with quick disconnects FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow		\$4,694 NI
W	481-3667	SNOW PLOW, 7', SSL 1,050 2134mm (84") overall width, Blade height: 800mm (31") Hydraulic Angling - 30 degrees left or right of center 5 degrees lateral float 1 piece STEEL trip edge with 1 piece BOCE 152mm (6") 4 adjustable springs, 2 heavy duty adjustable skid feet INCLUDES: hydraulic lines with quick disconnects FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow		\$4,951 NI
W	481-3668	SNOW PLOW, 8', SSL 1,105 2438mm (96") overall width, Blade height: 800mm (31") Hydraulic Angling - 30 degrees left or right of center 5 degrees lateral float 1 piece STEEL trip edge with 1 piece BOCE 152mm (6") 4 adjustable springs, 2 heavy duty adjustable skid feet INCLUDES: hydraulic lines with quick disconnects FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow		\$5,208 NI
W	481-3669	SNOW PLOW, 9', SSL 1,160 2743mm (108") overall width, Blade height: 800mm (31") Hydraulic Angling - 30 degrees left or right of center 5 degrees lateral float 1 piece STEEL trip edge with 1 piece BOCE 152mm (6") 4 adjustable springs, 2 heavy duty adjustable skid feet INCLUDES: hydraulic lines with quick disconnects FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow		\$5,549 NI

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

SNOW PLOWS (Cont.)

W	481-3670	SNOW PLOW, 10', SSL 1,215 3048mm (120") overall width, Blade height: 800mm (31") Hydraulic Angling - 30 degrees left or right of center 5 degrees lateral float 1 piece STEEL trip edge with a 2 piece BOCE 152mm (6") 4 adjustable springs, 2 heavy duty adjustable skid feet INCLUDES: hydraulic lines with quick disconnects FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow		\$6,257 NI
---	----------	---	--	-------------------

SNOW / MULTI V PLOW

A multi functional snow V plow, which can be positioned straight, left or right angled, scooped or V.

W	542-7309	SNOW V-PLOW, 5', SSL 641 Hydraulic angling 35 degrees over left hand and right hand side. Straight / Angle width: 1524mm (60") / 1346mm (53") Scoop / V width: 1372 (54") / 1483mm (59"), Blade / Overall height: 737mm (29") / 826mm (33") INCLUDES: 14 pins harness and connecting lines with QDs, 2 steel trip edges with 2 trip springs each, 2 hydraulic cylinders FOR USE WITH: Skid Steer Coupler REQUIRES: Standard Flow and Work Tool Harness		\$5,833 NI
W	542-7310	SNOW V-PLOW, 7', SSL 941 Hydraulic angling 35 degrees over left hand and right hand side. Straight / Angle width: 2134mm (84") / 1854mm (73") Scoop / V width: 1847 (73") / 1982mm (78"), Blade / Overall height: 737mm (29") / 826mm (33") INCLUDES: 14 pins harness and connecting lines with QDs, 2 steel trip edges with 2 trip springs each, 2 hydraulic cylinders FOR USE WITH: Skid Steer Coupler REQUIRES: Standard Flow and Work Tool Harness		\$6,667 NI

SNOW PUSHES - Straight

Availability can be restricted due to snow season.
 Please contact your BCP Work Tools contact.

	906H/H2/K/M	907H/H2/K/M	908H/H2/K/M
Straight Snow Pushes			
96" (2438mm)	C	C	C
120" (3048mm)	C	C	C
144" (3658mm)	C	C	C

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

SNOW PUSHES - Straight (Cont.)

W	509-3705	SNOW PUSH, 8', RUB. 778 Incl. 1 piece rubber edge 38mmx152mm (1.5"x 6"), NON trip Width 2.44m (8'), with bolt -on skids on the side Overall Height 897mm (35.3") FOR USE WITH: Skid Steer Coupler		\$2,778 NI
W	479-8115	SNOW PUSH, 8', SSL, RUBBER 1,035 Width 2.44m (8'), with bolt -on skids on the side 1 piece RUBBER trip edge, height: 119mm (4.7") incl 4 adjustable trip springs, Overall Height 994mm (39") FOR USE WITH: Skid Steer Coupler		\$3,299 NI
W	479-8120	SNOW PUSH, 8', SSL, STEEL 1,080 Width 2.44m (8'), with bolt -on skids on the side 1 piece STEEL trip edge, height: 119mm (4.7") incl 4 adjustable trip springs, Overall Height 994mm (39") FOR USE WITH: Skid Steer Coupler		\$3,549 NI
W	509-3706	SNOW PUSH, 10', RUB. 866 Incl. 2 piece RUBBER edge 38mmx152mm (1.5"x 6"), NON trip Width 3.05m (10'), with bolt-on skids on the side Overall Height 897mm (35.3") FOR USE WITH: Skid Steer Coupler		\$3,299 NI
W	479-8086	SNOW PUSH, 10', SSL, RUBBER 1,150 Width 3.05m (10'), with bolt-on skids on the side 2 section RUBBER trip edge, height: 119mm (4.7") each with 2 adjustable trip springs, Overall Height 994mm (39") FOR USE WITH: Skid Steer Coupler		\$3,889 NI
W	479-8096	SNOW PUSH, 10', SSL, STEEL 1,200 Width 3.05m (10'), with bolt-on skids on the side 2 section STEEL trip edge, height: 119mm (4.7") each with 2 adjustable trip springs, Overall Height 994mm (39") FOR USE WITH: Skid Steer Coupler		\$4,222 NI
W	509-3707	SNOW PUSH, 12', RUB. 952 Incl. 2 piece RUBBER edge 38mmx152mm (1.5"x 6"), NON trip Width 3.66m (12'), with bolt-on skids on the side Overall Height 897mm (35.3") FOR USE WITH: Skid Steer Coupler		\$3,813 NI
W	479-8089	SNOW PUSH, 12', SSL, RUBBER 1,345 Width 3.66m (12'), with bolt-on skids on the side 2 section RUBBER trip edge, height: 119mm (4.7") each with 2 adjustable trip springs, Overall Height 994mm (39") FOR USE WITH: Skid Steer Coupler		\$4,625 NI
W	479-8099	SNOW PUSH, 12', SSL, STEEL 1,400 Width 3.66m (12'), with bolt-on skids on the side 2 section STEEL trip edge, height: 119mm (4.7") each with 2 adjustable trip springs, Overall Height 994mm (39") FOR USE WITH: Skid Steer Coupler		\$4,889 NI

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

SNOW PUSHES - Straight - Options

W	481-3675	BACK DRAG, 8', RUBBER 350 FOR USE WITH: 96" (2438mm) Straight push		\$1,556 NI
W	481-3676	BACK DRAG, 10', RUBBER 425 FOR USE WITH: 120" (3048mm) Straight push		\$1,854 NI
W	481-3679	BACK DRAG, 12', RUBBER 510 FOR USE WITH: 144" (3658mm) Straight push		\$2,215 NI
W	481-3680	BACK DRAG, 8', STEEL 390 FOR USE WITH: 96" (2438mm) Straight push		\$1,611 NI
W	481-3686	BACK DRAG, 10', STEEL 476 FOR USE WITH: 120" (3048mm) Straight push		\$1,986 NI
W	481-3689	BACK DRAG, 12', STEEL 564 FOR USE WITH: 144" (3658mm) Straight push		\$2,500 NI

SNOW WINGS

Snow wings with independently controlled wings and angling capability. The snow wings can be configured to suit the needs of any job and continue to adapt to ever changing needs.

SNOW WINGS

	906H/H2/K/M	907H/H2/K/M	908H/H2/K/M
8'-13'	++	++	++
9'-14'	++	++	++

++ = Optimal performance

<https://www.youtube.com/watch?v=Xx8x0acHeIk&feature=youtu.be>

If no reference numbers appear below there are currently no items available in your region.

W	572-3142	SNOW WING, 8'-13', SSL 1,750 Hydraulic angling 35 degrees left and right over center snow wing. Overall height: 915mm (36"), 5 degrees lateral float Working width non angled and wings closed: 2445mm (96.3") Overall width non angled closed/open: 2596mm (102.2")/ 4083mm (160.7") Overall width angled closed/open: 2307mm (90.8")/ 3447mm (135.7") FOR USE WITH: Skid Steer Coupler INCLUDES: 1 piece steel trip blade incl 2 adjustable trip springs, 2 x hydr. actuator operated 180 degrees rotation end wings incl floating shoes, 14 pins harness and hydr lines incl QDs. REQUIRES: Standard Flow hydraulics REQUIRES: Work Tool Harness/Harness wiring (included for HF machines) to operate the wings REQUIRES: For 906-908H/H2/K/M series: kit 377-1579, EXCEPT for H2/K/M series machines with HF & SSL quick coupler.		\$11,944 NI
---	----------	---	--	-------------

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-------------------------------	-----------------	----------------------

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

SNOW WINGS (Cont.)

W	572-3143	<p>SNOW WING, 9'-14', SSL 1,821</p> <p>Hydraulic angling 35 degrees left and right over center snow wing. Overall height: 915mm (36"), 5 degrees lateral float Working width non angles and wings closed: 2750mm (108.3") Overall width non angled closed/open: 2901mm (114.2")/ 4425mm (174.2") Overall width angled closed/open: 2558mm (100.7")/ 3691mm (145.3") FOR USE WITH: Skid Steer Coupler INCLUDES: 1 piece steel trip blade incl 2 adjustable trip springs, 2 x hydr. actuator operated 180 degrees rotation end wings incl floating shoes, 14 pins harness and hydr lines incl QDs. REQUIRES: Standard Flow hydraulics REQUIRES: Work Tool Harness/Harness wiring (included for HF machines) to operate the wings REQUIRES: For 906-908H/H2/K/M series: kit 377-1579, EXCEPT for H2/K/M series machines with HF & SSL quick coupler.</p>	1,821	\$12,361 NI
---	----------	---	-------	--------------------

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

STUMP GRINDER

Nomenclature change: SG16 is replacement for SG16B, NO tech. changes
 SG16 stands for standard flow + diameter cutting wheel of approx. 0.6m

906H/H2/K/M 907H/H2/K/M 908H/H2/K/M

SG16	C	C	C
------	---	---	---

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

W	424-0461	STUMP GRINDER, SG16834 SG16 (old SG16B) with diameter cutting wheel of approx. 0.6m 46" (1175mm) overall width 18" (457mm) diameter cutting wheel with 32 carbide teeth MANUAL adjustable cutting head Hydraulic controlled boom swing - 70 degree range of motion Electro-hydraulic controlled boom extension 11" (280mm) Includes: hydraulic lines with 1/2" quick disconnects, mounting bracket, & 14-pin electrical harness REQUIRES: Standard flow hydraulics REQUIRES: Left joystick to be WT Deluxe and right joystick to be hydraulic proportional REQUIRES: For 906-908H/H2/K/M series: kit 377-1579, EXCEPT for H2/K/M series machines with HF & SSL quick coup	\$8,354 NI
----------	-----------------	---	-------------------

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

TRENCHER

Nomenclature change: T109 is replacement for T6B, NO technical changes
 T109 stands for standard flow + trenching depth ca. 0.9m
 Nomenclature change: T112 is replacement for T9B, NO technical changes
 T112 stands for standard flow + trenching depth ca. 1.2m
 Nomenclature change: T315 is replacement for T15B, NO technical change
 T315 stands for high flow + trenching depth ca. 1.5m

	906H/H2/K/M	907H/H2/K/M	908H/H2/K/M
T109	C	C	C
T112	C	C	C
T315	C	C	C

C = Compatible
 Chain selection guide

	Ground conditions / applications				
	Sandy	Loose	Medium	Hard	Rocky
Double Standard	C	C	A	NC	NC
Single Standard	A	C	C	A	NC
50/50 Carbide	NC	A	C	C	A
50/50 Rock-Frost	NC	A	C	C	A
Rock-Frost	NC	NC	A	C	C
Terminator	NC	NC	A	C	C

C= Compatible, A= acceptable performance, NC= Not Compatible

If no reference numbers appear below there are currently no items available in your region.

TRENCHER - T6B

W	253-9509	TRENCHER, T109, MANUAL, NO CHAIN 861 T109 (Old T6B) stands for standard flow + trenching depth ca. 0.9m NO CHAIN 36" (914mm) Boom, MANUAL side sift Trench depth: 36" (914mm) with boom angle of 60 degrees FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow Hydraulics	\$4,514 NI
W	261-4806	TRENCHER, T109, MAN. 6" STANDARD 1,012 T109 (Old T6B) stands for standard flow + trenching depth ca. 0.9m 36" (914mm) Boom, MANUAL side sift, Trench depth: 36" (914mm) with boom angle of 60 degrees Standard chain included, 6" (152mm) cutting width FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow Hydraulics	\$5,417 NI

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

TRENCHER - T6B (Cont.)

W	261-8557	TRENCHER, T109, MAN. 8" STD 1,028 T109 (Old T6B) stands for standard flow + trenching depth ca. 0.9m 36" (914mm) Boom, MANUAL side sift, Trench depth: 36" (914mm) with boom angle of 60 degrees Standard chain included, 8" (203mm) cutting width FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow Hydraulics		\$5,486 NI
W	261-8559	TRENCHER, T109, MAN. 6" COMBO 1,035 T109 (Old T6B) stands for standard flow + trenching depth ca. 0.9m 36" (914mm) Boom, MANUAL side sift, Trench depth: 36" (914mm) with boom angle of 60 degrees Combi chain included, 6" (152mm) cutting width;50/50 Carbide/Cup teeth FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow Hydraulics		\$5,764 NI
W	261-8561	TRENCHER, T109, MAN 6" ROCKFROST 1,064 T109 (Old T6B) stands for standard flow + trenching depth ca. 0.9m 36" (914mm) Boom, MANUAL side sift, Trench depth: 36" (914mm) with boom angle of 60 degrees Rock/Frost Chain included, 6" (152mm) cutting width FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow Hydraulics		\$6,528 NI
W	261-8563	TRENCHER, T109, MAN 6" TERMINATOR 1,012 T109 (Old T6B) stands for standard flow + trenching depth ca. 0.9m 36" (914mm) Boom, MANUAL side sift, Trench depth: 36" (914mm) with boom angle of 60 degrees Terminator chain included, 6" (152mm) cutting width FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow Hydraulics		\$6,667 NI
W	261-4859	TRENCHER, T109, HYD. 6" STANDARD 1,076 T109 (Old T6B) stands for standard flow + trenching depth ca. 0.9m Hydraulic sideshift: 19" (483mm) both left and right over center 36" (914mm) Boom Trench depth: 36" (914mm) with boom angle of 60 degrees Standard chain included, 6" (152mm) cutting width FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow Hydraulics		\$6,042 NI
W	256-0695	TRENCHER, T109, HYD, NO CHAIN 925 T109 (Old T6B) stands for standard flow + trenching depth ca. 0.9m NO CHAIN Hydraulic sideshift: 19" (483mm) both left and right over center 36" (914mm) Boom Trench depth: 36" (914mm) with boom angle of 60 degrees Standard chain included, 6" (152mm) cutting width FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow Hydraulics		\$5,139 NI

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

TRENCHER - T6B (Cont.)

W	261-8558	TRENCHER, T109, HYD. 8" STD 1,092 T109 (Old T6B) stands for standard flow + trenching depth ca. 0.9m Hydraulic sideshift: 19" (483mm) both left and right over center 36" (914mm) Boom Trench depth: 36" (914mm) with boom angle of 60 degrees Standard chain included, 6" (152mm) cutting width FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow Hydraulics		\$6,139 NI
W	261-8560	TRENCHER, T109, HYD 6" COMBO 1,099 T109 (Old T6B) stands for standard flow + trenching depth ca. 0.9m Hydraulic sideshift: 19" (483mm) both left and right over center 36" (914mm) Boom Trench depth: 36" (914mm) with boom angle of 60 degrees Combi chain included, 6" (152mm) cutting width;50/50 Carbide/Cup teeth FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow Hydraulics		\$6,389 NI
W	261-8562	TRENCHER, T109, HYD 6" ROCKFROST 1,128 T109 (Old T6B) stands for standard flow + trenching depth ca. 0.9m Hydraulic sideshift: 19" (483mm) both left and right over center 36" (914mm) Boom Trench depth: 36" (914mm) with boom angle of 60 degrees Rock/Frost Chain included, 6" (152mm) cutting width FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow Hydraulics		\$7,153 NI
W	261-8564	TRENCHER, T109, HYD 6" TERMINATOR 1,076 T109 (Old T6B) stands for standard flow + trenching depth ca. 0.9m Hydraulic sideshift: 19" (483mm) both left and right over center 36" (914mm) Boom Terminator chain included, 6" (152mm) cutting width Rock/Frost Chain included, 6" (152mm) cutting width FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow Hydraulics		\$7,292 NI

TRENCHER - T9B

W	208-2700	TRENCHER, T112, MANUAL, NO CHAIN 973 T112 (Old T9B) stands for standard flow + trenching depth ca. 1.2m NO CHAIN 48" (1219mm) Boom, MANUAL side sift, Trench depth: 48" (1219mm) with boom angle of 60 degrees FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow Hydraulics		\$4,861 NI
W	233-2346	TRENCHER, T112, MAN. 6" STANDARD 1,076 T112 (Old T9B) stands for standard flow + trenching depth ca. 1.2m 48" (1219mm) Boom, MANUAL side sift, Trench depth: 48" (1219mm) with boom angle of 60 degrees Standard chain included, 6" (152mm) cutting width FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow Hydraulics		\$5,833 NI

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

TRENCHER - T9B (Cont.)

W	233-2350	TRENCHER, T112, MAN. 6" COMBO 1,154 T112 (Old T9B) stands for standard flow + trenching depth ca. 1.2m 48" (1219mm) Boom, MANUAL side sift, Trench depth: 48" (1219mm) with boom angle of 60 degrees Combi chain included, 6" (152mm) cutting width;50/50 Carbide/Cup teeth FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow Hydraulics		\$6,181 NI
W	241-4251	TRENCHER,T112,MAN 6" ROCKFROST 1,184 T112 (Old T9B) stands for standard flow + trenching depth ca. 1.2m 48" (1219mm) Boom, MANUAL side sift, Trench depth: 48" (1219mm) with boom angle of 60 degrees Rock/Frost Chain included, 6" (152mm) cutting width FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow Hydraulics		\$6,944 NI
W	241-4252	TRENCHER,T112,HYD. 6" STANDARD 1,121 T112 (Old T9B) stands for standard flow + trenching depth ca. 1.2m Hydraulic sideshift: 22" (559mm) right of center. 48" (1219mm) Boom, Trench depth: 48" (1219mm) with boom angle of 60 degrees Standard chain included, 6" (152mm) cutting width FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow Hydraulics		\$6,389 NI
W	208-2708	TRENCHER, T112, HYD, NO CHAIN 987 T112 (Old T9B) stands for standard flow + trenching depth ca. 1.2m NO CHAIN Hydraulic sideshift: 22" (559mm) right of center. 48" (1219mm) Boom, Trench depth: 48" (1219mm) with boom angle of 60 degrees FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow Hydraulics		\$5,417 NI
W	241-4253	TRENCHER, T112, HYD. 8" STD. 1,186 T112 (Old T9B) stands for standard flow + trenching depth ca. 1.2m Hydraulic sideshift: 22" (559mm) right of center. 48" (1219mm) Boom, Trench depth: 48" (1219mm) with boom angle of 60 degrees Standard chain included, 8" (203mm) cutting width FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow Hydraulics		\$6,458 NI
W	241-4254	TRENCHER, T112, HYD. 6" COMBO 1,199 T112 (Old T9B) stands for standard flow + trenching depth ca. 1.2m Hydraulic sideshift: 22" (559mm) right of center. 48" (1219mm) Boom, Trench depth: 48" (1219mm) with boom angle of 60 degrees Combi chain included, 6" (152mm) cutting width;50/50 Carbide/Cup teeth FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow Hydraulics		\$6,736 NI

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

TRENCHER - T9B (Cont.)

W	241-4255	TRENCHER, T112, HYD 6" ROCKFROST 1,229 T112 (Old T9B) stands for standard flow + trenching depth ca. 1.2m Hydraulic sideshift: 22" (559mm) right of center. 48" (1219mm) Boom, Trench depth: 48" (1219mm) with boom angle of 60 degrees Rock/Frost Chain included, 6" (152mm) cutting width FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow Hydraulics		\$7,500 NI
---	----------	---	--	-------------------

TRENCHER - T15B HF

W	424-0470	TRENCHER, T315, HF, NO CHAIN 1,055 T315 (Old T15B) stands for high flow + trenching depth ca. 1.5m NO CHAIN 60" (1524mm) Boom, Trench depth: 60" (1520mm) with boom angle of 60 degrees Hydraulic sideshift: 22" (559mm) right of center INCLUDES: Hydraulic lines with 1/2" quick disconnects, cylinder control valve, & 14-pin electrical harness FOR USE WITH: Skid Steer coupler REQUIRES: High Flow or HF XPS Hydraulics		\$6,944 NI
---	----------	--	--	-------------------

W	424-0471	TRENCHER, T315, HF, 6" STD 1,212 T315 (Old T15B) stands for high flow + trenching depth ca. 1.5m 60" (1524mm) Boom, Trench depth: 60" (1520mm) with boom angle of 60 degrees Hydraulic sideshift: 22" (559mm) right of center Standard chain included, 6" (152mm) cutting width INCLUDES: Hydraulic lines with 1/2" quick disconnects, cylinder control valve, & 14-pin electrical harness FOR USE WITH: Skid Steer coupler REQUIRES: High Flow or HF XPS Hydraulics		\$8,194 NI
---	----------	---	--	-------------------

W	424-0472	TRENCHER, T315, HF, 8" STD 1,287 T315 (Old T15B) stands for high flow + trenching depth ca. 1.5m 60" (1524mm) Boom, Trench depth: 60" (1520mm) with boom angle of 60 degrees Hydraulic sideshift: 22" (559mm) right of center Standard chain included, 8" (203mm) cutting width INCLUDES: Hydraulic lines with 1/2" quick disconnects, cylinder control valve, & 14-pin electrical harness FOR USE WITH: Skid Steer coupler REQUIRES: High Flow or HF XPS Hydraulics		\$8,333 NI
---	----------	---	--	-------------------

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

TRENCHER - T15B HF (Cont.)

W	424-0473	TRENCHER, T315, HF, 6" COMBO 1,301 T315 (Old T15B) stands for high flow + trenching depth ca. 1.5m 60" (1524mm) Boom, Trench depth: 60" (1520mm) with boom angle of 60 degrees Hydraulic sideshift: 22" (559mm) right of center Combi chain included, 6" (152mm) cutting width;50/50 Carbide/Cup teeth INCLUDES: Hydraulic lines with 1/2" quick disconnects, cylinder control valve, & 14-pin electrical harness FOR USE WITH: Skid Steer coupler REQUIRES: High Flow or HF XPS Hydraulics REQUIRES: Conversion kit 371-3725 for H Series high flow machines;		\$8,750 NI
---	----------	--	--	-------------------

TRENCHER - Options

W	264-5714	CRUMBER ARM, T109 45 REQUIRES: 264-7597 or 264-7598 SHOE, CRUMBER ARM FOR USE WITH: T109 or old A6B		\$347 NI
W	264-7601	CRUMBER ARM, T112 49 REQUIRES: 264-7597 or 264-7598 SHOE, CRUMBER ARM FOR USE WITH: T112 or old A9B		\$382 NI
W	264-7602	CRUMBER ARM, T315 54 REQUIRES: 264-7597 or 264-7598 SHOE, CRUMBER ARM FOR USE WITH: T315 or old A15B		\$417 NI
W	264-7597	SHOE, CRUMBER ARM 6" - 8" 9 FOR USE WITH: Chains 6" (152mm) or 8" (202mm) wide		\$83 NI
W	264-7598	SHOE, CRUMBER ARM 10" - 12" 15 FOR USE WITH: Chains 10" (254mm) or 12" (305mm) wide		\$104 NI

TRENCHER - Chains

W	259-0312	CHAIN, T109, 6" STANDARD 131 For T109 (old T6B), trench width 152mm (6"), incl 30 standard teeth		\$903 NI
W	258-8644	CHAIN, T109, 8" STANDARD 167 For T109 (old T6B), trench width 203mm (8"), incl 42 standard teeth		\$972 NI
W	261-4860	CHAIN, T109, 6" COMBO 174 For T109 (old T6B), trench width 152mm (6"), incl 18 standard + 10 carbide teeth		\$1,250 NI
W	261-4805	CHAIN, T109, 6" ROCKFROST 203 For T109 (old T6B), trench width 152mm (6"), incl 36 bits ("picks")		\$2,014 NI
W	243-6349	CHAIN, T109, 6" TERMINATOR 151 For T109 (old T6B), trench width 152mm (6"), incl 30 carbide teeth		\$2,153 NI
W	189-5956	CHAIN, T112, 6" STANDARD 134 For T112 (old T9B), trench width 152mm (6"), incl 18 standard teeth		\$972 NI
W	222-7916	CHAIN, T112, 8" STANDARD 200 For T112 (old T9B), trench width 203mm (8"), incl 50 standard teeth		\$1,042 NI

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

TRENCHER - Chains (Cont.)

W	222-7742	CHAIN, T112, 6" COMBO 213 For T112 (old T9B), trench width 152mm (6"), incl 24 standard + 24 carbide teeth		\$1,319 NI
W	222-7743	CHAIN, T112, 6" ROCKFROST 241 For T112 (old T9B), trench width 152mm (6"), incl 42 bits ("picks")		\$2,083 NI
W	189-5957	CHAIN, T315, 6" STANDARD 156 For T315 (old T15B), trench width 152mm (6"), incl 21 standard teeth		\$1,250 NI
W	222-8523	CHAIN, T315, 8" STANDARD 232 For T315 (old T15B), trench width 203mm (8"), incl 58 standard teeth		\$1,389 NI
W	222-7747	CHAIN, T315, 6" COMBO 246 For T315 (old T15B), trench width 152mm (6"), incl 26 standard + 28 carbide teeth		\$1,806 NI

TRENCHERS - Replacement Tooth Groups

Replacement Tooth Groups (to be fit on a chain)

Boom size	36" 914mm	48" 1219mm	60" 1524mm
-----------	--------------	---------------	---------------

152mm (6")	Single Standard	263-3420	166-0821	189-0702
203mm (8")	Single Standard	263-3421	194-4681	193-5727
254mm (10")	Single Standard	263-3426	194-4682	193-5728
305mm (12")	Double Standard	263-3427	195-3900	193-5729
152mm (6")	50/50 Carbide	263-3422	208-2781	208-2791
203mm (8")	50/50 Carbide	263-3423	208-2784	208-2794
152mm (6")	50/50 Rock-Frost	263-3424	208-2780	208-2790
203mm (8")	50/50 Rock-Frost		208-2783	208-2793
152mm (6")	Rock-Frost		208-2782	208-2792

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	------------------------	--------------------	-------------------------

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)**WORK TOOLS - AEM**

APPROVED EQUIPMENT MANUFACTURERS

Caterpillar does not warrant, service, or assume responsibility for AEM work tools. All orders, pricing, and other communications must be directed to the manufacturer.

SSL Sectional Snow-Pusher - SSL Interface

All Arctic Sectional Snow-Pusher attachments above are available with following coupler interfaces: Fusion, IT, and SSL

Contact: Steve Sepaniak

Phone: 585-690-8811

Email: pusherpro@yahoo.com

Web: www.sectionalsnopusher.com

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS LARGER THAN 908

HOOKS FOR CONVERSION TO IT COUPLER

W	109-6712	HOOK, BLANK, IT	356	\$1,403 NI
		IT Hooks with extra material to convert buckets		
W	113-2677	HOOK, FLAT BACK, IT	155	\$826 NI
		IT Hooks with flat back to convert work tools like carriages.		

HOOKS FOR CONVERSION TO FUSION 918M only

W	371-2400	HOOK, FLAT BACK, FUSION	330	\$1,049 NI
		IT Hooks with flat back to convert work tools like carriages.		
W	317-5562	HOOK, BLANK	787	\$2,046 NI
		Provides Fusion hooks with extra material to convert buckets.		

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS LARGER THAN 908 (CONT.)

GENERAL PURPOSE PERFORMANCE BUCKETS - For IT Quick Coupler

FOR USE WITH: 910K, 910M, 914K, 914M & 918M

Bucket selection table: material density kg/m3 (lbs/yd3) @100% fill factor. Capacity stated with BOCE. STD=Standard Lift

Cap	910K	914K	918M
m3	STD. (HI Lift)	STD. (HI Lift)	NO HI LIFT
yd3	kg/m3	kg/m3	lbs/yd3
1.3	1700 (1600)	2100 (1700)	2200
* 1.7	\ 2850 (2700)	\ 3550 (2850)	\ 3700 *
1.5	1500 (1400)	1800 (1450)	1900
* 2.0	\ 2500 (2350)	\ 3050 (2450)	\ 3100 *
1.6	1350 (1250)	1700 (1350)	1750
* 2.1	\ 2300 (2100)	\ 2850 (2300)	\ 2950 *
1.7	1300 (1200)	1600 (1300)	1600
* 2.2	\ 2200 (2050)	\ 2700 (2200)	\ 2700 *
1.9	1100 (950)	1350 (1000)	1400
* 2.4	\ 1850 (1600)	\ 2300 (1700)	\ 2350 *

If no reference numbers appear below there are currently no items available in your region.

W	472-6534	BUCKET-GP, 1.7 YD3, IT, BOCE	1,221	\$5,571 NI
		Includes Bolt-On-Cutting-Edge		
		FOR USE WITH: standard quick coupler (IT)		
W	481-9755	BUCKET-GP, 1.7 YD3, IT, BOT	1,129	\$6,300 NI
		Includes Bolt-On-Teeth		
		FOR USE WITH: standard quick coupler (IT)		
W	472-6539	BUCKET-GP, 1.9 YD3, IT, BOCE	1,265	\$5,842 NI
		Includes Bolt-On-Cutting-Edge		
		FOR USE WITH: standard quick coupler (IT)		
W	481-9760	BUCKET-GP, 1.9 YD3, IT, BOT	1,173	\$6,571 NI
		Includes Bolt-On-Teeth		
		FOR USE WITH: standard quick coupler (IT)		
W	472-6541	BUCKET-GP, 2.0 YD3, IT, BOCE	1,362	\$5,986 NI
		Includes Bolt-On Cutting-Edge		
		FOR USE WITH: standard quick coupler (IT)		
W	481-9762	BUCKET-GP, 2.0 YD3, IT, BOT	1,250	\$6,715 NI
		Includes Bolt-On-Teeth		
		FOR USE WITH: standard quick coupler (IT)		
W	390-8219	BUCKET-GP, 2.2 YD3, IT, BOCE	1,393	\$6,257 NI
		Includes Bolt-On-Cutting-Edge		
		FOR USE WITH: standard quick coupler (IT)		
W	481-9764	BUCKET-GP, 2.2 YD3, IT, BOT	1,301	\$6,986 NI
		Includes Bolt-On-Teeth		
		FOR USE WITH: standard quick coupler (IT)		

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-------------------------------	--------------------	-------------------------

CWL - CURRENT MODELS LARGER THAN 908 (CONT.)

GENERAL PURPOSE PERFORMANCE BUCKETS - For IT Quick Coupler (Cont.)

W	492-2491	BUCKET-GP, 2.4 YD3, IT, BOCE 1,470 Includes Bolt-On-Cutting-Edge FOR USE WITH: standard quick coupler (IT)		\$6,528 NI
---	----------	---	--	-------------------

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS LARGER THAN 908 (CONT.)

GENERAL PURPOSE PERFORMANCE BUCKETS - For Pin-On

FOR USE WITH 910K, 910M, 914K, 914M, 918M

Bucket selection table: material density kg/m3 (lbs/yd3) at 100% fill factor. Capacity stated with BOCE. STD=Standard Lift

Cap	910K	914K	918M
	STD. (HI Lift)	STD. (HI Lift)	NO HI LIFT
m3	kg/m3	kg/m3	
yd3	\ lbs/yd3	\ lbs/yd3	\ lbs/yd3

1.4	1600 (1500)	2000 (1600)	2150
* 1.8	\ 270 (2500)	\ 3350 (2700)	\ 3700 *
1.6	1400 (1300)	1700 (1350)	1850
* 2.1	\ 2350 (2200)	\ 2850 (2300)	\ 3150 *
1.8	1250 (1150)	1500 (1200)	1650
* 2.4	\ 2100 (1950)	\ 2500 (2050)	\ 2700 *
1.9	1100 (950)	1350 (1000)	1550
* 2.5	\ 1950 (1800)	\ 2350 (1950)	\ 2600 *

If no reference numbers appear below there are currently no items available in your region.

W	472-6537	BUCKET-GP, 1.8 YD3, PO, BOCE	1,276	\$5,715 NI
		Includes Bolt-On-Cutting-Edge		
W	481-9759	BUCKET-GP, 1.8 YD3, PO, BOT	1,184	\$6,444 NI
		Includes Bolt-On-Teeth		
W	472-6542	BUCKET-GP, 2.0 YD3, PO, BOCE	1,342	\$5,986 NI
		Includes Bolt-On Cutting-Edge		
W	481-9763	BUCKET-GP, 2.0 YD3, PO, BOT	1,270	\$6,715 NI
		Includes Bolt-On-Teeth		
W	415-5961	BUCKET-GP, 2.3 YD3, PO, BOCE	1,450	\$6,401 NI
		Includes Bolt-On-Cutting-Edge		
W	481-9766	BUCKET-GP, 2.3 YD3, PO, BOT	1,358	\$7,131 NI
		Includes Bolt-On-Teeth		
W	415-5927	BUCKET-GP, 2.4 YD3, PO, BOCE	1,490	\$6,528 NI
		Includes Bolt-On-Cutting-Edge		
W	481-9767	BUCKET-GP, 2.4 YD3, PO, BOT	1,398	\$7,257 NI
		Includes Bolt-On-Teeth		

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS LARGER THAN 908 (CONT.)

GENERAL PURPOSE PERFORMANCE BUCKETS - For HPL Quick Coupler (ISO)

FOR USE WITH: 910K, 910M, 914K, 914M & 918M

Bucket selection table: material density kg/m3 (100% fill factor)
 Capacity stated with BOCE. STD=Standard Lift

Cap	910K	914K	918M
	STD. (HI Lift)	STD. (HI Lift)	NO HI LIFT
m3	kg/m3	kg/m3	
* yd3	lbs/yd3	lbs/yd	lbs/yd *
1.3	1650 (1550)	2050 (1650)	2150
* 1.7	2800 (2600)	3450 (2800)	3500 *
1.5	1450 (1350)	1750 (1400)	1850
* 2.0	2450 (2250)	3000 (2350)	3100 *
1.7	1250 (1150)	1550 (1125)	1600
* 2.2	2100 (1950)	2600 (2100)	2700 *
1.9	1050 (900)	1300 (950)	1400
* 2.5	1750 (1500)	2200 (1600)	2350 *

If no reference numbers appear below there are currently no items available in your region.

W	472-6535	BUCKET-GP, 1.7 YD3, ISO, BOCE 1,261	\$5,571 NI
		Includes Bolt-On-Cutting-Edge FOR USE WITH: horizontal pin quick coupler (ISO)	
W	481-9756	BUCKET-GP, 1.7 YD3, ISO, BOT 1,169	\$6,300 NI
		Includes Bolt-On-Teeth FOR USE WITH: horizontal pin quick coupler (ISO)	
W	472-6540	BUCKET-GP, 1.9 YD3, ISO, BOCE 1,305	\$5,842 NI
		Includes Bolt-On-Cutting-Edge-7012 LOADER ARR FOR USE WITH: horizontal pin quick coupler (ISO)	
W	481-9761	BUCKET-GP, 1.9 YD3, ISO, BOT 1,213	\$6,571 NI
		Includes Bolt-On-Teeth FOR USE WITH: horizontal pin quick coupler (ISO)	
W	415-5957	BUCKET-GP, 2.2 YD3, ISO, BOCE 1,433	\$6,257 NI
		Includes Bolt-On-Cutting-Edge FOR USE WITH: horizontal pin quick coupler (ISO)	
W	481-9765	BUCKET-GP, 2.2 YD3, ISO, BOT 1,341	\$6,986 NI
		Includes Bolt-On-Teeth FOR USE WITH: horizontal pin quick coupler (ISO)	
W	492-2492	BUCKET-GP, 2.4 YD3, ISO, BOCE 1,470	\$6,528 NI
		Includes Bolt-On-Cutting-Edge7012 LOADER ARR FOR USE WITH: horizontal pin quick coupler (ISO)	

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS LARGER THAN 908 (CONT.)

GENERAL PURPOSE PERFORMANCE BUCKETS FOR FUSION QUICK COUPLER

ONLY AVAILABLE FOR 918M WITH FUSION QUICK COUPLER

Bucket selection table: material density kg/m3 (lbs/yd3) @100% fill factor. Capacity stated with BOCE. STD=Standard Lift

Cap	910M	914M	918M
	STD (HIGH)	STD (HIGH)	STD (HIGH)
m3	kg/m3	kg/m3	kg/m3
* yd3	lbs/yd3	lbs/yd3	lbs/yd3 *
1.5	NA	1610 (1310)	1810 (1470)
* 1.9	NA	2660 (2160)	3000 (2440) *
1.6	NA	1500 (1220)	1695 (1380)
* 2.0	NA	2520 (2050)	2845 (2315) *
1.7	NA	1385 (1235)	1600 (1375)
* 2.2	NA	2355 (2100)	2700 (2300) *
1.9	NA	1245 (1080)	1400 (1200)
* 2.4	NA	2085 (1810)	2300 (2025) *

NA = Not Applicable/Available

If no reference numbers appear below there are currently no items available in your region.

W	550-3488	BUCKET-GP, 1.9 YD3, FUS, BOCE 1,448	\$5,842 NI
		Capacity: 1.5m3 (1.9yd3), Width: 2388mm (94"), Incl. Bolt-on-Cutt.Edge FOR USE WITH: 914M, 918M, 914 and 920 with Fusion Quick Coupler	
W	559-5194	BUCKET-GP, 1.9 YD3, FUS, BOT 1,314	\$6,571 NI
		Capacity: 1.5m3 (1.9yd3), Width: 2388mm (94"), Incl. Bolt-on-Teeth FOR USE WITH: 914M, 918M, 914 and 920 with Fusion Quick Coupler	
W	550-3489	BUCKET-GP, 2.0 YD3, FUS, BOCE 1,484	\$5,986 NI
		Capacity: 1.6m3 (2.1yd3), Width: 2388mm (94"), Incl. Bolt-on-Cutt.Edge FOR USE WITH: 914M, 918M, 914 and 920 with Fusion Quick Coupler	
W	559-5195	BUCKET-GP, 2.0 YD3, FUS, BOT 1,349	\$6,715 NI
		Capacity: 1.6m3 (2.1yd3), Width: 2388mm (94"), Incl. Bolt-on-Teeth FOR USE WITH: 914M, 918M, 914 and 920 with Fusion Quick Coupler	
W	546-4012	BUCKET-GP, 2.2 YD3, FUS, BOCE 1,519	\$6,257 NI
		Capacity: 1.7m3 (2.2yd3), Width: 2388mm (94"), Incl. Bolt-on-Cutt.Edge FOR USE WITH: 918M Standard/High Lift with Fusion Quick Coupler	
W	549-6912	BUCKET-GP, 2.2 YD3, FUS, BOT 1,433	\$6,986 NI
		Capacity: 1.7m3 (2.2yd3), Width: 2388mm (94"), Incl. Bolt-on-Teeth FOR USE WITH: 918M Standard/High Lift with Fusion Quick Coupler	
W	546-4014	BUCKET-GP, 2.4 YD3, FUS, BOCE 1,618	\$6,672 NI
		Capacity: 1.9m3 (2.4yd3), Width: 2388mm (94"), Incl. Bolt-on-Cutt.Edge FOR USE WITH: 918M Standard/High Lift with Fusion Quick Coupler	
W	549-6913	BUCKET-GP, 2.4 YD3, FUS, BOT 1,510	\$7,401 NI
		Capacity: 1.9m3 (2.4yd3), Width: 2388mm (94"), Incl. Bolt-on-Teeth FOR USE WITH: 918M Standard/High Lift with Fusion Quick Coupler	

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS LARGER THAN 908 (CONT.)

HIGH DUMP PERFORMANCE BUCKETS - For IT Quick Coupler

Bucket selection table: material density kg/m3 (lbs/yd3) @100% fill factor. Capacity stated with BOCE. STD=Standard Lift

Cap	910	914	920
	STD. (HI Lift)	STD. (HI Lift)	STD. (HI Lift)
m3	kg/m3	kg/m3	kg/m3
* yd3	lbs/yd3	lbs/yd	lbs/yd *
2.1	NA	894 (775)	1067 (914)
* 2.7	NA	1532 (1328)	1829 (1566) *
2.5	NA	764 (662)	912 (756)
* 3.3	NA	1276 (1106)	1522 (1262) *

NA = Not Allowed

NOTE: Front Camera Kit 592-3039 is required for local EU requirements for all high dump buckets. Consult Cat Dealer for additional information. Refer to Product Bulletin at <https://catpublications.com>

W	583-3598	BUCKET-HD, 2.7 YD3, IT, BOCE 3,124 High Dump Bucket, Width 2400 mm (94"). Includes 1 piece BOCE, Capacity: 2.1m3 (2.7 yd3) fill factor 100%, hyd.lines incl. Turn QDs. FOR USE WITH: IT Quick Coupler (Standard) FOR USE WITH: 914M, 918M and Next Gen 914 + 920 REQUIRES: Forward facing camera kit, 592-3039	\$20,042 NI
W	583-3597	BUCKET-HD, 3.3 YD3, IT, BOCE 3,208 High Dump Bucket, Width 2400 mm (94"). Includes 1 piece BOCE, Capacity: 2.5m3 (3.3 yd3) fill factor 100%, hyd.lines incl. Turn QDs. FOR USE WITH: IT Quick Coupler (Standard) FOR USE WITH: 914M, 918M and Next Gen 914 + 920 REQUIRES: Forward facing camera kit, 592-3039	\$20,667 NI

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS LARGER THAN 908 (CONT.)

HIGH DUMP PERFORMANCE BUCKETS - For ISO Quick Coupler

NOTE F

Bucket selection table: material density kg/m3 (lbs/yd3) @100% fill factor. Capacity stated with BOCE. STD=Standard Lift

Cap	910	914	920
	STD.(HI Lift)	STD.(HI Lift)	STD.(HI Lift)
m3	kg/m3	kg/m3	kg/m3
* yd3	lbs/yd3	lbs/yd	lbs/yd *

2.1	NA	922 (799)	1097 (914)
* 2.7	NA	1580 (1369)	1880 (1566)*
2.5	NA	744 (644)	889 (746)
* 3.3	NA	1241 (1076)	1484 (1246)*

NA = Not Allowed

NOTE: Front Camera Kit 592-3039 is required for local EU requirements for all high dump buckets. Consult Cat Dealer for additional information. Refer to Product Bulletin at <https://catpublications.com>

W	579-5824	BUCKET-HD, 2.7 YD3, ISO, BOCE 3,170 High Dump Bucket, Width 2400 mm (94"). Includes 1 piece BOCE, Capacity: 2.1m3 (2.7 yd3) fill factor 100%, hyd. lines incl. Turn QDs. FOR USE WITH: ISO Quick Coupler (wide) FOR USE WITH: 914M, 918M and Next Gen 914 + 920 REQUIRES: Forward facing camera kit, 592-3039	\$20,042 NI
W	579-5823	BUCKET-HD, 3.3 YD3, ISO, BOCE 3,212 High Dump Bucket, Width 2400 mm (94"). Includes 1 piece BOCE, Capacity: 2.5m3 (3.3 yd3) fill factor 100%, hyd. lines incl. Turn QDs. FOR USE WITH: ISO Quick Coupler (wide) FOR USE WITH: 914M, 918M and Next Gen 914 + 920 REQUIRES: Forward facing camera kit, 592-3039	\$20,667 NI

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS LARGER THAN 908 (CONT.)

FLAT FLOOR GP PERFORMANCE BUCKETS - For HPL (ISO) Quick Coupler

Bucket selection table: material density kg/m3 (100% fill factor)
Capacity stated with BOCE. STD=Standard Lift

Cap	910K	914K	918M
	STD. (HI Lift)	STD. (HI Lift)	NO HI LIFT
m3	kg/m3	kg/m3	kg/m3
* yd3	lbs/yd3	lbs/yd	lbs/yd *
1.5	1400 (1000)	1700 (1250)	1750
* 2.0	\ 2350 (1700)	\ 2850 (2100)	\ 2900 *
1.6	1300 (950)	1600 (1200)	1650
* 2.1	\ 2200 (1600)	\ 2700 (2000)	\ 2750 *
1.8	1150 (800)	1400 (1000)	1450
* 2.4	\ 1950 (1350)	\ 2350 (1700)	\ 2350 *

If no reference numbers appear below there are currently no items available in your region.

W	488-7005	BUCKET-FF, 1.8 YD3, ISO, WOT 1,490 Includes back grading edge, Weld-On-Adapters J200 and long tips FOR USE WITH: horizontal pin quick coupler (ISO)	\$7,608 NI
W	468-4749	BUCKET-FF, 1.9 YD3, ISO, BOCE 1,492 Includes back grading edge and Bolt-On-Cut.-Edge FOR USE WITH: horizontal pin quick coupler (ISO)	\$6,663 NI
W	488-7006	BUCKET-FF, 1.9 YD3, ISO, WOT 1,378 Includes back grading edge, Weld-On-Adapters J200 and long tips FOR USE WITH: horizontal pin quick coupler (ISO)	\$8,160 NI
W	468-4750	BUCKET-FF, 2.0 YD3, ISO, BOCE 1,525 Includes back grading edge and Bolt-On-Cut.-Edge FOR USE WITH: horizontal pin quick coupler (ISO)	\$7,213 NI
W	468-4751	BUCKET-FF, 2.3 YD3, ISO, BOCE 1,436 Includes back grading edge and Bolt-On-Cut.-Edge FOR USE WITH: horizontal pin quick coupler (ISO)	\$7,828 NI
W	488-7007	BUCKET-FF, 2.2 YD3, ISO, WOT 1,490 Includes back grading edge, Weld-On-Adapters J200 and long tips FOR USE WITH: horizontal pin quick coupler (ISO)	\$8,775 NI

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	------------------------	--------------------	-------------------------

CWL - CURRENT MODELS LARGER THAN 908 (CONT.)**GENERAL PERFORMANCE BUCKETS - Options**

To be ordered loose via Antares / parts:

FOR USE WITH: GP buckets only:

Adapters	: 1 x 1U-2209	ADAPTER-RH	2 x 2J-3505	NUT-FULL
	1 x 1U-2208	ADAPTER-STRAP LH	2 x 6F-0196	BOLT-PLOW
	6 x 9J-4207	ADAPTER	12 x 2J-3506	NUT-FULL
			12 x 5J-4771	BOLT-PLOW

FOR USE WITH: GP and FF buckets:

Tips	: 8 x 1U-3202	TIP-LONG	8 x 8E-6208	PIN-G.E.T.
			8 x 8E-6209	RETAINER AS

FOR USE WITH: GP and FF Buckets:

BOCE	: 1 x 436-9689	EDGE-CUTTING	8 x 2J-3506	NUT-FULL
			8 x 4F-7827	BOLT-PLOW

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS LARGER THAN 908 (CONT.)

LIGHT MATERIAL PERFORMANCE BUCKETS - For IT Quick Coupler

FOR USE WITH: 910K, 910M, 914K, 914M & 918M

Bucket selection table: material density kg/m3 (lbs/yd3) @100% fill factor. Capacity stated with BOCE. STD=Standard Lift

Cap	910M	914M	918M
	STD. (HI Lift)	STD. (HI Lift)	STD. (HI Lift)
m3	kg/m3	kg/m3	kg/m3
* yd3	lbs/yd3	lbs/yd	lbs/yd *
2.5	950 (875)	975 (875)	1125 (950)
* 3.6	1575 (1475)	1650 (1450)	1875 (1575) *
3.0	775 (725)	825 (725)	925 (775)
* 4.1	1325 (1225)	1375 (1200)	1575 (1325) *
3.5	650 (600)	675 (600)	775 (650)
* 4.7	1100 (1025)	1150 (1000)	1300 (1100) *

If no reference numbers appear below there are currently no items available in your region.

W	498-0031	BUCKET-LM, 3.3 YD3, IT, BOCE 792 Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 2.5 m3 (3.3 yd3), fill factor 100% FOR USE WITH: IT (standard) Quick Coupler	\$8,461 NI
W	498-0034	BUCKET-LM, 3.9 YD3, IT, BOCE 854 Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 3.0 m3 (3.9 yd3), fill factor 100% FOR USE WITH: IT (standard) Quick Coupler	\$9,117 NI
W	498-0037	BUCKET-LM, 4.6 YD3, IT, BOCE 914 Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 3.5 m3 (4.6 yd3), fill factor 100% FOR USE WITH: IT (standard) Quick Coupler	\$9,885 NI

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS LARGER THAN 908 (CONT.)

LIGHT MATERIAL PERFORMANCE BUCKETS - For Pin-On

FOR USE WITH: 910K, 910M, 914K, 914M & 918M

Bucket selection table: material density kg/m3 (lbs/yd3) @100% fill factor. Capacity stated with BOCE. STD=Standard Lift

Cap	910M	914M	918M
	STD. (HI Lift)	STD. (HI Lift)	STD. (HI Lift)
m3	kg/m3	kg/m3	kg/m3
* yd3	lbs/yd3	lbs/yd	lbs/yd *
2.5	950 (900)	1000 (900)	1150 (975)
* 3.6	1600 (1500)	1675 (1475)	1900 (1600) *
3.0	775 (725)	800 (700)	900 (775)
* 4.1	1325 (1225)	1350 (1200)	1550 (1300) *
3.5	650 (600)	675 (600)	775 (650)
* 4.7	1075 (1025)	1125 (1000)	1300 (1100) *

If no reference numbers appear below there are currently no items available in your region.

W	498-0033	BUCKET-LM, 3.3 YD3, PO, BOCE816 Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 2.5 m3 (3.3 yd3), fill factor 100% FOR USE WITH: Pin-On	\$8,461 NI
W	498-0036	BUCKET-LM, 3.9 YD3, PO, BOCE 878 Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 3.0 m3 (3.9 yd3), fill factor 100% FOR USE WITH: Pin-On	\$9,117 NI
W	498-0039	BUCKET-LM, 4.6 YD3, PO, BOCE 938 Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 3.5 m3 (4.6 yd3), fill factor 100% FOR USE WITH: Pin-On	\$9,885 NI

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS LARGER THAN 908 (CONT.)

LIGHT MATERIAL PERFORMANCE BUCKETS - For ISO Quick Coupler

FOR USE WITH: 910K, 910M, 914K, 914M & 918M

Bucket selection table: material density kg/m3 (lbs/yd3) @100% fill factor. Capacity stated with BOCE. STD=Standard Lift

Cap	910M	914M	918M
	STD. (HI Lift)	STD. (HI Lift)	STD. (HI Lift)
m3	kg/m3	kg/m3	kg/m3
* yd3	lbs/yd3	lbs/yd	lbs/yd *
2.5	950 (875)	975 (875)	1125 (950)
* 3.6	1575 (1475)	1650 (1450)	1875 (1575) *
3.0	775 (725)	825 (725)	925 (775)
* 4.1	1325 (1225)	1375 (1200)	1575 (1325) *
3.5	650 (600)	675 (600)	775 (650)
* 4.7	1100 (1025)	1150 (1000)	1300 (1100) *

If no reference numbers appear below there are currently no items available in your region.

W	498-0032	BUCKET-LM, 3.3 YD3, ISO, BOCE 804 Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 2.5 m3 (3.3 yd3), fill factor 100% FOR USE WITH: ISO (wide) Quick Coupler	\$8,461 NI
W	498-0035	BUCKET-LM, 3.9 YD3, ISO, BOCE 866 Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 3.0 m3 (3.9 yd3), fill factor 100% FOR USE WITH: ISO (wide) Quick Coupler	\$9,117 NI
W	498-0038	BUCKET-LM, 4.6 YD3, ISO, BOCE 926 Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 3.5 m3 (4.6 yd3), fill factor 100% FOR USE WITH: ISO (wide) Quick Coupler	\$9,885 NI

LIGHT MATERIAL PERFORMANCE BUCKETS - For Fusion Quick Coupler

ONLY AVAILABLE FOR 918M WITH FUSION QUICK COUPLER

W	560-0128	BUCKET-LM, 3.3 YD3, FUS, BOCE 0 Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 2.5 m3 (3.3 yd3), fill factor 100% FOR USE WITH: 918M Standard/High Lift with Fusion Quick Coupler	\$8,461 NI
W	560-0129	BUCKET-LM, 3.9 YD3, FUS, BOCE 0 Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 3.0 m3 (3.9 yd3), fill factor 100% FOR USE WITH: 918M Standard/High Lift with Fusion Quick Coupler	\$9,117 NI
W	560-0130	BUCKET-LM, 4.6 YD3, FUS, BOCE 0 Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 3.5 m3 (4.6 yd3), fill factor 100% FOR USE WITH: 918M Standard/High Lift with Fusion Quick Coupler	\$9,885 NI

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS LARGER THAN 908 (CONT.)

CARRIAGES

W	390-8288	CARRIAGE, PAL CL3, 61", IT 539 1550mm wide Standard Class III carriage FOR USE WITH: Standard Coupler (IT / Horizontal pin) REQUIRES: 2 Tines (Forks), NOT INCLUDED		\$2,386 NI
W	428-2109	CARRIAGE, PAL CL3, 61", ISO 535 1550mm wide Standard Class III carriage FOR USE WITH: Horizontal pin Coupler (ISO) REQUIRES: 2 Tines (Forks), NOT INCLUDED		\$2,386 NI

FORKS (TINES)

A carriage requires 2 forks of the same Class.

W	195-6937	FORK TINE, 2" X 5" X 42" 198 50mm x 130mm x 1070mm (2" x 5" x 42") Hook Type, pull retention Price & Weight Each. Please order 2 for a pair. REQUIRES: Class III Carriage 390-8288 or 428-2109		\$729 NI
W	195-6938	FORK TINE, 2.5" X 5" X 54" 283 50mm x 130mm x 1370mm (2" x 5" x 54") Hook Type, pull retention Price & Weight Each. Please order 2 for a pair. REQUIRES: Class III Carriage 390-8288 or 428-2109		\$1,000 NI

OFFSET FORK TINES

These are loose forks, which require a carriage.
 To have a complete set, order 1 Right and 1 Left tine (fork).

W	241-0921	FORK TINE, 2X5X48 OFFSET, RIGHT 207 1 x Offset Right tine, 50mm off-set, lever retention REQUIRES: 241-0922 FORK TINE, 1220X125X50MM, OFF/LF FOR USE WITH: CARRIAGE, NOT INCLUDED		\$1,572 NI
W	241-0922	FORK TINE, 2X5X48 OFFSET, LEFT 207 1 x Offset Left tine, 50mm off-set, lever retention REQUIRES: 241-0921 FORK TINE, 1220X125X50MM, OFF/RT FOR USE WITH: CARRIAGE, NOT INCLUDED		\$1,572 NI

CARRIAGE and FORKS - For Fusion Quick Coupler

ONLY AVAILABLE FOR 918M WITH FUSION QUICK COUPLER

W	532-8222	CARRIAGE, PAL C3/4, 62", FUS 324 Width: 1566mm (62") Class 4 carriage FOR USE WITH: 918M Standard/High Lift with Fusion Quick Coupler REQUIRES: 2 x 553-3872 or 2 x 553-3873		\$2,610 NI
W	553-3872	FORK, PAL C3, 47" X 5" X 2" 199 Please order 2 pcs to have a full set. FOR USE WITH: 918M Standard/High Lift with Fusion Quick Coupler REQUIRES: 532-8222 Fork Carriage, NOT included		\$765 NI
W	553-3873	FORK, PAL C3, 53" X 5" X 2" 215 Please order 2 pcs to have a full set. FOR USE WITH: 918M Standard/High Lift with Fusion Quick Coupler REQUIRES: 532-8222 Fork Carriage, NOT included		\$1,000 NI

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS LARGER THAN 908 (CONT.)

BROOMS, LARGE - Angle

W	600-8979	BROOM, MANUAL ANGLE, BA25 0 Excluding hook group, 700mm (27.5") brush diameter Manual angling - 0, 15 and 30 degrees left or right of center Sweeping width straight -- max angled: 2500mm (98.4")-- 2165mm(85.2") Brush material - 50% Polypropylene / 50% Steel Wire REQUIRES: Machine side: Hydraulic 3rd valve group with front lines, Continuous flow, Hydraulic quick couplings kit REQUIRES: Broom side: hook group and QDs kit		\$12,319 NI
W	164-8485	BA25 ANGLE BROOM, MAN, IT 1,014 Includes IT hook group, 700mm (27.5") brush diameter Manual angling - 0, 15 and 30 degrees left or right of center Sweeping width straight -- max angled: 2500mm (98.4")-- 2165mm(85.2") Brush material - 50% Polypropylene / 50% Steel Wire FOR USE WITH: standard quick coupler IT14/28 REQUIRES: Machine side: Hydraulic 3rd valve group with front lines, Continuous flow, Hydraulic quick couplings kit REQUIRES: Broom side: QDs kit		\$12,319 NI
W	487-8493	BA25 ANGLE BROOM, HYD, 12V 1,030 Excluding hook group, 700mm (27.5") brush diameter Hydraulic angling 30 degr. left/right of center using 12V Divert Valve Sweeping width straight -- max angled: 2500mm (98.4")-- 2165mm(85.2") Brush material - 50% Polypropylene / 50% Steel Wire REQUIRES: Machine side: Hydr. 3rd valve group with front lines + QDs, Continuous flow, Kit Electrical Switch (see "BROOM KITS" below) REQUIRES: Broom side: hook group and QDs kit		\$15,875 NI
W	497-9458	KIT, BROOM, SPRAY, BA25, 12V 51 FOR USE WITH: BA25		\$1,278 NI

BROOMS, LARGE - Pick-Up

W	487-8483	BP25 PICK-UP BROOM, HYD, 12V 1,349 Excluding hook group 2500mm (98.4") sweeping width, 700mm (27.5") brush diameter Brush material 50% Polypropylene / 50% Steel Wire INCLUDES: Water sprinklers, 12V water pump and 400L (100Gal)watertank REQUIRES: Machine side: Hydr. 3rd valve group with front lines + QDs, Continuous flow, Kit Electrical Switch (see "BROOM KITS" below) REQUIRES: Broom side: hook group and QDs kit		\$22,228 NI
W	164-8489	BP25 PICK-UP BROOM, HYD,IT,12V 1,435 Includes IT hook group 2500mm (98.4") sweeping width, 700mm (27.5") brush diameter Brush material 50% Polypropylene / 50% Steel Wire INCLUDES: Water sprinklers, 12V water pump and 400L (100Gal)watertank FOR USE WITH: standard quick coupler IT14/28 REQUIRES: Machine side: Hydr. 3rd valve group with front lines + QDs, Continuous flow, Kit Electrical Switch (see "BROOM KITS" below) REQUIRES: Broom side: QDs kit		\$22,229 NI

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS LARGER THAN 908 (CONT.)

BROOMS, LARGE - Kits

W	487-8490	HOOK, BROOM, IT	64	\$625 NI
		FOR USE WITH: standard quick coupler IT14/28		
W	487-8480	HOOK, BROOM, ISO (L50)	84	\$743 NI
		FOR USE WITH: ISO quick coupler (wide or L50)		
W	497-9469	HOOK, BROOM, FUSION	324	\$1,111 NI
		FOR USE WITH: 918M with Fusion only.		
W	196-4191	KIT, QDS, PUSH, SIZE 12	3	\$208 NI
		FOR USE WITH: machines with Push to Connect Quick Disc. Coupl. Size 12		
W	497-9461	KIT, BROOM, TANK, BA25, 105GAL	325	\$4,194 NI
		FOR USE WITH: BA25		
		REQUIRES: 497-9458 KIT, BROOM, SPRAY, BA25, 12V		
W	497-9458	KIT, BROOM, SPRAY, BA25, 12V	51	\$1,278 NI
		FOR USE WITH: BA25		
W	455-7380	KIT, LOADER, COUPLING QD	0	\$374 NI
		FOR USE WITH: machines with Turn to Connect Quick Disc. Coupl. Size 12		
W	177-0893	KIT, BROOM, ELEC, BHL	7	\$292 NI
		Not required if machine has 4V hydraulics and WT Electrical.		
W	269-9333	KIT, SA25, SHIELD EXTENSION	15	\$292 NI
		Extension spray protection for BA25		

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS LARGER THAN 908 (CONT.)

SNOWPLOWS

Availability can be restricted due to snow season.
 Please contact your BCP Work Tools contact.

W	481-3672	SNOW PLOW, 10', IT1,990 Hydraulic Angling - 30 degrees left or right of center Overall width: 3045 mm (120"), Blade height: 800 mm (31") 2 trip edges 203 mm (8") height each with a 1 piece bolt-on cutting edge and each with 4 adjust. trip springs 2 heavy duty adjustable skid feet Hydraulic lines with "Turn to Connect" quick disconnects FOR USE WITH: standard quick coupler IT14/28 REQUIRES: 3rd Valve on the machine		\$8,667 NI
W	481-3673	SNOW PLOW, 12', IT2,185 Hydraulic Angling - 30 degrees left or right of center Overall width: 3658 mm (144"), Blade height: 800 mm (31") 2 trip edges 203 mm (8") height each with a 1 piece bolt-on cutting edge and each with 4 adjust. trip springs 2 heavy duty adjustable skid feet Hydraulic lines with "Turn to Connect" quick disconnects FOR USE WITH: standard quick coupler IT14/28 REQUIRES: 3rd Valve on the machine		\$9,285 NI

SNOW PLOW, ANGLING, HEAVY DUTY - For IT

W	396-2548	SNOW PLOW, 10', IT1,984 Hydraulic angling snow plow, 35 deg. left/right over center Working width straight - angled: 3142mm (123.7") - 2574mm (101.4") Working height: 1019mm (40.1"), Blade radius: 510mm (20.1") INCLUDES: 3 piece bolt-on steel non trip cutting edge, 2 skids 2 lights on the plows ends, electric harness and connect. lines FOR USE WITH: standard quick coupler IT14/28 NOT FOR USE WITH: 918M in Japan ONLY REQUIRES: 3rd valve on machine and wiring in the lights		\$19,069 NI
---	----------	--	--	--------------------

SNOW / MULTI V-PLOW, HEAVY DUTY - For IT

W	396-2552	SNOW V-PLOW, 10', IT2,590 Hydraulic angling snow V-plow, both sides in- / outwards: 35/30 deg Working width straight not angled: 2870mm (113") Working width straight angled: 2577mm (101.5") Working width straight V-angled: 2108mm (83") Height V wing end: 1134mm (44.6"), Blade radius: 650mm (25.6") INCLUDES: 2 piece bolt-on steel non trip cutting edge both wings, bolt on center cutting edge in the center, 2 height adjust. skids, 2 lights on each wing end, electric harness and connect. lines FOR USE WITH: standard quick coupler IT14/28 NOT FOR USE WITH: 918M in Japan ONLY REQUIRES: 3rd & 4th valve on machine and wiring in the lights		\$27,069 NI
---	----------	---	--	--------------------

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - CURRENT MODELS LARGER THAN 908 (CONT.)

SNOW STRAIGHT PUSHES

Availability can be restricted due to snow season.
Please contact your BCP Work Tools contact.

W	479-8087	SNOW PUSH, 10', IT 1,800 3219 mm (126") overall width, 3067 mm (120") working width 906mm (36") moldboard height, 2 heavy duty adjustable skid shoes 2 trip edges 137mm (5.4") height each with a 1 piece STEEL Bolt-on-Cutting edge and each with 4 adjustable trip springs FOR USE WITH: standard quick coupler IT14/28		\$6,757 NI
W	479-8091	SNOW PUSH, 12', IT 1,990 3829 mm (150") overall width, 3677 mm (144") working width 906mm (36") moldboard height, 2 heavy duty adjustable skid shoes 2 trip edges 137mm (5.4") height each with a 1 piece STEEL Bolt-on-Cutting edge and each with 4 adjustable trip springs FOR USE WITH: standard quick coupler IT14/28		\$7,424 NI
W	508-8290	SNOW PUSH, 10', IT, R.TRIP 1,678 Incl. 2 section trip edge each with 4 adjustable springs, each with a bolt-on rubber edge 38mmx203mm (1.5"x 8") approx 50mm(2") adjust. Width 3.05m (10'), with bolt side skids, Overall Height 966mm (38") FOR USE WITH: standard quick coupler IT14/28		\$6,403 NI
W	508-8295	SNOW PUSH, 12', IT, R.TRIP 1,865 Incl. 2 section trip edge each with 4 adjustable springs, each with a bolt-on rubber edge 38mmx203mm (1.5"x 8") approx 50mm(2") adjust. Width 3.66m (12'), with bolt side skids, Overall Height 966mm (38") FOR USE WITH: standard quick coupler IT14/28		\$6,993 NI

SNOW PUSH BUCKET RECEIVER

To fit on buckets (with no GETs) and are hold in place with chains.
Availability can be restricted due to snow season.
Please contact your BCP Work Tools contact.

W	479-8088	SNOW PUSH, 10', BKT REC 1,990 3219 mm (126") overall width, 3067 mm (120") working width 906mm (36") moldboard height, 2 heavy duty adjustable skid shoes 2 trip edges 137mm (5.4") height each with a 1 piece STEEL Bolt-on-Cutting edge and each with 4 adjustable trip springs FOR USE WITH: any loader bucket with NO GETs.		\$6,757 NI
W	479-8092	SNOW PUSH, 12', BKT REC 2,180 3829 mm (150") overall width, 3677 mm (144") working width 906mm (36") moldboard height, 2 heavy duty adjustable skid shoes 2 trip edges 137mm (5.4") height each with a 1 piece STEEL Bolt-on-Cutting edge and each with 4 adjustable trip springs FOR USE WITH: any loader bucket with NO GETs.		\$7,424 NI
W	508-8300	SNOW PUSH, 10', REC, R.TRIP 1,865 Incl. 2 section trip edge each with 4 adjustable springs, each with a bolt-on RUBBER edge 38mmx203mm (1.5"x 8") approx 50mm(2") adjust. Width 3.05m (10'), with bolt side skids, Overall Height 966mm (38") FOR USE WITH: any loader bucket with NO GETs.		\$6,403 NI

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-------------------------------	--------------------	-------------------------

CWL - CURRENT MODELS LARGER THAN 908 (CONT.)

SNOW PUSH BUCKET RECEIVER (Cont.)

W	508-8305	SNOW PUSH, 12', REC, R.TRIP 2,055 Incl. 2 section trip edge each with 4 adjustable springs, each with a bolt-on RUBBER edge 38mmx203mm (1.5"x 8") approx 50mm(2") adjust. Width 3.66m (12'), with bolt side skids, Overall Height 966mm (38") FOR USE WITH: any loader bucket with NO GETs.		\$6,993 NI
---	----------	--	--	-------------------

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - NON CURRENT MODELS

903C & 903C2 - BUCKETS - General Purpose

W	276-5715	BUCKET-GP, 0.8 YD3, SSL, BOCE 686 70" (1770mm) wide, includes 1 piece Bolt on edge FOR USE WITH: 903C2 with Skid Steer Coupler		\$3,140 NI
W	384-1700	BUCKET-GP, 1.0 YD3, SSL, BOCE 814 74" (1880mm) wide, incl 1 piece Bolt-on cutting edge FOR USE WITH: 903C2 with Skid Steer Coupler		\$3,190 NI

903C & 903C2 - BUCKETS: Light Material

W	261-1368	BUCKET-LM, 1.3 YD3, SSL, BOCE 862 70" (1780mm) wide, incl 1 piece Bolt-on cutting edge FOR USE WITH: 903C2 with Skid Steer Coupler		\$3,771 NI
---	----------	--	--	------------

903C & 903C2 - BUCKETS: Material Handling

W	472-2546	BUCKET-MH, 86", BOCE 804 1.43 YD3 / 38.6 CFT (1.07 M3) Heaped Capacity INCLUDES: Bolt-on cutting edge, 1 piece FOR USE WITH: 903C2 with Skid Steer Coupler		\$2,326 NI
W	472-2548	BUCKET-MH, 98", BOCE 881 1.63 YD3 / 44.8 CFT (1.25 M3) Heaped Capacity INCLUDES: Bolt-on cutting edge, 1 piece FOR USE WITH: Skid Steer Coupler		\$2,403 NI
W	469-0774	BUCKET-MH, 104", BOCE 920 1.74 YD3 / 47.8 CFT (1.33 M3) Heaped Capacity INCLUDES: Bolt-on cutting edge, 1 piece FOR USE WITH: Skid Steer Coupler		\$2,444 NI

903C & 903C2 - CARRIAGES and FORKS (TINES)

W	261-1315	CARRIAGE, 46" CLASS II 190 46" (1170mm) wide REQUIRES: 2 Tines (Forks) Class II, NOT INCLUDED FOR USE WITH: Skid Steer Coupler		\$1,478 NI
W	195-6943	FORK, PAL C2, 36" X 4" X 1.5" 92 1.5" x 4" x 36" (40mm x 100mm x 910mm) Hook Type, pull retention Price & Weight Each. Please order 2 for a pair. REQUIRES: Class II Carriage 261-1315		\$174 NI
W	195-6942	FORK, PAL C2, 42" X 4" X 1.5" 104 1.5" x 4" x 42" (40mm x 100mm x 1070mm) Hook Type, pull retention Price & Weight Each. Please order 2 for a pair. REQUIRES: Class II Carriage 261-1315		\$208 NI

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - NON CURRENT MODELS (CONT.)

903C & 903C2 SSL Work Tools

The selection table below, gives you an indication of the requirements for the 903C2 to operate the SSL tools. For further details on the tools see section 906-908. For 903C the ROPS does not allow most tools Aux lines only as field installed kit 457-6221.
 No worktool harness kit available

Work tools Compatible | Remarks for 903C2 only
 903C - 903C2 | but also applies for 903C

Augers: SF	C - C	Lift/Tilt + Ground Speed
HF	NC - NC	No HF or HF XPS available
Blades: Angle	C - C	Lift/Tilt
Dozer	NC - NC	Lift/Tilt + Ground Speed
Brooms: Angle Man	NC - C	Ground Speed
Angle Hydr	NC - C	Lift/Tilt + Ground Speed
Utility	NC - C	Lift/Tilt + Ground Speed
Pick up	NC - C	Lift/Tilt + Ground Speed
Brushcutter BR160	C - C	Ground Speed
SF	NC - NC	Oil Flow + Ground Speed
HF	NC - NC	No HF or HF XPS available
Buckets, GP, LP, MP, LM	C - C	Lift/Tilt for MP
Cold planers: SF	NC - C	Ground speed
HF PC205B	NC - NC	No HF or HF XPS available
HF PC3XXB	NC - NC	No HF or HF XPS available
Carriages and Forks	C - C	Might hit linkage
Grapple Bucket 368-2500		
Hammers	NC - NC	No hammers allowed
Industrial / Utility		
grapple buckets	NC - C	Lift/Tilt
grapple forks	NC - C	Lift/Tilt
grapple rakes	NC - C	Lift/Tilt
Landscape Rake	C - C	Lift/Tilt + Ground Speed
Landscape Tiller	C - C	Lift/Tilt + Ground Speed
MH Arm	C - C	Might hit linkage
Mulchers	NC - NC	
Power Box Rake	NC - NC	
Saw Wheel	NC - NC	No HF or HF XPS available
Snow Blower: SF	NC - NC	No harness, No 3 buttons
HF	NC - NC	No HF or HF XPS available
Stump Grinder: SF	C - C	No harness, No 3 buttons

Ground Speed: For optimal tool performance a slow groundspeed is required, which is difficult to realise.
 Lift/ Tilt: The machine will only allow you to either tilt or lift. You can not do both at the same time.

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - NON CURRENT MODELS (CONT.)

904B AND 904H - General Purpose Buckets

W	276-5715	BUCKET-GP, 0.8 YD3, SSL, BOCE 686 70" (1770mm) wide, includes 1 piece Bolt on edge FOR USE WITH: Skid Steer Coupler		\$3,140 NI
W	384-1700	BUCKET-GP, 1.0 YD3, SSL, BOCE 814 74" (1880mm) wide, incl 1 piece Bolt-on cutting edge FOR USE WITH: Skid Steer Coupler		\$3,190 NI

904B AND 904H - Light Material Buckets

W	261-1368	BUCKET-LM, 1.3 YD3, SSL, BOCE 862 70" (1780mm) wide, incl 1 piece Bolt-on cutting edge FOR USE WITH: Skid Steer Coupler		\$3,771 NI
---	----------	---	--	------------

904B AND 904H - Industrial Grapple Buckets

W	157-7226	BUCKET-IND. GR, 62", BOCE 1,045 Includes Bolt on Cutting Edge, 1 piece. Two Cylinders and Two Heavy Duty Grapple Assemblies.		\$4,700 NI
W	157-7227	BUCKET-IND. GR, 68", BOCE 1,074 Includes Bolt on Cutting Edge, 1 piece. Two Cylinders and Two Heavy Duty Grapple Assemblies.		\$4,932 NI
W	158-6095	BUCKET-IND. GR, 74", BOCE 1,104 Includes Bolt on Cutting Edge, 1 piece. Two Cylinders and Two Heavy Duty Grapple Assemblies.		\$5,522 NI
W	217-6230	BUCKET-IND. GR, 80", BOCE 1,142 Includes Bolt on Cutting Edge, 1 piece. Two Cylinders and Two Heavy Duty Grapple Assemblies.		\$6,074 NI

904B AND 904H - Carriages and Forks (Tines)

W	223-5141	CARRIAGE, 51", CLASS III 430 Standard Class III Hook Carriage. Does Not Include Tines.		\$2,472 NI
W	261-1315	CARRIAGE, 46" CLASS II 190 46" (1170mm) wide FOR USE WITH: Skid Steer Coupler REQUIRES: 2 Tines (Forks) Class II, NOT INCLUDED		\$1,478 NI
W	195-6943	FORK, PAL C2, 36" X 4" X 1.5" 92 1.5" x 4" x 36" (40mm x 100mm x 910mm) Hook Type, pull retention Price & Weight Each. Please order 2 for a pair. REQUIRES: Class II Carriage 261-1315		\$174 NI
W	195-6942	FORK, PAL C2, 42" X 4" X 1.5" 104 1.5" x 4" x 42" (40mm x 100mm x 1070mm) Hook Type, pull retention Price & Weight Each. Please order 2 for a pair. REQUIRES: Class II Carriage 261-1315		\$208 NI

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - NON CURRENT MODELS (CONT.)

904B AND 904H - Carriages and Forks (Tines) (Cont.)

W	149-7665	FORK, PALLET 44" CLASS II 110 2" x 4" x 44" (50mm x 100mm x 1120mm) Hook Type, lever retention Price & Weight Each. Please order 2 for a pair. REQUIRES: Class II Carriage 261-1315		\$215 NI
W	195-8545	FORK, PAL C2, 48" X 4" X 1.5" 114 1.5" x 4" x 48" (40mm x 100mm x 1220mm) Hook Type, pull retention Price & Weight Each. Please order 2 for a pair. REQUIRES: Class II Carriage 261-1315		\$222 NI

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	------------------------	--------------------	-------------------------

CWL - NON CURRENT MODELS (CONT.)**904B AND 904H - Worktool Compatibility**

THE FOLLOWING WORKTOOLS CAN BE USED WITH 904B, 904H:
Please check 906-908 section for details and price.

Work tools	Compatible	Remarks
Augers: SF	C	
HF	NC	
Bale spear	C	
Blades: Angle	C	
Dozer	NC	
Brooms: Angle Man	C	
Angle Hydr	C	
Pick up	C	
Brushcutter	NC	
Cold planers: SF PC104B	C	
HF PC205B	NC	
HF PC3XXB	NC	
Grapple Bucket 368-2500	C	
Hammers	NC	
Industrial / Utility		
grapple buckets	NC	
grapple forks	NC	
grapple rakes	NC	
Landscape Rake	C	
Landscape Tiller	C	
MH Arm	C	
Mulchers	NC	
Power Box Rake	C	
Saw Wheel	NC	
Snow Blower: SF	C	
HF	NC	
Stump Grinder: SF	C	
HF	NC	
Trencher: SF	C	
HF	NC	
Virbratory Compactor	C	

C = Compatible, NC = Not Compatible/Not Allowed
SF = Standard Flow, HF = High Flow

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - NON CURRENT MODELS (CONT.)

906A-908A

The SSL style type coupler of the 906A and 908A is NOT identical to the SSL coupler of 906H/M-908H/M.

W	138-8931	BUCKET-GP, 1.0 YD3, BOCE	790	\$3,069 NI
		74" (1880mm) wide, base edge with drilled mounting holes FOR USE WITH: 906A with vertikal wedge (SSL style) Coupler		
W	138-8905	BUCKET-GP, 1.3 YD3, BOCE	985	\$3,392 NI
		81" (2060mm) wide, base edge with drilled mounting holes FOR USE WITH: 908A with vertikal wedge (SSL style) Coupler		

HOOKS FOR USE WITH 906A-908A SSL COUPLERS

W	190-7558	HOOK, BLANK, SSL TYPE A	0	\$2,417 NI
		FOR USE WITH: 906-908 A series with SSL type quick coupler CAN NOT BE USED WITH: 906-908H/K/M with SSL quick coupler		

906H / 906H2 / 907H / 907H2 / 908H / 908H2

See section "CWL - CURRENT MODELS 906-907-908"
 Linkage is identical with 906K/M-907K/M-908K/M

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CWL - NON CURRENT MODELS (CONT.)

IT14 AND IT14G

The CWTS Work tools for IT can be used on current CWL machines with IT QC with exception of ALL buckets. Buckets can interfere with the lines and/or have the wrong dump angle.

IT14 AND IT14G - Buckets

W	112-3121	BUCKET-GP, 1.7 YD3, IT	1,104	\$5,251 NI
		FOR USE WITH: standard quick coupler (IT)		

IT14 AND IT14G - Carriages and Forks

W	6W-8832	CARRIAGE, PALLET, 61", IT	699	\$2,511 NI
		FOR USE WITH: Standard Coupler (IT / Horizontal pin) REQUIRES: 2 Tines (Forks), NOT INCLUDED		
W	195-6937	FORK TINE, 2" X 5" X 42"	198	\$729 NI
		Order Quantity of 2 for a pair.		
W	195-6938	FORK TINE, 2.5" X 5" X 54"	283	\$1,000 NI
		Order Quantity of 2 for a pair.		

IT14 AND IT14G - Lumber and Log Forks

W	231-2284	FORK, LOG & LUMBER (QC)-IT	1,800	\$9,767 NI
		DUMP CLEARANCE: 95"(2413mm) INCLUDES: 86"(2184mm) carriage and 60"(1524mm) floating tines		
W	242-4048	FORK, PALLET, S-NF, 48", IT	1,144	\$6,496 NI
		62"(1575mm) carriage and 48"(1219mm) swinging tines		
W	242-4050	FORK, PALLET, S-NF, 72", IT	1,374	\$7,392 NI
		62"(1575mm) carriage and 72"(1829mm) swinging tines		
W	243-3315	FORK, PAL, S-NF, 72", HYD, IT	1,400	\$9,664 NI
		MAXIMUM LOAD: 5500 lbs(2495kg) INCLUDES: 72"(1829mm) carriage and 48"(1219mm) hydraulic adjustable, swinging tines		

IT14 AND IT14G - Material Handling Arm

W	229-9714	ARM, MATERIAL HANDLING, IT	990	\$5,104 NI
		For safe handling of bulky objects. Mechanically adjustable to 3 positions, length from 79" to 117" to 155". Also fits Backhoe Loader and Telehandler Machines		

CATERPILLAR MACHINE PRICE LIST

WT-CWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-------------------------------	--------------------	-------------------------

CWL - NON CURRENT MODELS (CONT.)

914G AND 914G2

914G/914G2 are not exchangeable with 914K/914M

914G AND 914G2 - Buckets

W	112-1257	BUCKET-GP, 1.7 YD3	946	\$5,251 NI
---	----------	--------------------------	-----	-------------------