

CATERPILLAR MACHINE PRICE LIST

WT-HM

HYDRO-MECHANICAL WORK TOOLS

Ship Weight
lbs

List Price
At Factory

Standard Equipment:

THIS IS THE PRICE LIST FOR
HYDRO-MECHANICAL WORK TOOLS.

IN THIS PRICE LIST, PRODUCTS ARE LISTED
BY WORK TOOL FAMILY IN THE FOLLOWING
SEQUENCE:

- COMPACTING VIBRATORY PLATES
- FORESTRY GRAPPLE
- MULCHERS
- MULTI-PROCESSORS
- PULVERIZERS
- SHEARS
- DEMOLITION AND SORTING GRAPPLES
- ORANGE PEEL GRAPPLES

ALL ORDERS MUST BE DONE THROUGH CMOPS.

FOR QUESTIONS, SUPPORT AND QUOTATIONS
PLEASE CONTACT YOUR LOCAL WORK TOOL
SALES REPRESENTATIVE OR COMMERCIAL
ANALYST

STABILITY:

Always check the machine configuration
with the desired work tool combination
on stability. This price list only indi-
cates possible tool-machine combinations
Actual stability depends on machine-tool
configuration, with or without quick
coupler, and sort of application.

WARNING:

Demolition tools can create a hazard
from flying objects. Caterpillar recom-
mends installing front guards on the
cabs of the excavators. Failure to do so
can lead to injury or death.

MACHINE HYDRAULICS REQUIREMENT:

In order to operate a Hydro-Mechanical
Work Tool, the machine must be equipped
with control and hydraulic lines for
rotation and/or opening/closing.

TOP LEVEL

CATERPILLAR MACHINE PRICE LIST

WT-HM

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

COMPACTING VIBRATORY PLATES

CVP75 COMPACTOR

For Caterpillar machine models:
 311F, 312D2, 312D2 GC, 312E, 313D2, 313D2 LGP, 313F GC,
 313, 313GC, 314E CR, 314F, 315F CR, 315, 315GC, 316E,
 316F, 317, 317GC, 318D2, 318E, 318F
 M313D, M314F, M314, M315D, M315D2, M315F, M315, M316D,
 M316F, M316, M317D2, M317F, M318D, M318F, M318, M320D2,
 M320F, M320, M322F

W	205-5901	CVP75 COMPACTOR PLATE	1,765	\$13,056 NI
		REQUIRES: Mounting bracket and connecting lines		
		OPTIONAL: Blade, backfill		
W	212-3450	BLADE, BACKFILL	242	\$1,660 NI

CVP75 MOUNTING BRACKETS

W	482-2130	BRACKET, MOUNTING	313	\$3,896 NI
		FOR USE WITH: 311, 312, 313, 314 and 315F		
W	485-6860	BRACKET, MOUNTING	425	\$3,892 NI
		FOR USE WITH: 315D, 316E, 316F, 317, 317GC, 318E, 318F, 318D2 and M313D, M314F, M315D, M315F, M315D2, M316D, 7F, M318F M316F, M316, M317D2, M317F, M318F, M318, M319		
W	325-9326	BRACKET, MOUNTING (B)	443	\$3,954 NI
		FOR USE WITH: B-linkage		
W	215-6525	BRACKET, MOUNTING(QC)-PIN LOCK	282	\$2,996 NI
		FOR USE WITH: Cat. 312, A-linkage and excavators equipped with Pin Lock Quick Coupler 208-3655		
W	215-6527	BRACKET, MOUNTING(QC)-PIN LOCK	571	\$5,151 NI
		FOR USE WITH: Cat 315, 316 Linkage and excavators equipped with Pin Lock Quick Coupler 208-3657		
W	265-3831	BRACKET, SWIVEL	410	\$3,046 NI
W	573-7065	BRACKET, MOUNTING S60	227	\$3,847
		FOR USE WITH: Excavators fitted with S60 Coupler		
W	572-8090	BRACKET, MOUNTING S70	377	\$3,847
		FOR USE WITH: Excavators fitted with S70 Coupler		

CVP75 CONNECTING LINES

W	213-0472	LINES, CONNECTING	22	\$753 NI
---	----------	-----------------------------	----	----------

CATERPILLAR MACHINE PRICE LIST

WT-HM

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

COMPACTING VIBRATORY PLATES (CONT.)

CVP110 COMPACTOR

For Caterpillar machine models:

320, 320 GC, 323

320D2, 320D2 GC, 320E, 320E RR, 320F, 323D2, 323E, 323F, 324E,

325F CR, 325, 326D2, 326F, 326, 329E, 330D2, 330F, 330, 330GC,

335F CR, 335, 336D2, 336D2 GC, 336D2 XE, 336E, 336E H, 336F,

336F XE, 336, 336GC, 340D2, 340F, 340, 340F UHD, 340UHD,

M320,M322D, M322D2, M322F

FOR THE 320GC PLEASE CONTACT YOUR WT SPECIALIST FOR COMPATIBILITY

W	205-5902	CVP110 COMPACTOR PLATE 2, 319 REQUIRES: Mounting bracket and connecting lines OPTIONAL: Blade, backfill		\$22,265 NI
---	----------	-------------------------------------------------------------------------------------------------------------------------	--	-------------

W	212-0789	BLADE, BACKFILL 346		\$2,138 NI
---	----------	-------------------------------	--	------------

CVP110 MOUNTING BRACKETS

W	325-9326	BRACKET, MOUNTING (B) 443 FOR USE WITH: B-linkage		\$3,954 NI
---	----------	----------------------------------------------------------------	--	------------

W	484-7110	BRACKET, MOUNTING 560 FOR USE WITH: CB-linkage		\$5,768 NI
---	----------	-------------------------------------------------------------	--	------------

W	572-7115	BRACKET, MOUNTING S80 529 FOR USE WITH: Excavators fitted with S80 Coupler		\$5,333
---	----------	-----------------------------------------------------------------------------------------	--	---------

W	572-8090	BRACKET, MOUNTING S70 377 FOR USE WITH: Excavators fitted with S70 Coupler		\$3,847
---	----------	-----------------------------------------------------------------------------------------	--	---------

W	482-4315	BRACKET, MOUNTING (DB) 646 FOR USE WITH: DB-linkage		\$5,768 NI
---	----------	------------------------------------------------------------------	--	------------

W	573-7065	BRACKET, MOUNTING S60 227 FOR USE WITH: Excavators fitted with S60 Coupler		\$3,847
---	----------	-----------------------------------------------------------------------------------------	--	---------

W	486-9260	BRACKET, MOUNTING (TB) 891 FOR USE WITH: TB-linkage		\$5,768 NI
---	----------	------------------------------------------------------------------	--	------------

W	265-3831	BRACKET, SWIVEL 410		\$3,046 NI
---	----------	-------------------------------	--	------------

CVP110 CONNECTING LINES

W	212-0785	LINES, CONNECTING 27		\$753 NI
---	----------	--------------------------------	--	----------

CATERPILLAR MACHINE PRICE LIST

WT-HM

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

FORESTRY

FORESTRY GRAPPLES FOR PIN-ON

Forestry Grapple for Log Loading in Forestry, Millyard and Port applications

W	271-1533	GRAPPLE, GLL52B LOG LOADING 2,760 INCLUDES: -GLL52B grapple -Hoses for Cat grapples FOR USE WITH: 538, 548,MH3022, MH3024, MH3026		\$29,638 NI
W	271-1534	GRAPPLE, GLL55B LOG LOADING 2,861 INCLUDES: -GLL55B grapple -Hoses for Cat grapples FOR USE WITH: 538, 548, 558, 568, MH3040,MH3024, MH3026		\$31,064 NI
W	591-0044	GRAPPLE, GLL60 LOG LOADING 3,060 INCLUDES: -GLL60 grapple -Hoses for Cat grapples FOR USE WITH: 558, 568, MH3040		\$33,433 NI
W	340-7720	HEEL FABRICATION, UNDER/UNDER 0 Heel fabrication only REQUIRES: Cylinder and Connecting Lines available from Antares FOR USE WITH: GLL52B & GLL55B Grapples FOR USE WITH: 538 Under/Under configuration		\$7,049 NI
W	135-2057	HEEL FABRICATION, UNDER/UNDER 0 Heel fabrication only REQUIRES: Cylinder and Connecting Lines available from Antares FOR USE WITH: GLL52B & GLL55B Grapples FOR USE WITH: 548 Under/Under configuration		\$7,331 NI
W	132-5390	HEEL FABRICATION, UNDER/UNDER 0 Heel fabrication only REQUIRES: Cylinder and Connecting Lines available from Antares FOR USE WITH: GLL55B & GLL60B Grapples FOR USE WITH: 558 Under/Under configuration		\$7,613 NI
W	134-0764	HEEL FABRICATION, UNDER/UNDER 0 Heel fabrication only REQUIRES: Cylinder and Connecting Lines available from Antares FOR USE WITH: GLL55B & GLL60B Grapples FOR USE WITH: 568 Under/Under configuration		\$7,894 NI

BRACKETS FOR GLL GRAPPLES

W	594-8550	LINKAGE GROUP. 196 FOR USE WITH: GLL Grapples FOR USE WITH: MH3040 (Y-Linkage)		\$3,383 NI
---	----------	-------------------------------------------------------------------------------------------------------	--	-------------------

CATERPILLAR MACHINE PRICE LIST

WT-HM

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

FORESTRY (CONT.)

BRACKETS FOR GLL GRAPPLES (Cont.)

W	594-8551	LINKAGE GROUP 192 FOR USE WITH: GLL Grapples FOR USE WITH: MH3022, MH3024, MH3026		\$3,383 NI
---	----------	---------------------------------------------------------------------------------------------------	--	------------

FORESTRY GRAPPLE CONNECTING LINES

W	602-0268	LINES, CONNECTING 24 FOR USE WITH: GLL grapples MH3022, MH3024, MH3026, MH3040		\$1,410 NI
W	244-3138	LINES, CONNECTING 0 REQUIRES: 244-3146 for Quick Disconnect		\$1,682 NI

MULCHERS

MULCHERS FOR PIN-ON

Hydraulic mulcher to mulch trees and undergrowth up to 152mm-305mm (6"-12") in diameter, for use in forestry, landscaping, agriculture, and land management. Caterpillar recommends a machine configuration with appropriate guarding for maximum protection.

HM2615 MULCHERS

Not for use with GC Machines

W	575-1209	MULCHER, HM2615 2,315 contains Standard type Drum and Teeth Overall / Working width: 1856mm (73") / 1575mm (62") Overall height: 711mm (28"), Length 888mm (35") Maximum Cutting diameter 152mm (6") Hydraulic Flow range: 98-201 lpm (26-53 gpm) Hydraulic Pressure range 179-345 bar (2600-5000 psi) INCLUDES: Poly Chain Belt Drive drum with 34 fixed teeth Variable Torque Hydraulic Piston Motor FOR USE WITH: 311F, 313, 315F, 315, 317, M314F, M314, M316, M317F, M318 REQUIRES: Mounting Bracket and pins, connecting lines, Case drain kit 582-7934. See Case drain installation instructions for any additional parts needed. HEX machines require Electrical Kit 570-2146 Alternative Rock Teeth 475-2813 are available from the Parts system		\$36,263 NI
---	----------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------

CATERPILLAR MACHINE PRICE LIST

WT-HM

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

MULCHERS (CONT.)

MULCHERS FOR PIN-ON (Cont.)

W	575-1216	MULCHER, HM2615 W/BITE LIMITER 2,480 contains Bite Limiter type Drum and Teeth Overall / Working width: 1856mm (73") / 1565mm (62") Overall height: 711mm (28"), Length 888mm (35") Maximum Cutting diameter 152mm (6") Hydraulic Flow range: 98-201 lpm (26-53 gpm) Hydraulic Pressure range 179-345 bar (2600-5000 psi) INCLUDES: Poly Chain Belt Drive drum with 26 fixed teeth Variable Torque Hydraulic Piston Motor FOR USE WITH: 311F, 313, 315F, 315, 317, M314F, M314, M316, M317F, M318 REQUIRES: Mounting Bracket and pins, connecting lines, Case drain kit 582-7934. See Case drain installation instructions for any additional parts needed. HEX machines require Electrical Kit 570-2146		\$37,085 NI
---	----------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------

HM2615 MOUNTING BRACKETS

W	570-2127	BRACKET, MOUNTING 298 INCLUDES: Pins FOR USE WITH: HM2615 Mulcher FOR USE WITH: 312 linkage FOR USE WITH: 311F, 312F, 313, 313F, 314F, 315, 315F, M314		\$2,369 NI
W	570-2128	BRACKET, MOUNTING 313 INCLUDES: Pins FOR USE WITH: HM2615 Mulcher FOR USE WITH: WHEX linkage FOR USE WITH: M314F, M315F, M316F, M317F		\$2,369 NI
W	580-8682	BRACKET, MOUNTING 386 INCLUDES: Pins FOR USE WITH: HM2615 Mulcher FOR USE WITH: 316 linkage FOR USE WITH: 316F, 317, M316, M318, M319		\$2,575 NI
W	596-6444	BRACKET, MOUNTING 150 FLAT TOP BRACKET FOR USE WITH: Competitive Machine Linkages and Dedicated Quick Coupler		\$1,115 NI

HM2615 CONNECTING LINES

W	577-8543	LINES, CONNECTING 31 FOR USE WITH: HM2615 Mulcher FOR USE WITH: 312 linkage FOR USE WITH: 311F, 312F, 313, 313F, 314F, 315, 315F Medium Pressure lines to control Mulcher door not included		\$924 NI
---	----------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-----------------

CATERPILLAR MACHINE PRICE LIST

WT-HM

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

MULCHERS (CONT.)

MULCHERS FOR PIN-ON (Cont.)

W	577-8544	LINES, CONNECTING 31 FOR USE WITH: HM2615 Mulcher FOR USE WITH: WHEX linkage FOR USE WITH: M314F, M315F, M316F, M317F, M318		\$924 NI
W	580-9574	LINES, CONNECTING 37 FOR USE WITH: HM2615 Mulcher FOR USE WITH: 316 linkage FOR USE WITH: 316F, 317, M316, M318, M319 Medium Pressure lines to control Mulcher door not included		\$1,221 NI

HM4015 MULCHERS

Not for use with GC Machines

For high production applications on 320 & 323 Next Gen HEX machines please contact Cat Work Tools

W	575-1210	MULCHER, HM4015 3,417 contains Standard type Drum and Teeth Overall / Working width: 1871mm (74") /1565mm (62") Overall height: 964mm (38"), Length 952mm (37") Maximum Cutting diameter 305mm (12") Hydraulic Flow range: 151-201 lpm (40-53 gpm) Hydraulic Pressure range 207-345 bar (3000-5000 psi) INCLUDES: Poly Chain Belt Drive drum with 44 fixed teeth Variable Torque Hydraulic Piston Motor FOR USE WITH: 320, 323, 325F, 325, 326, 316F-326F, 340LRE, 340, 352 LRE, 352, M318F, M318, M320, M322F, MH3022, MH3024, MH3026 REQUIRES: Mounting Bracket and pins, connecting lines, Case drain kit 582-7934. See Case drain installation instructions for any additional parts needed. HEX machines require Electrical Kit 570-2146 Alternative Rock Teeth 475-2813 are available from the Parts system		\$52,542 NI
---	----------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------

CATERPILLAR MACHINE PRICE LIST

WT-HM

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

MULCHERS (CONT.)

MULCHERS FOR PIN-ON (Cont.)

W	575-1211	MULCHER, HM4015 W/BITE LIMITER 3,616 contains Bite Limiter type Drum and Teeth Overall / Working width: 1871mm (74") / 1565mm (62") Overall height: 964mm (38"), Length 952mm (37") Maximum Cutting diameter 305mm (12") Hydraulic Flow range: 151-201 lpm (40-53 gpm) Hydraulic Pressure range 207-345 bar (3000-5000 psi) INCLUDES: Poly Chain Belt Drive drum with 26 fixed teeth Variable Torque Hydraulic Piston Motor FOR USE WITH: 320, 323, 325F, 325, 326, 316F-326F, 340 LRE, 340, MH3022, MH3024, MH3026, 325F REQUIRES: Mounting Bracket and pins, connecting lines, Case drain kit 582-7934. See Case drain installation instructions for any additional parts needed. HEX machines require Electrical Kit 570-2146		\$53,364 NI
---	----------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------

HM4015 MOUNTING BRACKETS

W	570-2138	BRACKET, MOUNTING 441 INCLUDES: Pins FOR USE WITH: HM4015 Mulcher FOR USE WITH: 316 linkage FOR USE WITH: 316F, 318F		\$2,575 NI
W	570-2140	BRACKET, MOUNTING 432 INCLUDES: Pins FOR USE WITH: HM4015 Mulcher FOR USE WITH: WHEX linkage FOR USE WITH: M318F		\$2,535 NI
W	570-2141	BRACKET, MOUNTING 463 INCLUDES: Pins FOR USE WITH: HM4015 Mulcher FOR USE WITH: B linkage FOR USE WITH: 320, 323, 320F, 323F, 325F, 325, M320F, M322F, 340 LRE, 352 LRE, MH3022, MH3024, MH3026		\$2,678 NI
W	580-8680	BRACKET, MOUNTING 542 INCLUDES: Pins FOR USE WITH: HM4015 Mulcher FOR USE WITH: CB linkage FOR USE WITH: 326, 326F		\$2,678 NI
W	596-6443	BRACKET, MOUNTING 231 FLAT TOP BRACKET FOR USE WITH: Competitive Machine Linkages and Dedicated Quick Coupler		\$1,721 NI

HM4015 CONNECTING LINES

CATERPILLAR MACHINE PRICE LIST

WT-HM

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

MULCHERS (CONT.)

MULCHERS FOR PIN-ON (Cont.)

W	577-8541	LINES, CONNECTING 31 FOR USE WITH: HM4015 Mulcher FOR USE WITH: 316 linkage FOR USE WITH: 316F, 318F Medium Pressure lines to control Mulcher door not included		\$1,221 NI
W	577-8542	LINES, CONNECTING 31 For use with HM4015 Mulcher FOR USE WITH: WHEX linkage FOR USE WITH: M318, M318F, M320F, M322F		\$1,221 NI
W	570-2110	LINES, CONNECTING 37 FOR USE WITH: HM4015 Mulcher FOR USE WITH: B linkage FOR USE WITH: 320, 323, 320F, 323F, 340 LRE, 352 LRE, 325 MH3022, MH3024, MH3026 Medium Pressure lines to control Mulcher door not included		\$1,221 NI
W	580-9573	LINES, CONNECTING 40 FOR USE WITH: HM4015 Mulcher FOR USE WITH: CB linkage FOR USE WITH: 325, 326, 325F, 326F Medium Pressure lines to control Mulcher door not included		\$1,221 NI

ELECTRICAL KIT

W	570-2146	KIT, ELECTRICAL 9 Operates secondary door function using existing cab joysticks and Mulcher diverter valve FOR USE WITH: HEX without Medium Pressure circuit NOT FOR USE WITH: WHEX, HEX with Medium Pressure		\$214 NI
---	----------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-----------------

HM5515 MULCHERS

**Not for use with GC Machines For high production applications
 on 326,330, 335, 336 Next Gen HEX
 machines please contact Cat Work Tools**

CATERPILLAR MACHINE PRICE LIST

WT-HM

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

MULCHERS (CONT.)

HM5515 MULCHERS (Cont.)

W	603-9010	MULCHER, HM5515 4,592 contains Standard type Drum and Teeth Overall / Working width: 1871mm (74") / 1565mm (62") Overall height: 964mm (38"), Length 952mm (37") Maximum Cutting diameter 305mm (12") Hydraulic Flow range: 130-300 lpm (34-79 gpm) Hydraulic Pressure range 241-345 bar (3500-5000 psi) INCLUDES: Poly Chain Belt Drive drum with 44 fixed teeth Variable Torque Hydraulic Piston Motor FOR USE WITH: 326, 330, 335, 336 MH3022, MH3024, MH3026 REQUIRES: Mounting Bracket and pins, connecting lines, Case drain kit 582-7934. See Case drain installation instructions for any additional parts needed. HEX machines require Electrical Kit 570-2146 Alternative Rock Teeth 475-2813 are available from the Parts system		\$63,169 NI
---	----------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------

HM5515 MOUNTING BRACKETS

MULCHERS FOR PIN-ON

W	580-8680	BRACKET, MOUNTING 542 INCLUDES: Pins FOR USE WITH: HM5515 Mulcher FOR USE WITH: CB linkage FOR USE WITH: 326, 330, 335		\$2,678 NI
W	603-9013	BRACKET, MOUNTING 600 INCLUDES: Pins FOR USE WITH: HM5515 Mulcher FOR USE WITH: DB linkage FOR USE WITH: 330, 336		\$2,678 NI
W	596-6443	BRACKET, MOUNTING 231 FLAT TOP BRACKET FOR USE WITH: Competitive Machine Linkages and Dedicated Quick Coupler		\$1,721 NI

HM5515 CONNECTING LINES

W	580-9573	LINES, CONNECTING 40 FOR USE WITH: HM5515 Mulcher FOR USE WITH: CB and DB linkage FOR USE WITH: 326, 330, 335, 336, 326F Medium Pressure lines to control Mulcher door not included		\$1,221 NI
---	----------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------------

CATERPILLAR MACHINE PRICE LIST

WT-HM

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

MULCHERS (CONT.)

ELECTRICAL KIT

W	570-2146	KIT, ELECTRICAL 9 Operates secondary door function using existing cab joysticks and Mulcher diverter valve FOR USE WITH: HEX without Medium Pressure circuit NOT FOR USE WITH: WHEX, HEX with Medium Pressure		\$214 NI
---	----------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	----------

MULTI-PROCESSORS

MP318 MULTI-PROCESSOR FRAME

For Caterpillar machine models:
 318E, 318F, 320D2, 320D2 GC, 320, 320GC, 320E, 320E RR, 320F, 323D2, 323, 324E, 325F CR, 325, 326D2, 326F, 326, 340UHD, 352UHD, M315D, M316D, M316F, M317D2, M318D, M318F, M320D2, M320F, M320, M322D, M322D2, M322F

FOR THE 320GC PLEASE CONTACT YOUR WT SPECIALIST FOR COMPATIBILITY

W	381-4048	MP318 MULTIPROCESSOR FRAME. 2,601 REQUIRES: Jaws, mounting bracket and connecting lines For the 320GC please contact your WT Specialist for compatibility		\$75,247 NI
---	----------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------

MP318 JAW SETS

W	399-1968	MP318 JAW CONCRETE CUTTER CC 1,592		\$30,535 NI
W	415-7261	MP318 JAW DEMOLITION D 1,605		\$25,954 NI
W	419-9178	MP318 JAW PULVERIZER P 1,876		\$27,481 NI
W	399-4291	MP318 JAW SHEAR S 1,466		\$30,535 NI
W	549-8018	MP318 JAW UNIVERSAL U 1,850		\$30,535 NI

MP318 MOUNTING BRACKETS

Please See AEXQ1064 for Bracket Matching

W	169-4967	BRACKET, MOUNTING STICK 350 For use with: 315D, 316F Linkage		\$3,850 NI
W	299-0293	BRACKET, MOUNTING B 448 For use with: B Linkage		\$3,850 NI

CATERPILLAR MACHINE PRICE LIST

WT-HM

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

MULTI-PROCESSORS (CONT.)

MP318 MOUNTING BRACKETS (Cont.)

W	253-7830	BRACKET, MOUNTING CB For use with: CB Linkage	562	\$3,850 NI
---	----------	------------------------------------------------------------	-----	------------

W	290-8330	BRACKET, MOUNTING FOR USE WITH: 340F UHD, 340UHD, 352UHD	476	\$4,656 NI
---	----------	-----------------------------------------------------------------------	-----	------------

Contact CAT Worktools for Mounting Brackets for M-Series Machine

W	573-7065	BRACKET, MOUNTING S60 FOR USE WITH: Excavators fitted with S60 Coupler	227	\$3,847
---	----------	-------------------------------------------------------------------------------------	-----	---------

W	572-8090	BRACKET, MOUNTING S70 FOR USE WITH: Excavators fitted with S70 Coupler	377	\$3,847
---	----------	-------------------------------------------------------------------------------------	-----	---------

W	572-7115	BRACKET, MOUNTING S80 FOR USE WITH: Excavators fitted with S80 Coupler	529	\$5,333
---	----------	-------------------------------------------------------------------------------------	-----	---------

MP318 CONNECTING LINES

W	428-5978	LINES, CONNECTING FOR USE WITH: 315 linkage	56	\$1,518 NI
---	----------	----------------------------------------------------------	----	------------

W	244-3144	LINES, CONNECTING FOR USE WITH: B, CB or DB linkage	55	\$1,518 NI
---	----------	------------------------------------------------------------------	----	------------

W	239-9250	LINES, CONNECTING FOR USE WITH: UHD Linkage	60	\$2,738 NI
---	----------	----------------------------------------------------------	----	------------

W	244-3144	LINES, CONNECTING FOR USE WITH: Excavators fitted with S70, S80 Coupler FOR USE WITH: B and CB Linkage.	55	\$1,518 NI
---	----------	-------------------------------------------------------------------------------------------------------------------------	----	------------

Contact CAT Worktools for Connecting Lines for M-Series Machines

W	428-5978	LINES, CONNECTING FOR USE WITH: Excavators fitted with S60 Coupler FOR USE WITH: 315 Linkage	56	\$1,518 NI
---	----------	--------------------------------------------------------------------------------------------------------------	----	------------

W	244-3140	LINES, CONNECTING FOR USE WITH: Excavators fitted with S60, S70 Coupler FOR USE WITH: M312 and M318 Linkage	62	\$1,707 NI
---	----------	-----------------------------------------------------------------------------------------------------------------------------	----	------------

2443144

CATERPILLAR MACHINE PRICE LIST

WT-HM

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

MULTI-PROCESSORS (CONT.)

MP318 CONVERSION KIT

W	394-3425	KIT, CONVERT MP318 - MP15 JAWS	161	\$4,921 NI
		Conversion kit to place MP15 jaws into MP318 frame.		

MP324 MULTI-PROCESSOR FRAME

For Caterpillar machine models:
 324E, 326D2, 326F, 326, 329E, 330D2, 330F, 335F CR, 330,
 330GC, 335, 336D2,336D2 GC, 336D2 XE, 336E H, 336F,
 336F XE, 336, 340UHD, 352UHD

W	381-4042	MP324 MULTIPROCESSOR FRAME	3,485	\$94,965 NI
		REQUIRES: Jaws, mounting bracket and connecting lines		

MP324 JAW SETS

W	395-0280	MP324 JAW CONCRETE CUTTER CC	2,295	\$35,972 NI
W	397-9681	MP324 JAW DEMOLITION D	2,346	\$30,576 NI
W	388-0000	MP324 JAW PULVERIZER P	2,573	\$32,372 NI
W	417-0589	MP324 JAW SHEAR S	2,094	\$35,972 NI
W	418-6385	MP324 JAW TANK SHEAR TS	2,498	\$41,368 NI
W	549-8017	MP324 JAW UNIVERSAL U	2,674	\$35,972 NI

MP324 MOUNTING BRACKETS

Please See AEXQ1064 For Bracket Matching

W	253-7830	BRACKET, MOUNTING CB	562	\$3,850 NI
		FOR USE WITH: CB-Linkage		
W	254-4463	BRACKET, MOUNTING DB	522	\$3,850 NI
		FOR USE WITH: DB-Linkage		
W	290-8330	BRACKET, MOUNTING	476	\$4,656 NI
		For use with: 340F UHD, 340UHD, 352UHD Pin-On		
W	572-8090	BRACKET, MOUNTING S70	377	\$3,847
		FOR USE WITH: Excavators fitted with S70 Coupler		
W	572-7115	BRACKET, MOUNTING S80	529	\$5,333
		FOR USE WITH: Excavators fitted with S80 Coupler		

CATERPILLAR MACHINE PRICE LIST

WT-HM

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

MULTI-PROCESSORS (CONT.)

MP324 CONNECTING LINES

W	244-3144	LINES, CONNECTING FOR USE WITH: B, CB or DB linkage	55	\$1,518 NI
W	239-9250	LINES, CONNECTING FOR USE WITH: UHD Linkage 217-4311 & 202-4880	60	\$2,738 NI
W	244-3140	LINES, CONNECTING FOR USE WITH: Excavators fitted with S60, S70 Coupler FOR USE WITH: M318 Linkage	62	\$1,707 NI
W	244-3144	LINES, CONNECTING Excavators fitted with S70, S80 Coupler FOR USE WITH: CB and DB Linkage.	55	\$1,518 NI

MP324 CONVERSION KITS

W	382-4928	KIT, CONVERT MP324 - MP20 JAWS Conversion kit to place MP20 jaws into MP324 frame	225	\$5,393 NI
W	433-0219	KIT, CONVERT MP324-MP20 TS JAWS Conversion kit to place MP20 TS jaws into MP324 frame.	181	\$5,393 NI

MP332 MULTI-PROCESSOR FRAME

For Caterpillar machine models:
 329E, 330D2, 330, 330GC, 335, 336D2, 336D2 XE, 336E, 336E H,
 336F, 336F XE, 336, 336GC, 340D2, 340F, 340, 340F UHD, 340UHD,
 349D2, 349E, 349F, 349F XE, 349, 352F, 352F XE, 352, 352UHD

W	453-9680	MP332 MULTIPROCESSOR FRAME. REQUIRES: Jaws, mounting bracket and connecting lines	4,123	\$99,117 NI
---	----------	----------------------------------------------------------------------------------------------	-------	-------------

MP332 JAW SETS

W	454-5851	MP332 JAW CONCRETE CUTTER CC	3,408	\$31,238 NI
W	459-4619	MP332 JAW DEMOLITION D	3,686	\$31,238 NI
W	459-3004	MP332 JAW PULVERIZER P	3,726	\$44,004 NI
W	455-1469	MP332 JAW SHEAR S	3,331	\$44,004 NI
W	462-4503	MP332 JAW TANK SHEAR TS	4,458	\$47,396 NI

CATERPILLAR MACHINE PRICE LIST

WT-HM

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

MULTI-PROCESSORS (CONT.)

MP332 MOUNTING BRACKETS

W	463-1615	BRACKET, MOUNTING 624 FOR USE WITH: Dedicated HEX Quick Coupler CW-45S		\$7,265 NI
W	474-0410	BRACKET, MOUNTING 668 FOR USE WITH: Dedicated HEX Quick Coupler CW-45		\$7,265 NI
W	501-4147	BRACKET, MOUNTING DB 712 FOR USE WITH: DB Linkage		\$7,265 NI
W	461-7215	BRACKET, MOUNTING TB 809 FOR USE WITH: TB Linkage		\$7,265 NI
W	538-9549	BRACKET, MOUNTING 681 FOR USE WITH: 340F UHD, 340UHD, 352UHD		\$7,265 NI
W	474-0410	BRACKET, MOUNTING 668 FOR USE WITH: Dedicated HEX Quick Coupler CW-45		\$7,265 NI
W	463-1615	BRACKET, MOUNTING 624 FOR USE WITH: Dedicated HEX Quick Coupler CW-45S		\$7,265 NI
W	588-6150	BRACKET, MOUNTING CB 659 FOR USE WITH: CB Linkage		\$7,265
W	458-6470	BRACKET, MOUNTING 836 FOR USE WITH: Dedicated HEX Quick Coupler CW-55S		\$7,265 NI
W	474-2780	BRACKET, MOUNTING 556 Flat Top Bracket		\$7,265 NI

MP332 CONNECTING LINES

W	513-2260	LINES, CONNECTING 60 FOR USE WITH: CB Linkage and DB Linkage + CENTER LOCK Q		\$2,289 NI
W	509-6020	LINES, CONNECTOR 68 FOR USE WITH: CAT. 336E, 336F, 349E, TB Linkage FOR USE WITH: Pin on and Pin Grabber Coupler		\$2,289 NI
W	539-9225	LINES, CONNECTOR 60 FOR USE WITH: CAT. 340F UHD MP332 FOR USE WITH: Pin on and Pin Grabber Coupler		\$2,289 NI

MP332 CONVERSION KITS

W	454-0528	KIT, CONVERT MP30-MP332 JAW 370 Conversion kit to place MP30 jaws into MP332 frame, except of TS jaw		\$5,807 NI
W	454-2716	KIT, CONVERT MP30-MP332 TS JAWS 337 Conversion kit to place MP30 TS jaws into MP332 frame.		\$5,807 NI

CATERPILLAR MACHINE PRICE LIST

WT-HM

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	------------	----------------------	--------------------	--------------------------

MULTI-PROCESSORS (CONT.)**MP345 MULTI-PROCESSOR FRAME**

For Caterpillar machine models:
349E, 349D2, 349F XE, 349, 352F, 352F XE, 352,
352UHD, 374F, 374, 390F, 395

W	461-5577	MP345 MULTIPROCESSOR FRAME	5,152	\$115,399 NI
		REQUIRES: Jaws, mounting bracket and connecting lines		

MP345 JAW SETS

W	463-3817	MP345 JAW CONCRETE CUTTER CC	4,985	\$51,328 NI
W	468-3208	MP345 JAW DEMOLITION D	5,454	\$51,328 NI
W	467-3614	MP345 JAW PULVERIZER P	5,562	\$54,850 NI
W	465-0361	MP345 JAW SHEAR S	4,996	\$54,850 NI

MP345 BRACKETS

W	461-7215	BRACKET, MOUNTING TB	809	\$7,265 NI
		FOR USE WITH: TB Linkage		
W	501-3557	BRACKET, MOUNTING VB & UB	1,045	\$7,265 NI
		FOR USE WITH: VB & UB linkage		
W	474-2780	BRACKET, MOUNTING	556	\$7,265 NI
		Flat Top Bracket		

MP345 CONNECTING LINES

W	526-8817	LINES, CONNECTING	86	\$2,289 NI
		FOR USE WITH: CAT. 349E/349F TB linkage		
W	526-8815	LINES, CONNECTING	90	\$2,289 NI
		FOR USE WITH: CAT. 349E/349F UB/VB + CW55		

MP365 MULTI-PROCESSOR FRAME

For Caterpillar machine models:
349E, 349D2, 349F XE, 352F, 352F XE
374F, 390F

W	481-1702	MP365 MULTIPROCESSOR FRAME	6,724	\$133,228 NI
		REQUIRES: Jaws, mounting bracket and connecting lines		

CATERPILLAR MACHINE PRICE LIST

WT-HM

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

MULTI-PROCESSORS (CONT.)

MP365 JAW SETS

W	487-0302	MP365 JAW CONCRETE CUTTER CC	6,371	\$66,692 NI
W	487-5924	MP365 JAW DEMOLITION D	7,403	\$66,692 NI
W	491-1012	MP365 JAW PULVERIZER P	7,456	\$72,388 NI
W	482-5133	MP365 JAW SHEAR S	6,806	\$72,388 NI

MP365 MOUNTING BRACKETS

W	522-5867	BRACKET, MOUNTING VB FOR USE WITH: VB Linkage	1,228	\$8,492 NI
W	522-5872	BRACKET, MOUNTING WB FOR USE WITH: WB Linkage	1,387	\$8,492 NI
W	524-2395	BRACKET, MOUNTING HB FOR USE WITH: HB Linkage	1,391	\$8,492 NI
W	524-2412	BRACKET, MOUNTING Flat Top Bracket	1,016	\$8,492 NI
W	600-5674	BRACKET, MOUNTING TB FOR USE WITH: TB Linkage	1,120	\$8,492 NI

MP365 CONNECTING LINES

W	526-1075	LINES, CONNECTING FOR USE WITH: CAT. 374F VB + CW-70	99	\$2,510 NI
W	526-1896	LINES, CONNECTING FOR USE WITH: CAT. 374F WB + CW-70	108	\$2,510 NI
W	526-6600	LINES, CONNECTING FOR USE WITH: CAT. 390F HB	84	\$2,510 NI

PULVERIZERS

P215 HYDRAULIC PULVERIZER

For Caterpillar machine models:
 316E, 316F, 317, 317GC, 318D2, 318E, 318F, 320D2, 320GC,
 320D2 GC, 320E,320E RR, 320F, 320, 320GC, 323D2, 323E, 323F,
 323, 324E, 325F CR, 325, 326D2, 326F, 326
 M315D, M316D, M316F, M317D2, M318D, M318F, M318, M320D2, M320F,
 M320, M322D, M322D2, M322F

W	349-6023	P215 HYDRAULIC PULVERIZER. REQUIRES: Mounting bracket and connecting lines For the 320GC please contact your WT Specialist for compatibility	3,710	\$63,429 NI
---	----------	------------------------------------------------------------------------------------------------------------------------------------------------------------	-------	-------------

CATERPILLAR MACHINE PRICE LIST

WT-HM

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

PULVERIZERS (CONT.)

P215 MOUNTING BRACKETS

Please see GEJH0023 for Bracket Matching

W	169-4967	BRACKET, MOUNTING STICK FOR USE WITH: Cat. 315, 316 Linkage	350	\$3,850 NI
W	523-1915	BRACKET, MOUNTING	395	\$3,850
W	299-0293	BRACKET, MOUNTING B FOR USE WITH: B Linkage	448	\$3,850 NI
W	253-7830	BRACKET, MOUNTING CB FOR USE WITH: CB Linkage	562	\$3,850 NI

P215 CONNECTING LINES

Please see GEJH0023 for Connecting Lines Matching

W	357-9482	LINES, CONNECTING LANE 1 - AVAILABLE FOR ADSD REGION FOR USE WITH: P215 Pin on	36	\$867 NI
W	357-9484	LINES, CONNECTING FOR USE WITH: P215/P225 and CAT Pin Grabber Coupler	49	\$867 NI

P225 HYDRAULIC PULVERIZER

For Caterpillar machine models:
 320, 320D2, 323D2, 323, 324E, 326D2, 326F, 326, 329E,
 330D2, 330F, 330, 330GC, 335F CR, 335, 336D2, 336D2GC,
 336D2 XE, 336E, 336E H, 336F, 336F XE, 336, 336GC

W	349-6026	P225 HYDRAULIC PULVERIZER. REQUIRES: Mounting bracket and connecting lines	5,467	\$76,556 NI
---	----------	---------------------------------------------------------------------------------------	-------	-------------

P225 MOUNTING BRACKETS

Please See GEJH0023 for Bracket Matching

W	299-0293	BRACKET, MOUNTING B FOR USE WITH: B Linkage	448 448	\$3,850 \$3,850 NI
W	253-7830	BRACKET, MOUNTING CB FOR USE WITH: CB Linkgae	562 562	\$3,850 \$3,850 NI
W	254-4463	BRACKET, MOUNTING DB FOR USE WITH: DB Linkage	522 522	\$3,850 \$3,850 NI

CATERPILLAR MACHINE PRICE LIST

WT-HM

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

PULVERIZERS (CONT.)

P225 MOUNTING BRACKETS (Cont.)

W	572-8090	BRACKET, MOUNTING S70 377 FOR USE WITH: Excavators fitted with S70 Coupler		\$3,847
W	572-7115	BRACKET, MOUNTING S80 529 FOR USE WITH: Excavators fitted with S80 Coupler		\$5,333

P225 CONNECTING LINES

Please See GEJH0023 for Bracket Matching

W	357-9490	LINES, CONNECTING 48 FOR USE WITH: PIN-ON		\$867 NI
W	357-9484	LINES, CONNECTING 49 FOR USE WITH: P215/P225 and CAT Pin Grabber Coupler		\$867 NI

P235 HYDRAULIC PULVERIZER

For Caterpillar machine models:
 329E, 330D2, 336D2, 336D2 XE, 336E, 336E H, 336F, 336F XE,
 336, 336GC, 340D2, 340F, 340F UHD, 340, 340UHD, 349D2, 349E,
 349F, 349F XE, 349, 352F, 352F XE, 352, 352UHD

W	349-6030	P235 HYDRAULIC PULVERIZER. 7,542 REQUIRES: Mounting bracket and connecting lines		\$107,175 NI
---	----------	---------------------------------------------------------------------------------------------	--	--------------

P235 MOUNTING BRACKETS

Please See GEJH0023 for Bracket Matching

W	254-4039	BRACKET, MOUNTING DB 642 FOR USE WITH: DB Linkage		\$5,336 NI
W	255-0001	BRACKET, MOUNTING TB 758 FOR USE WITH: TB Linkage		\$5,336 NI
W	572-9430	BRACKET, MOUNTING S80 604 FOR USE WITH: Excavators fitted with S80 Coupler		\$5,333

P235 CONNECTING LINES

Please See GEJH0023 for Connecting Lines Matching

W	357-9493	LINES, CONNECTING 52		\$867 NI
---	----------	--------------------------------	--	----------

CATERPILLAR MACHINE PRICE LIST

WT-HM

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

SHEARS

S3015 ROTATING FLAT TOP SHEAR

For Caterpillar machine models:
 307, 308, 311F, 312E, 312F, 313F GC, 313, 313GC, 314E,
 314F, 315F GC, 315, 315GC, 316E, 316F, 317, 317GC, 318E,
 318F, M314F, M314, M315D, M315F, M316F, M316, M317D, M317F,
 M318F, M318

W	525-4871	S3015 HYDRDAULIC SCRAP SHEAR. 2,875 INCLUDES: Flat Top Mounting Configuration REQUIRES: Boom or Stick mounting bracket and connecting lines OPTIONAL: Blade Kit (567-8966)		\$68,831 NI
---	----------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------

S3015 BLADE KIT

W	567-8966	KIT, BLADE 68 INCLUDES: Extra set of cutting knives, piercing tips and shim kit		\$2,713 NI
---	----------	-----------------------------------------------------------------------------------------------------	--	-------------------

S3015 MOUNTING BRACKETS

W	169-4967	BRACKET, MOUNTING STICK 350 FOR USE WITH: 318/316 Stick Mount		\$3,850 NI
W	298-7706	BRACKET, MOUNTING STICK 311 FOR USE WITH: 315/313/311F RR Stick Mount		\$3,850 NI
W	566-4042	BRACKET, MOUNTING BOOM 456 FOR USE WITH: 307E/308E Boom Mount		\$5,428 NI

S3015 CONNECTING LINES

W	566-4043	LINES, CONNECTING 24 FOR USE WITH: 308 Boom Mount		\$493 NI
W	533-4821	LINES, CONNECTING 46 FOR USE WITH: 318/316/315/313/311F RR Pin-On		\$1,339 NI
W	563-5517	LINES, CONNECTING 46 ALSO FOR USE WITH: S60 COUPLER FOR USE WITH: 318/316 With Pin Grabber and CW Coupler		\$1,160 NI
W	565-1622	LINES, CONNECTING 44 FOR USE WITH: 315/313/311F RR with Pin Grabber		\$1,160 NI

CATERPILLAR MACHINE PRICE LIST

WT-HM

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

SHEARS (CONT.)

S3025 ROTATING FLAT TOP SHEAR

For Caterpillar machine models:
 313, 313GC, 315, 315GC, 316E, 316F, 318D2, 318E, 318F,
 320D2, 320D2 GC, 320E, 320E RR, 320F, 320, 320GC, 323, 323D2,
 323E, 323F, 325, 326, 330, 330GC, 340UHD, 352UHD,
 M315D, M316D, M316F, M317D2, M318D, M318F, M320D2, M320F,
 M320, M322D, M322D2, M322F

W	515-8530	S3025 HYDRAULIC SCRAP SHEAR 4, 674 INCLUDES: Flat Top Mounting Configuration REQUIRES: Boom or Stick mounting bracket and connecting lines OPTIONAL: Blade Kit (567-8967)		\$101,278 NI
---	----------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	---------------------

S3025 BLADE KIT

W	567-8967	KIT, BLADE 88 INCLUDES: Extra set of cutting knives, piercing tips and shim kit CAN ONLY BE ORDERED WITH SHEAR, LIMIT 1 PER SHEAR		\$2,928 NI
---	----------	----------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------------

S3025 MOUNTING BRACKETS

W	299-0293	BRACKET, MOUNTING B 448 FOR USE WITH: B Linkage		\$3,850 NI
W	565-2470	BRACKET, MOUNTING BOOM 686 FOR USE WITH: 315/313/311F RR Boom		\$8,153 NI
W	290-8330	BRACKET, MOUNTING 476 FOR USE WITH: G324, G324-WH, G332, S3025, S3035 FOR USE WITH: 340F UHD, 340UHD, 352UHD Pin-On		\$4,656 NI

S3025 CONNECTING LINES

W	562-6158	LINES, CONNECTING 57 FOR USE WITH: 325FCR/323/320 Pin-On Coupler		\$1,751 NI
W	565-1618	LINES, CONNECTING 62 FOR USE WITH: Pin Grabber or CW Coupler		\$1,517 NI
W	527-5318	LINES, CONNECTING 35 FOR USE WITH: 315/313 Boom Mount		\$1,517 NI
W	538-6352	LINES, CONNECTING 35 FOR USE WITH: 311F RR Boom Mount		\$1,517 NI

CATERPILLAR MACHINE PRICE LIST

WT-HM

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

SHEARS (CONT.)

S3025 CONNECTING LINES (Cont.)

S COUPLER LINES FOR S3025 FLAT TOP SHEAR
 For Connector lines for S70/S80 Coupler and S3025 Flat Top please contact CAT WORK TOOLS.

S3035 ROTATING FLAT TOP SHEAR

For Caterpillar machine models:
 336GC, 340F, 340, 340F UHD, 340UHD, 352UHD

W	525-2561	S3035 HYDRAULIC SCRAP SHEAR	6,510	\$134,853 NI
		INCLUDES: Flat Top Mounting Configuration		
		REQUIRES: Boom or Stick mounting bracket and connecting lines		
		OPTIONAL: Blade Kit (567-8968)		

S3035 BLADE KIT

W	567-8968	KIT, BLADE	112	\$3,244 NI
		INCLUDES: Extra set of cutting knives, piercing tips and shim kit		

S3035 MOUNTING BRACKETS

W	254-4463	BRACKET, MOUNTING DB	522	\$3,850 NI
		FOR USE WITH: DB Linkage		
W	253-7830	BRACKET, MOUNTING CB	562	\$3,850 NI
		FOR USE WITH: CB Linkage		
W	566-1238	BRACKET, MOUNTING BOOM	1,043	\$9,172 NI
		FOR USE WITH: 323/320 Boom Mount		
W	565-4559	BRACKET, MOUNTING BOOM	802	\$8,174 NI
		FOR USE WITH: 316 Boom Mount		
W	572-8090	BRACKET, MOUNTING S70	377	\$3,847 NI
		FOR USE WITH: Excavators fitted with S70 Coupler		
W	572-7115	BRACKET, MOUNTING S80	529	\$5,333 NI
		FOR USE WITH: Excavators fitted with S80 Coupler		
W	290-8330	BRACKET, MOUNTING	476	\$4,656 NI
		FOR USE WITH: G324, G324-WH, G332, S3025, S3035		
		FOR USE WITH: 340F UHD, 340UHD, 352UHD Pin-On		

CATERPILLAR MACHINE PRICE LIST

WT-HM

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

SHEARS (CONT.)

S3035 CONNECTING LINES

W	533-2265	LINES, CONNECTING 53 FOR USE WITH: 336/330/326 Pin-On		\$1,751 NI
W	562-8214	LINES, CONNECTING 68 FOR USE WITH: 336/330/326 with Pin Grabber and CW Coupler		\$1,517 NI
W	526-1749	LINES, CONNECTING 49 FOR USE WITH: 323/320 Boom Mount		\$1,517 NI
W	527-5318	LINES, CONNECTING 35 FOR USE WITH: 316 Boom Mount		\$1,517 NI

S3050 ROTATING SHEARS

Please See GEJQ9341 for Shears Matching
 For Caterpillar machine models:
 326D2, 326F, 326, 330D2, 330F, 330, 330GC, 335F CR, 335,
 336D2, 336D2 GC, 336D2 XE, 336F XE, 336F, 336, 336GC, 340D2,
 340F, 340, 340F UHD, 340UHD, 349D2, 349E, 349F, 349F XE, 349,
 352F, 352F XE, 352, 352UHD
 For Additional Shear configurations please contact the support team
 via email at WORKTOOLS@CAT.COM

W	528-9110	S3050 HYDRAULIC SCRAP SHEAR 10,474 Rotate, flat-top shear FOR USE WITH: Stick or Boom Mount REQUIRES: Mounting bracket and connecting lines OPTIONAL: Blade Kit (514-1038)		\$164,726 NI
W	503-4430	S3050 HYDRAULIC SCRAP SHEAR 10,758 FOR USE WITH: 349E, 349F, 352F with TB-Linkage INCLUDES: Integrated upper head REQUIRES: Pin & bushing mounting group & connecting lines OPTIONAL: Blade Kit (514-1038)		\$170,042 NI

S3050 BLADE KIT

W	514-1038	KIT, BLADE 165 INCLUDES: Extra set of cutting knives and piercing tip CAN ONLY BE ORDERED WITH SHEAR, LIMIT 1 PER SHEAR		\$3,944 NI
---	----------	--------------------------------------------------------------------------------------------------------------------------------------------	--	------------

CATERPILLAR MACHINE PRICE LIST

WT-HM

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

SHEARS (CONT.)

S3050 MOUNTING BRACKETS

Please See GEJQ9341 for Boom Mounting Groups Matching

W	594-4670	BRACKET, MOUNTING 1,243 FOR USE WITH: S3050 Flat Top Shear 528-9110 FOR USE WITH: 336 Reach Boom REQUIRES: Machine pins		\$13,392 NI
W	594-5139	BRACKET, MOUNTING 1,149 FOR USE WITH: S3050 Flat Top Shear 528-9110 FOR USE WITH: 329 Reach Boom REQUIRES: Machine pins		\$13,181 NI
W	594-5173	BRACKET, MOUNTING 1,138 FOR USE WITH: S3050 Flat Top Shear 528-9110 FOR USE WITH: 326 Reach Boom REQUIRES: Machine pins		\$12,969 NI
W	255-0001	BRACKET, MOUNTING TB 758 FOR USE WITH: S3050 Flat Top Shear 528-9110 FOR USE WITH: TB-Linkage REQUIRES: Machine pins		\$5,336 NI
W	216-1254	BRACKET, MOUNTING QCS 935 FOR USE WITH: S3050 Flat Top Shear 528-9110 FOR USE WITH: CW-55S / TB-Linkage		\$8,458 NI
W	169-5307	BRACKET, MOUNTING QC 1,100 FOR USE WITH: S3050 Flat Top Shear 528-9110 FOR USE WITH: CW-55 / TB-Linkage		\$8,458 NI
W	522-2422	MOUNTING GROUP, PIN & BUSHING 401 FOR USE WITH: S3050 Shear 503-4430 FOR USE WITH: 345GC, 349E, 349F, 349, 350, 352F, 352 with TB-Linkage INCLUDES: Machine cylinder pin		\$6,358 NI

S3050 CONNECTING LINES

Please See GEJQ9341 for Connecting Lines Matching

W	517-5789	LINES, CONNECTING 51 FOR USE WITH: S3050 Flat Top Shear 528-9110 FOR USE WITH: 336 Reach Boom		\$1,914 NI
W	594-5690	LINES, CONNECTING 33 FOR USE WITH: S3050 Flat Top Shear 528-9110 FOR USE WITH: 329 Reach Boom and 326 Reach Boom		\$1,914 NI

CATERPILLAR MACHINE PRICE LIST

WT-HM

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

SHEARS (CONT.)

S3050 CONNECTING LINES (Cont.)

W	594-6596	LINES, CONNECTING 68 FOR USE WITH: S3050 Flat Top Shear 528-9110 FOR USE WITH: TB-Linkage		\$1,914 NI
W	594-7365	LINES, CONNECTING 106 FOR USE WITH: S3050 Flat Top Shear 528-9110 FOR USE WITH: CW-55S and CW-55 for TB-Linkage		\$1,914 NI
W	513-9353	LINES, CONNECTING 76 FOR USE WITH: 345GC, 349E, 349F, 349, 350, 352F, 352 with TB-Linkage		\$1,914 NI

S3070 ROTATING SHEARS

Please See GEJQ9341 for Rotating Shears Matching
 For Caterpillar machine models:
 335, 336D2, 336D2 XE, 336F, 336F XE, 336, 336GC, 340D2,
 340F, 340, 340F UHD, 340UHD, 349D2, 349F, 349F XE, 349, 352F,
 352F XE, 352, 352UHD, 374F, 374, 390F, 395

For Additional Shear configurations please contact the support team
 via email at WORKTOOLS@CAT.COM

W	508-5913	S3070 HYDRAULIC SCRAP SHEAR 15,829 FOR USE WITH: 336D, 336D2, 336E, 336F, 340D2, 340F, 336D, 336D2, 336E, 336F, 340D2, 340F, 349E, 349F, 352F Reach / Mass Boom INCLUDES: Integrated upper head REQUIRES: Pin & bushing mounting group & connecting lines OPTIONAL: Blade Kit (514-1039)		\$242,222 NI
W	501-0645	S3070 HYDRAULIC SCRAP SHEAR 15,194 FOR USE WITH: 374D, 374F with VB / WB Linkage, 390D, 390F with HB / JC Linkage INCLUDES: Integrated upper head REQUIRES: Pin & bushing mounting group & connecting lines NOT FOR USE WITH: Center Lock Coupler OPTIONAL: Blade Kit (514-1039) For Pin on application only		\$237,574 NI

S3070 BLADE KIT

W	514-1039	KIT, BLADE 283 INCLUDES: Extra set of cutting knives and piercing tip CAN ONLY BE ORDERED WITH SHEAR, LIMIT 1 PER SHEAR		\$5,278 NI
---	----------	--------------------------------------------------------------------------------------------------------------------------------------------	--	-------------------

CATERPILLAR MACHINE PRICE LIST

WT-HM

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

SHEARS (CONT.)

S2070 BOOM MOUNTING GROUPS

Please see GEJQ9341 for Boom Mounting Groups Matching

W	517-1316	MOUNTING GROUP, PIN & BUSHING90 FOR USE WITH: S3050 Shear 501-1404 or S2070 Shear 502-4993 FOR USE WITH: 328D, 329E, 330F, 335F Reach Boom INCLUDES: Machine cylinder pin		\$1,368 NI
W	517-4628	MOUNTING GROUP, PIN & BUSHING79 FOR USE WITH: S3050 Shear 501-1404 or S2070 Shear 502-4993 FOR USE WITH: 328D, 329E, 330F, 335F Mass Boom INCLUDES: Machine cylinder pin		\$1,368 NI
W	501-1401	MOUNTING GROUP, PIN & BUSHING87 FOR USE WITH: S3050 Shear 501-1404 or S2070 Shear 502-4993 FOR USE WITH: 336D, 336E, 336F, 340F Reach Boom INCLUDES: Machine cylinder pin		\$1,368 NI

S3070 BOOM MOUNTING GROUPS

Please See GEJQ9341 for Boom Mounting Groups Matching

W	514-2553	MOUNTING GROUP, PIN & BUSHING71 FOR USE WITH: S3070 Shear 508-5913 or S2090 Shear 506-6983 FOR USE WITH: 336D, 336D2, 336E, 336F, 340D2, 340F Reach Boom INCLUDES: Machine cylinder pin		\$1,368 NI
W	506-6985	MOUNTING GROUP, PIN & BUSHING77 FOR USE WITH: S3070 Shear 508-5913 or S2090 Shear 506-6983 FOR USE WITH: 345D, 349D, 349E, 349F, 352F Reach Boom INCLUDES: Machine cylinder pin		\$1,368 NI
W	518-5057	MOUNTING GROUP, PIN & BUSHING531 FOR USE WITH: S3070 Shear 501-0645 FOR USE WITH: 374D, 374F with VB-Linkage INCLUDES: Machine cylinder pin		\$8,685 NI
W	500-1829	MOUNTING GROUP, PIN & BUSHING556 FOR USE WITH: S3070 Shear 501-0645 FOR USE WITH: 390D, 390F with HB-Linkage INCLUDES: Machine cylinder pin		\$8,685 NI

S3070 CONNECTING LINES

Please See GEJQ9341 for Connecting Lines Matching

W	494-2975	LINES, CONNECTING66 FOR USE WITH: S3070 Shear 435-9356, S3070 Shear 508-5913 FOR USE WITH: 336D, 336E, 336F, 336, 340F Reach / Mass Boom		\$1,914 NI
---	----------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------	--	------------

CATERPILLAR MACHINE PRICE LIST

WT-HM

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

SHEARS (CONT.)

S3070 CONNECTING LINES (Cont.)

W	505-3154	LINES, CONNECTING 73 FOR USE WITH: S3070 Shear 494-0637, S3070 Shear 508-5913 FOR USE WITH: 345D, 349D, 349E, 349F, 349, 352F Reach / Mass Boom		\$1,914 NI
W	518-7938	LINES, CONNECTING 96 FOR USE WITH: S3070 Shear 501-0645 FOR USE WITH: 374D, 374F, 374 with VB / WB Linkage, 390D, 390F, 395 with HB / JC Linkage		\$1,914 NI

S3090 ROTATING SHEARS

Please See GEJQ9341 for Rotating Shears Matching
 For Caterpillar machine models:
 349D2, 349F, 349F XE, 349, 352F, 352F XE, 352, 352UHD, 374F, 374, 390F, 395

For Additional Shear configurations please contact the support team via email at WORKTOOLS@CAT.COM

W	506-1005	S3090 HYDRAULIC SCRAP SHEAR 20,287 FOR USE WITH: 345D, 349D, 349D2, 349E, 349F, 352F, 374D, 374F Reach / Mass Boom INCLUDES: Integrated upper head REQUIRES: Pin & bushing mounting group & connecting lines OPTIONAL: Blade Kit (514-1040)		\$291,385 NI
W	527-5521	S3090 HYDRAULIC SCRAP SHEAR 18,964 Flat-top shear FOR USE WITH: Stick or Boom Mounted REQUIRES: Mounting bracket and connecting lines OPTIONAL: Blade Kit (514-1040)		\$270,525 NI

S3090 BLADE KIT

W	514-1040	KIT, BLADE 353 INCLUDES: Extra set of cutting knives and piercing tip CAN ONLY BE ORDERED WITH SHEAR, LIMIT 1 PER SHEAR		\$6,224 NI
---	----------	--------------------------------------------------------------------------------------------------------------------------------------------	--	-------------------

S3090 MOUNTING BRACKETS

W	593-9485	BRACKET, MOUNTING 1,942 FOR USE WITH: S3090 Flat-Top Shear 527-5521, Boom Mounted FOR USE WITH: Cat. 349 Reach Boom		\$19,913 NI
---	----------	----------------------------------------------------------------------------------------------------------------------------------------	--	--------------------

CATERPILLAR MACHINE PRICE LIST

WT-HM

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

SHEARS (CONT.)

S3090 BLADE KIT (Cont.)

W	594-1459	BRACKET, MOUNTING 2,092 FOR USE WITH: S3090 Flat-Top Shear 527-5521, Stick Mounted FOR USE WITH: Cat. HB-Linkage		\$14,450 NI
---	----------	-----------------------------------------------------------------------------------------------------------------------------------------	--	--------------------

S3090 BOOM MOUNTING GROUPS

Please See GEJQ9341 for Boom Mounting Groups Matching

W	518-1541	MOUNTING GROUP, PIN & BUSHING 86 FOR USE WITH: S3090 Shear 506-1005 FOR USE WITH: 345D, 349D, 349E, 349F, 352F Reach Boom INCLUDES: Machine cylinder pin		\$1,368 NI
---	----------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------------

W	506-1008	MOUNTING GROUP, PIN & BUSHING 165 FOR USE WITH: S3090 Shear 506-1005 FOR USE WITH: 374D, 374F Reach Boom INCLUDES: Machine cylinder pin		\$2,481 NI
---	----------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------------

S3090 CONNECTING LINES

Please See GEJQ9341 for Connecting Lines Matching

W	495-0378	LINES, CONNECTING 77 FOR USE WITH: S3090 Shear 448-2630, S3090 Shear 506-1005 FOR USE WITH: 345D, 349D, 349D2, 349E, 349F, 352F Reach / Mass Boom		\$1,914 NI
---	----------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------------

W	594-0910	LINES, CONNECTING 90 FOR USE WITH: S3090 Flat-Top Shear 527-5521 FOR USE WITH: 349 Reach Boom		\$1,914 NI
---	----------	----------------------------------------------------------------------------------------------------------------------	--	-------------------

W	594-1866	LINES, CONNECTING 112 FOR USE WITH: S3090 Flat-Top Shear 527-5521 FOR USE WITH: HB-Linkage		\$1,914 NI
---	----------	-------------------------------------------------------------------------------------------------------------------	--	-------------------

S2050 STRAIGHT (NON-ROTATING) SHEARS

Please See GEJQ9341 for Straight Shears Matching

FOR THE 320GC PLEASE CONTACT YOUR WT SPECIALIST FOR COMPATIBILITY

For Additional Shear configurations please contact the support team via email at WORKTOOLS@CAT.COM

CATERPILLAR MACHINE PRICE LIST

WT-HM

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

SHEARS (CONT.)

S3090 CONNECTING LINES (Cont.)

W	426-3570	S2050 HYDRAULIC SCRAP SHEAR 9, 206 FOR USE WITH: 323D, 323D2, 323E, 323F, 325F LCR Reach / Mass Boom 325, 326 Reach / Mass Boom INCLUDES: Dedicated weld-on boom mount bracket REQUIRES: Connecting lines REQUIRES: Extra set of cutting knives & piercing tip at no cost, blade kit 514-1038 must be ordered with shear. For the 320GC please contact your WT Specialist for compatibility		\$146,001 NI
W	504-4178	S2050 HYDRAULIC SCRAP SHEAR 9, 325 FOR USE WITH: 320, 320GC, 323D, 323D2, 323E, 323F, 323, 324D, 324E, 325F LCR, 325, 326D2, 326F, 326 Reach / Mass Boom INCLUDES: Weld-on boom mount bracket REQUIRES: Pin & bushing mounting group & connecting lines REQUIRES: Extra set of cutting knives & piercing tip at no cost, blade kit 514-1038 must be ordered with shear. For the 320GC please contact your WT Specialist for compatibility		\$145,133 NI

S2050 BLADE KIT

W	514-1038	KIT, BLADE 165 INCLUDES: Extra set of cutting knives and piercing tip CAN ONLY BE ORDERED WITH SHEAR, LIMIT 1 PER SHEAR		\$3,944 NI
---	----------	------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------------

S2050 BOOM MOUNTING GROUPS

W	517-4673	MOUNTING GROUP, PIN & BUSHING 57 Please See GEJQ9341 for Boom Mounting Groups Matching FOR USE WITH: S2050 Shear 504-4178 FOR USE WITH: 323D, 323D2, 323E, 323F, 325F LCR Reach or Mass Boom INCLUDES: Machine cylinder pin		\$865 NI
---	----------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-----------------

S2050 CONNECTING LINES

Please See GEJQ9341 for Connecting Lines Matching

W	505-1203	LINES, CONNECTING 46 FOR USE WITH: S2050 Shear 426-3570, S2050 Shear 504-4178 FOR USE WITH: 323D, 323D2, 323E, 323F, 325F LCR, 324D, 324E, 326D2, 326F Reach / Mass Boom		\$1,556 NI
---	----------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------------

CATERPILLAR MACHINE PRICE LIST

WT-HM

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

SHEARS (CONT.)

S2070 STRAIGHT (NON-ROTATING) SHEARS

Please See GEJQ9341 for Straight Shears Matching

For Additional Shear configurations please contact the support team via email at WORKTOOLS@CAT.COM

W	502-4993	S2070 HYDRAULIC SCRAP SHEAR 12,787 FOR USE WITH: 329D, 329E, 329F, 330D2, 330F, 330, 330GC, 335F LCR, 335, 336D, 336D2, 336E, 336F, 336, 336GC, 340D2, 340F, 340 Reach / Mass Boom, 340UHD INCLUDES: Weld-on boom mount bracket REQUIRES: Pin & bushing mounting group & connecting lines REQUIRES: OPTIONAL: Blade Kit (514-1039)		\$201,767 NI
---	----------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	---------------------

S2070 BLADE KIT

W	514-1039	KIT, BLADE 283 INCLUDES: Extra set of cutting knives and piercing tip CAN ONLY BE ORDERED WITH SHEAR, LIMIT 1 PER SHEAR		\$5,278 NI
---	----------	------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------------

S2070 BOOM MOUNTING GROUPS

Please See GEJQ9341 for Boom Mounting Groups Matching

W	517-1316	MOUNTING GROUP, PIN & BUSHING 90 FOR USE WITH: S3050 Shear 501-1404 or S2070 Shear 502-4993 FOR USE WITH: 328D, 329E, 330F, 335F Reach Boom INCLUDES: Machine cylinder pin		\$1,368 NI
W	517-4628	MOUNTING GROUP, PIN & BUSHING 79 FOR USE WITH: S3050 Shear 501-1404 or S2070 Shear 502-4993 FOR USE WITH: 328D, 329E, 330F, 335F Mass Boom INCLUDES: Machine cylinder pin		\$1,368 NI
W	501-1401	MOUNTING GROUP, PIN & BUSHING 87 FOR USE WITH: S3050 Shear 501-1404 or S2070 Shear 502-4993 FOR USE WITH: 336E/F Reach Boom INCLUDES: Machine cylinder pin		\$1,368 NI

S2070 CONNECTING LINES

Please See GEJQ9341 for Connecting Lines Matching

W	481-7985	LINES, CONNECTING 53 FOR USE WITH: S2070 Shear 435-9355, S2070 Shear 502-4993 FOR USE WITH: 328D CR, 329D, 329E, 330D2, 330F, 335F LCR Reach / Mass Boom		\$1,556 NI
---	----------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------------

CATERPILLAR MACHINE PRICE LIST

WT-HM

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

SHEARS (CONT.)

S2090 STRAIGHT (NON-ROTATING) SHEARS

Please See GEJQ9341 for Straight Shears Matching

For Additional Shear configurations please contact the support team via email at WORKTOOLS@CAT.COM

W	506-6983	S2090 HYDRAULIC SCRAP SHEAR	16,601	\$280,986 NI
		FOR USE WITH: 336D, 336D2, 336E, 336F, 336, 336GC, 340D2, 340F, 340, 340UHD, 345D, 349D, 349, 352, 352UHD, 374		
		INCLUDES: Weld-on boom mount bracket		
		REQUIRES: Pin & bushing mounting group & connecting lines		
		REQUIRES: OPTIONAL: Blade Kit (514-1040)		

S2090 BLADE KIT

W	514-1040	KIT, BLADE	353	\$6,224 NI
		INCLUDES: Extra set of cutting knives and piercing tip		
		CAN ONLY BE ORDERED WITH SHEAR, LIMIT 1 PER SHEAR		

S2090 BOOM MOUNTING GROUPS

Please See GEJQ9341 for Boom Mounting Groups Matching

W	514-2553	MOUNTING GROUP, PIN & BUSHING	71	\$1,368 NI
		FOR USE WITH: S3070 Shear 508-5913 or S2090 Shear 506-6983		
		FOR USE WITH: 336D, 336D2, 336E, 336F, 340D2, 340F Reach Boom		
		INCLUDES: Machine cylinder pin		
W	506-6985	MOUNTING GROUP, PIN & BUSHING	77	\$1,368 NI
		FOR USE WITH: S3070 Shear 508-5913 or S2090 Shear 506-6983		
		FOR USE WITH: 345D, 349D, 349E, 349F, 352F Reach Boom		
		INCLUDES: Machine cylinder pin		

S2090 CONNECTING LINES

Please See GEJQ9341 for Connecting Lines Matching

W	491-0986	LINES, CONNECTING	49	\$1,556 NI
		FOR USE WITH: S2090 Shear 447-3943, S2090 Shear 506-6983		
		FOR USE WITH: 336D, 336D2, 336E, 336F, 340D2, 340F Reach / Mass Boom		
W	518-4203	LINES, CONNECTING	49	\$1,556 NI
		FOR USE WITH: S2090 Shear 506-6983		
		FOR USE WITH: 345D, 349D, 349D2, 349E, 349F, 352 Reach / Mass Boom		

CATERPILLAR MACHINE PRICE LIST

WT-HM

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

DEMOLITION AND SORTING GRAPPLES

GRAPPLES, MULTI PURPOSE G300B

W	367-7524	GRAPPLE G310B-D. 2, 337 G310B Grapple with Demolition Shells REQUIRES: Mounting bracket and connecting lines FOR USE WITH: 311F, 312D2, 312E, 313D2, 313D2 LGP, 313F GC, 313, 313GC, 314E CR, 314F, 315F CR, 315, 315GC, 316E, 316F, 317, 317GC, 318D2, M313D, M314F, M314, M315D, M315D2, M315F, M315, M316D, M316F, M316, M317D2, M317F, M318F, M318		\$30,400 NI
W	367-7531	GRAPPLE, G315B-D. 2, 888 G315B Grapple with Demolition Shells REQUIRES: Mounting bracket and connecting lines FOR USE WITH: 318E, 318F, 320GC, 320D2, 320D2 GC, 320E, 320E RR, 320F, 320, 320GC, 323D2, 323E, 323F, 323, 325F CR, 325, 340, 352, M315D, M316D, M316F, M317D2, M318D, M318F, M318, M320D2, M320F, M320, M322D, M322D2, M322F, MH3022, MH3024, MH3026 For the 320GC please contact your WT Specialist for compatibility		\$36,589 NI
W	519-7784	GRAPPLE, G320B-D. 3, 940 G320B-D, demolition version REQUIRES: Mounting bracket and connecting lines FOR USE WITH: 323D2, 323E, 323F, 323, 324E, 325, 326D2, 326F, 326, 329E, 330D2, 3329E, 330D2, 330F, 330, 330GC, 335F CR, 335, 340UHD, 352UHD, MH3022, MH3024, MH3026		\$44,114 NI
W	587-8991	GRAPPLE, G332. 4, 570 G332 Grapple with Demolition Shells REQUIRES: Mounting bracket and connecting lines FOR USE WITH: 324E, 326D2, 326F, 329E, 330D2, 330F, 330, 330GC, 335F CR, 335, 336D2, 336D2 GC, 336D2 XE, 336E, 336E H, 336F, 336F XE, 336, 336GC, 340F, 340F UHD, 340, 340UHD, 352UHD		\$48,665 NI
W	483-5304	GRAPPLE, G330. 6, 080 G330B Grapple with Demolition Shells REQUIRES: Mounting bracket and connecting lines FOR USE WITH: 329E, 330D2, 336D2, 336D2 XE, 336E, 336E H, 336F, 336F X 336, 336GC, 340D2, 340F, 340F UHD, 340, 340UHD, 349D2, 349E, 349F, 349F XE, 349, 352F, 352F XE, 352, 352UHD		\$61,022 NI
W	587-8975	GRAPPLE, G318-WH 0.8CUM 1.0CYD. 3, 190 G318 Grapple with Waste Handling Shells (Perforated) REQUIRES: Mounting bracket and connecting lines FOR USE WITH: 318E, 318F, 320D2, 320D2 GC, 320E, 320E RR, 320F, 320, 320GC, 323D2, 323E, 323F, 323, 325F CR, 325, 340, 352, M315D, M316D, M316F, M317D2, M318D, M318F, M318, M320D2, M320F, M320, M322D, M322D2, M322F, MH3022, MH3024, MH3026		\$36,596 NI

CATERPILLAR MACHINE PRICE LIST

WT-HM

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

DEMOLITION AND SORTING GRAPPLES (CONT.)

GRAPPLES, MULTI PURPOSE G300B (Cont.)

W	587-8976	GRAPPLE, G318-WH 1.1CUM 1.4CYD. 3,569 G318 Grapple with Waste Handling Shells (Perforated) REQUIRES: Mounting bracket and connecting lines FOR USE WITH: 318E, 318F, 320D2, 320D2 GC, 320E, 320E RR, 320F, 320, 320GC, 323D2, 323E, 323F, 323, 325F CR, 325, 340, 352, M315D, M316D, M316F, M317D2, M318D, M318F, M318, M320D2, M320F, M320, M322D, M322D2, M322F, MH3022, MH3024, MH3026		\$40,117 NI
W	503-3901	GRAPPLE, G320B-WH 1500L 2.0CYD 4,418 G320B Grapple with Waste Handling Shells (Perforated) REQUIRES: Mounting bracket and connecting lines FOR USE WITH: 323D2, 323E, 323F, 323, 324E, 325, 326D2, 326F, 326, 329E, 330D2, 330F, 330, 330GC, 335F CR, 335, 340UHD, 352UHD, MH3022, MH3024, MH3026		\$48,561 NI
W	587-8986	GRAPPLE, G324-WH 1.8CUM 2.4CYD 4,641 Grapple with Waste Handling Shells (Perforated) REQUIRES: Mounting bracket and connecting lines FOR USE WITH: 323D2, 323E, 323F, 323, 324E, 325, 326D2, 326F, 326, 329E, 330D2, 330F, 330, 330GC, 335F CR, 335, 340UHD, 352UHD, MH3022, MH3024, MH3026		\$50,989 NI
W	520-7364	GRAPPLE, G320B-WH 2000L 2.6CYD 4,859 G320B Grapple with Waste Handling Shells (Perforated) REQUIRES: Mounting bracket and connecting lines FOR USE WITH: 323D2, 323E, 323F, 323, 324E, 325, 326D2, 326F, 326, 329E, 330D2, 330F, 330, 330GC, 335F CR, 335, 340UHD, 352UHD, MH3022, MH3024, MH3026		\$53,300 NI

G300B MOUNTING BRACKETS

W	298-7706	BRACKET, MOUNTING STICK 311 FOR USE WITH: G310 GC, G313 GC FOR USE WITH: Cat. 312, A-Linkage		\$3,850 NI
W	169-4967	BRACKET, MOUNTING STICK 350 FOR USE WITH: G310B, G314, G315B, G318 and G318-WH FOR USE WITH: Cat. 315, 316 Linkage		\$3,850 NI
W	572-7115	BRACKET, MOUNTING S80 529 FOR USE WITH: Excavators fitted with S80 Coupler FOR USE WITH: G324, G324-WH and G332 FOR USE WITH: 324E, 329E, 330,330GC, 335F CR, 335, 336E/F, 336, 336GC, 340F,340		\$5,333 NI

CATERPILLAR MACHINE PRICE LIST

WT-HM

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

DEMOLITION AND SORTING GRAPPLES (CONT.)

G300B MOUNTING BRACKETS (Cont.)

W	572-9430	BRACKET, MOUNTING S80 604 FOR USE WITH: Excavators fitted with S70 Coupler FOR USE WITH: G345 FOR USE WITH: 330,330GC, 336E/F, 336, 336GC, 340F, 340		\$5,333 NI
W	299-0293	BRACKET, MOUNTING B 448 FOR USE WITH: G318, G318-WH, G320B, G324, G324-WH and G332 FOR USE WITH: B Linkage		\$3,850 NI
W	253-7830	BRACKET, MOUNTING CB 562 FOR USE WITH: G320B and G332 FOR USE WITH: CB Linkage		\$3,850 NI
W	254-4463	BRACKET, MOUNTING DB 522 FOR USE WITH: G320B and G332 FOR USE WITH: DB Linkage		\$3,850 NI
W	254-4039	BRACKET, MOUNTING DB 642 FOR USE WITH: G330 FOR USE WITH: DB Linkage		\$5,336 NI
W	255-0001	BRACKET, MOUNTING TB 758 FOR USE WITH: G330 FOR USE WITH: TB Linkage		\$5,336 NI
W	169-4967	BRACKET, MOUNTING STICK 350 FOR USE WITH: Cat. 315, 316 Linkage		\$3,850 NI
W	523-1915	BRACKET, MOUNTING 395 FOR USE WITH: G310B and G315B FOR USE WITH: M312 Linkage		\$3,850 NI
W	598-3740	BRACKET, MOUNTING 437 FOR USE WITH: G318-WH, G320B-WH FOR USE WITH: MH3022-ST (06C), MH3024-ST (06C), MH3026-ST (06C)		\$3,850 NI
W	290-8330	BRACKET, MOUNTING 476 For use with: FOR USE WITH: G324, G324-WH, G332 FOR USE WITH: 340F UHD, 340UHD, 352UHD Pin-On		\$4,656 NI
W	573-7065	BRACKET, MOUNTING S60 227 FOR USE WITH: G310B/G314, G310GC, G318, G318-WH FOR USE WITH: 311F, 312E/F, 313F, 313, 313GC, 314E/F CR, 315F CR, 315, 315GC, 316E/F 317, 317GC, 318E/F, M314, M316, M318F, M318		\$3,847 NI

CATERPILLAR MACHINE PRICE LIST

WT-HM

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

DEMOLITION AND SORTING GRAPPLES (CONT.)

G300B MOUNTING BRACKETS (Cont.)

W	572-8090	BRACKET, MOUNTING S70 377 FOR USE WITH: Excavators fitted with S70 Coupler FOR USE WITH: G315GC, G318, G318-WH, G324, G324-WH and G332 FOR USE WITH: FOR USE WITH: 320E/F, 320,320GC, 323E/F, 323, 324E, 325, 346F, 329E, 330F, 330, 330GC, M320F, M320, M322F		\$3,847 NI
---	----------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------------

G300B CONNECTING LINES

W	379-4498	LINES, CONNECTING 55 FOR USE WITH: G310B FOR USE WITH: Cat. 312, A-Linkage, Cat. 315, 316 Linkage		\$1,517 NI
W	244-3141	LINES, CONNECTING 55 FOR USE WH: M313D/M314F/M315D/M316F/M316D/M318F FOR USE WITH: G310B and G315B grapple		\$1,472 NI
W	244-3143	LINES, CONNECTING 55 FOR USE WITH: G315B grapple FOR USE WITH: B Linkage		\$1,517 NI
W	244-3144	LINES, CONNECTING 55 FOR USE WITH: G320B and G332 FOR USE WITH: B, CB and DB Linkage		\$1,518 NI
W	244-3135	LINES, CONNECTING 67 FOR USE WITH: G330 FOR USE WITH: DB and TB Linkag		\$2,289 NI
W	244-3127	LINES, CONNECTING 90 FOR USE WITH: G330 FOR USE WITH: TB and UB Linkage		\$1,732 NI
W	551-3895	LINES, CONNECTING 26 FOR USE WITH: G315B and G318-WH GRAPPLES FOR USE WITH: MH3022-ST (06C), MH3024-ST (06C), MH3026-ST (06C)		\$1,707 NI
W	244-3140	LINES, CONNECTING 62 FOR USE WITH: G320B-WH GRAPPLES FOR USE WITH: MH3022-ST (06C), MH3024-ST (06C), MH3026-ST (06C)		\$1,707 NI
W	239-9250	LINES, CONNECTING 60 FOR USE WITH: G324, G324-WH, G332 FOR USE WITH: 340F UHD, 340UHD, 352UHD		\$2,738 NI

CATERPILLAR MACHINE PRICE LIST

WT-HM

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

ORANGE PEEL GRAPPLES

To have an operational grapple you will need:

- 1) Grapple
- 2) Crosshead
- 3) Connecting lines

Tool carrying machines require these hydraulic functions to operate:

- 1) Double or combined function (Open/Close)
- 2) Medium pressure auxiliary hydraulic circuit (Rotate)
- 3) High pressure boom and stick auxiliary lines (Open/Close)
- 4) Medium pressure boom and stick line (Rotate)
- 5) Hand control or foot valve to operate open/close, rotate

Matches are dependent upon excavator configurations. Please consult Orange Peel Grapples Reference Guide GEJQ9337 and/or the Work Tool Matching Guide.

GRAPPLES, ORANGE PEEL GSH420 AND GSH520

For Caterpillar machine models:
 MH3022, MH3024, MH3026

W	490-6896	GRAPPLE, OPG GSH420 .65YD3-S	2,533	\$32,553 NI
		4 tine, semi-open, .65YD3 REQUIRES: Crosshead and connecting lines		
W	490-6897	GRAPPLE, OPG GSH420 .75YD3-S	2,573	\$34,267 NI
		4 tine, semi-open, .75YD3 REQUIRES: Crosshead and connecting lines		
W	490-6898	GRAPPLE, OPG GSH420 1.00YD3-S	2,648	\$35,981 NI
		4 tine, semi-open, 1.00YD3 REQUIRES: Crosshead and connecting lines		
W	490-6901	GRAPPLE, OPG GSH520 .75YD3-S	3,073	\$37,961 NI
		5 tine, semi-open, .75YD3 REQUIRES: Crosshead and connecting lines		
W	490-6902	GRAPPLE, OPG GSH520 1.00YD3-S	3,166	\$39,858 NI
		5 tine, semi-open, 1.00YD3 REQUIRES: Crosshead and connecting lines		

GSH420 AND GSH520 MAGNET SLEEVES:

W	233-9905	SLEEVE, MAGNET	13	\$722 NI
		FOR USE WITH: GSH420 and GSH520		

CATERPILLAR MACHINE PRICE LIST

WT-HM

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

ORANGE PEEL GRAPPLES (CONT.)

GRAPPLES, ORANGE PEEL GSH425 AND GSH525

For Caterpillar machine models:
 320D2, 320E, 320E RR, 320F, 320, 320GC, 323, 323D2, 323E, 323F, 324E, 325F CR, 325, 326D2, 326F, 326, 329E, 330D2, 330F, 330, 330GC, 335F CR, 335 M318D, M320D2, M320F, M322D, M322D2, M322F MH3022, MH3024, MH3026, MH3040

W	466-8410	GRAPPLE, OPG GSH425 1.00YD3-S 3, 351 4 tines, semi-closed, 1.00YD3 REQUIRES: Crosshead and connecting lines		\$37,549 NI
W	466-8411	GRAPPLE, OPG GSH425 1.25YD3-S 3, 437 4 tines, semi-closed, 1.25YD3 REQUIRES: Crosshead and connecting lines		\$40,688 NI
W	466-8412	GRAPPLE, OPG GSH425 1.50YD3-S 3, 556 4 tines, semi-closed, 1.50YD3 REQUIRES: Crosshead and connecting lines		\$41,500 NI
W	466-8408	GRAPPLE, OPG GSH525 1.00YD3-S 3, 988 5 tines, semi-closed, 1.00YD3 REQUIRES: Crosshead and connecting lines		\$42,863 NI
W	473-7062	GRAPPLE, OPG GSH525 1.00YD3-S 4, 414 5 tines, closed, 1.00YD3 REQUIRES: Crosshead and connecting lines		\$43,290 NI
W	462-3810	GRAPPLE, OPG GSH525 1.25YD3-S 4, 101 5 tines, semi-closed, 1.25YD3 REQUIRES: Crosshead and connecting lines		\$46,001 NI
W	473-7063	GRAPPLE, OPG GSH525 1.25YD3-C 4, 590 5 tines, closed, 1.25YD3 REQUIRES: Crosshead and connecting lines		\$46,460 NI

GRAPPLES, ORANGE PEEL GSH440

For Caterpillar machine models: MH3049

W	456-2267	GRAPPLE, OPG GSH440 1.5YD3-S 4, 663 4 tines, semi-open, 1.50YD3 REQUIRES: Crosshead and connecting lines		\$42,828 NI
W	469-1368	GRAPPLE, OPG GSH440 2.0YD3-S 4, 652 4 tines, semi-open, 2.00YD3 REQUIRES: Crosshead and connecting lines		\$44,154 NI

GRAPPLES, ORANGE PEEL GSH22B

For Caterpillar machine models: 324E, 329E, 336D2, 336D2 GC, 336D2 XE, 336E, 336E H, 336F XE, 340D2, 340F, MH3059

W	259-9691	GRAPPLE, OPG GSH22B 1.5YD3-S 5, 666 4 tines, semi-closed, 1.50YD3 REQUIRES: Crosshead and connecting lines		\$48,549 NI
---	----------	----------------------------------------------------------------------------------------------------------------------------	--	-------------

CATERPILLAR MACHINE PRICE LIST

WT-HM

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

ORANGE PEEL GRAPPLES (CONT.)

GRAPPLES, ORANGE PEEL GSH22B (Cont.)

W	259-9704	GRAPPLE, OPG GSH22B 2.0YD3-S	5,763	\$49,236 NI
		4 tines, semi-closed, 2.00YD3 REQUIRES: Crosshead and connecting lines		
W	391-9791	GRAPPLE, OPG GSH22B 2.6YD3-S	5,891	\$52,840 NI
		4 tines, semi-closed, 2.60YD3 REQUIRES: Crosshead and connecting lines		

GSH425, GSH525, GSH440 AND GSH455 / GSH555 MAGNET SLEEVES:

W	305-7343	SLEEVE, MAGNET	20	\$525 NI NET
		FOR USE WITH: GSH425, GSH525 and GSH440		
W	305-7344	SLEEVE, MAGNET	22	\$525 NI NET
		FOR USE WITH: GSH455 and GSH555		

BRACKETS FOR GSH GRAPPLES

W	305-7364	BRACKET, CROSSHEAD	366	\$2,919 NI
		FOR USE WITH: GSH22B		
W	392-0684	BRACKET, CROSSHEAD	348	\$3,222 NI
		FOR USE WITH: GSH22B FOR USE WITH: MH3037, MH3049, MH3059		
W	469-3644	BRACKET, CROSSHEAD	256	\$3,279 NI
		FOR USE WITH: GSH425, GSH525 FOR USE WITH: B Linkage, M318D, M322D, M320D2, M322D2, M320F, M322F, M318D MH, M322D MH, M325D MH, M325D LMH, M322D2 MH, M324D2 MH, MH3022, MH3024, MH3026 Not for use on 320GC		
W	469-3643	BRACKET, CROSSHEAD	240	\$1,357 NI
		FOR USE WITH: GSH425, GSH525 FOR USE WITH: 325D MH, M325D MH, M325D LMH, MH3040		
W	469-3647	BRACKET, CROSSHEAD	216	\$2,506 NI
		FOR USE WITH: GSH425, GSH525, GSH440 FOR USE WITH: MH3027, MH3037, MH3049, MH3059		
W	392-0698	BRACKET, CROSSHEAD	370	\$3,222 NI
		FOR USE WITH: GSH22B FOR USE WITH: MH3059 INCLUDES: Magnet Sleeve and machine stick pin		
W	540-6581	BRACKET, CROSSHEAD	165	\$1,356 NI
		FOR USE WITH: GSH420, GSH520, GSV520, GSV520GC FOR USE WITH: Reach, One Piece, VA, VA-Ind, VAB, MH-Straight, MH fronts for 320D,E,F, 320, 320GC (with Long Undercarriage), 323D, E,F, 323, M318D, M318DMH, M320D2, M320F, M322D,D2,F, M322DMH,M322D2MH, M324D2MH, MH3022 (FM2;FB3), MH3024 (FM4;FB5;FB7), MH3026 (FB9)		

CATERPILLAR MACHINE PRICE LIST

WT-HM

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

ORANGE PEEL GRAPPLES (CONT.)

BRACKETS FOR GSH GRAPPLES (Cont.)

W	478-6924	PIN, GRAPPLE BRACKET 51 FOR USE WITH: Bracket 469-3647 Stick Pin FOR USE WITH: MH3027, MH3037, MH3049, MH3059 REQUIRES: Machine stick pin 478-6924 (unless machine is already equipped)		\$521 NI
W	233-9905	SLEEVE, MAGNET 13 FOR USE WITH: CROSSHEAD 305-6473, 289-9460, 292-4064, 459-7061		\$722 NI

CONNECTING LINES FOR GSH GRAPPLES

W	244-3148	KIT, QUICK DISCON. CVC HPF 11 FOR USE WITH: machines with CVC quick disconnect on HPL & MPL circuit		\$665 NI
W	297-7876	LINES, CONNECTING 35 FOR USE WITH: 325D MH and GSH425/525 or GSH22B		\$1,314 NI
W	394-6065	LINES, CONNECTING 19 FOR USE WITH: MH3037 or MH3049 and GSH425/525 or GSH440 MH3059 and GSH22B		\$1,342 NI
W	540-6704	LINES, CONNECTING 42 FOR USE WITH: GSH420, GSH520, GSH425, GSH525 FOR USE WITH: - One piece front, VA front with Industrial stick and MH fronts for: M320F, M322D2 MH, MH3022 (FB3), MH3022 (FM2; FB3), MH3024 (FB7) - M322D MH, M324D2 MH, M325D LMH, M325D MH, MH3024 (FM4; FB5), MH3026 MH3040 MAY REQUIRE: QDC Fittings 244-3148. Check Machine Configuration		\$956 NI

CONTACT CAT WORK TOOLS FOR M322D AND M322F CONNECTOR LINE AVAILABILITY

ORANGE PEEL GRAPPLES COMPETITIVE MACHINE CROSSHEADS

When installing a Cat grapple to a competitive carrier material weights, machine configuration, lift charts and hydraulic specifications must be reviewed to determine proper match. Crossheads do not include machine stick pin or magnet sleeve. Please contact Cat Work Tools for more information.

Competitive Mounting Brackets

CATERPILLAR MACHINE PRICE LIST

WT-HM

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

ORANGE PEEL GRAPPLES (CONT.)

ORANGE PEEL GRAPPLES COMPETITIVE MACHINE CROSSHEADS (Cont.)

W	473-0296	BRACKET, GRAPPLE MB-HR15 (NC) 176 FOR USE WITH: GSH425/525 and Sennebogen 830 / 835 FOR USE WITH: GSH440 and Sennebogen 840		\$2,600 NI
W	473-0271	BRACKET, GRAPPLE MB-HR15 (NC) 168 FOR USE WITH: GSH425/525 and Liebherr LM35 / 924CHD / 934C FOR USE WITH: GSH440 and Liebherr 934HD / 944		\$2,600 NI
W	452-6399	BRACKET, CROSSHEAD 323 FOR USE WITH: GSH22B and Sennebogen 850		\$2,919 NI

PIN GROUPS

W	233-1341	PIN, GRAPPLE BRACKET 66 FOR USE WITH: MH3040		\$694 NI
W	172-8472	PIN GROUP, SPARE 48 FOR USE WITH: 311, 312, 313, 314, 315F		\$604 NI
W	172-8473	PIN GROUP, SPARE 88 FOR USE WITH: 315, 316		\$782 NI
W	172-8444	PIN GROUP, SPARE 94 FOR USE WITH: B Family Linkage		\$1,122 NI
W	268-4450	PIN GROUP, SPARE 135 Ships loose from Caterpillar Work Tool & Services FOR USE WITH: "CB" Linkage		\$1,508 NI
W	268-5606	PIN GROUP, SPARE 166 FOR USE WITH: "DB" Linkage		\$1,894 NI
W	512-6169	PIN GROUP, SPARE 226 FOR USE WITH: "TB" Linkage		\$3,069 NI
W	241-9301	PIN, SPARE 340 FOR USE WITH: "VB" Linkage		\$3,731 NI

CATERPILLAR MACHINE PRICE LIST

WT-HM

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	Net Price
-----	------------	-------------------------------	--------------------	--------------

PACKING

PACKING

0P-0210	PACK, DOMESTIC TRUCK 0 FOR USE WITH: ALL WORK TOOLS	NC
W	0G-0007 CWTS CUSTOM PRODUCT ACC QUOTE 0 Can only be used for ETO orders. Please use the "NOTES" screen when ordering to mention the quote number and to specify the required product(s) as mentioned in the quote.	NC NI