

CATERPILLAR MACHINE PRICE LIST

WT-HYDNGH

WORK TOOLS - NEXT GEN HYDRAULIC KITS

Ship Weight
lbs

List Price
At Factory

Standard Equipment:

WT-HYDNGH PRICE LIST CONTAINS HYDRAULIC
KITS FOR NEXT GENERATION HYDRAULIC
EXCAVATORS.

OP-4789

NEXT GENERATION HYDRAULIC KITS 0
PLEASE USE THE OP REFERENCE NUMBER LISTED ABOVE WHEN ORDERING.

NC

**FOR QUESTIONS, SUPPORT AND QUOTATIONS
PLEASE CONTACT THE SALES SUPPORT TEAM
VIA EMAIL AT WORKTOOLS@CAT.COM**

Caterpillar -2021 Price List

Applications Services Commission of New Jersey
NJ State Approved Co-op #65MCECCPS

Grounds Equipment - Bid #ESCNJ 18/19-25

OP-0210

Please use this packing code to orders from this Price List.

Supersedes 26JAN2021
US-A D Caterpillar: Confidential Green

Subject to change without notice
Printed in USA
U. S. DOLLAR CURRENCY

Effective 20FEB2021
WT-HYDNGH-001
Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22

CATERPILLAR MACHINE PRICE LIST

WT-HYDNGH

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
313 EXCAVATOR				
313 NEXT GENERATION HYDRAULIC KITS				
W	582-6130	TOOL CONTROL PACKAGE 134 Combined circuit, joystick control, one or two pump flow, single or double function. FOR USE WITH: Machine serial number prefixes: JHR REQUIRES: High pressure boom and stick lines.		\$6,840 NI
W	582-7295	MEDIUM PRESSURE PACKAGE. 53 Medium pressure (rotate), joystick control. FOR USE WITH: Machine serial number prefixes: JHR REQUIRES: Tool Control circuit, medium pressure (rotate) boom and stick lines.		\$5,344 NI
W	583-0251	LINES-HP, BOOM REACH 123 FOR USE WITH: Reach Boom		\$2,829 NI
W	583-0252	LINES-MP, BOOM REACH 47 Medium pressure (rotate) FOR USE WITH: Reach Boom		\$2,829 NI
W	583-3887	LINES-HP, 8'2" STICK 82 FOR USE WITH: 2.5M (8'2") stick		\$2,068 NI
W	583-3888	LINES-HP, 9'2" STICK 82 FOR USE WITH: 2.8M (9'2") stick		\$2,269 NI
W	583-3889	LINES-HP, 9'8" STICK 86 FOR USE WITH: 3.0M (9'8") stick		\$2,828 NI
W	583-4832	LINES-MP, 8'2" STICK 38 FOR USE WITH: 2.5M (8'2") stick		\$1,497 NI
W	583-7670	LINES-MP, 9'2" STICK 36 FOR USE WITH: 2.8M (9'2") stick		\$1,774 NI
W	583-7671	LINES-MP, 9'8" STICK 43 FOR USE WITH: 3.0M (9'8") stick		\$2,126 NI
W	583-0248	COUPLER PACKAGE. 61 FOR USE WITH: Cat Pin Grabber Coupler & machine serial number prefixes: JHR INCLUDES: Control Group, Boom Lines and Stick Lines Used on a "Bare" machine (No coupler hydraulics) REQUIRES: Coupler specific connecting lines.		\$2,558 NI

CATERPILLAR MACHINE PRICE LIST

WT-HYDNGH

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

313 EXCAVATOR (CONT.)

313 NEXT GENERATION HYDRAULIC KITS (Cont.)

W	583-0247	FIELD INST KIT HYD, CW 61 FOR USE WITH: CW Coupler and Machine serial number prefixes: JHR INCLUDES: Control Group, Boom Lines and Stick Lines Used on a "Bare" machine (No coupler hydraulics) REQUIRES: CW Coupler specific connecting lines.		\$2,558 NI
---	----------	--	--	------------

313GC EXCAVATOR

313GC NEXT GENERATION HYDRAULIC KITS

W	582-6130	TOOL CONTROL PACKAGE 134 Combined circuit, joystick control, one or two pump flow, single or double function. FOR USE WITH: Machine serial number prefixes: NFZ REQUIRES: High pressure boom and stick lines.		\$6,840 NI
W	582-7295	MEDIUM PRESSURE PACKAGE. 53 Medium pressure (rotate), joystick control. FOR USE WITH: Machine serial number prefixes: NFZ REQUIRES: Tool Control circuit, medium pressure (rotate) boom and stick lines.		\$5,344 NI
W	583-0251	LINES-HP, BOOM REACH 123 FOR USE WITH: Reach Boom		\$2,829 NI
W	583-0252	LINES-MP, BOOM REACH 47 Medium pressure (rotate) FOR USE WITH: Reach Boom		\$2,829 NI
W	583-3887	LINES-HP, 8'2" STICK 82 FOR USE WITH: 2.5M (8'2") stick		\$2,068 NI
W	583-3888	LINES-HP, 9'2" STICK 82 FOR USE WITH: 2.8M (9'2") stick		\$2,269 NI
W	583-3889	LINES-HP, 9'8" STICK 86 FOR USE WITH: 3.0M (9'8") stick		\$2,828 NI
W	583-4832	LINES-MP, 8'2" STICK 38 FOR USE WITH: 2.5M (8'2") stick		\$1,497 NI
W	583-7670	LINES-MP, 9'2" STICK 36 FOR USE WITH: 2.8M (9'2") stick		\$1,774 NI
W	583-7671	LINES-MP, 9'8" STICK 43 FOR USE WITH: 3.0M (9'8") stick		\$2,126 NI

CATERPILLAR MACHINE PRICE LIST

WT-HYDNGH

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
313GC EXCAVATOR (CONT.)				
313GC NEXT GENERATION HYDRAULIC KITS (Cont.)				
W	583-0248	COUPLER PACKAGE 61 FOR USE WITH: Cat Pin Grabber Coupler & machine serial number prefixes: NFZ INCLUDES: Control Group, Boom Lines and Stick Lines Used on a "Bare" machine (No coupler hydraulics) REQUIRES: Coupler specific connecting lines.		\$2,558 NI
W	583-0247	FIELD INST KIT HYD, CW 61 FOR USE WITH: CW Coupler and Machine serial number prefixes: NFZ INCLUDES: Control Group, Boom Lines and Stick Lines Used on a "Bare" machine (No coupler hydraulics) REQUIRES: CW Coupler specific connecting lines.		\$2,558 NI
315 EXCAVATOR				
315 NEXT GENERATION HYDRAULIC KITS				
W	583-0249	TOOL CONTROL PACKAGE 132 Combined circuit, joystick control, one or two pump flow, single or double function. FOR USE WITH: Machine serial number prefixes: WKX REQUIRES: High pressure boom and stick lines.		\$9,169 NI
W	583-0250	MEDIUM PRESSURE PACKAGE 59 Medium pressure (rotate), joystick control. FOR USE WITH: Machine serial number prefixes: WKX (no Blade) REQUIRES: Tool Control circuit, medium pressure (rotate) boom and stick lines.		\$10,968 NI
W	585-6187	MEDIUM PRESSURE PACKAGE 123 Medium pressure (rotate), joystick control. FOR USE WITH: Machine serial number prefixes: WKX (with Blade) REQUIRES: Tool Control circuit, medium pressure (rotate) boom and stick lines.		\$10,333 NI
W	585-6188	LINES-HP, BOOM REACH 95 FOR USE WITH: Reach Boom		\$3,396 NI
W	585-6189	LINES-MP, BOOM REACH 56 Medium pressure (rotate) FOR USE WITH: Reach Boom		\$3,396 NI
W	583-3887	LINES-HP, 8'2" STICK 82 FOR USE WITH: 2.5M (8'2") stick		\$2,068 NI
W	583-3888	LINES-HP, 9'2" STICK 82 FOR USE WITH: 2.8M (9'2") stick		\$2,269 NI

CATERPILLAR MACHINE PRICE LIST

WT-HYDNGH

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

315 EXCAVATOR (CONT.)

315 NEXT GENERATION HYDRAULIC KITS (Cont.)

W	583-3889	LINES-HP, 9'8" STICK 86 FOR USE WITH: 3.0M (9'8") stick		\$2,828 NI
W	583-4832	LINES-MP, 8'2" STICK 38 FOR USE WITH: 2.5M (8'2") stick		\$1,497 NI
W	583-7670	LINES-MP, 9'2" STICK 36 FOR USE WITH: 2.8M (9'2") stick		\$1,774 NI
W	583-7671	LINES-MP, 9'8" STICK 43 FOR USE WITH: 3.0M (9'8") stick		\$2,126 NI
W	585-6186	COUPLER PACKAGE 79 FOR USE WITH: Cat Pin Grabber Coupler & machine serial number prefixes: WXX INCLUDES: Control Group, Boom Lines and Stick Lines Used on a "Bare" machine (No coupler hydraulics) REQUIRES: Coupler specific connecting lines.		\$2,836 NI
W	585-6185	FIELD INST KIT HYD, CW 79 FOR USE WITH: CW Coupler and Machine serial number prefixes: WXX INCLUDES: Control Group, Boom Lines and Stick Lines Used on a "Bare" machine (No coupler hydraulics) REQUIRES: CW Coupler specific connecting lines.		\$2,836 NI

315GC EXCAVATOR

315GC NEXT GENERATION HYDRAULIC KITS

W	583-0249	TOOL CONTROL PACKAGE 132 Tool Control 1 PC Boom Combined circuit, joystick control, one or two pump flow, single or double function. FOR USE WITH: Machine serial number prefixes: FTY, LYW REQUIRES: High pressure boom and stick lines.		\$9,169 NI
W	583-0250	MEDIUM PRESSURE PACKAGE 59 Medium pressure (rotate), joystick control. FOR USE WITH: Machine serial number prefixes: FTY, LYW NOT FOR USE WITH: Blade REQUIRES: Tool Control circuit, medium pressure (rotate) boom and stick lines.		\$10,968 NI

CATERPILLAR MACHINE PRICE LIST

WT-HYDNGH

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
315GC EXCAVATOR (CONT.)				
315GC NEXT GENERATION HYDRAULIC KITS (Cont.)				
W	585-6187	MEDIUM PRESSURE PACKAGE. 123 Medium pressure (rotate), joystick control. FOR USE WITH: Machine serial number prefixes: FTY, LYW FOR USE WITH: Blade REQUIRES: Tool Control circuit, medium pressure (rotate) boom and stick lines.		\$10,333 NI
W	585-6185	FIELD INST KIT HYD, CW 79 FOR USE WITH: CW and S Coupler & machine serial number prefixes: FTY, LYWKX INCLUDES: Control Group, Boom Lines and Stick Lines Used on a "Bare" machine (No coupler hydraulics) REQUIRES: Coupler specific connecting lines.		\$2,836 NI
W	585-6186	COUPLER PACKAGE. 79 FOR USE WITH: Cat Pin Grabber Coupler & machine serial number prefixes: FTY, LYW INCLUDES: Control Group, Boom Lines and Stick Lines Used on a "Bare" machine (No coupler hydraulics) REQUIRES: Coupler specific connecting lines.		\$2,836 NI
W	585-6188	LINES-HP, BOOM REACH 95 FOR USE WITH: Reach Boom		\$3,396 NI
W	585-6189	LINES-MP, BOOM REACH 56 FOR USE WITH: Reach Boom		\$3,396 NI
W	583-3887	LINES-HP, 8'2" STICK 82 FOR USE WITH: 2.5M (8'2") stick		\$2,068 NI
W	583-3888	LINES-HP, 9'2" STICK 82 FOR USE WITH: 2.8M (9'2") stick		\$2,269 NI
W	583-3889	LINES-HP, 9'8" STICK 86 FOR USE WITH: (3.0m / 9'8") stick		\$2,828 NI
W	583-4832	LINES-MP, 8'2" STICK 38 FOR USE WITH: 2.5M (8'2") stick		\$1,497 NI
W	583-7670	LINES-MP, 9'2" STICK 36 FOR USE WITH: 2.8M (9'2") stick		\$1,774 NI
W	583-7671	LINES-MP, 9'8" STICK 43 FOR USE WITH: 3.0M (9'8") stick		\$2,126 NI

CATERPILLAR MACHINE PRICE LIST

WT-HYDNGH

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
317 AND 317GC NGH EXCAVATOR				
317 and 317GC NEXT GENERATION HYDRAULIC KITS				
W	599-7002	TOOL CONTROL PACKAGE 130 Combined circuit, joystick control, one or two pump flow, single or double function. FOR USE WITH: Machine prefixes TZE and ZCF REQUIRES: High pressure boom and stick lines.		\$6,840 NI
W	599-7003	MEDIUM PRESSURE PACKAGE. 60 Medium pressure (rotate), joystick control. FOR USE WITH: Machine prefixes TZE and ZCF REQUIRES: Tool Control circuit, medium pressure (rotate) boom and stick lines.		\$5,347 NI
W	599-8792	LINES-HP, BOOM REACH 71 FOR USE WITH: Reach Boom		\$3,396 NI
W	600-1147	LINES-MP, BOOM REACH 64 Medium pressure (rotate) FOR USE WITH: Reach Boom		\$3,396 NI
W	600-1154	LINES-HP, 8'6" STICK 77 FOR USE WITH: 2.6M (8'6") stick		\$1,771 NI
W	600-1163	LINES-HP, 9'6" STICK 79 FOR USE WITH: 2.9M (9'6") stick		\$1,771 NI
W	600-1164	LINES-HP, 10'2" STICK 84 FOR USE WITH: 3.1M (10'2") stick		\$1,771 NI
W	600-1192	LINES-MP, 8'6" STICK 37 FOR USE WITH: 2.6M (8'6") stick		\$2,049 NI
W	600-7958	LINES-MP, 9'6" STICK 35 FOR USE WITH: 2.9M (9'6") stick		\$2,049 NI
W	600-7962	LINES-MP, 10'2" STICK 42 FOR USE WITH: 3.1M (10'2") stick		\$2,049 NI
W	599-8790	COUPLER PACKAGE. 62 FOR USE WITH: Cat Pin Grabber Coupler FOR USE WITH: Machine prefixes TZE and ZCF INCLUDES: Control Group, Boom Lines and Stick Lines Used on a "Bare" machine (No coupler hydraulics) REQUIRES: Coupler specific connecting lines.		\$2,833 NI
W	599-8789	FIELD INST KIT HYD, CW 62 FOR USE WITH: CW Coupler FOR USE WITH: Machine prefixes TZE and ZCF INCLUDES: Control Group, Boom Lines and Stick Lines Used on a "Bare" machine (No coupler hydraulics) REQUIRES: CW Coupler specific connecting lines.		\$2,833 NI

CATERPILLAR MACHINE PRICE LIST

WT-HYDNGH

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
320 EXCAVATOR				
320 NEXT GENERATION HYDRAULIC KITS				
W	533-1782	ADVANCED TOOL CONTROL PACKAGE 272 Combined circuit, joystick control, one or two pump flow, single or double function. FOR USE WITH: Machine serial number prefixes: HEX00000-HEX20136, MYK00000-MYK00170 HEX20137 & UP, MYK00171 & UP, BR6, YBP, ZBN REQUIRES: High pressure boom and stick lines.		\$11,636 NI
W	557-7854	BASIC TOOL CONTROL PACKAGE 176 Basic Tool Control Hammer circuit, joystick control, one pump flow, single function FOR USE WITH: Machine serial number prefixes: BR600001-BR610703, YBP, ZBN, BR4, ZBT, DKJ, BR9, YBL REQUIRES: High pressure boom and stick lines.		\$7,114 NI
W	540-1462	TOOL CONTROL PACKAGE 291 Combined circuit, joystick control, one or two pump flow, single or double function. FOR USE WITH: Machine serial number prefixes: BR6, YBP, ZBN, KTN, BR4, ZBT, DKJ, BR9, YBL REQUIRES: High pressure boom and stick lines.		\$11,636 NI
W	557-7852	BASIC TOOL CONTROL PACKAGE 93 Hammer circuit, joystick control, one pump flow, single function FOR USE WITH: Machine serial number prefixes: ZBN, DKJ, YBL FOR USE WITH: Machine with existing Auxiliary Ready Circuit REQUIRES: High pressure boom and stick lines.		\$4,046 NI
W	533-4529	MEDIUM PRESSURE PACKAGE. 130 Medium pressure (rotate), joystick control. FOR USE WITH: Machine serial number prefixes: HEX00000-HEX20136, MYK00000-MYK00170 BR6, YBP, ZBN, BR400001-BR420160, ZBT00001-ZBT10828 REQUIRES: Tool Control circuit, medium pressure (rotate) boom and stick lines.		\$4,979 NI
W	581-7234	MEDIUM PRESSURE PACKAGE. 172 Medium pressure (rotate), joystick control. FOR USE WITH: Machine serial number prefixes: HEX20140 & UP, MYK00171, BR610704 & UP REQUIRES: Advanced Tool Control, or Tool Control, not for use with Basic Tool Control		\$4,979 NI
W	532-9404	LINES-HP, BOOM REACH 175 FOR USE WITH: Reach Boom		\$2,976 NI

CATERPILLAR MACHINE PRICE LIST

WT-HYDNGH

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
320 EXCAVATOR (CONT.)				
320 NEXT GENERATION HYDRAULIC KITS (Cont.)				
W	532-9405	LINES-MP, BOOM REACH 68 Medium pressure (rotate) FOR USE WITH: Reach Boom		\$2,449 NI
W	384-2314	LINES-HP, 9'6" STICK 106 FOR USE WITH: 2.9M (9'6") stick		\$1,950 NI
W	374-5523	LINES-HP, 8'2" STICK 91 FOR USE WITH: 2.5M (8'2") stick		\$1,603 NI
W	384-2316	LINES-MP, 9'6" STICK 47 FOR USE WITH: 2.9M (9'8") stick		\$1,593 NI
W	281-8236	LINES-MP, 8'2" STICK 135 FOR USE WITH: 2.5M (8'2") stick		\$1,603 NI
W	532-9403	COUPLER PACKAGE. 66 FOR USE WITH: Cat Pin Grabber Coupler & machine serial number prefixes: HEX, ZBN, BR6, YBP INCLUDES: Control Group, Boom Lines and Stick Lines Used on a "Bare" machine (No coupler hydraulics) REQUIRES: Coupler specific connecting lines.		\$2,836 NI
W	551-6434	FIELD INST KIT HYD, CW, S 66 FOR USE WITH: CW and S Coupler and Machine serial number prefixes: HEX, ZBN, BR6, YBP INCLUDES: Control Group, Boom Lines and Stick Lines Used on a "Bare" machine (No coupler hydraulics) REQUIRES: CW or S Coupler specific connecting lines.		\$2,836 NI
W	343-8342	PARTIAL FIELD KIT, PGC, CW, S 37 FOR USE WITH: Center-Lock Coupler, Cat Pin Grabber Coupler, S Coupler or CW (Dedicated) Coupler INCLUDES: Boom and Stick Lines FOR USE WITH: Existing coupler control and lines to the boom foot. REQUIRES: Coupler specific connecting lines.		\$1,253 NI
W	582-7934	LINES GROUP, DRAIN 33 FOR USE WITH: Any Boom, any Stick Additional parts are required for use with Mulchers, see installation instructions REHS5145 for detailed parts list.		\$1,049 NI

CATERPILLAR MACHINE PRICE LIST

WT-HYDNGH

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
320GC/323GC NGH KITS				
320GC 323GC NEXT GENERATION HYDRAULIC KITS				
W	533-1782	ADVANCED TOOL CONTROL PACKAGE 272 Combined circuit, joystick control, one or two pump flow, single or double function. FOR USE WITH: Machine serial number prefixes: HEX, ZBN, BR6, YBP, FJM, WME REQUIRES: High pressure boom and stick lines.		\$11,636 NI
W	557-7854	BASIC TOOL CONTROL PACKAGE 176 Basic Tool Control Hammer circuit, joystick control, one pump flow, single function FOR USE WITH: Machine serial number prefixes: ZBT, DKJ, FJM, WME, BR400001-BR420160, ZBT00001-ZBT10828 REQUIRES: High pressure boom and stick lines.		\$7,114 NI
W	540-1462	TOOL CONTROL PACKAGE 291 Combined circuit, joystick control, one or two pump flow, single or double function. FOR USE WITH: Machine serial number prefixes: KTN00000-KTN20042, LKS00000-LKS00103, KTN20043 & UP, LKS00104 & UP BR4, ZBT, DKJ, FJM, WME REQUIRES: High pressure boom and stick lines.		\$11,636 NI
W	557-7852	BASIC TOOL CONTROL PACKAGE 93 Hammer circuit, joystick control, one pump flow, single function FOR USE WITH: Machine serial number prefixes: DKJ, FJM, WME FOR USE WITH: Machine with existing Auxiliary Ready Circuit REQUIRES: High pressure boom and stick lines.		\$4,046 NI
W	533-4529	MEDIUM PRESSURE PACKAGE. 130 Medium pressure (rotate), joystick control. FOR USE WITH: Machine serial number prefixes: KTN00000-KTN20042, LKS00000-LKS00103 ZBT, DKJ, FJM, WME, BR900001-BR9xxxx REQUIRES: Tool Control circuit, medium pressure (rotate) boom and stick lines.		\$4,979 NI
W	581-7234	MEDIUM PRESSURE PACKAGE. 172 Medium pressure (rotate), joystick control. FOR USE WITH: Machine serial number prefixes: KTN20043 & UP, LKS00104, BR9XXXX & UP REQUIRES: Advanced Tool Control, or Tool Control, not for use with Basic Tool Control		\$4,979 NI
W	532-9404	LINES-HP, BOOM REACH 175 FOR USE WITH: Reach Boom		\$2,976 NI

CATERPILLAR MACHINE PRICE LIST

WT-HYDNGH

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
320GC/323GC NGH KITS (CONT.)				
320GC 323GC NEXT GENERATION HYDRAULIC KITS (Cont.)				
W	532-9405	LINES-MP, BOOM REACH 68 Medium pressure (rotate) FOR USE WITH: Reach Boom		\$2,449 NI
W	384-2314	LINES-HP, 9'6" STICK 106 FOR USE WITH: 2.9M (9'6") stick		\$1,950 NI
W	374-5523	LINES-HP, 8'2" STICK 91 FOR USE WITH: 2.5M (8'2") stick		\$1,603 NI
W	384-2316	LINES-MP, 9'6" STICK 47 FOR USE WITH: 2.9M (9'6") stick		\$1,593 NI
W	281-8236	LINES-MP, 8'2" STICK 135 FOR USE WITH: 2.5M (8'2") stick		\$1,603 NI
W	532-9403	COUPLER PACKAGE 66 FOR USE WITH: Cat Pin Grabber Coupler & machine serial number prefixes: HEX, ZBN, BR6, YBP, FJM, WME INCLUDES: Control Group, Boom Lines and Stick Lines Used on a "Bare" machine (No coupler hydraulics) REQUIRES: Coupler specific connecting lines.		\$2,836 NI
W	551-6434	FIELD INST KIT HYD, CW, S 66 FOR USE WITH: CW and S Coupler and Machine serial number prefixes: HEX, ZBN, BR6, YBP INCLUDES: Control Group, Boom Lines and Stick Lines Used on a "Bare" machine (No coupler hydraulics) REQUIRES: CW or S Coupler specific connecting lines.		\$2,836 NI
W	343-8342	PARTIAL FIELD KIT, PGC, CW, S 37 FOR USE WITH: Center-Lock Coupler, Cat Pin Grabber Coupler, S Coupler or CW (Dedicated) Coupler INCLUDES: Boom and Stick Lines FOR USE WITH: Existing coupler control and lines to the boom foot. REQUIRES: Coupler specific connecting lines.		\$1,253 NI
W	582-7934	LINES GROUP, DRAIN 33 FOR USE WITH: Any Boom, any Stick Additional parts are required for use with Mulchers, see installation instructions REHS5145 for detailed parts list.		\$1,049 NI

CATERPILLAR MACHINE PRICE LIST

WT-HYDNGH

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
323 EXCAVATOR				
323 NEXT GENERATION HYDRAULIC KITS				
W	533-1782	ADVANCED TOOL CONTROL PACKAGE 272 Combined circuit, joystick control, one or two pump flow, single or double function. FOR USE WITH: Machine serial number prefixes: NDLO0000-NDL00137, RAZ00000-RAZ20073, HDT, NDL00138 & UP, RAZ20074 & UP, BR9, YBL, KTY00000-KTY20010, DWF00000-DWF20000, DWF20001 & UP, KTY20011 & UP REQUIRES: High pressure boom and stick lines.		\$11,636 NI
W	557-7854	BASIC TOOL CONTROL PACKAGE 176 Basic Tool Control Hammer circuit, joystick control, one pump flow, single function FOR USE WITH: Machine serial number prefixes: BR9, YBL, KTY00000-KTY20010, DWF, KTY20011 & UP REQUIRES: High pressure boom and stick lines.		\$7,114 NI
W	540-1462	TOOL CONTROL PACKAGE 291 Combined circuit, joystick control, one or two pump flow, single or double function. FOR USE WITH: Machine serial number prefixes: BR9, YBL, KTY00000-KTY20010, DWF, KTY20011 & UP REQUIRES: High pressure boom and stick lines.		\$11,636 NI
W	557-7852	BASIC TOOL CONTROL PACKAGE 93 Hammer circuit, joystick control, one pump flow, single function FOR USE WITH: Machine serial number prefixes: YBL, KTY00000-KTY20010, DWF, KTY20011 & UP FOR USE WITH: Machine with existing Auxiliary Ready Circuit REQUIRES: High pressure boom and stick lines.		\$4,046 NI
W	533-4529	MEDIUM PRESSURE PACKAGE. 130 Medium pressure (rotate), joystick control. FOR USE WITH: Machine serial number prefixes: NDLO0000-NDL00137, RAZ00000-RAZ20073, DWF00000-DWF20000, HDT, BR9, YBL, KTY00000-KTY20010 REQUIRES: Tool Control circuit, medium pressure (rotate) boom and stick lines.		\$4,979 NI
W	581-7234	MEDIUM PRESSURE PACKAGE. 172 Medium pressure (rotate), joystick control. FOR USE WITH: Machine serial number prefixes: NDLO0138 & UP, RAZ20074 & UP, DWF, KTY20011 & UP DWF20001 & UP REQUIRES: Advanced Tool Control, or Tool Control, not for use with Base Tool Control		\$4,979 NI
W	532-9404	LINES-HP, BOOM REACH 175 FOR USE WITH: Reach Boom		\$2,976 NI

CATERPILLAR MACHINE PRICE LIST

WT-HYDNGH

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
323 EXCAVATOR (CONT.)				
323 NEXT GENERATION HYDRAULIC KITS (Cont.)				
W	532-9405	LINES-MP, BOOM REACH 68 Medium pressure (rotate) FOR USE WITH: Reach Boom		\$2,449 NI
W	384-2314	LINES-HP, 9'6" STICK 106 FOR USE WITH: 2.9M (9'6") stick		\$1,950 NI
W	374-5523	LINES-HP, 8'2" STICK 91 FOR USE WITH: 2.5M (8'2") stick		\$1,603 NI
W	384-2316	LINES-MP, 9'6" STICK 47 FOR USE WITH: 2.9M (9'6") stick		\$1,593 NI
W	281-8236	LINES-MP, 8'2" STICK 135 FOR USE WITH: 2.5M (8'2") stick		\$1,603 NI
W	532-9403	COUPLER PACKAGE. 66 FOR USE WITH: Cat Pin Grabber Coupler INCLUDES: Control Group, Boom Lines and Stick Lines Used on a "Bare" machine (No coupler hydraulics) REQUIRES: Coupler specific connecting lines.		\$2,836 NI
W	551-6434	FIELD INST KIT HYD, CW, S 66 FOR USE WITH: CW and S Coupler INCLUDES: Control Group, Boom Lines and Stick Lines Used on a "Bare" machine (No coupler hydraulics) REQUIRES: CW or S Coupler specific connecting lines.		\$2,836 NI
W	343-8342	PARTIAL FIELD KIT, PGC, CW, S 37 FOR USE WITH: Center-Lock Coupler, Cat Pin Grabber Coupler, S Coupler or CW (Dedicated) Coupler INCLUDES: Boom and Stick Lines FOR USE WITH: Existing coupler control and lines to the boom foot. REQUIRES: Coupler specific connecting lines.		\$1,253 NI
W	582-7934	LINES GROUP, DRAIN 33 FOR USE WITH: Any Boom, any Stick Additional parts are required for use with Mulchers, see installation instructions REHS5145 for detailed parts list.		\$1,049 NI

CATERPILLAR MACHINE PRICE LIST

WT-HYDNGH

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
325 EXCAVATOR				
W	586-1098	ADVANCE TOOL CONTROL PACKAGE 419 Advance Tool Control Combined circuit, joystick control, one or two pump flow, single or double function. FOR USE WITH: Machine serial number prefixes: TEL, JNF REQUIRES: High pressure boom and stick lines.		\$11,636 NI
W	586-6670	MEDIUM CONTROL PACKAGE 172 Medium pressure (rotate), joystick control. FOR USE WITH: Machine serial number prefixes: TEL, JNF NOT FOR USE WITH: Machine equipped with blade attachment REQUIRES: Tool Control circuit, medium pressure (rotate) boom and stick lines.		\$4,979 NI
W	586-6672	CW COUPLER PACKAGE 66 FOR USE WITH: CW Coupler and Machine serial number prefixes: TEL, JNF INCLUDES: Control Group, Boom Lines and Stick Lines Used on a "Bare" machine (No coupler hydraulics) REQUIRES: CW Coupler specific connecting lines.		\$2,836 NI
W	586-6673	CPG COUPLER PACKAGE 67 FOR USE WITH: Cat Pin Grabber Coupler & machine serial number prefixes: TEL, JNF INCLUDES: Control Group, Boom Lines and Stick Lines Used on a "Bare" machine (No coupler hydraulics) REQUIRES: Coupler specific connecting lines.		\$2,836 NI
W	587-3260	LINES-HP, BOOM REACH 256 FOR USE WITH: REACH BOOM		\$2,976 NI
W	587-3261	LINES-MP, BOOM REACH 53 FOR USE WITH: REACH BOOM		\$2,449 NI
W	384-2314	LINES-HP, 9'6" STICK 106 FOR USE WITH: 2.90M (9'6") stick		\$1,950 NI
W	384-2316	LINES-MP, 9'6" STICK 47 FOR USE WITH: 2.90M (9'6") stick		\$1,593 NI
W	582-7934	LINES GROUP, DRAIN 33 FOR USE WITH: Any Boom, any Stick Additional parts are required for use with Mulchers, see installation instructions REHS5145 for detailed parts list.		\$1,049 NI

CATERPILLAR MACHINE PRICE LIST

WT-HYDNGH

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
326 EXCAVATOR				
W	579-5347	ADVANCED TOOL CONTROL PACKAGE 0 Advance Tool Control Combined circuit, joystick control, one or two pump flow, single or double function. FOR USE WITH: Machine serial number prefixes: KCK, LHY, JYM, MFJ		\$14,335 NI
W	579-5349	TOOL CONTROL PACKAGE 0 Tool Control Combined circuit, joystick control, one or two pump flow, single or double function. FOR USE WITH: Machine serial number prefixes: KCK REQUIRES: High pressure boom and stick lines.		\$14,335 NI
W	579-6255	BASIC TOOL CONTROL PACKAGE 165 Basic Tool Control Hammer circuit, joystick control, one pump flow, single function FOR USE WITH: Machine serial number prefixes: KCK REQUIRES: High pressure boom and stick lines.		\$7,114 NI
W	579-6257	MEDIUM CONTROL PACKAGE 0 Medium pressure (rotate), joystick control. FOR USE WITH: Machine serial number prefixes: KCK, LHY, JYM, MFJ REQUIRES: Tool Control circuit, medium pressure (rotate) boom and stick lines.		\$6,468 NI
W	580-6099	CW COUPLER PACKAGE 0 FOR USE WITH: CW Coupler & machine serial number prefixes: KCK, LHY, JYM, MFJ INCLUDES: Control Group, Boom Lines and Stick Lines Used on a "Bare" machine (No coupler hydraulics) REQUIRES: Coupler specific connecting lines.		\$2,836 NI
W	580-6658	CPG COUPLER PACKAGE 0 FOR USE WITH: Cat Pin Grabber Coupler & machine serial number prefixes KCK, LHY, JYM, MFJ INCLUDES: Control Group, Boom Lines and Stick Lines Used on a "Bare" machine (No coupler hydraulics) REQUIRES: Coupler specific connecting lines.		\$2,836 NI
W	580-6659	LINES-HP, BOOM REACH 0 FOR USE WITH: Reach Boom		\$2,890 NI
W	580-6660	LINES-MP, BOOM REACH 0 Medium pressure (rotate) FOR USE WITH: Reach Boom		\$2,760 NI

CATERPILLAR MACHINE PRICE LIST

WT-HYDNGH

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
326 EXCAVATOR (CONT.)				
W	281-8241	LINES-HP, 11'10" STICK 191 FOR USE WITH: 3.6M (11'10") stick		\$1,593 NI
W	375-5553	LINES-HP, 9'8" STICK 110 FOR USE WITH: 2.95M (9'8") stick		\$1,688 NI
W	374-5523	LINES-HP, 8'2" STICK 91 FOR USE WITH: 2.5M (8'2") stick		\$1,603 NI
W	281-8244	LINES-MP, 11'10" STICK 110 FOR USE WITH: 2.5M 3.6m (11'10") stick		\$1,593 NI
W	384-2316	LINES-MP, 9'6" STICK 47 FOR USE WITH: 2.9M (9'8") stick		\$1,593 NI
W	281-8236	LINES-MP, 8'2" STICK 135 FOR USE WITH: 2.5M (8'2") stick		\$1,603 NI

330 EXCAVATOR

330 NEXT GENERATION HYDRAULIC KITS

W	563-6482	ADVANCE TOOL CONTROL PACKAGE 284 Advance Tool Control Combined circuit, joystick control, one or two pump flow, single or double function. FOR USE WITH: Machine serial number prefixes: LHW, XNB, WCH, TJH, MGK, YCS REQUIRES: High pressure boom and stick lines.		\$14,335 NI
W	563-7683	TOOL CONTROL PACKAGE 0 Tool Control Combined circuit, joystick control, one or two pump flow, single or double function. FOR USE WITH: Machine serial number prefixes: KEL, TJH, MGK, YCS REQUIRES: High pressure boom and stick lines.		\$14,335 NI
W	568-2497	BASIC TOOL CONTROL PACKAGE 174 Basic Tool Control Hammer circuit, joystick control, one pump flow, single function FOR USE WITH: Machine serial number prefixes: KEL, TJH, MGK, YCS REQUIRES: High pressure boom and stick lines.		\$7,114 NI

CATERPILLAR MACHINE PRICE LIST

WT-HYDNGH

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
330 EXCAVATOR (CONT.)				
330 NEXT GENERATION HYDRAULIC KITS (Cont.)				
W	568-2498	BASIC TOOL CONTROL PACKAGE 0 Basic Tool Control FUW Aux Ready Hammer circuit, joystick control, one pump flow, single function FOR USE WITH: Machine serial number prefixes: KEL, TJH, MGK, YCS REQUIRES: High pressure boom and stick lines.		\$4,046 NI
W	563-6820	MEDIUM PRESSURE PACKAGE. 170 Medium pressure (rotate), joystick control. FOR USE WITH: Machine serial number prefixes: LHW, XNB, WCH, KEL, TJH, MGK, YCS REQUIRES: Tool Control circuit, medium pressure (rotate) boom and stick lines.		\$6,468 NI
W	563-7682	COUPLER PACKAGE CW, S 68 FOR USE WITH: CW and S Coupler & machine serial number prefixes: LHW, XNB, WCH, KEL INCLUDES: Control Group, Boom Lines and Stick Lines Used on a "Bare" machine (No coupler hydraulics) REQUIRES: Coupler specific connecting lines.		\$2,836 NI
W	563-6823	CPG COUPLER PACKAGE. 68 FOR USE WITH: Cat Pin Grabber Coupler & machine serial number prefixes LHW, XNB, WCH, KEL INCLUDES: Control Group, Boom Lines and Stick Lines Used on a "Bare" machine (No coupler hydraulics) REQUIRES: Coupler specific connecting lines.		\$2,836 NI
W	566-2372	LINES-HP, BOOM REACH 194 FOR USE WITH: Reach Boom		\$2,890 NI
W	566-2373	LINES-MP, BOOM REACH 73 Medium pressure (rotate) FOR USE WITH: Reach Boom		\$2,760 NI
W	566-2375	LINES-HP, BOOM MASS 0 FOR USE WITH: Mass Boom		\$2,821 NI
W	461-6802	LINES-HP, 12'2" STICK 117 FOR USE WITH: 3.71M (12'2") stick		\$2,888 NI
W	375-7308	LINES-HP, 10'6" STICK 179 FOR USE WITH: 3.20M (10'6") stick		\$1,661 NI
W	452-8236	LINES-MP, 10'6" STICK 71 FOR USE WITH: 3.20M (10'6") stick		\$1,603 NI

CATERPILLAR MACHINE PRICE LIST

WT-HYDNGH

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
330 EXCAVATOR (CONT.)				
330 NEXT GENERATION HYDRAULIC KITS (Cont.)				
W	461-6804	LINES-MP, 12'4" STICK 56 FOR USE WITH: 3.75M (12'4") stick		\$2,888 NI
W	281-8231	LINES-HP, 8'8" STICK 175 FOR USE WITH: 2.64M (8'8") stick		\$1,603 NI
W	281-8235	LINES-MP, 8'8" STICK 135 FOR USE WITH: 2.64M (8'8") stick		\$1,603 NI
W	384-2315	LINES-HP, 8'2" STICK 99 FOR USE WITH: 2.50M (8'2") stick		\$1,603 NI
330GC NEXT GENERATION HYDRAULIC KITS				
W	563-7683	TOOL CONTROL PACKAGE 0 Tool Control Combined circuit, joystick control, one or two pump flow, single or double function. FOR USE WITH: Machine serial number prefixes: GDW, NDH, SCZ, LHW REQUIRES: High pressure boom and stick lines.		\$14,335 NI
W	568-2497	BASIC TOOL CONTROL PACKAGE 174 Basic Tool Control Hammer circuit, joystick control, one pump flow, single function FOR USE WITH: Machine serial number prefixes: FEK, LHW REQUIRES: High pressure boom and stick lines.		\$7,114 NI
W	568-2498	BASIC TOOL CONTROL PACKAGE 0 Basic Tool Control FUW Aux Ready Hammer circuit, joystick control, one pump flow, single function FOR USE WITH: Machine serial number prefixes: FEK, LHW REQUIRES: High pressure boom and stick lines.		\$4,046 NI
W	563-6820	MEDIUM PRESSURE PACKAGE. 170 Medium pressure (rotate), joystick control. FOR USE WITH: Machine serial number prefixes: GDW, NDH, SCZ, LHW REQUIRES: Tool Control circuit, medium pressure (rotate) boom and stick lines.		\$6,468 NI

CATERPILLAR MACHINE PRICE LIST

WT-HYDNGH

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
330 EXCAVATOR (CONT.)				
330GC NEXT GENERATION HYDRAULIC KITS (Cont.)				
W	563-7682	COUPLER PACKAGE CW, S 68 FOR USE WITH: CW and S Coupler & machine serial number prefixes: GDW, NDH, SCZ, FEK INCLUDES: Control Group, Boom Lines and Stick Lines Used on a "Bare" machine (No coupler hydraulics) REQUIRES: Coupler specific connecting lines.		\$2,836 NI
W	563-6823	CPG COUPLER PACKAGE. 68 FOR USE WITH: Cat Pin Grabber Coupler & machine serial number prefixes GDW, NDH, SCZ, FEK INCLUDES: Control Group, Boom Lines and Stick Lines Used on a "Bare" machine (No coupler hydraulics) REQUIRES: Coupler specific connecting lines.		\$2,836 NI
W	461-6804	LINES-MP, 12'4" STICK 56 FOR USE WITH: 3.75M (12'4") stick		\$2,888 NI
W	566-2372	LINES-HP, BOOM REACH 194 FOR USE WITH: Reach Boom		\$2,890 NI
W	566-2373	LINES-MP, BOOM REACH 73 Medium pressure (rotate) FOR USE WITH: Reach Boom		\$2,760 NI
W	566-2375	LINES-HP, BOOM MASS 0 FOR USE WITH: Mass Boom		\$2,821 NI
W	461-6802	LINES-HP, 12'2" STICK 117 FOR USE WITH: 3.71M (12'2") stick		\$2,888 NI
W	375-7308	LINES-HP, 10'6" STICK 179 FOR USE WITH: 3.20M (10'6") stick		\$1,661 NI
W	452-8236	LINES-MP, 10'6" STICK 71 FOR USE WITH: 3.20M (10'6") stick		\$1,603 NI
W	281-8231	LINES-HP, 8'8" STICK 175 FOR USE WITH: 2.64M (8'8") stick		\$1,603 NI
W	281-8235	LINES-MP, 8'8" STICK 135 FOR USE WITH: 2.64M (8'8") stick		\$1,603 NI
W	384-2315	LINES-HP, 8'2" STICK 99 FOR USE WITH: 2.50M (8'2") stick		\$1,603 NI

CATERPILLAR MACHINE PRICE LIST

WT-HYDNGH

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
335 EXCAVATOR				
335 NEXT GENERATION HYDRAULIC KITS				
W	595-6924	TOOL CONTROL PACKAGE 123 Advance Tool Control Combined circuit, joystick control, one or two pump flow, single or double function. FOR USE WITH: Machine serial number prefix: XBE NOT FOR USE WITH: Blade REQUIRES: High pressure boom and stick lines.		\$14,335 NI
W	595-6935	CIRCUIT, MEDIUM PRESSURE PKG. 165 Medium pressure (rotate), joystick control. FOR USE WITH: Machine serial number prefix: XBE NOT FOR USE WITH: Blade REQUIRES: Tool Control circuit, medium pressure (rotate) boom and stick lines.		\$6,468 NI
W	595-8478	FIELD INST KIT HYD, CW, S 66 FOR USE WITH: CW and S Coupler & machine serial number prefixes: XBE INCLUDES: Control Group, Boom Lines and Stick Lines Used on a "Bare" machine (No coupler hydraulics) REQUIRES: Coupler specific connecting lines.		\$2,836 NI
W	595-8479	FIELD INST KIT HYD, PINGRABBER 66 FOR USE WITH: Cat Pin Grabber Coupler & machine serial number prefixes: number prefix: XBE INCLUDES: Control Group, Boom Lines and Stick Lines Used on a "Bare" machine (No coupler hydraulics) REQUIRES: Coupler specific connecting lines.		\$2,836 NI
W	595-9256	LINES-HP, BOOM REACH 298 FOR USE WITH: Reach Boom		\$2,890 NI
W	595-9257	LINES-MP, BOOM REACH 55 Medium pressure (rotate) FOR USE WITH: Reach Boom		\$2,760 NI
W	461-6802	LINES-HP, 12'2" STICK 117 FOR USE WITH: 3.75M (12'2") stick		\$2,888 NI
W	375-7308	LINES-HP, 10'6" STICK 179 FOR USE WITH: 3.20M (10'6") stick		\$1,661 NI
W	461-6804	LINES-MP, 12'4" STICK 56 FOR USE WITH: 3.75M (12'4") stick		\$2,888 NI
W	452-8236	LINES-MP, 10'6" STICK 71 FOR USE WITH: 3.20M (10'6") stick		\$1,603 NI

CATERPILLAR MACHINE PRICE LIST

WT-HYDNGH

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
336 / 340 EXCAVATOR				
336 NEXT GENERATION HYDRAULIC KITS				
W	550-3494	TOOL CONTROL PACKAGE 205 Advance Tool Control Combined circuit, joystick control, one or two pump flow, single or double function. FOR USE WITH: Machine serial number prefixes: DKS, JHD REQUIRES: High pressure boom and stick lines.		\$14,335 NI
W	550-3490	TOOL CONTROL PACKAGE 288 Tool Control Combined circuit, joystick control, one or two pump flow, single or double function. FOR USE WITH: Machine serial number prefixes: YBN, SP9, GDY REQUIRES: High pressure boom and stick lines.		\$14,335 NI
W	559-3854	TOOL CONTROL PACKAGE 306 Basic Tool Control Hammer circuit, joystick control, one pump flow, single function FOR USE WITH: Machine serial number prefixes: YBN, SP9, GDY REQUIRES: High pressure boom and stick lines.		\$7,114 NI
W	550-3492	CIRCUIT, MEDIUM PRESSURE PKG. 172 Medium pressure (rotate), joystick control. FOR USE WITH: Machine serial number prefixes: DKS, JHD, YBN, SP9, GDY REQUIRES: Tool Control circuit, medium pressure (rotate) boom and stick lines.		\$6,468 NI
W	550-3496	LINES-HP, BOOM REACH 267 FOR USE WITH: Reach Boom		\$2,890 NI
W	550-3497	LINES-MP, BOOM REACH 86 Medium pressure (rotate) FOR USE WITH: Reach Boom		\$2,760 NI
W	561-8465	LINES-HP, BOOM MASS 247 FOR USE WITH: Mass Boom		\$2,821 NI
W	369-5226	LINES-HP, 12'10" STICK 63 FOR USE WITH: 3.9M (12'10") stick		\$1,874 NI
W	362-5261	LINES-HP, 10'6" STICK 56 FOR USE WITH: 3.2M (10'6") stick		\$1,719 NI
W	314-7815	LINES-HP, 9'2" STICK 105 FOR USE WITH: 2.8M(9'4") stick		\$1,638 NI
W	362-5259	LINES-HP, 8'4" STICK 53 FOR USE WITH: 2.55M (8'4") stick		\$1,638 NI

CATERPILLAR MACHINE PRICE LIST

WT-HYDNGH

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
336 / 340 EXCAVATOR (CONT.)				
336 NEXT GENERATION HYDRAULIC KITS (Cont.)				
W	369-5230	LINES-MP, 12'10" STICK 53 FOR USE WITH: 3.9M (12'10") stick		\$1,803 NI
W	369-5229	LINES-MP, 10'6" STICK 57 FOR USE WITH: 3.2M (10'6") stick		\$1,803 NI
W	314-7813	LINES-MP, 9'2" STICK 48 FOR USE WITH: 2.8M(9'2") stick		\$1,803 NI
W	554-2259	FIELD INST KIT HYD, PINGRABBER 31 FOR USE WITH: Center-Lock Coupler, Cat Pin Grabber Coupler FOR USE WITH: Machine serial number prefixes: DKS, JHD, YBN, SP9, GDY INCLUDES: Control Group, Boom Lines and Stick Lines Used on a "Bare" machine (No coupler hydraulics) REQUIRES: Coupler specific connecting lines.		\$2,836 NI
W	550-3495	FIELD INST KIT HYD, CW, S 31 FOR USE WITH: CW and S Coupler and Machine serial number prefixes: HEX, ZBN, BR6, YBP INCLUDES: Control Group, Boom Lines and Stick Lines Used on a "Bare" machine (No coupler hydraulics) REQUIRES: CW and S Coupler specific connecting lines.		\$2,836 NI
W	343-8342	PARTIAL FIELD KIT, PGC, CW, S 37 FOR USE WITH: Center-Lock Coupler, Cat Pin Grabber Coupler, S Coupler or CW (Dedicated) Coupler INCLUDES: Boom and Stick Lines Lines (Hoses) FOR USE WITH: Existing coupler control and lines to the boom foot. REQUIRES: Coupler specific connecting lines.		\$1,253 NI
336GC NEXT GENERATION HYDRAULIC KITS				
W	550-3490	TOOL CONTROL PACKAGE 288 Tool Control Combined circuit, joystick control, one or two pump flow, single or double function. FOR USE WITH: Machine serial number prefixes: EBJ, HFJ, GSF, HBY, JFW REQUIRES: High pressure boom and stick lines.		\$14,335 NI
W	559-3854	TOOL CONTROL PACKAGE 306 Basic Tool Control Hammer circuit, joystick control, one pump flow, single function FOR USE WITH: Machine serial number prefixes: EBJ, HFJ, GSF, HBY, JFW REQUIRES: High pressure boom and stick lines.		\$7,114 NI

CATERPILLAR MACHINE PRICE LIST

WT-HYDNGH

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
336 / 340 EXCAVATOR (CONT.)				
336GC NEXT GENERATION HYDRAULIC KITS (Cont.)				
W	550-3492	CIRCUIT, MEDIUM PRESSURE PKG. 172 Medium pressure (rotate), joystick control. FOR USE WITH: Machine serial number prefixes: EBJ, HFJ, GSF, HBY, JFW REQUIRES: Tool Control circuit, medium pressure (rotate) boom and stick lines.		\$6,468 NI
W	550-3496	LINES-HP, BOOM REACH 267 FOR USE WITH: Reach Boom		\$2,890 NI
W	550-3497	LINES-MP, BOOM REACH 86 Medium pressure (rotate) FOR USE WITH: Reach Boom		\$2,760 NI
W	561-8465	LINES-HP, BOOM MASS 247 FOR USE WITH: Mass Boom		\$2,821 NI
W	369-5226	LINES-HP, 12'10" STICK 63 FOR USE WITH: 3.9M (12'10") stick		\$1,874 NI
W	362-5261	LINES-HP, 10'6" STICK 56 FOR USE WITH: 3.2M (10'6") stick		\$1,719 NI
W	314-7815	LINES-HP, 9'2" STICK 105 FOR USE WITH: 2.8M(9'4") stick		\$1,638 NI
W	362-5259	LINES-HP, 8'4" STICK 53 FOR USE WITH: 2.55M (8'4") stick		\$1,638 NI
W	369-5230	LINES-MP, 12'10" STICK 53 FOR USE WITH: 3.9M (12'10") stick		\$1,803 NI
W	369-5229	LINES-MP, 10'6" STICK 57 FOR USE WITH: 3.2M (10'6") stick		\$1,803 NI
W	554-2259	FIELD INST KIT HYD, PINGRABBER 31 FOR USE WITH: Center-Lock Coupler, Cat Pin Grabber Coupler FOR USE WITH: Machine serial number prefixes: EBJ, HFJ, GSF, HBY, JFW INCLUDES: Control Group, Boom Lines and Stick Lines Used on a "Bare" machine (No coupler hydraulics) REQUIRES: Coupler specific connecting lines.		\$2,836 NI

CATERPILLAR MACHINE PRICE LIST

WT-HYDNGH

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

336 / 340 EXCAVATOR (CONT.)

336GC NEXT GENERATION HYDRAULIC KITS (Cont.)

W	550-3495	FIELD INST KIT HYD, CW, S 31 FOR USE WITH: CW and S Coupler and Machine serial number prefixes: HEX, ZBN, BR6, YBP INCLUDES: Control Group, Boom Lines and Stick Lines Used on a "Bare" machine (No coupler hydraulics) REQUIRES: CW and S Coupler specific connecting lines.		\$2,836 NI
W	343-8342	PARTIAL FIELD KIT, PGC, CW, S 37 FOR USE WITH: Center-Lock Coupler, Cat Pin Grabber Coupler, S Coupler or CW (Dedicated) Coupler INCLUDES: Boom and Stick Lines FOR USE WITH: Existing coupler control and lines to the boom foot. REQUIRES: Coupler specific connecting lines.		\$1,253 NI

345 EXCAVATOR

345GC NEXT GENERATION HYDRAULIC KITS

W	569-1886	LINES-HP, BOOM REACH 338 FOR USE WITH: Reach Boom		\$3,914 NI
W	595-2658	CPG COUPLER PACKAGE. 64 FOR USE WITH: Cat Pin Grabber Coupler & machine serial number INCLUDES: Control Group, Boom Lines and Stick Lines Used on a "Bare" machine (No coupler hydraulics) REQUIRES: Coupler specific connecting lines.		\$2,836 NI
W	569-1886	LINES-HP, BOOM REACH 338 FOR USE WITH: Reach Boom		\$3,914 NI

349 AND 352 EXCAVATOR

349/352 NEXT GENERATION HYDRAULIC KITS

W	577-5796	ADVANCE TOOL CONTROL PACKAGE 313 Advance Tool Control Combined circuit, joystick control, one or two pump flow, single or double function. FOR USE WITH: Machine serial number prefixes: LKG, RYG REQUIRES: High pressure boom and stick lines.		\$14,335 NI
W	596-2044	BASIC TOOL CONTROL PACKAGE 90 Basic Tool Control Hammer circuit, joystick control, one pump flow, single function FOR USE WITH: Machine serial number prefixes: RBY, SKT REQUIRES: High pressure boom and stick lines.		\$4,524 NI

CATERPILLAR MACHINE PRICE LIST

WT-HYDNGH

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
349 AND 352 EXCAVATOR (CONT.)				
349/352 NEXT GENERATION HYDRAULIC KITS (Cont.)				
W	559-3854	TOOL CONTROL PACKAGE 306 Basic Tool Control Hammer circuit, joystick control, one pump flow, single function FOR USE WITH: Machine serial number prefixes: LKG, RYG REQUIRES: High pressure boom and stick lines.		\$7,114 NI
W	577-5797	TOOL CONTROL PACKAGE 315 Tool Control Combined circuit, joystick control, one or two pump flow, single or double function. FOR USE WITH: Machine serial number prefixes: RBY, SKT REQUIRES: High pressure boom and stick lines.		\$17,304 NI
W	569-1885	MEDIUM PRESSURE PACKAGE. 119 Medium pressure (rotate), joystick control. FOR USE WITH: Machine serial number prefixes: LKG, RYG, RBY, SKT REQUIRES: Tool Control circuit, medium pressure (rotate) boom and stick lines.		\$7,804 NI
W	569-2538	CW COUPLER PACKAGE CW, S 64 FOR USE WITH: CW and S Coupler & machine serial number prefixes: LKG, RYG, RBY, SKT INCLUDES: Control Group, Boom Lines and Stick Lines Used on a "Bare" machine (No coupler hydraulics) REQUIRES: Coupler specific connecting lines.		\$2,836 NI
W	569-2539	CPG COUPLER PACKAGE. 64 FOR USE WITH: Cat Pin Grabber Coupler & machine serial number prefixes: LKG, RYG, RBY, SKT INCLUDES: Control Group, Boom Lines and Stick Lines Used on a "Bare" machine (No coupler hydraulics) REQUIRES: Coupler specific connecting lines.		\$2,836 NI
W	569-1886	LINES-HP, BOOM REACH 338 FOR USE WITH: Reach Boom		\$3,914 NI
W	569-1887	LINES-MP, BOOM REACH 88 Medium pressure (rotate) FOR USE WITH: Reach Boom		\$2,808 NI
W	569-2540	LINES-MP, BOOM MASS 88 FOR USE WITH: Mass Boom		\$2,808 NI
W	369-5295	LINES-HP, 12'10" STICK 190 FOR USE WITH: 3.90M (12'10") Stick		\$2,690 NI

CATERPILLAR MACHINE PRICE LIST

WT-HYDNGH

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
349 AND 352 EXCAVATOR (CONT.)				
349/352 NEXT GENERATION HYDRAULIC KITS (Cont.)				
W	571-9052	LINES-MP, 12'10" STICK 53 FOR USE WITH: 3.90M (12'10") Stick		\$2,446 NI
W	571-9053	LINES-MP, 11'0" STICK 51 FOR USE WITH: 3.35M (11'10") Stick		\$2,446 NI
W	571-9056	LINES-MP, 9'6" STICK 49 FOR USE WITH: 2.90M (9'6") Stick		\$2,446 NI
W	571-9777	LINES-MP, 9'10" STICK 42 FOR USE WITH: 3.00M (9'10") Stick		\$2,446 NI
W	571-9778	LINES-MP, 8'2" STICK 37 FOR USE WITH: 2.50M (8'2") Stick		\$2,446 NI
W	577-5796	ADVANCE TOOL CONTROL PACKAGE 313 Advance Tool Control Combined circuit, joystick control, one or two pump flow, single or double function. FOR USE WITH: Machine serial number prefixes: LKG, RYG REQUIRES: High pressure boom and stick lines.		\$14,335 NI
W	569-1885	MEDIUM PRESSURE PACKAGE. 119 Medium pressure (rotate), joystick control. FOR USE WITH: Machine serial number prefixes: LKG, RYG, RBY, SKT REQUIRES: Tool Control circuit, medium pressure (rotate) boom and stick lines.		\$7,804 NI
W	569-2538	CW COUPLER PACKAGE CW, S 64 FOR USE WITH: CW and S Coupler & machine serial number prefixes: LKG, RYG, RBY, SKT INCLUDES: Control Group, Boom Lines and Stick Lines Used on a "Bare" machine (No coupler hydraulics) REQUIRES: Coupler specific connecting lines.		\$2,836 NI
W	343-5415	PARTIAL FIELD KIT, PGC, CW, S 40 FOR USE WITH: Center-Lock Coupler, Cat Pin Grabber Coupler, S Coupler or CW (Dedicated) Coupler INCLUDES: Boom and Stick Lines FOR USE WITH: Existing coupler control and lines to the boom foot. REQUIRES: Coupler specific connecting lines.		\$1,368 NI

CATERPILLAR MACHINE PRICE LIST

WT-HYDNGH

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
349 AND 352 EXCAVATOR (CONT.)				
349/352 NEXT GENERATION HYDRAULIC KITS (Cont.)				
W	569-2539	CPG COUPLER PACKAGE. 64 FOR USE WITH: Cat Pin Grabber Coupler & machine serial number prefixes: LKG, RYG, RBY, SKT INCLUDES: Control Group, Boom Lines and Stick Lines Used on a "Bare" machine (No coupler hydraulics) REQUIRES: Coupler specific connecting lines.		\$2,836 NI
W	569-1886	LINES-HP, BOOM REACH 338 FOR USE WITH: Reach Boom		\$3,914 NI
W	569-1887	LINES-MP, BOOM REACH 88 Medium pressure (rotate) FOR USE WITH: Reach Boom		\$2,808 NI
W	569-2540	LINES-MP, BOOM MASS 88 FOR USE WITH: Mass Boom		\$2,808 NI
W	369-5295	LINES-HP, 12'10" STICK 190 FOR USE WITH: 3.90M (12'10") Stick		\$2,690 NI
W	571-9052	LINES-MP, 12'10" STICK 53 FOR USE WITH: 3.90M (12'10") Stick		\$2,446 NI
W	571-9053	LINES-MP, 11'0" STICK 51 FOR USE WITH: 3.35M (11'10") Stick		\$2,446 NI
W	571-9056	LINES-MP, 9'6" STICK 49 FOR USE WITH: 2.90M (9'6") Stick		\$2,446 NI
W	571-9777	LINES-MP, 9'10" STICK 42 FOR USE WITH: 3.00M (9'10") Stick		\$2,446 NI
W	571-9778	LINES-MP, 8'2" STICK 37 FOR USE WITH: 2.50M (8'2") Stick		\$2,446 NI

374 EXCAVATOR

374 NEXT GENERATION HYDRAULIC KITS

W	589-9975	ADVANCE TOOL CONTROL PACKAGE 465 Advance Tool Control Combined circuit, joystick control, one or two pump flow, single or double function. FOR USE WITH: Machine serial number prefixes: TBX, JGP, KHH, KHH, NLN, RGM REQUIRES: High pressure boom and stick lines.		\$21,497 NI
---	----------	--	--	-------------

CATERPILLAR MACHINE PRICE LIST

WT-HYDNGH

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
374 EXCAVATOR (CONT.)				
374 NEXT GENERATION HYDRAULIC KITS (Cont.)				
W	590-0135	MEDIUM PRESSURE PACKAGE. 101 Medium pressure (rotate), joystick control. FOR USE WITH: Machine serial number prefixes: TBX, JGP, KHH, KHH, NLN, RGM REQUIRES: Tool Control circuit, medium pressure (rotate) boom and stick lines.		\$7,804 NI
W	590-1164	COUPLER PACKAGE CW, S 99 FOR USE WITH: CW and S Coupler & machine serial number prefixes: TBX, JGP, KHH, KHH, NLN, RGM INCLUDES: Control Group, Boom Lines and Stick Lines Used on a "Bare" machine (No coupler hydraulics) REQUIRES: Coupler specific connecting lines.		\$5,303 NI
W	588-5985	CPG COUPLER PACKAGE. 99 FOR USE WITH: Cat Pin Grabber Coupler & machine serial number prefixes: TBX, JGP, KHH, KHH, NLN, RGM INCLUDES: Control Group, Boom Lines and Stick Lines Used on a "Bare" machine (No coupler hydraulics) REQUIRES: Coupler specific connecting lines.		\$5,303 NI
W	590-1165	LINES-HP, BOOM REACH 472 FOR USE WITH: Reach Boom		\$9,190 NI
W	590-1172	LINES-HP, BOOM MASS 437 FOR USE WITH: Mass Boom		\$7,889 NI
W	590-1177	LINES-MP, BOOM REACH 101 FOR USE WITH: Reach Boom		\$8,711 NI
W	590-1179	LINES-MP, BOOM MASS 93 FOR USE WITH: Mass Boom		\$6,289 NI
W	590-3635	LINES-HP, R 15'4" STICK 243 FOR USE WITH: R4.67m (15'4") stick		\$4,601 NI
W	590-3636	LINES-HP, R 13'7" STICK 234 FOR USE WITH: R4.15m (13'7") stick		\$4,014 NI
W	590-3637	LINES-HP, R 11'10" STICK 203 FOR USE WITH: R3.60m (11'10") stick		\$4,014 NI
W	445-6907	LINES-HP, 9'10" STICK 170 FOR USE WITH: R2.84m (9'4") and R2.84m (9'4") stick		\$4,014 NI
W	445-6908	LINES-HP, 8'6" STICK 152 FOR USE WITH: M2.57m (8'5") stick		\$4,014 NI
W	590-3638	LINES-MP, R 15'4" STICK 66 FOR USE WITH: R4.67m (15'4") stick		\$3,838 NI
W	590-3639	LINES-MP, R 13'7" STICK 64 FOR USE WITH: R4.15m (13'7") stick		\$2,613 NI
W	590-3640	LINES-MP, R 11'10" STICK 57 FOR USE WITH: R3.60m (11'10") stick		\$2,613 NI
W	445-6911	LINES-MP, 11'10" STICK 50 FOR USE WITH: R2.84m (9'4") stick		\$2,613 NI

CATERPILLAR MACHINE PRICE LIST

WT-HYDNGH

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
374 EXCAVATOR (CONT.)				
374 NEXT GENERATION HYDRAULIC KITS (Cont.)				
W	445-6912	LINES-MP, 9'10" STICK 47 FOR USE WITH: M3.00m (9'10") stick		\$2,613 NI
W	445-6913	LINES-MP, 8'6" STICK 232 FOR USE WITH: M2.57m (8'5") stick		\$2,613 NI
395 EXCAVATOR				
395 NEXT GENERATION HYDRAULIC KITS				
W	594-3937	ADVANCE TOOL CONTROL PACKAGE 331 Advance Tool Control Combined circuit, joystick control, one or two pump flow, single or double function. FOR USE WITH: Machine serial number prefixes: WGA,LTK, MZA, MZA, RNG, SGD REQUIRES: High pressure boom and stick lines.		\$16,601 NI
W	594-3938	MEDIUM PRESSURE PACKAGE. 57 Medium pressure (rotate), joystick control. FOR USE WITH: Machine serial number prefixes: WGA,LTK, MZA, MZA, RNG, SGD REQUIRES: Tool Control circuit, medium pressure (rotate) boom and stick lines.		\$7,804 NI
W	594-3940	COUPLER PACKAGE CW, S 93 FOR USE WITH: CW and S Coupler & machine serial number prefixes: WGA,LTK, MZA, MZA, RNG, SGD INCLUDES: Control Group, Boom Lines and Stick Lines Used on a "Bare" machine (No coupler hydraulics) REQUIRES: Coupler specific connecting lines.		\$5,303 NI
W	588-5987	CPG COUPLER PACKAGE. 93 FOR USE WITH: Cat Pin Grabber Coupler & machine serial number prefixes: WGA,LTK, MZA, MZA, RNG, SGD INCLUDES: Control Group, Boom Lines and Stick Lines Used on a "Bare" machine (No coupler hydraulics) REQUIRES: Coupler specific connecting lines.		\$5,303 NI
W	594-6532	LINES-HP, BOOM REACH 558 FOR USE WITH: Reach Boom		\$9,190 NI
W	594-6552	LINES-HP, BOOM GP 481 FOR USE WITH: GP Boom		\$9,407 NI
W	594-6553	LINES-HP, BOOM MASS 441 FOR USE WITH: Mass Boom		\$8,976 NI
W	594-6558	LINES-MP, BOOM REACH 121 FOR USE WITH: Reach Boom		\$8,711 NI
W	594-6567	LINES-MP, BOOM GP 101 FOR USE WITH: GP Boom		\$6,289 NI
W	594-6911	LINES-MP, BOOM MASS 95 FOR USE WITH: Mass Boom		\$6,289 NI

CATERPILLAR MACHINE PRICE LIST

WT-HYDNGH

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
395 EXCAVATOR (CONT.)				
395 NEXT GENERATION HYDRAULIC KITS (Cont.)				
W	594-6913	LINES-HP, R 18'1" STICK276 FOR USE WITH: R5.5m (18'1") stick		\$4,343 NI
W	594-6914	LINES-HP, R 14'5" STICK 234 FOR USE WITH: R4.4m (14'5") stick		\$4,233 NI
W	594-6915	LINES-HP, R 12'2" STICK 216 FOR USE WITH: R3.74m (12'2") stick		\$4,014 NI
W	594-6916	LINES-HP, GP 11'2" STICK 181 FOR USE WITH: GP3.4m /M3.4m (11'2") stick		\$4,014 NI
W	594-6919	LINES-HP, GP 9'7" STICK 187 FOR USE WITH: GP 2.92m /M2.92m (9'7") stick		\$3,796 NI
W	595-3082	LINES-MP, R18'1" STICK 68 FOR USE WITH: R5.5m (18'1") stick		\$4,014 NI
W	595-6593	LINES-MP, R 14'5" STICK 64 FOR USE WITH: R4.4m (14'5") stick		\$4,014 NI
W	596-8212	LINES-MP, GP 11'2" STICK 68 FOR USE WITH: GP3.4m /M3.4m (11'2") stick		\$4,014 NI
W	595-6603	LINES-MP, GP 9'7" STICK 49 FOR USE WITH: GP 2.92m /M2.92m (9'7") stick		\$4,014 NI

CATERPILLAR MACHINE PRICE LIST

WT-HYDNGH

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	Net Price
-----	---------	------------------------	-----------------	-----------

PACKING

PACKING CODES CWTS PRODUCT

	0P-0210	PACK, DOMESTIC TRUCK	0	NC
		FOR USE WITH: ALL WORK TOOLS		
W	0G-0007	CWTS CUSTOM PRODUCT ACC QUOTE	0	NC NI
		Can only be used for ETO orders		
		Please use the "NOTES" screen when ordering to mention the quote number and to specify the required product(s) as mentioned in the quote.		