

CATERPILLAR MACHINE PRICE LIST

WT-MWL

MEDIUM WHEEL LOADER WORK TOOLS

Ship Weight
lbsList Price
At Factory

Standard Equipment:

This WT-MWL Price List consists of
Work Tools for 950 through 982 Medium
Wheel Loaders

Listed below are the Machines and
products for each machine group.
The search for Machine sections
copy the header below and paste
into the search bar
Snow Removal Products for Medium

950 GC WHEEL LOADER

- Buckets
- Coupler
- Blades
- Snow Products

950 & 962 WHEEL LOADER

- Buckets
- Coupler
- Forks
- Blades
- Material Handling Arm
- Rakes
- Snow Products

966 & 972 WHEEL LOADER

- Buckets
- Coupler
- Forks
- Material Handling Arm
- Rakes
- Blades
- Snow Products

980H, 980K, 980L AND 980M WHEEL LOADER

- Buckets
- Coupler
- Forks
- Blades
- Snow Product
- Block Handling Tools

982M WHEEL LOADER

- Buckets

Cat Snow Blades for Wheel Loaders

- Key Features (GEHQ0237)

Cat V-Plows for Wheel Loaders

- Key Features (GEHQ0238)

Cat Snow Push for Wheel Loaders

- Key Features (GEHQ0239)

Cat Ice Scarifiers for Wheel Loaders

- Key Features (GEHQ0240)

CATERPILLAR MACHINE PRICE LIST

WT-MWL

MEDIUM WHEEL LOADER WORK TOOLS

Ship Weight
lbs

List Price
At Factory

Wheel Loaders have updated bucket nomenclature to include key attributes: Arrangement or not, Bucket type, duty (durability), bucket width, capacity and interface to the carrier. Details can be found in Marketing Bulletin TEJB9847.

CATERPILLAR MACHINE PRICE LIST

WT-MWL

MEDIUM WHEEL LOADER WORK TOOLS

Ship Weight
lbs

List Price
At Factory

OP-4739 **MEDIUM WHEEL LOADER WORK TOOLS** 0 **NC**
PLEASE USE THE OP REFERENCE NUMBER LISTED ABOVE WHEN ORDERING.

**FOR QUESTIONS, SUPPORT AND QUOTATIONS
PLEASE CONTACT THE SALES SUPPORT TEAM IN
AMERICAS NORTH VIA EMAIL AT WORKTOOLS@CAT.COM**

OP-0210
Please use this packing code to orders from this Price List.

CATERPILLAR MACHINE PRICE LIST

WT-MWL

MEDIUM WHEEL LOADER WORK TOOLS

Ship Weight
lbs

List Price
At Factory

TECHNOLOGY PRODUCTS

CAT PAYLOAD - WEIGHING SYSTEM

**NOTE: Refer to KITS-MWL pricelist to order dealer installed
kit for CAT PAYLOAD for GC, H-Series, and K-Series.
Refer to SIS serial number prefix C55 for
installation and calibration instructions.**

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 GC WHEEL LOADER

950GC BUCKETS / PIN ON

GC-TYPE GENERAL PURPOSE PERFORMANCE SERIES (PIN-ON)

W	448-5092	BKT GP GC 114" 4.00YD3 PO 3,243 GC-TYPE PERFORMANCE SERIES BUCKET FOR USE WITH: 950GC Machines ONLY REQUIRES: G.E.T. CAPACITIES: 3.75 YD3 (2.9 M3) w/bolt-on adapters, 117" (2972mm) wide 4.00 YD3 (3.1 M3) w/bolt-on adapters and segments, 114" (2894mm) wide 4.00YD3(3.1M3) w/bolt-on cutting edges, 114" (2894mm)wide (bucket tag) 110% FILL FACTOR: 4.50 YD3 (3.4 M3) with bolt-on edges, 114" (2894MM) wide (bucket tag) REQUIRES GET: Choose one set of adaptors, tips and optional bolt-on segments FOR BOCE ARRANGEMENT - order bucket part: 559-9419		\$11,549 NI
W	559-9419	BKTA GP GC 115" 4.00YD3 PO 3,505 Lane 1 Work Tool INCLUDES: 448-5092 Bucket-GP with Standard steel Bolt-On Cutting Edge GP		\$13,010 NI
W	461-6531	BKT GP GC 114" 4.25YD3 PO 3,161 GC-TYPE PERFORMANCE SERIES BUCKET FOR USE WITH: 950GC Machines ONLY REQUIRES: G.E.T. CAPACITIES: 4.00 YD3 (3.1 M3) w/bolt-on adapters, 117" (2972mm) wide 4.25 YD3 (3.3 M3) w/bolt-on adapters and segments, 114" (2894mm) wide 4.25YD3(3.3M3) w/bolt-on cutting edges, 114" (2894mm)wide (bucket tag) 110% FILL FACTOR: 4.75 YD3 (3.6 M3) with bolt-on edges, 114" (2894MM) wide (bucket tag) REQUIRES GET: Choose one set of adaptors, tips and optional bolt-on SEGMENTS FOR BOCE ARRANGEMENT - order bucket part: 559-9424		\$11,674 NI
P	559-9424	BKTA GP GC 115" 4.25YD3 PO 3,593 Lane 1 Work Tool Cutting Edge GP INCLUDES: 461-6531 Bucket-GP with Standard steel Bolt-On Cutting Edge GP		\$13,135 NI

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 GC WHEEL LOADER (CONT.)

GC-TYPE MATERIAL HANDLING PERFORMANCE SERIES (PIN-ON)

W	477-7221	BKT FF GC 114" 4.00YD3 PO 3,100 GC-TYPE PERFORMANCE SERIES BUCKET FOR USE WITH: 950GC Machines ONLY REQUIRES: G.E.T. CAPACITIES: 3.75 YD3 (2.9 M3) w/bolt-on adapters, 117" (2972mm) wide 4.00 YD3 (3.1 M3) w/bolt-on adapters and segments, 114" (2894mm) wide 4.00YD3(3.1M3) w/bolt-on cutting edges, 114"(2894mm)wide (bucket tag) 110% FILL FACTOR: 4.50 YD3 (3.4 M3) with bolt-on edges, 114" (2894MM) wide (bucket tag)		\$11,393 NI
W	477-7372	BKT FF GC 114" 4.25YD3 PO 3,192 GC-TYPE PERFORMANCE SERIES BUCKET FOR USE WITH: 950GC Machines ONLY REQUIRES: G.E.T. CAPACITIES: 4.00 YD3 (23.1 M3) w/bolt-on adapters, 117" (2972mm) wide 4.25 YD3 (3.3 M3) w/bolt-on adapters and segments, 114" (2894mm) wide 4.25YD3(3.3M3) w/bolt-on cutting edges, 114"(2894mm)wide (bucket tag) 110% FILL FACTOR: 4.75 YD3 (3.6 M3) with bolt-on edges, 114" (2894MM) wide (bucket tag)		\$11,710 NI

950GC COUPLER / FUSION

W	310-9391	QUICK COUPLER, FUSION 1,090 REQUIRES: Kit, Coupler Hydraulic Supply (530-2463) ONLY FOR USE WITH: 950 GC Machines		\$6,778 NI
---	----------	--------------------------------------------------------------------------------------------------------------------------------------	--	-------------------

950GC COUPLER HYDRAULIC SUPPLY GROUP (FUSION)

W	530-2463	KIT, COUPLER HYDRAULIC SUPPLY 29 FOR USE WITH: 310-9391 Coupler 950GC STANDARD LIFT machines machine serial number prefix M5K and M5T		\$1,978 NI
W	323-9292	JUMPER LINES FOR 3V QC 21 REQUIRED: when coupler is used with hydraulic tools that require 3rd valve		\$1,082 NI

950GC BUCKETS / FUSION

GENERAL PURPOSE PERFORMANCE SERIES (FUSION)

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 GC WHEEL LOADER (CONT.)

950GC BUCKETS / FUSION (Cont.)

W	382-9834	BKT GP ST 114" 4.00YD3 FUS 3,384 PERFORMANCE SERIES BUCKET FOR USE WITH: 950GC, 950G/H/K REQUIRES: G.E.T. CAPACITIES: 3.75 YD3 (2.9 M3) with bolt-on adapters, 117"(2972mm) wide 4.00 YD3 (3.1 M3) with bolt-on adapters and segments, 117"(2972mm) 4.00 YD3 (3.1 M3) with bolt-on cutting edges, 114"(2894mm) wide 110% FILL FACTOR: 4.50 YD3 (3.4M3) with bolt on edges, 114" (2894MM) wide (bucket tag) REQUIRES GET: Choose one set of adaptors, one set of tips and optional bolt-on segments FOR BOCE ARRANGEMENT - order bucket part: 559-9421		\$13,931 NI
W	559-9421	BKTA GP ST 115" 4.00YD3 FUS 3,810 PERFORMANCE SERIES BUCKET Lane 1 Work Tool INCLUDES: 382-9834 Bucket-GP with Standard steel Bolt-On Cutting Edge GP		\$15,392 NI
W	382-9835	BKT GP ST 114" 4.50YD3 FUS 3,552 PERFORMANCE SERIES BUCKET REQUIRES G.E.T. CAPACITIES: 4.25 YD3 (3.2 M3) with bolt-on adapters, 117"(2972mm) wide 4.50 YD3 (3.4 M3) with bolt-on adapters and segments, 117"(2972mm) 4.50 YD3 (3.4 M3) with bolt-on cutting edges, 114"(2894mm) wide 110% FILL FACTOR: 4.80 YD3 (3.7 M3) with bolt on edges, 114" (2894MM) wide (bucket tag)		\$14,719 NI

950GC BUCKET G.E.T.

BOLT ON CUTTING EDGE

W	139-9229	CUTTING EDGE, BOLT-ON 600 1.2" (30mm) thick, 114"(2894mm) wide (1 required)		\$1,461
---	----------	----------------------------------------------------------------------------------------------------	--	----------------

**ADVANSYS G.E.T
 A80 G.E.T. FOR GENERAL PURPOSE AND PERFORMANCE
 BUCKETS (INCLUDING MOUNTING HARDWARE)**

W	539-5785	ADAPTERS, TIP, BOLT-ON, A080 316 (1 required) Includes 8 Adapters FOR USE WITH: A80 tips		\$2,110
W	505-3984	TIP, GENERAL DUTY 15 (8 required) FOR USE WITH: A80 adapters		\$89

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 GC WHEEL LOADER (CONT.)

950GC BUCKET G.E.T. (Cont.)

W	107-3394	SEGMENTS, BOLT ON 334 Set of 7 segments, 35mm thick (1 required) ONLY FOR USE WITH: ADAPTERS, TIP, BOLT-ON & TIPS		\$1,143
---	----------	-------------------------------------------------------------------------------------------------------------------------------	--	---------

PALLET FORK CARRIAGES (FUSION)

W	530-1861	ITA PALLET FORK CARRIAGE, 84" 1,321 84"(2134mm) Carriage FOR USE WITH: Fusion Coupler REQUIRES: 2 - Class IV Tines (Pallet Fork) CANNOT BE USED WITH: Class III construction tines		\$6,400 NI
---	----------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	------------

PALLET FORK TINES (FUSION)

W	530-1869	ITA TINE, PALLET FORK 72" 396 REQUIRES: 530-1861 CARRIAGE, 84" TINE WIDTH: 6" (150mm) TINE THICKNESS: 2.5" (65mm)		\$2,429 NI
W	548-3265	ITA TINE, PALLET FORK 60" 355 REQUIRES: 530-1861 CARRIAGE, 84" TINE WIDTH: 6" (150mm) TINE THICKNESS: 2.5" (65mm)		\$2,206 NI

950 GC SNOW REMOVAL / FUSION

HYDRAULIC ANGLE SNOW BLADES

W	524-6848	BLD 144 HYD ANG SNW TRP FUS 3,020 BLADE HEIGHT: 42" (1067mm) FOR USE WITH: Fusion Coupler ONE AVAILABLE HYDRAULIC FUNCTIONS (E.G. 3F) WITH LINES GP-IMPLEMENT 3F INSTALLED CANADIAN DEALERS REFERENCE WT-CADSNW PRICE LIST		\$14,371 NI
W	524-6849	BLD 168 HYD ANG SNW TRP FUS 3,157 BLADE HEIGHT: 42" (1067mm) FOR USE WITH: Fusion Coupler ONE AVAILABLE HYDRAULIC FUNCTIONS (E.G. 3F) WITH LINES GP-IMPLEMENT 3F INSTALLED		\$18,518 NI

U/V ANGLE BLADES

W	524-6865	BLD 132 U/V ANG FUS 2,900 BLADE HEIGHT: 40" (1016mm) FOR USE WITH: Fusion Coupler TWO AVAILABLE HYDRAULIC FUNCTIONS (e.g. 3F & 4F)		\$29,628 NI
---	----------	---------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 GC WHEEL LOADER (CONT.)

U/V ANGLE BLADES (Cont.)

W	524-6866	BLD 144 U/V ANG FUS 3,000 BLADE HEIGHT: 40" (1016mm) FOR USE WITH: Fusion Coupler TWO AVAILABLE HYDRAULIC FUNCTIONS (e.g. 3F & 4F)		\$33,332 NI
W	542-1498	DIVERTER VALVE KIT, U/V ANG 0 FOR USE WITH: OPTION FOR LOADERS WITH 3F ONLY REQUIRES: DEALER TO CREATE WIRING. HYDRAULICS ONLY.		\$3,814 NI

SNOW PUSH

W	524-6872	BLD 180" SNOW PUSH FUS 6,913 HEIGHT: 56" (1423mm) FOR USE WITH: Fusion Coupler		\$20,000 NI
---	----------	--------------------------------------------------------------------------------------------	--	-------------

ICE SCRAPER

W	524-6876	SCARIFIER 147" FUS. 3,309		\$11,850 NI
---	----------	--------------------------------	--	-------------

V PLOW

W	314-2510	PLOW, 126" V SNOW 2,765 HEIGHT: 82" (2082mm) FOR USE WITH: Fusion Coupler		\$10,297 NI
---	----------	---------------------------------------------------------------------------------------	--	-------------

950 & 962 WHEEL LOADER

950M/K & 962M/K BUCKETS / PIN ON

GENERAL PURPOSE PERFORMANCE SERIES (PIN-ON)

W	352-5537	BKT GP ST 114" 4.00YD3 PO 3,516 PERFORMANCE SERIES BUCKET CAPACITIES: 3.75YD3 (2.9M3) w/bolt-on adapters, 117"(2972mm) wide 4.00YD3 (3.1M3) w/bolt-on adapters and segments, 117"(2972mm) 4.00YD3 (3.1M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag) 110% FILL FACTOR: 4.50YD3(3.4M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag) Requires GET: Choose either bolt-on cutting edge with corner guard or one set of adaptors, one set of tips and optional bolt-on segments.		\$14,101 NI
---	----------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
950 & 962 WHEEL LOADER (CONT.)				
950M/K & 962M/K BUCKETS / PIN ON (Cont.)				
W	354-4853	BKT GP ST 114" 4.50YD3 PO 3,721 PERFORMANCE SERIES BUCKET CAPACITIES: 4.25YD3 (3.2M3) with bolt-on adapters, 117"(2972mm) wide 4.50YD3 (3.4M3) with bolt-on adapters and segments, 117"(2972mm) 4.50YD3(3.4M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag) 110% FILL FACTOR: 4.75YD3(3.7M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag) Requires GET: Choose one set of adaptors, one set of tips and optional bolt-on segments For BOCE Arrangement - order bucket part: 516-1452		\$14,967 NI
W	516-1452	BKTA GP ST 115" 4.50YD3 PO 4,242 Lane 1 Work Tool INCLUDES: 354-4853 Bucket-GP with Standard steel Bolt-On Cutting Edges		\$16,428 NI
W	354-4855	BKT GP ST 114" 4.75YD3 PO 3,803 PERFORMANCE SERIES BUCKET CAPACITIES: 4.50YD3 (3.4M3) with bolt-on adapters, 117"(2972mm) wide 4.75YD3 (3.6M3) with bolt-on adapters and segments, 117"(2972mm) 4.75YD3 (3.6M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag) 110% FILL FACTOR: 5.25YD3(4.0M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag) Requires GET: Choose one set of adaptors, one set of tips and optional bolt-on segments For BOCE Arrangement - order bucket part: 516-2814		\$15,392 NI
W	516-2814	BKTA GP ST 115" 4.75YD3 PO 4,323 Lane 1 Work Tool INCLUDES: 354-4855 Bucket-GP with Standard steel Bolt-On Cutting Edges		\$16,853 NI
W	376-7800	BKT GP ST 114" 5.00YD3 PO 3,907 PERFORMANCE SERIES BUCKET CAPACITIES: 4.75YD3(3.6M3) w/bolt-on adapters, 117"(2972mm) wide 5.00YD3(3.8M3) w/bolt-on adapters and segments, 117"(2972mm) 5.00YD3(3.8M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag) 110% FILL FACTOR: 5.50YD3(4.20M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag) Requires GET: Choose one set of A80 adaptors, one set of tips (8 qty) and optional bolt-on segments For BOCE Arrangement - order bucket part: 516-2560		\$15,867 NI
W	516-2560	BKTA GP ST 115" 5.00YD3 PO 4,429 Lane 1 Work Tool PERFORMANCE SERIES BUCKET INCLUDES: 376-7800 Bucket-GP with BOCE		\$17,328 NI

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 & 962 WHEEL LOADER (CONT.)

General Purpose-Abrasion (PIN ON)

W	395-2119	BKTA GP AB 118" 5.00YD3 PO	4,610	\$19,242 NI
W	416-6342	BKTA GP AB 118" 5.25YD3 PO	4,727	\$19,817 NI
W	416-6343	BKTA GP AB 118" 5.50YD3 PO	4,828	\$20,369 NI

FLAT FLOOR PERFORMANCE SERIES (PIN-ON)

W	354-4865	BKT FF ST 114" 4.50YD3 PO PERFORMANCE SERIES BUCKET CAPACITIES: 4.25YD3 (3.2M3) w/bolt-on adapters, 117"(2972mm) wide 4.50YD3 (3.4M3) w/bolt-on adapters and segments, 117"(2972mm) 4.50YD3 (3.4M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag) 110% FILL FACTOR: 4.75YD3(3.7M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag) Requires GET: Choose either bolt-on cutting edge with corner guard or one set of adaptors, one set of tips and optional bolt-on segments.	3,704	\$14,942 NI
W	354-4867	BKT FF ST 114" 5.00YD3 PO PERFORMANCE SERIES BUCKET CAPACITIES: 4.75YD3 (3.6M3) w/bolt-on adapters, 117"(2972mm) wide 5.00YD3 (3.8M3) w/bolt-on adapters and segments, 117"(2972mm) 5.00YD3 (3.8M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag) 110% FILL FACTOR: 5.50YD3(4.2M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag) Requires GET: Choose either bolt-on cutting edge with corner guard or one set of adaptors, one set of tips and optional bolt-on segments.	3,918	\$15,885 NI

MULTI-PURPOSE (PIN ON)

W	380-8308	BKTA MP ST 116" 3.75YD3 PO 116" (2943mm) wide INCLUDES: Bolt-on Cutting Edge REQUIRES: 3rd valve	4,687	\$29,831 NI
---	----------	-----------------------------------------------------------------------------------------------------------	-------	-------------

SIDE DUMP (PIN ON)

W	383-2233	BKTA SD ST 127" 3.75 YD3 PO 127" (3220mm) wide INCLUDES: Bolt-on Cutting Edge REQUIRES: 3rd valve	5,413	\$30,586 NI
---	----------	------------------------------------------------------------------------------------------------------------	-------	-------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 & 962 WHEEL LOADER (CONT.)

HIGH DUMP (PIN-ON)

For light materials only - Applications include woodchips, grains and wood pellets. Not intended for waste applications.

W	521-1706	BKTA HD ST 120" 8.0 YD3 PO 6,617 120" (3037mm) wide INCLUDES: Bolt on Cutting Edge REQUIRES: 3rd valve		\$35,449 NI
W	521-1704	BKTA HD ST 132" 10.0 YD3 PO 7,129 132" (3350mm) wide INCLUDES: Bolt-on Cutting Edge REQUIRES: 3rd valve		\$38,438 NI
W	521-1675	BKTA HD ST 132" 12.0 YD3 PO 7,504 132" (3350mm) wide INCLUDES: Bolt-on Cutting Edge REQUIRES: 3rd valve		\$39,967 NI

WASTE HANDLING (PIN-ON)

950K / 962K

W	516-3001	BKTA WD LM 120" 6.75YD3 PO 5,139 Dozing style bucket 121" (3059mm) wide Includes: 309-1062 CUTTING EDGE, BOLT-ON (steel) CAPACITIES: 6.75YD3 with Bolt-on cutting edge 18.00YD3 Dozing capacity with Bolt-on cutting edge		\$21,632 NI
W	516-3013	BKTA WD LM 119" 6.75YD3 PO 5,146 Dozing style bucket 121" (3059mm) wide Includes: 437-0288 CUTTING EDGE, BOLT-ON RUBBER CAPACITIES: 6.75YD3 with Bolt-on cutting edge 18.00YD3 Dozing capacity with Bolt-on cutting edge		\$23,444 NI
W	516-2981	BKTA WLC ST 120" 8.00YD3 PO 5,895 Load and Carry style bucket 121" (3059mm) wide Includes: 309-1062 CUTTING EDGE, BOLT-ON (Steel) CAPACITIES: 8.00YD3 with Bolt-on cutting edge		\$26,179 NI

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 & 962 WHEEL LOADER (CONT.)

WASTE HANDLING (PIN-ON) (Cont.)

W	516-2903	BKTA WLC ST 119" 8.00YD3 PO 5,900 Load and Carry style bucket. 121" (3059mm) wide. Includes: 437-0288 CUTTING EDGE, BOLT-ON RUBBER CAPACITIES: 8.00YD3 with Bolt-on cutting edge.		\$27,992 NI
W	449-4377	BKT WTC ST 121" 5.75 YD3 PO 7,929 Waste Handling bucket with clamp for light sorting or dozing when fully open. 121" (3059mm) wide REQUIRES: 309-1062 CUTTING EDGE, BOLT-ON (steel) or 437-0288 CUTTING EDGE, BOLT-ON RUBBER ALSO REQUIRES: 3rd Valve CAPACITIES: 5.50YD3 with Bolt-on cutting edge		\$33,892 NI

WOODCHIP (PIN-ON)

For light materials only - Applications include woodchips, snow, grains and wood pellets. Not intended for waste applications.

W	354-4873	BKTA WC ST 131" 12.00YD3 PO 5,401 131" (3330mm) wide INCLUDES: Bolt-on Cutting Edge CAPACITIES: 12.0YD3 (9.2m3) with Bolt-on cutting edge		\$29,529 NI
W	354-4875	BKTA WC ST 131" 13.00YD3 PO 5,600 131" (3330mm) wide INCLUDES: Bolt-on Cutting Edge CAPACITIES: 13.0YD3(9.9M3) with Bolt-on cutting edge		\$30,981 NI

950M/K & 962M/K BUCKETS / FUSION

GENERAL PURPOSE (FUSION)

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
950 & 962 WHEEL LOADER (CONT.)				
950M/K & 962M/K BUCKETS / FUSION (Cont.)				
W	348-0242	BKT GP ST 114" 4.00YD3 FUS 3,274 PERFORMANCE SERIES BUCKET FOR USE WITH: Fusion Coupler CAPACITIES: 3.75YD3 (2.9M3) w/bolt-on adapters, 117"(2972mm) wide 4.00YD3 (3.1M3) w/bolt-on adapters and segments, 117"(2972mm) 4.00YD3 (3.1M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag) 110% FILL FACTOR: 4.50YD3(3.4M3) w/bolt-on cutting edges, 114"(2894mm) wide (Bucket Tag) Requires GET: Choose one set of adaptors, one set of tips and optional bolt-on segments For BOCE Arrangement - order bucket part: 516-3431		\$13,788 NI
W	516-3431	BKTA GP ST 115" 4.00YD3 FUS 3,794 PERFORMANCE SERIES BUCKET INCLUDES: 348-0242 Bucket-GP with BOLT-ON CUTTING EDGE (BOCE)		\$15,249 NI
W	354-4854	BKT GP ST 114" 4.50YD3 FUS 3,428 PERFORMANCE SERIES BUCKET FOR USE WITH: Fusion Coupler CAPACITIES: 4.25YD3(3.2M3) w/bolt-on adapters, 117"(2972mm) wide 4.50YD3(3.4M3) w/bolt-on adapters and segments, 117"(2972mm) 4.50YD3(3.4M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag) 110% FILL FACTOR: 5.00YD3(3.7M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag) Requires GET: Choose one set of adaptors, one set of tips and optional bolt-on segments For BOCE Arrangement - order bucket part: 516-1417		\$14,540 NI
W	516-1417	BKTA GP ST 115" 4.50YD3 FUS 3,948 Lane 1 Work Tool INCLUDES: 354-4854 BUCKET-GP with Bolt-on cutting edge (BOCE)		\$16,001 NI
W	354-4856	BKT GP ST 114" 4.75YD3 FUS 3,503 PERFORMANCE SERIES BUCKET FOR USE WITH: Fusion Coupler CAPACITIES: 4.50YD3(3.4M3) w/bolt-on adapters, 117"(2972mm) wide 4.75YD3(3.6M3) w/bolt-on adapters and segments, 117"(2972mm) 4.75YD3(3.6M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag) 110% Fill Factor: 5.25YD4(4.0M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag) Requires GET: Choose one set of adaptors, one set of tips and optional bolt-on segments For BOCE Arrangement - order bucket part: 516-2827		\$14,932 NI
W	516-2827	BKTA GP ST 115" 4.75YD3 FUS 4,023 Lane 1 Work Tool INCLUDES: 354-4856 BUCKET-GP with bolt-on cutting edge		\$16,393 NI

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 & 962 WHEEL LOADER (CONT.)

950M/K & 962M/K BUCKETS / FUSION (Cont.)

W	376-7801	BKT GP ST 114" 5.00YD3 FUS 3,602 PERFORMANCE SERIES BUCKET FOR USE WITH: Fusion Coupler CAPACITIES: 4.75YD3(3.6 M3) w/bolt-on adapters, 117"(2972mm) wide 5.00YD3(3.8 M3) w/bolt-on adapters and segments, 117"(2972mm) 5.00YD3(3.8 M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag) 110% FILL FACTOR 5.50YD3(4.2M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag) Requires GET: Choose one set of A80 adaptors, one set of tips (8 qty) and optional bolt-on segments For BOCE Arrangement - order bucket part: 516-2761		\$15,375 NI
W	516-2761	BKTA GP ST 115" 5.00YD3 FUS 4,123 PERFORMANCE SERIES BUCKET INCLUDES: 376-7801 Bucket-GP with BOCE		\$16,836 NI

FLAT FLOOR PERFORMANCE SERIES (FUSION)

W	354-4866	BKT FF ST 114" 4.50YD3 FUS 3,411 PERFORMANCE SERIES BUCKET FOR USE WITH: Fusion Coupler CAPACITIES: 4.25YD3(3.2M3) w/bolt-on adapters, 117"(2972mm) wide 4.50YD3(3.4M3) w/bolt-on adapters and segments, 117"(2972mm) 4.50YD3(3.4M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag) 110% FILL FACTOR: 5.00YD3(3.7M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag) Requires GET: Choose either bolt-on cutting edge with corner guard or one set of adaptors, one set of tips and optional bolt-on segments.		\$14,515 NI
W	354-4868	BKT FF ST 114" 5.00YD3 FUS 3,611 PERFORMANCE SERIES BUCKET FOR USE WITH: Fusion Coupler CAPACITIES: 4.75YD3(3.6M3) w/bolt-on adapters, 117"(2972mm) wide 5.00YD3(3.8M3) w/bolt-on adapters and segments, 117"(2972mm) 5.00YD3(3.8M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag) 110% FILL FACTOR: 5.50YD3(4.2M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag) Requires GET: Choose either bolt-on cutting edge with corner guard or one set of adaptors, one set of tips and optional bolt-on segments.		\$15,389 NI

SPECIAL APPLICATION (FUSION)

MULTI-PURPOSE (FUSION)

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 & 962 WHEEL LOADER (CONT.)

950M/K & 962M/K BUCKETS / FUSION (Cont.)

W	313-1397	BKTA MP ST 116" 3.75 YD3 FUS 4,601 116" (2943mm) wide INCLUDES: Bolt-on Cutting Edge FOR USE WITH: Fusion Coupler REQUIRES: 3rd vavle		\$29,361 NI
---	----------	----------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------

SIDE DUMP (FUSION)

W	314-2547	BKTA SD ST 127" 3.75 YD3 FUS 5,177 127" (3220mm) wide INCLUDES: Bolt-on Cutting Edge FOR USE WITH: Fusion Coupler REQUIRES: 3rd valve		\$30,586 NI
---	----------	----------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------

HIGH DUMP (FUSION)

For heavy duty applications such as waste or handling heaping materials such as compost.

W	312-1727	BKTA HD ST 115" 6.0 YD3 FUS 5,891 115" (2921mm) wide INCLUDES: Bolt-on Cutting Edge FOR USE WITH: Fusion Coupler REQUIRES: 3rd valve		\$53,157 NI
W	384-0756	BKTA HD ST 115" 8.0 YD3 FUS 6,139 115" (2921mm) wide INCLUDES: Bolt-on Cutting Edge FOR USE WITH: Fusion Coupler REQUIRES: 3rd valve		\$55,460 NI

HIGH DUMP (FUSION)

For light materials only - Applications include woodchips, grains and wood pellets. Not intended for waste applications.

W	521-1807	BKTA HD ST 120" 8.0 YD3 FUS 6,624 120" (3037mm) wide INCLUDES: Bolt-on cutting edge REQUIRES: 3rd valve		\$35,449 NI
---	----------	-------------------------------------------------------------------------------------------------------------------------------	--	--------------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 & 962 WHEEL LOADER (CONT.)

950M/K & 962M/K BUCKETS / FUSION (Cont.)

W	521-1762	BKTA HD ST 132" 10.0 YD3 FUS 132" (3350mm) wide INCLUDES: Bolt-on cutting edge REQUIRES: 3rd valve	7,131	\$38,438 NI
W	518-1563	BKTA HD ST 132" 12.0 YD3 FUS 132" (3350mm) wide INCLUDES: Bolt-on cutting edge REQUIRES: 3rd valve	7,510	\$39,967 NI

WASTE HANDLING (FUSION)

W	519-3516	BKT WD ST 119" 6.75 YD3 FUS Lane 1 Work Tool Dozing style bucket 121" (3059mm) wide REQUIRES: Bolt-on cutting steel edge 309-1062 or rubber edge 437-0288 CAPACITIES: 6.75 CYD with Bolt-on cutting edge 18.00 CYD Dozing capacity with Bolt-on cutting edge	4,319	\$18,065 NI
---	----------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------	-------------

WOODCHIP (FUSION)

For light materials only - Applications include woodchips, snow, grains and wood pellets. Not intended for waste applications.

W	354-4874	BKTA WC ST 131" 12.00YD3 FUS 131" (3330mm) wide INCLUDES: Bolt-on Cutting Edge FOR USE WITH: Fusion Coupler CAPACITIES: 12.0YD3 (9.2M3) w/bolt-on cutting edges	5,227	\$29,454 NI
W	354-4876	BKTA WC ST 131" 13.00YD3 FUS 131" (3330mm) wide INCLUDES: Bolt-on Cutting Edge FOR USE WITH: Fusion Coupler CAPACITIES: 13.0YD3 (9.9M3) w/bolt-on cutting edges	5,437	\$30,576 NI

950 & 962 BUCKET G.E.T.

BOLT ON CUTTING EDGE

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
950 & 962 WHEEL LOADER (CONT.)				
950 & 962 BUCKET G.E.T. (Cont.)				
W	139-9229	CUTTING EDGE, BOLT-ON 600 1.2" (30mm) thick, 114" (2894mm) wide, (1 required)		\$1,461
W	174-7949	GUARD, CORNER 81 FOR USE WITH: General Purpose Buckets with Bolt-On Cutting Edges Only		\$678
W	309-1062	CUTTING EDGE, BOLT-ON 646 1.2" (30mm) thick, 121" (3059mm) wide (1 required) FOR USE WITH: 519-3516 Dozing Bucket 449-4377 Waste Handling Bucket		\$1,756
W	437-0288	CUTTING EDGE, BOLT-ON RUBBER 293 1.2" (30mm) thick, 121" (3059mm) wide (1 required) FOR USE WITH: 519-3516 Dozing Bucket 449-4377 Waste Handling Bucket		\$4,410
W	174-7948	GUARD, CORNER 67 FOR USE WITH: 139-9229 CUTTING EDGE, BOLT-ON		\$439
A80 G.E.T. FOR GENERAL PURPOSE AND FLAT FLOOR BUCKETS (INCLUDING MOUNTING HARDWARE)				
W	539-5785	ADAPTERS, TIP, BOLT-ON, A080 316 (1 required) FOR USE WITH: A80 tips		\$2,110
W	107-3394	SEGMENTS, BOLT ON 334 35mm thick. (1 required) FOR USE WITH: A80 adapters and tips		\$1,143
W	505-3984	TIP, GENERAL DUTY 15 FOR USE WITH: A80 adapters (8 required)		\$89
W	505-3982	TIPS AS, HEAVY DUTY 18 FOR USE WITH: A80 adapters (8 required)		\$107
W	505-4081	TIP, PENETRATION 14 FOR USE WITH: A80 adapters (8 required)		\$75

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 & 962 WHEEL LOADER (CONT.)

950M/K & 962M/K COUPLERS / FUSION

W	349-5246	QUICK COUPLER, FUSION	1,248	\$6,778 NI
		Lane 1 Work Tool		
		REQUIRES: Supply Group		

950M & 962M COUPLER SUPPLY GROUPS (FUSION)

W	462-6418	KIT, COUPLER HYDRAULIC SUPPLY	33	\$2,328 NI
		Lane 1 Work Tool		
		FOR USE WITH: 349-5246 Coupler		
		950M STANDARD LIFT machines		
		machine serial number prefix EMB, XCJ, J1S,		
		FTR, ENE and LCR		

W	462-6419	KIT, COUPLER HYDRAULIC SUPPLY	33	\$2,381 NI
		Lane 1 Work Tool		
		FOR USE WITH: 349-5246 Coupler		
		962M STANDARD LIFT machines		
		machine serial number prefix EJB, JYD, J2S, F2T,		
		LSE and RCL		

W	462-6420	KIT, COUPLER HYDRAULIC SUPPLY	31	\$2,328 NI
		FOR USE WITH: 349-5246 Coupler		
		950M/962M HIGH LIFT machines		
		machine serial number prefix EMB, XCJ, J1S, FTR,		
		ENE and LCR		
		machine serial number prefix EJB, JYD, J2S, F2T,		
		LSE and RCL		

950K & 962K COUPLER SUPPLY GROUPS

W	368-0684	KIT, COUPLER HYDRAULIC SUPPLY	53	\$1,626 NI
		FOR USE WITH: 349-5246 Coupler		
		FOR USE WITH: 950K STANDARD LIFT Machines		
		machine serial number prefix R4A, FER, J5M and LRN		

W	368-0686	KIT, COUPLER HYDRAULIC SUPPLY	43	\$1,626 NI
		FOR USE WITH: 349-5246 Coupler		
		FOR USE WITH: 962K STANDARD LIFT Machines		
		machine serial number prefix X4T, FLL, T6A and MRM		

W	368-0687	KIT, COUPLER HYDRAULIC SUPPLY	111	\$1,626 NI
		FOR USE WITH: 349-5246 Coupler		
		FOR USE WITH: 950K/962K HIGH LIFT Machines		
		machine serial number prefix R4A, FER, J5M and LRN		
		machine serial number prefix X4T, FLL, T6A and MRM		

950M/K & 962M/K COUPLER CONNECTOR LINES (FUSION)

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 & 962 WHEEL LOADER (CONT.)

950K & 962K COUPLER SUPPLY GROUPS (Cont.)

W	378-8421	LINES GP-IMPLEMENT 3V (QC) 22 REQUIRED: When coupler is used with hydraulic tools that require 3rd valve.		\$560 NI
W	378-8422	LINES GP-IMPLEMENT 3V&4V (QC) 44 REQUIRED: When coupler is used with hydraulic tools that require 3rd and/or 4th valve.		\$1,118 NI

950M/K & 962M/K FORKS / PIN ON

LOGGING (PIN ON)

W	379-5408	FORK, LOGGING 64" 5,451 90"(2298mm) carriage and 64"(1609mm) tines INCLUDES: Double Top Clamp, GET tips and connecting lines REQUIRES: 3rd valve		\$41,268 NI
---	----------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------

LOG AND LUMBER (PIN-ON)

W	379-2323	FORK, LOG & LUMBER 48" 2,504 96"(2438mm) carriage and 48"(12194mm) non-swinging tines		\$12,978 NI
W	379-2340	FORK, LOG & LUMBER 60" 2,948 96"(2438mm) carriage and 60"(1524mm) non-swinging tines		\$14,051 NI
W	379-2344	FORK, LOG & LUMBER 72" 2,952 96"(2438mm) carriage and 72"(1829mm) non-swinging tines		\$14,403 NI
W	379-2346	FORK, LOG & LUMBER 96" 3,367 96"(2438mm) carriage and 96"(2438mm) non-swinging tines		\$17,469 NI

LOG AND LUMBER W/ SEMI-MILLYARD TOP CLAMP (PIN ON)

W	382-7885	FORK, LOG & LUMBER SM 76" 4,370 76"(1923mm) carriage and 48"(1219mm) tines INCLUDES: Millyard top clamp and connecting lines REQUIRES: 3rd valve		\$30,713 NI
---	----------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------

UNLOADING GRAPPLE (PIN ON)

W	396-8852	FORK, GRAPPLE 36" 4,949 73"(1850mm) carriage and 36"(917mm) tines INCLUDES: Top clamp and connector lines from coupler to the tool REQUIRES: 3rd valve		\$38,838 NI
---	----------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	------------	-------------------------------	--------------------	--------------------------

950 & 962 WHEEL LOADER (CONT.)

950M/K & 962M/K FORKS / PIN ON (Cont.)

SORTING GRAPPLE (PIN ON)

W	417-3422	FORK, GRAPPLE 48" 5,260 73"(1855mm) carriage and 48"(1219mm) tines INCLUDES: Top clamp and connector lines from coupler to the tool REQUIRES: 3rd valve		\$39,649 NI
---	----------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 & 962 WHEEL LOADER (CONT.)

950M/K & 962M/K FORKS / PIN ON (Cont.)

MILLYARD (PIN ON)

W	374-7148	FORK, MILLYARD 64"	5,865	\$38,531 NI
		90"(2286mm) carriage and 64"(1609mm) tines		
		INCLUDES: Millyard top clamp, GET tips and connecting lines		
		REQUIRES: 3rd valve		

MILLYARD POLE (PIN ON)

W	384-3214	FORK, MILLYARD POLE 66"	4,506	\$39,121 NI
		86"(2184mm) carriage and 66"(1677mm) tines		
		INCLUDES: Millyard top clamp, Roller tips and connecting lines		
		REQUIRES: 3rd valve		

W	445-2466	FORK, MILLYARD POLE 66"	4,495	\$38,836 NI
		86"(2184mm) carriage and 66"(1677mm) tines		
		INCLUDES: Millyard top clamp, Solid tips and connecting lines		
		REQUIRES: 3rd valve		

W	390-6753	BUCKET-CU, 132" 8.00 YD3	4,379	\$12,946 NI
		Slips on over Millyard Pole Forks		
		FOR USE WITH: 384-3214, 445-2466, 442-4392 and 445-2489		

PIPE AND POLE FORK (PIN ON)

W	377-2845	FORK, PIPE & POLE	4,500	\$45,290 NI
		108"(2731mm) carriage and 72"(1829mm) tines		
		INCLUDES: Connector Lines from the coupler to the tool		
		TINE WIDTH: 8" (203mm)		
		TINE THICKNESS: 3" (76mm)		

950M/K & 962M/K FORKS / COUPLER / FUSION

LOG AND LUMBER (FUSION)

W	435-4068	FORK, LOG & LUMBER 48"	2,321	\$11,435 NI
		84"(2134mm) carriage and 48"(1219mm) non-swinging tines		
		FOR USE WITH: Fusion coupler		
		TINE WIDTH: 7" (180mm)		
		TINE THICKNESS: 2.5" (65mm)		

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
950 & 962 WHEEL LOADER (CONT.)				
950M/K & 962M/K FORKS / COUPLER / FUSION (Cont.)				
W	435-4634	FORK, LOG & LUMBER 60"2,765 84" (2134mm) carriage and 60"(1524mm) non-swinging tines FOR USE WITH: Fusion coupler TINE WIDTH: 7" (180mm) TINE THICKNESS: 3.5" (90mm)		\$12,299 NI
W	435-4684	FORK, LOG & LUMBER 72"2,901 84" (2134mm) carriage and 72"(1829mm) non-swinging tines FOR USE WITH: Fusion coupler TINE WIDTH: 7" (180mm) TINE THICKNESS: 3.5" (90mm)		\$13,224 NI
W	435-4686	FORK, LOG & LUMBER 96"3,183 84" (2134mm) carriage and 96" (2438mm) non-swinging tines FOR USE WITH: Fusion coupler TINE WIDTH: 7" (180mm) TINE THICKNESS: 3.5" (90mm)		\$15,285 NI
W	379-2063	FORK, LOG & LUMBER 48" 2,366 96"(2438mm) carriage and 48"(1219mm) non-swinging tines FOR USE WITH: Fusion coupler TINE WIDTH: 7" (180mm) TINE THICKNESS: 2.5" (65mm)		\$12,978 NI
W	379-2109	FORK, LOG & LUMBER 60"2,809 96"(2438mm) carriage and 60"(1524mm) non-swinging tines FOR USE WITH: Fusion coupler TINE WIDTH: 7"(180mm) TINE THICKNESS: 3.5"(90mm)		\$14,051 NI
W	379-2199	FORK, LOG & LUMBER 72"2,946 96"(2438mm) carriage and 72"(1829mm) non-swinging tines FOR USE WITH: Fusion coupler TINE WIDTH: 7" (180mm) TINE THICKNESS: 3.5" (90mm)		\$14,403 NI
W	379-2321	FORK, LOG & LUMBER 96"3,228 96"(2438mm) carriage and 96"(2438mm) non-swinging tines FOR USE WITH: Fusion coupler TINE WIDTH: 7" (180mm) TINE THICKNESS: 3.5" (90mm)		\$17,125 NI

LOG AND LUMBER W/ SEMI-MILLYARD TOP CLAMP (FUSION)

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 & 962 WHEEL LOADER (CONT.)

950M/K & 962M/K FORKS / COUPLER / FUSION (Cont.)

W	380-8227	FORK, LOG & LUMBER SM 72" 4,425 76"(1923mm) carriage and 48"(1219mm) tines INCLUDES: Millyard top clamp and connector lines from coupler to the tool. FOR USE WITH: Fusion Coupler REQUIRES:3rd valve,connector lines from machine to machine to coupler. TINE WIDTH: 7"(180mm) TINE THICKNESS: 3"(76mm)		\$30,713 NI
---	----------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------

UNLOADING GRAPPLE (FUSION)

W	377-0722	FORK, GRAPPLE 30" 4,253 72"(1832mm) carriage and 30"(762mm) tines INCLUDES: Top clamp and connector lines from coupler to the tool REQUIRES: 3rd valve		\$38,031 NI
W	352-7339	FORK, GRAPPLE 36" 4,729 73"(1850mm) carriage and 36"(917mm) tines INCLUDES: Top clamp and connector lines from coupler to the tool REQUIRES: 3rd valve		\$38,838 NI
W	361-3084	FORK, GRAPPLE 36" 5,664 73"(1850mm) carriage and 36"(917mm) tines INCLUDES: Top clamp, Kick out and connector lines from coupler to the REQUIRES: 3rd and 4th valve.		\$51,785 NI

SORTING GRAPPLE (FUSION)

W	442-9358	FORK, GRAPPLE 48" 5,082 73"(1855mm) carriage and 48"(1219mm) tines INCLUDES: Top clamp and connector lines from coupler to the tool REQUIRES: 3rd valve		\$39,649 NI
---	----------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------

MILLYARD (FUSION)

W	383-3523	FORK, MILLYARD 63" 6,098 90" (2286mm) carriage and 64" (1609mm) tines INCLUDES: Millyard top clamp, GET tips and connector lines REQUIRED: 3rd valve		\$42,467 NI
---	----------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------

MILLYARD POLE (FUSION)

W	442-4392	FORK, MILLYARD POLE 66" 4,485 73"(1855mm) carriage and 48"(1219mm) tines INCLUDES: Millyard top clamp, Roller tips and connecting line REQUIRES: 3rd valve		\$39,121 NI
---	----------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 & 962 WHEEL LOADER (CONT.)

950M/K & 962M/K FORKS / COUPLER / FUSION (Cont.)

W	445-2489	FORK, MILLYARD POLE 66" 4,486 86"(2184mm) carriage and 66"(1677mm) tines INCLUDES: Millyard top clamp, Solid tips and connecting lines REQUIRES: 3rd valve		\$38,836 NI
W	390-6753	BUCKET-CU, 132" 8.00 YD3 4,379 Slips on over Millyard Pole Forks FOR USE WITH: 384-3214, 445-2466, 442-4392 and 445-2489		\$12,946 NI

PALLET FORK CARRIAGES (FUSION)

W	530-1861	ITA PALLET FORK CARRIAGE, 84" 1,321 84"(2134mm) Carriage FOR USE WITH: Fusion Coupler REQUIRES: 2 - Class IV Tines (Pallet Fork) CANNOT BE USED WITH: Class III construction tines		\$6,400 NI
---	----------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	------------

PALLET FORK TINES (FUSION)

W	530-1869	ITA TINE, PALLET FORK 72" 396 REQUIRES: 530-1861 CARRIAGE, 84" TINE WIDTH: 6" (150mm) TINE THICKNESS: 2.5" (65mm)		\$2,429 NI
W	548-3265	ITA TINE, PALLET FORK 60" 355 REQUIRES: 530-1861 CARRIAGE, 84" TINE WIDTH: 6" (150mm) TINE THICKNESS: 2.5" (65mm)		\$2,206 NI

CONSTRUCTION FORK CARRIAGES (FUSION)

W	520-7957	CARRIAGE GROUP, 96" 1,761 Lane 1 Work Tool - Ships loose from Caterpillar Work Tools & Services 96"(2438mm) carriage FOR USE WITH: Fusion Coupler REQUIRES: TINE GROUP		\$8,000 NI
W	520-7968	CARRIAGE GROUP, 108" 1,877 108"(2743mm) carriage FOR USE WITH: Fusion Coupler REQUIRES: TINE GROUP		\$9,199 NI

CONSTRUCTION FORK TINE GROUPS (FUSION)

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
950 & 962 WHEEL LOADER (CONT.)				
CONSTRUCTION FORK CARRIAGES (FUSION) (Cont.)				
W	520-7985	TINE GROUP, 48" 1,012 INCLUDES: Right and Left offset tines. REQUIRES: Carriage Group 520-7957 or 520-7968 TINE WIDTH: 7" (180mm) TINE THICKNESS: 3.5" (90mm)		\$4,013 NI
W	520-7980	TINE GROUP, 60" 1,150 Lane 1 Work Tool INCLUDES: Right and Left offset tines. REQUIRES: Carriage Group 520-7957 or 520-7968 TINE WIDTH: 7" (180mm) TINE THICKNESS: 3.5" (90mm)		\$5,276 NI
W	520-7979	TINE GROUP, 72" 1,288 Lane 1 Work Tool INCLUDES: Right and Left offset tines. REQUIRES: Carriage Group 520-7957 or 520-7968 TINE WIDTH: 7" (180mm) TINE THICKNESS: 3.5" (90mm)		\$6,786 NI
W	520-7986	TINE GROUP, 84" 1,425 Lane 1 Work Tool INCLUDES: Right and Left offset tines. REQUIRES: Carriage Group 520-7957 or 520-7968 TINE WIDTH: 7" (180mm) TINE THICKNESS: 3.5" (90mm)		\$9,425 NI
W	520-7981	TINE GROUP, 96" 1,562 Lane 1 Work Tool INCLUDES: Right and Left offset tines. REQUIRES: Carriage Group 520-7957 or 520-7968 TINE WIDTH: 7" (180mm) TINE THICKNESS: 3.5" (90mm)		\$11,714 NI

PIPE AND POLE (FUSION)

W	365-1316	FORK, PIPE & POLE 4,500 106"(2693mm) Carriage, 72"(1829mm) Tines INCLUDES: Connector lines FOR USE WITH: Fusion Coupler REQUIRES: 3rd Valve TINE WIDTH: 8"(204mm) TINE THICKNESS: 3"(77mm)		\$49,781 NI
---	----------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 & 962 WHEEL LOADER (CONT.)

950M/K & 962M/K MATERIAL HANDLING ARMS / FUSION

W	289-9885	ARM, MATERIAL HANDLING 1,560 Lane 1 Work Tool - Ships loose from Caterpillar Work Tool & Services Extendable Lenth 123" (3124mm) to 183" (4648mm) FOR USE WITH: Fusion Coupler		\$7,635 NI
---	----------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	------------

950M/K & 962M/K SNOW REMOVAL / FUSION

HYDRAULIC ANGLE SNOW BLADES

W	524-6848	BLD 144 HYD ANG SNW TRP FUS 3,020 BLADE HEIGHT: 42" (1067mm) FOR USE WITH: Fusion Coupler REQUIRES: ONE AVAILABLE HYDRAULIC FUNCTIONS (E.G. 3F) WITH LINES GP- IMPLEMENT 3F INSTALLED CANADIAN DEALERS REFERENCE WT-CADSNW PRICE LIST		\$14,371 NI
---	----------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------

W	524-6849	BLD 168 HYD ANG SNW TRP FUS 3,157 BLADE HEIGHT: 42" (1067mm) FOR USE WITH: Fusion Coupler REQUIRES: ONE AVAILABLE HYDRAULIC FUNCTIONS (E.G. 3F) WITH LINES GP- IMPLEMENT 3F INSTALLED CANADIAN DEALERS REFERENCE WT-CADSNW PRICE LIST		\$18,518 NI
---	----------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------

U/V ANGLE BLADES (FUSION)

W	524-6865	BLD 132 U/V ANG FUS 2,900 BLADE HEIGHT: 40" (1016mm) FOR USE WITH: Fusion Coupler REQUIRES: TWO AVAILABLE HYDRAULIC FUNCTIONS (e.g. 3F & 4F) CANADIAN DEALERS REFERENCE WT-CADSNW PRICE LIST		\$29,628 NI
---	----------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------

W	524-6866	BLD 144 U/V ANG FUS 3,000 BLADE HEIGHT: 40" (1016mm) FOR USE WITH: Fusion Coupler REQUIRES: TWO AVAILABLE HYDRAULIC FUNCTIONS (e.g. 3F & 4F) CANADIAN DEALERS REFERENCE WT-CADSNW PRICE LIST		\$33,332 NI
---	----------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------

SNOW PUSH (FUSION)

W	524-6872	BLD 180" SNOW PUSH FUS 6,913 HEIGHT: 56" (1423mm) FOR USE WITH: Fusion Coupler		\$20,000 NI
---	----------	------------------------------------------------------------------------------------------------	--	-------------

W	524-6873	BLD 240" SNOW PUSH FUS 8,230 HEIGHT: 56" (1423mm) FOR USE WITH: Fusion Coupler		\$26,665 NI
---	----------	------------------------------------------------------------------------------------------------	--	-------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
950 & 962 WHEEL LOADER (CONT.)				
ICE SCRAPER (FUSION)				
W	524-6876	SCARIFIER 147" FUS. FOR USE WITH: Fusion Coupler	3,309	\$11,850 NI
V PLOW (FUSION)				
W	314-2510	PLOW, 126" V SNOW HEIGHT: 82" (2082mm) FOR USE WITH: Fusion Coupler	2,765	\$10,297 NI

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 & 962 WHEEL LOADER (CONT.)

950H/G/K & 962H/G/K BROOMS

HYDRAULIC ANGLE BROOMS

W	202-9000	BA30 ANGLE BROOM, HYD, 24V 1,100 (BCP PRODUCT) Excluding hook group, 915mm (36") brush diameter Hydraulic angling 30 degr. left/right of center using 24V Divert Valve Sweeping width straight - max angled: 3000mm (118") - 2590mm (102") Brush material - 50% Polypropylene / 50% Steel Wire REQUIRES: Machine side: Hydr. 3rd valve group with front lines + QDs, Continious flow, Kit Electrical Switch (see "BROOM KITS" below) REQUIRES: Broom side: hook group and QDs kit		\$19,015 NI
---	----------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------

W	202-8999	BA30 ANGLE BROOM, HYD, 24V,WTR 1,540 (BCP PRODUCT) Excluding hook group, 915mm (36") brush diameter Hydraulic angling 30 degr. left/right of center using 24V Divert Valve Sweeping width straight - max angled: 3000mm (118") - 2590mm (102") Brush material - 50% Polypropylene / 50% Steel Wire INCLUDES: Water sprinklers, 24V water pump and 600L watertank REQUIRES: Machine side: Hydr. 3rd valve group with front lines + QDs, Continious flow, Kit Electrical Switch (see "BROOM KITS" below) REQUIRES: Broom side: hook group and QDs kit		\$24,965 NI
---	----------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------

MANUAL ANGLE BROOMS

W	202-7700	BA30 ANGLE BROOM, MAN 1,078 (BCP PRODUCT) Excluding hook group, 915mm (36") brush diameter Manual angling - 0, 15 and 30 degrees left or right of center Sweeping width straight - max angled: 3000mm (118") - 2590mm (102") Brush material - 50% Polypropylene / 50% Steel Wire REQUIRES: Machine side: Hydraulic 3rd valve group with front lines, Continious flow, Hydraulic quick couplings kit REQUIRES: Broom side: hook group and QDs kit		\$17,915 NI
---	----------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 & 962 WHEEL LOADER (CONT.)

950H/G/K & 962H/G/K BROOMS (Cont.)

SPECIAL APPLICATION BROOMS

W	257-9680	SA30 ANGLE BROOM, HYD, HO, 24V 1,520 (BCP PRODUCT) Excluding hook group Hydraulic angling 30 degr. left/right of center using 24V Divert Valve 915mm (36") brush diameter, Brush material - 100% Polypropylene Sweeping width straight - max angled: 3000mm (118") - 2590mm (102") REQUIRES: Machine side: Hydr. 3rd valve group with front lines + QDs, Continous flow, Kit Electrical Switch (see "BROOM KITS" below) REQUIRES: Broom side: hook group and QDs kit		\$21,869 NI
---	----------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------

BROOM ELECTRICAL KIT

W	205-9410	KIT, BROOM, ELEC, MWL 11 (BCP PRODUCT)		\$354 NI
---	----------	-------------------------------------------------	--	----------

BROOM HOOK GROUPS

W	497-9469	HOOK, BROOM, FUSION 324 (BCP PRODUCT) FOR USE WITH: BA30		\$1,111 NI
W	487-8481	HOOK, BROOM, IT38 112 (BCP PRODUCT) FOR USE WITH: standard quick coupler IT 38		\$1,111 NI

BROOM QUICK COUPLING KIT

W	200-0724	KIT, CONVERSION TEMA 3 (BCP PRODUCT) FOR USE WITH: Machines using nipple type quick disconnects		\$215 NI
---	----------	-------------------------------------------------------------------------------------------------------------	--	----------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 & 962 WHEEL LOADER (CONT.)

950L/H/G & 962L/H/G BUCKETS / PIN-ON

GENERAL PURPOSE PERFORMANCE SERIES (PIN-ON)

W	415-3251	BKT GP ST 114" 3.50YD3 PO 3,205 PERFORMANCE SERIES BUCKET CAPACITIES: 3.25 YD3 (2.5 M3) with bolt-on adapters, 117"(2972mm) wide 3.50 YD3 (2.7 M3) with bolt-on adapters and segments, 117"(2972mm) 3.50 YD3 (2.7 M3) with bolt-on cutting edges, 114"(2894mm) wide Requires GET: Choose either bolt-on cutting edge with corner guard or one set of A80 adaptors, one set of tips and optional bolt-on segments		\$13,182 NI
W	391-4950	BKT GP ST 114" 4.00YD3 PO 3,404 PERFORMANCE SERIES BUCKET CAPACITIES: 3.75 YD3 (2.9 M3) with bolt-on adapters, 117"(2972mm) wide 4.00 YD3 (3.1 M3) with bolt-on adapters and segments, 117"(2972mm) 4.00 YD3 (3.1 M3) with bolt-on cutting edges, 114"(2894mm) wide		\$13,956 NI
W	395-3265	BKT GP ST 114" 4.25YD3 PO 3,503 PERFORMANCE SERIES BUCKET CAPACITIES: 4.00 YD3 (3.1 M3) with bolt-on adapters, 117"(2972mm) wide 4.25 YD3 (3.3 M3) with bolt-on adapters and segments, 117"(2972mm) 4.25 YD3 (3.3 M3) with bolt-on cutting edges, 114"(2894mm) wide Requires GET: Choose either bolt-on cutting edge with corner guard or one set of A80 adaptors, one set of tips (8 qty) and optional bolt-on segments		\$14,367 NI
W	394-8476	BKT GP ST 114" 4.50YD3 PO 3,567 PERFORMANCE SERIES BUCKET CAPACITIES: 4.25 YD3 (3.2 M3) with bolt-on adapters, 117"(2972mm) wide 4.50 YD3 (3.4 M3) with bolt-on adapters and segments, 117"(2972mm) 4.50 YD3 (3.4 M3) with bolt-on cutting edges, 114"(2894mm) wide Requires GET: Choose either bolt-on cutting edge with corner guard or one set of A80 adaptors, one set of tips and optional bolt-on segments		\$14,743 NI
W	395-3949	BKT GP ST 114" 4.75YD3 PO 3,697 PERFORMANCE SERIES BUCKET CAPACITIES: 4.50 YD3 (3.4 M3) with bolt-on adapters, 117"(2972mm) wide 4.75 YD3 (3.6 M3) with bolt-on adapters and segments, 117"(2972mm) 4.75 YD3 (3.6 M3) with bolt-on cutting edges, 114"(2894mm) wide		\$15,231 NI

ROCK (PIN-ON)

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 & 962 WHEEL LOADER (CONT.)

950L/H/G & 962L/H/G BUCKETS / PIN-ON (Cont.)

W	595-0410	BKTA RSP AB 118" 4.50YD3 PO 4,030 Spade edge. 118"(2985mm) wide INCLUDES: 5 piece bolt-on cutting edge system		\$26,149 NI
---	----------	----------------------------------------------------------------------------------------------------------------------------------	--	-------------

950H/G & 962H/G BUCKETS / COUPLER / FUSION

GENERAL PURPOSE PERFORMANCE SERIES (FUSION)

W	559-9421	BKTA GP ST 115" 4.00YD3 FUS 3,810 PERFORMANCE SERIES BUCKET CAPACITIES: 3.75 YD3 (2.9 M3) with bolt-on adapters, 117"(2972mm) wide 4.00 YD3 (3.1 M3) with bolt-on adapters and segments, 117"(2972mm) 4.00 YD3 (3.1 M3) w/bolt-on cutting edges,114"(2894mm)wide(bucket tag) 110% FILL FACTOR: 4.50 YD3 (3.4M3) with bolt-on edges, 114" (2894MM) wide (bucket tag) Includes Bolt On Cutting Edge GP		\$15,392 NI
---	----------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------

W	382-9835	BKT GP ST 114" 4.50YD3 FUS 3,552 PERFORMANCE SERIES BUCKET CAPACITIES: 4.25 YD3 (3.2 M3) with bolt-on adapters, 117"(2972mm) wide 4.50 YD3 (3.4 M3) with bolt-on adapters and segments, 117"(2972mm) 4.50 YD3 (3.4 M3) with bolt-on cutting edges, 114"(2894mm) wide Requires GET: Choose either bolt-on cutting edge with corner guard or one set of A80 adaptors, one set of tips and optional bolt-on segments		\$14,719 NI
---	----------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------

SPECIAL APPLICATION (FUSION)

MULTIPURPOSE (FUSION)

W	313-1397	BKTA MP ST 116" 3.75 YD3 FUS 4,601 INCLUDES: Bolt on Edge REQUIRES: 3rd valve		\$29,361 NI
---	----------	-----------------------------------------------------------------------------------------------	--	-------------

SIDE-DUMP (FUSION)

W	314-2547	BKTA SD ST 127" 3.75 YD3 FUS 5,177 INCLUDES: Bolt on Edge REQUIRES: 3rd valve		\$30,586 NI
---	----------	-----------------------------------------------------------------------------------------------	--	-------------

WASTE HANDLING (FUSION)

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
950 & 962 WHEEL LOADER (CONT.)				
950H/G & 962H/G BUCKETS / COUPLER / FUSION (Cont.)				
W	311-6944	BKTA WD ST 120" 6.75 YD3 FUS INCLUDES: Bolt on Edge	4,844	\$24,256 NI
COAL (FUSION)				
W	314-3191	BKT FF LM 130" 7.5 YD3 FUS 130"(3307mm) wide REQUIRES: Bolt on Edge	4,251	\$21,206 NI
950 & 962 BUCKET G.E.T.				
BOLT ON CUTTING EDGE				
W	139-9229	CUTTING EDGE, BOLT-ON 30mm thick (1 required)	600	\$1,461
ADVANSYS GET A80 G.E.T. FOR GENERAL PURPOSE AND FLAT FLOOR BUCKETS				
W	539-5785	ADAPTERS, TIP, BOLT-ON, A080 (1 required) FOR USE WITH: A80 tips	316	\$2,110
W	107-3394	SEGMENTS, BOLT ON 35mm thick. (1 required) FOR USE WITH: A80 adapters and tips	334	\$1,143
W	505-3984	TIP, GENERAL DUTY FOR USE WITH: A80 adapters (8 required)	15	\$89
W	505-3982	TIPS AS, HEAVY DUTY FOR USE WITH: A80 adapters (8 required)	18	\$107
950L & 962L COUPLERS / FUSION				
W	310-9391	QUICK COUPLER, FUSION Lane 1 Work Tool FOR USE WITH: 950L and 962L machines 950L machine serial number prefix LXX and TNS 962L machine serial number prefix SXS and MTN	1,090	\$6,778 NI
950L & 962L COUPLER SUPPLY GROUPS (FUSION)				
W	526-6895	KIT, COUPLER HYDRAULIC SUPPLY FOR USE WITH: 310-9391 Coupler 950L STANDARD LIFT machines Machine serial number prefix LXX and TNS	39	\$2,328 NI

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
950 & 962 WHEEL LOADER (CONT.)				
950L & 962L COUPLER SUPPLY GROUPS (FUSION) (Cont.)				
W	528-0698	KIT, COUPLER HYDRAULIC SUPPLY FOR USE WITH: 310-9391 Coupler 962L STANDARD LIFT machines Machine serial number prefix SXS and MTN	39	\$2,328 NI
W	528-3869	KIT, COUPLER HYDRAULIC SUPPLY FOR USE WITH: 310-9391 Coupler 950L/962L HIGH LIFT machines 950L Machine serial number prefix LXX and TNS 962L Machine serial number prefix SXS and MTN	37	\$2,328 NI
950L & 962L COUPLER CONNECTOR LINES (FUSION)				
W	323-9292	JUMPER LINES FOR 3V QC FOR USE WITH: 950L and 962L machines REQUIRED: When coupler is used with hydraulic tools that require 3rd valve.	21	\$1,082 NI
950L & 962L COUPLER TILT LINK (FUSION)				
W	475-0944	LINK, TILT FOR USE WITH: 310-9391 Fusion Coupler on 950L and 962L HIGH LIFT linkage machines	197	\$1,635 NI
950H & 962H COUPLER / FUSION				
W	310-9391	QUICK COUPLER, FUSION Lane 1 Work Tool - Ships loose from Caterpillar Work Tool & Services FOR USE WITH: 950H/962H and 950G/962G series II machines	1,090	\$6,778 NI
950H & 962H COUPLER SUPPLY GROUPS (FUSION)				
W	315-6311	KIT, COUPLER HYDRAULIC SUPPLY FOR USE WITH: 310-9391 Coupler FOR USE WITH: 950H STANDARD LIFT machines machine serial number prefix K5K, M1G, J5J, JAD and N1A FOR USE WITH: 962H STANDARD LIFT machines machine serial number prefix K6K, M3G, J6J, MAL and N4A	44	\$1,626 NI
W	315-6316	KIT, COUPLER HYDRAULIC SUPPLY FOR USE WITH: 310-9391 Coupler FOR USE WITH: 950H HIGH LIFT Machines Machine serial number K5K, M1G, J5J, JAD, N1A FOR USE WITH: 962H HIGH LIFT Machines Machine serial number K6K, M3G, J6J, MAL, N4A	44	\$1,626 NI
W	444-6448	KIT, COUPLER HYDRAULIC SUPPLY FOR USE WITH: 310-9391 Coupler FOR USE WITH: 950H II STANDARD LIFT machines Machine serial number JLX, MXL FOR USE WITH: 962H II STANDARD LIFT machines Machine serial number PCW & SSA	37	\$1,626 NI

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 & 962 WHEEL LOADER (CONT.)

950H & 962H COUPLER SUPPLY GROUPS (FUSION) (Cont.)

W	444-8962	KIT, COUPLER HYDRAULIC SUPPLY	35	\$1,626 NI
		FOR USE WITH: 310-9391 Coupler FOR USE WITH: 950H II HIGH LIFT machines Machine serial number JLX, MXL FOR USE WITH: 962H II HIGH LIFT machines Machine serial number PCW & SSA		

COUPLER HOOKS (FUSION)

W	317-5562	HOOK, BLANK	787	\$2,046 NI
		Lane 1 Work Tool - Ships loose from Caterpillar Work Tool & Services		
W	315-6309	HOOK, FLAT BACK	409	\$1,207 NI
		Lane 1 Work Tool - Ships loose from Caterpillar Work Tool & Services		

COUPLER CONNECTOR LINES (FUSION)

W	323-9292	JUMPER LINES FOR 3V QC	21	\$1,082 NI
		Lane 1 Work Tool - Ships loose from Caterpillar Work Tools & Services REQUIRED: when coupler is used with hydraulic tools that require 3rd valve FOR USE WITH: 950H/962H and 950G/962G series II machines		

950H/G & 962H/G COUPLER TILT LINK (FUSION)

W	344-0976	LINK, TILT	198	\$1,635 NI
		FOR USE WITH: 310-9391 coupler on 962H/G series II HIGH LIFT machines FOR USE WITH: 310-9391 coupler on 950H/G series II HIGH LIFT machines		

PIPE AND POLE FORK

W	365-1315	FORK, PIPE & POLE	4,500	\$43,133 NI
		106"(2693mm) Carriage, 72"(1829mm) Tines INCLUDES: Connector lines REQUIRES: 3rd Valve TINE WIDTH: 8"(204mm) TINE THICKNESS: 3"(77mm)		

PIPE AND POLE FORK (FUSION)

W	365-1316	FORK, PIPE & POLE	4,500	\$49,781 NI
		106"(2693mm) Carriage, 72"(1829mm) Tines INCLUDES: Connector lines REQUIRES: Fusion Coupler and 3rd Valve TINE WIDTH: 8"(204mm) TINE THICKNESS: 3"(77mm)		

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 & 962 WHEEL LOADER (CONT.)

950H/G & 962H/G MATERIAL HANDLING ARMS (FUSION)

W	289-9885	ARM, MATERIAL HANDLING 1,560 Lane 1 Work Tool Extendable Length 123" (3124mm) to 183" (4648mm)		\$7,635 NI
---	----------	----------------------------------------------------------------------------------------------------------------	--	-------------------

950H/G & 962H/G RAKES / PIN-ON

LOADER (PIN-ON)

W	157-3471	RAKE, LOADER 112" 3,350 RAKING WIDTH: 112"(2845mm) HEIGHT: 66"(1676mm) NUMBER OF TEETH: 9 TOOTH SPACING: 12"(305mm)		\$16,668 NI
---	----------	-------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------

950H/G & 962H/G RAKES / COUPLER /FUSION

W	317-1242	RAKE-GP, 120" (QC) 1,485 FOR USE WITH: Fusion Coupler RAKING WIDTH: 112"(2844mm) OVERALL WIDTH: 120"(3047mm) HEIGHT: 65"(1653mm) NUMBER OF TEETH: 9 TOOTH SPACING: 11.75"(299mm)		\$16,668 NI
---	----------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------

W	317-1254	RAKE, LOADER 112" W/DTC 4,894 FOR USE WITH: Fusion Coupler DOUBLE TOP CLAMP RAKING WIDTH: 112"(2844mm) OVERALL WIDTH: 120"(3047mm) HEIGHT: 74"(1875mm) NUMBER OF TEETH: 9 TOOTH SPACING: 11.75"(299mm) REQUIRES: 3rd valve 200-0724 kit is required for mounting on 950H/962H machines		\$29,638 NI
---	----------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

966 & 972 WHEEL LOADER

966 & 972 BUCKETS / PIN-ON

GENERAL PURPOSE PERFORMANCE SERIES - 966 ONLY (PIN-ON)

W	363-5194	BKT GP ST 126" 5.00YD3 PO 4,583 PERFORMANCE SERIES BUCKET FOR USE WITH: 966M/K/H/G Machines CAPACITIES: 4.75YD3(3.6M3) w/bolt-on adapters, 130"(3307mm) wide 5.00YD3(3.8M3) w/bolt-on adapters & segments, 130"(3307mm) wide 5.00YD3(3.8M3) w/bolt-on cutting edge, 127"(3220mm) wide(Bucket Tag) 110% FILL FACTOR: 5.50YD3(4.2M3) w/bolt-on cutting edge, 127"(3220mm) wide(Bucket Tag) Requires GET: Choose one set of adaptors, one set of tips (8 qty) and optional bolt-on segments For BOCE Arrangement - order bucket part: 516-2406		\$16,960 NI
P	516-2406	BKTA GP ST 127" 5.00YD3 PO 5,187 Lane 1 Work Tool FOR USE WITH: 966M/K/H/G Machines INCLUDES: 363-5194 Bucket-GP with BOCE		\$18,778
W	368-4582	BKT GP ST 126" 5.25YD3 PO 4,691 PERFORMANCE SERIES BUCKET FOR USE WITH: 966M/K/H/G Machines CAPACITIES: 5.00YD3(3.8M3) w/bolt-on adapters, 130"(3307mm) wide 5.25YD3(4.0M3) w/bolt-on adapters & segments, 130"(3307mm) wide 5.25YD3(4.0M3) w/bolt-on cutting edge, 127"(3220mm) wide(Bucket Tag) 110% FILL FACTOR: 5.75YD3(4.4M3) w/bolt-on cutting edge, 127"(3220mm) wide (Bucket Tag) Requires GET: Choose either bolt-on cutting edge with corner guard or one set of adaptors, one set of tips (8 qty) and optional bolt-on segments		\$17,513 NI
W	363-5196	BKT GP ST 126" 5.50YD3 PO 4,815 PERFORMANCE SERIES BUCKET FOR USE WITH: 966M/K/H/G Machines CAPACITIES: 5.25YD3(4.0M3) w/bolt-on adapters, 130"(3307mm) wide 5.50YD3(4.2M3) w/bolt-on adapters & segments, 130"(3307mm) wide 5.50YD3(4.2M3) w/bolt-on cutting edge, 127"(3220mm) wide(Bucket Tag) 110% FILL FACTOR: 6.00YD3(4.6M3) w/bolt-on cutting edge, 127"(3220mm) wide(Bucket Tag) Requires GET: Choose one set of adaptors, one set of tips (8 qty) and optional bolt-on segments For BOCE Arrangement - order bucket part: 516-1409		\$18,111 NI
W	516-1409	BKTA GP ST 127" 5.50YD3 PO 5,421 Lane 1 Work Tool FOR USE WITH: 966M/K/H/G Machines INCLUDES: 363-5196 Bucket-GP with BOCE		\$19,929 NI

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

966 & 972 WHEEL LOADER (CONT.)

966 & 972 BUCKETS / PIN-ON (Cont.)

W	363-5197	BKT GP ST 126" 6.00YD3 PO 4,978 PERFORMANCE SERIES BUCKET FOR USE WITH: 966M/K/H/G Machines CAPACITIES: 5.75YD3(4.4M3) w/bolt-on adapters, 130"(3307mm) wide 6.00YD3(4.6M3) w/bolt-on adapters and segments, 130"(3307mm) 6.00YD3(4.6M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) 110% FILL FACTOR: 6.75YD3(5.1M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) Requires GET: Choose either bolt-on cutting edge with corner guard or one set of adaptors, one set of tips (8 qty) and optional bolt-on segments		\$19,204 NI
---	----------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------

GENERAL PURPOSE PERFORMANCE SERIES - 972 ONLY (PIN-ON)

W	330-2045	BKT GP ST 126" 5.50YD3 PO 4,782 FOR USE WITH: 972M/K/H/G Machines PERFORMANCE SERIES BUCKET CAPACITIES: 5.25YD3(4.0M3) w/bolt-on adapters, 130"(3302mm) wide 5.50YD3(4.2M3) w/bolt-on adapters & segments, 130"(3302mm) wide 5.50YD3(4.2M3) w/bolt-on cutting edge, 127"(3226mm) wide(Bucket Tag) 110% FILL FACTOR 6.00YD3(4.6M3) w/bolt-on cutting edge, 127"(3226mm) wide(Bucket Tag) Requires GET: Choose either bolt-on cutting edge with corner guard or one set of adaptors, one set of tips (8 qty) and optional bolt-on segments		\$18,051 NI
W	354-4831	BKT GP ST 126" 6.00YD3 PO 4,907 PERFORMANCE SERIES BUCKET FOR USE WITH: 972M/K/H/G Machines CAPACITIES: 5.75YD3(4.4M3) w/bolt-on adapters, 130"(3302mm) wide 6.00YD3(4.6M3) w/bolt-on adapters & segments, 130"(3307mm) wide 6.00YD3(4.6M3) w/bolt-on cutting edge, 127"(3226mm) wide(Bucket Tag) 110% FILL FACTOR: 6.75YD3(5.1M3) w/bolt-on cutting edge, 127"(3226mm) wide(Bucket Tag) Requires GET: Choose either bolt-on cutting edge with corner guard or one set of adaptors, one set of tips (8 qty) and optional bolt-on segments		\$19,067 NI

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

966 & 972 WHEEL LOADER (CONT.)

966 & 972 BUCKETS / PIN-ON (Cont.)

W	348-6785	BKT GP ST 126" 6.25YD3 PO 5,026 PERFORMANCE SERIES BUCKET FOR USE WITH: 972M/K/H/G Machines CAPACITIES: 6.00YD3(4.6M3) w/bolt-on adapters, 130"(3302mm) wide 6.25YD3(4.8M3) w/bolt-on adapters & segments, 130"(3302mm) wide 6.25YD3(4.8M3) w/bolt-on cutting edge, 127"(3226mm) wide(Bucket Tag) 110% FILL FACTOR: 7.00YD3(5.3M3) w/bolt-on cutting edge, 127"(3226mm) wide(Bucket Tag) Requires GET: Choose one set of adaptors, one set of tips (8 qty) and optional bolt-on segments For BOCE Arrangement - order bucket part: 516-1400		\$19,704 NI
W	516-1400	BKTA GP ST 129" 6.25YD3 PO 5,710 Lane 1 Work Tool FOR USE WITH: 972M/K/H/G Machines INCLUDES: 348-6785 Bucket-GP with BOCE and Corner Guards		\$22,200 NI
W	354-4834	BKT GP ST 126" 6.50YD3 PO 5,099 PERFORMANCE SERIES BUCKET FOR USE WITH: 972M/K/H/G Machines CAPACITIES: 6.25YD3(4.8M3) w/bolt-on adapters, 130"(3307mm) wide 6.50YD3(5.0M3) w/bolt-on adapters and segments, 130"(3307mm) 6.50YD3(5.0M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) 110% FILL FACTOR 7.25YD3(5.5M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) Requires GET: Choose either bolt-on cutting edge with corner guard or one set of adaptors, one set of tips (8 qty) and optional bolt-on segments		\$20,263 NI

GENERAL PURPOSE-ABRASION PERFORMANCE SERIES BUCKET- 972 ONLY (PIN-ON)

W	416-6339	BKTA GP AB 132" 6.75YD3 PO 6,149 PERFORMANCE SERIES BUCKET FOR USE WITH: 972M Machines INCLUDES: Bolt-On Cutting Edge (BOCE) CAPACITIES: 6.75YD3(5.1M3) w/bolt-on Cutting Edges 110% FILL FACTOR: 7.25 YD3 (5.6 M3) with bolt-on edges, 132" (3357MM) wide (bucket tag) REQUIRES: COUNTERWEIGHT, AGGREGATE		\$25,276 NI
---	----------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

966 & 972 WHEEL LOADER (CONT.)

966 & 972 BUCKETS / PIN-ON (Cont.)

W	416-6340	BKTA GP AB 132" 7.00YD3 PO 6,241 PERFORMANCE SERIES BUCKET FOR USE WITH: 972G/H/K/L/M INCLUDES: Bolt-On Cutting Edge (BOCE) CAPACITIES: 7.00YD3(5.3M3) w/bolt-on cutting edge, 132"(3357mm) wide (bucket tag) 110% FILL FACTOR: 7.50YD3(5.8M3) w/bolt-on cutting edge, 132"(3357mm) wide (bucket tag) REQUIRES: COUNTERWEIGHT, AGGREGATE		\$25,646 NI
---	----------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------

W	373-6418	BKTA GP AB 132" 7.25YD3 PO 6,325 100% FILL FACTOR is rated at 5.5M3 with BOCE 110% FILL FACTOR is rated at 6.1M3 with BOCE Includes Bolt-on Cutting Edge Requires: Counterweight, Aggregate		\$26,646 NI
---	----------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------

FLAT FLOOR PERFORMANCE SERIES - 966 ONLY (PIN-ON)

W	368-4583	BKT FF ST 126" 5.50YD3 PO 4,912 PERFORMANCE SERIES BUCKET FOR USE WITH: 966M/K/H/G Machines CAPACITIES: 5.25 YD3(4.0M3) with bolt-on adapters, 130"(3307mm) wide 5.50 YD3(4.0 M3) with bolt-on adapters & segments, 130"(3307mm) wide 5.50 YD3(4.2 M3) with bolt-on cutting edge, 126"(3221mm) wide 110% FILL FACTOR: 6.00YD3(4.60M3) w/bolt-on cutting edges, 126"(3221mm) wide Requires GET: Choose either bolt-on cutting edge with corner guard or one set of adaptors, one set of tips (8 qty) and optional bolt-on segments		\$18,283 NI
---	----------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------

W	380-9835	BKT FF ST 126" 5.75YD3 PO 5,009 PERFORMANCE SERIES BUCKET FOR USE WITH: 966M/K/H/G CAPACITIES: 5.50YD3(4.2M3) w/bolt-on adapters, 130"(3307mm) wide 5.75YD3(4.4M3) w/bolt-on adapters and segments, 130"(3307mm) 5.75YD3(4.4M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) 110% FILL FACTOR: 6.24YD3(4.8M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) Requires GET: Choose either bolt-on cutting edge with corner guard or one set of adaptors, one set of tips (8 qty) and optional bolt-on segments		\$18,860 NI
---	----------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

966 & 972 WHEEL LOADER (CONT.)

966 & 972 BUCKETS / PIN-ON (Cont.)

W	363-5201	BKT FF ST 126" 6.00YD3 PO 5,108 PERFORMANCE SERIES BUCKET FOR USE WITH: 966M/K/H/G Machines CAPACITIES: 5.75YD3(4.4M3) w/bolt-on adapters, 130"(3307mm) wide 6.00YD3(4.6M3) w/bolt-on adapters and segments, 130"(3307mm) 6.00YD3(4.6M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) 110% FILL FACTOR: 6.75YD3(5.1M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) Requires GET: Choose either bolt-on cutting edge with corner guard or one set of adaptors, one set of tips (8 qty) and optional bolt-on segments		\$19,456 NI
---	----------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------

FLAT FLOOR PERFORMANCE SERIES - 972 ONLY (PIN-ON)

W	368-4580	BKT FF ST 126" 6.00YD3 PO 4,980 PERFORMANCE SERIES BUCKET FOR USE WITH: 972M/K/H/G Machines CAPACITIES: 5.75YD3(4.4M3) w/bolt-on adapters, 130"(3307mm) wide 6.00YD3(4.6M3) w/bolt-on adapters & segments, 130"(3307mm) wide 6.00YD3(4.6M3) w/bolt-on cutting edge, 127"(3220mm) wide(Bucket Tag) 110% FILL FACTOR: 6.75YD3(5.1M3) w/bolt-on cutting edges, 127"(3220mm) wide (Bucket Tag) Requires GET: Choose one set of adaptors, one set of tips (8 qty) and optional bolt-on segments For BOCE Arrangement - order bucket part: 516-1817		\$19,208 NI
W	516-1817	BKTA FF ST 127" 6.00YD3 PO 5,584 Lane 1 Work Tool FOR USE WITH: 972M/K/H/G Machines INCLUDES: 368-4580 Bucket-GP with BOCE		\$21,026 NI
W	361-4996	BKT FF ST 126" 6.75YD3 PO 5,243 PERFORMANCE SERIES BUCKET FOR USE WITH: 972M/K/H/G Machines CAPACITIES: 6.50YD3(5.0M3) w/bolt-on adapters, 130"(3307mm) wide 6.75YD3(5.2M3) w/bolt-on adapters and segments, 130"(3307mm) 6.75YD3(5.2M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) 110% FILL FACTOR: 7.50YD3(5.7M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) Requires GET: Choose either bolt-on cutting edge with corner guard or one set of adaptors, one set of tips (8 qty) and optional bolt-on segments		\$20,986 NI

ROCK PERFORMANCE SERIES - 966 ONLY (PIN-ON)

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

966 & 972 WHEEL LOADER (CONT.)

966 & 972 BUCKETS / PIN-ON (Cont.)

W	554-0034	BKT RSP ST 128" 4.50YD3 PO 5,022 100% FILL FACTOR is rated at 3.4M3 including GET 110% FILL FACTOR is rated at 3.7M3 including GET With spade base edge, K90 two strap adaptors. Requires GET: Choose set of tips with optional set of bolt-on segments and/or optional sidebar protectors.		\$25,285 NI
W	539-0402	BKT RSP ST 128" 5.00YD3 PO 5,487 Rated width and capacity of bucket including GET. With spade base edge, ADVANSYS90 two strap adaptors. Requires GET: Choose set of tips with optional set of bolt-on segments and/or optional sidebar protectors.		\$27,628 NI

ROCK PERFORMANCE SERIES - 972 ONLY (PIN-ON)

W	545-8873	BKT RSP ST 128" 5.25YD3 PO 5,101 PERFORMANCE SERIES BUCKET Spade Edge FOR USE WITH: 972M/K/H/G Machines ONLY!!! CAPACITIES: 5.00YD3(3.8M3) w/weld-on adptrs, 128"(3255mm) wide 5.25YD3(4.0M3) w/weld-on adptrs & segments, 128"(3255mm)wide-Bucket Tag 110% FILL FACTOR: 5.75YD3(4.4M3) w/weld-on adptrs & segments, 128"(3255mm)wide-Bucket Tag		\$27,311 NI
---	----------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------

SLAG (PIN-ON)

W	343-8820	BKT SLG HD 128" 4.50YD3 PO 9,136 128"(3250mm) wide INCLUDES: (7) weld-on K110 double-strap adaptors and (1) segment group REQUIRES: (7) K110 tips		\$45,669 NI
---	----------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------

SPECIAL APPLICATION (PIN-ON)

P	384-5794	BKT IO XD 128" 3.75YD3 PO 5,584 5,584 CAPACITIES: 2.8 m3 with bolt-on adapters 2.95 m3 with bolt-on adapters & segments 2.95 m3 with bolt-on cutting edge 110% FILL FACTOR: 3.3 m3 with GETs		\$35,090 \$35,090 NI
---	----------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	---------------------------------------

MULTIPURPOSE (PIN-ON)

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

966 & 972 WHEEL LOADER (CONT.)

966 & 972 BUCKETS / PIN-ON (Cont.)

W	385-2592	BKT MP ST 127" 4.0 YD3 PO 5,999 127"(3226mm) wide REQUIRES: 3rd valve CAPACITIES: 3.75YD3(2.9M3) with bolt-on adapters, 127"(3226mm) wide 4.00YD3(3.1M3) with bolt-on adapters & segments, 127"(3226mm) wide 4.00YD3(3.1M3) with bolt-on cutting edge, 127"(3226mm) wide Requires GET: Choose either bolt-on cutting edge with corner guard or one set of adaptors, one set of tips (8 qty) and optional bolt-on segments		\$32,804 NI
---	----------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------

WASTE HANDLING (PIN-ON)

W	449-4381	BKT WTC ST 132" 6.5 YD3 PO 9,248 Waste Handling bucket with clamp for light sorting or dozing when fully open. 132" (3357mm) wide REQUIRES: Bolt-on cutting steel edge 437-8813 or rubber edge 383-9845 ALSO REQUIRES: 3rd Valve CAPACITIES: 6.50YD3 with Bolt-on cutting edge		\$36,969 NI
W	516-2131	BKTA WD ST 132" 8.50YD3 PO 7,048 Dozing style bucket 132" (3357mm) wide INCLUDES: STEEL BOLT-ON CUTTING EDGE (BOCE) CAPACITIES: 8.50YD3 (6.5M3) with Bolt-on cutting edge 24.00YD3 (18.3 M3) dozing capacity with Bolt-on cutting edge		\$30,239 NI
W	516-2101	BKTA WD ST 131" 8.50YD3 PO 6,777 Dozing style bucket 132" (3357mm) wide INCLUDES: RUBBER BOLT-ON CUTTING EDGE (BOCE) CAPACITIES: 8.50YD3 (6.5M3) with Bolt-on cutting edge 24.00YD3 (18.3 M3) dozing capacity with Bolt-on cutting edge		\$31,514 NI
W	516-2103	BKTA WLC ST 132" 9.75YD3 PO 7,513 Load and Carry style bucket INCLUDES: BOLT-ON CUTTING EDGE (BOCE) INCLUDES: Steel BOLT-ON CUTTING EDGE (BOCE) CAPACITIES: 9.75YD3 with Bolt-on cutting edge		\$35,271 NI

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

966 & 972 WHEEL LOADER (CONT.)

966 & 972 BUCKETS / PIN-ON (Cont.)

W	516-2145	BKTA WLC ST 131" 9.75YD3 PO 7,242 Load and Carry style bucket INCLUDES: BOLT-ON CUTTING EDGE (BOCE) INCLUDES: Rubber BOLT-ON CUTTING EDGE (BOCE) CAPACITIES: 9.75YD3 with Bolt-on cutting edge		\$36,546 NI
---	----------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------

SIDE-DUMP (PIN-ON)

W	143-7202	BKTA SD ST 145" 4.75 YD3 PO 6,301 145"(3683mm) wide INCLUDES: Bolt-on cutting edge REQUIRES: 3rd valve		\$33,982 NI
---	----------	------------------------------------------------------------------------------------------------------------------------------	--	--------------------

HIGH DUMP (PIN-ON)

For light materials only - Applications include woodchips, grains and wood pellets. Not intended for waste applications.

W	521-1954	BKTA HD ST 132" 10.0 YD3 PO 7,918 132" (3350mm) wide INCLUDES: Bolt on cutting edge REQUIRES: 3rd valve		\$43,789 NI
W	521-1952	BKTA HD ST 144" 12.0 YD3 PO 8,388 144" (3656mm) wide INCLUDES: Bolt on cutting edge REQUIRES: 3rd valve		\$45,597 NI
W	522-4633	BKTA HD ST 144" 14.5 YD3 PO 8,843 144" (3656mm) wide INCLUDES: Bolt on cutting edge REQUIRES: 3rd valve		\$48,515 NI

WOODCHIP (PIN-ON)

For light materials only - Applications include woodchips, snow, grains and wood pellets. Not intended for waste applications.

W	553-9645	BKTA WC ST 155" 15.50YD3 PO 7,061 INCLUDES: Bolt on cutting edge FOR USE WITH: 966 Aggregate Configuration including Counterweight		\$37,535 NI
---	----------	-------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

966 & 972 WHEEL LOADER (CONT.)

966 & 972 BUCKETS / PIN-ON (Cont.)

W	553-9649	BKTA WC ST 155" 18.25 YD3 PO 7,412 INCLUDES: Bolt on cutting edge FOR USE WITH: 972 Aggregate Configuration including Counterweight		\$35,356 NI
---	----------	-------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------

COAL PERFORMANCE SERIES - 966 ONLY (PIN-ON)

W	363-5203	BKTA FF LM 136" 9.25YD3 PO 6,314 PERFORMANCE SERIES BUCKET FOR USE WITH: 966M/K/H/G Machines INCLUDES: Bolt on cutting edge CAPACITIES: 9.00 CYD (6.9 CUM) with bolt-on adapters, 136"(3447mm) wide 9.25 CYD (7.1 CUM) with bolt-on cutting edges, 136"(447mm) wide		\$27,763 NI
---	----------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------

COAL PERFORMANCE SERIES - 972 ONLY (PIN-ON)

W	361-5002	BKTA FF LM 136" 9.5 YD3 PO 7,028 PERFORMANCE SERIES BUCKET FOR USE WITH: 972M/K/H/G Machines INCLUDES: Bolt on cutting edge CAPACITIES: 9.50 YD3 (7.2 M3) with bolt-on cutting edges, 136"(447mm) wide		\$30,318 NI
---	----------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------

966 & 972 BUCKETS / COUPLER / FUSION

GENERAL PURPOSE PERFORMANCE SERIES - 966 ONLY (FUSION)

W	363-5195	BKT GP ST 126" 5.00YD3 FUS 4,310 PERFORMANCE SERIES BUCKET FOR USE WITH: 966M/K/H/G Machines CAPACITIES: 4.75YD3(3.6M3) w/bolt-on adapters, 130"(3307mm) wide 5.00YD3(3.8M3) w/bolt-on adapters and segments, 130"(3307mm) 5.00YD3(3.8M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) 110% FILL FACTOR: 5.50YD3(4.2M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) Requires GET: Choose either bolt-on cutting edge with corner guard or one set of adaptors, one set of tips (8 qty) and optional bolt-on segments		\$16,518 NI
---	----------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

966 & 972 WHEEL LOADER (CONT.)

966 & 972 BUCKETS / COUPLER / FUSION (Cont.)

W	362-9276	BKT GP ST 126" 5.50YD3 FUS 4,449 PERFORMANCE SERIES BUCKET FOR USE WITH: 966M/K/H/G CAPACITIES: 5.25YD3(4.0M3) w/bolt-on adapters, 130"(3307mm) wide 5.50YD3(4.2M3) w/bolt-on adapters and segments, 130"(3307mm) 5.50YD3(4.2M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) 110% FILL FACTOR: 6.00YD3(4.6M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) Requires GET: Choose one set of adaptors, one set of tips (8 qty) and optional bolt-on segments For BOCE Arrangement - order bucket part: 515-5842		\$17,461 NI
W	515-5842	BKTA GP ST 127" 5.50YD3 FUS 5,055 Lane 1 Work Tool INCLUDES: 362-9276 Bucket-GP with BOCE		\$19,279 NI
W	363-5198	BKT GP ST 126" 6.00YD3 FUS 4,700 PERFORMANCE SERIES BUCKET FOR USE WITH: 966M/K/H/G Machines CAPACITIES: 5.75YD3(4.4M3) w/bolt-on adapters, 130"(3307mm) wide 6.00YD3(4.6M3) w/bolt-on adapters and segments, 130"(3307mm) 6.00YD3(4.6M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) 110% FILL FACTOR: 6.75YD3(5.1M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) Requires GET: Choose either bolt-on cutting edge with corner guard or one set of adaptors, one set of tips (8 qty) and optional bolt-on segments		\$18,665 NI

GENERAL PURPOSE PERFORMANCE SERIES - 972 ONLY (FUSION)

W	330-2046	BKT GP ST 126" 5.50YD3 FUS 4,517 PERFORMANCE SERIES BUCKET FOR USE WITH: 972M/K/H/G Machines CAPACITIES: 5.25YD3(4.0M3) w/bolt-on adapters, 130"(3302mm) wide 5.50YD3(4.2M3) w/bolt-on adapters and segments, 130"(3302mm) 5.50YD3(4.2M3) w/bolt-on cutting edges, 127"(3226mm) wide(Bucket Tag) 110% FILL FACTOR: Requires GET: Choose either bolt-on cutting edge with corner guard or one set of K90 adaptors, one set of tips (8 qty) and optional bolt-on segments		\$17,582 NI
---	----------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
966 & 972 WHEEL LOADER (CONT.)				
966 & 972 BUCKETS / COUPLER / FUSION (Cont.)				
W	368-4579	BKT GP ST 126" 5.75YD3 FUS 4, 535 PERFORMANCE SERIES BUCKET FOR USE WITH: 972M/K/H/G Machines CAPACITIES: 5.50YD3(4.2M3) w/bolt-on adapters, 130"(3307mm) wide 5.75YD3(4.4M3) w/bolt-on adapters and segments, 130"(3307mm) 5.75YD3(4.4M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) 110% FILL FACTOR: 6.25YD3(4.8M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) Requires GET: Choose either bolt-on cutting edge with corner guard or one set of adaptors, one set of tips (8 qty) and optional bolt-on segments		\$17,979 NI
W	354-4832	BKT GP ST 126" 6.00YD3 FUS 4, 665 PERFORMANCE SERIES BUCKET FOR USE WITH: 972M/K/H/G Machines CAPACITIES: 5.75YD3(4.4M3) w/bolt-on adapters, 130"(3307mm) wide 6.00YD3(4.6M3) w/bolt-on adapters and segments, 130"(3307mm) 6.00YD3(4.6M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) 110% FILL FACTOR: 6.75YD3(5.1M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) Requires GET: Choose either bolt-on cutting edge with corner guard or one set of adaptors, one set of tips (8 qty) and optional bolt-on segments		\$18,597 NI
W	354-4833	BKT GP ST 126" 6.25YD3 FUS 4, 652 PERFORMANCE SERIES BUCKET FOR USE WITH: 972M/K/H/G Machines CAPACITIES: 6.00YD3(4.6M3) w/bolt-on adapters, 130"(3302mm) wide 6.25YD3(4.8M3) w/bolt-on adapters and segments, 130"(3302mm) 6.25YD3(4.8M3) w/bolt-on cutting edges, 127"(3226mm) wide(Bucket Tag) 110% FILL FACTOR: 7.00YD3(5.3M3) w/bolt-on cutting edges, 127"(3226mm) wide(Bucket Tag) Requires GET: Choose either bolt-on cutting edge with corner guard or one set of adaptors, one set of tips (8 qty) and optional bolt-on segments		\$18,947 NI
W	354-4835	BKT GP ST 126" 6.50YD3 FUS 4, 852 PERFORMANCE SERIES BUCKET FOR USE WITH: 972M/K/H/G Machines CAPACITIES: 6.25YD3(4.8M3) w/bolt-on adapters, 130"(3307mm) wide 6.50YD3(5.0M3) w/bolt-on adapters and segments, 130"(3307mm) 6.50YD3(5.0M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) 110% FILL FACTOR: 7.25YDR(5.5M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) Requires GET: Choose either bolt-on cutting edge with corner guard or one set of adaptors, one set of tips (8 qty) and optional bolt-on segments		\$19,744 NI

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

966 & 972 WHEEL LOADER (CONT.)

966 & 972 BUCKETS / COUPLER / FUSION (Cont.)

FLAT FLOOR PERFORMANCE SERIES - 966 ONLY (FUSION)

W	380-9837	BKT FF ST 126" 5.75YD3 FUS 4,780 PERFORMANCE SERIES BUCKET FOR USE WITH: 966M/K/H/G Machines CAPACITIES: 5.50YD3(4.2M3) w/bolt-on adapters, 130"(3307mm) wide 5.75YD3(4.4M3) w/bolt-on adapters and segments, 130"(3307mm) 5.75YD3(4.4M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) 110% FILL FACTOR: 6.25YD3(4.8M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) Requires GET: Choose either bolt-on cutting edge with corner guard or one set of adaptors, one set of tips (8 qty) and optional bolt-on segments		\$18,433 NI
---	----------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------

W	369-4432	BKT FF ST 126" 6.25YD3 FUS 4,987 PERFORMANCE SERIES BUCKET FOR USE WITH: 966M/K/H/G Machines CAPACITIES: 6.00YD3(4.6M3) w/bolt-on adapters, 130"(3307mm) wide 6.25YD3(4.8M3) w/bolt-on adapters and segments, 130"(3307mm) 6.25YD3(4.8M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) 110% FILL FACTOR: 7.00YD3(5.3M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) Requires GET: Choose either bolt-on cutting edge with corner guard or one set of adaptors, one set of tips (8 qty) and optional bolt-on segments		\$19,624 NI
---	----------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------

FLAT FLOOR PERFORMANCE SERIES - 972 ONLY (FUSION)

W	361-4997	BKT FF ST 126" 6.75YD3 FUS 5,038 PERFORMANCE SERIES BUCKET FOR USE WITH: 972M/K/H/G Machines CAPACITIES: 6.50YD3(5.0M3) w/bolt-on adapters, 130"(3307mm) wide 6.75YD3(5.2M3) w/bolt-on adapters and segments, 130"(3307mm) 6.75YD3(5.2M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) 110% FILL FACTOR: 7.50YD3(5.7M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) Requires GET: Choose either bolt-on cutting edge with corner guard or one set of adaptors, one set of tips (8 qty) and optional bolt-on segments		\$20,539 NI
---	----------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------

SPECIAL APPLICATION (FUSION)

MULTIPURPOSE (FUSION)

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

966 & 972 WHEEL LOADER (CONT.)

966 & 972 BUCKETS / COUPLER / FUSION (Cont.)

W	313-1398	BKTA MP ST 127" 4.0 YD3 FUS INCLUDES: Bolt on Edge REQUIRES: 3rd valve	6,140	\$32,501 NI
---	----------	------------------------------------------------------------------------------------	-------	-------------

SIDE-DUMP (FUSION)

W	314-2548	BKTA SD ST 145" 4.75 YD3 FUS INCLUDES: Bolt on Edge REQUIRES: 3rd valve	6,243	\$34,660 NI
---	----------	-------------------------------------------------------------------------------------	-------	-------------

COAL PERFORMANCE SERIES - 972 ONLY (FUSION)

W	361-5003	BKTA FF LM 136" 9.50YD3 FUS PERFORMANCE SERIES BUCKET FOR USE WITH: 972M/K/H/G Machines INCLUDES: Bolt on cutting edge	6,870	\$29,413 NI
---	----------	---------------------------------------------------------------------------------------------------------------------------------------	-------	-------------

HIGH DUMP (FUSION)

For heavy duty applications such as waste or handling heaping materials such as compost.

W	312-1728	BKTA HD ST 120" 7.0 YD3 FUS 120"(3059mm) wide INCLUDES: Bolt on Edge REQUIRES: 3rd valve	6,310	\$55,678 NI
---	----------	---------------------------------------------------------------------------------------------------------	-------	-------------

HIGH DUMP (FUSION)

For light materials only - Applications include woodchips, grains and wood pellets. Not intended for waste applications.

W	521-1982	BKTA HD ST 132" 10.0 YD3 FUS 132" (3350mm) wide INCLUDES: Bolt on cutting edge REQUIRES: 3rd valve	7,735	\$43,789 NI
---	----------	-------------------------------------------------------------------------------------------------------------------	-------	-------------

W	521-1962	BKTA HD ST 144" 12.0 YD3 FUS 144" (3656mm) wide INCLUDES: Bolt on cutting edge REQUIRES: 3rd valve	8,205	\$45,597 NI
---	----------	-------------------------------------------------------------------------------------------------------------------	-------	-------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

966 & 972 WHEEL LOADER (CONT.)

966 & 972 BUCKETS / COUPLER / FUSION (Cont.)

W	521-1925	BKTA HD ST 144" 14.5 YD3 FUS 8,660 144" (3656mm) wide INCLUDES: Bolt on cutting edge REQUIRES: 3rd valve		\$48,515 NI
---	----------	-------------------------------------------------------------------------------------------------------------------------	--	-------------

ROCK PERFORMANCE SERIES - 966 ONLY (FUSION)

W	554-0036	BKT RSP ST 128" 4.50YD3 FUS 4,716 100% FILL FACTOR is rated at 3.4M3 including GET 110% FILL FACTOR is rated at 3.7M3 including GET With spade base edge, ADVANSYS A90 two strap adaptors. Requires GET: Choose set of tips with optional set of bolt-on segments and/or optional sidebar protectors.		\$24,617 NI
---	----------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------

WOODCHIP (FUSION)

For light materials only - Applications include woodchips, snow, grains and wood pellets. Not intended for waste applications.

W	553-9647	BKTA WC ST 155" 15.50YD3 FUS 6,949 FOR USE WITH: 966 Aggregate Configuration including Counterweight		\$37,210 NI
W	553-9651	BKTA WC ST 155" 18.25YD3 FUS 7,341 FOR USE WITH: 972 Aggregate Configuration including Counterweight		\$41,878 NI

966 & 972 BUCKET G.E.T.

BOLT ON CUTTING EDGES

W	100-6669	CUTTING EDGE, BOLT-ON 592 30mm thick (1 required) FOR USE WITH: 127" buckets		\$1,818
W	135-9297	CUTTING EDGE, BOLT-ON 673 35mm thick (1 required) FOR USE WITH: Rock buckets only		\$2,251
W	140-6824	CUTTING EDGE, HEAVY DUTY 696 35mm thick (1 required) FOR USE WITH: 127" buckets		\$2,056
W	437-8813	CUTTING EDGE, BOLT-ON 967 FOR USE WITH: 449-4381 Bucket		\$2,619
W	383-9845	CUTTING EDGE, BOLT-ON RUBBER 319 FOR USE WITH: 449-4381 Bucket		\$4,810

ADVANSYS A90 GET

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

966 & 972 WHEEL LOADER (CONT.)

966 & 972 BUCKET G.E.T. (Cont.)

W	539-5795	ADAPTERS, TIP, BOLT-ON, A090 304 (1 required) FOR USE WITH: A90 tips		\$3,183
W	135-9293	SEGMENT, BOLT ON 481 40mm thick (1 required) FOR USE WITH: Rock buckets only		\$1,597
W	338-0559	SEGMENTS, BOLT ON, HALF ARROW 619 40mm thick, half arrow (1 required) FOR USE WITH: A90 adapters and tips FOR USE WITH: Rock buckets only		\$2,188
W	505-3994	TIP, GENERAL DUTY 20 FOR USE WITH: A90 adapters (8 required)		\$107
W	505-4091	TIP, PENETRATION 19 FOR USE WITH: A90 adapters (8 required)		\$103
W	505-3996	TIP, EXTRA DUTY 23 FOR USE WITH: A90 adapters (8 required)		\$126
W	505-3991	TIP, ABRASION, HEAVY DUTY 30 FOR USE WITH: A90 adapters (8 required)		\$146
W	100-6667	SEGMENTS, BOLT ON, SET OF 7 162 FOR USE WITH: 539-5795 ADAPTERS, TIP, BOLT-ON, A090		\$1,007

PROTECTORS

P	135-8245	PROTECTORS, SIDEBAR, SET OF 2 50 (1 required) FOR USE WITH: Rock buckets only		\$444
---	----------	-----------------------------------------------------------------------------------------------	--	-------

966 & 972 COUPLER / FUSION

W	310-9390	QUICK COUPLER, FUSION 1,133 Lane 1 Work Tool REQUIRES: Coupler supply group if machine is not coupler ready (HIGH LIFT machines need tilt link 315-5743) FOR USE WITH: 966M/K/H & 972M/K/H		\$8,190 NI
---	----------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	------------

966M & 972M COUPLER SUPPLY GROUPS (FUSION)

W	454-2351	KIT, COUPLER HYDRAULIC SUPPLY 40 FOR USE WITH: 310-9390 Coupler 966M STANDARD LIFT machines machine serial number prefix KJP, LMM, EJA, DYC, B8P, P6C, FL2, L8R and R8D		\$2,357 NI
---	----------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
966 & 972 WHEEL LOADER (CONT.)				
966M & 972M COUPLER SUPPLY GROUPS (FUSION) (Cont.)				
W	454-2353	KIT, COUPLER HYDRAULIC SUPPLY FOR USE WITH: 310-9390 Coupler 972M STANDARD LIFT machines machine serial number prefix A8P, GGN, LSJ JPR, M5S, EDW, M8W and L8E	40	\$2,357 NI
W	454-2355	KIT, COUPLER HYDRAULIC SUPPLY FOR USE WITH: 310-9390 Coupler 966M/972M HIGH LIFT machines machine serial number prefix KJP, LMM, EJA DYC, B8P, P6C, FL2, L8R and R8D machine serial number prefix A8P, GGN, LSJ JPR, M5S, EDW, M8W, L8E	37	\$2,357 NI
966L & 972L COUPLER SUPPLY GROUPS (FUSION)				
W	526-5028	KIT, COUPLER HYDRAULIC SUPPLY FOR USE WITH: 310-9390 Coupler 966L STANDARD LIFT machines Machine serial number prefix FSL and FRS	42	\$2,357 NI
W	526-5049	KIT, COUPLER HYDRAULIC SUPPLY FOR USE WITH: 310-9390 Coupler 972L STANDARD LIFT machines Machine serial number prefix YJW and RFB	42	\$2,357 NI
W	526-5061	KIT, COUPLER HYDRAULIC SUPPLY FOR USE WITH: 310-9390 Coupler 966L/972L HIGH LIFT machines 966L Machine serial number prefix FSL and FRS 972L Machine serial number prefix YJW and RFB	40	\$2,357 NI
966K & 972K COUPLER SUPPLY GROUPS (FUSION)				
W	368-6422	KIT, COUPLER HYDRAULIC SUPPLY FOR USE WITH: 310-9390 Coupler FOR USE WITH: 966K STANDARD LIFT Machines ONLY!!! machine serial number TFS, PBG, A5S and NGX	40	\$2,178 NI
W	368-6423	KIT, COUPLER HYDRAULIC SUPPLY FOR USE WITH: 310-9390 Coupler FOR USE WITH: 972K STANDARD LIFT Machines ONLY!!! machine serial number prefix Z4W and PEM	40	\$2,178 NI

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

966 & 972 WHEEL LOADER (CONT.)

966M & 972M COUPLER SUPPLY GROUPS (FUSION) (Cont.)

W	368-6424	KIT, COUPLER HYDRAULIC SUPPLY FOR USE WITH: 310-9390 Coupler FOR USE WITH: 966K HIGH LIFT Machines machine serial number prefix TFS, PBG, A5S and NGX FOR USE WITH: 972K HIGH LIFT Machines machine serial number prefix Z4W and PEM	41	\$2,178 NI
---	----------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----	------------

966H & 972H COUPLER SUPPLY GROUPS (FUSION)

W	315-6320	KIT, COUPLER HYDRAULIC SUPPLY FOR USE WITH: 972H STANDARD LIFT machines machine serial number A7D, A7G, A7J, GTA, LCC FOR USE WITH: 966H STANDARD LIFT machines machine serial number A6D, A6G, A6J, RYF, TAL	40	\$2,178 NI
W	315-6322	KIT, COUPLER HYDRAULIC SUPPLY FOR USE WITH: 972H HIGH LIFT machines machine serial number A7D, A7G, A7J, GTA, LCC FOR USE WITH: 966H HIGH LIFT machines machine serial number A6D, A6G, A6J, RYF, TAL	34	\$2,178 NI
W	444-8966	KIT, COUPLER HYDRAULIC SUPPLY FOR USE WITH: 310-9390 coupler FOR USE WITH: 966H/972H LRC STD LIFT machines machine serial number prefix BJ6 and BS6 machine serial number prefix WXZ and NPE	46	\$2,178 NI
W	444-8971	KIT, COUPLER HYDRAULIC SUPPLY FOR USE WITH: 310-9390 Coupler 950H/962H LRC HIGH LIFT machines machine serial number prefix BJ6 and BS6 machine serial number prefix WXZ and NPE	44	\$2,178 NI

COUPLER CONNECTOR LINES (FUSION)

W	394-7214	LINES GP-IMPLEMENT 3V&4V (QC) REQUIRED: when coupler is used with hydraulic tools that require 3rd and or 4th valve FOR USE WITH: 966M/972M machines	37	\$1,285 NI
---	----------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----	------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

966 & 972 WHEEL LOADER (CONT.)

COUPLER CONNECTOR LINES (FUSION) (Cont.)

W	323-9292	JUMPER LINES FOR 3V QC 21		\$1,082 NI
		Lane 1 Work Tool		
		REQUIRED: when coupler is used with hydraulic tools that require 3rd valve		
		FOR USE WITH: 966M/K/H machines		
		966L: machine serial number prefix FSL and FRS		
		966M: machine serial number prefix KJP, LMM, EJA, DYC, B8P, P6C, FL2, L8R and R8D		
		966K: machine serial number prefix TFS, PBG, A5S and NGX		
		966H: machine serial number prefix A6G, A6J, RYF, TAL, BJ6, BS6		
		966H: machine serial numbers A6D01937 and up		
		FOR USE WITH: 972M/K/H machines		
		972M: machine serial number prefix A8P, GGN, LSJ, JPR, M5S, EDW, L9S, M8W, L8E		
		972K: machine serial number prefix Z4W and PEM		
		972H: machine serial number prefix A7G, A7J, GTA, LCC, WXZ and NPE		
		972H: machine serial number prefix A7D00729 and up		
		972L: machine serial number prefix YJW and RFB		

COUPLER HOOKS (FUSION)

W	317-5562	HOOK, BLANK 787		\$2,046 NI
		Lane 1 Work Tool		
W	315-6309	HOOK, FLAT BACK 409		\$1,207 NI
		Lane 1 Work Tool		

966 & 972 FORKS / PIN-ON

LOGGING (PIN-ON)

W	398-4960	FORK, LOGGING 63" 5,679		\$40,444 NI
		98" (2498mm) carriage and 63" (1609mm) tines		
		INCLUDES: Double Top Clamp, GET tips and connecting lines		
		REQUIRES: 3rd valve		

MILLYARD (PIN-ON)

W	506-1946	FORK, MILLYARD 64" 6,277		\$42,467 NI
		(CWTS PRODUCT)		
		96" (2419mm) carriage and 64" (1618mm) tines		
		INCLUDES: Millyard Top Clamp, GET tips and connecting lines		
		REQUIRES: 3rd valve		

MILLYARD POLE (PIN-ON)

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

966 & 972 WHEEL LOADER (CONT.)

966 & 972 FORKS / PIN-ON (Cont.)

W	422-4917	FORK, MILLYARD POLE 66" 4,506 88" (2236mm) carriage and 66" (1677mm) tines INCLUDES: Millyard Top Clamp, Roller tips and connecting lines REQUIRES: 3rd valve		\$42,588 NI
W	390-6753	BUCKET-CU, 132" 8.00 YD3 4,379 Slips on over Millyard Pole Forks FOR USE WITH: 422-4917		\$12,946 NI

SORTING GRAPPLE (PIN-ON)

W	448-9058	FORK GP-GRAPPLE 48" 4,506 77" (1943mm) carriage and 48" (1221mm) tines INCLUDES: Top Clamp and connecting lines REQUIRES: 3rd valve		\$45,313 NI
---	----------	--------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------

FORK CONNECTOR LINES (PIN ON)

W	321-7903	LINES, CONNECTOR 8 REQUIRES: Quantity of two FOR USE WITH: 966K machines FOR USE WITH: 966H machines machine serial numbers A6D01937 and up machine serial numbers A6G03852 and up FOR USE WITH: 972K machines FOR USE WITH: 972H machines machine serial numbers A7D00729 and up machine serial numbers A7G01227 and up		\$164 NI
W	255-3588	LINES, CONNECTOR 0 REQUIRES: Quantity of two FOR USE WITH: 966H machines machine serial numbers A6D01936 and down machine serial numbers A6G03851 and down 966G series I and II FOR USE WITH: 972H machines machine serial numbers A7D00728 and down machine serial numbers A7G01226 and down 972G series I and II		\$158 NI

PALLET (PIN-ON)

W	143-7206	FORK, PALLET 2,710 96"(2438mm) carriage and 48"(1219mm) swinging tines TINE WIDTH: 7"(180mm) TINE THICKNESS: 3"(76.2mm)		\$10,478 NI
---	----------	--------------------------------------------------------------------------------------------------------------------------------------------	--	-------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

966 & 972 WHEEL LOADER (CONT.)

966 & 972 FORKS / PIN-ON (Cont.)

W	143-7207	FORK, PALLET 96"(2438mm) carriage and 60"(1524mm) swinging tines TINE WIDTH: 7"(180mm) TINE THICKNESS: 3.5"(90mm)	2,855	\$11,367 NI
W	143-7208	FORK, PALLET 96"(2438mm) carriage and 72"(1829mm) swinging tines TINE WIDTH: 7"(180mm) TINE THICKNESS: 3.5"(90mm)	2,995	\$13,572 NI
W	159-3022	FORK, PALLET 96"(2438mm) carriage and 84"(2134mm) swinging tines TINE WIDTH: 7"(180mm) TINE THICKNESS: 3.5"(90mm)	3,140	\$14,596 NI

PIPE AND POLE FORK (PIN-ON)

W	447-9939	FORK, PIPE & POLE 120"(3048MM) Carriage, 96"(2439mm) Tines INCLUDES: Connector lines REQUIRES: 3rd valve TINE WIDTH: 8"(203mm) TINE THICKNESS: 3.5"(90mm)	6,650	\$58,679 NI
---	----------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------	-------------

966 & 972 FORKS / COUPLER / FUSION

LOG & LUMBER FORK (FUSION)

W	435-4634	FORK, LOG & LUMBER 60" 84" (2134mm) carriage and 60" (1524mm) tines	2,765	\$12,299 NI
W	435-4684	FORK, LOG & LUMBER 72" 84" (2134mm) carriage and 72" (1829mm) tines	2,901	\$13,224 NI
W	435-4686	FORK, LOG & LUMBER 96" 84" (2134mm) carriage and 96" (2438mm) tines	3,183	\$15,285 NI
W	379-2109	FORK, LOG & LUMBER 60" 96" (2439mm) carriage and 60" (1524mm) tines	2,809	\$14,051 NI
W	379-2199	FORK, LOG & LUMBER 72" 96" (2439mm) carriage and 72" (1829mm) tines	2,946	\$14,403 NI

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

966 & 972 WHEEL LOADER (CONT.)

966 & 972 FORKS / COUPLER / FUSION (Cont.)

W	379-2321	FORK, LOG & LUMBER 96"	3,228	\$17,125 NI
		96" (2439mm) carriage and 96" (2438mm) tines		

MILLYARD / FUSION

W	383-3523	FORK, MILLYARD 63"	6,098	\$42,467 NI
		92" (2324mm) carriage and 63" (1609mm) tines		
		INCLUDES: Millyard Top Clamp, GET tips and connecting lines		
		REQUIRES: 3rd valve		

PALLET FORK CARRIAGES (FUSION)

W	530-1861	ITA PALLET FORK CARRIAGE, 84"	1,321	\$6,400 NI
		84"(2134mm) Carriage		
		FOR USE WITH: Fusion Coupler		
		REQUIRES: 2 - Class IV Tines (Pallet Fork)		
		CANNOT BE USED WITH: Class III construction tines		

PALLET FORK TINES (FUSION)

W	530-1869	ITA TINE, PALLET FORK 72"	396	\$2,429 NI
		REQUIRES: 530-1861 CARRIAGE, 84"		
		TINE WIDTH: 6" (150mm)		
		TINE THICKNESS: 2.5" (65mm)		
W	548-3265	ITA TINE, PALLET FORK 60"	355	\$2,206 NI
		REQUIRES: 530-1861 CARRIAGE, 84"		
		TINE WIDTH: 6" (150mm)		
		TINE THICKNESS: 2.5" (65mm)		

CONSTRUCTION FORK CARRIAGES (FUSION)

W	520-7957	CARRIAGE GROUP, 96"	1,761	\$8,000 NI
		Lane 1 Work Tool		
		96"(2438mm) carriage		
		FOR USE WITH: Fusion Coupler		
		REQUIRES: TINE GROUP		
W	520-7968	CARRIAGE GROUP, 108"	1,877	\$9,199 NI
		108"(2743mm) carriage		
		FOR USE WITH: Fusion Coupler		
		REQUIRES: TINE GROUP		

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

966 & 972 WHEEL LOADER (CONT.)

CONSTRUCTION FORK TINE GROUPS (FUSION)

W	520-7985	TINE GROUP, 48" 1,012 INCLUDES: Right and Left offset tines. REQUIRES: Carriage Group 520-7957 or 520-7968 TINE WIDTH: 7" (180mm) TINE THICKNESS: 3.5" (90mm)		\$4,013 NI
W	520-7980	TINE GROUP, 60" 1,150 Lane 1 Work Tool INCLUDES: Right and Left offset tines. REQUIRES: Carriage Group 520-7957 or 520-7968 TINE WIDTH: 7" (180mm) TINE THICKNESS: 3.5" (90mm)		\$5,276 NI
W	520-7979	TINE GROUP, 72" 1,288 Lane 1 Work Tool INCLUDES: Right and Left offset tines. REQUIRES: Carriage Group 520-7957 or 520-7968 TINE WIDTH: 7" (180mm) TINE THICKNESS: 3.5" (90mm)		\$6,786 NI
W	520-7986	TINE GROUP, 84" 1,425 Lane 1 Work Tool INCLUDES: Right and Left offset tines. REQUIRES: Carriage Group 520-7957 or 520-7968 TINE WIDTH: 7" (180mm) TINE THICKNESS: 3.5" (90mm)		\$9,425 NI
W	520-7981	TINE GROUP, 96" 1,562 Lane 1 Work Tool INCLUDES: Right and Left offset tines. REQUIRES: Carriage Group 520-7957 or 520-7968 TINE WIDTH: 7" (180mm) TINE THICKNESS: 3.5" (90mm)		\$11,714 NI

PIPE AND POLE FORK (FUSION)

W	365-1318	FORK, PIPE & POLE 6,600 120"(3048mm) Carriage, 96"(2439mm) Tines INCLUDES: Connector lines REQUIRES: Fusion Coupler and 3rd Valve TINE WIDTH: 8"(204mm) TINE THICKNESS: 3.5"(89mm)		\$58,679 NI
---	----------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------

966 & 972 MATERIAL HANDLING ARMS (FUSION)

W	289-9885	ARM, MATERIAL HANDLING 1,560 Lane 1 Work Tool - Ships loose from Caterpillar Work Tool & Services Extendable Length 123" (3124mm) to 183" (4648mm)		\$7,635 NI
---	----------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

966 & 972 WHEEL LOADER (CONT.)

966 & 972 RAKES / PIN-ON

LOADER (PIN-ON)

W	230-5849	RAKE, LOADER 4,670 RAKING WIDTH: 124"(3150mm) HEIGHT: 66"(1676mm) NUMBER OF TEETH: 9 TOOTH SPACING: 13"(330mm)		\$22,761 NI
---	----------	--------------------------------------------------------------------------------------------------------------------------------------	--	-------------

966 & 972 RAKES / COUPLER / FUSION

W	317-1243	RAKE, LOADER 124" 4,597 FOR USE WITH: Fusion Coupler RAKING WIDTH: 124"(3156mm) OVERALL WIDTH: 132"(3353mm) HEIGHT: 66"(1668mm) NUMBER OF TEETH: 9 TOOTH SPACING: 13"(330mm)		\$22,763 NI
---	----------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------

966 & 972 SNOW REMOVAL / FUSION

HYDRAULIC ANGLE SNOW BLADES

W	524-6848	BLD 144 HYD ANG SNW TRP FUS 3,020 BLADE HEIGHT: 42" (1067mm) REQUIRES: Fusion Coupler ONE AVAILABLE HYDRAULIC FUNCTIONS (E.G. 3F) WITH LINES GP-IMPLEMENT 3F INSTALLED		\$14,371 NI
W	524-6849	BLD 168 HYD ANG SNW TRP FUS 3,157 BLADE HEIGHT: 42" (1067mm) REQUIRES: Fusion Coupler ONE AVAILABLE HYDRAULIC FUNCTIONS (E.G. 3F) WITH LINES GP-IMPLEMENT 3F INSTALLED		\$18,518 NI
W	524-6850	BLD 168 HYD ANG SNW TRP FUS 3,422 BLADE HEIGHT: 54" (1372mm) REQUIRES: Fusion Coupler ONE AVAILABLE HYDRAULIC FUNCTIONS (E.G. 3F) WITH LINES GP-IMPLEMENT 3F INSTALLED CANADIAN DEALERS REFERENCE WT-CADSNW PRICE LIST		\$20,000 NI

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

966 & 972 WHEEL LOADER (CONT.)

U/V ANGLE BLADES

W	524-6865	BLD 132 U/V ANG FUS 2,900 BLADE HEIGHT: 40" (1016mm) REQUIRES: Fusion Coupler TWO AVAILABLE HYDRAULIC FUNCTIONS (e.g. 3F & 4F) CANADIAN DEALERS REFERENCE WT-CADSNW PRICE LIST		\$29,628 NI
W	524-6866	BLD 144 U/V ANG FUS 3,000 BLADE HEIGHT: 40" (1016mm) REQUIRES: Fusion Coupler TWO AVAILABLE HYDRAULIC FUNCTIONS (e.g. 3F & 4F) CANADIAN DEALERS REFERENCE WT-CADSNW PRICE LIST		\$33,332 NI
W	524-6867	BLD 168 U/V ANG FUS 3,150 BLADE HEIGHT: 40" (1016mm) REQUIRES: Fusion Coupler TWO AVAILABLE HYDRAULIC FUNCTIONS (e.g. 3F & 4F) CANADIAN DEALERS REFERENCE WT-CADSNW PRICE LIST		\$37,035 NI

SNOW PUSH

W	524-6872	BLD 180" SNOW PUSH FUS 6,913 HEIGHT: 56" (1423mm) REQUIRES: Fusion Coupler CANADIAN DEALERS REFERENCE WT-CADSNW PRICE LIST		\$20,000 NI
W	524-6873	BLD 240" SNOW PUSH FUS 8,230 HEIGHT: 56" (1423mm) REQUIRES: Fusion Coupler CANADIAN DEALERS REFERENCE WT-CADSNW PRICE LIST		\$26,665 NI
W	524-6874	BLD 300" SNOW PUSH FUS 9,549 HEIGHT: 56" (1423mm) REQUIRES: Fusion Coupler CANADIAN DEALERS REFERENCE WT-CADSNW PRICE LIST		\$33,332 NI
W	524-6875	BLD 360" SNOW PUSH FUS 10,859 HEIGHT: 56" (1423mm) REQUIRES: Fusion Coupler		\$39,997 NI

ICE SCRAPER

W	524-6876	SCARIFIER 147" FUS. 3,309 CANADIAN DEALERS REFERENCE WT-CADSNW PRICE LIST		\$11,850 NI
---	----------	-------------------------------------------------------------------------------------------	--	--------------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	------------	-------------------------------	--------------------	--------------------------

966 & 972 WHEEL LOADER (CONT.)

V-PLOW (FUSION)

W	314-2511	PLOW, 126" V SNOW2,917 HEIGHT: 84" (2134MM) FOR USE WITH: FUSION COUPLER		\$11,886 NI
---	----------	---------------------------------------------------------------------------------------------	--	--------------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

980H, 980K, 980L AND 980M WHEEL LOADER

980M / 980K / 980H / 980G BUCKETS

All 980H/980G buckets listed will fit both Standard and High Lift loader configurations. Material density will determine appropriate capacity bucket. Refer to Specalog. Exceeding maximum payload may cause loader instability.

PIN-ON BUCKETS

GENERAL PURPOSE PERFORMANCE SERIES (PIN-ON)

W	330-2047	BKT GP ST 134" 7.00YD3 PO 5,860 PERFORMANCE SERIES BUCKET CAPACITIES: 6.50YD3(5.0M3) w/bolt-on adapters, 139"(3531mm) wide 7.00YD3(5.35M3) w/bolt-on adapters & segments, 139"(3531mm)wide 7.00YD3(5.35M3) w/bolt-on cutting edge, 136"(3454mm) wide(Bucket Tag) 110% FILL FACTOR: 7.75YD3(5.8M3) w/bolt-on cutting edge, 136"(3454mm) wide(Bucket Tag) Requires GET: Choose one set of A100 adaptors, one set of tips (8 qty) and optional bolt-on segments For BOCE Arrangement - order bucket part: 516-1626		\$22,804 NI
W	516-1626	BKTA GP ST 137" 7.00YD3 PO 6,920 Lane 1 Work Tool INCLUDES: 330-2047 Bucket-GP with BOCE and Corner Guards.		\$26,347 NI
W	330-2048	BKT GP ST 134" 7.50YD3 PO 6,087 PERFORMANCE SERIES BUCKET REQUIRES: Counterweight, Aggregate CAPACITIES: 7.00YD3(5.35M3) w/bolt-on adapters, 139"(3531mm) wide 7.50YD3(5.7M3) w/bolt-on adapters & segments, 139"(3531mm) wide 7.50YD3(5.7M3) w/bolt-on cutting edge, 136"(3454mm) wide (Bucket Tag) 110% FILL FACTOR 8.25YD3(6.3M3) w/bolt-on cutting edge, 136"(3454mm) wide (Bucket Tag) Requires GET: Choose one set of A100 adaptors, one set of tips (8 qty) and optional bolt-on segments For BOCE Arrangement - order bucket part: 516-1378		\$24,306 NI
W	516-1378	BKTA GP ST 137" 7.50YD3 PO 7,147 Lane 1 Work Tool INCLUDES: 330-2048 Bucket-GP with BOCE and Corner Guards.		\$27,843 NI

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

980H, 980K, 980L AND 980M WHEEL LOADER (CONT.)

980M / 980K / 980H / 980G BUCKETS (Cont.)

W	348-6786	BKT GP ST 134" 7.75YD3 PO 6,182 PERFORMANCE SERIES BUCKET REQUIRES: Counterweight, Aggregate CAPACITIES: 7.50YD3(5.7M3) w/bolt-on adapters, 139"(3531mm) wide 7.75YD3(6.0M3) w/bolt-on adapters & segments, 139"(3531mm) wide 7.75YD3(6.0M3) w/bolt-on cutting edge, 136"(3454mm) wide(Bucket Tag) 110% Fill Factor: 8.75YD3(6.6M3) w/bolt-on cutting edge, 136"(3454mm) wide(Bucket Tag) Requires GET: Choose one set of A100 adaptors, one set of tips (8 qty) and optional bolt-on segments For BOCE Arrangement - order bucket part: 515-5841	6,182	\$25,029 NI
W	515-5841	BKTA GP ST 137" 7.75YD3 PO 7,242 Lane 1 Work Tool INCLUDES: 348-6786 Bucket-GP with BOCE and Corner Guards.	7,242	\$28,571 NI
W	564-2624	BKTA GP ST 137" 8.25YD3 PO 7,302 PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE) & CORNER GUARDS REQUIRES: Counterweight, Aggregate CAPACITIES: 8.25YD3(6.4M3) w/bolt-on cutting edge, 137"(3481mm) wide(Bucket Tag) 110% Fill Factor: 9.25YD3(7.0M3) w/bolt-on cutting edge, 137"(3481mm) wide(Bucket Tag)	7,302	\$30,204 NI

GENERAL PURPOSE ABRASION (PIN-ON)

W	518-6144	BKTA GP AB 137" 7.75YD3 PO 7,368 PERFORMANCE SERIES BUCKET INCLUDES: ARM BOLT-ON CUTTING EDGE (BOCE) & CORNER GUARDS REQUIRES: Aggregate Package Counterweight CAPACITIES: 7.75YD3(6.0M3) w/bolt-on cutting edge, 137"(3481mm) wide(Bucket Tag) 110% Fill Factor: 8.75YD3(6.6M3) w/bolt-on cutting edge, 137"(3481mm) wide(Bucket Tag)	7,368	\$35,292 NI
---	----------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------	-------------

HEAVY DUTY GENERAL PURPOSE (PIN-ON)

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

980H, 980K, 980L AND 980M WHEEL LOADER (CONT.)

980M / 980K / 980H / 980G BUCKETS (Cont.)

W	494-2538	BKT GP HD 137" 7.50YD3 PO 7,736 PERFORMANCE SERIES BUCKET CAPACITIES: 7.50YD3(5.7M3) w/bolt-on adapters & segments, 137"(3481mm)wide 7.50YD3(5.7M3) w/bolt-on cutting edges, 137"(3481mm) wide(Bucket Tag) 110% FILL FACTOR: 8.25YD3(6.3M3) w/bolt-on cutting edges, 137"(3481mm) wide(Bucket Tag) INCLUDES: Sidebar protectors Requires GET: Choose one set of A100 adaptors, one set of tips (qty) and optional bolt-on segments For BOCE Arrangement - order bucket part: 518-8291		\$29,857 NI
---	----------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------

W	518-8291	BKTA GP HD 137" 7.50YD3 PO 9,107 PERFORMANCE SERIES BUCKET Lane 1 Work Tool INCLUDES: 494-2538 BUCKET w/BOCE, corner guards, & sidebar protectors		\$34,082 NI
---	----------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------

FLAT FLOOR PERFORMANCE SERIES BUCKETS PIN-ON

FLAT FLOOR, STANDARD

W	361-4998	BKT FF ST 134" 7.50YD3 PO 6,142 PERFORMANCE SERIES BUCKET CAPACITIES: 7.25YD3(5.5M3) w/bolt-on adapters, 139"(3535mm) wide 7.50YD3(5.7M3) w/bolt-on adapters & segments, 139"(3535mm)wide 7.50YD3(5.7M3) w/bolt-on cutting edges, 136"(3447mm) wide(Bucket Tag) 110% FILL FACTOR: 8.25YD3(6.3M3) w/bolt-on cutting edges, 136"(3447mm) wide(Bucket Tag) Requires GET: Choose one set of A100 adaptors, one set of tips (8 qty) and optional bolt-on segments For BOCE Arrangement - order bucket part: 462-9513		\$24,435 NI
---	----------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------

W	462-9513	BKTA FF ST 136" 7.50YD3 PO 7,176 Lane 1 Work Tool PERFORMANCE SERIES BUCKET INCLUDES: 361-4998 Bucket-GP with BOCE		\$26,901 NI
---	----------	------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------

W	361-5004	BKTA FF ST 143" 11.00YD3 PO 7,923 PERFORMANCE SERIES BUCKET 143"(3638mm) wide INCLUDES: bolt-on cutting edge		\$36,061 NI
---	----------	------------------------------------------------------------------------------------------------------------------------------------	--	--------------------

ROCK BUCKETS (PIN-ON)

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

980H, 980K, 980L AND 980M WHEEL LOADER (CONT.)

980M / 980K / 980H / 980G BUCKETS (Cont.)

W	554-0044	BKT RSP AB 139" 7.00YD3 PO 7,769		\$43,392 NI
---	----------	---------------------------------------------------	--	--------------------

PERFORMANCE SERIES BUCKET
 Rated width and capacity of bucket including GET.
 With spade base edge, A100 two strap adapters.
 Requires GET: Choose set of tips with optional set of bolt-on segments and/or optional sidebar protectors.
 CANNOT BE USED WITH: COUNTERWEIGHT, AGGREGATE

W	539-0406	BKT RSP ST 139" 5.75YD3 PO 6,340		\$31,997 NI
---	----------	---------------------------------------------------	--	--------------------

PERFORMANCE SERIES SPADE EDGE BUCKET
 CANNOT BE USED WITH: Counterweight, Aggregate
 CAPACITIES:
 4.2M3(5.50YD3) w/weld-on adapters, 3504mm(138") wide
 4.4M3(5.75YD3) w/weld-on adptrs & segments,3504mm(138")wide-Bucket Tag
 110% FILL FACTOR:
 4.8M3(6.25YD3) w/weld-on adptrs & segments,3504mm(138")wide-Bucket Tag

HEAVY DUTY QUARRY ROCK BUCKETS
 Use for bank or face loading 2700-2800 lbs/yd3 material where high impact / high abrasion is encountered. Buckets include thicker base edge, four-piece liner package, inner & outer side wear plates, bottom outside skid plates, hinge bracket wear plates and base edge wear plates. Base edge ware plates included on Spade Edge.

W	260-1389	BKT RSP HD 138" 6.0 YD3 PO 8,049		\$52,929 NI
---	----------	---------------------------------------------------	--	--------------------

SPADE EDGE.
 INCLUDES: (8) weld-on K110 H.D. double-strap adapters, (with A.R.M. on corner adapters), bolt-on half arrow segments and (4) sidebar protectors.
 REQUIRES: 8-K110 tips.
 CANNOT BE USED WITH: COUNTERWEIGHT, AGGREGATE

SLAG (PIN-ON)

W	348-8565	BKT SLG HD 134" 5.00YD3 PO 11,689		\$56,863 NI
---	----------	----------------------------------------------------	--	--------------------

134"(3394mm) wide
 INCLUDES: (7) weld-on K130 double-strap adapters and (1) segment group
 REQUIRES: (7) K130 heavy abrasion slag tips (309-1058 or 309-1059)

WASTE HANDLING (PIN ON)

980K

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

980H, 980K, 980L AND 980M WHEEL LOADER (CONT.)

980M / 980K / 980H / 980G BUCKETS (Cont.)

W	517-2578	BKTA WD LM 153" 13.00YD3 PO 9,513 Dozing style bucket 153" (3882 MM) wide CAPACITIES: 13.00 YD3 (9.90M3) With BOCE 32.00 YD3 (24.50M3) dozing capacity with BOCE INCLUDES: Steel BOCE CANNOT BE USED WITH: COUNTERWEIGHT, AGGREGATE		\$49,636 NI
W	516-1699	BKTA WD LM 150" 13.00YD3 PO 9,228 Dozing style bucket 153" (3882 MM) wide CAPACITIES: 13.00 YD3 (9.90M3) With BOCE 32.00 YD3 (24.50M3) dozing capacity with BOCE INCLUDES: Rubber BOCE CANNOT BE USED WITH: COUNTERWEIGHT, AGGREGATE		\$51,558 NI
W	516-1756	BKTA WLC ST 153" 14.00YD3 PO 10,029 Load and Carry style bucket 153" (3882mm) wide CAPACITIES: 14.00 YD3 (10.70M3) with bolt-on cutting edge INCLUDES: Steel BOCE		\$56,496 NI
W	516-1803	BKTA WLC ST 150" 14.00YD3 PO 9,744 Load and Carry style bucket 153" (3882mm) wide CAPACITIES: 14.00 YD3 (10.70M3) with bolt-on cutting edge INCLUDES: Rubber BOCE		\$58,283 NI

WOODCHIP (PIN-ON)

For light materials only - Applications include woodchips, snow, grains and wood pellets. Not intended for waste applications.

W	195-2643	BKTA WC ST 164" 15.0 YD3 PO 8,792 164"(4166mm) wide MAXIMUM MATERIAL DENSITY: 1230 lbs/yd3 (760kg/m3) INCLUDES: bolt-on cutting edge FOR USE WITH: machine serial numbers 2KR04553 and up machine serial numbers 9CM02126 and up machine serial numbers AWH00234 and up grease pin linkage		\$48,933 NI
---	----------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

980H, 980K, 980L AND 980M WHEEL LOADER (CONT.)

980M / 980K / 980H / 980G BUCKETS (Cont.)

W	553-9653	BKTA WC ST 175" 19.00YD3 PO 10,582 INCLUDES: Bolt on cutting edge FOR USE WITH: 980 AGG Configuration including Counterweight		\$54,564 NI
---	----------	-----------------------------------------------------------------------------------------------------------------------------------------------	--	-------------

COUPLER BUCKETS

GENERAL PURPOSE PERFORMANCE SERIES (FUSION)

W	448-9326	BKT GP ST 134" 7.00YD3 FUS 5,730 PERFORMANCE SERIES BUCKET CAPACITIES:		\$22,511 NI
---	----------	----------------------------------------------------------------------------------------	--	-------------

6.50YD3 (5.0M3) with bolt-on adapters, 139"(3351mm) wide
 7.00YD3 (5.4M3) with bolt-on adapters and segments, 139"(3351mm) wide
 7.00YD3 (5.4M3) with bolt-on cutting edges, 136"(3454mm) wide
 110% FILL FACTOR:
 7.75YD3 (5.9M3) with bolt-on cutting edges, 136"(3454mm) wide

W	529-8590	BKTA GP ST 137" 7.50YD3 FUS 6,861 Includes BOCE and corner guards. PERFORMANCE SERIES BUCKET CAPACITIES:		\$27,565 NI
---	----------	-----------------------------------------------------------------------------------------------------------------------------	--	-------------

7.00YD3 (5.4M3) with bolt-on adapters, 139"(3351mm) wide
 7.50YD3 (5.7M3) with bolt-on adapters and segments, 139"(3351mm) wide
 7.50YD3 (5.7M3) with bolt-on cutting edges, 136"(3454mm) wide
 110% FILL FACTOR:
 8.25YD3 (6.3M3) with bolt-on cutting edges, 136"(3454mm) wide

WOODCHIP (FUSION)

W	553-9655	BKTA WC ST 175" 19.00YD3 FUS 9,652 INCLUDES: Bolt on cutting edge FOR USE WITH: 980 AGG Configuration including Counterweight		\$51,193 NI
---	----------	-----------------------------------------------------------------------------------------------------------------------------------------------	--	-------------

For light materials only - Applications include woodchips, snow, grains and wood pellets. Not intended for waste applications.

980M / 980K / 980H / 980G BUCKET G.E.T.

980M/980K/980H/980G BOLT ON CUTTING EDGES & CORNER GUARDS

W	109-9213	CUTTING EDGE, BOLT-ON 897 35mm thick w/40mm endbits (1 required)		\$2,467
W	127-0718	CUTTING EDGE, BOLT-ON 1,013 40mm thick w/45mm endbits (1 required) Use for high abrasion application		\$2,753
W	229-6959	CUTTING EDGE, BOLT-ON HA 992 44MM thick w/48mm end bits (1 required)		\$3,150

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

980H, 980K, 980L AND 980M WHEEL LOADER (CONT.)

980M / 980K / 980H / 980G BUCKET G.E.T. (Cont.)

W	439-0497	CUTTING EDGE, BOLT-ON	1,004	\$2,704
		FOR USE WITH: Base edge 194-0659		
W	437-0206	CUTTING EDGE, BOLT-ON RUBBER	369	\$5,553
		FOR USE WITH: Base edge 194-0659		
W	174-7950	GUARD, CORNER.	139	\$1,076
		FOR USE WITH: General Purpose Buckets with Bolt-On Cutting Edges only.		

G.E.T.

W	109-9059	SEGMENTS, BOLT ON,SET OF 7	395	\$1,385
		30mm Thick (1 required) FOR USE WITH: A100 adapters and tips		
W	135-9667	SEGMENTS, HD, BOLT-ON SET OF 7	560	\$1,825
		45mm thick. (1 required) Use for high abrasion application. FOR USE WITH: A100 adapters and tips		
W	119-3230	SEGMENTS, BOLT-ON, SET OF 7	653	\$2,171
		35mm thick (1 required) FOR USE WITH: Spade edge, A100 adapters and tips		
W	107-3498	SEGMENTS, BOLT ON (HEAVY DUTY)	846	\$2,710
		45mm thick. (1 required) FOR USE WITH: Spade edge, A100 adapters & tips		
W	109-3123	SEGMENTS,H.A.,BOLT-ON,SET OF 7	731	\$1,657
		45mm thick, half arrow (1 required) FOR USE WITH: Spade edge, A100 adapters & tips		
W	539-5705	ADAPTER, ADVANSYS 100	304	\$3,826
		(1 required) FOR USE WITH: A100 tips		
W	505-4002	TIP, HEAVY DUTY ADVANSYS	30	\$150
		FOR USE WITH: A100 adapters (8 required)		
W	505-4101	TIP, PENETRATION ADVANSYS	24	\$131
		FOR USE WITH: A100 adapters (8 required)		
W	505-4004	TIP, GENERAL PURPOSE ADVANSYS	26	\$142
		FOR USE WITH: A100 adapters and tips (8 required)		
W	505-4000	TIP, HEAVY PENETRAION ADVANSYS	37	\$194
		ONLY FOR USE WITH: A100 adapters (8 required)		
W	505-4103	TIP, PENETRATION PLUS ADVANSYS	28	\$142
		FOR USE WITH: A100 adapters (8 required)		
W	505-4001	TIP, HEAVY ABRASION	37	\$154
		FOR USE WITH: A100 adapters (8 required)		

PROTECTORS

W	106-0912	PROTECTORS, SIDEBAR, SET OF 2	441	\$850
		FOR USE WITH: Rock Buckets Only		
W	135-8245	PROTECTORS, SIDEBAR, SET OF 2	50	\$444
		(1 required) FOR USE WITH: Rock Buckte only		

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

980H, 980K, 980L AND 980M WHEEL LOADER (CONT.)

980M / 980K / 980H / 980G BUCKET G.E.T. (Cont.)

W	357-2691	PROTECTORS, SIDEBAR, SET OF 4 (1 required) FOR USE WITH: Heavy Duty GP Buckets	159	\$1,293
---	----------	--------------------------------------------------------------------------------------------	-----	---------

Advansys 110

W	107-3498	SEGMENTS, BOLT ON (HEAVY DUTY) 45mm thick, (1 required) FOR USE WITH: A110 adapters and tips	846	\$2,710
W	505-4012	TIP, HEAVY DUTY ADVANSYS FOR USE WITH: A110 adapters (8 required)	40	\$196
W	505-4111	TIP PENETRATION ADVANSYS FOR USE WITH: A110 adapters (8 required)	29	\$168
W	505-4014	TIP, GENERAL DUTY FOR USE WITH: A110 adapters (8 required)	32	\$158
W	505-4010	TIP, HEAVY PENETRATION FOR USE WITH: A110 adapters (8 required)	47	\$256
W	505-4113	TIP, PENETRATION PLUS ADVANSYS FOR USE WITH: A110 adapters (8 required)	37	\$196
W	505-4011	TIP, HEAVY ABRASION FOR USE WITH: A110 adapters (8 required)	52	\$268

980H/G BOLT ON CUTTING EDGES

W	109-9213	CUTTING EDGE, BOLT-ON 35mm thick w/40mm endbits (1 required)	897	\$2,467
W	127-0718	CUTTING EDGE, BOLT-ON 40mm thick w/45mm endbits (1 required) Use for high abrasion application	1,013	\$2,753
W	229-6959	CUTTING EDGE, BOLT-ON HA 44MM thick w/48mm end bits (1 required)	992	\$3,150

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

980H, 980K, 980L AND 980M WHEEL LOADER (CONT.)

980M/K/L COUPLERS / FUSION

W	447-6627	QUICK COUPLER, FUSION 1,802 Lane 1 Work Tool - Ships loose from Caterpillar Work Tools & Services FOR USE WITH: 980L STANDARD LIFT machines machine serial number prefix D8Z 980M STANDARD LIFT machines machine serial number prefix KRS, MK2, N8T, MK3, MGD 980K STANDARD LIFT machines machine serial number prefix W7K and GTZ NOT FOR USE WITH: 495-7529: 980M Std Lubrication Ar 495-7531: 980M High Lift Lubrication Ar 495-7532: 980M Steel Mill Lubrication Ar 498-5641: 980M Logger Lubrication Ar	1,802	\$16,165 NI
---	----------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------	-------------

W	538-8670	QUICK COUPLER, FUSION 1,811 FOR USE WITH: 980L/M HIGH LIFT machines 980L HIGH LIFT machines machine serial number prefix D8Z 980M HIGH LIFT machines machine serial number prefix KRS, MK2, N8T, MK3, MGD NOT FOR USE WITH: 495-7529: 980M Std Lubrication Ar 495-7531: 980M High Lift Lubrication Ar 495-7532: 980M Steel Mill Lubrication Ar 498-5641: 980M Logger Lubrication Ar	1,811	\$16,975 NI
---	----------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------	-------------

980L/M COUPLER SUPPLY GROUPS (FUSION)

W	457-4024	KIT, COUPLER HYDRAULIC SUPPLY 54 Lane 1 Work Tool - Ships loose from Caterpillar Work Tools & Services FOR USE WITH: 447-6627 Coupler 980M STANDARD LIFT machines machine serial number prefix KRS, MK2, N8T, MK3 and MGD 980L STANDARD LIFT machines machine serial number prefix D8Z	54	\$2,839 NI
---	----------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----	------------

W	457-4026	KIT, COUPLER HYDRAULIC SUPPLY 52 FOR USE WITH: 538-8670 Coupler 980M HIGH LIFT machines machine serial number prefix KRS, MK2, N8T, MK3, MGD 980L HIGH LIFT machines machine serial number prefix D8Z	52	\$2,839 NI
---	----------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----	------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

980H, 980K, 980L AND 980M WHEEL LOADER (CONT.)

980M/K/L COUPLERS / FUSION (Cont.)

W	575-9012	LINES GP-IMPLEMENT 3V (QC) 36 FOR USE WITH: 447-6627 Coupler 980M STANDARD LIFT and HIGH LIFT machines machine serial number prefix KRS, MK2, WW3, XDJ, N8T, MK3 and MGD 980L STANDARD LIFT and HIGH LIFT machines machine serial number prefix D8Z REQUIRED: when coupler is used with hydraulic tools that require 3rd valve.		\$749 NI
---	----------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-----------------

980K COUPLER SUPPLY GROUPS (FUSION)

W	447-3050	KIT, COUPLER HYDRAULIC SUPPLY 44 FOR USE WITH: 447-6627 Coupler 980K STANDARD LIFT machines machine serial number prefix W7K and GTZ		\$1,474 NI
W	447-3925	LINES GP-IMPLEMENT 3V 24 FOR USE WITH: 447-6627 Coupler 980K STANDARD LIFT machines machine serial number prefix W7K and GTZ REQUIRED: when coupler is used with hydraulic tools that require 3rd valve.		\$749 NI
W	494-6541	KIT, REWORK AUTOLUBE 5 FOR USE WITH: 447-6627 Coupler 980K STANDARD LIFT machines machine serial number prefix W7K and GTZ REQUIRED: when machine has autolube		\$803 NI

980H/980G FORKS

PIN-ON FORKS

PALLET FORKS (PIN ON)

W	473-9106	FORK, PALLET 72" 5,472 108" (2751mm) carriage and 72" (1828mm) swinging tines TINE WIDTH: 8" (203mm) TINE THICKNESS: 3.5" (89mm) Load capacity is dependent on machine/worktool configuration. Please consult load charts.		\$19,576 NI
W	473-9104	FORK, PALLET 96" 5,983 108" (2751mm) carriage and 96" (2438mm) swinging tines TINE WIDTH: 8" (203mm) TINE THICKNESS: 3.5" (89mm) Load capacity is dependent on machine/worktool configuration. Please consult load charts.		\$21,804 NI

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	-------------------------------	-----------------	-----------------------

980H, 980K, 980L AND 980M WHEEL LOADER (CONT.)

980H/980G FORKS (Cont.)

LOGGING

W	383-1822	FORK, LOGGING 7,015 109"(2769mm) carriage and 72"(1829mm) tines INCLUDES: Double top clamp, GET tips and connecting lines REQUIRES: 3rd valve INSIDE HEIGHT: 64"(1627mm) FOR USE WITH: 980G/H/M Machine with Logging Arrangement only FOR USE WITH: Grease pin linkage Machine serial numbers 2KR04553 and up Machine serial numbers 9CM02126 and up Machine serial numbers AWH00234 and up	7,015	\$54,649 NI
---	----------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------	--------------------

MILLYARD

W	507-6128	FORK, MILLYARD 8,788 109" (2769mm) carriage and 72"(1829mm) tines INCLUDES: Millyard top clamp, GET tips and connecting lines REQUIRES: 3rd valve FOR USE WITH: ALL 980G/H/M Machine with Logging Arrangement only FOR USE WITH: 980GII Grease pin linkage machines Machine serial numbers 2KR04553 and up Machine serial numbers 9CM02126 and up Machine serial numbers AWH00234 and up	8,788	\$57,125 NI
---	----------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------	--------------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

980H, 980K, 980L AND 980M WHEEL LOADER (CONT.)

980H/980G FORKS (Cont.)

COUPLER FORKS

PALLET FORK CARRIAGES (FUSION)

W	530-1861	ITA PALLET FORK CARRIAGE, 84" 1,321 84"(2134mm) Carriage FOR USE WITH: Fusion Coupler REQUIRES: 2 - Class IV Tines (Pallet Fork) CANNOT BE USED WITH: Class III construction tines		\$6,400 NI
---	----------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	------------

PALLET FORK TINES (FUSION)

W	530-1869	ITA TINE, PALLET FORK 72" 396 REQUIRES: 530-1861 CARRIAGE, 84" TINE WIDTH: 6" (150mm) TINE THICKNESS: 2.5" (65mm)		\$2,429 NI
W	548-3265	ITA TINE, PALLET FORK 60" 355 REQUIRES: 530-1861 CARRIAGE, 84" TINE WIDTH: 6" (150mm) TINE THICKNESS: 2.5" (65mm)		\$2,206 NI

CONSTRUCTION FORK CARRIAGES (FUSION)

W	523-4199	CARRIAGE GROUP, 108" 2,538 Lane 1 Work Tool - Ships loose from Caterpillar Work Tools & Services 108"(2731mm) carriage FOR USE WITH: Fusion Coupler REQUIRES: TINE GROUP Load capacity is dependent on machine/worktool configuration. Please consult load charts.		\$13,333 NI
---	----------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------

CONSTRUCTION FORK TINE GROUPS (FUSION)

W	523-4200	TINE GROUP, 72" 1,592 Lane 1 Work Tool - Ships loose from Caterpillar Work Tools & Services INCLUDES: Right and Left straight tines. REQUIRES: Carriage Group 523-4199 TINE WIDTH: 9.8" (250mm) TINE THICKNESS: 3.4" (85mm) Load capacity is dependent on machine/worktool configuration. Please consult load charts.		\$11,261 NI
---	----------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

980H, 980K, 980L AND 980M WHEEL LOADER (CONT.)

980H/980G FORKS (Cont.)

W	523-4201	TINE GROUP, 84" 1,911 Lane 1 Work Tool - Ships loose from Caterpillar Work Tools & Services INCLUDES: Right and Left straight tines. REQUIRES: Carriage Group 523-4199 TINE WIDTH: 9.8" (250mm) TINE THICKNESS: 3.5" (90mm) Load capacity is dependent on machine/worktool configuration. Please consult load charts.		\$12,847 NI
W	523-4202	TINE GROUP, 96" 2,147 Lane 1 Work Tool - Ships loose from Caterpillar Work Tools & Services INCLUDES: Right and Left straight tines. REQUIRES: Carriage Group 523-4199 TINE WIDTH: 9.8" (250mm) TINE THICKNESS: 3.5" (90mm) Load capacity is dependent on machine/worktool configuration. Please consult load charts.		\$14,908 NI

980 MATERIAL HANDLING ARM

W	582-5407	ARM, MATERIAL HANDLING 2,807 Extendable length 128" (3247mm) to 188" (4771mm)		\$17,169 NI
---	----------	-----------------------------------------------------------------------------------------------	--	--------------------

SNOW REMOVAL (FUSION)

HYDRAULIC ANGLE SNOW BLADES

W	524-6849	BLD 168 HYD ANG SNW TRP FUS 3,157 BLADE HEIGHT: 42" (1067mm) REQUIRES: Fusion Coupler ONE AVAILABLE HYDRAULIC FUNCTIONS (e.g. 3F) REQUIRES: Jumper lines		\$18,518 NI
W	524-6850	BLD 168 HYD ANG SNW TRP FUS 3,422 BLADE HEIGHT: 54" (1372mm) REQUIRES: Fusion Coupler ONE AVAILABLE HYDRAULIC FUNCTIONS (e.g. 3F) REQUIRES: Jumper lines		\$20,000 NI

U/V ANGLE BLADES

W	524-6866	BLD 144 U/V ANG FUS 3,000 BLADE HEIGHT: 40" (1016mm) REQUIRES: Fusion Coupler TWO AVAILABLE HYDRAULIC FUNCTIONS (e.g. 3F & 4F)		\$33,332 NI
---	----------	------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

980H, 980K, 980L AND 980M WHEEL LOADER (CONT.)

U/V ANGLE BLADES (Cont.)

W	524-6867	BLD 168 U/V ANG FUS BLADE HEIGHT: 40" (1016mm) REQUIRES: Fusion Coupler TWO AVAILABLE HYDRAULIC FUNCTIONS (e.g. 3F & 4F)	3,150	\$37,035 NI
---	----------	-----------------------------------------------------------------------------------------------------------------------------------------	-------	-------------

SNOW PUSH

W	524-6872	BLD 180" SNOW PUSH FUS HEIGHT: 56" (1423mm) REQUIRES: Fusion Coupler	6,913	\$20,000 NI
W	524-6873	BLD 240" SNOW PUSH FUS HEIGHT: 56" (1423mm) REQUIRES: Fusion Coupler	8,230	\$26,665 NI
W	524-6874	BLD 300" SNOW PUSH FUS HEIGHT: 56" (1423mm) REQUIRES: Fusion Coupler	9,549	\$33,332 NI
W	524-6875	BLD 360" SNOW PUSH FUS HEIGHT: 56" (1423mm) REQUIRES: Fusion Coupler	10,859	\$39,997 NI

ICE SCRAPER

W	524-6876	SCARIFIER 147" FUS.....	3,309	\$11,850 NI
---	----------	-------------------------	-------	-------------

980H/980G BLOCK HANDLING TOOLS

980H/980G COUPLERS

W	212-8241	COUPLER, BLOCK HANDLING REQUIRES: 222-5269 Coupler Lines Group FOR USE WITH: Logging Arrangement Machines Only	2,235	\$22,097 NI
---	----------	----------------------------------------------------------------------------------------------------------------------------	-------	-------------

980H/980G COUPLER SUPPLY GROUP

W	222-5269	KIT, COUPLER HYDRAULIC SUPPLY FOR USE WITH: Block Handling Tools Only	52	\$2,447 NI
---	----------	--------------------------------------------------------------------------------	----	------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	------------	-------------------------------	--------------------	--------------------------

980H, 980K, 980L AND 980M WHEEL LOADER (CONT.)

980H/980G BLOCK HANDLING TOOLS (Cont.)

980H/980G FORKS

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

982M WHEEL LOADER

982M BUCKETS

GENERAL PURPOSE PERFORMANCE SERIES (PIN-ON)

W	392-7022	BKT GP ST 140" 8.25YD3 PO 7,800 PERFORMANCE SERIES BUCKET CAPACITIES: 7.75YD3(5.9M3) w/bolt-on adapters, 144"(3665mm) wide 8.25YD3(6.3M3) w/bolt-on adapters and segments, 144"(3665mm)wide 8.25 YD3(6.3M3) w/bolt-on cutting edges, 142"(3602mm) wide(Bucket Tag) REQUIRED BY: COUNTERWEIGHT, AGGREGATE 110% FILL FACTOR: 9.25YD3(7.0M3) w/bolt-on cutting edges, 142"(3602mm) wide(Bucket Tag) Requires GET: Choose one set of A100 adaptors, one set of tips (8 qty) and optional bolt-on segments For BOCE Arrangement - order bucket part: 516-1499		\$26,406 NI
---	----------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------

W	516-1499	BKTA GP ST 142" 8.25YD3 PO 8,713 Lane 1 Work Tool INCLUDES: 392-7022 Bucket-GP with BOCE		\$32,872 NI
---	----------	-------------------------------------------------------------------------------------------------------------	--	--------------------

GENERAL PURPOSE-ABRASION PERFORMANCE SERIES (PIN-ON)

W	416-6462	BKT GP AB 140" 9.25YD3 PO 8,157 PERFORMANCE SERIES BUCKET CAPACITIES: 8.75YD3(6.7M3) w/bolt-on adapters, 144"(3665mm) wide 9.25YD3(7.0M3) w/bolt-on adapters and segments, 144"(3665mm)wide 9.25YD3(7.0M3) w/bolt-on cutting edges, 142"(3602mm) wide(Bucket Tag) 110% FILL FACTOR: 10.00YD3(7.7M3) w/bolt-on cutting edges, 142"(3602mm) wide(Bucket Tag) REQUIRES: COUNTERWEIGHT, AGGREGATE Requires GET: Choose one set of A100 adaptors, one set of tips (8 qty) and optional bolt-on segments For BOCE Arrangement - order bucket part: 518-6135		\$37,317 NI
---	----------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------

W	518-6135	BKTA GP AB 142" 9.25YD3 PO 9,147 Lane 1 Work Tool - Ships loose from Caterpillar Work Tool & Services INCLUDES: 416-6462 Bucket-GP with BOCE		\$44,242 NI
---	----------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

982M WHEEL LOADER (CONT.)

982M BUCKETS (Cont.)

W	416-6463	BKT GP AB 140" 9.75YD3 PO 8,433 Lane 1 Work Tool - Ships loose from Caterpillar Work Tool & Services PERFORMANCE SERIES BUCKET CAPACITIES: 9.50YD3(7.2M3) w/bolt-on adapters, 144"(3665mm) wide 9.75 YD3(7.5M3) w/bolt-on adapters and segments, 144"(3665mm)wide 9.75 YD3(7.5M3) w/bolt-on cutting edges, 142"(3602mm) wide(Bucket Tag) 110% FILL FACTOR 10.75YD3(8.3M3) w/bolt-on cutting edges, 142"(3602mm) wide(Bucket Tag) REQUIRED BY: COUNTERWEIGHT, AGGREGATE Please consult with the Caterpillar Dealer Instructor and/or Regional System Application Specialist to ensure proper bucket size based on target payloads, target material densities, and estimated bucket fill factors to prevent machine overloading.	8,433	\$39,719 NI
---	----------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------	-------------

W	416-6464	BKT GP AB 140" 10.75YD3 PO 8,843 PERFORMANCE SERIES BUCKET CAPACITIES: 10.25YD3(7.9M3) w/bolt-on adapters, 144"(3665mm) wide 10.75YD3(8.2M3) w/bolt-on adapters and segments, 144"(3665mm)wide 10.75YD3(8.2M3) w/bolt-on cutting edges, 142"(3602mm) wide(Bucket Tag) 110% FILL FACTOR 11.75YD3(9.0M3) w/bolt-on cutting edges, 142"(3602mm) wide(Bucket Tag) REQUIRED BY: COUNTERWEIGHT, AGGREGATE Please consult with the Caterpillar Dealer Instructor and/or Regional System Application Specialist to ensure proper bucket size based on target payloads, target material densities, and estimated bucket fill factors to prevent machine overloading.	8,843	\$44,281 NI
---	----------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------	-------------

HEAVY DUTY GENERAL PURPOSE PERFORMANCE SERIES (PIN-ON)

W	396-4829	BKT GP HD 142" 9.75YD3 PO 9,771 PERFORMANCE SERIES BUCKET CAPACITIES: 9.25YD3(7.0M3) w/bolt-on adapters, 144"(3665mm) wide 9.75YD3(7.5M3) w/bolt-on adapters and segments, 144"(3665mm)wide 9.75YD3(7.5M3) w/bolt-on cutting edges, 142"(3602mm) wide(Bucket Tag) 110% FILL FACTOR 10.75YD3(8.3M3) w/bolt-on cutting edges, 142"(3602mm) wide(Bucket Tag) REQUIRED BY: COUNTERWEIGHT, AGGREGATE Please consult with the Caterpillar Dealer Instructor and/or Regional System Application Specialist to ensure proper bucket size based on target payloads, target material densities, and estimated bucket fill factors to prevent machine overloading.	9,771	\$42,338 NI
---	----------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------	-------------

W	518-6127	BKTA GP HD 143" 9.25YD3 PO 10,897 Lane 1 Work Tool PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE), CORNER GUARDS, & SIDEBAR PROTECTORS	10,897	\$43,744 NI
---	----------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------	-------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

982M WHEEL LOADER (CONT.)

982M BUCKETS (Cont.)

MATERIAL HANDLING-HEAVY DUTY PERFORMANCE SERIES (PIN-ON)

W	396-4825	BKT FF HD 142" 9.25YD3 PO 9,956 PERFORMANCE SERIES BUCKET CAPACITIES: with bolt-on adapters 8.75YD3(6.7M3) w/bolt-on adapters, 144"(3665mm) wide 9.25YD3(7.0M3) w/bolt-on adapters and segments, 144"(3665mm)wide 9.25YD3(7.0M3) w/bolt-on cutting edges, 142"(3602mm) wide(Bucket Tag) REQUIRED BY: COUNTERWEIGHT, AGGREGATE 110% FILL FACTOR: 10.00YD3(7.7M3) w/bolt-on cutting edges, 142"(3602mm) wide(Bucket Tag)		\$41,263 NI
---	----------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------

ROCK PERFORMANCE SERIES (PIN-ON)

W	557-9586	BKT RSP ST 144" 7.0 YD3 PO 8,878 PERFORMANCE SERIES SPADE EDGE BUCKET CAPACITIES: 6.75YD3(5.1M3) w/weld-on adapters, 144"(3648mm) wide 7.00YD3(5.4M3) w/weld-on adptrs & segments, 144"(3648mm)wide-Bucket Tag 110% FILL FACTOR 7.75YD3(5.9M3) w/weld-on adptrs & segments, 144"(3648mm)wide-Bucket Tag CANNOT BE USED WITH: COUNTERWEIGHT, AGGREGATE		\$45,419 NI
W	539-0404	BKT RSP XD 144" 7.00YD3 PO 9,967 PERFORMANCE SERIES SPADE EDGE BUCKET CAPACITIES: 6.75 YD3 (5.1 M3) with weld-on adapters, 144"(3648mm) wide 7.00 YD3 (5.4 M3) with weld-on adapters and segments, 144"(3648mm)wid CANNOT BE USED WITH: COUNTERWEIGHT, AGGREGATE		\$56,156 NI
W	559-8096	BKTA RSP XD 143" 7.00YD3 PO 10,390 Lane 1 Work Tool INCLUDES: 539-0404 Bucket-Rock and Tip, General Duty		\$58,713 NI
W	557-9587	BKT RSP XD 143" 7.50YD3 PO 10,223 PERFORMANCE SERIES SPADE EDGE BUCKET CAPACITIES: 7.25 YD3 (5.6 M3) with weld-on adapters, 144"(3648mm) wide 7.50 YD3 (5.8 M3) with weld-on adapters and segments, 144"(3648mm)wide CANNOT BE USED WITH: COUNTERWEIGHT, AGGREGATE		\$60,056 NI

COAL (PIN-ON)

W	416-6478	BKTA FF LM 143" 11.50YD3 PO 9,958 INCLUDES: Bolt-on cutting edge		\$42,069 NI
---	----------	--------------------------------------------------------------------------------------	--	--------------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

982M WHEEL LOADER (CONT.)

982M BUCKETS (Cont.)

WASTE (PIN-ON)

W	416-6477	BKTA WD ST 153" 13.25YD3 PO Dozing style bucket CAPACITIES: 13.25 YD3 (10.2 m3) with Bolt-on cutting edge 38.50 YD3 (29.5 M3) Dozing capacity with Bolt-on cutting edge INCLUDES: Bolt-on cutting edge	10,792	\$42,308 NI
---	----------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------	-------------

WOODCHIP (PIN-ON)

For light materials only - Applications include woodchips, snow, grains and wood pellets. Not intended for waste applications.

W	416-6476	BKTA WC ST 164" 15.75YD3 PO INCLUDES: Bolt-on cutting edge	10,318	\$46,840 NI
W	553-9657	BKTA WC ST 175" 22.50YD3 PO INCLUDES: Bolt on cutting edge	11,971	\$68,290 NI

982M BUCKET G.E.T.

FOR CWTS PRODUCT - BUCKET G.E.T. CAN ONLY BE ORDERED AS INSTALLED AND WITH A BUCKET!!

W	9W-1479	CUTTING EDGE, BOLT-ON 35mm thick w/ 40mm endbits (1 required) FOR USE WITH: Base edge 4E-6085	932	\$2,535
W	442-8514	CUTTING EDGE, BOLT-ON 40mm thick w/ 45mm endbits (1 required) Use for high abrasion application FOR USE WITH: Base edge 4E-6085	1,059	\$3,204
W	174-7950	GUARD, CORNER FOR USE WITH: GP and MH style buckets with Bolt-on Cutting Edges.	139	\$1,076
W	357-2691	PROTECTORS, SIDEBAR, SET OF 4 (1 required) FOR USE WITH: HD GP, HD MH and HD QUARRY ROCK buckets	159	\$1,293

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

982M WHEEL LOADER (CONT.)

982M BUCKET G.E.T. (Cont.)

W	106-0912	PROTECTORS, SIDEBAR, SET OF 2 (1 required) FOR USE WITH: ROCK buckets only	441	\$850
---	----------	--------------------------------------------------------------------------------------------	-----	-------

A100 G.E.T.

W	539-5705	ADAPTER, ADVANSYS 100 (1 required) FOR USE WITH: A100 tips	304	\$3,826
W	9W-0818	SEGMENTS, BOLT ON, SET OF 7 30mm Thick, (1 required) FOR USE WITH: A100 adapters and tips	355	\$1,290
W	505-4002	TIP, HEAVY DUTY ADVANSYS FOR USE WITH: A100 adapters (8 required)	30	\$150
W	505-4101	TIP, PENETRATION ADVANSYS FOR USE WITH: A100 adapters (8 required)	24	\$131
W	505-4004	TIP, GENERAL PURPOSE ADVANSYS FOR USE WITH: A100 adapters (8 required)	26	\$142
W	505-4000	TIP, HEAVY PENETRAION ADVANSYS FOR USE WITH: A100 adapters (8 required)	37	\$194
W	505-4103	TIP, PENETRATION PLUS ADVANSYS FOR USE WITH: A100 adapters (8 required)	28	\$142
W	505-4001	TIP, HEAVY ABRASION FOR USE WITH: K100 adapters (8 required)	37	\$154

A110 G.E.T. ADVANSYS

FOR 982M ROCK BUCKETS ONLY

W	119-3230	SEGMENTS, BOLT-ON, SET OF 7 35mm Thick, (1 required) FOR USE WITH: A110 adapters and tips	653	\$2,171
W	107-3498	SEGMENTS, BOLT ON (HEAVY DUTY) 45mm Thick, (1 required) FOR USE WITH: A110 adapters and tips	846	\$2,710
W	109-3123	SEGMENTS,H.A.,BOLT-ON,SET OF 7 45mm Thick, (1 required) FOR USE WITH: A110 adapters and tips	731	\$1,657
W	505-4012	TIP, HEAVY DUTY ADVANSYS FOR USE WITH: A110 adapters (8 required)	40	\$196

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
982M WHEEL LOADER (CONT.)				
<i>982M BUCKET G.E.T. (Cont.)</i>				
W	505-4111	TIP PENETRATION ADVANSYS FOR USE WITH: A1 10 adapters (8 required)	29	\$168
W	505-4014	TIP, GENERAL DUTY FOR USE WITH: A1 10 adapters (8 required)	32	\$158
W	505-4010	TIP, HEAVY PENETRATION FOR USE WITH: A1 10 adapters (8 required)	47	\$256
W	505-4113	TIP, PENETRATION PLUS ADVANSYS FOR USE WITH: A1 10 adapters (8 required)	37	\$196
W	505-4011	TIP, HEAVY ABRASION FOR USE WITH: A1 10 adapters (8 required)	52	\$268

PACKING

PACKING CODES

	0P-0210	PACK, DOMESTIC TRUCK	0	NC
	0P-5812	PACK, EXPORT	0	NC
W	0G-0007	CWTS CUSTOM PRODUCT ACC QUOTE Can only be used for ETO orders Please use the "NOTES" screen when ordering to mention the quote number and to specify the required product(s) as mentioned in the quote.	0	NC NI