

CATERPILLAR MACHINE PRICE LIST

WT-SWL

SMALL WHEEL LOADERS WORK TOOLS

Ship Weight
lbsLIST PRICE
AT DEALER

Standard Equipment:

WT SWL price list consists of
Work Tool offerings for Small
Wheel Loader models:
K-Series: 924K, 930K, 938K
M-Series: 926M, 930M, 938M
H-Series: 924H, 924HZ, 928HZ, 930H
G-Series: 924G, 924GZ, 928GZ, 930G
930G

For Order Management/Availability
Support
1-866-963-3531, Option #1, Option #1
E-mail:
Cat_Parts_BCP_Work_Tools_Support@Cat.com

This price list has been divided into
the following sections

BUCKET ATTACHMENTS

GETs for all Series

CURRENT SWL PIN-ON

K and M Series

CURRENT SWL FUSION

K and M Series

CURRENT SWL ISO

K and M Series

CURRENT MACHINES-LEGACY QUICK COUPLERS

All series

BROOMS

All series

NON CURRENT SWL PIN-ON

G and H Series

NON CURRENT SWL FUSION

H Series

NON CURRENT SWL HPL

G and H Series

NON CURRENT SWL IT

G and H Series

NON CURRENT SWL ISO

G and H Series

FOR NORTH AND SOUTH AMERICA

Orders for BCP products will
automatically transfer from CMOPS to
Antares Parts Ordering.

FOR THE REST OF THE WORLD

This price list is for REFERENCE ONLY.
Work Tool orders must be placed using
Antares Parts Ordering.

FOR JAPAN

Please access the usual regional
resources for pricing information

For BCP Attachment Product and

Application Support

1-866-963-3531, Option #1, Option #2

E-mail: BCP_Work_Tools@Cat.com

CATERPILLAR MACHINE PRICE LIST

WT-SWL

SMALL WHEEL LOADERS WORK TOOLS

Ship Weight
lbs

LIST PRICE
AT DEALER

0P-0082

SMALL WHEEL LOADER WORK TOOLS 0
PLEASE USE THE OP REFERENCE NUMBER LISTED ABOVE WHEN ORDERING.

NC

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

BUCKET ATTACHMENTS

HOOKS FOR CONVERSION TO FUSION

W	371-2400	HOOK, FLAT BACK, FUSION 330 Provides two loose brackets with Fusion hooks on the back and a flat interface on the front allowing it to be welded to existing SWL work tools. Recommended for customers who want to re-hinge existing non Fusion tools or competitive tools to a Fusion interface.		\$1,049 NI
W	317-5562	HOOK, BLANK 787 Provides Fusion hooks with extra material to convert buckets.		\$2,046 NI

CONVERSION ADAPTER IT TO FUSION

W	589-6664	ADAPTER INTERFACE, FUSION-IT 0 Provides adaptor bracket with fusion hooks on the back and manually engaged IT pins on the front allowing it to interface with IT coupler tools. Recommended for mixed fleet customers. Adaptor pushes attachment away from machine resulting in decreased lift and tilt capacity. FOR USE WITH: old and new version Fusion coupler.		\$2,746 NI
---	----------	--	--	-------------------

HOOKS FOR CONVERSION TO IT COUPLER

W	109-6712	HOOK, BLANK, IT 356 IT Hooks with extra material to convert buckets.		\$1,403 NI
W	113-2677	HOOK, FLAT BACK, IT 155 IT Hooks with flat back to convert work tools like carriages.		\$826 NI

HOOKS FOR USE WITH VERTICAL WEDGE LOCK COUPLERS

W	498-4390	HOOK, BLANK, VWL 4" 493 FOR USE WITH: Vertical Wedge Lock Quick coupler with 4" bar		\$2,597 NI
---	----------	---	--	-------------------

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	------------------------	--------------------	-------------------------

BUCKET ATTACHMENTS (CONT.)***BUCKETS - Selection table for BOCE/ Bolt-on Cutting Edges***

Select Base edge length mm / part number

2455mm IRH 143-4353		Not available		
2524 -2550mm 4E-0659		Steel kit : 547-6107 Cutting edge, bolt-on, 1 Piece 472-1465 Cutting edge, bolt-on, 3 Piece 8E-4566 Cutting edge, bolt-on, 4 Piece Rubber Kit: 251-5418 Edge group, rubber, 2550mm		
2690mm 105-2345		Steel Loose#: 2 x 107-3746 Center edge 2 x 4T-8091 End bits (straight) 2 x 1U-1896 End bits (angled) 10 x 1J-5607 Bolt, plow 10 x 2J-3507 Nut		
2750mm 110-4712		Steel kit : 547-6108 Cutting edge, bolt-on, 1 Piece 472-1468 Cutting edge, bolt-on, 3 Piece 345-2758 Cutting edge, bolt-on, 4 Piece Rubber Loose#: 1 x 444-1523 Edge, cutting, rubber 8 x 2J-3507 Nut 8 x 4J-9058 Bolt, plow 8 x 299-3426 Washer		
2886mm 141-4847		Steel Loose#: 2 x 139-9230 Center edge 2 x 4T-8101 End bits (straight) 2 x 1U-1898 End bits (angled) 12 x 4F-4042 Bolt, plow 12 x 2J-3507 Nuts Rubber kit : 437-0289 Edge group, rubber 2886mm		
3065mm 9V-6575		Steel kit : 547-6109 Cutting edge, bolt-on, 1 Piece 472-1471 Cutting edge, bolt-on, 3 Piece		
3382mm 135-9739		Steel kit : 1U-0605 Cutting edge, bolt-on, 4 piece		

= Order the loose components from Parts, not via the bridge as there is not a kit available.

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

BUCKET ATTACHMENTS (CONT.)

BUCKETS - Selection table for Adapters, tip groups and segments:

Base edge	2455mm IRH	2524-2550mm	2690mm	2750mm
	143-4353	4E-0659	105-2345	110-4712
Adapter groups**:				
116-9713: 6 x Straight	C	C	C	C
1 x Left Hand				
1 x Right Hand				
360-3284: 8 x Straight	NC	C	NC	NC
Tip groups**:				
9W-8142: 8 x J250 Long	C	C	C	C
9W-8143: 8 x J250 Short	C	C	C	C
Segments groups**:				
8E-4568	NC	C	NC	NC
Loose#:				
7 x 4T-6695 Straight	NC	NC	C	C
14 x 1J-5607 Bolt-plow	NC	NC	C	C
14 x 2J-3507 Nut	NC	NC	C	C

= Order the loose components from Parts, not via the bridge as there is not a kit available.

**= including bolts and nuts / C= Compatible / NC= Not Compatible

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

BUCKET ATTACHMENTS (CONT.)

BUCKETS - Selection table Advansys 70 for BCP buckets

Only available for stated base edges

	Base edge width	2524 - 2550mm	2750mm
	Base edge part no.	4E-0659	110-4712
6x 539-5600 Center Adapter		C	C
12x 8J-2933 Nut		C	C
12x 8J-2928 Bolt, Plow		C	C
1x 539-5601 Right Hand Adapter		C	C
1x 539-5602 Left Hand Adapter		C	C
4x 2J-3507 Nut		C	C
2x 4F-4042 Bolt, Plow		C	C
2x 4J-9058 Bolt, Plow		C	C
8x 539-5678 Tip, Gen.Purpose		C	C

C= Compatible

Order the loose components from Parts, not via the bridge.

NOTE: NO kit is available.

BUCKET ATTACHMENTS FOR BUCKETS 2455mm width

W	116-9713	ADAPTERS, BOLT ON, SET OF 8	346	\$1,318 NI
		REQUIRES: Bucket tips (J250)		
W	9W-8142	TIPS, LONG, SET OF 8	55	\$625 NI
		J250 long tips		
		FOR USE WITH: 116-9713 ADAPTERS, BOLT ON, SET OF 8		
W	9W-8143	TIPS, SHORT, SET OF 8	40	\$625 NI
		J250 short tips		
		FOR USE WITH: 116-9713		

BUCKET ATTACHMENTS FOR BUCKETS 2524mm - 2550mm width

W	547-6107	CUTTING EDGE, BOLT ON, 1 PIECE	271	\$789 NI
		FOR USE WITH: LM Buckets		
W	472-1465	CUTTING EDGE, BOLT ON, 3 PIECE	0	\$789 NI
		FOR USE WITH: 3.0m3 High Dump buckets		
W	8E-4566	CUTTING EDGE, BOLT ON(4 PIECE)	365	\$789 NI
		FOR USE WITH: GP and S&G buckets		
		CANNOT BE USED WITH: HIGH DUMP BUCKETS		
W	8E-4568	SEGMENTS, BOLT ON	205	\$540 NI
		REQUIRES: 116-9713 or 360-3284 adapter group.		
W	360-3284	ADAPTERS, BOLT-ON, SET OF 8	154	\$1,256 NI
		CONTAINS 8 strap adapters 1U-0257		
		FOR USE WITH: IRH Regulations		
		REQUIRES: Bucket tips (J250)		

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

BUCKET ATTACHMENTS (CONT.)

BUCKET ATTACHMENTS FOR BUCKETS 2524mm - 2550mm width (Cont.)

W	116-9713	ADAPTERS, BOLT ON, SET OF 8 346 CONTAINS: 6 strap adapters 1U-0257 and 1 LH and 1 RH adapter REQUIRES: Bucket tips (J250)		\$1,318 NI
W	9W-8142	TIPS, LONG, SET OF 8 55 J250 long tips FOR USE WITH: 116-9713 or 360-3284		\$625 NI
W	251-5418	CUTTING EDGE GP, RUBBER, 100" 455 Provides a two-section rubber cutting edge.		\$3,017 NI

BUCKET ATTACHMENTS FOR BUCKETS 2750mm width

W	547-6108	CUTTING EDGE, BOLT ON, 1 PIECE 291 FOR USE WITH: LM Buckets		\$917 NI
W	472-1468	CUTTING EDGE, BOLT ON, 3 PIECE 0 FOR USE WITH: 3.5m3 High Dump Buckets		\$917 NI
W	345-2758	CUTTING EDGE, BOLT ON, 4 PIECE 319 FOR USE WITH: GP and S&G buckets CAN NOT BE USED WITH: high dump buckets		\$917 NI
W	116-9713	ADAPTERS, BOLT ON, SET OF 8 346 REQUIRES: Bucket tips (J250) CAN NOT BE USED WITH LM buckets		\$1,318 NI
W	360-3284	ADAPTERS, BOLT-ON, SET OF 8 154 CONTAINS 8 strap adapters 1U-0257 FOR USE WITH: IRH Regulations REQUIRES: Bucket tips (J250)		\$1,256 NI
W	9W-8142	TIPS, LONG, SET OF 8 55 J250 long tips FOR USE WITH: 116-9713		\$625 NI
W	9W-8143	TIPS, SHORT, SET OF 8 40 J250 short tips FOR USE WITH: 116-9713		\$625 NI

BUCKET ATTACHMENTS FOR BUCKETS 3065mm width

W	547-6109	CUTTING EDGE, BOLT ON, 1 PIECE 511 FOR USE WITH: LM Buckets		\$1,549 NI
W	472-1471	CUTTING EDGE, BOLT ON, 3 PIECE 0 FOR USE WITH: 4.2m3 and 5.1m3 High Dump buckets		\$1,549 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

BUCKET ATTACHMENTS (CONT.)

BUCKET - SIDE CUTTERS

General Purpose, Sand & Gravel and Flat Floor buckets can be fitted with corner guards

Please order via parts:

- 1 x 253-0060 Right hand Side Cutter
- 1 x 253-0061 Left hand Side Cutter
- 4 x 4F-4042 Bolt Plow
- 4 x 2J-3507 Nut

KITS, QUICK DISCONNECTS

W	455-7380	KIT, LOADER, COUPLING QD 0 Kit provides a set (male & female) of flat face connect under pressure quick disconnects. These are "Turn to Connect" QDs. K Series produced since 2014 and all Mseries have these QDs.	\$374 NI
W	196-4191	KIT, QDS, PUSH, SIZE 12 3 Kit provides a set (male & female) "Push to Connect" Quick Disconnects For pre 2014 K series machines.	\$208 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL PIN-ON

This section contains pin-on work tools for following current SWL:

924K, 926M, 930K, 930M (identical linkage)
 938K, 938M (indential linkage but different from 924K-930M)

Following work tools are available:
BUCKETS PERFORMANCE SERIES:

- General Purpose
- General Purpose Flat Floor
- Light Material
- Sand & Gravel
- High Dump
- Multipurpose
- Waste

BROOMS: No Pin-on brooms available

FORKS: LUMBER and LOG

SNOW STRAIGHT PUSHES

BUCKETS: GENERAL PURPOSE PERFORMANCE PIN-ON

Performance series buckets. Stated capacity is including BOCE.
 The fill factor for performance buckets can be up to 115% of the rated capacity.

Bucket selection table:

The stated max material density is just directive. For an accurate max material density, please check the specalog and machine configuration. Fill factor 100% and incl. heavy counter weight.

Capacity	926M	930M	938M
	Standard Lift	Standard Lift	Standard Lift
m3 (yd3)	kg/m3 (lbs/yd3)	kg/m3 (lbs/yd3)	kg/m3 (lbs/yd3)
1.9 (2.5)	2075 (3500)	2350 (3950)	
2.1 (2.7)	1875 (3150)	2125 (3575)	
2.3 (3.0)	1675 (2825)	1900 (3200)	
2.5 (3.3)	1500 (2525)	1725 (2900)	2100 (3550)
2.7 (3.5)			1925 (3250)
2.9 (3.8)			1775 (3000)

If no reference numbers appear below there are currently no items available in your region.

W	345-2818	BUCKET-GP, 2.5 YD3, PO 1,786	\$6,783 NI
		General Purpose Bucket, Width 2550 mm (100"). Base edge Capacity: 1.9 m3 (2.5 yd3) fill factor 100% FOR USE WITH: Pin-on 924K, 926M, 930K/M	
W	417-4359	BUCKET-GP, 2.5 YD3, PO, BOCE 2,072	\$7,572 NI
		General Purpose Bucket, Width 2550 mm (100"). Includes BOCE, Capacity: 1.9 m3 (2.5 yd3) fill factor 100% FOR USE WITH: Pin-on 924K, 926M, 930K/M	

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL PIN-ON (CONT.)

BUCKETS: GENERAL PURPOSE PERFORMANCE PIN-ON (Cont.)

W	345-2820	BUCKET-GP, 2.7 YD3, PO 1,883 General Purpose Bucket, Width 2550 mm (100"). Base edge Capacity: 2.1 m3 (2.7 yd3) fill factor 100% FOR USE WITH: Pin-on 924K, 926M, 930K/M		\$7,421 NI
W	417-4921	BUCKET-GP, 2.7 YD3, PO, BOCE 2,165 General Purpose Bucket, Width 2550 mm (100"). Includes BOCE, Capacity: 2.1 m3 (2.7 yd3) fill factor 100% FOR USE WITH: Pin-on 924K, 926M, 930K/M		\$8,210 NI
W	345-2822	BUCKET-GP, 3.0 YD3, PO 1,965 General Purpose Bucket, Width 2550 mm (100"). Base edge Capacity: 2.3 m3 (3 yd3) fill factor 100% FOR USE WITH: Pin-on 924K, 926M, 930K/M		\$8,376 NI
W	417-4923	BUCKET-GP, 3.0 YD3, PO, BOCE 2,248 General Purpose Bucket, Width 2550 mm (100"). Includes BOCE, Capacity: 2.3 m3 (3 yd3) fill factor 100% FOR USE WITH: Pin-on 924K, 926M, 930K/M		\$9,404 NI
W	345-2824	BUCKET-GP, 3.2 YD3, PO 2,154 General Purpose Bucket, Width 2550 mm (100"). Base edge Capacity: 2.5 m3 (3.2 yd3) fill factor 100% FOR USE WITH: Pin-on 924K, 926M, 930K/M		\$9,326 NI
W	417-4345	BUCKET-GP, 3.2 YD3, PO, BOCE 2,443 General Purpose Bucket, Width 2550 mm (100"). Includes BOCE, Capacity: 2.5 m3 (3.2 yd3) fill factor 100% FOR USE WITH: Pin-on 924K, 926M, 930K/M		\$10,115 NI
W	345-2814	BUCKET-GP, 3.2 YD3, PO 2,154 General Purpose Bucket, Width 2550 mm (100"). Base edge Capacity: 2.5 m3 (3.2 yd3) fill factor 100% FOR USE WITH: Pin-on 938K/M		\$9,326 NI
W	345-2804	BUCKET-GP, 3.2 YD3, PO 2,154 General Purpose Bucket, Width 2750 mm (108"). Base edge Capacity: 2.5 m3 (3.2 yd3) fill factor 100% FOR USE WITH: Pin-on 938K/M		\$9,438 NI
W	417-4895	BUCKET-GP, 3.2 YD3, PO, BOCE 2,455 General Purpose Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 2.5 m3 (3.2 yd3) fill factor 100% FOR USE WITH: Pin-on 938K/M		\$10,354 NI
W	345-2816	BUCKET-GP, 3.5 YD3, PO 2,134 General Purpose Bucket, Width 2550 mm (100"). Base edge Capacity: 2.7 m3 (3.5 yd3) fill factor 100% FOR USE WITH: Pin-on 938K/M		\$9,836 NI
W	345-2826	BUCKET-GP, 3.5 YD3, PO 2,251 General Purpose Bucket, Width 2750 mm (108"). Base edge Capacity: 2.7 m3 (3.5 yd3) fill factor 100% FOR USE WITH: Pin-on 938K/M		\$9,947 NI
W	417-4927	BUCKET-GP, 3.5 YD3, PO, BOCE 2,552 General Purpose Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 2.7 m3 (3.5 yd3) fill factor 100% FOR USE WITH: Pin-on 938K/M		\$10,864 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL PIN-ON (CONT.)

BUCKETS: GENERAL PURPOSE PERFORMANCE PIN-ON (Cont.)

W	345-2828	BUCKET-GP, 3.8 YD3, PO 2,330 General Purpose Bucket, Width 2750 mm (108"). Base edge Capacity: 2.9 m3 (3.8 yd3) fill factor 100% FOR USE WITH: Pin-on 938K/M		\$10,456 NI
W	417-4349	BUCKET-GP, 3.8 YD3, PO, BOCE 2,649 General Purpose Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 2.9 m3 (3.8 yd3) fill factor 100% FOR USE WITH: Pin-on 938K/M		\$11,372 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL PIN-ON (CONT.)

BUCKETS: FLAT FLOOR GENERAL PURPOSE PERFORMANCE PIN-ON

Flat Floor Performance series buckets, based on the General Purpose de
 Stated capacity is including BOCE. The fill factor for performance buc
 can be up to 115% on top of the rated capacity.
 Includes back grading edge. Ideal material handling and grading.

Bucket selection table:

The stated max material density is just directive. For an accurate
 max material density, please check the specalog and machine
 configuration. Fill factor 100% and incl. heavy counter weight.

Capacity	926M	930M	938M
	Standard Lift	Standard Lift	Standard Lift
m3 (yd3)	kg/m3 (lbs/yd3)	kg/m3 (lbs/yd3)	kg/m3 (lbs/yd3)
2.5 (3.3)	1500 (2525)	1725 (2900)	
2.7 (3.5)			1900 (3200)
3.1 (4.1)			1625 (2750)

If no reference numbers appear below there are currently
 no items available in your region.

W	490-3050	BUCKET-FF, 3.0 YD3, PO, BOCE 2,445 Flat Floor GP bucket, includes back grading edge Width 2550 mm (100"). Includes BOCE. Capacity: 2.3 m3 (3.0 yd3) fill factor 100% FOR USE WITH: Pin-on 924K, 926M, 930K/M	\$10,608 NI
W	490-3060	BUCKET-FF, 3.2 YD3, PO, BOCE 2,663 Flat Floor GP bucket, includes back grading edge Width 2750 mm (108"). Includes BOCE. Capacity: 2.5 m3 (3.2 yd3) fill factor 100% FOR USE WITH: Pin-on 938K/M	\$11,743 NI
W	490-3070	BUCKET-FF, 3.8 YD3, PO, BOCE 2,917 Flat Floor GP bucket, includes back grading edge Width 2750 mm (108"). Includes BOCE. Capacity: 2.9 m3 (3.8 yd3) fill factor 100% FOR USE WITH: Pin-on 938K/M	\$12,761 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL PIN-ON (CONT.)

BUCKETS, LIGHT MATERIAL PIN-ON

Performance series buckets. Stated capacity is including BOCE.
 The fill factor for performance buckets can be up to 115% on top of rated capacity.

Bucket selection table:

The stated max material density is just directive. For an accurate max material density, please check the specalog and machine configuration. Fill factor 100% and incl. heavy counter weight.

Capacity	926M	930M	938M
m3 (yd3)	Standard Lift kg/m3 (lbs/yd3)	Standard Lift kg/m3 (lbs/yd3)	Standard Lift kg/m3 (lbs/yd3)
3.0 (3.9)	1250 (2100)	1425 (2400)	
3.5 (4.6)	1050 (1775)	1200 (2025)	1450 (2450)
3.8 (5.0)	950 (1600)	1075 (1800)	1325 (2225)
4.2 (5.5)	850 (1425)	950 (1600)	1175 (1975)
5.0 (6.5)	700 (1175)	800 (1350)	975 (1650)

NOTE: Front Camera Kit 582-1425 is required for local EU requirements for 5.0m3 LM Buckets. Consult Cat Dealer for additional information. Refer to Product Bulletin, TEJB9977, at <https://catpublications.com>

If no reference numbers appear below there are currently no items available in your region.

W	452-7416	BUCKET-LM, 4.0 YD3, PO, BOCE 2,730 Light Material Bucket, Width 2750 mm (108"). Includes 1pc BOCE Capacity: 3 m3 (4 yd3) fill factor 100% FOR USE WITH: Pin-on 924K, 926M, 930K/M	\$10,046 NI
W	417-4905	BUCKET-LM, 4.5 YD3, PO, BOCE 2,904 Light Material Bucket, Width 2750 mm (108"). Includes 1pc BOCE Capacity: 3.5 m3 (4.5 yd3) fill factor 100% FOR USE WITH: Pin-on 924K, 926M, 930K/M	\$10,896 NI
W	360-3332	BUCKET-LM, 4.5 YD3, PO, BOCE 2,893 Light Material Bucket, Width 2750 mm (108"). Includes 1pc BOCE Capacity: 3.5 m3 (4.5 yd3) fill factor 100% FOR USE WITH: Pin-on 938K/M	\$10,896 NI
W	450-0250	BUCKET-LM, 5.0 YD3, PO, BOCE 3,062 Light Material Bucket, Width 2750 mm (108"). Includes 1pc BOCE Capacity: 3.8 m3 (5 yd3) fill factor 100% FOR USE WITH: Pin-on 924K, 926M, 930K/M	\$11,744 NI
W	450-0251	BUCKET-LM, 5.0 YD3, PO, BOCE 3,023 Light Material Bucket, Width 2750 mm (108"). Includes 1pc BOCE Capacity: 3.8 m3 (5 yd3) fill factor 100% FOR USE WITH: Pin-on 938K/M	\$11,744 NI
W	417-4942	BUCKET-LM, 5.5 YD3, PO, BOCE 3,175 Light Material Bucket, Width 2750 mm (108"). Includes 1pc BOCE Capacity: 4.2 m3 (5.5 yd3) fill factor 100% FOR USE WITH: Pin-on 924K, 926M, 930K/M	\$12,594 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL PIN-ON (CONT.)

BUCKETS, LIGHT MATERIAL PIN-ON (Cont.)

W	360-3333	BUCKET-LM, 5.5 YD3, PO, BOCE 3,170 Light Material Bucket, Width 2750 mm (108"). Includes 1pc BOCE Capacity: 4.2 m3 (5.5 yd3) fill factor 100% FOR USE WITH: Pin-on 938K/M		\$12,594 NI
W	417-4350	BUCKET-LM, 6.5 YD3, PO, BOCE 3,300 Light Material Bucket, Width 2750 mm (108"). Includes 1pc BOCE Capacity: 5 m3 (6.5 yd3) fill factor 100% FOR USE WITH: Pin-on 924K, 926M, 930K/M		\$14,293 NI
W	360-3334	BUCKET-LM, 6.5 YD3, PO, BOCE 3,298 Light Material Bucket, Width 2750 mm (108"). Includes 1pc BOCE Capacity: 5 m3 (6.5 yd3) fill factor 100% FOR USE WITH: Pin-on 938K/M		\$14,293 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL PIN-ON (CONT.)

BUCKETS, SAND AND GRAVEL

Performance series buckets. Stated capacity is including BOCE.
The fill factor for performance buckets can be up to 115% on top of rated capacity. For handling sand and gravel.

Bucket selection table:

The stated max material density is just directive. For an accurate max material density, please check the specalog and machine configuration. Fill factor 100% and incl. heavy counter weight.

Capacity	926M	930M	938M
	Standard Lift	Standard Lift	Standard Lift
m3 (yd3)	kg/m3 (lbs/yd3)	kg/m3 (lbs/yd3)	kg/m3 (lbs/yd3)
2.5 (3.3)	1500 (2525)	1700 (2875)	1900 (3200)
2.7 (3.5)	1375 (2325)	1575 (2650)	1900 (3200)
2.9 (3.8)			1575 (2650)
3.2 (4.2)	1125 (1900)	1300 (2200)	1250 (2050)
3.5 (4.5)			

If no reference numbers appear below there are currently no items available in your region.

W	430-3300	BUCKET-S&G, 3.2 YD3, PO 2,261	\$10,549 NI
		Sand&Gravel Bucket, Width 2750 mm (108"). Base edge Capacity: 2.5 m3 (3.2 yd3) fill factor 100% FOR USE WITH: Pin-on 924K, 926M, 930K/M	
W	466-2252	BUCKET-S&G, 3.2 YD3, PO, BOCE 2,580	\$11,635 NI
		Sand&Gravel Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 2.5 m3 (3.2 yd3) fill factor 100% FOR USE WITH: Pin-on 924K, 926M, 930K/M	
W	360-3309	BUCKET-S&G, 3.5 YD3, PO 2,347	\$11,058 NI
		Sand&Gravel Bucket, Width 2750 mm (108"). Base edge Capacity: 2.7 m3 (3.5 yd3) fill factor 100% FOR USE WITH: Pin-on 924K, 926M, 930K/M	
W	466-2253	BUCKET-S&G, 3.5 YD3, PO, BOCE 2,666	\$11,975 NI
		Sand&Gravel Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 2.7 m3 (3.5 yd3) fill factor 100% FOR USE WITH: Pin-on 924K, 926M, 930K/M	
W	360-3308	BUCKET-S&G, 3.5 YD3, PO 2,365	\$11,058 NI
		Sand&Gravel Bucket, Width 2750 mm (108"). Base edge Capacity: 2.7 m3 (3.5 yd3) fill factor 100% FOR USE WITH: Pin-on 938K/M	
W	466-2255	BUCKET-S&G, 3.5 YD3, PO, BOCE 2,684	\$11,975 NI
		Sand&Gravel Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 2.7 m3 (3.5 yd3) fill factor 100% FOR USE WITH: Pin-on 938K/M	
W	469-0193	BUCKET-S&G, 3.8 YD3, PO 0	\$11,567 NI
		Sand&Gravel Bucket, Width 2750 mm (108"). Base edge Capacity: 2.9 m3 (3.8 yd3) fill factor 100% FOR USE WITH: Pin-on 938K/M	

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL PIN-ON (CONT.)

BUCKETS, SAND AND GRAVEL (Cont.)

W	469-0194	BUCKET-S&G, 3.8 YD3, PO, BOCE 2,757 Sand&Gravel Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 2.9 m3 (3.8 yd3) fill factor 100% FOR USE WITH: Pin-on 938K/M		\$12,483 NI
W	360-3311	BUCKET-S&G, 4.2 YD3, PO 2,523 Sand&Gravel Bucket, Width 2750 mm (108"). Base edge Capacity: 3.2 m3 (4.2 yd3) fill factor 100% FOR USE WITH: Pin-on 924K, 926M, 930K/M		\$11,907 NI
W	466-2254	BUCKET-S&G, 4.2 YD3, PO, BOCE 2,842 Sand&Gravel Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 3.2 m3 (4.2 yd3) fill factor 100% FOR USE WITH: Pin-on 924K, 926M, 930K/M		\$13,164 NI
W	360-3310	BUCKET-S&G, 4.2 YD3, PO 2,521 Sand&Gravel Bucket, Width 2750 mm (108"). Base edge Capacity: 3.2 m3 (4.2 yd3) fill factor 100% FOR USE WITH: Pin-on 938K/M		\$12,247 NI
W	466-2256	BUCKET-S&G, 4.2 YD3, PO, BOCE 2,840 Sand & Gravel Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 3.2 m3 (4.2 yd3) fill factor 100% FOR USE WITH: Pin-on 938K/M		\$13,164 NI
W	396-2222	BUCKET-S&G, 4.5YD3, PO, BOCE 3,420 Sand & Gravel Bucket, Width 2750 mm (108"). Includes 4 piece BOCE Capacity: 3.5 m3 (4.5 yd3) fill factor 100% FOR USE WITH: Pin-on 938K/M		\$13,674 NI

BUCKETS, HIGH CAPACITY / WOOD CHIP

High Capacity Buckets, also known as Wood Chip buckets, to be used in those applications where low-density material is handled, allowing to be more productive per cycle. Includes features like sliding window covers, level indicator and 20% more material density capability than competitors equivalent.

Bucket selection table:

The stated max material density is just directive. For an accurate max material density, please check the specalog and machine configuration. Fill factor 100% and incl. heavy counter weight.

Capacity	926M	930M	938M
m3 (yd3)	Standard Lift kg/m3 (lbs/yd3)	Standard Lift kg/m3 (lbs/yd3)	Standard Lift kg/m3 (lbs/yd3)
6.0 (7.8)			625 (1050)
6.8 (8.9)			600 (1010)

NOTE: Front Camera Kit 582-1425 is required for local EU requirements for 5.0m3 LM Buckets. Consult Cat Dealer for additional information. Refer to Product Bulletin, TEJB9977, at <https://catpublications.com>

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL PIN-ON (CONT.)

BUCKETS, HIGH CAPACITY / WOOD CHIP (Cont.)

W	568-7631	BUCKET-WC, 7.8 YD3, PO, BOCE 3,993 High Capacity / Wood Chip bucket, including 5 piece BOCE Capacity: 6.0m3 (7.8 yd3), Width 3062mm (121"), Height 1614mm (64") FOR USE WITH: Pin-on 938K/M		\$16,535 NI
W	568-9164	BUCKET-WC, 8.9 YD3, PO, BOCE 4,277 High Capacity / Wood Chip bucket, including 5 piece BOCE Capacity: 6.8m3 (8.9 yd3), Width 3382mm (133"), Height 1640mm (65") FOR USE WITH: Pin-on 938K/M		\$18,403 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL PIN-ON (CONT.)

BUCKETS, HIGH DUMP

Performance series buckets. Stated capacity is including BOCE.
The fill factor for performance buckets can be up to 115% on top of rated capacity. Requires 3rd valve on the machine.

Bucket selection table:

The stated max material density is just directive. For an accurate max material density, please check the specalog and machine configuration. Fill factor 100% and incl. heavy counter weight.

Capacity	926M	930M	938M
	Standard Lift	Standard Lift	Standard Lift
m3 (yd3)	kg/m3 (lbs/yd3)	kg/m3 (lbs/yd3)	kg/m3 (lbs/yd3)
3.0 (3.9)	1075 (1800)	1225 (2075)	
3.5 (4.6)	900 (1525)	1050 (1775)	
4.1 (5.4)	725 (1225)	800 (1350)	1175 (1975)
5.0 (6.5)	575 (975)	650 (1100)	850 (1425)

NOTE: Front Camera Kit 582-1425 is required for local EU requirements for all high dump buckets. Consult Cat Dealer for additional information. Refer to Product Bulletin, TEJB9977, at <https://catpublications.com>

If no reference numbers appear below there are currently no items available in your region.

W	461-1430	BUCKET-HD, 3.9 YD3, PO, BOCE 3,832 High Dump Bucket, Width 2550mm mm (100"). Includes BOCE, Capacity: 3 m3 (3.9 yd3)fill factor 100%, hydr.lines are plugged-off. FOR USE WITH: Pin-on 924K, 926M, 930K/M	\$21,271 NI
W	461-7080	BUCKET-HD, 4.6 YD3, PO, BOCE 4,028 High Dump Bucket, Width 2750mm mm (108"). Includes BOCE, Capacity: 3.5 m3 (4.6yd3)fill factor 100%, hydr.lines are plugged-off. FOR USE WITH: Pin-on 924K, 926M, 930K/M	\$21,972 NI
W	464-2890	BUCKET-HD, 5.4 YD3, PO, BOCE 4,745 High Dump Bucket, Width 3060mm mm (120"). Includes BOCE, Capacity: 4.1 m3 (5.4yd3)fill factor 100%, hydr.lines are plugged-off. FOR USE WITH: Pin-on 924K, 926M, 930K/M	\$22,771 NI
W	461-7085	BUCKET-HD, 5.4 YD3, PO, BOCE 4,752 High Dump Bucket, Width 3060mm mm (120"). Includes BOCE, Capacity: 4.1 m3 (5.4yd3)fill factor 100%, hydr.lines are plugged-off. FOR USE WITH: Pin-on 938K/M	\$22,771 NI
W	464-2895	BUCKET-HD, 6.5 YD3, PO, BOCE 4,965 High Dump Bucket, Width 3060mm mm (120"). Includes BOCE, Capacity: 5 m3 (6.5 yd3)fill factor 100%, hydr.lines are plugged-off. FOR USE WITH: Pin-on 924K, 926M, 930K/M	\$23,910 NI
W	461-7060	BUCKET-HD, 6.5 YD3, PO, BOCE 4,970 High Dump Bucket, Width 3060mm mm (120"). Includes BOCE, Capacity: 5 m3 (6.5 yd3)fill factor 100%, hydr.lines are plugged-off. FOR USE WITH: Pin-on 938K/M	\$23,910 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL PIN-ON (CONT.)

BUCKETS, MULTI PURPOSE PIN-ON

W	525-7237	BUCKET-MP, 2.7 YD3, PO 0 Multi Purpose Bucket, Width 2550 mm (100") Capacity: 2.1 m3 (2.7 yd3) fill factor 100% INLCUDES: 3 piece BOCE on clamp base edge and 4 piece BOCE on Dozer base edge, connecting lines (capped only) FOR USE WITH: Pin-On 924K, 926M and 930K/M REQUIRES: 3rd Valve on machine		\$22,917 NI
W	537-8665	BUCKET-MP, 3.5 YD3, PO 0 Multi Purpose Bucket, Width 2750mm(108") Capacity: 2.7 m3 (3.5 yd3) fill factor 100% INLCUDES: 3 piece BOCE on clamp base edge and 4 piece BOCE on Dozer base edge, connecting lines (capped only) FOR USE WITH: Pin-On 938K/M REQUIRES: 3rd Valve on machine		\$24,792 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL PIN-ON (CONT.)

BUCKETS: WASTE

W	449-4365	BUCKET-WH, 4.25YD3, PO, CLAMP 4,847 Waste bucket with a 7 ribbed hydraulic top clamp Width: 2743mm (108"), Capacity: 3.40m3 (4.50 yd3) pre drilled base edge 110-4712 for BOCE, no corner guard FOR USE WITH: 924K, 926M, 930M Pin-on REQUIRES: 3rd function on the machine. REQUIRES: Bolt-on cutting steel edge 345-2758 or rubber edge 444-1523		\$31,868 NI
W	434-3349	BUCKET-LOAD&CAR, 6.50YD3, PO 4,241 Waste / Load and Carry bucket Width: 2886mm (114"), Capacity: 4.90m3 (6.50 yd3) pre drilled base edge 141-4847 for BOCE, no corner guard FOR USE WITH: 938K Pin-On REQUIRES: Bolt-on cutting steel edge 139-9230 or rubber edge 437-0289		\$19,444 NI
W	449-4371	BUCKET-WH, 4.5YD3, PO, CLAMP 5,887 Waste bucket with a 7 ribbed hydraulic top clamp Width: 2886mm (114"), Capacity: 3.80m3 (5.00 yd3) pre drilled base edge 141-4847 for BOCE, no corner guard FOR USE WITH: 938K Pin-On REQUIRES: 3rd function on the machine. REQUIRES: Bolt-on cutting steel edge 139-9230 or rubber edge 437-0289		\$35,160 NI
W	439-1335	BUCKET-DOZE, 5.25 YD3, PO 3,283 Dozing style bucket for waste. Enlarged bucket opening + spill guard Width: 2743mm (108"), Height: 1925mm (75.8"), Depth: 1435mm (55.5") Capacity: 4.2m3 (5.5 yd3) incl BOCE, Dozing Capacity: 10m3 (13 yd3) FOR USE WITH: Pin-On 924K, 926M, 930K/M REQUIRES: Bolt-on cutting steel edge 345-2758 or rubber edge 444-1523		\$18,958 NI
W	434-8968	BUCKET-LOAD&CAR, 5.88 YD3, PO 3,369 Load and carry bucket for waste Width: 2743mm (108"), Height: 1605mm (63.2"), Depth: 1790mm (70.5") Capacity: 4.6m3 (6.0 yd3) incl BOCE FOR USE WITH: Pin-On 924K, 926M, 930K/M -2758 REQUIRES: Bolt-on cutting steel edge 345-2758 or rubber edge 444-1523		\$18,847 NI
W	438-9377	BUCKET-DOZE, 5.60 YD3, PO 4,088 Dozing style bucket for waste. Enlarged bucket opening + spill guard Width: 2927mm (115"), Height: 1964mm (77.3"), Depth: 1435mm (55.5") Capacity: 4.6m3 (6.0 yd3) incl BOCE, Dozing Capacity: 11.1m3 (14.5yd3) FOR USE WITH: Pin-On 938K/M REQUIRES: Bolt-on cutting steel edge 139-9230 or rubber edge 437-0289		\$19,236 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL PIN-ON (CONT.)

FORKS: LUMBER and LOG Non-Swinging / Non-Floating for Pin-on

W	520-3467	CARRIAGE, LOG, NS-NF, 102", PO 1,585 Width Overall / Frame: 2660mm (105") / 2591mm (102") Frame height: 1442mm (57"), excluding forks FOR USE WITH: Pin-On 924K, 926M, 930K/M REQUIRES: Forks: 2 x 520-3468 or 2 x 520-3469		\$9,722 NI
W	539-2249	CARRIAGE, LOG, NS-NF, 108", PO 1,693 Width Overall / Frame: 2743mm (108") / 2812mm (111") Frame height: 1442mm (57"), excluding forks FOR USE WITH: Pin-On 938K/M REQUIRES: Forks: 2 x 520-3468 or 2 x 520-3469		\$10,278 NI
W	520-3468	FORK, LOG, NS-NF, 72"X7"X2.5" 522 Non-Swinging / Non Floating Forks, order 2 for a set 1829mm x 180mm x 65mm (72" x 7" x 2.5")		\$1,389 NI
W	520-3469	FORK, LOG, NS-NF, 96"X7"X2.9" 719 Non-Swinging / Non Floating Forks, order 2 for a set 2438mm x 180mm x 75mm (96" x 7" x 2.9")		\$2,222 NI

FORKS: MILLYARD for Pin-on

W	521-9402	FORK,MILLYARD 86", 54" TINE,PO3,814 Overall width: 2200mm (87"), incl. lines and "Turn to Connect" QDs Overall height closed-open: 1815mm (71.5") - 2347 (92.5") Overall length: 1921mm (76"), tine length 1372mm (54") Max Opening between clamp and tines: 2135mm (84") Rated capacity 50% SAE J1197: 3596 kg (7928 lbs) Grapple area: 1.42 m2 (1.70 yd2) FOR USE WITH: Pin-On 938K/M REQUIRES: 3rd Valve on machine		\$31,597 NI
---	----------	---	--	--------------------

FORKS: SEMI MILLYARD for Pin-on

W	521-9399	FORK,S-MILL 70", 48" TINE, PO3,479 Overall width: 1800mm (70"), incl. plugged off hydr. lines Overall height closed-open: 1633mm (64") - 2771mm (105") Overall length: 1855mm (73"), tine length 1220mm (48") Max opening between clamp and tines: 2499mm (98") Grapple area: 1.49 m2 (1.78 yd2) FOR USE WITH: Pin-On 924K, 926M, 930K/M REQUIRES: 3rd Valve on machine		\$20,000 NI
---	----------	---	--	--------------------

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL PIN-ON (CONT.)

SNOW STRAIGHT PUSHES

To use the straight pushes, you need to have a pin-on bucket with no GETs. The straight push will hook onto the base edge of the bucket and will be kept in place with chains. Availability can be restricted due to North American snow season. Please contact your BCP Attachments contact.

NOTE: Front Camera Kit 582-1425 is required for local EU requirements for Snow Straight Pushes bucket receiver on high lifts only. Consult Cat Dealer for additional information. Refer to Product Bulletin, TEJB9977, at <https://catpublications.com>

W	477-9892	SNOW PUSH, 12', BKT REC	2,780	\$9,646 NI
		3828 mm (150") overall width, 3676 mm (144") working width Incl. 2 section trip edge, each with 4 adjust settings, a bolt on steel cutting edge 137mm(5.4") height + an adjust heavy duty skid shoe FOR USE WITH: any bucket with base edge with NO GETs		
W	477-9894	SNOW PUSH, 14', BKT REC	3,025	\$10,313 NI
		4438 mm (174") overall width, 4236 mm (166") working width Incl. 2 section trip edge, each with 4 adjust settings, a bolt on steel cutting edge 137mm(5.4") height + an adjust heavy duty skid shoe FOR USE WITH: any bucket with base edge with NO GETs		
W	477-9898	SNOW PUSH, 16', BKT REC	3,270	\$10,972 NI
		5048 mm (199") overall width, 4896 mm (193") working width Incl. 2 section trip edge, each with 4 adjust settings, a bolt on steel cutting edge 137mm(5.4") height + an adjust heavy duty skid shoe FOR USE WITH: any bucket with base edge with NO GETs		
W	508-8325	SNOW PUSH, 12', REC, R.TRIP	2,690	\$9,222 NI
		3828 mm (150") overall width, 3676 mm (144") working width. Including: 2 section trip edge each with: 4 adjust springs, a bolt-on rubber edge 38mmx203mm (1.5"x 8") approx 50mm (2") adjust + a HD adjust skid shoe FOR USE WITH: any bucket with base edge with NO GETs		
W	508-8330	SNOW PUSH, 14', REC, R.TRIP	2,930	\$9,813 NI
		4438 mm (174") overall width, 4236 mm (166") working width. Including: 2 section trip edge each with: 4 adjust springs, a bolt-on rubber edge 38mmx203mm (1.5"x 8") approx 50mm (2") adjust + a HD adjust skid shoe FOR USE WITH: any bucket with base edge with NO GETs		
W	508-8335	SNOW PUSH, 16', REC, R.TRIP	3,142	\$10,403 NI
		5048 mm (199") overall width, 4896 mm (193") working width. Including: 2 section trip edge each with: 4 adjust springs, a bolt-on rubber edge 38mmx203mm (1.5"x 8") approx 50mm (2") adjust + a HD adjust skid shoe FOR USE WITH: any bucket with base edge with NO GETs		

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL FUSION

This section contains Fusion work tools for following current SWL:
 924K, 926M, 930K, 930M, 938K and 938M

Following work tools are available:

FUSION COUPLER

BUCKETS PERFORMANCE SERIES:

- General Purpose
- Flat Floor General Purpose
- Light Material
- Sand & Gravel
- High Dump
- Multi Purpose

BROOMS: Please see section "BROOMS"

CARRIAGE and Forks (tines)

CONSTRUCTION FORKS

GRAPPLE FORKS FUSION

MATERIAL HANDLING ARM

SNOW PLOWS

SNOW STRAIGHT PUSHES

FUSION QUICK COUPLER

The machine needs to be quick coupler ready.

W	374-5790	KIT, QUICK COUPLER, FUSION 0 Kit provides an electro-hydraulic coupler actuation system activated from the cab. Includes constant pressure coupler wedges. Requires Coupler Ready Machine. Recommend to also install Counterweight, Heavy FOR USE WITH: 924K, 926M, 930K, 930M		\$5,078 NI
W	374-5791	KIT, QUICK COUPLER, FUSION 0 Kit provides an electro-hydraulic coupler actuation system activated from the cab. Includes constant pressure coupler wedges. Requires Coupler Ready Machine. Recommend to also install Counterweight, Heavy FOR USE WITH: 938K, 938M		\$5,078 NI
W	447-4892	KIT, COUPLER READY 0 Kit provides coupler valve and hydraulic lines to convert a 2V pin on STD lift machine into a 2V coupler ready machine FOR USE WITH: 924K		\$915 NI
W	447-4893	KIT, COUPLER READY 0 Kit provides coupler valve and hydraulic lines to convert a 2V pin on STD lift machine into a 2V coupler ready machine FOR USE WITH: 926M, 930K, 930M		\$915 NI
W	447-4895	KIT, COUPLER READY 0 Kit provides coupler valve and hydraulic lines to convert a 2V pin on STD lift machine into a 2V coupler ready machine FOR USE WITH: 938K, 938M		\$915 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL FUSION (CONT.)

BUCKETS: GENERAL PURPOSE PERFORMANCE - FUSION

Performance series buckets. Stated capacity is including BOCE.
 The fill factor for performance buckets can be up to 115% on top of rated capacity.

Bucket selection table:

The stated max material density is just directive. For an accurate max material density, please check the specalog and machine configuration. Fill factor 100% and incl. heavy counter weight.

Capacity	926M	930M	938M
	Standard Lift	Standard Lift	Standard Lift
m3 (yd3)	kg/m3 (lbs/yd3)	kg/m3 (lbs/yd3)	kg/m3 (lbs/yd3)
1.9 (2.5)	1975 (3325)	2250 (3800)	
2.1 (2.7)	1775 (3000)	2025 (3425)	
2.3 (3.0)	1600 (2700)	1825 (3075)	
2.5 (3.3)	1425 (2400)	1650 (2775)	2000 (3375)
2.7 (3.5)	1300 (2200)	1525 (2575)	1850 (3125)
2.9 (3.8)	1200 (2025)	1400 (2350)	1700 (2875)

If no reference numbers appear below there are currently no items available in your region.

W	345-2418	BUCKET-GP, 2.5 YD3, FUS 1,705 General Purpose Bucket, Width 2550 mm (100"). Base edge Capacity: 1.9 m3 (2.5 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler	\$6,783 NI
W	417-4919	BUCKET-GP, 2.5 YD3, FUS, BOCE 2,008 General Purpose Bucket, Width 2550 mm (100"). Includes BOCE, Capacity: 1.9 m3 (2.5 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler	\$7,572 NI
W	360-3320	BUCKET-GP, 2.7 YD3, FUS 1,819 General Purpose Bucket, Width 2550 mm (100"). Base edge Capacity: 2.1 m3 (2.7 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler	\$7,421 NI
W	360-3321	BUCKET-GP, 2.7 YD3, FUS, BOCE 2,101 General Purpose Bucket, Width 2550 mm (100"). Includes BOCE, Capacity: 2.1 m3 (2.7 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler	\$8,210 NI
W	360-3322	BUCKET-GP, 3.0 YD3, FUS 1,901 General Purpose Bucket, Width 2550 mm (100"). Base edge Capacity: 2.3 m3 (3 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler	\$8,376 NI
W	360-3323	BUCKET-GP, 3.0 YD3, FUS, BOCE 2,141 General Purpose Bucket, Width 2550 mm (100"). Includes BOCE, Capacity: 2.3 m3 (3 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler	\$9,165 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL FUSION (CONT.)

BUCKETS: GENERAL PURPOSE PERFORMANCE - FUSION (Cont.)

W	345-2424	BUCKET-GP, 3.2 YD3, FUS 2,119 General Purpose Bucket, Width 2550 mm (100"). Base edge Capacity: 2.5 m3 (3.2 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler		\$9,326 NI
W	417-4925	BUCKET-GP, 3.2 YD3, FUS, BOCE 2,403 General Purpose Bucket, Width 2550 mm (100"). Includes BOCE, Capacity: 2.5 m3 (3.2 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler		\$10,115 NI
W	345-2784	BUCKET-GP, 3.2 YD3, FUS 2,121 General Purpose Bucket, Width 2750 mm (108"). Base edge Capacity: 2.5 m3 (3.2 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler		\$9,438 NI
W	417-4355	BUCKET-GP, 3.2 YD3, FUS, BOCE 2,430 General Purpose Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 2.5 m3 (3.2 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler		\$10,354 NI
W	360-3336	BUCKET-GP, 3.5 YD3, FUS 2,119 General Purpose Bucket, Width 2550 mm (100"). Base edge Capacity: 2.7 m3 (3.5 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler		\$9,836 NI
W	345-2426	BUCKET-GP, 3.5 YD3, FUS 2,215 General Purpose Bucket, Width 2750 mm (108"). Base edge Capacity: 2.7 m3 (3.5 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler		\$9,947 NI
W	345-2427	BUCKET-GP, 3.5 YD3, FUS, BOCE 2,519 General Purpose Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 2.7 m3 (3.5 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler		\$10,864 NI
W	345-2428	BUCKET-GP, 3.8 YD3, FUS 2,292 General Purpose Bucket, Width 2750 mm (108"). Base edge Capacity: 2.9 m3 (3.8 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler		\$10,456 NI
W	417-4929	BUCKET-GP, 3.8 YD3, FUS, BOCE 2,601 General Purpose Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 2.9 m3 (3.8 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler		\$11,372 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL FUSION (CONT.)

BUCKETS: FLAT FLOOR GENERAL PURPOSE PERFORMANCE FUSION

Flat Floor Performance series buckets, based on the General Purpose design. Stated capacity is including BOCE. The fill factor for performance buckets can be up to 115% on top of the rated capacity. Includes back grading edge. Ideal material handling and grading.

Bucket selection table:

The stated max material density is just directive. For an accurate max material density, please check the specalog and machine configuration. Fill factor 100% and incl. heavy counter weight.

Capacity	926M	930M	938M
	Standard Lift	Standard Lift	Standard Lift
m3 (yd3)	kg/m3 (lbs/yd3)	kg/m3 (lbs/yd3)	kg/m3 (lbs/yd3)
2.5 (3.2)	1425 (2400)	1650 (2775)	
2.7 (3.5)	1300 (2200)	1475 (2475)	1825 (3075)
3.1 (4.2)	1100 (1850)	1250 (2100)	1550 (2625)

If no reference numbers appear below there are currently no items available in your region.

W	491-0515	BUCKET-FF, 3.0 YD3, FUS, BOCE 2,370 Flat Floor GP bucket, includes back grading edge Width 2550 mm (100"). Includes BOCE. Capacity: 2.3 m3 (3.0 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler	\$10,608 NI
W	491-0525	BUCKET-FF, 3.2 YD3, FUS, BOCE 2,621 Flat Floor GP bucket, includes back grading edge Width 2750 mm (108"). Includes BOCE. Capacity: 2.5 m3 (3.2 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler	\$11,743 NI
W	491-0535	BUCKET-FF, 3.8 YD3, FUS, BOCE 2,811 Flat Floor GP bucket, includes back grading edge Width 2750 mm (108"). Includes BOCE. Capacity: 2.9 m3 (3.8 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler	\$12,761 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL FUSION (CONT.)

BUCKETS, LIGHT MATERIAL FUSION

Performance series buckets. Stated capacity is including BOCE.
The fill factor for performance buckets can be up to 115% on top of rated capacity.

Bucket selection table:

The stated max material density is just directive. For an accurate max material density, please check the specalog and machine configuration. Fill factor 100% and incl. heavy counter weight.

Capacity	926M	930M	938M
	Standard Lift	Standard Lift	Standard Lift
m3 (yd3)	kg/m3 (lbs/yd3)	kg/m3 (lbs/yd3)	kg/m3 (lbs/yd3)
3.0 (4.0)	1175 (1975)	1350 (2275)	1650 (2775)
3.5 (4.5)	1000 (1675)	1125 (1900)	1375 (2325)
3.8 (5.0)	900 (1525)	1025 (1725)	1250 (2100)
4.2 (5.5)	800 (1350)	925 (1550)	1125 (1900)
5.0 (6.5)	650 (1100)	750 (1275)	950 (1600)

NOTE: Front Camera Kit 582-1425 is required for local EU requirements for 5.0m3 LM Buckets. Consult Cat Dealer for additional information. Refer to Product Bulletin, TEJB9977, at <https://catpublications.com>

If no reference numbers appear below there are currently no items available in your region.

W	452-7417	BUCKET-LM, 4.0 YD3, FUS, BOCE 2,689 Light Material Bucket, Width 2750 mm (108"). Includes 1pc BOCE Capacity: 3 m3 (4 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler	\$10,046 NI
W	417-4935	BUCKET-LM, 4.5 YD3, FUS, BOCE 2,873 Light Material Bucket, Width 2750 mm (108"). Includes 1pc BOCE Capacity: 3.5 m3 (4.5 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler	\$10,896 NI
W	450-0252	BUCKET-LM, 5.0 YD3, FUS, BOCE 3,015 Light Material Bucket, Width 2750 mm (108"). Includes 1pc BOCE Capacity: 3.8 m3 (5 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler	\$11,744 NI
W	417-4342	BUCKET-LM, 5.5 YD3, FUS, BOCE 3,172 Light Material Bucket, Width 2750 mm (108"). Includes 1pc BOCE Capacity: 4.2 m3 (5.5 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler	\$12,594 NI
W	417-4950	BUCKET-LM, 6.5 YD3, FUS, BOCE 3,311 Light Material Bucket, Width 2750 mm (108"). Includes 1pc BOCE Capacity: 5 m3 (6.5 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler	\$14,293 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-------------------------------	--------------------	-------------------------

CURRENT SWL FUSION (CONT.)

BUCKETS: MATERIAL HANDLING - FUSION

W	446-0738	BUCKET-MH, 2.0 YD3, FUS, BOCE 0 Material Handling Bucket, Width 1861 mm (73.3"), includes 3 piece BOCE Capacity: 1.5 m3 (2.0 yd3) exactly FOR USE WITH: FUSION Quick Coupler on 924K, 926M	\$8,306 NI
---	----------	--	-------------------

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL FUSION (CONT.)

BUCKETS, SAND AND GRAVEL FUSION

Performance series buckets. Stated capacity is including BOCE.
 The fill factor for performance buckets can be up to 115% on top of rated capacity. For handling sand and gravel.

Bucket selection table:

The stated max material density is just directive. For an accurate max material density, please check the specalog and machine configuration. Fill factor 100% and incl. heavy counter weight.

Capacity m3 (yd3)	926M Standard Lift kg/m3 (lbs/yd3)	930M Standard Lift kg/m3 (lbs/yd3)	938M Standard Lift kg/m3 (lbs/yd3)
2.5 (3.3)	1425 (2400)	1625 (2750)	1825 (3075)
2.7 (3.5)	1300 (2200)	1475 (2475)	1675 (2825)
2.9 (3.8)	1200 (2025)	1375 (2325)	1500 (2525)
3.2 (4.2)	1075 (1800)	1225 (2075)	

If no reference numbers appear below there are currently no items available in your region.

W	451-1403	BUCKET-S&G, 3.2 YD3, FUS 2,228 Sand&Gravel Bucket, Width 2750 mm (108"). Base edge Capacity: 2.5 m3 (3.2 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler	\$10,549 NI
W	451-1409	BUCKET-S&G, 3.2 YD3 FUS, BOCE 2,532 Sand&Gravel Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 2.5 m3 (3.2 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler	\$11,465 NI
W	451-1404	BUCKET-S&G, 3.5, YD3, FUS 2,335 Sand&Gravel Bucket, Width 2750 mm (108"). Base edge Capacity: 2.7 m3 (3.5 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler	\$11,058 NI
W	451-1410	BUCKET-S&G, 3.5 YD3, FUS, BOCE 2,638 Sand&Gravel Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 2.7 m3 (3.5 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler	\$11,975 NI
W	469-0191	BUCKET-S&G, 3.8 YD3, FUS 0 Sand & Gravel Bucket, Width 2750 mm (108"). Base edge Capacity: 2.9 m3 (3.8 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler	\$11,567 NI
W	469-0192	BUCKET-S&G, 3.8 YD3, FUS, BOCE 2,723 Sand & Gravel Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 2.9 m3 (3.8 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler	\$12,483 NI
W	451-1405	BUCKET-S&G, 4.2 YD3, FUS 2,485 Sand&Gravel Bucket, Width 2750 mm (108"). Base edge Capacity: 3.2 m3 (4.2 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler	\$12,247 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL FUSION (CONT.)

BUCKETS, SAND AND GRAVEL FUSION (Cont.)

W	451-1411	BUCKET-S&G, 4.2 YD3, FUS, BOCE	2,788	\$13,164 NI
		Sand&Gravel Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 3.2 m3 (4.2 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler		

BUCKETS, HIGH CAPACITY / WOOD CHIP

High Capacity Buckets, also known as Wood Chip buckets, to be used in those applications where low-density material is handled, allowing to be more productive per cycle. Includes features like sliding window covers, level indicator and 20% more material density capability than competitors equivalent.

Bucket selection table:

The stated max material density is just directive. For an accurate max material density, please check the specalog and machine configuration. Fill factor 100% and incl. heavy counter weight.

Capacity	926M	930M	938M
	Standard Lift	Standard Lift	Standard Lift
m3 (yd3)	kg/m3 (lbs/yd3)	kg/m3 (lbs/yd3)	kg/m3 (lbs/yd3)
6.0 (7.8)	350 (590)	425 (715)	525 (885)
6.8 (8.9)	325 (550)	400 (675)	500 (840)

NOTE: Front Camera Kit 582-1425 is required for local EU requirements for 5.0m3 LM Buckets. Consult Cat Dealer for additional information. Refer to Product Bulletin, TEJB9977, at <https://catpublications.com>

W	568-9161	BUCKET-WC, 7.8 YD3, FUS, BOCE	4,079	\$16,535 NI
		High Capacity / Wood Chip bucket, including 5 piece BOCE Capacity: 6.0m3 (7.8 yd3), Width 3062mm (121"), Height 1614mm (64") FOR USE WITH: FUSION Quick Coupler		
W	568-9168	BUCKET-WC, 8.9 YD3, FUS, BOCE	4,361	\$18,403 NI
		High Capacity / Wood Chip bucket, including 5 piece BOCE Capacity: 6.8m3 (8.9 yd3), Width 3382mm (133"), Height 1640mm (65") FOR USE WITH: FUSION Quick Coupler		

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL FUSION (CONT.)

BUCKETS, HIGH DUMP FUSION

Performance series buckets. Stated capacity is including BOCE.
 The fill factor for performance buckets can be up to 115% on top of rated capacity. Requires 3rd valve on the machine.

Bucket selection table:

The stated max material density is just directive. For an accurate max material density, please check the specalog and machine configuration. Fill factor 100% and incl. heavy counter weight.

Capacity	926M	930M	938M
	Standard Lift	Standard Lift	Standard Lift
m3 (yd3)	kg/m3 (lbs/yd3)	kg/m3 (lbs/yd3)	kg/m3 (lbs/yd3)
3.0 (3.9)	1050 (1775)	1200 (2025)	
3.5 (4.6)	875 (1475)	1000 (1675)	1275 (2150)
4.1 (5.4)	700 (1175)	775 (1300)	1000 (1675)
5.0 (6.5)	550 (925)	625 (1050)	800 (1350)

NOTE: Front Camera Kit 582-1425 is required for local EU requirements for all high dump buckets. Consult Cat Dealer for additional information. Refer to Product Bulletin, TEJB9977, at <https://catpublications.com>

If no reference numbers appear below there are currently no items available in your region.

W	473-6945	BUCKET-HD, 3.9 YD3, FUS, BOCE 3,762 High Dump Bucket, Width 2550 mm (100"). Includes BOCE, Capacity: 3 m3 (3.9 yd3) fill factor 100%, hydr.lines incl Turn QDs. FOR USE WITH: FUSION Quick Coupler	\$21,271 NI
W	473-6942	BUCKET-HD, 4.6 YD3, FUS, BOCE 3,960 High Dump Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 3.5 m3 (4.6 yd3) fill factor 100%, hydr.lines incl Turn QDs. FOR USE WITH: FUSION Quick Coupler	\$21,972 NI
W	476-9305	BUCKET-HD, 5.4 YD3, FUS, BOCE 4,686 High Dump Bucket, Width 3060 mm (120"). Includes BOCE, Capacity: 4.1 m3 (5.4 yd3) fill factor 100%, hydr.lines incl Turn QDs. FOR USE WITH: FUSION Quick Coupler	\$22,771 NI
W	476-9308	BUCKET-HD, 6.5 YD3, FUS, BOCE 4,906 High Dump Bucket, Width 3060 mm (120"). Includes BOCE, Capacity: 5 m3 (6.5 yd3) fill factor 100%, hydr.lines incl Turn QDs. FOR USE WITH: FUSION Quick Coupler	\$23,910 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL FUSION (CONT.)

BUCKETS, SIDE DUMP FUSION

Side Dump bucket, left or right side dumping. Stated capacity is incl. BOCE. The fill factor 100%. Requires 3rd valve on the machine.

W	571-8457	BUCKET-SD L, 2.5YD3, FUS, BOCE 3, 644 Side Dump Bucket, LEFT side dumping. Width 3105 mm (122"). Capacity: 1.91 m3 (2.50 yd3) fill factor 100%, Height: 1097mm (43.2") INCLUDES: hydr.lines with Turn QDs and a 4 piece BOCE FOR USE WITH: FUSION Quick Coupler REQUIRES: 3rd Valve on the machine		\$24,444 NI
W	461-2391	BUCKET-SD R, 2.5YD3, FUS, BOCE 3, 645 Side Dump Bucket, RIGHT side dumping. Width 3105 mm (122"). Capacity: 1.91 m3 (2.50 yd3) fill factor 100%, Height: 1097mm (43.2") INCLUDES: hydr.lines with Turn QDs and a 4 piece BOCE FOR USE WITH: FUSION Quick Coupler REQUIRES: 3rd Valve on the machine		\$27,368 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL FUSION (CONT.)

BUCKETS, MULTI PURPOSE FUSION

Stated capacity is including BOCE.
 Requires 3rd valve on the machine.

W	362-0901	BUCKET-MP, 2.7 YD3, FUS, BOT 0 Multi Purpose Bucket, Width 2605mm (103"). Capacity: 2.1 m3 (2.7 yd3) fill factor 100% INLCUDES: 8x Bolt-on-Adapters incl 8 Long J250 tips and 4 piece BOCE on Dozer base edge, connecting lines with "Turn to connect" QDs FOR USE WITH: FUSION Quick Coupler and 924K, 926M, 930K/M REQUIRES: 3rd valve on the machine.		\$22,917 NI
W	362-0902	BUCKET-MP, 2.7 YD3, FUS 3,122 Multi Purpose Bucket, Width 2605mm(103"). Capacity: 2.1 m3 (2.7 yd3) fill factor 100% INLCUDES: 4 piece BOCE on clamp base edge and 4 piece BOCE on Dozer base edge, connecting lines with "Turn to connect" QDs FOR USE WITH: FUSION Quick Coupler and 924K, 926M, 930K/M REQUIRES: 3rd valve on the machine.		\$22,917 NI
W	527-9408	BUCKET-MP, 3.5 YD3, FUS 0 Multi Purpose Bucket, Width 2750mm(108") Capacity: 2.7 m3 (3.5 yd3) fill factor 100% INLCUDES: 3 piece BOCE on clamp base edge and 4 piece BOCE on Dozer base edge, connecting lines with "Turn to connect" QDs FOR USE WITH: FUSION Quick Coupler and 938K/M REQUIRES: 3rd valve on the machine.		\$24,792 NI

CARRIAGES - FUSION

Tines(forks) are not included in the carriage.

W	532-8222	CARRIAGE, PAL C3/4, 62", FUS 324 Improved visiblilty carriage with better view on the forks/tines Class 4 carriage, Overall width / height: 1566mm (62") / 925mm (36.4") Tines/forks: adjustable 8 steps of 75mm (3") left & right from centre FOR USE WITH: FUSION coupler REQUIRES: 2 x Class 4 Offset forks/tines, NOT INCLUDED. RECOMMEND: 2x Class 4 Offset Fork tines. The standard straight fork tines will block view to fork tine tip		\$2,610 NI
---	----------	--	--	------------

FORKS (TINES) - FUSION

W	371-2348	FORK TINE, 2.25" X 6" X 48" 297 FOR USE WITH: Class 4 carriage NOTE: If using with improved visibility carriages, there will be limited visibility to fork tine tip		\$918 NI
W	371-2354	FORK TINE, 2.25" X 6" X 54" 321 FOR USE WITH: Class 4 carriage NOTE: If using with improved visibility carriages, there will be limited visibility to fork tine tip		\$986 NI
W	371-2360	FORK TINE, 2.25" X 6" X 60" 345 FOR USE WITH: Class 4 carriage NOTE: If using with improved visibility carriages, there will be limited visibility to fork tine tip		\$1,019 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL FUSION (CONT.)

OFFSET FORKS

These are loose forks, which requires a carriage Class 4.
 It is recommended to uses these forks/tines for 532-8222 or 555-3376
 To have a complete set, order 1 Right and 1 Left.

W	371-2374	FORK TINE,2.25"X6"X48", RIGHT	301	\$1,072 NI
		FOR USE WITH: Class 4 carriage REQUIRES: 371-2375 FORK TINE,60x200x1220mm, LEFT		
W	371-2375	FORK TINE,2.25"X6"X48", LEFT	301	\$1,072 NI
		FOR USE WITH: Class 4 carriage REQUIRES: 371-2374 FORK TINE, 60x200x1220mm, RIGHT		
W	360-3354	FORK TINE,2.25"X6"X54", LEFT	323	\$1,122 NI
		FOR USE WITH: Class 4 carriage REQUIRES: 360-3355 FORK TINE,60x200x1370, LEFT		
W	360-3355	FORK TINE,2.25"X6"X54", RIGHT	323	\$1,122 NI
		FOR USE WITH: Class 4 carriage REQUIRES: 360-3354 FORK TINE,60x200x1370, RIGHT		
W	371-2377	FORK TINE,2.25"X6"X60", RIGHT	348	\$1,172 NI
		FOR USE WITH: Class 4 carriage REQUIRES: 371-2376 FORK TINE,60x200x1524mm, LEFT		
W	371-2376	FORK TINE,2.25"X6"X60", LEFT	348	\$1,172 NI
		FOR USE WITH: Class 4 carriage REQUIRES: 371-2377 FORK TINE,60x200x1524mm, RIGHT		

CONSTRUCTION FORKS - FUSION

The construction forks include 2 tines(forks)

W	538-3866	CARRIAGE, CON, FORK, 60", FUS	961	\$9,594 NI
		Overall width / height: 2498mm (98") / 1320mm (52") INCLUDES: 2 forks/tines 1524mm (60") x 150mm (6") x 70mm (2.8") FOR USE WITH: FUSION coupler		
W	538-3867	CARRIAGE, CON, FORK, 72", FUS	1,004	\$10,640 NI
		Overall width / height: 2498mm (98") / 1320mm (52") INCLUDES: 2 forks/tines 1829mm (72") x 150mm (6") x 70mm (2.8") FOR USE WITH: FUSION coupler		

CONSTRUCTION FORKS HEAVY DUTY - FUSION

This heavy duty construction fork comes excluding tines and these need to be ordered separately.

W	592-1005	CARRIAGE, HD CON, 84", FUS	1,148	\$4,861 NI
		Heavy duty construction forks with the option swinging forks. Width: 2134mm (84"), Overall height: 1095mm (43"), excl tines Non Floating, tines left/right adjustable 855mm (33.7") in increments of 55mm (2.2") each side. FOR USE WITH: Fusion quick coupler fabricated only CAN NOT BE USED WITH: M series machines with prefix W5L, F5K, P5K, LTE06550+up, KTG05000+up, HEY00550+up, J3R07425+up REQUIRES: 1 set of tines (not included)		

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL FUSION (CONT.)

CONSTRUCTION FORKS HEAVY DUTY - FUSION (Cont.)

W	315-1414	KIT, TINES, 48", LH + RH 563 Offset Non Tines kit, incl. 1 Left hand + 1 Right hand tine L x W x T: 1200mm (48") x 150mm (6") x 65mm (2.5") FOR USE WITH: 592-1005 CARRIAGE, HD CON, 84", FUS		\$3,306 NI
W	314-7445	KIT, TINES, 60", LH + RH 665 Offset Non Tines kit, incl. 1 Left hand + 1 Right hand tine L x W x T: 1524mm (60") x 150mm (6") x 65mm (2.5") FOR USE WITH: 592-1005 CARRIAGE, HD CON, 84", FUS		\$3,861 NI
W	315-1415	KIT, TINES, 72", LH + RH 648 Offset Non Tines kit, incl. 1 Left hand + 1 Right hand tine L x W x T: 1829mm (72") x 150mm (6") x 65mm (2.5") FOR USE WITH: 592-1005 CARRIAGE, HD CON, 84", FUS		\$4,417 NI

GRAPPLE FORKS - FUSION

Sorting Grapple (Lumber and Log Fork) for handling logs.

W	458-3462	FORK, GRAPPLE, 50", FUSION 3,852 Carriage width: 1812 mm (71"), Fork Tine reach: 1269mm (50") Max opening tip to tip: 2608 mm (103"), Grapple area: 1.9 m2 (21ft2) Adjustable clamping force. Replaceable tine tips and tine wear plates. Hardened chrome plated pins. Incl "Turn to Connect" QDs. FOR USE WITH: FUSION Quick Coupler and 930K/M, 938K/M REQUIRES: 3rd valve on the machine		\$30,694 NI
---	----------	--	--	-------------

LUMBER AND LOG FORKS (Non-Swinging /Non-Floating) - FUSION

W	520-3466	CARRIAGE, LOG, NS-NF, 102",FUS 1,554 Width Overall / Frame: 2660mm (105") / 2591mm (102") Frame height: 1442mm (57"), excluding forks FOR USE WITH: FUSION Quick Coupler REQUIRES: Forks: 2 x 520-3468 or 2 x 520-3469		\$9,722 NI
W	520-3468	FORK, LOG, NS-NF, 72"X7"X2.5" 522 Non-Swinging / Non Floating Forks, order 2 for a set 1829mm x 180mm x 65mm (72" x 7" x 2.5")		\$1,389 NI
W	520-3469	FORK, LOG, NS-NF, 96"X7"X2.9" 719 Non-Swinging / Non Floating Forks, order 2 for a set 2438mm x 180mm x 75mm (96" x 7" x 2.9")		\$2,222 NI

LUMBER AND LOG FORKS (Non-Swinging - Floating) - FUSION

W	540-6596	CARRIAGE, LOG,NS-F, 72", FUS 1,166 Width Overall / Frame: 1869mm (74") / 1829mm (72") Frame height: 1520mm (60"), excluding forks FOR USE WITH: FUSION Quick Coupler REQUIRES: Forks: 2 x 520-3458 or 2 x 520-3459 or 2 x 520-3460		\$5,833 NI
W	540-6599	CARRIAGE, LOG, NS-F, 84", FUS 1,263 Width Overall / Frame: 2174mm (86") / 2134mm (84") Frame height: 1520mm (60"), excluding forks FOR USE WITH: FUSION Quick Coupler REQUIRES: Forks: 2 x 520-3458 or 2 x 520-3459 or 2 x 520-3460		\$6,389 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL FUSION (CONT.)

LUMBER AND LOG FORKS (Non-Swinging - Floating) - FUSION (Cont.)

W	520-3458	FORK, LOG, NS-F, 48"X5.9"X2.5"	364	\$1,111 NI
		Non-Swinging / Floating Forks, order 2 for a set 1219mm x 150mm x 65mm (48" x 5.9" x 2.5")		
W	520-3459	FORK, LOG, NS-F, 60"X5.9"X2.5"	406	\$1,250 NI
		Non-Swinging / Floating Forks, order 2 for a set 1524mm x 150mm x 65mm (60" x 5.9" x 2.5")		
W	520-3460	FORK, LOG, NS-F, 72"X5.9"X2.5"	449	\$1,389 NI
		Non-Swinging / Floating Forks, order 2 for a set 1829mm x 150mm x 65mm (72" x 5.9" x 2.5")		

LUMBER AND LOG FORKS (Swinging /Floating) - FUSION

W	545-5791	CARRIAGE, LOG, S-F, 68", FUS	1,457	\$7,500 NI
		Width Overall / Frame: 1705mm (68") / 1627mm (64") Frame height: 1880mm (74"), excluding forks FOR USE WITH: FUSION Quick Coupler REQUIRES: Forks: 2 x 520-3463 or 2 x 520-3464 or 2 x 520-3465 REQUIRES: Front Camera Kit 582-1425 is required for local EU requirements when used on 938M with High Lift and 20.5 tires. Consult Cat Dealer for additional information. Refer to Product Bulletin, TEJB9977, at https://catpublications.com OPTIONAL: 522-8450 KIT, LOG, S-F, FLOAT LOCKOUT		
W	520-3463	FORK, LOG, S-F, 48"X5.9"X2.5"	344	\$1,111 NI
		Swinging / Floating Forks, order 2 for a set 1219mm x 150mm x 65mm (48" x 5.9" x 2.5")		
W	520-3464	FORK, LOG, S-F, 60"X5.9"X2.5"	395	\$1,250 NI
		Swinging / Floating Forks, order 2 for a set 1524mm x 150mm x 65mm (60" x 5.9" x 2.5")		
W	520-3465	FORK, LOG, S-F, 72"X5.9"X2.5"	447	\$1,389 NI
		Swinging / Floating Forks, order 2 for a set 1829mm x 150mm x 65mm (72" x 5.9" x 2.5")		
W	522-8450	KIT, LOG, S-F, FLOAT LOCKOUT	34	\$278 NI
		Kit blocks the floating option, to prevent tines floating.		

MILLYARD FORKS - FUSHION

W	521-9401	FORK,MILLYARD 86", 54"TINE,FUS	3,781	\$31,597 NI
		Overall width: 2200mm (87"), incl. lines and "Turn to Connect" QDs Overall height closed-open: 1815mm (71.5") - 2347 (92.5") Overall length: 1921mm (76"), tine length 1372mm (54") Max Opening between clamp and tines: 2135mm (84") Rated capacity 50% SAE J1197: 3550 kg (7826 lbs) Grapple area: 1.42 m2 (1.70 yd2) FOR USE WITH: Fusion Quick Coupler and 938K/M only REQUIRES: 3rd Valve on machine		

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL FUSION (CONT.)

FORKS: SEMI MILLYARD for Fusion

W	521-9397	FORK,S-MILL 70", 54" TINE, FUS 3,569 Overall width: 1800mm (70"), incl. lines and "Turn to Connect" QDs Overall height closed-open: 1620mm (64") - 2664mm (105") Overall length: 1981mm (78"), tine length 1372mm (54") Max opening between clamp and tines: 2315mm (91") Grapple area: 1.7 m2 (2.03 yd2) FOR USE WITH: Fusion Quick Coupler and 926M, 930K/M, 938K/M REQUIRES: 3rd Valve on machine		\$19,722 NI
W	521-9398	FORK,S-MILL 70", 48" TINE, FUS 3,514 Overall width: 1800mm (70"), incl. lines and "Turn to Connect" QDs Overall height closed-open: 1633mm (64") - 2771mm (105") Overall length: 1830mm (72"), tine length 1220mm (48") Max opening between clamp and tines: 2499mm (98") Grapple area: 1.49 m2 (1.78 yd2) FOR USE WITH: Fusion Quick Coupler and 926M, 930K/M, 938K/M REQUIRES: 3rd Valve on machine REQUIRES: for 938M with cast coupler rework according to M0121852		\$19,444 NI
W	521-9400	FORK,S-MILL 84", 60" TINE,FUS 4,632 Overall width: 2204mm (87"), incl. lines and "Turn to Connect" QDs Overall length: 2303mm (91"), tine length 1524mm (54") Overall height closed-open: 1733mm (68") - 3101mm (122") Max opening between clamp and tines: 2846mm (112") Grapple area: 2.02 m2 (2.41 yd2) FOR USE WITH: Fusion Quick Coupler and 926M, 930K/M, 938K/M REQUIRES: 3rd Valve on machine		\$24,444 NI

PILE AND POLE FORKS - FUSION

W	496-1905	FORK, PIPE & POLE, 60", FUS 3,505 Overall Width-Length: 2560mm (101") - 2100mm (82.5") Tine Thicknes - Length: 64mm (2.52") - 1525mm (60") Maximum opening between top clamp and tines: 760mm (30") Max Rated Capacity: 2.58 Ton, Max hydr pressure: 172bar (2500psi) INCLUDES: hydraulic lines with "Turn to connect" QDs FOR USE WITH: FUSION Quick Coupler REQUIRES: 3rd valve on machine with "Turn to connect" QDs		\$28,438 NI
W	510-5060	FORK, PIPE & POLE, 72", FUS 4,301 Overall Width-Length: 2560mm (101") - 2410mm (95") Tine Thicknes - Length: 76mm (2.99") - 1830mm (72") Maximum opening between top clamp and tines: 760mm (30") Max Rated Capacity: 3.7 Ton, Max hydr pressure: 172bar (2500psi) INCLUDES: hydraulic lines with "Turn to connect" QDs FOR USE WITH: FUSION Quick Coupler REQUIRES: 3rd valve on machine with "Turn to connect" QDs		\$29,750 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL FUSION (CONT.)

MATERIAL HANDLING ARM - FUSION

W	510-5071	ARM, MATERIAL HANDLING, FUS 534 Improved visibility on the lifting hook. Height: 990mm (39") Length retracted - full extended: 2477mm (97.5"), 3787mm (149") Extraction steps: 2 steps of 655mm (25.8") each and safe guarded by an internal detachable restriction rod to prevent over extending. FOR USE WITH: FUSION Quick Coupler		\$5,632 NI
---	----------	--	--	-------------------

RAKES - FUSION

W	317-1241	RAKE, 106", FUSION 2,950 Width overall - raking: 2697mm (106") - 2495mm (98") Height: 1653mm (65"), 8 teeth with 299mm (11.75") spacing FOR USE WITH: Fusion quick coupler		\$12,639 NI
W	317-1244	RAKE, 120", DTC, FUSION 4,917 Rake with hydraulic double top clamp, Opening: 2809mm (110.6") Width overall - raking: 3047mm (120") - 2844mm (112") 9 teeth with 299mm (11.75" spacing, Height: 1875mm (74") FOR USE WITH: Fusion quick coupler REQUIRES: 3rd function on the machine.		\$29,050 NI
W	317-1245	RAKE, 92", DTC, FUSION 4,322 Rake with hydraulic double top clamp, Opening: 2809mm (110.6") Width overall - raking: 2348mm (92.4") - 2146mm (85") 7 teeth with 299mm (11.75" spacing, Height: 1875mm (74") FOR USE WITH: Fusion quick coupler REQUIRES: 3rd function on the machine.		\$28,133 NI
W	432-8224	RAKE, 92", FWTC, FUSION 4,612 Rake with hydraulic full width clamp, Opening: 2800mm (110") FOR USE WITH: Fusion quick coupler REQUIRES: 3rd function on the machine.		\$29,981 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL FUSION (CONT.)

SNOW PLOWS - FUSION

Availability can be restricted due to North American snow season.
Please contact your BCP Attachments contact.

NOTE: Front Camera Kit 582-1425 is required for local EU requirements for Snow Plow working width 4.27m (14ft) and 4.88m (16ft) on 926M/930M High Lift on 17.5 tires. Consult Cat Dealer for additional information Refer to Product Bulletin, TEJB9977, at <https://catpublications.com>

W	479-8098	SNOW PLOW, 10', FUS 3,055 Hydraulic Angling - 30 degrees left or right of center Overall width: 3048 mm (120"), Blade height: 1065 mm (42") 2 trip edges 228 mm (6") height each with a 1 piece bolt-on cutting edge and each with 4 adjustable trip springs 2 heavy duty adjustable skid feet Hydraulic lines with "Turn to Connect" quick disconnects FOR USE WITH: FUSION coupler REQUIRES: 3rd Valve on the machine		\$11,208 NI
W	479-8108	SNOW PLOW, 12', FUS 3,355 Hydraulic Angling - 30 degrees left or right of center Overall width: 3647 mm (144"), Blade height: 1065 mm (42") 2 trip edges 228 mm (6") height each with a 1 piece bolt-on cutting edge and each with 4 adjustable trip springs 2 heavy duty adjustable skid feet Hydraulic lines with "Turn to Connect" quick disconnects FOR USE WITH: FUSION coupler REQUIRES: 3rd Valve on the machine		\$12,826 NI
W	479-8118	SNOW PLOW, 14', FUS 3,625 Hydraulic Angling - 30 degrees left or right of center Overall width: 4267 mm (168"), Blade height: 1065 mm (42") 2 trip edges 228 mm (6") height each with a 1 piece bolt-on cutting edge and each with 4 adjustable trip springs 2 heavy duty adjustable skid feet Hydraulic lines with "Turn to Connect" quick disconnects FOR USE WITH: FUSION coupler REQUIRES: 3rd Valve on the machine		\$14,451 NI

SNOW PLOW, HEAVY DUTY

W	315-6675	SNOW PLOW, 12', FUS 2,867 Snow Plow, Hydraulic angling 25 degrees left/right over center Width straight - angled: 3696mm (146") - 2879mm (113") Includes: 6 piece segmented steel trip edge with torque springs FOR USE WITH: Fusion quick coupler		\$25,153 NI
W	315-6676	SNOW PLOW, 14', FUS 3,775 Snow Plow, Hydraulic angling 25 degrees left/right over center Width straight - angled: 4265mm (168") - 3875mm (153") Includes: 2 non trip steel edges, 2 skids and connecting lines. FOR USE WITH: Fusion Coupler		\$27,743 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL FUSION (CONT.)

SNOW PLOW, HEAVY DUTY (Cont.)

W	489-7688	SNOW PLOW, 12', FUS 2,932 Hydraulic angling snow plow, 35 deg. left/right over center Working width straight - angled: 3700mm (145.7") - 3031mm (119.3") Working height: 1199mm (47.2"), Blade radius: 700mm (27.6") INCLUDES: 3 piece bolt-on steel non trip cutting edge, 2 skids, 2 lights on the plows ends, electric harness and connect. lines FOR USE WITH: Fusion quick coupler REQUIRES: 3rd valve on machine and wiring in the lights		\$28,486 NI
---	----------	--	--	-------------

SNOW / MULTI V-PLOW, HEAVY DUTY

W	489-7692	SNOW V-PLOW, 12', FUS 3,781 Hydraulic angling snow V-plow, both sides in- / outwards: 35/30 deg Working width straight not angled: 3630mm (142.9") Working width straight angled: 3089mm (121.6") Working width straight V-angled: 2732mm (107.6") Height V wing end: 1355mm (53.3"), Blade radius: 650mm (25.6") on center cutting edge in the center, 2 height adjust. skids, 2 lights on each wing end, electric harness and connect. lines FOR USE WITH: Fusion quick coupler REQUIRES: 3rd & 4th valve on machine and wiring in the lights		\$39,986 NI
---	----------	--	--	-------------

SNOW STRAIGHT PUSHES - FUSION

Availability can be restricted due to North American snow season.
Please contact your BCP Attachments contact.

W	477-9891	SNOW PUSH, 12', FUSION 2,925 3828 mm (150") overall width, 3676 mm (144") working width 2 section trip edge, each with: 4 adjust springs, a bolt-on steel cutting edge 137mm (5.4") height + a heavy duty adjustable skid shoe FOR USE WITH: FUSION coupler		\$9,646 NI
W	477-9893	SNOW PUSH, 14', FUSION 3,170 4438 mm (174") overall width, 4236 mm (166") working width 44" (1128mm) moldboard height, 2 heavy duty adjustable skid shoes 2 trip edges 137mm (5.4") height each with a 1 piece bolt-on cutting edge and each with 4 adjustable trip springs FOR USE WITH: FUSION coupler		\$10,313 NI
W	477-9897	SNOW PUSH, 16', FUSION 3,415 5048 mm (199") overall width, 4896 mm (193") working width 2 section trip edge, each with: 4 adjust springs, a bolt-on steel cutting edge 137mm (5.4") height + a heavy duty adjustable skid shoe FOR USE WITH: FUSION coupler		\$10,972 NI
W	508-8310	SNOW PUSH, 12', FUS, R.TRIP 2,798 3828 mm (150") overall width, 3676 mm (144") working width: Including: 2 section trip edge, each with:4 adjust springs, a bolt-on rubber edge 38mmx203mm (1.5"x 8") approx 50mm (2") adjust + a HD adjust skid shoe FOR USE WITH: FUSION Quick Coupler		\$9,215 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL FUSION (CONT.)

SNOW STRAIGHT PUSHES - FUSION (Cont.)

W	508-8315	SNOW PUSH, 14', FUS, R.TRIP 3,075 4438 mm (174") overall width, 4236 mm (166") working width. Including: 2 section trip edge, each with:4 adjust springs, a bolt-on rubber edge 38mmx203mm (1.5"x 8") approx 50mm (2") adjust + a HD adjust skid shoe FOR USE WITH: FUSION Quick Coupler		\$9,813 NI
W	508-8320	SNOW PUSH, 16', FUS, R.TRIP 3,285 5048 mm (199") overall width, 4896 mm (193") working width. Including: 2 section trip edge, each with:4 adjust springs, a bolt-on rubber edge 38mmx203mm (1.5"x 8") approx 50mm (2") adjust + a HD adjust skid shoe FOR USE WITH: FUSION Quick Coupler		\$10,403 NI

CURRENT SWL ISO

This section contains ISO work tools for following current SWL:
 924K, 926M, 930K, 930M, 938K and 938M

Following work tools are available:

ISO COUPLER

BUCKETS PERFORMANCE SERIES:

- General Purpose
- Flat Floor General Purpose
- Grading
- Light Material
- High Dump

BROOMS: Please see section "BROOMS"

GRAPPLE, FORKS / LUMBER and LOG FORK

ISO QUICK COUPLER

The machine needs to be quick coupler ready.

P	545-5498	KIT, QUICK COUPLER, ISO 23727 0 Kit provides an electro-hydraulic coupler actuation system activated from the cab. Includes lock valve cylinder. Compatible with many competitive work tools, ISO standard coupler interface is also used by Volvo. Requires Coupler Ready Machine. Recommend to also install Counterweight, Heavy. FOR USE WITH: 924K, 926M, 930K, 930M		\$6,376 NI
P	545-5499	KIT, QUICK COUPLER, ISO 23727 0 Kit provides an electro-hydraulic coupler actuation system activated from the cab. Includes lock valve cylinder. Compatible with many competitive work tools, ISO standard coupler interface is also used by Volvo. Requires Coupler Ready Machine. Recommend to also install Counterweight, Heavy FOR USE WITH: 938K, 938M		\$6,376 NI
W	447-4892	KIT, COUPLER READY 0 Kit provides coupler valve and hydraulic lines to convert a 2V pin on STD lift machine into a 2V coupler ready machine FOR USE WITH: 924K		\$915 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL ISO (CONT.)

ISO QUICK COUPLER (Cont.)

W	447-4893	KIT, COUPLER READY 0 Kit provides coupler valve and hydraulic lines to convert a 2V pin on STD lift machine into a 2V coupler ready machine FOR USE WITH: 926M, 930K, 930M		\$915 NI
W	447-4895	KIT, COUPLER READY 0 Kit provides coupler valve and hydraulic lines to convert a 2V pin on STD lift machine into a 2V coupler ready machine FOR USE WITH: 938K, 938M		\$915 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL ISO (CONT.)

BUCKETS: GENERAL PURPOSE PERFORMANCE ISO

**Performance series buckets. Stated capacity is including BOCE.
 The fill factor for performance buckets can be up to 115% on top of rated capacity.**

Bucket selection table:

The stated max material density is just directive. For an accurate max material density, please check the specalog and machine configuration. Fill factor 100% and incl. heavy counter weight.

Capacity	926M	930M	938M
	Standard Lift	Standard Lift	Standard Lift
m3 (yd3)	kg/m3 (lbs/yd3)	kg/m3 (lbs/yd3)	kg/m3 (lbs/yd3)
2.1 (2.7)	1725 (2900)	1950 (3300)	
2.3 (3.0)	1550 (2625)	1775 (3000)	
2.5 (3.3)	1375 (2325)	1600 (2700)	1950 (3300)
2.7 (3.5)	1250 (2100)	1475 (2475)	1775 (3000)
2.9 (3.8)	1175 (1975)	1350 (2275)	1650 (2775)

If no reference numbers appear below there are currently no items available in your region.

W	360-3256	BUCKET-GP, 2.7 YD3, ISO 1,745	\$7,421 NI
		General Purpose Bucket, Width 2550 mm (100"). Base edge Capacity: 2.1 m3 (2.7 yd3) fill factor 100% FOR USE WITH: ISO Quick Coupler (wide)	
W	360-3257	BUCKET-GP, 3.0 YD3, ISO 1,826	\$8,376 NI
		General Purpose Bucket, Width 2550 mm (100"). Base edge Capacity: 2.3 m3 (3 yd3) fill factor 100% FOR USE WITH: ISO Quick Coupler (wide)	
W	371-2390	BUCKET-GP, 3.2 YD3, ISO 2,017	\$9,438 NI
		General Purpose Bucket, Width 2750 mm (108"). Base edge Capacity: 2.5 m3 (3.2 yd3) fill factor 100%. FOR USE WITH: ISO Quick Coupler (wide)	
W	360-3258	BUCKET-GP, 3.5 YD3, ISO 2,114	\$9,947 NI
		General Purpose Bucket, Width 2750 mm (108"). Base edge Capacity: 2.7 m3 (3.5 yd3) fill factor 100% FOR USE WITH: ISO Quick Coupler (wide)	
W	371-2391	BUCKET-GP, 3.8 YD3, ISO 2,193	\$10,456 NI
		General Purpose Bucket, Width 2750 mm (108"). Base edge Capacity: 2.9 m3 (3.8 yd3) fill factor 100% FOR USE WITH: ISO Quick Coupler (wide)	

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL ISO (CONT.)

BUCKETS: FLAT FLOOR GENERAL PURPOSE PERFORMANCE ISO

Flat Floor Performance series buckets, based on the General Purpose de
 Stated capacity is including BOCE. The fill factor for performance buc
 can be up to 115% on top of the rated capacity.
 Includes back grading edge. Ideal material handling and grading.

Bucket selection table:

The stated max material density is just directive. For an accurate
 max material density, please check the specalog and machine
 configuration. Fill factor 100% and incl. heavy counter weight.

Capacity	926M	930M	938M
	Standard Lift	Standard Lift	Standard Lift
m3 (yd3)	kg/m3 (lbs/yd3)	kg/m3 (lbs/yd3)	kg/m3 (lbs/yd3)
2.5 (3.3)	1400 (2350)	1600 (2700)	
2.7 (3.5)	1250 (2100)	1450 (2450)	1750 (2950)
3.1 (4.1)	1050 (1775)	1225 (2075)	1500 (2525)

If no reference numbers appear below there are currently
 no items available in your region.

W	482-6970	BUCKET-FF, 3.2 YD3, ISO, BOCE 2,286	\$11,504 NI
		Flat Floor GP bucket, includes back grading edge. Width 2550 mm (100"). Includes BOCE. Capacity: 2.5 m3 (3.2 yd3) fill factor 100% FOR USE WITH: ISO Quick Coupler (wide)	
W	491-0510	BUCKET-FF, 3.2 YD3, ISO, WOT 2,233	\$11,340 NI
		Flat Floor GP bucket, includes back grading edge Width 2550 mm (100"). Includes Weld-on adapters and 8 J250 long tips. Capacity: 2.5 m3 (3.2 yd3) fill factor 100% FOR USE WITH: ISO Quick Coupler (wide)	
W	482-6950	BUCKET-FF, 3.5 YD3, ISO, BOCE 2,511	\$12,253 NI
		Flat Floor GP bucket, includes back grading edge Width 2750 mm (108"). Includes BOCE. Capacity: 2.7 m3 (3.5 yd3) fill factor 100% FOR USE WITH: ISO Quick Coupler (wide)	
W	491-0520	BUCKET-FF, 3.5 YD3, ISO, WOT 2,443	\$11,961 NI
		Flat Floor GP bucket, includes back grading edge Width 2750 mm (108"). Includes Weld-on adapters and 8 J250 long tips. Capacity: 2.7 m3 (3.5 yd3) fill factor 100% FOR USE WITH: ISO Quick Coupler (wide)	
W	482-6960	BUCKET-FF, 4.2 YD3, ISO, BOCE 2,703	\$13,442 NI
		Flat Floor GP bucket, includes back grading edge Width 2750 mm (108"). Includes BOCE. Capacity: 3.1 m3 (4.2 yd3) fill factor 100% FOR USE WITH: ISO Quick Coupler (wide)	
W	491-0530	BUCKET-FF, 4.2 YD3, ISO, WOT 2,632	\$13,150 NI
		Flat Floor GP bucket, includes back grading edge Width 2750 mm (108"). Includes Weld-on adapters and 8 J250 long tips. Capacity: 3.1 m3 (4.2 yd3) fill factor 100% FOR USE WITH: ISO Quick Coupler (wide)	

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL ISO (CONT.)

BUCKETS, GRADING ISO

Scandinavian style bucket. Used for snow removal, agriculture, back draging and other applications which require good visibility while unloading or trench filling.

W	513-0277	BUCKET-GRADING, 102", ISO 2,154 Width: 2600mm (102"), Struck Capacity: 1.1m3 (1.5yd3) Heaped Cap without / with spill guard: 1.8m3 (2.4yd3) / 2.8m3 (3.7yd3) Dozing Capacity with spill guard: 3.2m3 (4.2yd3) FOR USE WITH: ISO Quick Coupler (wide)		\$8,597 NI
W	513-0159	BUCKET-GRADING, 106", ISO 2,220 Width: 2700mm (106"), Struck Capacity: 1.2m3 (1.6yd3) Heaped Cap without / with spill guard: 1.9m3 (2.5yd3) / 2.9m3 (3.8yd3) Dozing Capacity with spill guard: 3.3m3 (4.3yd3) FOR USE WITH: ISO Quick Coupler (wide)		\$8,826 NI
W	513-0115	BUCKET-GRADING, 114", ISO 2,352 Width: 2900mm (114"), Struck Capacity: 1.3m3 (1.7yd3) Heaped Cap without / with spill guard: 2.0m3 (2.6yd3) / 3.1m3 (4.1yd3) Dozing Capacity with spill guard: 3.5m3 (4.6yd3) FOR USE WITH: ISO Quick Coupler (wide)		\$9,264 NI
W	519-1916	GUARD, GRADING SPILL 258 Adjustable spill guard, easy to attach or to remove. Height 650mm (26"), with perforated sections for visibility FOR USE WITH: grading buckets 513-0277, 513-0159, 513-0115 for snow clearing only.		\$1,667 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL ISO (CONT.)

BUCKETS, LIGHT MATERIAL ISO

Performance series buckets. Stated capacity is including BOCE.
 The fill factor for performance buckets can be up to 115% on top of rated capacity.

Bucket selection table:

The stated max material density is just directive. For an accurate max material density, please check the specalog and machine configuration. Fill factor 100% and incl. heavy counter weight.

Capacity	926M	930M	938M
	Standard Lift	Standard Lift	Standard Lift
m3 (yd3)	kg/m3 (lbs/yd3)	kg/m3 (lbs/yd3)	kg/m3 (lbs/yd3)
3.5 (4.6)	975 (1650)	1100 (1850)	1350 (2275)
4.2 (5.5)	775 (1300)	900 (1525)	1075 (1800)
5.0 (6.5)	625 (1050)	725 (1225)	900 (1525)

NOTE: Front Camera Kit 582-1425 is required for local EU requirements for 5.0m3 LM Buckets and for a 4.2m3 LM bucket used on a High Lift with 17.5 tires. Consult Cat Dealer for additional information. Refer to Product Bulletin, TEJB9977, at <https://catpublications.com>

If no reference numbers appear below there are currently no items available in your region.

W	575-9686	BUCKET-LM, 4.6 YD3, ISO, BOCE 2,749 Light Material Bucket, Width 2750 mm (108"), Includes 1pc BOCE Capacity: 3.5 m3 (4.6 yd3) fill factor 100% FOR USE WITH: ISO Quick Coupler (wide)	\$10,896 NI
W	575-9687	BUCKET-LM, 5.5 YD3, ISO, BOCE 3,027 Light Material Bucket, Width 2750 mm (108"), Includes 1pc BOCE Capacity: 4.2 m3 (5.5 yd3) fill factor 100% FOR USE WITH: ISO Quick Coupler (wide)	\$12,594 NI
W	575-9688	BUCKET-LM, 6.5 YD3, ISO, BOCE 3,155 Light Material Bucket, Width 2750 mm (108"), Includes 1pc BOCE Capacity: 5 m3 (6.5 yd3) fill factor 100% FOR USE WITH: ISO Quick Coupler (wide)	\$14,293 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL ISO (CONT.)

BUCKETS, HIGH DUMP ISO

Performance series buckets. Stated capacity is including BOCE.
 The fill factor for performance buckets can be up to 115% on top of rated capacity. Requires 3rd valve on the machine.

Bucket selection table:

The stated max material density is just directive. For an accurate max material density, please check the specalog and machine configuration. Fill factor 100% and incl. heavy counter weight.

Capacity	926M	930M	938M
	Standard Lift	Standard Lift	Standard Lift
m3 (yd3)	kg/m3 (lbs/yd3)	kg/m3 (lbs/yd3)	kg/m3 (lbs/yd3)
3.0 (3.9)	1050 (1775)	1200 (2025)	
3.5 (4.6)	875 (1475)	1000 (1675)	1275 (2150)
4.1 (5.4)	700 (1175)	775 (1300)	1000 (1675)
5.0 (6.5)	550 (925)	625 (1050)	800 (1350)

NOTE: Front Camera Kit 582-1425 is required for local EU requirements for all high dump buckets. Consult Cat Dealer for additional information. Refer to Product Bulletin, TEJB9977, at <https://catpublications.com>

If no reference numbers appear below there are currently no items available in your region.

W	473-6951	BUCKET-HD, 3.9 YD3, ISO, BOCE 3,672 High Dump Bucket, Width 2550 mm (100"). Includes BOCE, Capacity: 3 m3 (3.9 yd3) fill factor 100%, hydr.lines incl Turn QDs. FOR USE WITH: ISO Quick Coupler (wide)	\$21,271 NI
W	473-6948	BUCKET-HD, 4.6 YD3, ISO, BOCE 3,865 High Dump Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 3.5 m3 (4.6 yd3) fill factor 100%, hydr.lines incl Turn QDs. FOR USE WITH: ISO Quick Coupler (wide)	\$21,972 NI
W	476-9311	BUCKET-HD, 5.4 YD3, ISO, BOCE 4,594 High Dump Bucket, Width 3060 mm (120"). Includes BOCE, Capacity: 4.1 m3 (5.4 yd3) fill factor 100%, hydr.lines incl Turn QDs. FOR USE WITH: ISO Quick Coupler (wide)	\$22,771 NI
W	476-9314	BUCKET-HD, 6.5 YD3, ISO, BOCE 4,811 High Dump Bucket, Width 3060 mm (120"). Includes BOCE, Capacity: 5 m3 (6.5 yd3) fill factor 100%, hydr.lines incl Turn QDs. FOR USE WITH: ISO Quick Coupler (wide)	\$23,910 NI

CARRIAGES, ISO

W	555-3376	CARRIAGE, PAL C3/4, 62", ISO 305 Improved visibility carriage with better view on the forks/tines Class 4 carriage, Overall width / height: 1566mm (62") / 895mm (35.3") Tines/forks: adjustable 8 steps of 75mm (3") left & right from centre FOR USE WITH: ISO Quick Coupler (wide) REQUIRES: 2 x Class 4 Offset forks/tines, NOT INCLUDED. Using standard forks/tines will block the view to the forks/tines tip	\$2,610 NI
---	----------	---	------------

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL ISO (CONT.)

OFFSET FORKS

These are loose forks, which requires a carriage Class 4.
 It is recommended to uses these forks/tines for 532-8222 or 555-3376
 To have a complete set, order 1 Right and 1 Left.

W	371-2374	FORK TINE,2.25"X6"X48", RIGHT 301 FOR USE WITH: Class 4 carriage REQUIRES: 371-2375 FORK TINE,60x200x1220mm, LEFT		\$1,072 NI
W	371-2375	FORK TINE,2.25"X6"X48", LEFT 301 FOR USE WITH: Class 4 carriage REQUIRES: 371-2374 FORK TINE, 60x200x1220mm, RIGHT		\$1,072 NI
W	360-3354	FORK TINE,2.25"X6"X54", LEFT 323 FOR USE WITH: Class 4 carriage REQUIRES: 360-3355 FORK TINE,60x200x1370, LEFT		\$1,122 NI
W	360-3355	FORK TINE,2.25"X6"X54", RIGHT 323 FOR USE WITH: Class 4 carriage REQUIRES: 360-3354 FORK TINE,60x200x1370, RIGHT		\$1,122 NI
W	371-2377	FORK TINE,2.25"X6"X60", RIGHT 348 FOR USE WITH: Class 4 carriage REQUIRES: 371-2376 FORK TINE,60x200x1524mm, LEFT		\$1,172 NI
W	371-2376	FORK TINE,2.25"X6"X60", LEFT 348 FOR USE WITH: Class 4 carriage REQUIRES: 371-2377 FORK TINE,60x200x1524mm, RIGHT		\$1,172 NI

GRAPPLE SORTING ISO

Sorting Grapple (Lumber and Log Fork) for handling logs.

W	492-7185	FORK, GRAPPLE, 50", ISO 3,852 Carriage width: 1812 mm (71"), Fork Tine reach: 1269mm (50") Max opening tip to tip: 2608 mm (103"), Grapple area: 1.9 m2 (21ft2) Adjustable clamping force. Replaceable tine tips and tine wear plates. Hardened chrome plated pins. Incl "Turn to Connect" QDs. FOR USE WITH: ISO Quick Coupler (wide) and 930K/M, 938K/M REQUIRES: 3rd valve on the machine		\$30,694 NI
---	----------	---	--	-------------

MATERIAL HANDLING ARM ISO

W	510-5092	ARM, MATERIAL HANDLING, ISO 533 Improved visibility on the lifting hook. Height: 941mm (37") Length retracted - full extracted: 2325mm (91.5"), 3635mm (143") Extraction steps: 2 steps of 655mm (25.8") each and safe guarded by an internal detachable restriction rod to prevent over extending. FOR USE WITH: ISO Quick Coupler (wide)		\$5,632 NI
---	----------	--	--	------------

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT MACHINES-LEGACY QUICK COUPLERS

QUICK COUPLER - IT (Standard)

W	396-1605	QUICK CPLR, IT, 924K-930M 736 IT (Standard) hydraulic quick coupler FOR USE WITH: 924K, 930K, 926M, 930M REQUIRES: machine needs to be Quick coupler ready NOTE: Attachments for IT are NOT optimised for K/M series and can interfere with the linkage of the machine.		\$7,007 NI
---	----------	--	--	-------------------

QUICK COUPLER - CAT HPL 4"

W	395-0329	QUICK CPLR, HPL 4", 924K-930M747 CAT HPL (horiz. pin lock) hydr. quick coupler, 2" pins and 4" top bar FOR USE WITH: 924K, 930K, 926M, 930M REQUIRES: machine needs to be Quick coupler ready NOTE: Attachments for CAT HPL 4" are NOT optimised for K/M series can interfere with the linkage of the machine.		\$7,007 NI
---	----------	---	--	-------------------

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

BROOMS

These brooms require 3V quick coupler ready valve block.
 An 8-pins work tool harness on the machine may be required.
 No pin-on hook groups are available.
 Required are connecting lines from the lift arms to the quick coupler.
 For 924G and 928G additional hydraulic oil cooler is required:
 ex-factory 239-7395 and 227-9400 field installed.
 QDs on the machine need to be checked ("Turn to Connect" vs "Push to C
 Brooms do not contain QDs. Please order separate.

NOTE: Front Camera Kit 582-1425 is required for local EU requirements for all brooms. Consult Cat Dealer for additional information. Refer to Product Bulletin, TEJB9977, at <https://catpublications.com>

W	455-7380	KIT, LOADER, COUPLING QD 0 Kit provides a set (male & female) of flat face connect under pressure quick disconnects. These are "Turn to Connect" QDs. K Series produced since 2014 and all Mseries have these QDs.		\$374 NI
W	196-4191	KIT, QDS, PUSH, SIZE 12 3 Kit provides a set (male & female) "Push to Connect" Quick Disconnects For pre 2014 K series machines.		\$208 NI

BA25 ANGLING BROOMS

NOTE: Front Camera Kit 582-1425 is required for local EU requirements for all brooms. Consult Cat Dealer for additional information. Refer to Product Bulletin, TEJB9977, at <https://catpublications.com>

W	600-8979	BROOM, MANUAL ANGLE, BA25 0 Excluding hook group, 700mm (27.5") brush diameter Manual angling - 0, 15 and 30 degrees left or right of center Sweeping width straight -- max angled: 2500mm (98.4)-- 2165mm(85.2") Brush material - 50% Polypropylene / 50% Steel Wire REQUIRES: Machine side: Hydraulic 3rd valve group with front lines, Continuous flow, Hydraulic quick couplings kit REQUIRES: Broom side: hook group and QDs kit		\$12,319 NI
W	164-8485	BA25 ANGLE BROOM, MAN, IT 1,014 Includes IT14/28 hook group, 700mm (27.5") brush diameter Manual angling - 0, 15 and 30 degrees left or right of center Sweeping width straight -- max angled: 2500mm (98.4)-- 2165mm(85.2") Brush material - 50% Polypropylene / 50% Steel Wire FOR USE WITH: Standard quick coupler (IT14/28) REQUIRES: Machine side: Hydraulic 3rd valve group with front lines, Continuous flow, Hydraulic quick couplings kit REQUIRES: Broom side: QDs kit		\$12,319 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

BROOMS (CONT.)

BA25 ANGLING BROOMS (Cont.)

W	600-8981	BROOM, HYD. ANGLE, BA25, 24V 0 Excluding hook group, 700mm (27.5") brush diameter Hydraulic angling 30 degr. left/right of center using 24V Divert Valve Sweeping width straight -- max angled: 2500mm (98.4")-- 2165mm(85.2") Brush material - 50% Polypropylene / 50% Steel Wire REQUIRES: Machine side: Hydr. 3rd valve group with front lines + QDs, Continuous flow, Kit Electrical Switch (see "BROOM KITS" below) REQUIRES: Broom side: hook group and QDs kit		\$15,875 NI
---	----------	---	--	-------------

BA30 ANGLING BROOMS

NOTE: Front Camera Kit 582-1425 is required for local EU requirements for all brooms. Consult Cat Dealer for additional information. Refer to Product Bulletin, TEJB9977, at <https://catpublications.com>

W	202-7700	BA30 ANGLE BROOM, MAN 1,078 Excluding hook group, 915mm (36") brush diameter Manual angling - 0, 15 and 30 degrees left or right of center Sweeping width straight - max angled: 3000mm (118") - 2590mm (102") Brush material - 50% Polypropylene / 50% Steel Wire REQUIRES: Machine side: Hydraulic 3rd valve group with front lines, Continuous flow, Hydraulic quick couplings kit REQUIRES: Broom side: hook group and QDs kit		\$17,915 NI
W	202-9000	BA30 ANGLE BROOM, HYD, 24V 1,100 Excluding hook group, 915mm (36") brush diameter Hydraulic angling 30 degr. left/right of center using 24V Divert Valve Sweeping width straight - max angled: 3000mm (118") - 2590mm (102") Brush material - 50% Polypropylene / 50% Steel Wire REQUIRES: Machine side: Hydr. 3rd valve group with front lines + QDs, Continuous flow, Kit Electrical Switch (see "BROOM KITS" below) REQUIRES: Broom side: hook group and QDs kit		\$19,015 NI

SA25 BROOM HYDRAULIC ANGLING

NOTE: Front Camera Kit 582-1425 is required for local EU requirements for all brooms. Consult Cat Dealer for additional information. Refer to Product Bulletin, TEJB9977, at <https://catpublications.com>

W	267-4961	SA25 ANGLE BROOM, HYD, HO, 24V 1,411 Excluding hook group Hydraulic angling 30 degr. left/right of center using 24V Divert Valve 915mm (36") brush diameter, Brush material - 100% Polypropylene Sweeping width straight - max angled: 2500mm (98.4") - 2165mm (85.2") REQUIRES: Machine side: Hydr. 3rd valve group with front lines + QDs, Continuous flow, Kit Electrical Switch (see "BROOM KITS" below) REQUIRES: Broom side: hook group and QDs kit		\$18,996 NI
---	----------	---	--	-------------

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

BROOMS (CONT.)

SA25 BROOM HYDRAULIC ANGLING (Cont.)

W	267-5352	SA25 ANGLEBROOM, HYD, HO, 24V, WTR	1,340	\$24,624 NI
		Excluding hook group Hydraulic angling 30 degr. left/right of center using 24V Divert Valve 915mm (36") brush diameter, Brush material - 100% Polypropylene Sweeping width straight - max angled: 2500mm (98.4") - 2165mm (85.2") INCLUDES: Water sprinklers, 24V water pump and 240L (63Gal) watertank REQUIRES: Machine side: Hydr. 3rd valve group with front lines + QDs, Continious flow, Kit Electrical Switch (see "BROOM KITS" below) REQUIRES: Broom side: hook group and QDs kit		

SA30 BROOM HYDRAULIC ANGLING

NOTE: Front Camera Kit 582-1425 is required for local EU requirements for all brooms. Consult Cat Dealer for additional information. Refer to Product Bulletin, TEJB9977, at <https://catpublications.com>

W	257-9680	SA30 ANGLE BROOM, HYD, HO, 24V	1,520	\$21,869 NI
		Excluding hook group Hydraulic angling 30 degr. left/right of center using 24V Divert Valve 915mm (36") brush diameter, Brush material - 100% Polypropylene Sweeping width straight - max angled: 3000mm (118") - 2590mm (102") REQUIRES: Machine side: Hydr. 3rd valve group with front lines + QDs, Continious flow, Kit Electrical Switch (see "BROOM KITS" below) REQUIRES: Broom side: hook group and QDs kit		
W	267-5351	SA30 ANGLEBROOM, HYD, HO, 24V, WTR	1,520	\$28,707 NI
		Excluding hook group Hydraulic angling 30 degr. left/right of center using 24V Divert Valve 915mm (36") brush diameter, Brush material - 100% Polypropylene Sweeping width straight - max angled: 3000mm (118") - 2590mm (102") INCLUDES: Water sprinklers, 24V water pump and 240L (63Gal) watertank REQUIRES: Machine side: Hydr. 3rd valve group with front lines + QDs, Continious flow, Kit Electrical Switch (see "BROOM KITS" below) REQUIRES: Broom side: hook group and QDs kit		

BP25 BROOM PICK UP

NOTE: Front Camera Kit 582-1425 is required for local EU requirements for all brooms. Consult Cat Dealer for additional information. Refer to Product Bulletin, TEJB9977, at <https://catpublications.com>

W	487-8484	BP25 PICK-UP BROOM, HYD, 24V	1,349	\$21,792 NI
		Excluding hook group 2500mm (98.4") sweeping width, 700mm (27.5") brush diameter Brush material 50% Polypropylene / 50% Steel Wire INCLUDES: Water sprinklers, 24V water pump and 400L (100Gal) watertank REQUIRES: Machine side: Hydr. 3rd valve group with front lines + QDs, Continious flow, Kit Electrical Switch (see "BROOM KITS" below) REQUIRES: Broom side: hook group and QDs kit		

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

BROOMS (CONT.)

BP25 BROOM PICK UP (Cont.)

W	158-0253	BP25 PICK-UP BROOM, HYD,IT,24V 1,435 Includes Hook group for standard quick coupler IT14/28 2500mm (98.4") sweeping width, 700mm (27.5") brush diameter Brush material 50% Polypropylene / 50% Steel Wire INCLUDES: Water sprinklers, 24V water pump and 400L (100Gal) watertank FOR USE WITH: Standard quick coupler (IT14/28) REQUIRES: Machine side: Hydr. 3rd valve group with front lines + QDs, Continious flow, Kit Electrical Switch (see "BROOM KITS" below) REQUIRES: Broom side: QDs kit		\$21,792 NI
---	----------	--	--	--------------------

BROOM KITS

W	497-9469	HOOK, BROOM, FUSION 324 FOR USE WITH: Fusion quick coupler		\$1,111 NI
W	487-8490	HOOK, BROOM, IT 64 FOR USE WITH: standard quick coupler IT14/28		\$625 NI
W	487-8481	HOOK, BROOM, IT38 112 FOR USE WITH: standard quick coupler IT 38		\$1,111 NI
W	487-8480	HOOK, BROOM, ISO (L50) 84 FOR USE WITH: horizontal pin lock ISO coupler (L50)		\$743 NI
W	446-9301	KIT, BROOM, ELECTRIC, SWL K/M 3 Includes 8 pins electrical harness FOR USE WITH: All brooms on 924-938K/M Series, All Brooms REQUIRES: 597-9011 PLATE for M series machines with prefix W5L, F5K P5K, LTE06550+up, KTG05000+up, HEY00550+up, J3R07425+up Ordering via Part/Antares (can not be bridged)		\$243 NI
W	173-2190	KIT, BROOM, ELEC, SWL G/H + MG 11 For use with: 938H, 930H, 928Hz, 928Gz, 924Hz, 924Gz, 924H and IT28G		\$354 NI
W	363-4263	KIT, BROOM, ELEC, BP25, 924G/H 7 FOR USE WITH: BP25 and 924 H/G		\$354 NI
W	196-4191	KIT, QDS, PUSH, SIZE 12 3 Converts a machine using the nipple type quick disconnects to a machine using the flat face type quick disconnects.		\$208 NI
W	457-4632	KIT, QDS, TWIST, SIZE 19 6 This converts a machine using the flat face type quick disconnects to a machine using the screw to connect type quick disconnects.		\$243 NI
W	269-9333	KIT, SA25, SHIELD EXTENSION 15 Extension spray protection for SA25		\$292 NI
W	269-9281	KIT, SA30, SHIELD EXTENSION 18 Extension spray protection for SA30		\$319 NI
W	497-9459	KIT, BROOM, SPRAY, BA25, 24V 50 FOR USE WITH: BA25		\$1,278 NI
W	497-9460	KIT, BROOM, SPRAY, BA30, 24V 39 FOR USE WITH: BA30		\$1,444 NI
W	497-9461	KIT, BROOM, TANK, BA25, 105GAL 325 FOR USE WITH: BA25 REQUIRES: 497-9459 KIT SPRAY, BA25, 24V		\$4,194 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-------------------------------	--------------------	-------------------------

BROOMS (CONT.)

BROOM KITS (Cont.)

W	497-9462	KIT, BROOM, TANK, BA30, 158GAL423 FOR USE WITH: BA30 REQUIRES: 497-9460 KIT SPRAY, BA30, 24V	423	\$5,139 NI
---	----------	--	-----	-------------------

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

NON CURRENT SWL PIN-ON

This section contains pin-on work tools for following NON current SWL:

- 924G/H, 930G/H
- 924GZ/HZ
- 928GZ/HZ
- 938G/H

Following work tools are available:

BUCKETS:

- GENERAL PURPOSE PIN-ON
- HIGH DENSITY
- LARGER CAPACITY, LOW DENSITY
- MATERIAL HANDLING
- MULTI PURPOSE
- SIDE DUMP
- WASTE
- WOOD CHIP

BROOMS: No Pin-on brooms available

If no reference numbers appear below there are currently no items available in your region.

BUCKETS: GENERAL PURPOSE PIN-ON - 924G/H AND 930G/H

W	172-8563	BUCKET-GP, 2.2 YD3, PO 0 Gen.Purpose Bucket, Width 2532 mm (100"). Base edge, excl spill guard Capacity: 1.7 m3 (2.2 yd3) fill factor 100%	\$6,853 NI
W	256-8912	BUCKET-GP, 3.3 YD3, PO 2,548 Gen.Purpose Bucket, Width 2532 mm (100"). Base edge, excl spill guard Capacity: 2.5 m3 (3.3 yd3) fill factor 100%	\$10,057 NI
W	252-6910	BUCKET-GP, 2.7 YD3, PO 2,097 Gen Purpose Bucket, Width 2532 mm (100"). Base edge, excl spill guard Capacity: 2.1 m3 (2.7 yd3) fill factor 100%	\$5,158 NI

BUCKETS: GENERAL PURPOSE PIN-ON - 928GZ/HZ

W	119-1799	BUCKET-GP, 2.6 YD3, PO 1,874 100" (2540mm) wide	\$9,031 NI
W	223-9730	BUCKET-GP, 2.9 YD3, PO 1,976 100" (2540mm) wide	\$10,275 NI

BUCKETS: GENERAL PURPOSE PIN-ON - 938G/H

W	158-7479	BUCKET-GP, 2.75 YD3, PO 2,249 Width: 2690mm (106"), Capacity: 2.1m3 (2.75 yd3) pre drilled Base edge 105-2345 FOR USE WITH: 938F/G/H Pin-on	\$10,171 NI
W	158-7480	BUCKET-GP, 3.0 YD3, PO 2,322 Width: 2690mm (106"), Capacity: 2.3m3 (3.0 yd3) pre drilled Base edge 105-2345 FOR USE WITH: 938F/G/H Pin-on	\$10,799 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

NON CURRENT SWL PIN-ON (CONT.)

BUCKETS: GENERAL PURPOSE PIN-ON - 938G/H (Cont.)

W	158-7481	BUCKET-GP, 3.50 YD3, PO 2,478 Width: 2690mm (106"), Capacity: 2.8m3 (3.65 yd3) pre drilled Base edge 105-2345 FOR USE WITH: 938F/G/H Pin-on		\$11,442 NI
W	215-1276	BUCKET-GP, 3.75YD3, PO 2,198 Width: 2690mm (106"), Capacity: 2.86m3 (3.74 yd3) pre drilled Base edge 105-2345 FOR USE WITH: 938F/G/H Pin-on		\$11,971 NI

BUCKETS: LARGER CAPACITY, LOW DENSITY - 924G/H AND 930G/H

W	252-6904	BUCKET-LM, 3.7 YD3, PO 2,368 Light Material Bucket, Width 2532 mm (100"). Base edge Capacity: 2.8 m3 (3.7 yd3) fill factor 100%		\$5,543 NI
---	----------	---	--	------------

BUCKETS: MULTI PURPOSE - 938G/H

W	119-8236	BUCKET-MP, 2.4 YD3, PO, BOCE 3,461 Width: 2745mm (108"), Capacity: 1.72m3 (2.25 yd3) inc 4 piece BOCE on bowl edge, 3 piece BOCE on dozer edge FOR USE WITH: 938H pin-on REQUIRES: 3rd function on the machine.		\$23,563 NI
---	----------	---	--	-------------

BUCKETS: SIDE DUMP - 938G/H

W	119-8239	BUCKET-SD, 2.5 YD3, PO, BOCE 3,800 Width: 3105mm (122.3"), Capacity: 1.91m3 (2.5 yd3) left tipping, 4 piece BOCE, lines FOR USE WITH: 938H Pin-on		\$32,868 NI
---	----------	--	--	-------------

BUCKETS: WASTE - 938G/H

W	159-3205	BUCKET-WH, 5.5 YD3, PO, BOCE 4,300 109"(2769mm) wide INCLUDES: bolt-on cutting edges		\$19,910 NI
---	----------	--	--	-------------

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

NON CURRENT SWL FUSION

This section contains work tools for Fusion quick coupler for following NON-current machines:
 924G/H, 930G/H, 924GZ/HZ, 928GZ,HZ, 938G/H
 Please note if these Fusion work tools are used on current machines, optimal performance, as the machine-tool combination have not been tested. The linkage of K&M series is different and can impact dump and rack back angles.

Following work tools are available:
FUSION QUICK COUPLERS

- BUCKETS:**
- GENERAL PURPOSE
 - HIGH DUMP
 - MATERIAL HANDLING
 - MULTI PURPOSE
 - SIDE DUMP

- BROOMS:** Please see section "BROOMS"
CARRIAGE
FORK, PIPE & POLE
PLOWS
RAKES

If no reference numbers appear below there are currently no items available in your region.

FUSION QUICK COUPLERS

The machine needs to be quick coupler ready.

W	310-9395	QUICK CPLR, FUSION, 924H/930H 545 Fusion hydraulic quick coupler FOR USE WITH: 924G/H, 930G/H, serial number prefix KLN, JTM, RRS, DDA, RRS, DDA, RBB, WMB, 9SW, AAN, 3PZ REQUIRES: Supply group		\$6,285 NI
W	310-9394	QUICK CPLR, FUSION, 924GZ/HZ 706 Fusion hydraulic quick coupler FOR USE WITH: 924Gz/Hz, serial number prefixes BEF, RCB, PED, GYW, AAB, 3DZ, RTA, WGX, JRL REQUIRES: KIT, HYDR. QC FUSION 310-9394		\$6,285 NI
W	310-9393	QUICK CPLR, FUSION, 928G/H 865 Fusion hydraulic quick coupler FOR USE WITH: 928G/H, serial number prefix CXK, BYD, DJD, WLG REQUIRES: KIT, HYDR. QC FUSION 310-9393		\$6,285 NI
W	310-9392	QUICK CPLR, FUSION, 938G II 721 Fusion hydraulic quick coupler FOR USE WITH: 938G series II, serial number prefix CRD01176 + UP, RTB01081 + UP REQUIRES: supply group (HIGH LIFT machines need tilt link 233-7380)		\$6,285 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
NON CURRENT SWL FUSION (CONT.)				
COUPLER SUPPLY GROUPS				
W	324-2651	KIT, HYD QC FUSION, 310-9392 44 Hydraulic supply group for Fusion quick coupler including valve FOR USE WITH: 310-9392 Fusion Coupler 938H STANDARD serial prefix MJC, JKM, LKM machine serial numbers MJC, JKM, LKM		\$2,778 NI
W	324-2652	KIT, HYD QC FUSION, 310-9392 44 Hydraulic supply group for Fusion quick coupler including valve FOR USE WITH: 310-9392 Fusion Coupler 938G series II HIGH LIFT serialprefix MJC, JKM, LKM machine serial numbers MJC, JKM, LKM		\$2,778 NI
W	315-6306	KIT, HYD QC FUSION, 310-9392 44 Hydraulic supply group for Fusion quick coupler including valve FOR USE WITH: 310-9392 Fusion Coupler 938G series II STANDARD, serial prefix CRD01176 and up machine serial numbers CRD01176 and up RTB01081 and up		\$2,778 NI
W	315-6308	KIT, HYD QC FUSION, 310-9392 44 Hydraulic supply group for Fusion quick coupler including valve FOR USE WITH: 310-9392 Fusion Coupler 938G series II HIGH LIFT serial prefix CRD01176 and up machine serial numbers CRD01176 and up RTB01081 and up		\$2,778 NI
W	315-6296	KIT, HYD QC FUSION, 310-9394 0 Hydraulic supply group for Fusion quick coupler including valve FOR USE WITH: 310-9394 Fusion Coupler		\$1,653 NI
W	315-6301	KIT, HYD QC FUSION, 310-9393 33 Hydraulic supply group for Fusion quick coupler including valve FOR USE WITH: 310-9393 Fusion Coupler machine serial number prefix DJD, WLG and CXX		\$1,678 NI
W	315-6341	KIT, HYD QC FUSION, 310-9395 9 Hydraulic supply group for Fusion quick coupler including valve FOR USE WITH: 310-9395 Fusion Coupler 930H/G series II STANDARD machines		\$1,678 NI
W	315-6343	KIT, HYD QC FUSION, 310-9395 10 Hydraulic supply group for Fusion quick coupler including valve FOR USE WITH: 310-9395 Fusion Coupler 924H/G series II STANDARD machines		\$1,678 NI
W	315-6344	KIT, HYD QC FUSION, 310-9395 11 Hydraulic supply group for Fusion quick coupler including valve FOR USE WITH: 310-9395 Fusion Coupler 924H/G series II HIGH LIFT machines		\$1,678 NI
W	315-6342	KIT, HYD QC FUSION 310-9395 10 Hydraulic supply group for Fusion quick coupler including valve FOR USE WITH: 310-9395 Fusion Coupler 930H/G series II HIGH LIFT machines		\$1,678 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

NON CURRENT SWL FUSION (CONT.)

BUCKETS: GENERAL PURPOSE - 938G/H

W	311-6942	BUCKET-GP, 3.50 YD3, FUS 2,438 Width: 2690mm (106"), Capacity: 2.7m3 (3.5 yd3) pre drilled Base edge 105-2345 FOR USE WITH: 938G/H with Fusion QC		\$11,442 NI
W	314-3210	BUCKET-GP, 3.75 YD3, FUS 2,594 Width: 2690mm (106"), Capacity: 2.9m3 (3.75 yd3) pre drilled Base edge 105-2345 FOR USE WITH: 938G/H with Fusion QC		\$11,965 NI

BUCKETS: MULTI PURPOSE - 938G/H

W	313-1396	BUCKET-MP, 2.4 YD3, FUS, BOCE 3,250 Width: 2744mm (108"), Capacity: 1.82m3 (2.38 yd3) inc 4 piece BOCE on bowl edge, 3 piece BOCE on dozer edge, con.lines FOR USE WITH: Fusion quick coupler REQUIRES: 3rd function on the machine.		\$24,036 NI
---	----------	--	--	-------------

BUCKETS: SIDE DUMP - 938G/H

W	461-2391	BUCKET-SD R, 2.5YD3, FUS, BOCE 3,645 Hydraulic Side dump bucket, Right dumping Width: 3105mm (122"), Capacity: 1.91m3 (2.50 yd3), incl 4 piece BOCE FOR USE WITH: Fusion quick coupler REQUIRES: 3rd function on the machine.		\$27,368 NI
---	----------	---	--	-------------

BUCKETS: WOOD CHIP - 938G/H

W	311-6947	BUCKET-WC, 7.25 YD3, FUS, BOCE 3,700 Width: 3285mm (129"), Capacity: 5.5m3 (7.25 yd3), incl 4 piece BOCE FOR USE WITH: Fusion Coupler and 938G/H		\$17,221 NI
---	----------	--	--	-------------

PLOWS - 924H,924HZ,928H,930H,938H AND IT38H

W	315-6675	SNOW PLOW, 12', FUS 2,867 Snow Plow, Hydraulic angling 25 degrees left/right over center Width straight - angled: 3696mm (146") - 2879mm (113") Includes: 6 piece segmented steel trip edge with torque springs FOR USE WITH: Fusion quick coupler		\$25,153 NI
W	315-6676	SNOW PLOW, 14', FUS 3,775 Snow Plow, Hydraulic angling 25 degrees left/right over center Width straight - angled: 4265mm (168") - 3875mm (153") Includes: 2 non trip steel edges, 2 skids and connecting lines. FOR USE WITH: Fusion Coupler		\$27,743 NI

RAKES - 924H,924G,924HZ,924GZ,928HZ,928GZ,930H,930G AND 938H/G

W	317-1241	RAKE, 106", FUSION 2,950 Width overall - raking: 2697mm (106") - 2495mm (98") Height: 1653mm (65"), 8 teeth with 299mm (11.75") spacing FOR USE WITH: Fusion quick coupler		\$12,639 NI
---	----------	---	--	-------------

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
NON CURRENT SWL FUSION (CONT.)				
<i>RAKES - 924H,924G,924HZ,924GZ,928HZ,928GZ,930H,930G AND 938H/G (Cont.)</i>				
W	317-1244	RAKE, 120", DTC, FUSION 4, 917 Rake with hydraulic double top clamp, Opening: 2809mm (110.6") Width overall - raking: 3047mm (120") - 2844mm (112") 9 theeth with 299mm (11.75" spacing, Height: 1875mm (74") FOR USE WITH: Fusion quick coupler REQUIRES: 3rd function on the machine.		\$29,050 NI
W	317-1245	RAKE, 92", DTC, FUSION 4, 322 Rake with hydraulic double top clamp, Opening: 2809mm (110.6") Width overall - raking: 2348mm (92.4") - 2146mm (85") 7 teeth with 299mm (11.75" spacing, Height: 1875mm (74") FOR USE WITH: Fusion quick coupler REQUIRES: 3rd function on the machine.		\$28,133 NI
W	432-8224	RAKE, 92", FWTC, FUSION 4, 612 Rake with hydraulic full width clamp, Opening: 2800mm (110") FOR USE WITH: Fusion quick coupler REQUIRES: 3rd function on the machine.		\$29,981 NI
W	200-0724	KIT, CONVERSION TEMA 3		\$215 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	------------------------	--------------------	-------------------------

NON CURRENT SWL HPL

This section contains work tools for CAT HPL 4" quick coupler for following NON-current machines:

924G/H, 930G/H, 924GZ/HZ, 928GZ,HZ, 938G/H

Please note if current machines have a HPL QC, we can not guarantee optimal performance, as the machine-tool combination have not been tested. The linkage of K&M series is completely different.

Following work tools are available:

CAT HPL 4" QUICK COUPLER

CAT HPL 4" COUPLER SUPPLY GROUPS

BUCKETS:

- GENERAL PURPOSE for CAT HPL 4"
- MATERIAL HANDLING for CAT HPL 4"
- MULTI PURPOSE for CAT HPL 4"
- SIDE DUMP for CAT HPL 4"
- WOOD CHIP for CAT HPL 4"

ARM, MATERIAL HANDLING for CAT HPL 4"

BROOMS: Please see section "BROOMS"

FORK for CAT HPL 4"

PLOW for CAT HPL 4"

If no reference numbers appear below there are currently no items available in your region.

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

NON CURRENT SWL HPL (CONT.)

CAT HPL 4" QUICK COUPLER

The machine needs to be quick coupler ready.

W	222-5006	QUICK CPLR, HPL 4", 924GZ/HZ 401 CAT HPL (horiz. pin lock) hydr. quick coupler, 2" pins and 4" top bar FOR USE WITH: 924Gz/Hz all models REQUIRES: 202-2626 supply group		\$7,007 NI
W	395-0329	QUICK CPLR, HPL 4", 924K-930M 747 CAT HPL (horiz. pin lock) hydr. quick coupler, 2" pins and 4" top bar FOR USE WITH: 924K, 930K, 926M, 930M REQUIRES: machine needs to be Quick coupler ready		\$7,007 NI
W	222-4990	QUICK CPLR, HPL 4", 928G/H 586 CAT HPL (horiz. pin lock) hydr. quick coupler, 2" pins and 4" top bar FOR USE WITH: 938G/H all serial prefixes EXCEPT DJD, WLG and CXK REQUIRES: 144-8996 supply group		\$7,007 NI
W	253-2137	QUICK CPLR, HPL 4", 928G/H 586 CAT HPL (horiz. pin lock) hydr. quick coupler, 2" pins and 4" top bar FOR USE WITH: 928G/H with serial prefixes DJD, WLG and CXK REQUIRES: 239-1450 supply group		\$7,007 NI
W	222-5002	QUICK CPLR, HPL 4", 938G I/II 600 CAT HPL (horiz. pin lock) hydr. quick coupler, 2" pins and 4" top bar FOR USE WITH: 938G series I/II, Standard + High Lift, serial# prefix 9HS00705 + Up, 4YS01414 + Up, 6WS02800 + Up, CRD+, RTB+, B9Y+ REQUIRES: supply group (HIGH LIFT machines need tilt link 233-7380)		\$7,007 NI
W	222-4991	QUICK CPLR, HPL 4", 938G I 551 CAT HPL (horiz. pin lock) hydr. quick coupler, 2" pins and 4" top bar FOR USE WITH: 938G series I, serial number prefix 9HS00704 - Down, 4YS01413 - Down, 6WS02799 - Down		\$7,007 NI
W	315-6334	QUICK CPLR, HPL 4", 938H 553 CAT HPL (horiz. pin lock) hydr. quick coupler, 2" pins and 4" top bar FOR USE WITH: 938H, Standard and High Lift, serial number prefix MJC00001 + OP REQUIRES: Supply group (High Lift machines need tilt link 233-7380)		\$7,007 NI

CAT HPL 4" COUPLER SUPPLY GROUPS - 924G/H AND 930G/H

W	202-2626	KIT, HYD QC HPL 4", 222-5006 35 Hydraulic supply group for CAT HPL quick coupler including valve FOR USE WITH: CAT HPL 4" quick coupler 222-5006		\$1,664 NI
W	239-1450	KIT, HYD QC 238-8300&253-2137 54 Hydraulic supply group for CAT HPL quick coupler including valve FOR USE WITH: quick couplers 238-8300 + 253-2137		\$1,678 NI
W	230-4025	KIT, HYD QC HPL-STD, 222-5002 54 Hydraulic supply group for CAT HPL quick coupler including valve FOR USE WITH: 938G series I/II, Standard Lift, serial number prefix 9HS00705+ Up, 4YS01414+ Up, 6WS02800+ Up, CRD01175-Down, RTB01080-Down		\$1,678 NI
W	235-1859	KIT, HYD QC HPL-HL, 222-5002 54 Hydraulic supply group for CAT HPL quick coupler including valve FOR USE WITH: 938G series I/II, High Lift, serial number prefix 9HS00705+ Up, 4YS01414+ Up, 6WS02800+ Up, CRD01175-Down, RTB01080-Down		\$1,678 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

NON CURRENT SWL HPL (CONT.)

CAT HPL 4" COUPLER SUPPLY GROUPS - 924G/H AND 930G/H (Cont.)

W	165-7364	KIT, HYD QC HPL 4", 222-4991 54 Hydraulic supply group for CAT HPL quick coupler including valve FOR USE WITH: 938G series I Standard Lift machines with serial number prefix 9HS00704 + Down, 4YS01413 + Down, 6WS02799 + Down	54	\$3,313 NI
W	257-6807	KIT, HYD QC HPL-STD 222-5002 54 Hydraulic supply group for CAT HPL quick coupler including valve FOR USE WITH: 938G series II, Standard Lift, serial number prefix CRD01176 + UP, RTB01081 + UP, B9Y00001 + UP	54	\$1,678 NI
W	257-6808	KIT, HYD QC HPL-HL 222-5002 54 Hydraulic supply group for CAT HPL quick coupler including valve FOR USE WITH: 938G series II, High Lift, serial number prefix CRD01176 + UP, RTB01081 + UP	54	\$1,678 NI
W	183-7233	LINES, QC HPL 4", 924GZ 28 Connecting lines for CAT HPL hydraulic quick coupler FOR USE WITH: 924Gz and CAT HPL 4" quick coupler	28	\$1,082 NI
W	140-9648	LINES, QC HPL 4", 928G/H 16 Connecting lines for CAT HPL hydraulic quick coupler FOR USE WITH: 928G/H and CAT HPL 4" quick coupler	16	\$1,067 NI

CAT HPL 4" COUPLER HOOKS

W	135-6323	HOOK, BLANK, HPL 4" 520	520	\$1,611 NI
W	121-8908	HOOK, FLAT BACK, HPL 4" 155	155	\$1,056 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

NON CURRENT SWL HPL (CONT.)

BUCKETS: GENERAL PURPOSE for CAT HPL 4" - 928GZ/HZ

W	141-2303	BUCKET-GP,3.50YD3, HPL 4",BOCE 2,175 Width: 2549mm (100"), Capacity: 2.7m3 (3.5 yd3), incl; 4 piece BOCE FOR USE WITH: Quick coupler CAT HPL 4"		\$9,326 NI
---	----------	---	--	-------------------

BUCKETS: GENERAL PURPOSE for CAT HPL 4" - 938G/H

W	215-1277	BUCKET-GP, 3.0 YD3, HPL 4" 2,375 Width: 2689mm (106"), Capacity: 2.5m3 (3.25 yd3) pre drilled Base edge 105-2345 FOR USE WITH: Quick coupler CAT HPL 4"		\$10,797 NI
W	169-1743	BUCKET-GP, 3.25 YD3, HPL 4" 2,500 Width: 2689mm (106"), Capacity: 2.5m3 (3.25 yd3) pre drilled Base edge 105-2345 FOR USE WITH: Quick coupler CAT HPL 4"		\$11,107 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

NON CURRENT SWL HPL (CONT.)

ARM, MATERIAL HANDLING for CAT HPL 4"-924HZ,924GZ,928HZ,928GZ & 938H/G

W	106-2481	ARM, MATERIAL HANDLING, HPL 4"	1,047	\$8,479 NI
		EXTENDABLE LENGTH: 2426mm (95.5") to 4028mm (158.6")		
		FOR USE WITH: Quick coupler CAT HPL 4"		

PLOW for CAT HPL 4" - 928HZ, 928GZ AND 938H/G

W	144-3262	SNOW PLOW, HYD, 145", HPL 4"	3,803	\$22,860 NI
		Snow Plow, Hydraulic angling 25 degrees left/right over center		
		Width straight - angled: 3696mm (146") - 2879mm (113")		
		Includes: 6 piece segmented steel trip edge with torque springs		
		FOR USE WITH: Quick coupler CAT HPL 4"		

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

NON CURRENT SWL IT

This section contains work tools for standard or IT quick coupler for following NON-current machines:
 924G/H, 930G/H, 924GZ/HZ, 928GZ,HZ, 938G/H
 Please note if current machines have IT QC, we can not guarantee optimal performance, as the machine-tool combination have not been tested. The linkage of K&M series is completely different.

- Following work tools are available:
 IT (standard) QUICK COUPLER
 COUPLER SUPPLY GROUPS
 BUCKETS:
 - GENERAL PURPOSE IT
 - HIGH DUMP for IT
 - HIGH DENSITY for IT
 - LIGHT MATERIAL for IT
 - MATERIAL HANDLING
 - MULTI PURPOSE for IT
 - PENETRATION for IT
 - SIDE DUMP for IT
 - WOOD CHIP for IT
 ARM, MATERIAL HANDLING for IT
 BLADES for IT
 BROOMS: Please see section "BROOMS"
 CARRIAGES / PALLET FORKS for IT
 CUTTER, ASPHALT for IT
 RAKES for IT
 SNOW PLOWS for IT

If no reference numbers appear below there are currently no items available in your region.

IT (standard) QUICK COUPLER
 The machine needs to be quick coupler ready.

W	238-6901	QUICK COUPLER, IT, 924GZ	385	\$7,007 NI
		IT (Standard) hydraulic quick coupler FOR USE WITH: 924Gz REQUIRES: 202-2625 supply group		
W	396-1605	QUICK CPLR, IT, 924K-930M	736	\$7,007 NI
		IT (Standard) hydraulic quick coupler FOR USE WITH: 924K, 930K, 926M, 930M REQUIRES: machine needs to be Quick coupler ready		
W	545-7940	QUICK CPLR, IT, 928G	677	\$7,007 NI
		IT (Standard) hydraulic quick coupler FOR USE WITH: 928G REQUIRES: 240-7866 supply group		
W	238-8300	QUICK COUPLER, IT, 928G/H	586	\$7,007 NI
		IT (Standard) hydraulic quick coupler FOR USE WITH: 928G/H with serial prefixes DJD, WLG, CXK and BVD REQUIRES: 239-1450 supply group		

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

NON CURRENT SWL IT (CONT.)

COUPLER SUPPLY GROUPS

W	240-7866	KIT, HYD QC HPL, 240-7865 54 Hydraulic supply group for CAT HPL quick coupler including valve FOR USE WITH: CAT HPL 4" quick coupler 240-7865		\$1,678 NI
W	248-5416	LINES, QC, IT (STD), 924G/H 15 Connecting lines for IT (Standard) hydraulic quick coupler FOR USE WITH: 924G/H and IT (Standard) quick Coupler		\$2,160 NI
W	201-2111	LINES, QC, IT (STD), 924GZ 26 Connecting lines for IT (Standard) hydraulic quick coupler FOR USE WITH: 924Gz and IT (Standard) quick coupler		\$1,088 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

NON CURRENT SWL IT (CONT.)

BUCKETS: GENERAL PURPOSE IT - 924G/H AND 930G/H

Always check the stability of the machine in combination with the bucket and the material density of the to be loaded material.

W	172-8559	BUCKET-GP, 2.2 YD3, IT1,360 Gen.Purpose Bucket, Width 2532 mm (100"). Base edge, excl spill guard Capacity: 1.7 m3 (2.2 yd3) fill factor 100%		\$5,181 NI
W	132-2256	BUCKET-GP, 2.25 YD3, IT1,569 Gen.Purpose Bucket, Width 2532 mm (100"). Base edge, excl spill guard Capacity: 1.8 m3 (2.25 yd3) fill factor 100%		\$6,407 NI
W	132-2258	BUCKET-GP, 2.5 YD3, IT1,588 100" (2540mm) wide		\$7,217 NI
W	256-8890	BUCKET-GP, 2.7 YD3, IT1,920 General Purpose Bucket, Width 2532 mm (100"). Base edge, excl spill guard Capacity: 2.1 m3 (2.7 yd3) fill factor 100%		\$5,844 NI
W	224-0759	BUCKET-GP, 2.9 YD3, IT2,017 General Purpose Bucket, Width 2532 mm (100"). Base edge, excl spill guard Capacity: 2.2 m3 (2.9 yd3) fill factor 100%		\$8,351 NI
W	241-0918	BUCKET-GP, 3.0 YD3, IT2,057 General Purpose Bucket, Width 2532 mm (100"). Base edge, excl spill guard Capacity: 2.3 m3 (3.0 yd3) fill factor 100%		\$6,206 NI
W	256-8864	BUCKET-GP, 3.2 YD3, IT2,381 General Purpose Bucket, Width 2532 mm (100"). Base edge, excl spill gu Capacity: 2.5 m3 (3.3 yd3) fill factor 100%		\$6,756 NI
W	241-0936	BUCKET-GP, 2.7 YD3, IT1,934 General Purpose Bucket, Width 2532 mm (100"). Base edge, excl spill gu Capacity: 2.1 m3 (2.75 yd3) fill factor 100%		\$8,025 NI

BUCKETS: GENERAL PURPOSE IT - 928HZ/GZ AND 930H/G

W	300-6796	BUCKET-GP, 3.1 YD3, IT2,083 Recommended for Sewer and Water applications 108" (2743mm) wide FOR USE WITH: Quick Coupler, Hydraulic IT		\$9,229 NI
---	----------	---	--	------------

BUCKETS: GENERAL PURPOSE IT - IT28G/H

W	222-1919	BUCKET-GP, 3.0YD3, IT2,350 Width: 2549mm (100"), Capacity: 2.35m3 (3.0 yd3) incl. 4 piece BOCE FOR USE WITH: IT (Standard) quick coupler		\$10,238 NI
---	----------	--	--	-------------

BUCKETS: HIGH DUMP for IT - 924G/H AND 930G/H

W	263-1192	BUCKET-HD, 4.25 YD3 ,IT3,720 Width: 2664mm (105"), Capacity: 3.25m3 (4.25 yd3), incl 4 piece BOCE FOR USE WITH: IT (Standard) quick coupler REQUIRES: 3rd function on the machine.		\$30,404 NI
---	----------	---	--	-------------

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

NON CURRENT SWL IT (CONT.)

BUCKETS: LIGHT MATERIAL for IT - 924G/H AND 930G/H

W	251-5413	BUCKET-LM, 3.7 YD3, IT2,174 Gen.Purpose Bucket, Width 2532 mm (100"). Base edge, excl spill guard Capacity: 2.8 m3 (3.4 yd3) fill factor 100%		\$8,424 NI
---	----------	---	--	------------

BUCKETS: LIGHT MATERIAL for IT - 930G/H

W	241-0920	BUCKET-LM, 4.0 YD3. IT2,686 Gen.Purpose Bucket, Width 2532 mm (100"). Base edge, excl spill guard Capacity: 3.1 m3 (4.0 yd3) fill factor 100%		\$6,864 NI
---	----------	---	--	------------

BUCKETS: MATERIAL HANDLING - 930G/H

W	263-1189	BUCKET-MH, 3.25YD3, IT, BOCE 3,737 Width: 2700mm (106"), Capacity: 2.48m3 (3.25 yd3) incl 4 piece BOCE FOR USE WITH: IT (Standard) quick coupler		\$25,686 NI
---	----------	---	--	-------------

W	220-6020	BUCKET-MH, 5.00YD3, IT, BOCE 3,500 Width: 3100mm (122"), Capacity: 3.8m3 (5.0 yd3) incl 3 piece BOCE, 2 strengthening ribs FOR USE WITH: IT (Standard) quick coupler		\$12,701 NI
---	----------	---	--	-------------

W	263-1194	BUCKET-MH, 4.25YD3, IT2,428 Width: 2692mm (106"), Capacity: 3.25m3 (4.25 yd3) pre drilled Base edge 105-2345 FOR USE WITH: IT (Standard) quick coupler		\$11,686 NI
---	----------	---	--	-------------

BUCKETS: MULTI PURPOSE for IT - 924G/H

W	180-9335	BUCKET-MP, 2.0 YD3, IT 3,080 Width: 2610mm (103"), Capacity: 1.63m3 (2.0 yd3) pre drilled bowl base edge 4E-0659 2540mm, BOCE on dozer edge FOR USE WITH: IT (Standard) quick coupler REQUIRES: 3rd function on the machine.		\$21,804 NI
---	----------	--	--	-------------

BUCKETS: MULTI PURPOSE for IT - 924G/H AND 930G/H

W	292-9190	BUCKET-MP, 2.6 YD3, IT 2,659 102" (2590mm) wide		\$19,225 NI
---	----------	--	--	-------------

BUCKETS: MULTI PURPOSE for IT - 930G/H

W	263-1190	BUCKET-MP, 2.5 YD3, IT 3,241 Width: 2744mm (108"), Capacity: 1.9m2 (2.5 yd3) incl. 4 piece BOCE on bowl edge, 3 piece BOCE on dozer edge FOR USE WITH: IT (Standard) quick coupler REQUIRES: 3rd function on the machine.		\$23,644 NI
---	----------	---	--	-------------

W	311-1472	BUCKET-MP, 3.0 YD3, IT 2,751 Multi Purpose Bucket, Width 2560 mm (102"). Base edge Capacity: 2.3 m3 (3.0 yd3) fill factor 100%		\$19,814 NI
---	----------	--	--	-------------

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

NON CURRENT SWL IT (CONT.)

BUCKETS: WOOD CHIP for IT - 924G/H

W	160-8378	BUCKET-WC, 6.5 YD3, IT 2,910 Width: 3389mm (133"), Capacity: 5.0m3 (6.5 yd3) pre drilled Base edge 135-9739 FOR USE WITH: IT (Standard) quick coupler		\$14,118 NI
---	----------	---	--	--------------------

BUCKETS: WOOD CHIP for IT - 930G/H

W	263-1188	BUCKET-WC, 6.75 YD3, IT 3,650 Width: 3285mm (129"), Capacity: 5.16m3 (6.75 yd3) incl. 4 piece BOCE, 2 strengthening ribs FOR USE WITH: IT (Standard) quick coupler		\$14,817 NI
---	----------	--	--	--------------------

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

NON CURRENT SWL IT (CONT.)

ARM, MATERIAL HANDLING for IT - 924G AND 938H

W	229-9714	ARM, MATERIAL HANDLING, IT 990 For handling of bulky objects, manually adjustable to 3 positions REQUIRES: Machine to be equipped with Standard width IT Quick Coupler		\$5,104 NI
---	----------	--	--	------------

BLADES for IT - IT28G AND 930G/H

W	484-7355	BLADE, HYD ANGLE, 111", IT 2,566 Hydraulic angling blade, 25 degrees left/right over center Overall Width: 2813mm (111"), Width angled: 2556mm (101") 5 piece Steel edge, non trip, 2 fixed rectangular gliding shoes FOR USE WITH: IT (Standard) quick coupler		\$21,632 NI
W	109-0164	BLADE, MAN ANGLE, 122", IT 1,800 Manual angling blade, 25 degrees left/right over center Overall Width: 3169mm (125"), Width angled: 2880mm (113") 5 piece Steel edge, non trip, 2 height adjustable gliding shoes FOR USE WITH: IT (Standard) quick coupler		\$14,688 NI

CARRIAGE HYDRAULIC TINE POSITIONING FOR IT

W	243-3315	FORK, PAL, S-NF, 72", HYD, IT 1,400 Carriage with hydraulic forks positioning, incl forks and lines Fork/tine length: 1276mm (50"), Forks swinging - non floating FOR USE WITH: IT (Standard) quick coupler REQUIRES: 3rd function on the machine. DOES NOT HAVE CE. CAN NOT BE SOLD WHERE CE IS REQUIRED.		\$9,664 NI
---	----------	---	--	------------

CARRIAGES/PALLET FORKS FOR IT - 924G/H AND 930G/H

W	6W-8832	CARRIAGE, PALLET, 61", IT 699 1550mm width. Class III carriage. FOR USE WITH: Standard coupler (IT) REQUIRES: 2 tines (forks), NOT INCLUDED		\$2,511 NI
W	132-2443	CARRIAGE, PALLET, 61", IT 681 1550mm width. Class III carriage. FOR USE WITH: Standard coupler (IT) or Coupler High Lift REQUIRES: 2 tines (forks), NOT INCLUDED		\$2,383 NI
W	303-0397	FORK, WIDE CARRIAGE 60" TINES 1,845 Recommended for Water & Sewer applications INCLUDES: Carriage 96" Wide and 2 tines 60" FOR USE WITH: 924G/H		\$9,594 NI
W	300-6830	FORK, WIDE CARRIAGE 72" TINES 1,905 Recommended for Water & Sewer applications INCLUDES: 96" (2438mm) CARRIAGE & 72" (1830mm) tines. FOR USE WITH: 930G/H		\$10,640 NI

FORKS/TINES for CARRIAGE Class III

Please order 2 each.

W	195-6937	FORK TINE, 2" X 5" X 42" 198 FOR USE WITH: Class III Carriage		\$729 NI
---	----------	--	--	----------

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

NON CURRENT SWL IT (CONT.)

FORKS/TINES for CARRIAGE Class III (Cont.)

W	195-6935	FORK TINE, 2" X 5" X 48"	216	\$765 NI
		FOR USE WITH: Class III Carriage		
W	195-6939	FORK TINE, 2" X 5" X 54"	232	\$793 NI
		FOR USE WITH: Class III Carriage		
W	195-6938	FORK TINE, 2.5" X 5" X 54"	283	\$1,000 NI
		FOR USE WITH: Class III Carriage		
W	172-3228	FORK TINE, 2" X 6" X 60"	265	\$869 NI
		FOR USE WITH: Class III Carriage		

CARRIAGE and loose TINES/FORKS for IT - 924G/H, IT28G/H, 930G/H

W	592-6085	CARRIAGE, PALLET, S-NF, 60",IT	1,142	\$3,889 NI
		1524mm (60") wide carriage excl tines/forks		
		FOR USE WITH: Standard coupler (IT)		
		REQUIRES: 2 tines/forks		
W	136-3095	FORK, PAL, SW, 48"X6"X2.4"	0	\$868 NI
		1 x fork swinging, length 1200mm (48") for 3.75" bar, please order 2		
		FOR USE WITH: Carriage 592-6085		
W	180-2835	FORK, PAL, SW, 60"X6"X2.5"	0	\$1,132 NI
		1 x fork swinging, length 1524mm (60") for 3.75" bar, please order 2		
		FOR USE WITH: Carriage 592-6085		
W	180-3977	FORK, PAL, SW, 72"X6"X2.5"	0	\$1,396 NI
		1 x fork swinging, length 1829mm (72") for 3.75" bar, please order 2		
		FOR USE WITH: Carriage 592-6085		

FORKS: LUMBER and LOG (Non-Swinging - Floating) FOR IT

W	540-6600	CARRIAGE, LOG, NS-F, 72", IT	972	\$5,833 NI
		Width Overall / Frame: 1869mm (74") / 1829mm (72")		
		Frame height: 1520mm (60"), excluding forks		
		FOR USE WITH: IT Quick Coupler		
		REQUIRES: Forks: 2 x 520-3458 or 2 x 520-3459 or 2 x 520-3460		
W	520-3458	FORK, LOG, NS-F, 48"X5.9"X2.5"	364	\$1,111 NI
		Non-Swinging / Floating Forks, order 2 for a set		
		1219mm x 150mm x 65mm (48" x 5.9" x 2.5")		
W	520-3459	FORK, LOG, NS-F, 60"X5.9"X2.5"	406	\$1,250 NI
		Non-Swinging / Floating Forks, order 2 for a set		
		1524mm x 150mm x 65mm (60" x 5.9" x 2.5")		
W	520-3460	FORK, LOG, NS-F, 72"X5.9"X2.5"	449	\$1,389 NI
		Non-Swinging / Floating Forks, order 2 for a set		
		1829mm x 150mm x 65mm (72" x 5.9" x 2.5")		

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

NON CURRENT SWL IT (CONT.)

FORKS: LUMBER and LOG (Swinging /Floating) FOR IT

W	520-3462	CARRIAGE, LOG, S-F, 68", IT 1,451 Width Overall / Frame: 1705mm (68") / 1627mm (64") Frame height: 1880mm (74"), excluding forks FOR USE WITH: IT Quick Coupler REQUIRES: Forks: 2 x 520-3458 or 2 x 520-3459 or 2 x 520-3460 OPTIONAL: 522-8450 KIT, LOG, S-F, FLOAT LOCKOUT		\$7,500 NI
W	520-3463	FORK, LOG, S-F, 48"X5.9"X2.5" 344 Swinging / Floating Forks, order 2 for a set 1219mm x 150mm x 65mm (48" x 5.9" x 2.5")		\$1,111 NI
W	520-3464	FORK, LOG, S-F, 60"X5.9"X2.5" 395 Swinging / Floating Forks, order 2 for a set 1524mm x 150mm x 65mm (60" x 5.9" x 2.5")		\$1,250 NI
W	520-3465	FORK, LOG, S-F, 72"X5.9"X2.5" 447 Swinging / Floating Forks, order 2 for a set 1829mm x 150mm x 65mm (72" x 5.9" x 2.5")		\$1,389 NI
W	522-8450	KIT, LOG, S-F, FLOAT LOCKOUT 34 Kit blocks the floating option, to prevent tines floating.		\$278 NI
W	604-4079	CARRIAGE, LOG, NS-F, 82", IT 1,113 Log Carriage with Non-Swinging and Floating tines/forks Overall - Working width: 2196mm (84") - 2094mm (82.4") FOR USE WITH: Standard coupler (IT) REQUIRES: 2 tines/forks		\$5,278 NI
W	180-6163	FORK, LOG, NS-NF, 48"X6"X2.6" 357 1 x fork/tine, length 1200mm (48") x 150mm (5.9") x 65mm (2.5") FOR USE WITH: Carriage 604-4079		\$1,111 NI
W	180-8358	FORK, LOG, NS-NF, 60"X6"X2.6" 399 1 x fork/tine, length 1524mm (60") x 150mm (5.9") x 65mm (2.5") FOR USE WITH: Carriage 604-4079		\$1,250 NI
W	264-9709	FORK, LOG, NS-NF, 72"X6"X2.6" 442 1 x fork/tine, length 1829mm (72") x 150mm (5.9") x 65mm (2.5") FOR USE WITH: Carriage 604-4079		\$1,389 NI

OFF SET FORKS/TINES for CARRIAGE Class III

W	241-0921	FORK TINE, 2X5X48 OFFSET, RIGHT 207 FOR USE WITH: Class III Carriage REQUIRES: 1 x 241-0922 to form a complete set of 2.		\$1,572 NI
W	241-0922	FORK TINE, 2X5X48 OFFSET, LEFT 207 REQUIRES: 1 x 241-0921 to form a complete set of 2.		\$1,572 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

NON CURRENT SWL ISO

This section contains work tools for wide or ISO quick coupler for following NON-current machines:
 924G/H, 930G/H, 924GZ/HZ, 928GZ,HZ and 938G/H
 Please note if current machines have ISO QC, we can not guarantee optimal performance, as the machine-tool combination have not been tested. The linkage of K&M series is completely different.

Following work tools are available:
 BUCKETS:
 - GENERAL PURPOSE for ISO
 BROOMS: Please see section "BROOMS"
 CARRIAGE for ISO

If no reference numbers appear below there are currently no items available in your region.

CARRIAGE for ISO - 924H/G AND 930H/G

W	257-2506	CARRIAGE, WIDE COUPLER.	507	\$2,386 NI
		1550mm width. Class III carriage. FOR USE WITH: ISO coupler (wide) REQUIRES: 2 tines (forks). NOT INCLUDED		

FORKS/TINES for CARRIAGE Class III

Please order 2 each.

W	195-6937	FORK TINE, 2" X 5" X 42"	198	\$729 NI
		FOR USE WITH: Class III Carriage		
W	195-6935	FORK TINE, 2" X 5" X 48"	216	\$765 NI
		FOR USE WITH: Class III Carriage		
W	195-6939	FORK TINE, 2" X 5" X 54"	232	\$793 NI
		FOR USE WITH: Class III Carriage		
W	195-6938	FORK TINE, 2.5" X 5" X 54"	283	\$1,000 NI
		FOR USE WITH: Class III Carriage		
W	172-3228	FORK TINE, 2" X 6" X 60"	265	\$869 NI
		FOR USE WITH: Class III Carriage		

OFF SET FORKS/TINES for CARRIAGE Class III

W	241-0921	FORK TINE, 2X5X48 OFFSET, RIGHT	207	\$1,572 NI
		FOR USE WITH: Class III Carriage REQUIRES: 1 x 241-0922 to form a complete set of 2.		
W	241-0922	FORK TINE, 2X5X48 OFFSET, LEFT	207	\$1,572 NI
		FOR USE WITH: Class III Carriage REQUIRES: 1 x 241-0921 to form a complete set of 2.		