

CATERPILLAR MACHINE PRICE LIST

WT-TH**TELEHANDLER WORK TOOLS**Ship Weight
lbsLIST PRICE
AT DEALER

Standard Equipment:

This Price List consists of Work Tools
for Telehandler machines

This price list has been divided into
the following sections

CURRENT MODELS - TH255C

Model: TH255C

CURRENT MODELS - TH SERIES

TH357D, TH408D, TH3510D

TH314D, TH417D, TH514D

CURRENT MODELS - TL SERIES

TL642D, TL943D, TL1055D, TL1255D

NON-CURRENT MODELS - TH SERIES

TH62, TH63, TH82, TH83, TH103

TH210, TH215, TH255

TH220B, TH330B, TH340B, TH350B

TH360B, TH460B, TH560B, TH580B

TH336, TH337, TH406, TH407

TH414, TH417, TH514

TH336C, TH337C, TH406C, TH407C, TH414C

TH414C GC, TH417C, TH417C GC, TH514C

FOR NORTH AND SOUTH AMERICA

Orders should automatically transfer
from CMOPS to Antares Parts Ordering.

Due to technical issues, with a few
part references, this fails. Should
this occur please place the order
directly into Antares.

FOR THE REST OF THE WORLD

THIS PRICE LIST IS FOR REFERENCE ONLY.

Work Tool orders must be placed using
Antares Parts Ordering.

FOR JAPAN

Please access the usual regional
resources to obtain pricing information.

FOR SUPPORT PLEASE CONTACT

BCP Work Tool Product Support

1-800-566-7782, option 1, option 6

Email: bcp_work_tools@cat.com

CATERPILLAR MACHINE PRICE LIST

WT-TH

TELEHANDLER WORK TOOLS

Ship Weight
lbs

LIST PRICE
AT DEALER

0P-0094

TELEHANDLER WORK TOOLS 0
PLEASE USE THIS REFERENCE NUMBER WHEN ORDERING.

NC

CATERPILLAR MACHINE PRICE LIST

WT-TH

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

CURRENT MODELS - TH255C

COMPATABILITY TABLE

Part	TH255C UQC	TH255C SSL Compact IT
509-3693 BUCKET, GP 0.98 yd3	X	
330-4237 BUCKET, GP 1.0 yd3		X
509-3697 BUCKET, GP 1.18 yd3	X	
330-4236 BUCKET, LM 1.7 yd3		X
509-3698 BUCKET, LM 2.0 yd3	X	
330-4240 BUCKET, GRAPPLE 72"		X
509-3696 BUCKET, GRAPPLE 74.5"	X	
509-3695 BUCKET, MP 72"	X	
336-3523 CARRIAGE, STANDARD 50"		X
350-9099 CARRIAGE, STANDARD 50"	X	
330-4243 CARRIAGE, ROTATE/SIDE TILT 48"		X
331-3251 CARRIAGE, ROTATE/SIDE TILT 48"	X	
331-3252 CARRIAGE, SIDE SHIFT 48"	X	
509-3694 MATERIAL HANDLING ARM	X	
321-0556 LIFTING HOOK, FORK MOUNTED	X	X

X = Compatible for specified coupler type
 UQC/SSL = Universal Quick Coupler / SSL Coupler
 Compact IT = Compact telehandler "IT style" coupler,
 not compatible with other IT machines (unique to TH255C)

If no reference numbers appear below there are currently no items available in your region.

ADAPTOR

W	330-4244	ADAPTOR, TH STYLE TO UNIVERSAL	270	\$2,903 NI
---	----------	--------------------------------	-----	------------

BUCKETS: GENERAL PURPOSE

W	509-3693	BUCKET-GP, 1.0 YD3, SSL, BOCE	893	\$3,310 NI
		Rated Capacity 0.75 m3 (1.0 yd3), Width 1890 mm (74") INCLUDES: bolt-on cutting edge & spillguard FOR USE WITH: Universal Quick Coupler / SSL Coupler		
W	330-4237	BUCKET, GP 1.0 CYD	720	\$3,350 NI
		Rated Capacity 0.75 m3 (1.0 yd3), Width 1855 mm (73") INCLUDES: bolt-on cutting edge FOR USE WITH: Compact IT		
W	509-3697	BUCKET-GP, 1.2 YD3, SSL, BOCE	919	\$3,710 NI
		Rated Capacity 0.9 m3 (1.2 yd3), Width 1890 mm (74") INCLUDES: bolt-on cutting edge FOR USE WITH: Universal Quick Coupler / SSL Coupler		

CATERPILLAR MACHINE PRICE LIST

WT-TH

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

CURRENT MODELS - TH255C (CONT.)

BUCKETS: LIGHT MATERIAL

Designed for maximum efficiency when loading light, loosely packed materials, such as mulch, hay, woodchips, grain, livestock feed, and snow.

Note: Loaded material not to exceed 750 to 1000 kg / m3 (47 to 62 lb / CFT) density

W	330-4236	BUCKET, LM 1.7 CYD 838 Rated Capacity 1.3 m3 (1.7 yd3), Width 1829 mm (72") INCLUDES: bolt-on cutting edge FOR USE WITH: Compact IT		\$5,040 NI
W	509-3698	BUCKET-LM, 2.0 YD3, SSL, BOCE 1,168 Rated Capacity 1.5 m3 (2.0 yd3), Width 2080 mm (82") INCLUDES: bolt-on cutting edge FOR USE WITH: Universal Quick Coupler / SSL Coupler		\$5,700 NI

BUCKETS: GRAPPLE

W	330-4240	BUCKET-UTILITY GRAPPLE, 72" 1,096 Rated Capacity 0.76 m3 (1.0 yd3), Width 1855 mm (73") DOES NOT INCLUDE: bolt-on cutting edge FOR USE WITH: Compact IT		\$8,200 NI
W	509-3696	BUCKET-IND.GR, 74", SSL, BOCE 1,070 Rated Capacity 0.76 m3 (1.0 yd3), Width 1893 mm (74.5") INCLUDES: bolt-on cutting edge FOR USE WITH: Universal Quick Coupler / SSL Coupler		\$8,700 NI

BUCKETS: MULTI PURPOSE

W	509-3695	BUCKET-MP, 0.48YD3, SSL, BOCE 962 Rated Capacity 0.36 m3 (0.48 yd3), Width 1890 mm (74") INCLUDES: bolt-on cutting edge & spillguard FOR USE WITH: Universal Quick Coupler / SSL Coupler		\$4,654 NI
---	----------	--	--	------------

FORK CARRIAGES

W	336-3523	CARRIAGE, STANDARD 50" 461 Rated Capacity 2,495 kg (5,500 lb), Width 1270 mm (50") with load backrest and 57 mm (2.25") floating shaft REQUIRES: 2 X fork tines FOR USE WITH: Compact IT		\$1,660 NI
W	350-9099	CARRIAGE, STANDARD 50" 526 Rated Capacity 2,495 kg (5,500 lb), Width 1270 mm (50") with load backrest and 57 mm (2.25") floating shaft REQUIRES: 2 X fork tines FOR USE WITH: Universal Quick Coupler / SSL Coupler		\$1,660 NI
W	330-4243	CARRIAGE, ROTATE/SIDE TILT 48" 660 Rated Capacity 2,495 kg (5,500 lb), Width 1270 mm (50") with load backrest and 57 mm (2.25") floating shaft Tilt Range +/- 10 degrees REQUIRES: 2 X fork tines FOR USE WITH: Compact IT		\$4,047 NI

CATERPILLAR MACHINE PRICE LIST

WT-TH

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

CURRENT MODELS - TH255C (CONT.)

FORK CARRIAGES (Cont.)

W	331-3251	CARRIAGE, ROTATE/SIDE TILT 48" 817 Rated Capacity 2,495 kg (5,500 lb), Width 1219 mm (48") with load backrest and 57 mm (2.25") floating shaft Tilt Range +/- 10 degrees REQUIRES: 2 X fork tines FOR USE WITH: Universal Quick Coupler / SSL Coupler		\$4,047 NI
W	331-3252	CARRIAGE, SIDE SHIFT 48" 825 Rated Capacity 2,495 kg (5,500 lb), Width 1219 mm (48") with load backrest and 57 mm (2.25") floating shaft Side Shift Range +/- 4 in (102 mm) REQUIRES: 2 X fork tines FOR USE WITH: Universal Quick Coupler / SSL Coupler		\$4,283 NI

FORK TINES

W	323-5738	FORK, PALLET 2" X 4" X 48" 150 Rated Capacity per Fork 1,750 kg (3,800 lb) Dimensions 50 X 100 X 1220 mm (2" X 4" X 48") FOR USE WITH: 57 mm (2.25") floating shaft One fork only, must specify quantity 2 for a pair		\$600 NI
W	323-5737	FORK, LUMBER 1.5" X 6" X 60" 245 Rated Capacity per Fork 1,650 kg (3,600 lb) Dimensions 40 X 150 X 1540 mm (1.5" X 6" X 60") FOR USE WITH: 57 mm (2.25") floating shaft One fork only, must specify quantity 2 for a pair		\$1,238 NI
W	301-9752	FORK, CUBING 2" X 2" X 48" 76 Rated Capacity per Fork 880 kg (1,940 lb) Dimensions 50 X 50 X 1220 mm (2" X 2" X 48") FOR USE WITH: 57 mm (2.25") floating shaft One fork tine only, minimum 2 required, can use up to 6 tines		\$404 NI

MATERIAL HANDLING

W	509-3694	ARM, MATERIAL HANDLING 2,000 Rated Capacity 907 kg (2,000 lb), Length 1687 mm (66") FOR USE WITH: Universal Quick Coupler / SSL Coupler		\$1,758 NI
W	321-0556	LIFTING HOOK, FORK MOUNTED 217 Rated Capacity 5445 kg (12,000 lb) No additional load chart needed. Use carriage load chart. NOT FOR USE WITH: cubing or block forks		\$2,604 NI

CATERPILLAR MACHINE PRICE LIST

WT-TH

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT MODELS - TH SERIES

Current models - TH series
 TH357D, TH408D and TH3510D
 TH314D, TH417D and TH514D

BUCKETS: GENERAL PURPOSE

W	163-4261	BUCKET-GP, 1.3 YD3, IT, BOCE 865 Rated Capacity 1 m3 (1.31 yd3), Width 2418 mm (95") INCLUDES: bolt-on cutting edge & spillguard		\$3,969 NI
W	474-0148	BUCKET-GP, 2.0 YD3, IT 0 Rated Capacity 1.5 m3 (2.0 yd3), Width 2600 mm (102") NOT FOR USE WITH: TH357D, TH408D, TH3510D		\$4,850 NI

BUCKETS: LIGHT MATERIAL

Designed for maximum efficiency when loading light, loosely packed materials, such as mulch, hay, woodchips, grain, livestock feed.

Note: Loaded material not to eXceed 750 to 1000 kg / m3
 (47 to 62 lb / ft³) density

W	220-4759	BUCKET-LM, 2.6 YD3, IT, BOCE 1,007 Rated Capacity 2.0 m3 (2.6 yd3), Width 2450 mm (96") INCLUDES: bolt-on cutting edge		\$7,019 NI
W	220-4760	BUCKET-LM, 3.25 YD3, IT, BOCE 1,159 Rated Capacity 2.5 m3 (3.3 yd3), Width 2450 mm (96") INCLUDES: bolt-on cutting edge NOT FOR USE WITH: TH514D		\$8,560 NI
W	220-4761	BUCKET-LM, 3.9 YD3, IT, BOCE 1,320 Rated Capacity 3.0 m3 (3.9 yd3), Width 2700 mm (106") INCLUDES: bolt-on cutting edge NOT FOR USE WITH: TH514D		\$9,881 NI

BUCKETS: MATERIAL HANDLING

W	186-5838	BUCKET-MH, 1.96 YD3, IT, BOCE 1,059 Rated Capacity 1.5 m3 (1.96 yd3), Width 2418 mm (94.4") INCLUDES: bolt-on cutting edge		\$5,613 NI
---	----------	---	--	-------------------

BUCKETS: GRAPPLE

W	474-0142	BUCKET-GRAPPLE, 1.7 YD3, IT 0 Rated Capacity 1.3 m3 (1.7 yd3), Width 2450 mm (96")		\$9,540 NI
---	----------	--	--	-------------------

BUCKETS: MULTI PURPOSE

W	163-4265	BUCKET-MP, 1.3 YD3, IT, BOCE 1,352 Rated Capacity 1.0 m3 (1.3 yd3), Width 2413 mm (95") INCLUDES: bolt-on cutting edge & spillguard		\$8,590 NI
---	----------	--	--	-------------------

CATERPILLAR MACHINE PRICE LIST

WT-TH

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT MODELS - TH SERIES (CONT.)

FORK CARRIAGES

W	301-9757	CARRIAGE, STANDARD 50" 0 Rated Capacity 5443 kg (12,000 lb), Width 1270 mm (50") with load backrest and 57 mm (2.25") floating shaft REQUIRES: 2 X fork tines		\$2,021 NI
W	500-4475	CARRIAGE, STANDARD, 60" 0 Rated Capacity 5443 kg (12,000 lb), Width 1270 mm (50") with load backrest and 57 mm (2.25") floating shaft REQUIRES: 2 X fork tines		\$2,154 NI
W	301-9758	CARRIAGE, STANDARD 72" 0 Rated Capacity 5443 kg (12,000 lb), Width 1270 mm (50") with load backrest and 57 mm (2.25") floating shaft REQUIRES: 2 X fork tines		\$2,314 NI
W	341-3590	CARRIAGE, SIDE TILT 48" 1,040 Rated Capacity 5443 kg (12,000 lb), Width 1219 mm (48") with load backrest and 57 mm (2.25") floating shaft Tilt Range +/- 10 degrees REQUIRES: 2 X fork tines NOT FOR USE WITH: TH357D, TH408D, TH3510D		\$4,481 NI
W	375-6292	CARRIAGE, SIDE TILT, 50" 0 Rated Capacity 4535 kg (10,000 lb), Width 1270 mm (50") with load backrest and 57 mm (2.25") floating shaft Tilt Range +/- 10 degrees REQUIRES: 2 X fork tines		\$4,375 NI
W	375-6293	CARRIAGE, SIDE TILT, 72" 0 Rated Capacity 4535 kg (10,000 lb), Width 1830 mm (72") with load backrest and 57 mm (2.25") floating shaft Tilt Range +/- 10 degrees REQUIRES: 2 X fork tines		\$4,681 NI
W	474-0140	CARRIAGE, SIDE TILT/ROTATE 72" 984 72" (1830mm) wide with load backrest and 2.25" (57mm) floating shaft Rated Capacity 5443 kg (12,000 lb), Width 1830 mm (72") with load backrest and 57 mm (2.25") floating shaft Tilt Range +/- 10 degrees REQUIRES: 2 X fork tines NOT FOR USE WITH: TH357D, TH408D, TH3510D		\$4,881 NI
W	474-0141	CARRIAGE, SIDE SHIFT, 48" 0 Rated Capacity 5443 kg (12,000 lb), Width 1219 mm (48") with load backrest and 57 mm (2.25") floating shaft Side Shift Range +/- 4 in (102 mm) REQUIRES: 2 X fork tines		\$6,883 NI
W	555-1350	CARRIAGE, HYD FRK POSN, 50" 0 Rated Capacity 5443 kg (12,000 lb), Width 1270 mm (50") with load backrest and 57 mm (2.25") floating shaft REQUIRES: 2 X fork tines, 125 mm (5") wide max ONLY FOR USE WITH: Fork Tines 301-9753, 550-9930, or 567-1247		\$7,239 NI

CATERPILLAR MACHINE PRICE LIST

WT-TH

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT MODELS - TH SERIES (CONT.)

FORK CARRIAGES (Cont.)

W	555-1351	CARRIAGE, HYD FRK POSN, 72" 0 Rated Capacity 5443 kg (12,000 lb), Width 1829 mm (72") with load backrest and 57 mm (2.25") floating shaft REQUIRES: 2 X fork tines, 125 mm (5") wide max NOT FOR USE WITH: TH357D, TH408D, TH3510D FOR USE WITH: TH514D WITH Fork Tines 301-9753, 550-9930, or 567-1247		\$8,260 NI
W	318-9222	CARRIAGE, SWING 100 DEGREES 1,995 Rated Capacity 4535 kg (10,000 lb), Width 1830 mm (72") Swing Range +/- 50 degrees NOT FOR USE WITH: TH357D, TH408D, TH3510D		\$8,008 NI
W	560-2577	CARRIAGE, SWING, 180 DEGREES 0 Rated Capacity 5443 kg (12,000 lb), Width 1830 mm (72") Swing Range +/- 90 degrees NOT FOR USE WITH: TH357D, TH408D, TH3510D		\$17,931 NI
W	486-0527	CARRIAGE, FORKS 47", 5T, IT 0 Rated Capacity 5000 kg (11,000 lb), Width 1240 mm (48") Fixed fork carriage, does not have load backrest INCLUDES: 2 X fork tines NOT FOR USE WITH: TH514D		\$4,958 NI

FORK TINES

W	301-9755	FORK, PALLET 2.36" X 4" X 48" 0 Rated Capacity per Fork 2500 kg (5,475 lb) Dimensions 60 X 100 X 1220 mm (2.36" X 4" X 48") FOR USE WITH: 57 mm (2.25") floating shaft One fork only, must specify quantity 2 for a pair		\$713 NI
W	301-9753	FORK, PALLET 2.36" X 5" X 48" 0 Rated Capacity per Fork 3150 kg (6,850 lb) Dimensions 60 X 125 X 1220 mm (2.36" X 5" X 48") FOR USE WITH: 57 mm (2.25") floating shaft One fork only, must specify quantity 2 for a pair		\$804 NI
W	550-9930	FORK, PALLET, 2.36 X 5 X 60 0 Rated Capacity per Fork 3150 kg (6,850 lb) Dimensions 60 X 125 X 1525 mm (2.36" X 5" X 60") FOR USE WITH: 57 mm (2.25") floating shaft One fork only, must specify quantity 2 for a pair ONLY FOR USE WITH: Fork Carriage 555-1350 and 555-1351 NOT FOR USE WITH: TH357D, TH408D, TH3510D		\$918 NI
W	301-9754	FORK, PALLET 2.36" X 6" X 60" 0 Rated Capacity per Fork 3700 kg (8,157 lb) Dimensions 60 X 150 X 1525 mm (2.36" X 6" X 60") FOR USE WITH: 57 mm (2.25") floating shaft One fork only, must specify quantity 2 for a pair		\$1,026 NI
W	567-1247	FORK, PALLET 2.36" X 5" X 72" 0 Rated Capacity per Fork 3150 kg (6,850 lb) FOR USE WITH: 57 mm (2.25") floating shaft One fork only, must specify quantity 2 for a pair NOT FOR USE WITH: TH357D, TH408D, TH3510D		\$1,032 NI

CATERPILLAR MACHINE PRICE LIST

WT-TH

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT MODELS - TH SERIES (CONT.)

FORK TINES (Cont.)

W	323-5737	FORK, LUMBER 1.5" X 6" X 60" 245 Rated Capacity per Fork 1650 kg (3,600 lb) Dimensions 40 X 150 X 1540 mm (1.5" X 6" X 60") FOR USE WITH: 57 mm (2.25") floating shaft One fork only, must specify quantity 2 for a pair		\$1,238 NI
W	301-9756	FORK, LUMBER 1.75 X 7 X 60" 262 Rated Capacity per Fork 2500 kg (5,400 lb) Dimensions 45 X 180 X 1540 mm (1.75" X 7" X 60") FOR USE WITH: 57 mm (2.25") floating shaft One fork only, must specify quantity 2 for a pair		\$1,388 NI
W	311-2854	FORK, DUAL TAPER 2" X 6" X 72" 0 Rated Capacity per Fork 2560 kg (5,650 lb) Dimensions 50 X 150 X 1830 mm (2" X 6" X 72") FOR USE WITH: 57 mm (2.25") floating shaft One fork only, must specify quantity 2 for a pair		\$1,042 NI
W	301-9752	FORK, CUBING 2" X 2" X 48" 76 Rated Capacity 880 kg (1,940 lb) Dimensions 50 X 50 X 1220 mm (2" X 2" X 48") FOR USE WITH: 57 mm (2.25") floating shaft One fork tine only, minimum 2 required, can use up to 6 tines		\$404 NI
W	397-6114	FORK, EXTENSION, 90" 0 Rated Capacity at 610 mm (24") Load Center 2722 kg (6,000 lb) Rated Capacity at 1143 mm (45") Load Center 1451 kg (3,200 lb) Dimensions 2286 mm (90") FOR USE WITH: 2.36" X 6" X 60" fork tine only NOT FOR USE WITH: Cubing Fork		\$849 NI

PIPE AND POLE GRAPPLE

W	486-0526	GRAPPLE FORK, PIPE & POLE 0 Handles 2-30" diameter pipe/pole Rated Capacity 2722 kg (6,000 lb), Width 2128 mm (84") Height 1220 mm (48"), Fork Length 1219 mm (48")		\$12,346 NI
---	----------	---	--	--------------------

MATERIAL HANDLING

W	229-9714	ARM, MATERIAL HANDLING, IT 990 Rated Capacity 2095 kg (4,619 lb), Length 3941 mm (155").		\$5,104 NI
W	321-0556	LIFTING HOOK, FORK MOUNTED 217 Rated Capacity 5445 kg (12,000 lb) No additional load chart needed. Use carriage load chart. NOT FOR USE WITH: cubing or block forks		\$2,604 NI
W	483-9533	GRAPPLE, BALE HANDLER, 52" 1,217 Rated Capacity 1000 kg (2,240 lb) Minimum Bale Width or Diameter 610 mm (24") Includes two hydraulically operated arm arrangements: smooth clamp and multi-spike clamp NOT FOR USE WITH: TH514D		\$6,479 NI

CATERPILLAR MACHINE PRICE LIST

WT-TH

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-------------------------------	--------------------	-------------------------

CURRENT MODELS - TH SERIES (CONT.)

WORK PLATFORM, FORK MOUNTED

W	343-9736	PLATFORM,FRK MTD4'X8'ANSI ENGL 0 Rated Capacity 454 kg (1,000 lb), Width 2438 mm (96") ANSI Approved Platform, English Decals FOR USE WITH: 1219 mm (48") fork tines FOR USE WITH: TH514D and TL models only	\$3,432 NI
---	----------	---	-------------------

CATERPILLAR MACHINE PRICE LIST

WT-TH

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT MODELS - TL SERIES

MODELS COVERED
 TL642D, TL943D, TL1055D, TL1255D

BUCKETS: GENERAL PURPOSE

W	163-4261	BUCKET-GP, 1.3 YD3, IT, BOCE	865	\$3,969 NI
		Rated Capacity 1.31 cyd, Width 95"		
		Includes bolt-on cutting edge & spillguard		
W	474-0148	BUCKET-GP, 2.0 YD3, IT	0	\$4,850 NI
		Rated Capacity 1.5 m3 (2.0 yd3), Width 2600 mm (102")		

BUCKETS: MATERIAL HANDLING

W	186-5838	BUCKET-MH, 1.96 YD3, IT, BOCE	1,059	\$5,613 NI
		Rated Capacity 1.5 m3 (1.96 yd3), Width 2418 mm (94.4")		
		INCLUDES: bolt-on cutting edge		

BUCKETS: GRAPPLE

W	474-0142	BUCKET-GRAPPLE, 1.7 YD3, IT	0	\$9,540 NI
		Rated Capacity 1.3 m3 (1.7 yd3), Width 2450 mm (96")		

BUCKETS: MULTI PURPOSE

W	163-4265	BUCKET-MP, 1.3 YD3, IT, BOCE	1,352	\$8,590 NI
		Rated Capacity 1.0 m3 (1.3 yd3), Width 2413 mm (95")		
		INCLUDES: bolt-on cutting edge & spillguard		

FORK CARRIAGES

W	301-9757	CARRIAGE, STANDARD 50"	0	\$2,021 NI
		Rated Capacity 5443 kg (12,000 lb), Width 1270 mm (50")		
		with load backrest and 57 mm (2.25") floating shaft		
		REQUIRES: 2 X fork tines		
W	474-2531	CARRIAGE, STANDARD 50"	0	\$2,021 NI
		50" (1270mm) wide with load backrest and 2.25" (57mm) floating shaft		
W	474-0139	CARRIAGE, STANDARD, 60"	0	\$3,683 NI
		Rated Capacity 5443 kg (12,000 lb), Width 1524 mm (60")		
		with load backrest and 57 mm (2.25") floating shaft		
		REQUIRES: 2 X fork tines		
W	500-4475	CARRIAGE, STANDARD, 60"	0	\$2,154 NI
		Rated Capacity 5443 kg (12,000 lb), Width 1270 mm (50")		
		with load backrest and 57 mm (2.25") floating shaft		
		REQUIRES: 2 X fork tines		
W	301-9758	CARRIAGE, STANDARD 72"	0	\$2,314 NI
		Rated Capacity 5443 kg (12,000 lb), Width 1830 mm (72")		
		with load backrest and 57 mm (2.25") floating shaft		
		REQUIRES: 2 X fork tines		

CATERPILLAR MACHINE PRICE LIST

WT-TH

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT MODELS - TL SERIES (CONT.)

FORK CARRIAGES (Cont.)

W	474-2532	CARRIAGE, STANDARD 72" 0 72" (1830mm) wide with load backrest and 2.25" (57mm) floating shaft		\$2,314 NI
W	341-3590	CARRIAGE, SIDE TILT 48" 1,040 Rated Capacity 5443 kg (12,000 lb), Width 1219 mm (48") with load backrest and 57 mm (2.25") floating shaft Tilt Range +/- 10 degrees REQUIRES: 2 X fork tines NOT FOR USE WITH: TL642D, TL943D, and TL1055D		\$4,481 NI
W	549-8955	CARRIAGE, SIDE TILT, 50" 0 Rated Capacity 4535 kg (10,000 lb), Width 1270 mm (50") with load backrest and 57 mm (2.25") floating shaft Tilt Range +/- 10 degrees REQUIRES: 2 X fork tines		\$4,688 NI
W	549-8956	CARRIAGE, SIDE TILT, 72" 0 Rated Capacity 5443 kg (12,000 lb), Width 1830 mm (72") with load backrest and 57 mm (2.25") floating shaft Tilt Range +/- 10 degrees REQUIRES: 2 X fork tines		\$5,222 NI
W	474-0140	CARRIAGE, SIDE TILT/ROTATE 72" 984 Rated Capacity 5443 kg (12,000 lb), Width 1830 mm (72") with load backrest and 57 mm (2.25") floating shaft Tilt Range +/- 10 degrees REQUIRES: 2 X fork tines NOT FOR USE WITH: TL642D, TL943D, and TL1055D		\$4,881 NI
W	474-0141	CARRIAGE, SIDE SHIFT, 48" 0 Rated Capacity 5443 kg (12,000 lb), Width 1219 mm (48") with load backrest and 57 mm (2.25") floating shaft Side Shift Range +/- 4 in (102 mm) REQUIRES: 2 X fork tines		\$6,883 NI
W	555-1350	CARRIAGE, HYD FRK POSN, 50" 0 Rated Capacity 5443 kg (12,000 lb), Width 1270 mm (50") with load backrest and 57 mm (2.25") floating shaft REQUIRES: 2 X fork tines, 125 mm (5") wide max ONLY FOR USE WITH: Fork Tines 301-9753, 550-9930, or 567-1247		\$7,239 NI
W	555-1351	CARRIAGE, HYD FRK POSN, 72" 0 Rated Capacity 5443 kg (12,000 lb), Width 1829 mm (72") with load backrest and 57 mm (2.25") floating shaft REQUIRES: 2 X fork tines, 125 mm (5") wide max ONLY FOR USE WITH: Fork Tines 301-9753, 550-9930, or 567-1247		\$8,260 NI
W	318-9222	CARRIAGE, SWING 100 DEGREES 1,995 Rated Capacity 4535 kg (10,000 lb), Width 1830 mm (72") Swing Range +/- 50 degrees		\$8,008 NI
W	560-2577	CARRIAGE, SWING, 180 DEGREES 0 Rated Capacity 5443 kg (12,000 lb), Width 1830 mm (72") Swing Range +/- 90 degrees NOT FOR USE WITH: TL642D AND TL943D		\$17,931 NI

CATERPILLAR MACHINE PRICE LIST

WT-TH

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT MODELS - TL SERIES (CONT.)

FORK TINES

W	301-9755	FORK, PALLET 2.36" X 4" X 48" 0 Rated Capacity per Fork 2500 kg (5,475 lb) Dimensions 60 X 100 X 1220 mm (2.36" X 4" X 48") FOR USE WITH: 57 mm (2.25") floating shaft One fork only, must specify quantity 2 for a pair NOT FOR USE WITH: TL1255D		\$713 NI
W	301-9753	FORK, PALLET 2.36" X 5" X 48" 0 Rated Capacity per Fork 3150 kg (6,850 lb) Dimensions 60 X 125 X 1220 mm (2.36" X 5" X 48") FOR USE WITH: 57 mm (2.25") floating shaft One fork only, must specify quantity 2 for a pair		\$804 NI
W	550-9930	FORK, PALLET, 2.36 X 5 X 60 0 Rated Capacity per Fork 3150 kg (6,850 lb) Dimensions 60 X 125 X 1525 mm (2.36" X 5" X 60") FOR USE WITH: 57 mm (2.25") floating shaft One fork only, must specify quantity 2 for a pair ONLY FOR USE WITH: Fork Carriage 555-1350 and 555-1351		\$918 NI
W	301-9754	FORK, PALLET 2.36" X 6" X 60" 0 Rated Capacity per Fork 3700 kg (8,157 lb) Dimensions 60 X 150 X 1525 mm (2.36" X 6" X 60") FOR USE WITH: 57 mm (2.25") floating shaft One fork only, must specify quantity 2 for a pair		\$1,026 NI
W	567-1247	FORK, PALLET 2.36" X 5" X 72" 0 Rated Capacity per Fork 3150 kg (6,850 lb) FOR USE WITH: 57 mm (2.25") floating shaft One fork only, must specify quantity 2 for a pair FOR USE WITH: TL642D/TL943D WITH Fork Carriage 555-1350 and 555-1351 FOR USE WITH: TL1055D and TL1255D WITH All Approved Carriages		\$1,032 NI
W	323-5737	FORK, LUMBER 1.5" X 6" X 60" 245 Rated Capacity per Fork 1650 kg (3,600 lb) Dimensions 40 X 150 X 1540 mm (1.5" X 6" X 60") FOR USE WITH: 57 mm (2.25") floating shaft One fork only, must specify quantity 2 for a pair		\$1,238 NI
W	301-9756	FORK, LUMBER 1.75 X 7 X 60" 262 Rated Capacity per Fork 2500 kg (5,400 lb) Dimensions 45 X 180 X 1540 mm (1.75" X 7" X 60") FOR USE WITH: 57 mm (2.25") floating shaft One fork only, must specify quantity 2 for a pair NOT FOR USE WITH: TL1255D		\$1,388 NI
W	301-9752	FORK, CUBING 2" X 2" X 48" 76 Rated Capacity 880 kg (1,940 lb) Dimensions 50 X 50 X 1220 mm (2" X 2" X 48") FOR USE WITH: 57 mm (2.25") floating shaft One fork tine only, minimum 2 required, can use up to 6 tines		\$404 NI
W	397-6114	FORK, EXTENSION, 90" 0 Rated Capacity at 610 mm (24") Load Center 2722 kg (6,000 lb) Rated Capacity at 1143 mm (45") Load Center 1451 kg (3,200 lb) Dimensions 2286 mm (90") FOR USE WITH: 2.36" X 6" X 60" fork tine only NOT FOR USE WITH: Cubing Fork		\$849 NI

CATERPILLAR MACHINE PRICE LIST

WT-TH

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT MODELS - TL SERIES (CONT.)

PIPE AND POLE GRAPPLE

W	486-0526	GRAPPLE FORK, PIPE & POLE 0		\$12,346 NI
		Handles 2-30" diameter pipe/pole Rated Capacity 2722 kg (6,000 lb), Width 2128 mm (84") Height 1220 mm (48"), Fork Length 1219 mm (48") NOT FOR USE WITH: TL642D and TL943D		

MATERIAL HANDLING

W	169-3945	TRUSS BOOM 402		\$4,915 NI
		Length 4.00m (157.5") Rated Capacity 500 kg (1102 lbs)		
W	229-9714	ARM, MATERIAL HANDLING, IT 990		\$5,104 NI
		Rated Capacity 2095 kg (4,619 lb), Length 3941 mm (155").		
W	321-0556	LIFTING HOOK, FORK MOUNTED 217		\$2,604 NI
		Rated Capacity 5445 kg (12,000 lb) No additional load chart needed. Use carriage load chart. NOT FOR USE WITH: cubing or block forks		

TRASH HOPPER

W	486-0529	TRASH HOPPER, FORK MOUNTED 0		\$4,188 NI
---	----------	--	--	------------

WORK PLATFORM, FORK MOUNTED

W	343-9736	PLATFORM,FRK MTD4'X8'ANSI ENGL 0		\$3,432 NI
		Rated Capacity 454 kg (1,000 lb), Width 2438 mm (96") ANSI Approved Platform, English Decals FOR USE WITH: 1219 mm (48") fork tines		

CATERPILLAR MACHINE PRICE LIST

WT-TH

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

NON-CURRENT MODELS - TH SERIES

THIS SECTION RELATES TO THE FOLLOWING MODELS:

TH210 & TH215
 TH62, TH63, TH82, TH83, TH103s
 All B Series models:
 TH220B, TH330B, TH340B, TH350B
 TH360B, TH460B, TH560B, TH580B

Please note, all load bearing attachments require a separate Loadchart that can be identified and ordered through the parts system.

WORK TOOL COMPATIBILITY FOR TH62, TH63, TH82, TH83 & TH103

Please note, in September 2000, the couplers on the above models were changed. For the purposes of this section, and the compatibility with available worktools, the models have been split into 'Group A' and 'Group B'. Please see below the serial numbers involved.

Group A	Serial Number	Description	Group B	Serial Number	Description
TH62	SN 4TM00001 - 4013	TH62 SN 4TM04014 - Up	TH62	SN 4TM04014	- Up
TH62	SN 3LN00001 - Up				
TH63	SN 5WM00001 - 6020	TH63 SN 5WM06021 - Up	TH63	SN 5WM06021	- Up
TH63	SN 3NN00001 - Up				
TH82	SN 3JN00001 - 1509	TH82 SN 3JN01510 - Up	TH82	SN 3JN01510	- Up
TH82	SN 3KN00001 - Up				
TH83	SN 3RN00001 - 4014	TH83 SN 3RN04015 - Up	TH83	SN 3RN04015	- Up
TH103	SN 3PN00001 - 2026	TH103 SN 3PN02027 - Up	TH103	SN 3PN02027	- Up

GROUP A
 Manufactured before September 2000, work tools compatible with Group A telehandlers are painted yellow.

GROUP B
 Manufactured after September 2000, work tools compatible with Group B telehandlers are painted black

BUCKETS - GENERAL PURPOSE

W	509-3693	BUCKET-GP, 1.0 YD3, SSL, BOCE 893	\$3,310 NI
		Overall width 1890mm (74"), Capacity 0.75m3 (0.98yd3), incl BOCE FOR USE WITH: Skid Steer coupler FOR USE WITH: TH210/215	
W	163-4261	BUCKET-GP, 1.3 YD3, IT, BOCE 865	\$3,969 NI
		Rated Capacity 1.31 cyd, Width 95" Includes bolt-on cutting edge & spillguard FOR USE WITH: GROUP B & B SERIES MACHINES	
W	194-2563	BUCKET-GP, 1.75 YD3, IT 1,104	\$4,350 NI
		Rated Capacity 1.75 cyd, Width 95" FOR USE WITH: GROUP B & B SERIES MACHINES	

CATERPILLAR MACHINE PRICE LIST

WT-TH

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

NON-CURRENT MODELS - TH SERIES (CONT.)

BUCKETS - GENERAL PURPOSE (Cont.)

W	194-2564	BUCKET-GP, 1.75 YD3, IT, BOCE 1,295 Rated Capacity 1.75 cyd, Width 95" Includes bolt-on cutting edge FOR USE WITH: GROUP B & B SERIES MACHINES		\$4,850 NI
---	----------	--	--	-------------------

BUCKETS - GRAPPLE

W	461-7032	BUCKET-GRAPPLE, 1.1YD3, IT, BOCE 1,874 Rated Capacity 0.85m3 (1.1cyd) Width 2330mm (92") INCLUDES: Bolt On Cutting Edge REQUIRES: Auxilliary hydraulic service for operation FOR USE WITH: GROUP B & B SERIES MACHINES		\$8,819 NI
---	----------	--	--	-------------------

BUCKET - LIGHT MATERIAL

W	220-4759	BUCKET-LM, 2.6 YD3, IT, BOCE 1,007 Rated Capacity 2.6 cyd, Width 98" Includes bolt-on cutting edge FOR USE WITH: GROUP B & B SERIES MACHINES		\$7,019 NI
W	220-4760	BUCKET-LM, 3.25 YD3, IT, BOCE 1,159 Rated Capacity 3.25 cyd, Width 98" Includes bolt-on cutting edge FOR USE WITH: GROUP B & B SERIES MACHINES		\$8,560 NI
W	220-4761	BUCKET-LM, 3.9 YD3, IT, BOCE 1,320 Rated Capacity 3.9 cyd, Width 106" Includes bolt-on cutting edge FOR USE WITH: GROUP B & B SERIES MACHINES		\$9,881 NI

BUCKETS - MULTIPURPOSE

W	163-4265	BUCKET-MP, 1.3 YD3, IT, BOCE 1,352 Rated Capacity 1.3 cyd, Width 94" Includes bolt-on cutting edge FOR USE WITH: GROUP B & B SERIES MACHINES		\$8,590 NI
W	195-5191	LOADCHARTS, 1.0 MP BKT 0 FOR USE WITH: 163-4265 BUCKET-MP, 1.3 YD3 FOR USE WITH: GROUP B & B SERIES MACHINES		NC NI

CARRIAGES

W	206-6868	CARRIAGE, STANDARD 340 55" (1400mm) wide, Class II Hook Type FOR USE WITH: TH210/TH215		\$1,713 NI
W	215-4350	CARRIAGE, STANDARD 331 48"(1220mm) wide with load backrest and 60mm floating shaft FOR USE WITH: GROUP B & B SERIES MACHINES		\$2,589 NI

CATERPILLAR MACHINE PRICE LIST

WT-TH

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

NON-CURRENT MODELS - TH SERIES (CONT.)

CARRIAGES (Cont.)

W	174-7731	CARRIAGE, WIDE FRAMERS 500 74"(1850mm) wide with load backrest and 60mm floating shaft FOR USE WITH: GROUP B & B SERIES MACHINES		\$5,125 NI
W	231-3229	CARRIAGE, ROTATE 561 48"(1220mm) wide with load backrest, 60mm floating fork shafts and 12 degrees side-tilt to either side FOR USE WITH: GROUP B & B SERIES MACHINES		\$9,738 NI
W	227-5748	CARRIAGE, WIDE FRAMERS, ROTATE 817 74"(1850mm) wide with load backrest, 60mm floating fork shafts and 12 degrees of side-tilt to either side FOR USE WITH: GROUP B & B SERIES MACHINES		\$12,465 NI
W	222-6210	CARRIAGE, SIDE SHIFT 434 48"(1220mm) wide with load backrest and 60mm floating shaft. Carriage sideshift maximum 6" (150mm) left/right of center. FOR USE WITH: B SERIES MACHINES		\$5,000 NI
W	301-9758	CARRIAGE, STANDARD 72" 0 72" (1829mm) wide with load backrest and 2.25" (57mm) floating shaft FOR USE WITH: B SERIES MACHINES		\$2,314 NI
W	318-9222	CARRIAGE, SWING 100 DEGREES 1,995 73" (1854mm) wide with load backrest and 2.25" (57mm) floating shaft FOR USE WITH: B SERIES MACHINES		\$8,008 NI

FORKS (TINES)

W	195-6942	FORK, PAL C2, 42" X 4" X 1.5" 104 1.5" x 4" x 42" (40mm x 100mm x 1070mm) Hook Type, pull retention Price & Weight Each. Please order 2 for a pair. REQUIRES: Class II Carriage FOR USE WITH: TH210/215		\$208 NI
W	195-8545	FORK, PAL C2, 48" X 4" X 1.5" 114 1.6" x 4" x 48" (40mm x 100mm x 1220mm) Hook Type, pull retention Price & Weight Each. Please order 2 for a pair. REQUIRES: Class II Carriage FOR USE WITH: TH210/215		\$222 NI
W	145-5342	FORK, PALLET 2" X 4" X 42" 117 Order Quantity of 2 for a pair. For use with 45mm bar. FOR USE WITH: TH210/215 AND ALL TH62/63		\$410 NI
W	145-5343	FORK, PALLET 2" X 4" X 48" 128 Order Quantity of 2 for a pair. For use with 45mm bar. FOR USE WITH: TH210/215 AND ALL TH62/63		\$465 NI
W	145-5345	FORK, BLOCK 2" X 2" X 48" 66 Order Quantity of 2 for a pair. For use with 45mm bar. FOR USE WITH: TH210/215 AND ALL TH62/63		\$618 NI
W	252-1454	FORK, PALLET 1.75" X 4" X 42" 143 One fork only, specify qty of 2 for a pair. For use with 60mm bar. FOR USE WITH: ALL TH62/63, ALL TH82/83 AND ALL B SERIES		\$410 NI

CATERPILLAR MACHINE PRICE LIST

WT-TH

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

NON-CURRENT MODELS - TH SERIES (CONT.)

FORKS (TINES) (Cont.)

W	252-1455	FORK, PALLET 2" X 4" X 48" 198 One fork only, specify qty of 2 for a pair. FOR use with 60mm bar. FOR USE WITH:ALL TH62/63, ALL TH82/83 AND ALL B SERIES		\$465 NI
W	252-1460	FORK, BLOCK 2" X 2" X 48" 69 One fork only, specify qty of 2 for a pair. FOR use with 60mm bar. FOR USE WITH:ALL TH62/63, ALL TH82/83, ALL B SERIES AND TH103		\$618 NI
W	252-1459	FORK, EXTENDED SHANK, 2" X 5" X 48" 0 One fork only, specify qty of 2 for a pair. For use with 60mm bar. Note: Provides ADDITIONAL 6"(150mm) drop from fork carriage to fork heel. FOR USE WITH:ALL TH82/83 AND B SERIES MACHINES		\$424 NI
W	252-1456	FORK, PALLET 2" X 4" X 60" 165 One fork only, specify qty of 2 for a pair. For use with 60mm bar. FOR USE WITH:ALL TH82/83 AND B SERIES MACHINES		\$604 NI
W	252-1457	FORK, PALLET 2" X 5" X 48" 169 One fork only, specify qty of 2 for a pair. For use with 60mm bar. FOR USE WITH: B SERIES MACHINES AND TH103		\$661 NI
W	252-1458	FORK, PALLET 2" X 5" X 60" 202 One fork only, specify qty of 2 for a pair. For use with 60mm bar. FOR USE WITH: B SERIES MACHINES		\$1,128 NI
W	326-1997	FORK, PALLET 2" X 4" X 48" 146 FOR USE WITH: B SERIES MACHINES		\$664 NI
W	326-1998	FORK, PALLET 5 TON 2" X 4" X 48" 146 FOR USE WITH: B SERIES MACHINES		\$868 NI
W	186-6054	FORK, MANURE + GRAB 1,316 FOR USE WITH: B SERIES MACHINES		\$6,072 NI

MATERIAL HANDLING

W	509-3694	ARM, MATERIAL HANDLING 2,000 Lift Capacity : Maximum 2000 lbs. (not to exceed rated load capacity of machine) Overall Width, with step 52" (1319mm) Single bent boom design with heavy duty clasped hook Two hook locations and easy access load tie down points Two compartments for chains and hooks FOR USE WITH: TH210/215		\$1,758 NI
W	229-9714	ARM, MATERIAL HANDLING, IT 990 For safe handling of bulky objects. Mechanically adjustable to 3 positions, length from 79" to 117" to 155". FOR USE WITH: ALL TH62/63, ALL TH82/83, AND TH103		\$5,104 NI
W	186-5838	BUCKET-MH, 1.96 YD3, IT, BOCE 1,059 Material Handling Bucket Rated Capacity 1.95 cyd, Width 94" Includes bolt-on cutting edge FOR USE WITH: GROUP B AND B SERIES MACHINES		\$5,613 NI

CATERPILLAR MACHINE PRICE LIST

WT-TH

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

NON-CURRENT MODELS - TH SERIES (CONT.)

MATERIAL HANDLING (Cont.)

W	169-3945	TRUSS BOOM 402 Length 13'2" (4 meters) Rated Capacity 1100lb (500kg) Includes swivel hook FOR USE WITH: ALL TH62/63, ALL TH82/83 AND TH103		\$4,915 NI
W	169-6460	HOOK, LIFTING 461 Length 19.7 in (500mm) Includes swivel hook FOR USE WITH: ALL TH62/63, ALL TH82/83, TH103 AND ALL B SERIES		\$4,333 NI
W	195-5196	LOADCHARTS, LIFTING HOOK 0 FOR USE WITH: 169-6460 HOOK, LIFTING		NC NI