

CATERPILLAR MACHINE PRICE LIST

WT-TTT

TRACK TYPE TRACTOR WORK TOOLS

Ship Weight
lbs

List Price
At Factory

Standard Equipment:

This WT-TTT Price List consists of Work Tools for D4 through D11 Track-type Tractors. Please use the following OP number when ordering loose Work Tools for Track-type Tractors:

OP-0673	TRACK TYPE TRACTOR WORK TOOLS	0	NC
----------------	--	----------	-----------

**FOR QUESTIONS, SUPPORT AND QUOTATIONS
PLEASE CONTACT THE SALES SUPPORT TEAM IN
Americas North via email at worktools@cat.com**

**FOR QUESTIONS, SUPPORT AND QUOTATIONS
PLEASE CONTACT THE COMMERCIAL ANALYSTS
IN EAME VIA E-MAIL AT WORKTOOLS@CAT.COM**

**FOR QUESTIONS, SUPPORT AND QUOTATIONS
PLEASE CONTACT THE SALES SUPPORT TEAM IN
Americas North via email at worktools@cat.com**

CATERPILLAR MACHINE PRICE LIST

WT-TTT

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

D4 TRACK TYPE TRACTOR

D4 WINCHES

Rear cab screens are required with a winch but are not included with winch kits. Rear screens must be ordered separately. Winch cable is also not included in the winch kits and must be procured locally. Recommended cable sizes and lengths are available in specification sheets and the Caterpillar Performance Handbook

FOR AVAILABILITY INQUIRIES, CONTACT DIRECT SHIP ORDER ANALYST OF CATERPILLAR DISTRIBUTION SERVICES AT 1-800-566-7782, OPTION 4

D4 RIPPERS

D4 RIPPERS ARE SUPPLIED BY THE MANUFACTURING FACILITY THROUGH MISCELLANEOUS ORDER. PLEASE CONTACT DAVID TALLON (TALLON_DAVID_D@CAT.COM) FOR ADDITIONAL ORDERING INSTRUCTIONS AND AVAILABILITY

D4 WINCHES

W	438-1061	PA50 WINCH, VARIABLE SPEED 2,090 PA50 Variable speed, hydraulic winch. Manufactured for Caterpillar by Paccar. Variable line speed up to 39 feet (12 meters) per minute and capacity up to 50,000 lbs (22,700 kg) line pull (bare drum). Utilizes 3/4" (19mm) diameter cable (not included). Kit includes winch, hydraulic lines, and wiring harnesses for dealer installation on winch-ready tractor. REQUIRES: Winch Ready or Dual Control hydraulic package ONLY FOR USE WITH: D4 S/N AX9, RKR, FRP, JPH	2,090	\$28,944 NI
---	----------	---	-------	--------------------

D4 FAIRLEADS

P	187-1710	FAIRLEAD, PA50 3 ROLLERS 220 ONLY FOR USE WITH: PA50 WINCH, VARIABLE SPEED	220	\$2,833 NI
W	187-1713	KIT, CONVERSION, PA50 4TH ROLL 40 REQUIRES: 187-1710 FAIRLEAD, 3 ROLLERS	40	\$947 NI

CATERPILLAR MACHINE PRICE LIST

WT-TTT

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

D5 TRACK TYPE TRACTOR

D5 WINCHES

Rear cab screens are required with a winch but are not included with winch kits. Rear screens must be ordered separately. Winch cable is also not included in the winch kits and must be procured locally. Recommended cable sizes and lengths are available in specification sheets and the Caterpillar Performance Handbook

D5 RIPPERS

D5 RIPPERS ARE SUPPLIED BY THE MANUFACTURING FACILITY THROUGH MISCELLANEOUS ORDER. PLEASE CONTACT DAVID TALLON (TALLON_DAVI_D@CAT.COM) FOR ADDITIONAL ORDERING INSTRUCTIONS AND AVAILABILITY

D5 WINCHES

W	591-8848	KIT, PA55 LOW SPEED & INST ARR 0 PA55 winch manufactured for Caterpillar by Paccar. Electronically controlled, PTO driven, low speed gears with freespool. Line speed up to 61 feet (19 meters) per minute and capacity rating up to 69,200 lbs (31,400 kg) (bare drum). Utilizes 3/4" (19mm) diameter cable (not included) Kit includes winch and complete installation arrangement for dealer installation. Dealer installation of winch may also require relocation of powertrain oil filter. Consult D5 Parts Book for filter relocation parts. ONLY FOR USE WITH: D5 S/N HL9, ZDA, RG9, Z6A, HR7		\$41,182 NI
W	591-8849	KIT, PA55 STD SPEED & INST ARR 0 PA55 winch manufactured for Caterpillar by Paccar. Electronically controlled, PTO driven, low speed gears with freespool. Line speed up to 147 feet (45 meters) per minute and capacity rating up to 69,200 lbs (31,400 kg) (bare drum). Utilizes 3/4" (19mm) diameter cable (not included) Kit includes winch and complete installation arrangement for dealer installation. Dealer installation of winch may also require relocation of powertrain oil filter. Consult D5 Parts Book for filter relocation parts. ONLY FOR USE WITH: D5 S/N HL9, ZDA, RG9, Z6A, HR7		\$42,157 NI

D5 FAIRLEADS

W	444-1165	FAIRLEAD, 3 ROLLERS 0 Fits PA55 and PA56 winches		\$8,217 NI
---	----------	--	--	-------------------

CATERPILLAR MACHINE PRICE LIST

WT-TTT

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

D5 TRACK TYPE TRACTOR (CONT.)

D5 FAIRLEADS (Cont.)

W	444-1166	KIT, CONVERSION, 4TH ROLLER 0 Fits PA55 and PA56 winches REQUIRES: 444-1165 FAIRLEAD, 3 ROLLERS		\$1,475 NI
---	----------	---	--	------------

D6 TRACK TYPE TRACTOR

D6K2/D6N WINCHES

Rear cab screens are required with a winch but are not included with winch kits. Rear screens must be ordered separately. Winch cable is also not included in the winch kits and must be procured locally. Recommended cable sizes and lengths are available in specification sheets and the Caterpillar Performance Handbook

FOR AVAILABILITY INQUIRIES, CONTACT DIRECT SHIP ORDER ANALYST OF CATERPILLAR DISTRIBUTION SERVICES AT 1-800-566-7782, OPTION 4

D6K2/D6N RIPPERS

D6K2/D6N RIPPERS ARE SUPPLIED BY THE MANUFACTURING FACILITY THROUGH MISCELLANEOUS ORDER. PLEASE CONTACT DAVID TALLON (TALLON_DAVI_D@CAT.COM) FOR ADDITIONAL ORDERING INSTRUCTIONS AND AVAILABILITY

D6K2 Winches

W	438-1061	PA50 WINCH, VARIABLE SPEED 2,090 PA50 Variable speed, hydraulic winch. Manufactured for Caterpillar by Paccar. Variable line speed up to 39 feet (12 meters) per minute and capacity up to 50,000 lbs (22,700 kg) line pull (bare drum). Utilizes 3/4" (19mm) diameter cable (not included). Kit includes winch, hydraulic lines, and wiring harnesses for dealer installation on winch-ready tractor. REQUIRES: Winch Ready or Dual Control hydraulic package ONLY FOR USE WITH: D6K2 S/N JTR, DFR, EL7, MGM		\$28,944 NI
P	248-6515	PA50 WINCH, VARIABLE SPEED 2,090 PA50 Variable speed, hydraulic winch. Manufactured for Caterpillar by Paccar. Variable line speed up to 39 feet (12 meters) per minute and capacity up to 50,000 lbs (22,700 kg) line pull (bare drum). Utilizes 3/4" (19mm) diameter cable (not included). Kit includes winch, hydraulic lines and wiring harness for dealer installation on winch ready tractor. REQUIRES: Winch Ready or Dual Control hydraulic package ONLY FOR USE WITH: D6K S/N DHA, FBH; D6K2 S/N RST, WMR		\$28,944 NI

CATERPILLAR MACHINE PRICE LIST

WT-TTT

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

D6 TRACK TYPE TRACTOR (CONT.)

D6K2 FAIRLEADS

P	187-1710	FAIRLEAD, PA50 3 ROLLERS	220	\$2,833 NI
		ONLY FOR USE WITH: PA50 WINCH, VARIABLE SPEED		
W	187-1713	KIT, CONVERSION, PA50 4TH ROLL	40	\$947 NI
		REQUIRES: 187-1710 FAIRLEAD, 3 ROLLERS		

D6N WINCHES

W	396-0515	KIT, PA55 STD SPEED & INST ARR	0	\$42,764 NI
		PA55 winch manufactured for Caterpillar by Paccar. Electronically controlled, PTO driven, standard speed gears with freespool. Line speed up to 147 feet (45 meters) per minute and capacity rating up to 69,200 lbs. (31,400 kg) (bare drum). Utilizes 3/4" (19mm) diameter cable (not included). Kit includes winch and complete installation arrangement for dealer installation. Dealer installation of winch may also require relocation of powertrain oil filter. Consult D6N Parts Book for filter relocation parts.		
		ONLY FOR USE WITH: D6N S/N PER, PBA, GB6, MG5, NJN, SGG		
W	396-0516	KIT, PA55 LOW SPEED & INST ARR	0	\$41,800 NI
		PA55 winch manufactured for Caterpillar by Paccar. Electronically controlled, PTO driven, low speed gears with freespool. Line speed up to 61 feet (19 meters) per minute and capacity rating up to 69,200 lbs. (31,400 kg) (bare drum). Utilizes 3/4" (19mm) diameter cable (not included). Kit includes winch and complete installation arrangement for dealer installation. Dealer installation of winch may also require relocation of powertrain oil filter. Consult D6N Parts Book for filter relocation parts.		
		ONLY FOR USE WITH: D6N S/N PER, PBA, GB6, MG5, NJN, SGG		

D6T BLADES

SEMI-U BLADES (VARIABLE RADIUS)

W	421-4312	BLADE, 168" 9.00YD3 SEMI U	0	\$23,421 NI
		(CWTS PRODUCT) Variable Radius HEIGHT: 50" (1279mm) WING ANGLE: 25 degrees REQUIRES: bulldozer arrangement 481-4911 FOR USE WITH: D6T LGP machines		

D6/D6XE BLADES

SEMI-U BLADES (VARIABLES RADIUS)

CATERPILLAR MACHINE PRICE LIST

WT-TTT

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

D6 TRACK TYPE TRACTOR (CONT.)

D6/D6XE BLADES (Cont.)

W	578-7888	BLADE, 168" 9.0YD3 SEMI U 3,318 (CWTS PRODUCT) Variable Radius HEIGHT: 50" (1279mm) WING ANGLE: 25 degrees REQUIRES: 6S LGP Bulldozer 472-7314 or 6S LGP Bulldozer, guarded 472-7315 FOR USE WITH: D6 X and XE machines with CFG3		\$24,593 NI
---	----------	--	--	--------------------

D6R/T RAKES

**BLADE RAKES
 FOR QUESTIONS, SUPPORT AND QUOTATIONS
 PLEASE CONTACT THE SALES SUPPORT TEAM IN
 AMERICAS NORTH VIA EMAIL AT WORKTOOLS@CAT.COM**

D6M/N RAKES

**BLADE RAKES
 FOR QUESTIONS, SUPPORT AND QUOTATIONS
 PLEASE CONTACT THE SALES SUPPORT TEAM IN
 AMERICAS NORTH VIA EMAIL AT WORKTOOLS@CAT.COM**

D6 AND D6T WINCHES

Rear cab screens and transmission guard are required with a winch but are not included with winch kits. Rear screen must be ordered separately. Winch cable is also not included in the winch kits and must be procured locally. Recommended cable sizes and lengths are available in specification sheets and the Caterpillar Performance Handbook

D6 AND D6T RIPPERS

D6 and D6T RIPPERS ARE SUPPLIED BY THE MANUFACTURING FACILITY THROUGH MISCELLANEOUS ORDER. PLEASE CONTACT DAVID TALLON (TALLON_DAVI_D@CAT.COM) FOR ADDITIONAL ORDERING INSTRUCTIONS AND AVAILABILITY

CATERPILLAR MACHINE PRICE LIST

WT-TTT

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

D6 TRACK TYPE TRACTOR (CONT.)

D6 WINCHES

W	491-3095	KIT, PA56 WINCH PKG, STD SPEED 0 PA56 winch manufactured for Caterpillar by Paccar. Electronically controlled, PTO driven, standard speed gears with freespool. Line speed up to 130 feet (40 meters) per minute and capacity rating up to 89,800 lbs. (40,700 kg) (bare drum). Utilizes 1" (26mm) diameter cable (not included). Kit includes winch and complete installation arrangement for dealer installation, including mounting hardware. Does not includes the control group, or recommended rear window screen and transmission guard. ONLY FOR USE WITH: D6 S/N HNK, KMT, KEW, RBP, RDC, KTW, SA9 LF9, GZ9, RA9, HR9, AG9,SG6, TB6, JJ6, WH5, KD5 LB5 CANNOT BE USED WITH: D6 XE		\$52,981 NI
W	491-3096	KIT, PA56 WINCH PKG, LOW SPEED 0 PA56 winch manufactured for Caterpillar by Paccar. Electronically controlled, PTO driven, standard speed gears with freespool. Line speed up to 58 feet (18 meters) per minute and capacity rating up to 89,800 lbs. (40,700 kg) (bare drum). Utilizes 1" (26mm) diameter cable (not included). Kit includes winch and complete installation arrangement for dealer installation, including mounting hardware. Does not includes the control group, or recommended rear window screen and transmission guard. ONLY FOR USE WITH: D6 S/N HNK, KMT, KEW, RBP, RDC, KTW, SA9 LF9, GZ9, RA9, HR9, AG9, SG6, TB6, JJ6, WH5, KD5 LB5 CANNOT BE USED WITH: D6 XE		\$51,765 NI
L	464-5460	CONTROL, RIPPER/WINCH 0 Control group for ripper or winch. REQUIRED WITH PA55, PA56 or PA85 WINCHES IF TRACTOR IS NOT ALREADY EQUIPPED WITH RIPPER/WINCH CONTROLS. ONLY FOR USE WITH: D5, D6, AND D6 XE TRACTORS		\$1,035 NI

D6T WINCHES

W	395-0527	KIT, PA56 PACKAGE, STD SPEED 0 PA56 winch manufactured for Caterpillar by Paccar. Electronically controlled, PTO driven, standard speed gears with freespool. Line speed up to 130 feet (40 meters) per minute and capacity rating up to 89,800 lbs. (40,700 kg) (bare drum). Utilizes 1" (26mm) diameter cable (not included). Kit includes winch and complete installation arrangement for dealer installation, including mounting hardware and controls. FOR USE WITH D6T S/N GMK, SLJ, ZJB, DTD, RCW, KSB, KMR, TMY, HTZ, WES, WRN, RAD, NDY, MB5, JML, HYT, JNM, MH7		\$51,764 NI
---	----------	--	--	-------------

CATERPILLAR MACHINE PRICE LIST

WT-TTT

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

D6 TRACK TYPE TRACTOR (CONT.)

D6T WINCHES (Cont.)

W	395-0528	KIT, PA56 PACKAGE, LOW SPEED 0 PA56 winch manufactured for Caterpillar by Paccar. Electronically controlled, PTO driven, low speed gears with freespool. Line speed up to 58 feet (18 meters) per minute and capacity rating up to 89,800 lbs. (40,700 kg) (bare drum). Utilizes 1" (26mm) diameter cable (not included). Kit includes winch and complete installation arrangement for dealer installation, including mounting hardware and controls. FOR USE WITH D6T S/N GMK, SLJ, ZJB, DTD, RCW, KSB, KMR, TMY, HTZ, WES, WRN, RAD, NDY, MB5, JML, HYT, JNM, MH7		\$52,981 NI
---	----------	--	--	--------------------

D6N, D6, D6XE, AND D6T FAIRLEADS

W	444-1165	FAIRLEAD, 3 ROLLERS 0 Fits PA55,PA65 and PA85 winches		\$8,217 NI
W	444-1166	KIT, CONVERSION, 4TH ROLLER 0 Fits PA55,PA65 and PA85 winches REQUIRES: 444-1165 FAIRLEAD, 3 ROLLERS		\$1,475 NI

D7 TRACK TYPE TRACTOR

D7 BULLDOZER

W	576-6521	BULLDOZER, 7A STD 180" 5.4YD3 8,516 Includes C-frame, trunnions, cylinder lines, tilt cylinders and 7A angle blade. For use with D7 build 17 Standard machine only Capacity: 5.4 yd3 4.16m3 Width: 180 in. 4576mm		\$80,828 NI
W	576-6514	BULLDOZER, 7A LGP 198" 6.2YD3 9,980 Includes C-frame, trunnions, cylinder lines, tilt cylinders 7A LGP angle blade. For use with D7 build 17 LGP machine only Capacity: 6.2 yd3 4.72m3 Width: 198 in. 5027mm		\$90,532 NI

D7E BLADES

ANGLE BLADES

CATERPILLAR MACHINE PRICE LIST

WT-TTT

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

D7 TRACK TYPE TRACTOR (CONT.)

D7E BLADES (Cont.)

W	482-7561	BLADE, 204" 6.00YD3 9,080 (CWTS PRODUCT) HEIGHT: 43.7" (1111mm) BLADE ANGLING CAPABILITY: 21 degrees FOR USE WITH: D7E LGP Machines INCLUDES: Blade, C-frame, trunnions, brace arms, pins, cylinders and cylinder lines REQUIRES: Lift cylinder and mounting group		\$70,739 NI
---	----------	--	--	--------------------

U-BLADES

COAL U-BLADES

W	372-7888	BLADE, 193" 19.35 YD3 COAL U 5,373 (CWTS PRODUCT) HEIGHT: 70"(1778mm) WING ANGLE: 30 degrees REQUIRES: 438-7152, 438-7158, 351-9895 or 351-7646 7SU/U Bulldozer.		\$37,336 NI
---	----------	---	--	--------------------

W	372-7904	BLADE, 193" 19.35 YD3 COAL U 5,774 (CWTS PRODUCT) HEIGHT: 70"(1778mm) WING ANGLE: 30 degrees REQUIRES: 438-7160, 438-7162 or 351-9932 7E LGP Bulldozer		\$37,336 NI
---	----------	---	--	--------------------

WOODCHIP U-BLADES

W	357-4283	BLADE, 193" 31.08 YD3 CHIP U 6,058 (CWTS PRODUCT) HEIGHT: 90"(2284mm) WING ANGLE: 30 degrees REQUIRES: 438-7152, 438-7158, 351-9895 or 351-7646 7SU/U Bulldozer		\$40,088 NI
---	----------	--	--	--------------------

W	329-8642	BLADE, 193" 31.1 YD3 CHIP U 6,384 (CWTS PRODUCT) HEIGHT: 90"(2284mm) WING ANGLE: 30 degrees REQUIRES: 438-7160, 438-7162 or 351-9932 7E LGP Bulldozer		\$40,088 NI
---	----------	--	--	--------------------

SEMI-U BLADES (VARIABLE RADIUS)

W	390-5424	BLADE, 178" 10.3 YD3 SEMI-U 5,256 (CWTS PRODUCT) HEIGHT: 54.4"(1392mm) INCLUDES: 12mm thick 1E0577 liners REQUIRES: 438-7160, 438-7162 or 351-9932 7E LGP Bulldozer		\$30,190 NI
---	----------	--	--	--------------------

CATERPILLAR MACHINE PRICE LIST

WT-TTT

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

D7 TRACK TYPE TRACTOR (CONT.)

D7R BLADES

SEMI-U BLADES (VARIABLE RADIUS)

W	198-6424	BLADE, 177" 10.25 YD3 SEMI U 4,250 (CWTS PRODUCT) HEIGHT: 55"(1397mm) REQUIRES: bulldozer arrangement 212-7419 less blade group 135-9892 FOR USE WITH: D7RLGP machines		\$26,993 NI
---	----------	---	--	-------------

U-BLADES

COAL U-BLADES

W	140-8186	BLADE, 195" 17.5 YD3 COAL U 5,300 (CWTS PRODUCT) HEIGHT: 64.8"(1646mm) WING ANGLE: 30 degrees REQUIRES: bulldozer arrangement 212-7421 less dozer blade 9U-8212		\$36,413 NI
---	----------	--	--	-------------

LANDFILL U-BLADES

W	230-7073	BLADE, 168" 23.7 YD3 FILL U 5,660 (CWTS PRODUCT) HEIGHT: 86"(2184mm) WING ANGLE: 30 degrees REQUIRES: bulldozer arrangement 212-7421 less dozer blade 9U-8212		\$38,335 NI
---	----------	--	--	-------------

D7R RAKES

BLADE RAKES

For more information refer to Media number GEJQ9215 or
 please contact the sales support team in
 Americas North via email at WORKTOOLS@CAT.COM

CATERPILLAR MACHINE PRICE LIST

WT-TTT

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

D7 TRACK TYPE TRACTOR (CONT.)

D7 AND D7E WINCHES

Rear cab screens are required with a winch but are not included with winch kits. Rear screens must be ordered separately. Winch cable is also not included in the winch kits and must be procured locally. Recommended cable sizes and lengths are available in specification sheets and the Caterpillar Performance Handbook

RETROFIT WINCH OPTIONS FOR THE D7 BUILD 17A (S/N CM9, EE7, HPM, AW7) AND D7E ARE SUPPLIED BY THE MANUFACTURING FACILITY THROUGH MISCELLANEOUS ORDER. PLEASE CONTACT DAVID TALLON (TALLON_DAVID_D@CAT.COM) FOR ADDITIONAL ORDERING INSTRUCTIONS AND AVAILABILITY

D7 RIPPERS

D7 RIPPERS ARE SUPPLIED BY THE MANUFACTURING FACILITY THROUGH MISCELLANEOUS ORDER PLEASE CONTACT DAVID TALLON (TALLON_DAVID_D@CAT.COM) FOR ADDITIONAL ORDERING INSTRUCTION AND AVAILABILITY.

D8 TRACK TYPE TRACTOR

D8T BLADES

ANGLE BLADES

W	562-1173	BLADE, 178" 8.80YD3 0		\$67,260 NI
		Blade manually adjusts angle to one of 3 fixed positions - (right, left or straight) Includes hydraulic adjustments for pitch and tilt INCLUDES: Blace, C-frame, grab handles, trunnions, - cylinder lines, two tilt cylinders ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR NOT FOR USE WITH: Waste Handling Arrangement, Stockpile Arrangement, or GRADE with 3D		
W	562-1175	BULLDOZER, 8A 2D WITH ASSIST 0		\$68,821 NI
		Blade manually adjusts angle to one of 3 fixed positions - (right, left or straight) INCLUDES: Hydraulic adjustments for pitch and tilt INCLUDES: Blace, C-frame, grab handles, trunnions, - cylinder lines, two tilt cylinders ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR - ordered with 2D with Assist 549-3775 NOT FOR USE WITH: Waste Handling Arrangement, Stockpile Arrangement, or GRADE with 3D		

CATERPILLAR MACHINE PRICE LIST

WT-TTT

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

D8 TRACK TYPE TRACTOR (CONT.)

D8T BLADES (Cont.)

W	456-4494	BLADE, 219" 7.60YD3 12,098 HEIGHT: 46.3" (1177mm) BLADE ANGLING CAPABILITY: 22 degrees FOR USE WITH: D8T LGP Machines INCLUDES: Blade, C-frame, trunnions, brace arms, pins, cylinders and cylinder lines REQUIRES: Lift cylinder and mounting group FOR USE WITH: 442-1100 D8T-21A TRACTOR NOT FOR USE WITH: Waste Handling Arrangement, Stockpile Arrangement, - or GRADE with 3D		\$107,207 NI
W	511-5664	BLADE, 208" 7.3YD3 0 BULLDOZER, 8A LGP WITH 2D WITH ASSIST Blade manually adjusts angle to one of 3 fixed positions - (right, left or straight). INCLUDES: Hydraulic adjustments for pitch and tilt HEIGHT: 46.3" (1177MM) BLADE ANGLING CAPABILITY: 22 degrees FOR USE WITH: 442-1100 D8T-21A TRACTOR - ordered with 2D with Assist 549-3775 REQUIRES: Lift cylinder and mounting group NOT FOR USE WITH: Waste Handling Arrangement, Stockpile Arrangement, or GRADE with 3D		\$108,258 NI
P	511-4788	BLADE, 8A 0 INCLUDED IN: 562-1173 BLADE, 178" 8.80YD3 562-1175 BULLDOZER, 8A 2D WITH ASSIST		\$19,179 NI
W	511-4835	BLADE, 8A LGP 0 INCLUDED IN: 456-4494 BULLDOZER, 8A LGP 511-5664 BULLDOZER, 8A LGP WITH 2D WITH ASSIST		\$44,044 NI

U-BLADES

COAL U-BLADES

W	262-7670	BLADE, 217" 28.0 YD3 COAL U 7,770 (CWTS PRODUCT) HEIGHT: 78"(2286mm) WING ANGLE: 30 degrees FOR USE WITH: D8R (SU/U) machine serial numbers KPZ, J8B, MB8, JJ5 MLN, FCT, FMC and up		\$48,306 NI
---	----------	---	--	--------------------

LANDFILL U-BLADES

W	262-7671	BLADE, 217" 31 YD3 FILL U 8,030 (CWTS PRODUCT) HEIGHT: 82"(2286mm) WING ANGLE: 30 degrees FOR USE WITH: D8R (SU/U) machine serial numbers KPZ, J8B, MB8, JJ5 MLN, FCT, FMC and up		\$50,769 NI
---	----------	---	--	--------------------

CATERPILLAR MACHINE PRICE LIST

WT-TTT

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

D8 TRACK TYPE TRACTOR (CONT.)

D8T BLADES (Cont.)

WOODCHIP U-BLADES

W	262-7672	BLADE, 216" 37.0 YD3 CHIP U 7,713 (CWTS PRODUCT) HEIGHT: 92"(2337mm) WING ANGLE: 30 degrees FOR USE WITH: D8R (SU/U) machine serial numbers KPZ, J8B, MB8, JJ5 MLN, FCT, FMC and up		\$52,461 NI
---	----------	--	--	-------------

D8R BLADES

U-BLADES

COAL U-BLADES

W	105-1458	BLADE, 218" 28.0 YD3 COAL U 7,050 (CWTS PRODUCT) HEIGHT: 78"(2286mm) WING ANGLE: 30 degrees FOR USE WITH: D8R (SU/U) machine serial number 7XM and up		\$48,300 NI
W	161-0169	BLADE, 218" 28.0 YD3 COAL U 7,050 (CWTS PRODUCT) HEIGHT: 78"(2286mm) WING ANGLE: 30 degrees REQUIRES: bulldozer arrangement 4Z-0604 less dozer blade 4Z-9209 FOR USE WITH: D8R (LGP) machine serial numbers 7XM, 6YZ and up		\$48,300 NI

LANDFILL U-BLADES

W	230-7076	BLADE, 194" 30.5 YD3 FILL U 7,300 (CWTS PRODUCT) HEIGHT: 90"(2286mm) WING ANGLE: 30 degrees FOR USE WITH: D8R (SU/U) machine serial number 7XM and up		\$50,757 NI
---	----------	---	--	-------------

RECLAMATION U-BLADES

W	230-7074	BLADE, 192" 21.5 YD3 RECLAM U 8,400 (CWTS PRODUCT) HEIGHT: 74"(1880mm) WING ANGLE: 28 degrees FOR USE WITH: D8R (SU/U) machine serial number 7XM and up		\$47,653 NI
---	----------	---	--	-------------

CATERPILLAR MACHINE PRICE LIST

WT-TTT

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

D8 TRACK TYPE TRACTOR (CONT.)

D8T Winches

Rear cab screens are required with a winch but are not included with winch kits. Rear screens must be ordered separately. Winch cable is also not included in the winch kits and must be procured locally. Recommended cable sizes and lengths are available in specification sheets and the Caterpillar Performance Handbook

FOR AVAILABILITY INQUIRES, CONTACT DIRECT SHIP ORDER ANALYST OF CATERPILLAR DISTRIBUTION SERVICES AT 1-800-566-7782, OPTION 4

RETROFIT WINCH OPTIONS FOR THE D8T BUILD 21A (S/N AW4) ARE SUPPLIED BY THE MANUFACTURING FACILITY THROUGH MISCELLANEOUS ORDER. PLEASE CONTACT DAVID TALLON (TALLON_DAVID_D@CAT.COM) FOR ADDITIONAL ORDERING INSTRUCTIONS AND AVAILABILITY.

D8 RIPPERS

D8 RIPPERS ARE SUPPLIED BY THE MANUFACTURING FACILITY THROUGH MISCELLANEOUS ORDER PLEASE CONTACT DAVID TALLON (TALLON_DAVID_D@CAT.COM) FOR ADDITIONAL ORDERING INSTRUCTION AND AVAILABILITY.

W	431-9575	KIT, PA140VS WINCH 0 PA140 Variable speed, hydraulic winch manufactured for Caterpillar by Paccar. Integrated fairlead and drawbar. Rating of up to 140,000 lbs maximum line pull, depending on wire rope installed by the customer. Variable line speed up to 46 feet per minute (bare drum). Retrofit winch for dealer installation on D8T tractor. Requires installation kit for winch or ripper hydraulics and controls ONLY FOR USE WITH: D8T S/N KPZ, J8B, MLN, FCT, FMC CANNOT BE USED WITH: D8T S/N AW4(D8T BUILD 21A)		\$55,151 NI
W	504-7377	KIT, PA140 INSTALLATION, WINCH 0 Retrofit kit includes components necessary to PA140 winch to D8T tractor equipped with winch hydraulics and controls REQUIRES: 431-9575 KIT PA140VS WINC		\$14,167 NI
W	504-7375	KIT, W12E PTO WINCH & INST AR 0 W12E winch manufactured for Caterpillar by Allied. power Take-Off for Caterpillar by Allied. Power Take-Off (PTO) powered and (PTO) driven and electronically controlled, with integrated drawbar. Rating of up to 153,000 lbs maximum line pull, depending on wire rope installed by the customer. Maximum line speed of 59 feet per minute (bare drum). ONLY FOR USE WITH: D8T S/N KPZ, J8B, MLN, FCT, FMC CANNOT BE USED WITH: D8T S/N AW4(D8T BUILD 21A)		\$84,233 NI

CATERPILLAR MACHINE PRICE LIST

WT-TTT

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

D8 TRACK TYPE TRACTOR (CONT.)

D8 RIPPERS (Cont.)

W	431-9576	KIT, PA140 INSTALLATION, RIPPER 0 Retrofit kit includes components necessary to adapt PA140 winch to D8T tractor equipped with ripper hydraulics and controls REQUIRES: 431-9575 KIT PA140VS WINCH		\$14,739 NI
---	----------	--	--	-------------

D9 TRACK TYPE TRACTOR

D9 BLADES

COAL U-BLADES

W	499-7653	BLADE, 226" 46.8YD3 COAL U 10,280 (CWTS PRODUCT) HEIGHT: 101.4" (2574mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner FOR USE WITH: D9 Machine serial number prefix JC2, J3D and AK4 FOR USE WITH: D9T Machine serial numbers TWG00728 and above FOR USE WITH: D9T Machine serial numbers REX00440 and above FOR USE WITH: D9R Machine serial numbers WDM04540 and above		\$70,399 NI
W	436-2721	BLADE, 226" 46.8YD3 COAL U 10,256 (CWTS PRODUCT) HEIGHT: 101.4" (2574mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner FOR USE WITH: D9T Machine serial numbers REX00001 thru REX00439		\$70,393 NI
W	141-3036	BLADE, 226" 48.0 YD3 COAL U 10,203 (CWTS PRODUCT) HEIGHT: 101.4" (2574mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner FOR USE WITH: D9T Machine serial number prefix RJS FOR USE WITH: D9T Machine serial numbers TWG00001 thru TWG00727 FOR USE WITH: D9R Machine serial number prefixes ACL, ABK, JJB, 8BL and FOR USE WITH: D9R Machine serial numbers WDM00001 thru WDM04539		\$70,393 NI
W	216-3386	BLADE, 226" 48.0 YD3 COAL U 25,289 (CWTS PRODUCT) HEIGHT: 101.4" (2574mm) WING ANGLE: 30 degrees INCLUDES: 5mm Stainless Steel liner FOR USE WITH: D9T Machine serial number prefix RJS FOR USE WITH: D9T Machine serial numbers TWG00001 thru TWG00727 FOR USE WITH: D9R Machine serial number prefixes: ACL, ABK, JJB, 8BL and 7TL FOR USE WITH: D9R Machine serial numbers WDM00001 thru WDM04539		\$96,618 NI

CATERPILLAR MACHINE PRICE LIST

WT-TTT

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	------------	-----------------------------	--------------------	--------------------------

D9 TRACK TYPE TRACTOR (CONT.)

D9 BLADES (Cont.)

SPECIAL PAINT

W	267-3667	PAINT, BLACK-BUCKET/BLADE REAR Special paint configuration that will add black low gloss paint to the back of the blade. Recommended for use with HID and LED lights for reducing possible glare.	1,134	\$1,763
---	----------	--	-------	----------------

CATERPILLAR MACHINE PRICE LIST

WT-TTT

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

D9 TRACK TYPE TRACTOR (CONT.)

D9 BLADES (Cont.)

RECLAMATION U-BLADES

W	499-7651	BLADE, 184" 24.0YD3 RECLAM U 10,366 (CWTS PRODUCT) HEIGHT: 82.7" (2100mm) WING ANGLE: 28 degrees INCLUDES: 16mm A514 liner FOR USE WITH: D9 Machine serial number prefix JC2, J3D and AK4 FOR USE WITH: D9T Machine serial numbers TWG00728 and above FOR USE WITH: D9T Machine serial numbers REX00440 and above FOR USE WITH: D9R Machine serial numbers WDM04540 and above		\$70,250 NI
---	----------	--	--	--------------------

W	436-2724	BLADE, 184" 24.0YD3 RECLAM U 10,348 (CWTS PRODUCT) HEIGHT: 82.7" (2100mm) WING ANGLE: 28 degrees INCLUDES: 16mm A514 liner FOR USE WITH: D9T Machine serial numbers REX00001 thru REX00439		\$70,253 NI
---	----------	--	--	--------------------

WOODCHIP U-BLADES

W	499-7654	BLADE, 216" 60.0YD3 CHIP U 11,281 (CWTS PRODUCT) HEIGHT: 122.9" (3122mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner FOR USE WITH: D9 Machine serial number prefix JC2, J3D and AK4 FOR USE WITH: D9T Machine serial numbers TWG00728 and above FOR USE WITH: D9T Machine serial numbers REX00440 and above FOR USE WITH: D9R Machine serial numbers WDM04540 and above		\$82,339 NI
---	----------	---	--	--------------------

W	481-6345	BLADE, 216" 60.0YD3 CHIP U 11,270 (CWTS PRODUCT) HEIGHT: 122.9" (3121mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner FOR USE WITH: D9T Machine serial numbers REX00001 thru REX00439		\$82,340 NI
---	----------	---	--	--------------------

W	230-5848	BLADE, 216" 61.0YD3 CHIP U 11,059 (CWTS PRODUCT) HEIGHT: 122" (3099mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner FOR USE WITH: D9T Machine serial number prefix RJS FOR USE WITH: D9T Machine serial numbers TWG00001 thru TWG00727 FOR USE WITH: D9R Machine serial number prefixes: ACL, ABK, JJB, 8BL and 7TL FOR USE WITH: D9R Machine serial numbers WDM00001 thru WDM04539		\$82,340 NI
---	----------	---	--	--------------------

CATERPILLAR MACHINE PRICE LIST

WT-TTT

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

D9 TRACK TYPE TRACTOR (CONT.)

D9 BLADES (Cont.)

LANDFILL U-BLADES

W	506-3059	BLADE, 217" 50.8YD3 FILL U 10,498 (CWTS PRODUCT) HEIGHT: 111.2" (2823mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner FOR USE WITH: D9 Machine serial number prefix JC2, J3D and AK4 FOR USE WITH: D9T Machine serial numbers TWG00728 and above FOR USE WITH: D9T Machine serial numbers REX00440 and above FOR USE WITH: D9R Machine serial numbers WDM04540 and above		\$77,164 NI
---	----------	---	--	--------------------

W	230-7079	BLADE, 217" 50.8YD3 FILL U 9,598 (CWTS PRODUCT) HEIGHT: 111.2" (2823mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner FOR USE WITH: D9T Machine serial number prefix RJS FOR USE WITH: D9T Machine serial numbers TWG00001 thru TWG00727 FOR USE WITH: D9R Machine serial number prefixes: ACL, ABK, JJB, 8BL and 7TL FOR USE WITH: D9R Machine serial numbers WDM00001 thru WDM04539		\$77,164 NI
---	----------	--	--	--------------------

D9T/D9R CUSHION DOZERS

W	10-2884	BLADE, 120" CUSHION DOZER 9,420 (CWTS PRODUCT) HEIGHT: 62"(1575mm) REQUIRES: lift cylinders, cylinder mountings, hydraulic lines and trunnion covers D9T requires 241-3360 trunnions for differential steer machine D9R requires 164-5056 trunnions for clutch brake machine D9R requires 164-5055 trunnions for differentialsteer machine NOT COMPATIBLE with TIER 4 Machines, please contact CWTS for configuration support.		\$81,440 NI
---	---------	---	--	--------------------

D9T/D9R PUSH BLOCKS

W	10-2886	BLOCK, REAR CUSHION PUSH 4,740 (CWTS PRODUCT)		\$41,138 NI
---	---------	---	--	--------------------

CATERPILLAR MACHINE PRICE LIST

WT-TTT

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

D9 TRACK TYPE TRACTOR (CONT.)

D9R TRUNNION GROUPS

W	230-7078	TRUNNION, BLADE 505 (CWTS PRODUCT) Trunnion group cushion dozer FOR USE WITH: D9 Machines ONLY!!! REQUIRES: 1Q-2884 cushion dozer NOT COMPATIBLE with TIER 4 Machines, please contact CWTS for configuration support.		\$6,713 NI
---	----------	--	--	------------

D10 TRACK TYPE TRACTOR

D10T2 BLADES (Current Production Machines)

U-BLADES

COAL U-BLADES

W	524-9610	BLADE, 241" 60.3YD3 COAL U 14,623 (CWTS PRODUCT) HEIGHT: 111.7" (2836mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner FOR USE WITH: D10T2 Machine serial numbers JJW00195 and above RAB00293 and above		\$100,260 NI
W	415-1797	BLADE, 241" 60.3 YD3 COAL U 14,625 (CWTS PRODUCT) HEIGHT: 111.7" (2836mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner FOR USE WITH: D10T2 Machine serial numbers JJW00194 and below RAB00292 and below		\$100,260 NI
W	524-9612	BLADE, 265" 68.0YD3 COAL U 15,673 (CWTS PRODUCT) HEIGHT: 111.7" (2838mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner FOR USE WITH: D10T2 Machine serial numbers JJW00195 and above RAB00293 and above		\$102,386 NI

CATERPILLAR MACHINE PRICE LIST

WT-TTT

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

D10 TRACK TYPE TRACTOR (CONT.)

D10T2 BLADES (Current Production Machines) (Cont.)

W	415-1796	BLADE, 265" 68.0 YD3 COAL U (CWTS PRODUCT) HEIGHT: 111.7" (2836mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner FOR USE WITH: D10T2 Machine serial numbers JJW00194 and below RAB00292 and below	15,664	\$102,386 NI
W	524-9614	BLADE, 265" 68.0YD3 COAL U (CWTS PRODUCT) HEIGHT: 111.7" (2836mm) WING ANGLE: 30 degrees INCLUDES: 12mm A514 liner FOR USE WITH: D10T2 Machine serial numbers JJW00195 and above RAB00293 and above	19,465	\$108,797 NI
W	415-1799	BLADE, 265" 68.0 YD3 COAL U (CWTS PRODUCT) HEIGHT: 111.6" (2834mm) WING ANGLE: 30 degrees INCLUDES: 12mm A514 liner FOR USE WITH: D10T2 Machine serial numbers JJW00194 and below RAB00292 and below	19,467	\$108,797 NI

SPECIAL PAINT

W	267-3667	PAINT, BLACK-BUCKET/BLADE REAR Special paint configuration that will add black low gloss paint to the back of the blade. Recommended for use with HID and LED lights for reducing possible glare.	1,134	\$1,763
---	----------	--	-------	----------------

RECLAMATION U-BLADES

W	524-9611	BLADE, 207" 32.0YD3 RECLAM U (CWTS PRODUCT) HEIGHT: 90.7" (2304mm) WING ANGLE: 28 degrees INCLUDES: 16mm A514 liner FOR USE WITH: D10T2 Machine serial numbers JJW00195 and above RAB00293 and above	14,356	\$81,954 NI
---	----------	--	--------	--------------------

CATERPILLAR MACHINE PRICE LIST

WT-TTT

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	-------------------------------	-----------------	-----------------------

D10 TRACK TYPE TRACTOR (CONT.)

D10T2 BLADES (Current Production Machines) (Cont.)

W	415-1798	BLADE, 208" 32.0 YD3 RECLAM U 14,370 (CWTS PRODUCT) HEIGHT: 90.7" (2304mm) WING ANGLE: 28 degrees INCLUDES: 16mm A514 liner FOR USE WITH: D10T2 Machine serial numbers JJW00194 and below RAB00292 and below	14,370	\$81,954 NI
---	----------	--	--------	--------------------

WOODCHIP U-BLADES

W	524-9613	BLADE, 265" 95.0YD3 CHIP U 16,640 (CWTS PRODUCT) HEIGHT: 133.9" (3402mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner FOR USE WITH: D10T2 Machine serial numbers JJW00195 and above RAB00293 and above	16,640	\$103,688 NI
---	----------	--	--------	---------------------

W	465-2443	BLADE, 265" 95.0YD3 CHIP U 16,640 (CWTS PRODUCT) HEIGHT: 133.9" (3400mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner FOR USE WITH: D10T2 Machine serial numbers JJW00194 and below RAB00292 and below	16,640	\$103,688 NI
---	----------	--	--------	---------------------

CATERPILLAR MACHINE PRICE LIST

WT-TTT

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

D10 TRACK TYPE TRACTOR (CONT.)

D10T/D10R BLADES (Non-Current Machines)

W	147-5008	BLADE, 265" 68.0 YD3 COAL U 15,200 (CWTS PRODUCT) HEIGHT: 110"(2794mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner FOR USE WITH: D10T Machine serial numbers RJG FOR USE WITH: D10R Machine serial numbers AKT, 3KR FOR USE WITH: D10N Machine serial numbers 3SK Please contact CWTS for configuration support.		\$102,386 NI
---	----------	--	--	---------------------

SPECIAL PAINT

W	267-3667	PAINT, BLACK-BUCKET/BLADE REAR 1,134 Special paint configuration that will add black low gloss paint to the back of the blade. Recommended for use with HID and LED lights for reducing possible glare.		\$1,763
---	----------	--	--	----------------

RECLAMATION U-BLADES

W	1Q-2875	BLADE, 224" 40.0 YD3 RECLAM U 14,200 (CWTS PRODUCT) HEIGHT: 95"(2413mm) WING ANGLE: 28 degrees DOES NOT INCLUDE: Liner FOR USE WITH: D10T Machine serial numbers RJG FOR USE WITH: D10R Machine serial numbers AKT, 3KR FOR USE WITH: D10N Machine serial numbers 3SK Please contact CWTS for configuration support.		\$104,231 NI
---	---------	---	--	---------------------

WOODCHIP U-BLADES

W	343-8765	BLADE, 265" 95.0 YD3 CHIP U 16,600 (CWTS PRODUCT) HEIGHT: 132"(3347mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner FOR USE WITH: D10T Machine serial numbers RJG FOR USE WITH: D10R Machine serial numbers AKT, 3KR FOR USE WITH: D10N Machine serial numbers 3SK Please contact CWTS for configuration support.		\$103,688 NI
---	----------	--	--	---------------------

CATERPILLAR MACHINE PRICE LIST

WT-TTT

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

D10 TRACK TYPE TRACTOR (CONT.)

D10T/D10R CUSHION DOZERS

W	221-1677	BLADE, 138" CUSHION DOZER 14,363 (CWTS PRODUCT) HEIGHT: 70"(1778mm) FOR USE WITH: D10T Machine serial numbers RJG FOR USE WITH: D10R Machine serial numbers AKT, 3KR FOR USE WITH: D10N Machine serial numbers 3SK Please contact CWTS for configuration support.		\$100,094 NI
---	----------	---	--	--------------

D10T/D10R HARDWARE KITS

W	230-7081	KIT, MOUNTING BLADES 385 (CWTS PRODUCT) FOR USE WITH: D10T Machine serial numbers RJG FOR USE WITH: D10R Machine serial numbers AKT, 3KR FOR USE WITH: D10N Machine serial numbers 3SK		\$3,996 NI
---	----------	--	--	------------

D10T/D10R PUSH BLOCKS

W	230-7083	BLOCK, REAR CUSHION PUSH 6,850 (CWTS PRODUCT) FOR USE WITH: D10T Machine serial numbers RJG FOR USE WITH: D10R Machine serial numbers AKT, 3KR FOR USE WITH: D10N Machine serial numbers 3SK		\$48,818 NI
---	----------	--	--	-------------

D10T/D10R TRUNNION GROUPS

W	230-7082	TRUNNION, BLADE 790 (CWTS PRODUCT) REQUIRES: 221-1677 cushion dozer FOR USE WITH: D10T Machine serial numbers RJG FOR USE WITH: D10R Machine serial numbers AKT, 3KR FOR USE WITH: D10N Machine serial numbers 3SK Please contact CWTS for configuration support.		\$9,738 NI
---	----------	---	--	------------

CATERPILLAR MACHINE PRICE LIST

WT-TTT

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

D11 TRACK TYPE TRACTOR

D11 BLADES (Current Machine)

COAL U-BLADES

W	549-8352	BLADE, 321" 98.0YD3 COAL U 25,325 (CWTS PRODUCT) HEIGHT: 120.6" (3064mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner LOW GLOSS BLACK PAINT ONLY FOR USE WITH: D11 Machine serial numbers KSN00190 and above TKN00190 and above		\$152,915 NI
W	549-8353	BLADE, 321" 98.0YD3 COAL U 28,481 (CWTS PRODUCT) HEIGHT: 120.6" (3064mm) WING ANGLE: 30 degrees INCLUDED IN: 6mm Full Stainless Steel Liner LOW GLOSS BLACK PAINT ONLY FOR USE WITH: D11 Machine serial numbers KSN00190 and above TKN00190 and above		\$210,547 NI
W	549-8354	BLADE, 287" 85.0YD3 COAL U 23,127 (CWTS PRODUCT) HEIGHT: 120.6" (3064mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner LOW GLOSS BLACK PAINT ONLY FOR USE WITH: D11 Machine serial numbers KSN00190 and above TKN00190 and above		\$145,857 NI

EXTRA CAPACITY BLADES

W	576-4925	BLADE, 252" 55.0 YD3 XU 27,730 (CWTS PRODUCT) HEIGHT: 122.6" (3115mm) WING ANGLE: 30 degrees INCLUDED IN: 12mm Steel Liner LOW GLOSS BLACK PAINT ONLY FOR USE WITH: D11 Machine serial numbers KSN00190 and above TKN00190 and above		\$167,025 NI
W	579-3271	BLADE, 252" 55.0YD3 XU 27,730 (CWTS PRODUCT) HEIGHT: 122.6" (3115mm) WING ANGLE: 30 degrees INCLUDED IN: 11mm Chromium Carbide LOW GLOSS BLACK PAINT ONLY FOR USE WITH: D11 Machine serial numbers KSN00190 and above TKN00190 and above		\$167,025 NI

CATERPILLAR MACHINE PRICE LIST

WT-TTT

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	------------	-------------------------------	--------------------	--------------------------

D11 TRACK TYPE TRACTOR (CONT.)

D11 BLADES (Current Machine)

RECLAMATION BLADES

W	549-8355	BLADE, 287" 70.00YD3 RECLAM U 24,249 (CWTS PRODUCT) HEIGHT: 109.0" (2768mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner LOW GLOSS BLACK PAINT ONLY FOR USE WITH: D11 Machine serial numbers KSN00190 and above TKN00190 and above		\$156,446 NI
----------	-----------------	---	--	---------------------

CATERPILLAR MACHINE PRICE LIST

WT-TTT

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

D11 TRACK TYPE TRACTOR (CONT.)

D11T BLADES (Non-Current Machines)

COAL U-BLADES

W	525-1151	BLADE, 321" 98.0YD3 COAL U 25,234 (CWTS PRODUCT) HEIGHT: 120.6" (3064mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner LOW GLOSS BLACK PAINT ONLY FOR USE WITH: D11T Machine serial numbers JNS00135 and above JEL00415 and above MDG00180 and above AMA00637 and above		\$149,185 NI
W	525-1152	BLADE, 321" 98.0YD3 COAL U 28,481 (CWTS PRODUCT) HEIGHT: 120.6" (3064mm) WING ANGLE: 30 degrees INCLUDES: 6mm Full Stainless Steel liner LOW GLOSS BLACK PAINT ONLY FOR USE WITH: D11T Machine serial numbers JNS00135 and above JEL00415 and above MDG00180 and above AMA00637 and above		\$205,413 NI
W	525-1153	BLADE, 287" 85.5YD3 COAL U 23,124 (CWTS PRODUCT) HEIGHT: 121.6" (3088mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner LOW GLOSS BLACK PAINT ONLY FOR USE WITH: D11T Machine serial numbers JNS00135 and above JEL00415 and above MDG00180 and above AMA00637 and above		\$142,299 NI

CATERPILLAR MACHINE PRICE LIST

WT-TTT

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	-------------------------------	-----------------	-----------------------

D11 TRACK TYPE TRACTOR (CONT.)

RECLAMATION BLADES

W	525-1154	BLADE, 287" 70.00YD3 RECLAM U 24,224 (CWTS PRODUCT) HEIGHT: 109.0" (2768mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner LOW GLOSS BLACK PAINT ONLY FOR USE WITH: D11T Machine serial numbers JNS00135 and above JEL00415 and above MDG00180 and above AMA00637 and above		\$152,629 NI
---	----------	--	--	---------------------

EXTRA CAPACITY BLADES

W	583-6249	BLADE, 252" 55.0 YD3 XU 27,730 (CWTS PRODUCT) HEIGHT: 122.6" (3115mm) WING ANGLE: 30 degrees INCLUDED IN: 12mm Steel Liner LOW GLOSS BLACK PAINT ONLY FOR USE WITH: D11T Machine serial numbers JNS00135 and above JEL00415 and above MDG00180 and above AMA00637 and above		\$162,953 NI
W	583-6247	BLADE, 252" 55.0 YD3 XU 27,730 (CWTS PRODUCT) HEIGHT: 122.6" (3115mm) WING ANGLE: 30 degrees INCLUDED IN: 11mm Chromium Carbide liner LOW GLOSS BLACK PAINT ONLY FOR USE WITH: D11T Machine serial numbers JNS00135 and above JEL00415 and above MDG00180 and above AMA00637 and above		\$162,953 NI

CATERPILLAR MACHINE PRICE LIST

WT-TTT

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

D11 TRACK TYPE TRACTOR (CONT.)

D11T/D11R BLADES (Non-Current Machines)

U-BLADES

COAL U-BLADES

W	190-0047	BLADE, 270" 83.0 YD3 COAL U 22,707 (CWTS PRODUCT) HEIGHT: 121"(3073mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner FOR USE WITH: D11T Machine serial numbers TPB, GEB FOR USE WITH: D11R Machine serial numbers AAF, 7PZ, 9XR, 9TR and 8ZR Please contact CWTS for configuration support.		\$137,717 NI
W	393-6200	BLADE, 286" 85.5 YD3 COAL U 23,129 (CWTS PRODUCT) HEIGHT: 121.6" (3088mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner FOR USE WITH: D11T Machine serial numbers JNS00134 and below JEL00414 and below MDG00179 and below AMA00636 and below		\$142,299 NI
W	209-0147	BLADE, 287" 86.8 YD3 COAL U 23,093 (CWTS PRODUCT) HEIGHT: 120"(3048mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner FOR USE WITH: D11T Machine serial numbers TPB, GEB FOR USE WITH: D11R Machine serial numbers AAF, 7PZ, 9XR, 9TR and 8ZR Please contact CWTS for configuration support.		\$142,299 NI
W	419-9207	BLADE, 321" 98.0 YD3 COAL U 28,483 (CWTS PRODUCT) HEIGHT: 120.6" (3063mm) WING ANGLE: 30 degrees INCLUDES: 6mm Full Stainless Steel liner FOR USE WITH: D11T Machine serial numbers JNS00134 and below JEL00414 and below MDG00179 and below AMA00636 and below		\$205,413 NI

CATERPILLAR MACHINE PRICE LIST

WT-TTT

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

D11 TRACK TYPE TRACTOR (CONT.)

D11T/D11R BLADES (Non-Current Machines) (Cont.)

W	383-8894	BLADE, 322" 98.0 YD3 COAL U 22,312 (CWTS PRODUCT) HEIGHT: 120.6" (3064mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner FOR USE WITH: D11T Machine serial numbers JNS00134 and below JEL00414 and below MDG00179 and below AMA00636 and below		\$149,185 NI
W	185-7085	BLADE, 322" 98.0 YD3 COAL U 25,360 (CWTS PRODUCT) HEIGHT: 120"(3048mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner FOR USE WITH: D11T Machine serial numbers TPB, GEB FOR USE WITH: D11R Machine serial numbers AAF, 7PZ, 9XR, 9TR and 8ZR Please contact CWTS for configuration support.		\$149,185 NI

SPECIAL PAINT

W	267-3667	PAINT, BLACK-BUCKET/BLADE REAR 1,134 Special paint configuration that will add black low gloss paint to the back of the blade. Recommended for use with HID and LED lights for reducing possible glare.		\$1,763
---	----------	--	--	----------------

RECLAMATION U-BLADES

W	192-0000	BLADE, 287" 70.0 YD3 RECLAM U 25,300 (CWTS PRODUCT) HEIGHT: 110"(2794mm) WING ANGLE: 30 degrees Please contact CWTS for configuration support. DOES NOT INCLUDE: Liner FOR USE WITH: D11T Machine serial numbers TPB, GEB FOR USE WITH: D11R Machine serial numbers AAF, 7PZ, 9XR, 9TR and 8ZR		\$152,629 NI
---	----------	--	--	---------------------

CATERPILLAR MACHINE PRICE LIST

WT-TTT

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

D11 TRACK TYPE TRACTOR (CONT.)

D11T/D11R BLADES (Non-Current Machines) (Cont.)

W	387-6724	BLADE, 286" 70.0 YD3 RECLAM U (CWTS PRODUCT) HEIGHT: 109.0" (2768mm) WING ANGLE: 28 degrees DOES NOT INCLUDE: Liner FOR USE WITH: D11T Machine serial numbers JNS00134 and below JEL00414 and below MDG00179 and below AMA00636 and below	24,213	\$152,629 NI
---	----------	--	--------	--------------

PACKING

PACKING CODES

0P-0210	PACK, DOMESTIC TRUCK	0	NC
0P-5812	PACK, EXPORT	0	NC