



**WALTCO LIFTGATES - LIST PRICE GUIDE**  
**February 8, 2018**

MODEL	LIFTING CAPACITY	PLATFORM LOAD AREA	RAMP	APPROX. WEIGHT	LIST PRICE	
C-20 SB	2,000 lbs.	32" x 72"	4"	535 lbs.	\$2,711	
C-20 SB	2,000 lbs.	32" x 84"	4"	640 lbs.	\$2,898	
CW-20SB	2,000 lbs.	36" x 72"	Wedge	535 lbs.	\$2,711	
CW-20SB	2,000 lbs.	36" x 84"	Wedge	640 lbs.	\$2,898	
C-20 HB	2,000 lbs.	32" x 72"	4"	535 lbs.	\$2,711	
C-20 HB	2,000 lbs.	32" x 84"	4"	640 lbs.	\$2,898	
CW-20HB	2,000 lbs.	36" x 72"	Wedge	535 lbs.	\$2,711	
CW-20HB	2,000 lbs.	36" x 84"	Wedge	640 lbs.	\$2,898	
C-25	2,500 lbs.	36" x 72"	4"	575 lbs.	\$2,952	
C-25	2,500 lbs.	40" x 72"	Wedge	575 lbs.	\$2,952	
EMW-25	2,500 lbs.	44" x 84"	Wedge	905 lbs.	\$3,583	
EMW-25	2,500 lbs.	50" x 84"	Wedge	930 lbs.	\$3,837	
EMW-33	3,300 lbs.	44" x 84"	Wedge	905 lbs.	\$3,811	
EMW-33*	3,300 lbs.	50" x 84"	Wedge	930 lbs.	\$4,064	
EMW/AP-25	2,500 lbs.	44" x 84"	Wedge	855 lbs.	\$5,169	
EMW/AP-25	2,500 lbs.	48" x 84"	Wedge	870 lbs.	\$5,229	
EMW/AP-25*	2,500 lbs.	50" x 84"	Wedge	875 lbs.	\$5,422	
EMW/AP-33	3,300 lbs.	44" x 84"	Wedge	855 lbs.	\$5,397	
EMW/AP-33	3,300 lbs.	48" x 84"	Wedge	870 lbs.	\$5,457	
EMW/AP-33*	3,300 lbs.	50" x 84"	Wedge	875 lbs.	\$5,651	
EMW-25 TC	2,500 lbs.	44" x 84"	Wedge	905 lbs.	\$4,253	
EMW-25 TC*	2,500 lbs.	50" x 84"	Wedge	930 lbs.	\$4,508	
EMW-33 TC	3,300 lbs.	44" x 84"	Wedge	925 lbs.	\$4,481	
EMW-33 TC*	3,300 lbs.	50" x 84"	Wedge	950 lbs.	\$4,734	
EMW/AP-25 TC	2,500 lbs.	44" x 84"	Wedge	855 lbs.	\$5,839	
EMW/AP-25 TC*	2,500 lbs.	50" x 84"	Wedge	875 lbs.	\$6,093	
EMW/AP-33 TC	3,300 lbs.	44" x 84"	Wedge	855 lbs.	\$6,067	
EMW/AP-33 TC*	3,300 lbs.	50" x 84"	Wedge	875 lbs.	\$6,322	
WFL-25	96"	2,500 lbs.	58" x 82"	9" (Fixed)	1,200 lbs.	\$6,539

WFL-25	102"	2,500 lbs.	58" x 88"	9" (Fixed)	1,300 lbs.	\$6,697
WFL-33	96"	3,300 lbs.	58" x 82"	9" (Fixed)	1,200 lbs.	\$6,836
WFL-33	102"	3,300 lbs.	58" x 88"	9" (Fixed)	1,300 lbs.	\$6,994
HLF/AP-25		2,500 lbs.	60" x 84"	Wedge	950 lbs.	\$7,977
HLF/AP-30		3,000 lbs.	60" x 84"	Wedge	1000 lbs.	\$8,190
HLF/AP-40		4,000 lbs.	60" x 84"	Wedge	1050 lbs.	\$10,128
HLF/AP-50		5,000 lbs.	60" x 84"	Wedge	1100 lbs.	\$11,495
<b>• 60" x 84" Aluminum Wedge Platform</b>						
<b>• Cycle Counter</b>						
<b>• Dedicated Ground Wire</b>						
<b>• Galvanized Finish</b>						
<b>• Bolt-on Kit</b>						
<b>• Two-step Dock Bumper</b>						

<b>• = STANDARD C = CONTACT FACTORY</b>	<b>C</b>	<b>EM</b>	<b>EM-TC</b>	<b>WFL</b>	<b>HLF</b>
<b>Factory Installed Cycle Counter</b>	•	•	•	•	•
<b>Dedicated Ground</b>	•	•	•	•	•
<b>Powder Coat Paint Finish</b>	•	•	•	•	<b>C</b>
<b>Reduced Maintenance Features</b>	•	•	•	•	•
<b>Power Unit Weather Protective Box</b>	•	•	•	•	•
<b>1/4" Bed Extension 96" Application</b>	•	•	•	•	
<b>3/8" Bed Extension 96" Application</b>	<b>C</b>	<b>478.80</b>	<b>478.80</b>		•
<b>1/2" Bed Extension for 96" Application</b>					<b>557.20</b>
<b>Bed Extension for 102' Wide Vehicle</b>	<b>133.00</b>	<b>133.00</b>	<b>133.00</b>		<b>147.00</b>
<b>Bed Extension for Swing Door Applications</b>		<b>C</b>	<b>C</b>		<b>875.00</b>
<b>Single Steel Step Dock Bumpers</b>	<b>284.20</b>				
<b>2 Step Steel Dock Bumpers with Lights</b>	<b>690.20</b>	<b>690.20</b>	<b>690.20</b>		<b>183.40</b>
<b>2 Step Steel Dock Bumper</b>	<b>750.68</b>	<b>750.68</b>	<b>750.68</b>		•
<b>Rope Step (in lieu of standard step)</b>		<b>112.00</b>	<b>112.00</b>		<b>112.00</b>
<b>Power Down Option</b>	<b>641.20</b>	<b>641.20</b>	<b>641.20</b>		•
<b>Platform Warning Lights</b>					<b>210.00</b>
<b>Rubber Bumper Pad Kit</b>	<b>72.80</b>	<b>72.80</b>	<b>72.80</b>		•
<b>Power Unit Anti-Theft Device</b>	<b>100.80</b>	<b>100.80</b>	<b>100.80</b>		•

<b>Remote Pump Mounting Kit</b>	<b>211.40</b>	<b>211.40</b>	<b>211.40</b>	
<b>Remote Switch Control with Cord, Plug &amp; Socket</b>	<b>221.20</b>	<b>221.20</b>	<b>221.20</b>	<b>221.20</b>
<b>Dual Control (street-side raise/lower switch)</b>	<b>128.80</b>	<b>128.80</b>	<b>128.80</b>	<b>128.80</b>
<b>Dual Foot-Activated Cart Stops</b>		<b>420.00</b>	<b>420.00</b>	<b>420.00</b>
<b>Cab-Mounted Power Shut-Off Switch</b>	<b>103.60</b>	<b>103.60</b>	<b>103.60</b>	<b>103.60</b>
<b>Snubber Kit</b>	<b>134.40</b>	<b>.</b>	<b>.</b>	<b>.</b>
<b>Hitch Kit (receiver style) - Class IV rated*</b>		<b>501.20</b>	<b>501.20</b>	
<b>Walk-Ramp Installation Kit (for bed heights 42" or greater)</b>	<b>350.00</b>	<b>350.00</b>	<b>350.00</b>	<b>350.00</b>
<b>Rear Impact Guard Kit</b>		<b>677.60</b>	<b>677.60</b>	<b>677.60</b>
<b>Trailer Sub Frame Kit (utilized on HLF 25+30 models)</b>		<b>205.80</b>	<b>205.80</b>	<b>205.80</b>
<b>Certifi Trailer Sub Frame Kit (utilized on HLF 45+50 models)</b>				<b>618.80</b>
<b>Knurled Platform</b>				<b>140.00</b>

# FLIPAWAY

Configure Power Kit based on your specifications.

## TRUCK APPLICATION

**AUXILIARY BATTERIES NEEDED**

**NO AUXILIARY BATTERIES NEEDED**

**-or-**

**AUXILIARY BATTERY KIT - TRUCK\***

80001066 - \$452

**SELECT - POWER CABLE**

35' - 2 GA. CABLE (80000565) - STD

**SELECT - POWER CABLE**

35' - 2 GA. CABLE (80000565) - STD

# FLIPAWAY

Configure Power Kit based on your specifications.

## LIST PRICE LIST

### TRAILER APPLICATION

**AUXILIARY BATTERIES NEEDED**

**NO AUXILIARY BATTERIES NEEDED**

**-or-**

**AUXILIARY BATTERY KIT - TRAILER\***

**Single + Dual Pole (80001456) - \$750**

**SELECT - POWER CABLE**

**35' - 2 GA. CABLE (80000565) - STD**

**SELECT - POWER CABLE**

**35' - 2 GA. CABLE (80000565) - STD**

**TRACTOR WIRING KITS (OPTIONAL)**

**TRACTOR WIRING KIT (8000618) - \$197**

MODEL	LIFTING CAPACITY	PLATFORM LOAD AREA	RAMP	APPROX. WEIGHT	LIST PRICE
PTN-12	1,250 lbs.	24" x 57"	6"	290 lbs.	\$4,336
PTN-16	1,600 lbs.	30" x 57"	6"	320 lbs.	\$4,415
PTN-16	1,600 lbs.	36" x 57"	6"	330 lbs.	\$4,585
PTN/AP-12	1,250 lbs.	24" x 57"	8"	290 lbs.	\$4,566
PTN/AP-12	1,250 lbs.	38" x 57"	8"	380 lbs.	\$4,803
PTN/AP-16	1,600 lbs.	38" x 57"	8"	420 lbs.	\$5,227
PTN/AP-16	1,600 lbs.	44" x 57"	8"	455 lbs.	\$5,409
<b>AF - Above Floor Travel Option</b>				<b>433.00</b>	
SB-12	1,250 lbs.	30" x 61"	6"	310 lbs.	\$5,152
SB-16	1,600 lbs.	36" x 61"	6"	372 lbs.	\$5,755

Note: All gates have an overall rail width of 66".

SB/AP-12	1,250 lbs.	30" x 57" x 61"	6"	290 lbs.	\$5,262
SB/AP-16	1,600 lbs.	30" x 61"	6"	360 lbs.	\$5,370
SB/AP-16	1,600 lbs.	36" x 61"	6"	372 lbs.	\$5,832

SB/AP-16	1,600 lbs.	42" x 61"	6'	385 lbs.	\$6,240
----------	------------	-----------	----	----------	---------

**Applications - Service bodies.**

**Transforms your service body into a multi-purpose vehicle.**

**ABOVE FLOOR OPTIONS**

<b>AF - Above Floor Travel Option</b>	<b>433.00</b>				
---------------------------------------	---------------	--	--	--	--

See page 2-9 for more standard features and optional equipment.

MDL-12	1,250 lbs.	30" x 89"	6"	505 lbs.	\$3,478
MDL-12	1,250 lbs.	36" x 89"	6"	515 lbs.	\$3,719

Note: AF - Floor Travel Option (see below) will reduce door opening by 4-inches

MDL-16	1,600 lbs.	36" x 89"	6"	575 lbs.	\$3,733
MDL-20	2,000 lbs.	36" x 89"	6"	575 lbs.	\$4,250
MDL-20	2,000 lbs.	42" x 89"	6"	575 lbs.	\$4,491
MDL-30	3,000 lbs.	36" x 89"	6"	595 lbs.	\$5,395
MDL-30	3,000 lbs.	42" x 89"	6"	605 lbs.	\$5,634
MDL-30	3,000 lbs.	48" x 89"	6"	620 lbs.	\$5,829

**ABOVE FLOOR OPTIONS**

<b>AF - Above Floor Travel Option: (MDL-12, MDL/AP-12, MDL-16, MDL/AP-16, MDL-20, MDL/AP-20)</b>	<b>448.00</b>				
--	---------------	--	--	--	--

<b>AF - Above Floor Travel Option: (MDL-30, MDL/AP-30)</b>	<b>609.00</b>				
--	---------------	--	--	--	--

MDL/AP-12	1,250 lbs.	30" x 89"	6"	465 lbs.	\$4,258
MDL/AP-12	1,250 lbs.	36" x 89"	6"	475 lbs.	\$4,498

Note: AF - Floor Travel Option (see below) will reduce door opening by 4-inches

MDL/AP-16	1,600 lbs.	36" x 89"	6"	525 lbs.	\$4,475
MDL/AP-16	1,600 lbs.	42" x 89"	6"	540 lbs.	\$4,705
MDL/AP-16	1,600 lbs.	48" x 89"	6"	555 lbs.	\$4,934
MDL/AP-16	1,600 lbs.	54" x 89"	6"	570 lbs.	\$5,164
MDL/AP-16	1,600 lbs.	60" x 89"	6"	585 lbs.	\$5,393
MDL/AP-20	2,000 lbs.	36" x 89"	6"	525 lbs.	\$5,030
MDL/AP-20	2,000 lbs.	42" x 89"	6"	540 lbs.	\$5,270
MDL/AP-20	2,000 lbs.	48" x 89"	6"	555 lbs.	\$5,512
MDL/AP-20	2,000 lbs.	54" x 89"	6"	570 lbs.	\$5,752
MDL/AP-20	2,000 lbs.	60" x 89"	6"	585 lbs.	\$5,994
MDL/AP-30	3,000 lbs.	36" x 89"	6"	535 lbs.	\$6,167
MDL/AP-30	3,000 lbs.	42" x 89"	6"	550 lbs.	\$6,406
MDL/AP-30	3,000 lbs.	48" x 89"	6"	565 lbs.	\$6,602
MDL/HP-16	1,600 lbs.	42" x 89"	12"	555 lbs.	\$5,927
MDL/HP-20	2,000 lbs.	42" x 89"	12"	555 lbs.	\$6,554
MDL/HP-30	3,000 lbs.	42" x 89"	12"	565 lbs.	\$7,676

**Bed Height Range: 40" - 56"**

MDL/HP-16	1,600 lbs.	48" x 89"	12"	570 lbs.	\$6,156
MDL/HP-16	1,600 lbs.	54" x 89"	12"	595 lbs.	\$6,386

MDL/HP-20	2,000 lbs.	48" x 89"	12"	570 lbs.	\$6,795
MDL/HP-20	2,000 lbs.	54" x 89"	12"	595 lbs.	\$7,036
MDL/HP-30	3,000 lbs.	48" x 89"	12"	580 lbs.	\$7,872
MDL/HP-30	3,000 lbs.	54" x 89"	12"	610 lbs.	\$8,111
<b>AF - Above Floor Travel Option: (MDL/HP-16, MDL/HP-20)</b>					<b>448.00</b>
<b>AF - Above Floor Travel Option: (MDL/HP-30)</b>					<b>609.00</b>
DS-16	1,600 lbs.	36" x 89"	12"	665 lbs.	\$5,469
DS-20	2,000 lbs.	36" x 89"	12"	950 lbs.	\$6,093
DS-20	2,000 lbs.	42" x 88"	12"	975 lbs.	\$6,595
DS-30	3,000 lbs.	42" x 88"	12"	1,000 lbs.	\$7,301
DS/AP-16	1,600 lbs.	36" x 89"	12"	665 lbs.	\$7,062
DS/AP-20	2,000 lbs.	36" x 89"	12"	950 lbs.	\$7,686
DS/AP-20	2,000 lbs.	48" x 88"	12"	975 lbs.	\$8,188
DS/AP-30	3,000 lbs.	48" x 88"	12"	1,000 lbs.	\$8,894
<b>AF - Above Floor Travel Option: (DS-16, DS-20)</b>					<b>448.00</b>
<b>AF - Above Floor Travel Option: (DS-30)</b>					<b>568.00</b>
<b>AF - Above Floor Travel Option: (DS/AP-16, DS/AP-20, DS/AP-30)</b>					<b>976.00</b>
<b>MODEL</b>	<b>LIFTING CAPACITY</b>	<b>PLATFORM LOAD AREA</b>	<b>RAMP</b>	<b>APPROX. WEIGHT</b>	<b>LIST PRICE</b>
DT-16	1,600 lbs.	36" x 89"	6"	810 lbs.	\$6,323
DT-20	2,000 lbs.	36" x 89"	6"	855 lbs.	\$6,602
DT-30	3,000 lbs.	36" x 89"	6"	890 lbs.	\$7,046

• = STANDARD C = CONTACT FACTORY

PTN

SB

MDL

MDL/HP

DS

DT

<b>Factory Installed Cycle Counter</b>					•	•
<b>Dedicated Ground</b>					•	•
<b>L.E.D. Light Kit - 3 Light System (2-red, 1-white per side)</b>					•	•
<b>Weather protected power unit</b>	<b>106.40</b>	<b>106.40</b>	<b>106.40</b>	<b>106.40</b>	<b>106.40</b>	<b>106.40</b>
<b>Cab-Mounted Power Shut-Off Switch</b>	<b>99.40</b>	<b>99.40</b>	<b>99.40</b>	<b>99.40</b>	<b>99.40</b>	<b>99.40</b>
<b>102' Wide Vehicle</b>			<b>740.60</b>	<b>740.60</b>	<b>C</b>	<b>C</b>
<b>Hydraulic Platform Closure (gravity open)</b>			<b>665.00</b>	<b>665.00</b>		
<b>Remote Switch Control (15' coil cord, plug &amp; socket)</b>	<b>221.20</b>	<b>221.20</b>	<b>221.20</b>	<b>221.20</b>	<b>221.20</b>	<b>221.20</b>
<b>Additional Stationary-mount Control</b>	<b>147.00</b>	<b>147.00</b>	<b>147.00</b>	<b>147.00</b>	<b>147.00</b>	<b>147.00</b>
<b>Dual Foot-activated Cart Stops</b>			<b>625.80</b>	<b>625.80</b>		

<b>Non-Standard Platform Depths (steel or aluminum platform, per 6" increments)</b>				<b>649.60</b>	<b>649.60</b>	<b>649.60</b>
<b>3/16" Steel Diamond Tread Plate Platform</b>				<b>338.80</b>	<b>338.80</b>	
<b>Steel Bar Grating Platform</b>				<b>C</b>	<b>C</b>	<b>596.40 596.40</b>
<b>12" Fixed Aluminum Ramp</b>				<b>257.60</b>	<b>257.60</b>	
<b>Battery Box (Steel, 14" x 14" x 26")</b>						<b>379.40</b>
<b>Rubber Dock Bumpers</b>						<b>141.40</b>
<b>Galvanized Steel Platform</b>				<b>C</b>	<b>C</b>	<b>C C C</b>

MODEL	LIFTING CAPACITY	PLATFORM LOAD AREA	RAMP	APPROX. WEIGHT	LIST PRICE
RGL-30	3,000 lbs.	36" x 90"*	6"	1,340 lbs.	\$8,554
RGL-30	3,000 lbs.	42" x 90"*	6"	1,470 lbs.	\$9,095
RGL-30	3,000 lbs.	48" x 90"*	BE	1,550 lbs.	\$9,326
RGL-30	3,000 lbs.	60" x 90"	12"	1,693 lbs.	\$10,184
RGL-30	3,000 lbs.	72" x 90"	12"	1,796 lbs.	\$10,890
RGL-40	4,000 lbs.	42" x 90"*	6"	1,650 lbs.	\$10,410
RGL-40	4,000 lbs.	48" x 90"*	BE	1,670 lbs.	\$10,639
RGL-40	4,000 lbs.	60" x 90"	12"	1,773 lbs.	\$11,498
RGL-40	4,000 lbs.	72" x 90"	12"	1,873 lbs.	\$12,207
RGL-50	5,000 lbs.	60" x 90"	12"	2,258 lbs.	\$14,125
RGL-50	5,000 lbs.	72" x 90"	12"	2,348 lbs.	\$14,834
RGL-50	5,000 lbs.	84" x 90"	BE	2,430 lbs.	\$15,443
RGL-60	6,000 lbs.	60" x 90"	12"	2,300 lbs.	\$16,080
RGL-60	6,000 lbs.	72" x 90"	12"	2,378 lbs.	\$16,787
RGL-60	6,000 lbs.	84" x 90"	BE	2,490 lbs.	\$17,396

MODEL	LIFTING CAPACITY	MIN. BED HEIGHT FOR	PLATFORM LOAD AREA	STANDARD RAMP	APPROX. WEIGHT	LIST PRICE
WDV-35	3,500 lbs.	40"	60" x 80"	12" Fixed (S)	1,850 lbs.	\$12,413
WDV-35	3,500 lbs.	46"	72" x 80"	12" Fixed (S)	2,030 lbs.	\$13,036
WDV-35	3,500 lbs.	46"	84" x 80"	16" Folding (A)	2,055 lbs.	\$13,370
WDV-45	4,500 lbs.	40"	60" x 80"	12" Fixed (S)	1,865 lbs.	\$13,514
WDV-45	4,500 lbs.	46"	72" x 80"	12" Fixed (S)	2,045 lbs.	\$14,136
WDV-45	4,500 lbs.	46"	84" x 80"	16" Folding (A)	2,074 lbs.	\$14,469
WDV-55	5,500 lbs.	40"	60" x 80"	12" Fixed (S)	2,077 lbs.	\$15,151
WDV-55	5,500 lbs.	46"	72" x 80"	12" Fixed (S)	2,233 lbs.	\$15,783
WDV-55	5,500 lbs.	46"	84" x 80"	16" Folding (A)	2,389 lbs.	\$16,122
WDV-66	6,600 lbs.	40"	60" x 80"	12" Fixed (S)	2,090 lbs.	\$17,011

WDV-66	6,600 lbs.	46"	72" x 80"	12" Fixed (S)	2,240 lbs.	\$17,635
WDV-66	6,600 lbs.	46"	84" x 80"	16" Folding (A)	2,400 lbs.	\$17,969

• = STANDARD C = CONTACT FACTORY

RGL

WDV

<b>Factory Installed Cycle Counter</b>		•	•
<b>Dedicated Ground</b>		•	•
<b>Platform Warning Lights</b>			•
<b>Power Down Option</b>			•
<b>L.E.D. Lights (factory installed)</b>			•
<b>Bottom Stops</b>	<b>252.00</b>		•
<b>12" Fixed Steel Ramp (for 36", 42", 48" platforms)**</b>	<b>285.60</b>		
<b>16" folding Aluminum Ramp</b>	<b>912.80</b>		<b>702.80</b>
<b>Power Unit Weather Protective Box</b>		•	•
<b>Dual Power Unit (back-up power unit &amp; control switches)*</b>	<b>1400.00</b>		<b>1234.80</b>
<b>102" Wide Application</b>	<b>901.60</b>		<b>740.60</b>
<b>Powder Coat Paint Finish</b>		•	C
<b>Galvanized Steel Platform</b>			C
<b>Header (Dock Seal) Kit</b>			<b>483.00</b>
<b>Steel Platform</b>			C
<b>Dual Foot-activated Cart Stops (available in 12" fi ramps only)</b>			<b>665.00</b>
<b>Single Foot-activated Cart Stops (available in 12" fi ramps only)</b>	<b>562.80</b>		
<b>Below Bed Height Storage</b>	<b>1101.80</b>		<b>482.00</b>
<b>Hour Meter</b>	<b>210.00</b>		
<b>Auxiliary Hand Pump</b>	<b>837.20</b>		C
<b>Hand-Held Pendant Control with Cord, Plug &amp; Socket</b>	<b>221.20</b>		<b>221.20</b>
<b>Custom Options Available Upon Request</b>		C	C
<b>Knurled Platform</b>			<b>210.00</b>
<b>Header Kit w/ Lights</b>			<b>631.40</b>
<b>Battery Indicator Light</b>			<b>211.40</b>
<b>Mild Steel Bolt On</b>			<b>490.00</b>
<b>Stainless Steel Bolt On</b>			<b>770.00</b>



**Gravity Down on Demand**

**198.80**

## RGL SERIES

Configure Power Kit based on your specifications.

### STRAIGHT TRUCK APPLICATION

**AUXILIARY BATTERIES NEEDED**

**NO AUXILIARY BATTERIES NEEDED**

**-or-**

**AUXILIARY BATTERY KIT - TRUCK\***

80001066 - \$452

**SELECT - TRUCK HOSE KIT**

80001075 - STD

**SELECT - TRUCK HOSE KIT**

80001075 - STD

**SELECT - POWER CABLE**

35' - 2 GA. CABLE (80000565) - STD

**SELECT - POWER CABLE**

35' - 2 GA. CABLE (80000565) - STD

## RGL SERIES

Configure Power Kit based on your specifications.

### LIST PRICE LIST

#### TRAILER APPLICATION

**AUXILIARY BATTERIES NEEDED**

**NO AUXILIARY BATTERIES NEEDED**

**-or-**

**AUXILIARY POWER KIT - TRAILER\***

SINGLE + DUAL POLE (80001456) - \$750
<b>SELECT - TRAILER HOSE &amp; HARNESS KITS</b>
37' TRAILER OR LESS (80001073) - \$92
<b>SELECT - POWER CABLE</b>
35' - 2 GA. CABLE (80000565) - STD
<b>SELECT - TRAILER HOSE &amp; HARNESS KITS</b>
37' TRAILER OR LESS (80001073) - \$92
37' TRAILER OR GREATER (80001072) - \$195
<b>SELECT - POWER CABLE</b>
35' - 2 GA. CABLE (80000565) - STD
<b>TRACTOR WIRING KITS (OPTIONAL)</b>
TRACTOR WIRING KIT (8000618) - \$197

**WDV SERIES** Configure Power Kit based on your specifications.

**LIST PRICE LIST**

<b>TRAILER APPLICATION</b>
<b>SELECT INSTALL PACKAGE</b>
37' TRAILER OR LESS (80001262) - \$832
37' TRAILER OR GREATER (80001263) - \$ 1,044
<b>CHARGE LINE</b>
DUAL & SINGLE POLE - STD
<b>TRACTOR WIRING KITS (OPTIONAL)</b>
TRACTOR WIRING KIT (8000618) - \$197

Kit	Application	Increased Charge Time*	Charger Power Source				Price
			Extender	7 Way AUX	Single & Dual Pole	Dual Pole	
DIRECT-01	Trailer - Dry Freight	*				•	\$1,373
DIRECT-02	Trailer - Dry Freight	*			•		\$1,432
DIRECT-03	Trailer - Dry Freight	*		•			\$1,315
SELECT-21	Trailer - Reefer	*				•	\$1,939
SELECT-22	Trailer - Reefer	*			•	•	\$1,996
SELECT-23	Trailer - Reefer	*		•		•	\$1,879
SELECT-24	Trailer - Dry Freight	*		•		•	\$1,939
SELECT-25	Trailer - Dry Freight	*		•	•		\$1,996
SELECT-31	Trailer - Reefer	*		•		•	\$1,939
SELECT-32	Trailer - Reefer	*		•	•	•	\$1,996

Bed Height Range: 25" - 38"

MODEL	LIFTING CAPACITY	PLATFORM LOAD AREA	FOLDING RAMP	APPROX. WEIGHT	LISTPRICE
PTBG-16	1,600 lbs.	24" x 57"	12" x 27"	430 lbs.	\$6,328

#### PTBG SERIES OPTIONS

<i>Load Safety Device</i>	<b>C</b>
<i>AF - Above Floor Travel Option (lifts to 57" from ground)</i>	<b>606.00</b>
<i>Remote Switch Control (15' coil cord, plug &amp; socket)</i>	<b>221.00</b>
<i>1/4" Steel Treadplate Platform</i>	<b>C</b>
<i>Galvanized Steel Platform with 1/4" Steel Treadplate</i>	<b>C</b>
<i>Steel Bar Grating Platform</i>	<b>818.00</b>

MODEL	LIFTING CAPACITY	PLATFORM LOAD AREA	FOLDING RAMP	APPROX. WEIGHT	LIST PRICE
MDLBG-16	1,600 lbs.	30" X 89"	16" x 45"	750 lbs.	\$6,012
MDLBG-20	2,000 lbs.	30" X 89"	16" x 45"	785 lbs.	\$6,931

#### MDLBG SERIES OPTIONS

<i>Weather Protected Power Unit / Cab Mounted Shut-Off Switch</i>	<b>•</b>
<i>102" Wide Vehicle Option</i>	<b>755.00</b>
<i>Hydraulic Platform Closure (gravity open)</i>	<b>678.00</b>
<i>Remote Switch Control (15' coil cord, plug &amp; socket)</i>	<b>225.00</b>
<i>Additional Stationary-mount Control</i>	<b>115.00</b>
<i>Super Duty Motor (factory installed)</i>	<b>115.00</b>
<i>L.E.D. Light Kit - 3 Light System (2-red, 1-white per side)</i>	<b>•</b>
<i>Non-Standard Platform Depths (steel or aluminum platform)</i>	<b>521.00</b>
<i>3/16" Steel Diamond Tread Plate platform</i>	<b>C</b>

<b>Steel Bar Grating Platform</b>					<b>C</b>
<b>Above Floor</b>					<b>384.00</b>
<b>MODEL</b>	<b>LIFTING CAPACITY</b>	<b>PLATFORM LOAD AREA</b>	<b>RAMP</b>	<b>APPROX. WEIGHT</b>	<b>LIST PRICE</b>
RBGL-30	3,000 lbs.	36" x 90"	16" x 45"	1,630 lbs.	\$10,222
RBGL-30	3,000 lbs.	42" x 90"	16" x 45"	1,760 lbs.	\$10,633
RBGL-40	4,000 lbs.	36" x 90"	16" x 45"	1,663 lbs.	\$12,581
RBGL-40	4,000 lbs.	42" x 90"	16" x 45"	1,810 lbs.	\$12,991

Note: Hydraulic platform power closure standard on all RBGL models.

**Efficient solution to managing oversized bottled gas loads, on or off dock with ease.**

**RBGL SERIES OPTIONS**

<b>Factory Installed Cycle Counter</b>	•				
<b>Dedicated Ground</b>	•				
<b>Powder Coat Finish</b>	•				
<b>Power Unit Weather Protective Box</b>	•				
<b>102" Wide Application</b>	<b>901.60</b>				
<b>Hour Meter</b>	<b>210.00</b>				
<b>Bottom Stops*</b>	<b>253*</b>				
<b>Dual Power Unit (back-up power unit &amp; control switches)</b>	<b>1400.00</b>				
<b>Auxiliary Hand Pump</b>	<b>871.00</b>				
<b>MODEL</b>	<b>LIFTING CAPACITY</b>	<b>PLATFORM LOAD AREA</b>	<b>RAMP</b>	<b>APPROX. WEIGHT</b>	<b>LIST PRICE</b>
WDVBG-35	3,500 lbs.	36" X 80"	16" x 45"	1,550 lbs.	8,640.00
WDVBG-35	3,500 lbs.	42" X 80"	16" x 45"	1,610 lbs.	8,725.00
WDVBG-45	4,500 lbs.	36" X 80"	16" x 45"	1,650 lbs.	8,862.00
WDVBG-45	4,500 lbs.	42" X 80"	16" x 45"	1,710 lbs.	8,948.00

Note: Overall column width for WDVBG models is 96"

**WDVBG SERIES OPTIONS**

**Extra advantages for your delivery solution.**

<b>Factory Installed Cycle Counter</b>	•
<b>Dedicated Ground</b>	•
<b>Platform Warning Lights</b>	•
<b>Power Down Option</b>	•
<b>Hydraulic Power Open and Close</b>	•
<b>L.E.D. Lights (factory installed)</b>	•
<b>Bottom Stops</b>	•
<b>Power Unit Weather Protective Box</b>	•

<b>Dual Power Unit (back-up power unit &amp; control switches)</b>	<b>1234.80</b>
<b>102" Wide Application</b>	<b>740.60</b>
<b>Aluminum Platform with Galvanized Bottle Retention Racks</b>	<b>1394.40</b>
<b>Header (Dock Seal) Kit w/ Lights</b>	<b>677.60</b>
<b>Galvanized Steel Frame</b>	<b>C</b>
<b>Galvanized Steel Platform with 1/4" Diamond Tread Plate</b>	<b>C</b>
<b>Trailer Extension Kit (trailers 28-ft. or less) / Trailer Extension Kit (trailers over 28-ft.)</b>	<b>735 / 953</b>
<b>Dual Pole Charge Line (must be ordered with a Trailer Extension Kit)</b>	<b>226.80</b>
<b>Dual &amp; Single Pole Charge Line (must be ordered with a Trailer Extension Kit)</b>	<b>599.20</b>
<b>Trail Charger Kit</b>	<b>C</b>
<b>Custom Options Available Upon Request</b>	<b>C</b>

<b>MODEL</b>	<b>LIFTING CAPACITY</b>	<b>PLATFORM LOAD AREA</b>	<b>RAMP</b>	<b>APPROX. WEIGHT</b>	<b>LIST PRICE</b>
GT-33	3,300 lbs.	70" x 80"	12" Folding	1,450 lbs.	\$11,058
GT-33	3,300 lbs.	80" x 80"	12" Folding	1,485 lbs.	\$12,070
GT-44	4,400 lbs.	70" x 80"	12" Folding	1,515 lbs.	\$11,900
GT-44	4,400 lbs.	80" x 80"	12" Folding	1,550 lbs.	\$12,913
GT-55	5,500 lbs.	70" x 80"	12" Folding	1,580 lbs.	\$12,743
GT-55	5,500 lbs.	80" x 80"	12" Folding	1,615 lbs.	\$13,755

<b>MODEL</b>	<b>LIFTING CAPACITY</b>	<b>PLATFORM LOAD AREA</b>	<b>APPROX. WEIGHT</b>	<b>LISTPRICE</b>
WZ-44	4,400 lbs.	71" x 96"	1,320 lbs.	\$14,190
WZ-44	4,400 lbs.	79" x 96"	1,350 lbs.	\$14,513
WZ-55	5,500 lbs.	71" x 96"	1,420 lbs.	\$15,903
WZ-55	5,500 lbs.	79" x 96"	1,450 lbs.	\$16,226

<b>Factory Installed Cycle Counter</b>	<b>•</b>	<b>•</b>
<b>Dedicated Ground</b>	<b>•</b>	<b>•</b>
<b>Thermally Protected Power Unit</b>	<b>•</b>	<b>•</b>
<b>Platform Warning Lights</b>	<b>350.00</b>	
<b>Powder Coat Finish</b>	<b>•</b>	<b>•</b>
<b>Bearings at Pivot Points</b>	<b>•</b>	<b>•</b>
<b>Remote Switch Control (15' coil cord, plug &amp; socket)</b>	<b>221.20</b>	<b>221.20</b>
<b>Dual Foot-Activated Cart Stops</b>	<b>C</b>	<b>562.80</b>
<b>Charging Cable Kit - Single and Dual Pole</b>	<b>366.80</b>	<b>366.80</b>
<b>Galvanize Option</b>	<b>C</b>	

Custom Options Available Upon Request

C

C

# WZ SERIES

Configure Power Kit based on your specifications.

## LIST PRICE LIST

### TRAILER APPLICATION

AUXILIARY BATTERIES NEEDED

NO AUXILIARY BATTERIES NEEDED

-or-

SELECT - POWER CABLE

35' - 2 GA. CABLE (80000565) - STD

AUXILIARY BATTERY KIT - TRAILER\*

SINGLE + DUAL POLE (80001456) - \$750

SELECT - POWER CABLE

35' - 2 GA. CABLE (80000565) - STD

TRACTOR WIRING KITS (OPTIONAL)

TRACTOR WIRING KIT (8000618) - \$197

### SPECIFICATIONS

Bed Height Range: 16" - 30"

MODEL	LIFTING CAPACITY	PLATFORM LOAD AREA	APPROX. WEIGHT	LIST PRICE
WHZ-13*	1,300 lbs.	63" x 55"	440 lbs	4,200.00

Bed Height Range: 34" - 43"

MODEL	LIFTING CAPACITY	PLATFORM LOAD AREA	APPROX. WEIGHT	LIST PRICE
Z-100	2,200 lbs.	36" x 93"	500 lbs.	\$5,535
Z-100	2,200 lbs.	47" x 93"	500 lbs.	\$5,805
Z-100	2,200 lbs.	60" x 93"	500 lbs.	\$6,075
Z-100	2,200 lbs.	70" x 93"	500 lbs.	\$6,345

Bed Height Range: 44" - 59"

MODEL	LIFTING CAPACITY	PLATFORM LOAD AREA	APPROX. WEIGHT	LIST PRICE
BZ-33	3,300 lbs.	48" x 94"	1,105 lbs.	\$9,661
BZ-33	3,300 lbs.	60" x 94"	1,200 lbs.	\$9,956
BZ-33	3,300 lbs.	72" x 94"	1,295 lbs.	\$10,287
BZ-33	3,300 lbs.	84" x 94"	1,330 lbs.	\$10,749
BZ-44	4,400 lbs.	48" x 94"	1,155 lbs.	\$9,789
BZ-44	4,400 lbs.	60" x 94"	1,250 lbs.	\$10,083
BZ-44	4,400 lbs.	72" x 94"	1,345 lbs.	\$10,415
BZ-44	4,400 lbs.	84" x 94"	1,380 lbs.	\$10,877

**WHZ**

**Z-100**

**BZ**

<i>Thermally Protected Power Unit</i>	•	•	•
<i>Powder Coat Finish</i>	•	•	•
<i>Bearings at Pivot Points</i>	•	•	•
<i>Permanent Mount Switches</i>	•	•	•
<i>3-Piece Stationary Bumper</i>		•	•
<i>Hand-Held Pendant Control with Cord, Plug, and Socket</i>	•	•	•
<i>Dual Controls (Permanent mount switches)</i>	•	•	488.60
<i>Dual Controls (Hand-Held Pendant Control)</i>		226.80	226.80
<i>Steel Platform for 102" Vehicle</i>		404.60	404.60
<i>Reinforced Platform with Locking Bars (for forklift loading)</i>			1087.80
<i>Dual Foot-Activated Cart Stops</i>			562.80
<i>Platform Auto-Tilt Kit</i>			764.40
<i>Steel Side-Loading Ramp</i>			270.20
<i>Aluminum Side-Loading Ramp</i>			438.20
<i>Flip-Up Door Kit for 96" Vehicle</i>			1,519.00
<i>Flip-Up Door Kit for 102" Vehicle</i>			1,640.80
<i>Cab-mounted Power Shut-off Switch</i>			•
<i>Trailer Sub-Frame Kit</i>			189.00
<i>Rear Impact Guard Kit</i>			C
<i>Aluminum Platform Options</i>			C

<b>Full Door Seal Kit with Air Foil</b>	<b>774.20</b>
<b>Factory Installed Cycle Counter Kit</b>	<b>407.40</b>
<b>Custom Options Available upon Request</b>	<b>C</b>

**CANTILEVER** Configure Power Kit based on your specifications.

**STRAIGHT TRUCK APPLICATION**

**AUXILIARY BATTERIES NEEDED**

**NO AUXILIARY BATTERIES NEEDED**

**-or-**

**AUXILIARY BATTERY KIT - TRUCK\***

80001066 - \$452

**SELECT - POWER CABLE**

35' - 2 GA. CABLE (80000565) - STD

**SELECT - POWER CABLE**

35' - 2 GA. CABLE (80000565) - STD

**CANTILEVER** Configure Power Kit based on your specifications.

**LIST PRICE LIST**

**TRAILER APPLICATION**

**AUXILIARY BATTERIES NEEDED**

**NO AUXILIARY BATTERIES NEEDED**

**-or-**

**AUXILIARY BATTERY KIT - TRAILER\***

SINGLE + DUAL POLE (80001456) - \$750

**SELECT - POWER CABLE**



<b>35' - 2 GA. CABLE (80000565) - STD</b>
<b>SELECT - POWER CABLE</b>
<b>35' - 2 GA. CABLE (80000565) - STD</b>
<b>TRACTOR WIRING KITS (OPTIONAL)</b>
<b>TRACTOR WIRING KIT (8000618) - \$197</b>

<b>SPECIFICATIONS</b>				Bed Height Range: 48" - 63.75"	
<b>MODEL</b>	<b>LIFTING CAPACITY</b>	<b>PLATFORM LOAD AREA</b>	<b>RAMP</b>	<b>APPROX. WEIGHT</b>	<b>LIST PRICE</b>
GTSL-33	3,300 lbs.	70" x 80"	12" Folding	1,450 lbs.	\$14,031
GTSL-33	3,300 lbs.	80" x 80"	12" Folding	1,485 lbs.	\$15,043
GTSL-44	4,400 lbs.	70" x 80"	12" Folding	1,515 lbs.	\$14,899
GTSL-44	4,400 lbs.	80" x 80"	12" Folding	1,550 lbs.	\$15,567

Note: Pricing above includes a one piece ramp. To upgrade to a two peice ramp, add \$563

**Waltco's special application food distribution side-loading gate.**

<b>GTSL SERIES STANDARD FEATURES</b>				Bed Height Range: 40" - 52"	
<b>MODEL</b>	<b>LIFTING CAPACITY</b>	<b>PLATFORM LOAD AREA</b>	<b>RAMP</b>	<b>APPROX. WEIGHT</b>	<b>LIST PRICE</b>
SG-20	2,000 lbs.	32" x 45"	4"	515 lbs.	\$4,188
SG-20	2,000 lbs.	32" x 54"	4"	525 lbs.	\$4,262
SG-20	2,000 lbs.	32" x 72"	4"	535 lbs.	\$4,338
SG-20	2,000 lbs.	32" x 84"	4"	640 lbs.	\$4,412

<b>SG SERIES OPTIONS</b>	
<i>2-Rung Ladder</i>	•
<i>Powder Coat Finish</i>	•
<i>Power Unit Weather Protection Box</i>	•
<i>Hand-Held Pendant Control with Cord, Plug and Socket</i>	221.00
<i>Cab-Mounted Power Shut-Off Switch</i>	104.00
<i>Custom Options Available Upon Request</i>	C

• = STANDARD C = CONTACT FACTORY