

EDUCATIONAL SERVICES COMMISSION OF NEW JERSEY NEW JERSEY STATE APPROVED COOPERATIVE PRICING SYSTEM #65MCESCCPS

Wireless Duress Monitoring Systems Bid #ESCNJ 18/19-52

Bid Term: 3/22/2019 - 3/21/2021; ext. to 3/21/2022; ext. to 3/21/2023

Bid Date: February 12, 2019 4 Bid Packages Requested 4 Bid Packages Received

That the Board of Directors approve the award of the Wireless Duress Monitoring Systems Bid #ESCNJ 18/19-52 to:

Turn-Key Technologies Inc., 2400 Main St. Ext., Sayreville, New Jersey 08872; Signal Electric Corp., 27 Canterbury Road, East Brunswick, New Jersey 08816; as follows:

Shipping and handling included in all pricing

Signal Electric Corp.

Awarded Counties: Bergen, Essex, Hudson, Hunterdon, Mercer, Middlesex, Morris, Monmouth,
Ocean, Passaic Somerset, Sussex, Union and Warren

Item#	Part #	Description	Lis	st Price	% Discount	ESC	NJ Contract Price
		Next Step Appliance Includes Hardware and Software to interface Wireless Duress System (1) Lite.NET8 - Access It! Lite.NET 8 reader software (1) Access It!® NExT Step solid state network appliance (5) Concurrent Web client connections (1) EP-1502 - 2 portals/2 readers/4 aux inputs/2 aux outputs SCP (1) 18"(H) x 15"(W) x 4"(D) NCL metal enclosure (1) 12VDC 4A switching power supply with battery charger (1) 7 Ah 12 Volt battery (1) 24VAC 40VA plug-in transformer					
1	NExT-STEP-2RN	Supports 1 SCP only	\$	4,533.00	25%	\$	3,399.7
2	EN1210	Single Input Universal Transmitter	\$	105.00	30%	\$	73.50
3	EN4204R	Four Zone Add-On Receiver with Relay Outputs	\$	303.00	30%	\$	212.10
4	EN1223D	Double-Button, Water-Resistant Pendant Transmitter	\$	162.00	30%	\$	113.4
5	EN1223S	Single-Button, Water-Resistant Pendant Transmitter	\$	149.00	30%	\$	104.3
6	EN1224	Four-Button Pendant, 1/2/3/4	\$	162.00	30%	\$	113.4
7	EN1224-ON	Four-Button, On/Off	\$	162.00	30%	\$	113.4
8	EN1233D	Double-Button, Pendant Transmitter	\$	138.00	30%	\$	96.6
9	EN5040	High Power Repeater	\$	773.00	30%	\$	541.10
10	EN5040-T	High Power Repeater with Transformer	\$	806.00	30%	\$	564.20
11	EN7290	Serial Receiver/Interface for Honeywell's VISTA 128/250 Panel	\$	855.00	30%	\$	598.50
12	EN6080	Area Control Gateway	\$	2,220.00	30%	\$	53.5
13	VISTA-128BPT	Honeywell Vista 128/250 Panel built in dialer.	\$	499.00	30%	\$	349.30
14	ACC650	NEMA Enclosure Kit (converts Indoor Repeater to Outdoor) with liquid-tight 1/2 inch connector	\$	76.50	30%	\$	53.5
15	XPETBL	XProtect Expert Base License	\$	1,999.00	10%	\$	1,799.1
16	XPETDL	XProtect Expert Device License	\$	269.00	10%	\$	242.10
17	YXPETBL	One year Care Plus for XProtect Expert Base License	\$	360.00	10%	\$	324.0
18	YXPETDL	One year Care Plus for XProtect Expert Device License	\$	49.00	10%	\$	44.10
19	XPPPLUSBL	XProtect Professional+ Base License	\$	499.00	10%	\$	449.10
20	XPPPLUSDL	XProtect Professional+ Device License	\$	169.00	10%	\$	152.10
21	YXPPPLUSDL	One year Care Plus for XProtect Professional+ Device License	\$	31.00	10%	\$	27.9
22	PWS-T3600	Precision workstation, i7, 16GB, 1TB, Windows 10 Pro	\$	2,400.00	10%	\$	2,160.0
23	HX2	Husky X2 barebone	\$	3,095.00	10%	\$	2,785.5
24	HX2P16	Husky X2 barebone w/16 PoE switch	\$	3,595.00	10%	\$	3,235.50
25	HX2S2TB-2	2°2TB HDD (4TB total) w/tray for X2	\$	395.00	10%	\$	355.50
26	HX2S6TB-2	2*6TB HDD (12TB total) w/tray for X2	\$	995.00	10%	\$	895.50
27	HX2S8TB-2	2*8TB HDD (16TB total) w/tray for X2	\$	1,295.00	10%	\$	1,165.5
28	HX2S10TB-2	2*10TB HDD (20TB total) w/tray for X2	\$	1,650.00	10%	\$	1,485.0
29	HX2ST-2	2*HDD tray for X2	\$	75.00	10%	\$	67.5
30	HX8R	Husky X8 barebone w/RAID	\$	11,495.00	10%	\$	10,345.5
31	HX8RC	Husky X8 barebone w/RAID and CNA	\$	12,495.00	10%	\$	11,245.5
32	HXGS4TB-4	4*4TB HDD (16TB total) w/tray for X8	\$	1,250.00	10%	\$	1,125.0
33	HXGS8TB-4	4*8TB HDD (32TB total) w/tray for X8	\$	2,550.00	10%	\$	2,295.0
34	HXGS10TB-4	4*10TB HDD (40TB total) w/tray for X8	\$	3,250.00	10%	\$	2,925.0
35	HXGST-4	4*HDD tray for X8	\$	125.00	10%	\$	112.5
36	SPN-10080P	Mobile PoE switch 8 ports (RJ-45) + 2 uplink ports (RJ-45), PoE budget 64W, fan less design, 9-36VDC, -40°F ~ +167°F	\$	750.00	25%	\$	562.50
37	SPN-10080PM	Mobile PoE switch 8 ports (M12 D-Code) + 2 uplink ports (M12 A-Code), PoE budget 64W, fan less design, 9-36VDC, -40°F ~ +167°F	\$	1,000.00	25%	\$	750.0
38	SWT-P-162-480B	(16) 10/100 PoE+ (30 Watt/port) Ports unmanaged switch, and (2) 10/100/1000 Combo RJ45/SFP Base-TX uplink ports, total power 480watt	\$	1,100.00	25%	\$	825.0
39	SWT-P-102-460B	(8) 100/1000 PoE+(30 Watt) Ports unmanaged switch, and (1) 100/1000 uplink port, total power 250watt		450.00	25%	\$	337.5
		(16) 10/100 PoE (15 Watt) Ports unmanaged switch, and (2) 10/100/1000 uplink port (RJ45 or SFP), total power 250watt					
40	SWT-P-162-240	(16) 10/100 POE (15 Watt) Ports unmanaged switch, and (2) 10/100/1000 uplink port (RJ45 or SFP), total power 250Watt (24) 10/100 PoE (15 Watt) Ports unmanaged switch, and (2) 10/100/1000 uplink port (RJ45 or SFP), total power 360Watt	\$	750.00	25%	\$	562.5

Second State	Item #	Part #	Description	List Price	% Discount	ESC	CNJ Contract Price
Commonwealth Comm			@30fps) fixed focal lens modules and 2MP 32x optical zoom PTZ, triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR @ 2MP or 120dB @ 5MP, defocus detection, built in analytics, 4x SD card, hallway view, HLC, defog detection, SFP slot, DIS(Gyro Sensor), PoE+, IP66/IK10, -40°C ~ +55°C (-40°F ~				
1.	42	PNM-9320VQP	2MP Lens modules: SLA-2M2400P (2.4mm), SLA-2M2800P (2.8mm), SLA-2M3600P (3.6mm), SLA-2M6000P (6mm), SLA-2M1200P (12mm)	\$ 6,200.00	25%	\$	4,650.00
## 48 William 19 Compare 19	43	PNM-9080VQ	triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, defocus detection, built in analytics, true D/N, 4x SD card, hallway view, HLC, defog	\$ 2,450.00	25%	\$	1,837.50
Amount A	44	PNM-9081VQ	triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, defocus detection, built in analytics, true D/N, 4x SD card, hallway view, HLC, defog	\$ 3,700.00	25%	\$	2,775.00
March Secret 2002 2004	45	PNM-9000VQ	focal lens modules, triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR @ 2MP or 120dB @ 5MP, defocus detection, built in analytics, PTZ handover, 4x SD card, hallway view, HLC, defog detection, DIS(Gyro Sensor), PoE+, IP66/IK10, -40°C ~ +55°C (-40°F ~ +131°F) 2MP Lens modules: SLA-2M2400Q (2.4mm), SLA-2M2800Q (2.8mm), SLA-2M3600Q (3.6mm), SLA-2M6000Q (6mm)	\$ 1,700.00	25%	\$	1,275.00
Column C	46	PNM-7000VD	lenses, triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, built in analytics, 2x SD card, hallway view, HLC, defog detection, DIS, PoE, IP66/IK10, -40°C ~ +55°C (-40°F ~ +131°F).	\$ 1,100.00	25%	\$	825.00
Presidence	47	PNM-9030V		\$ 2,700.0	0 25%	\$	2,025.00
The Control Secret Private of Enthy to Type upon which 1940 Media Provided Control (1940 Media Provided Control (1940 Media Provided Control (1940 Media) Media Provided C	48	PNM-9020V		\$ 1,800.00	25%	\$	1,350.00
Microsoft Status R (stat R			Network PTZ camera, 4K (8MP) @ 30fps, triple codec H.265/H.264/MJPEG with WiseStream technology, 20x optical zoom, 120dB WDR, built-in IR 656ft (200m),			,	
March Marc	49	PNP-9200RH		\$ 5,350.00	25%	\$	4,012.50
1. Proc.	50	PNO-9080R	PTZ hand over, built-in video analytics, IP66/IK10, -40°C ~ +55°C (-40°F ~ +131°F)	\$ 1,699.00	25%	\$	1,274.25
Proceedings	51	PNV-9080R	defocus detection, PTZ hand over, built-in video analytics, IP66/IP67/IK10, -40°C ~ +55°C (-40°F ~ +131°F)	\$ 1,699.00	25%	\$	1,274.25
15 Mile Stock Filteranders with it wide minists to simuse and place from place (a) ministry of the control of the contro	52	PND-9080R	detection, PTZ hand over, built-in video analytics, IK08	\$ 1,499.00	25%	\$	1,124.25
Fig. Post	53	PNF-9010R		\$ 1,700.00	25%	\$	1,275.00
1979 \$197 \$197 \$197 \$1 \$200 \$1 \$197 \$1 \$200 \$2 \$1 \$120 \$100 \$200 \$1 \$120 \$100 \$200 \$1 \$120 \$100 \$200 \$1 \$120 \$100 \$200 \$1 \$120 \$100 \$200 \$1 \$120 \$100	54	PNF-9010RV	PTZ hand over, built-in video analytics, business analytics (heatmap and people counting), IP66/IK10, -40°C ~ +55°C (-40°F ~ +131°F) Network IR vandal Mobile fisheye dome camera, 9MP, triple codec H.265/H.264/MJPEG with WiseStream technology, 120dB WDR, simple focus, defocus detection,	\$ 1,800.00	25%	\$	1,350.00
Micros M	55	PNF-9010RVM	~ +131°F)	\$ 1,900.00	25%	\$	1,425.00
2016-8/19/09/09 2016-8/19/09/09 2016-8/19/09/09 2016-8/19/09/09 2016-8/19/09/09 2016-8/19/09/09 2016-8/19/09/09 2016-8/19/09/09 2016-8/19/09/09/09/09/09/09/09/09/09/09/09/09/09	56	XNF-8010R	WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video, sound classification and business analytics, high powered IR LEDs range of 49', simple focus, dual SD card, HLC, defog detection, DIS, 12VDC/PoE	\$ 950.00	25%	\$	712.50
SOF-STORM Proceeding Missing Series Internating 1208 VORF, USE prior for early installation advanced voles, seared classification and survivous analysis. http:// proceedings.pub. 29/6. \$ 9.78.	57	XNF-8010RW	H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video, sound classification and business analytics, high	\$ 950.00	25%	\$	712.50
### Wiles State Wiles Wile	58	XNF-8010RV	H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video, sound classification and business analytics, high	\$ 1,050.00	25%	\$	787.50
1269H 264MJPEC with Westerland Tue Charloway, 1206 W/R. USB port for easy installation, advanced video analytics and sound classification, high powered IR	59	XNF-8010RVM	with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video, sound classification and business analytics, high powered IR LEDs range of 49', simple focus, dual SD card, HLC, defog detection, DIS, For Mobile Application (M12 Connector) RJ45 to M12 adapter is NOT included, 12VDC/PoE, IP66, IK10,	\$ 1,150.00	25%	\$	862.50
H. 2664 P. 26AM.PEG vite WisseStream I Itechnology, 120B WPR, USB port for easy installation, advanced video analytics and sound classification, high provered IR LEDs range of 164, frue DPI, deal SD card, hallway view, HLC, defog detection, DIS, 120C/264/AC(PDE, IPP), IRIQ Normal A, 40°C155°C (40°T - 131°F) S 1,550.00 25% S 1,162	60	XNV-8080RS	H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification, high powered IR	\$ 2,200.00	25%	\$	1,650.00
Wisenet X powered by Wisenet 5 network IR outdoor by Italian and a camera, SMP @30fps, motorized vari-facal lens (2x) 0.7°, litiple codec H 265H 264MJPEG with Wisenest Novered by Wisenet 5 network IR outdoor by Italian and a camera, SMP @30fps, 3 mm fixed focal lens (7x,9°), triple codec H 265H 264MJPEG with Wisenest Novered by Wisenet 5 network IR outdoor vanidal dome camera, SMP @30fps, 3 mm fixed focal lens (7x,9°), triple codec H 265H 264MJPEG with Wisenest Novered by Wisenest 5 network IR outdoor vanidal dome camera, SMP @30fps, 3 mm fixed focal lens (90,7°), triple codec H 265H 264MJPEG with Wisenest Novered by Wisenest 5 network IR outdoor vanidal dome camera, SMP @30fps, 7 mm fixed focal lens (90,7°), triple codec H 265H 264MJPEG with Wisenest Novered by Wisenest 5 network IR outdoor builet camera, 5MP @30fps, 7 mm fixed focal lens (90,7°), triple codec H 265H 264MJPEG with Wisenest Novered by Wisenest 5 network IR outdoor builet camera, 5MP @30fps, 7 mm fixed focal lens (90,7°), triple codec H 265H 264MJPEG with Wisenest Novered by Wisenest 5 network IR outdoor builet camera, 5MP @30fps, 7 mm fixed focal lens (90,7°), triple codec H 265H 264MJPEG with Wisenest 5 network IR outdoor builet camera, 5MP @30fps, 7 mm fixed focal lens (90,7°), triple codec H 265H 264MJPEG with Wisenest 5 network IR outdoor builet camera, 5MP @30fps, 3 mm fixed focal lens (90,7°), triple codec H 265H 264MJPEG with Wisenest 5 network IR (90,7°), triple codec H 265H 264MJPEG with Wisenest 5 network IR (90,7°), triple codec H 265H 264MJPEG with Wisenest 5 network outdoor vanidal builet camera, 5MP @30fps, 3 mm fixed lens (90,7°), triple codec H 265H 264MJPEG with Wisenest 5 network outdoor vanidal builet camera, 5MP @30fps, 3 from fixed lens (90,7°), triple codec H 265H 264MJPEG with Wisenest 5 network outdoor vanidal builet camera, 5MP @30fps, 3 from fixed lens (90,7°), triple codec H 265H 264MJPEG with Wisenest 5 network outdoor vanidal builet camera, 5MP @30fps, 3 from fixed lens (90,7°), triple codec H 265H 264MJPEG with Wis	61	XNV-8080R	H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification, high powered IR	\$ 1,550.00	25%	\$	1,162.50
Wisenet X powered by Wisenet 5 network IR outdoor vandal dome camera, 5MP @30fps, A.6mm fixed focal lens (77.9°), triple codec H.265/H.264/MJPEG with Wisesfream II technology, 120dB WDR. USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98°, true DN, dual SD card, hallway view, HLC, defog detection, DIS, 12VDC/PoE, IP67, IK10 Wisenet X powered by Wisenet 5 network IR outdoor vandal dome camera, 5MP @30fps, 7mm fixed focal lens (50.7°), triple codec H.265/H.264/MJPEG with Wisesfream II technology, 120dB WDR. USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98°, true DN, dual SD card, hallway view, HLC, defog detection, DIS, 12vDC/PoE, IP67, IK10 Wisenet X powered by Wisenet 5 network IR outdoor bullet camera, 5MP @30fps, motorized vari-focal lens (2.4 (3.7-9.4mm) (100.2°-38.7°), triple codec H.265/H.264/MJPEG with Wisesfream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification high powered IR LEDs range of 164°, true DIN, dual SD card, hallway view, HLC, defog detection, DIS, backbox included, 12VDC/24VAC/PoE, IP67, IK10, Nema 4X, 40°C - 15°C (- \$1.550.00 25% \$1.162. Wisenet X powered by Wisenet 5 network outdoor vandal bullet camera, 5MP @30fps, 3.7mm fixed lens (97.5°), highe codec H.265/H.264/MJPEG with Wisesfream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98°, true DIN, dual SD card, hallway view, HLC, defog detection, DIS, backbox included, 12VDC/PoE, IP67, IK10, Nema 4X. Wisenet X powered by Wisenet 5 network outdoor vandal bullet camera, 5MP @30fps, 7mm fixed lens (50.7°), triple codec H.265/H.264/MJPEG with WiseSfream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered	62	XNV-8020R	WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR	\$ 900.00	25%	\$	675.00
Wisenet X powered by Wisenet 5 network IR outdoor vandal dome camera, 5MP @30fps, 7mm fixed focal lens (50.7°), triple codec H.265H.264M/NPEG with WiseStream II LEDs range of 98', true D/N, dual SD card, hallway view, HLC, defog detection, DIS, 12VDC/PoE, IP67, IK10 Wisenet X powered by Wisenet 5 network IR outdoor bullet camera, 5MP @30fps, motorized vari-focal lens 2.4x (3.7-9.4mm) (100.2°-38.7°), triple codec H.265H.264M/NPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification in and business analytics, high powered IR LEDs range of 164', true D/N, dual SD card, hallway view, HLC, defog detection, DIS, backbox included, 12VDC/24VAC/PoE, IP67, IK10, Nema 4X, -40°C - +55°C (-50.00) Wisenet X powered by Wisenet 5 network outdoor vandal bullet camera, 5MP @30fps, 3.7mm fixed lens (97.5°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, HLC, defog detection, DIS, backbox included, 12VDC/PoE, IP67, IK10, Nema 4X. Wisenet X powered by Wisenet 5 network outdoor vandal bullet camera, 5MP @30fps, 3.7mm fixed lens (77.7°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, HLC, defog detection, DIS, backbox included, 12VDC/PoE, IP67, IK10, Nema 4X. Wisenet X powered by Wisenet 5 network outdoor vandal bullet camera, 5MP @30fps, 7mm fixed lens (50.7°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, HLC, defog detection, DIS, backbox included, 12			Wisenet X powered by Wisenet 5 network IR outdoor vandal dome camera, 5MP @30fps, 4.6mm fixed focal lens (77.9°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR			¢.	
Wisenet X powered by Wisenet 5 network IR outdoor bullet camera, 5MP @30fps, motorized vari-focal lens 2.4x (3.7-9.4mm) (100.2*-38.7*), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification, high powered IR LEDs range of 164*, true D/N, dual SD card, hallway view, HLC, defog detection, DIS, backbox included, 12VDC/24VAC/PoE, IP67, IK10, Nema 4X, -40*C - +55*C (-55*XNO-8080R**). Wisenet X powered by Wisenet 5 network outdoor vandal bullet camera, 5MP @30fps, 3.7mm fixed lens (97.5*), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98°, true D/N, dual SD card, hallway view, HLC, defog detection, DIS, backbox included, 12VDC/PoE, IP67, IK10, Nema 4X Wisenet X powered by Wisenet 5 network outdoor vandal bullet camera, 5MP @30fps, 4.6mm fixed lens (77.9*), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98°, true D/N, dual SD card, hallway view, HLC, defog detection, DIS, backbox included, 12VDC/PoE, IP67, IK10, Nema 4X Wisenet X powered by Wisenet 5 network outdoor vandal bullet camera, 5MP @30fps, 7mm fixed lens (50.7*), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification in a business analytics, high powered IR LEDs range of 98°, true D/N, dual SD card, hallway view, HLC, defog detection, DIS, backbox included, 12VDC/PoE, IP67, IK10, Nema 4X Wisenet X powered by Wisenet 5 network outdoor vandal bullet camera, 5MP @30fps, motorized vari-focal lens 2.4x (3.9-9.4mm) (92.1*-38.7*), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced vide			Wisenet X powered by Wisenet 5 network IR outdoor vandal dome camera, 5MP @30fps, 7mm fixed focal lens (50.7°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR				
Wisenet X powered by Wisenet 5 network outdoor vandal bullet camera, 5MP @30fps, 3.7mm fixed lens (97.5°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98°, true D/N, dual SD card, hallway view, HLC, defog detection, DIS, backbox included, 12VDC/PoE, IP67, IK10, Nema 4X Wisenet X powered by Wisenet 5 network outdoor vandal bullet camera, 5MP @30fps, 4.6mm fixed lens (77.9°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98°, true D/N, dual SD card, hallway view, HLC, defog detection, DIS, backbox included, 12VDC/PoE, IP67, IK10, Nema 4X Wisenet X powered by Wisenet 5 network outdoor vandal bullet camera, 5MP @30fps, 7mm fixed lens (50.7°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics, high powered IR LEDs range of 98°, true D/N, dual SD card, hallway view, HLC, defog detection, DIS, backbox included, 12VDC/PoE, IP67, IK10, Nema 4X Wisenet X powered by Wisenet 5 network IR indoor vandal dome camera, 5MP @30fps, motorized vari-focal lens 2.4x (3.9–9.4mm) (92.1°–38.7°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification, high powered IR	04	Alvv-ou4ur	Wisenet X powered by Wisenet 5 network IR outdoor bullet camera, 5MP @30fps, motorized vari-focal lens 2.4x (3.7-9.4mm) (100.2°-38.7°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification, high powered IR	\$ 900.00	25%	2	675.00
Wisenet X powered by Wisenet 5 network outdoor vandal bullet camera, 5MP @30fps, 4.6mm fixed lens (77.9°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98′, true D/N, dual SD card, hallway view, HLC, defog detection, DIS, backbox included, 12VDC/PoE, IP67, IK10, Nema 4X \$900.00 25% \$675. Wisenet X powered by Wisenet 5 network outdoor vandal bullet camera, 5MP @30fps, 7mm fixed lens (50.7°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics, high powered IR LEDs range of 98′, true D/N, dual SD card, hallway view, HLC, defog detection, DIS, backbox included, 12VDC/PoE, IP67, IK10, Nema 4X \$900.00 25% \$675. Wisenet X powered by Wisenet 5 network IR indoor vandal dome camera, 5MP @30fps, motorized vari-focal lens 2.4x (3.9~9.4mm) (92.1°~38.7°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification, high powered IR			Wisenet X powered by Wisenet 5 network outdoor vandal bullet camera, 5MP @30fps, 3.7mm fixed lens (97.5°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98',			\$	1,162.50
Wisenet X powered by Wisenet 5 network outdoor vandal bullet camera, 5MP @30fps, 7mm fixed lens (50.7°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98°, true D/N, dual SD card, hallway view, HLC, defog detection, DIS, backbox included, 12VDC/PoE, IP67, IK10, Nema 4X Wisenet X powered by Wisenet 5 network IR indoor vandal dome camera, 5MP @30fps, motorized vari-focal lens 2.4x (3.9~9.4mm) (92.1°~38.7°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification, high powered IR			Wisenet X powered by Wisenet 5 network outdoor vandal bullet camera, 5MP @30fps, 4.6mm fixed lens (77.9°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98',				675.00
Wisenet X powered by Wisenet 5 network IR indoor vandal dome camera, 5MP @30fps, motorized vari-focal lens 2.4x (3.9~9.4mm) (92.1°~38.7°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification, high powered IR			Wisenet X powered by Wisenet 5 network outdoor vandal bullet camera, 5MP @30fps, 7mm fixed lens (50.7°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98',			,	675.00
69 XND-8080RV LEDs range of 98', true D/N, dual SD card, hallway view, HLC, defog detection, DIS, 12VDC/PoE, IK08 \$ 1,350.00 25% \$ 1,012.			Wisenet X powered by Wisenet 5 network IR indoor vandal dome camera, 5MP @30fps, motorized vari-focal lens 2.4x (3.9-9.4mm) (92.1°-38.7°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification, high powered IR			•	1,012.50

	Part #	Description	List Price	% Discount	ESCNJ Contract Price
70 X	XND-8020R	Wisenet X powered by Wisenet 5 network IR indoor vandal dome camera, 5MP @30fps, 3.7mm fixed focal lens (97.5°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, HLC, defog detection, DIS, 12VDC/PoE, IK08	\$ 775.00	25%	\$ 581.25
71 X	XND-8030R	Wisenet X powered by Wisenet 5 network IR indoor vandal dome camera, 5MP @30fps, 4.6mm fixed focal lens (77.9°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, HLC, defog detection, DIS, 12VDC/PoE, IK08	\$ 775.00	25%	\$ 581.25
72 X	XND-8040R	Wisenet X powered by Wisenet 5 network IR indoor vandal dome camera, 5MP @30fps, 7mm fixed focal lens (50.7°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, HLC, defog detection, DIS, 12VDC/PoE, IK08	\$ 775.00	25%	\$ 581.25
73 X	XND-8020F	Wisenet X powered by Wisenet 5 network flush mount dome camera, 5MP @ 30fps, 3.7mm fixed lens (97.5°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, built-in Mic, magnetic cover, electronic D/N, SD card, hallway view, HLC, defog detection, DIS, PoE, (Black and white covers are optional)	\$ 600.00	25%	\$ 450.00
74 X	XNB-8000	Wisenet X powered by Wisenet 5 network box camera, 5MP @30fps, simple focus, triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card, hallway view, HLC, defog detection, DIS using a Gyro sensor, 12VDC/24VAC/PoE	\$ 950.00	25%	\$ 712.50
/	CNII / 0004 D	Network IR vandal dome camera, 5MP 30fps, triple codec H.265/H.264/MJPEG, f3.9-9.4mm Motorized Lens simple focus, 120dB WDR, true D/N, Micro			
	SNV-8081R SNV-8080	SD/SDHC/SDXC, 12VDC/24VAC/PoE, IP66, IK10, -40°C ~ +55°C (-40°F ~ +131°F), hallway view Network vandal dome camera, 5MP 20fps, Full HD(1080p) 30fps, H.264/MJPEG, f3.6-9.4mm Motorized Lens simple focus, 60dB DWDR, true D/N, Micro SD/SDHC/SDXC, 12VDC/24VAC/PoE, IP66, IK10, -40°C ~ +55°C (-40°F ~ +131°F)	\$ 1,549.00 \$ 1,449.00	25% 25%	\$ 1,161.75 \$ 1,086.75
	SNF-8010VM	Network vandal fisheye dome camera, 5MP 20fps, Full HD(1080p), 180°/360°, De-warping on camera, true D/N, BLC, H.264/MJPEG, SD/SDHC/SDXC, 12VDC/PoE, IIP66, IK10, M12 Connector Out, RJ45 to M12 Adapter is Included, EN50155, -13°F(-25°C)	\$ 1,049.00	25%	\$ 786.75
	SNF-8010	Network fisheye dome camera, 5MP 20fps, Full HD(1080p), 180°/360°, De-warping on camera, true D/N, BLC, H.264/MJPEG, SD/SDHC/SDXC, 12VDC/PoE	\$ 1,049.00	25%	\$ 711.75
	QNE-7080RV	Wisenet Q network outdoor vandal flateye camera, 4MP @20fps, motorized vari-focal lens 3.1x (3.2 ~ 10.0mm) (100.0° ~30.5°), triple codec H.265/H.264/MJPEG with Wisestream, 120dB WDR, IR LEDs range 98°, defocus detection, hallway View, one way audio and SD card. IP66, IK10, PoE/12VDC	\$ 620.00	25%	\$ 465.00
80 C	QNE-7080RVW	Wisenet Q network outdoor vandal flateye camera, 4MP @20fps, motorized vari-focal lens 3.1x (3.2 ~ 10.0mm) (100.0° ~ 30.5°), triple codec H.265/H.264/MJPEG with Wisestream, 120dB WDR, IR LEDs range 98', defocus detection, hallway View, one way audio and SD card. IP66, IK10, PoE/12VDC	\$ 620.00	25%	\$ 465.00
81 C	QNV-7080R	Wisenet Q network outdoor vandal dome camera, 4MP @20fps, motorized vari-focal lens 4.3x (2.8 ~ 12.0mm) (109.7°~26°), triple codec H.265/H.264/MJPEG with Wisestream, 120dB WDR, IR LEDs range 98', defocus detection, hallway View, one way audio and SD card. IP66, IK10, PoE/12VDC	\$ 619.00	25%	\$ 464.25
82 C	QNV-7010R	Wisenet Q network outdoor vandal dome camera, 4MP @20fps, 2.8mm fixed focal lens (110°), triple codec H.265/H.264/MJPEG with Wisestream, 120dB WDR, IR LEDs range 65', defocus detection, hallway View, one way audio and SD card. IP66, IK10, PoE/12VDC	\$ 429.00	25%	\$ 321.75
83 C	QNV-7020R	Wisenet Q network outdoor vandal dome camera, 4MP @20fps, 3.6mm fixed focal lens (81°), triple codec H.265/H.264/MJPEG with Wisestream, 120dB WDR, IR LEDs range 82', defocus detection, hallway View, one way audio and SD card. IP66, IK10, PoE/12VDC	\$ 429.00	25%	\$ 321.75
84 C	QNV-7030R	Wisenet Q network outdoor vandal dome camera, 4MP @20fps, 6mm fixed focal lens (53°), triple codec H.265/H.264/MJPEG with Wisestream, 120dB WDR, IR LEDs range 98', defocus detection, hallway View, one way audio and SD card. IP66, IK10, PoE/12VDC	\$ 429.00	25%	\$ 321.75
85 C	QND-7080R	Wisenet Q network indoor dome camera, 4MP @20fps, motorized vari-focal lens 4.3x (2.8 ~ 12.0mm) (109.7°~26°), triple codec H.265/H.264/MJPEG with Wisestream, 120dB WDR, IR LEDs range 65', defocus detection, hallway View, one way audio and SD card, PoE/12VDC	\$ 559.00	25%	\$ 419.25
86 0	QND-7010R	Wisenet Q network indoor dome camera, 4MP @20fps, 2.8mm fixed focal lens (110°), triple codec H.265/H.264/MJPEG with Wisestream, 120dB WDR, IR LEDs range 65', defocus detection, hallway View, one way audio and SD card. PoE/12VDC	\$ 339.00	25%	\$ 254.25
	0110 70000	Wisenet Q network indoor dome camera, 4MP @20fps, 3.6mm fixed focal lens (81°), triple codec H.265/H.264/MJPEG with Wisestream, 120dB WDR, IR LEDs range		950/	
	QND-7020R QND-7030R	65', defocus detection, hallway View, one way audio and SD card. PoE/12VDC Wisenet Q network indoor dome camera, 4MP @20fps, 6mm fixed focal lens (53°), triple codec H.265/H.264/MJPEG with Wisestream, 120dB WDR, IR LEDs range 65', defocus detection, hallway View, one way audio and SD card. PoE/12VDC	\$ 339.00 \$ 339.00	25%	\$ 254.25 \$ 254.25
	QNO-7080R	Wisenet Q network outdoor vandal bullet camera, 4MP @20fps, motorized vari-focal lens 4.3x (2.8 ~ 12.0mm) (109.7°~26°), triple codec H.265/H.264/MJPEG with Wisestream, 120dB WDR, IR LEDs range 98', defocus detection, hallway View, one way audio and SD card. IP66, IK10, PoE/12VDC	\$ 619.00	25%	\$ 464.25
90 C	QNO-7010R	Wisenet Q network outdoor vandal bullet camera, 4MP @20fps, 2.8mm fixed focal lens (110°), triple codec H.265/H.264/MJPEG with Wisestream, 120dB WDR, IR LEDs range 65', defocus detection, hallway View, one way audio and SD card. IP66, IK10, PoE/12VDC	\$ 429.00	25%	\$ 321.75
91 C	QNO-7020R	Wisenet Q network outdoor vandal bullet camera, 4MP @20fps, 3.6mm fixed focal lens (81°), triple codec H.265/H.264/MJPEG with Wisestream, 120dB WDR, IR LEDs range 82', defocus detection, hallway View, one way audio and SD card. IP66, IK10, PoE/12VDC	\$ 429.00	25%	\$ 321.75
02	ONO 7020D	Wisenet Q network outdoor vandal bullet camera, 4MP @20fps, 6mm fixed focal lens (53°), triple codec H.265/H.264/MJPEG with Wisestream, 120dB WDR, IR LEDs range 98°, defocus detection, hallway View, one way audio and SD card. IP66, IK10, PoE/12VDC	¢ 420.00	250/	¢ 221.75
	QNO-7030R TNV-7010RC	Wisenet T powered by Wisenet 5 network outdoor IR corner mount camera, 3MP, 2048*1536 @ 30fps, 2.8mm fixed lens (102°*75°), 940nm IR 32', built-in mic, triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, advanced video analytics and business analytics, single SD card, HLC, defog detection, DIS, PoE, IP66,Nema 4X, IK10	\$ 429.00 \$ 1,500.00	25%	\$ 321.75 \$ 1,125.00
	SNV-7084R	Wisenet III Network IR vandal dome camera, 3MP 30fps, Full HD(1080p) @ 60fps, P-Iris Motorized simple focus Lens 2.8x (3-8.5mm), H.264/MJPEG, 120dB WDR, true D/N, SD/SDHC/SDXC, 12VDC/24VAC/PoE, IP66, IK10, -40°C ~ +55°C (-40°F ~ +131°F) Powered By 24VAC Only	\$ 1,449.00	25%	\$ 1,086.75
95 S	SNV-7084	Wisenet III Network vandal dome camera, 3MP 30fps, Full HD(1080p) @ 60fps, P-Iris Motorized simple focus Lens 2.8x (3-8.5mm), H.264/MJPEG, 120dB WDR, true D/N, SD/SDHC/SDXC, 12VDC/24VAC/PoE, IP66, IK10, Built-in -40°F	\$ 1,299.00	25%	\$ 974.25
04	SNO-7084R	Wisenet III Network IR Bullet camera, 3MP 30fps, Full HD(1080p) @ 60fps, P-Iris Motorized Lens 2.8x (3-8.5mm), H.264/MJPEG, 120dB WDR, true D/N, SD/SDHC/SDXC, 12VDC/24VAC/PoE, IP66, IK10, Built-in -58°F Heater Powered By 24VAC Only	\$ 1,499,00	250/	\$ 1,124.25
	SND-7084R	Wisenet III Network IR dome camera, 3MP 30fps, Full HD(1080p) @ 60fps, P-Iris Motorized simple focus 2.8x (3-8.5mm), H.264/MJPEG, 120dB WDR, true D/N, SD/SDHC/SDXC, Built-in Mic, IK08, 12VDC/PoE	\$ 1,499.00 \$ 1,149.00	25% 25%	\$ 1,124.25 \$ 861.75
	SND-7084	Wisenet III Network dome camera, 3MP 30fps, Full HD(1080p) @ 60fps, P-Iris Motorized simple focus 2.8x (3-8.5mm), H.264/MJPEG, 120dB WDR, true D/N, SD/SDHC/SDXC, Built-in Mic, 12VDC/PoE	\$ 1,049.00	25%	\$ 786.75
99 S	SBP-300WM1	Wall Mount Accessory, (SCP-3430H/2430H, SCP-3370TH/3370H, SCP-2370TH/2370H, SCP-3250H/2250H, SCP-3120VH, SNP-5430H/6320H/6320RH, SNP-5200H/3302H, SNP-6321H/5321H/SNP-L6233H/L5233H/L6233RHH/SNP-3371TH/3371H,SNP-3120VH, All caps except SBP-329HM, SHP-3701H), Ivory	\$ 79.00	25%	\$ 59.25
100 S	SBP-300WM	Wall Mount Accessory, (SCP-3430H/2430H, SCP-3370TH/3370H, SCP-2370TH/2370H, SCP-3250H/2250H, SCP-3120VH, SNP-5430H/6320H/6320RH, SNP-5200H/3302H, SNP-6321H/5321H/SNP-L6233H/L5233H/L6233RHH/SNP-3371TH/3371H, SNP-3120VH, All caps, SHP-3701H), Ivory	\$ 79.00	25%	\$ 59.25
101 S	SBP-300WMS1	Stainless Steel wall mount for stainless steel cameras XNP-6320HS and XNV-6080RS, XNV-8080RS, XNV-6120RS (need to purchase a separate cap SBP-300HMS6 for the dome cameras)	\$ 625.00	25%	\$ 468.75
102 S	SBP-300WMS	Stainless Steel wall mount (gooseneck) for stainless steel cameras PTZ: XNP-6320HS and dome cameras: XNV-6080RS, XNV-8080RS, XNV-6120RS (need to purchase a separate cap SBP-300HMS6 for the dome cameras)	\$ 475.00	25%	\$ 356.25
103 S	SBP-300HMS6	Stainless steel cap adaptor for XNV-6080RS, XNV-8080RS, XNV-6120RS	\$ 485.00	25%	\$ 363.75
104 S	SBP-300PMS	Pole mount adaptor for the SBP-300WMS and SBP-300WMS1	\$ 110.00	25%	\$ 82.50
105 S	SBP-300KMS	Corner mount adaptor for the SBP-300WMS and SBP-300WMS1 Wall Mount Accessory, 2x knock out built-in, compatible with:	\$ 150.00	25%	\$ 112.50
106	SBP-390WM1	all full size outdoor PTZs and all caps, Ivory color	\$ 215.00	25%	\$ 161.25
1	SBP-300LM	Parapet Mount Accessory, Ivory	\$ 395.00	25%	\$ 296.25

Item#	Part #	Description	List Price	% Discount	ESCNJ (
109	SBP-302CMA	Mounting plate for the telescopic pendant mount SBP-302CM	\$ 30.00	25%	\$	22.50
110	SBP-300CM	Pendant Mount Accessory, Ivory	\$ 79.00	25%	\$	59.25
111	SBP-302CM-36	Extension pendant pipe 36" long, fit the SBP-302CMB (Mounting backbox), SBP-302CMA (mounting plate), SBP-302CM (telescopic pendant mount) and the extension pipes SBP-302CM-12 and SBP-302CM-36	\$ 105.00	25%	\$	78.75
112	SBP-302CM-12	Extension pendant pipe 12" long, fit the SBP-302CMB (Mounting backbox), SBP-302CMA (mounting plate), SBP-302CM (telescopic pendant mount) and the extension pipes SBP-302CM-12 and SBP-302CM-36	\$ 65.00	25%	\$	48.75
113	SBP-302CMB	Back box made to fit SBP-302CM telescopic pendant mount and the extension pipes (SBP-302CM-12 and SBP-302CM-36)	\$ 190.00	25%	\$	142.50
114	SBP-302CMAS	Telescopic pendant mount accessory with 90 degrees swivel joint, 4.5' to 8' adjustable, includes SBP-302CMA for ceiling mount, Ivory color	\$ 400.00	25%	\$	300.00
115	SBP-302CMS	Swivel adapter for pendant mount for SBP-302CM, SBP-302CM-12, SBP-302CM-36 and it also requires one mounting option either SBP-302CMA or SBP-302CMB	\$ 120.00	25%	\$	90.00
116	STB-4150V	Wall/Ceiling Mount Accessory for Box cameras	\$ 29.00	25%	\$	21.75
117	SBP-300B	Wall Mount Base, Works with Mounts (SBP-300WM/300WM1), Ivory	\$ 89.00	25%	\$	66.75
118	SBP-300PM	Pole Mount Adapter Accessory, use with SBP-300WM, Ivory	\$ 79.00	25%	\$	59.25
	SBP-302PM	Pole Mount Adapter Accessory, use with SBO-100B1, PNO-9080R, SNO-8081R SBO-100B1	\$ 79.00	25%	\$	59.25
	SBP-300KM	Corner Mount Adapter Accessory, use with SBP-300WM, Ivory	\$ 79.00	25%	\$	59.25
	SHD-100C	Heavy Duty Corner Mount Accessory, (SNV-8081R, SNV-8080, SNV-7084/R, SNV-6084/R, SNV-9080R, XNV-6080/R, XNV-8080R) Ivory			,	
			, , , , , , , , , , , , , , , , , , , ,	25%	\$	329.25
	SBO-100B1	IR Bullet camera Back box. (SNO-L6083R / L5083R, QNO-6030R / 6020R / 6010R, QNO-7030R / 7020R / 7010R, QNO-7080R/6070R, SCO-6083R)	, , , , , ,	25%	\$	36.75
123	SBO-126B	IR bullet camera back box. (XNO-L6080R)	\$ 49.00	25%	\$	36.75
124	SBV-158G	vandal dome camera Back box. (SNV-5084/R, SNV-6084/R, SNV-7084/R, SNV-8081R, SNV-8080, PNV-9080R, XNV-6080/R, XNV-8080R, XNV-6120/R, XNV-6085) Back Box with knockouts and water proof design, Compatible with	\$ 85.00	25%	\$	63.75
125	SBV-136B	SNV-L6083R, SNV-L5083R, SCV-5082, SCV-5083, SCV-5085, SCV-5083R, SCV-6083R/ 6023R, ONV-7080R, ONV-6070R, HCV-6070R/6080R, XNP-6040H	\$ 49.00	25%	\$	36.75
126	SBF-100B1	fisheye camera Back box. (SNF-8010/VM, XNF-8010R/RV/RVM, PNF-9010R/RV/RVM)	\$ 49.00	25%	\$	36.75
127	SBV-116B	Back box with knockouts, compatible with XNV-6011, SNV-6013	\$ 49.00	25%	\$	36.75
128	SBP-300NB	Installation Back box compatible with (SBP-300WM, SBP-300WM1, SBP-300KM, SBP-300PM)	\$ 300.00	25%	\$	225.00
129	SBP-300NM	PVM camera (TNB-6030) mounting hardware.	\$ 65.00	25%	\$	48.75
130	SBP-2CTW	2'x2' drop ceiling tile (or half of 2'x4' ceiling tile) accessory with 1.5" NPT female thread, includes suspension wire, four turnbuckles, and anchors to suspend from wood or concrete structures, supports up to 50lb, scratch resistant fused epoxy white finish	\$ 150.00	25%	\$	112.50
131	SBP-HCF	1.5" coupler, female thread on both sides, Ivory	\$ 15.00	25%	\$	11.25
132	SBP-35PVMB	Telescopic PVM uni-strut mount, 3'-5.5' drop length, VESA compatible 75x75mm, 100x100mm, Up to 25° of tilt and 360° continuous rotation, black	\$ 160.00	25%	\$	120.00
133	SBP-35PVMW	Telescopic PVM uni-strut mount, 3'-5.5' drop length, VESA compatible 75x75mm, 100x100mm, Up to 25° of tilt and 360° continuous rotation, white	\$ 160.00	25%	\$	120.00
134	SBP-59PVMB	Telescopic PVM uni-strut mount, 5'-9' drop length, VESA compatible 75x75mm, 100x100mm, Up to 25° of tilt and 360° continuous rotation, black	\$ 200.00	25%	\$	150.00
135	SBP-59PVMW	Telescopic PVM uni-strut mount, 5'-9' drop length, VESA compatible 75x75mm, 100x100mm, Up to 25° of tilt and 360° continuous rotation, white	\$ 200.00	25%	\$	150.00
136	SBP-917PVMB	Telescopic PVM uni-strut mount, 9.5'-17' drop length, VESA compatible 75x75mm, 100x100mm, Up to 25° of tilt and 360° continuous rotation, black	\$ 250.00	25%	\$	187.50
137	SBP-917PVMW	Telescopic PVM uni-strut mount, 9.5'-17' drop length, VESA compatible 75x75mm, 100x100mm, Up to 25° of tilt and 360° continuous rotation, white	\$ 250.00	25%	\$	187.50
138	SPI-50	IR emitter up to 200m (656 feet), 25 $^{\circ}$ IR angle, 850nm wave length, 24VAC, IP67, -40 $^{\circ}$ C \sim +60 $^{\circ}$ C (-40 $^{\circ}$ F \sim 140 $^{\circ}$ F). Compatible with the TNU-6320	\$ 2,250.00	25%	\$	1,687.50
139	SHD-46VDB	Flush Door Jamb Lens Housing for SLA-T4680V lens (not included) and XNB-6001 (not included), black color	\$ 150.00	25%	\$	112.50
140	SHD-46VDE	Flush Door Jamb Lens Housing for SLA-T4680V lens (not included) and XNB-6001 (not included), silver color	\$ 150.00	25%	\$	112.50
141	SHP-3701H	PTZ Housing Accessory, IP66, IK10, Built-in Heater -58°F	\$ 549.00	25%	\$	411.75
142	SHB-4300HP	Indoor/Outdoor PoE Housing w/Mounting Bracket Accessory, Heater/Blower, IP66	\$ 450.00	25%	\$	337.50
143	SHB-4300H1	Indoor/Outdoor Housing w/Mounting Bracket Accessory, Heater/Blower -58°F-122°F, 24VAC, IP66	\$ 349.00	25%	\$	261.75
144	SHB-4200	Indoor/Outdoor Housing w/Mounting Bracket Accessory, 14°F~122°F, IP66	\$ 90.00	25%	\$	67.50
145	SHB-4200H	Indoor/Outdoor Housing w/Mounting Bracket Accessory, Heater/Blower, -31°F~122°F, 24VAC, IP66	\$ 140.00	25%	\$	105.00
146	SMT-4033	40" LED Monitor, 1080p (1920x1080), DVI, HDMI, VGA, CVBS, 16:9 aspect ratio, Built-in Speaker (2W X 2), VESA DPM Compatible (100x100mm)	\$ 2,490.00	25%	\$	1,867.50
147	A8105-E	2MP Video Intercom, WDR,1.56mm, F2.8, Surface Mount	\$ 799.00	10%	\$	719.10
148	XPLPRBL	XProtect LPR Base License, incl. 5 Country Modules	\$ 300.00	10%	\$	270.00
149	XPLPRCL	XProtect LPR Camera License	\$ 1,295.00	10%	\$	1,165.50
	XPLPRLL	XProtect LPR Country Module	\$ 645.00	10%	\$	580.50
151	Engineering	Per day of Professional Services.	\$ 1,200.00		\$	1,200.00
152	Cable	Cable, termination and testing one run with no core drilling.	\$ 300.00		\$	300.00
153	CABLE w/Conduit	CAT6e cable run with end to end conduit up to 200 ft.	\$ 650.00		\$	650.00
.50	moditum	Rate per \$1,000 for bond (\$/\$1K)	\$30.00	1	1.	
		lizate het a t'ana iai natin (ata i v)	გა 0.00			