



Current Date 13Jan2020

672G MOTOR GRADER with 6WD

672G Standard Equipment

VEHICLE COOLING:

Swing-Out, Cool-On-Demand, Hydraulic Fan (32 In.)
 Enclosed Engine Fan and Fan Drive Guarding (Conforms to ISO 3457)
 Heavy Duty Aluminum Coolers for Transmission, Axle, Hydraulic, Fuel, Charge Air, Radiator and A/C Condenser.
 Engine Coolant Surge Tank
 Cool-Gard II Extended Life Engine Coolant -34 Degrees F (-37 Degrees C)

TRANSMISSION:

John Deere Powershift Plus Direct Drive, Countershaft Powershift
 Event Based Shifting (EBS) - Load Sensing Electronic Shift Modulation
 Over speed Protection
 Quick Disconnect Pressure Ports
 Matched 8 Forward and 8 Reverse Speeds
 Industry Standard U-Shape Shift Pattern
 Transmission Neutral Lock with Park Start Safety Switch

Rubber Isolation Mounting to Reduce Noise and Vibration
 Independent Oil Reservoir, Filtration and Cooling System with:
 31 GPM Transmission Gear Pump
 2000 Hour Vertical Spin-On Filter
 DUAL-PATH HYDROSTATIC

Steering

Electronic Throttle Control with Auto / Manual Modes
 ECO Mode: limits engine rpms to 1900 in gears 1-5
 15 Amp (24 V to 12 V W/ Continuous 10 amps) Converter and (2) Power Ports
 (1)Interior and (2)Exterior Mounted Rearview Mirrors (Conforms to SAE J985)
 Air Vents on all Front and side Tinted Windows
 Fixed Lower Front Tinted Window
 Rear Window Electric Defroster
 Laminated Upper Front Tinted Window w/ Sun Shade Band
 Upper Front and Rear Windshield Washers with Intermittent Wipers
 Molded Floor Mat
 Coat Hook
 Universal RH & LH Mounting Bracket
 Cooler/Lunch Box Storage with Cup Holder
 Operator's Manual Storage
 Front Sun Visor
 ELECTRICAL:
 24 Volt System
 Alternator (dependent on engine emission and optional equipment)
 Bypass Start Safety Cover on Starter
 All Light and Wiper Switches have Solid State Electrical Power
 Distribution System
 Batteries (2), 1400 CCA with

Sensor Values

Calibrations
 MENU DISPLAY:
 Codes
 Machine Settings
 Diagnostics
 Monitor Settings

HYDRAULIC SYSTEM:

PCLS (Pressure Compensating Load Sensing) Hydraulic System
 Independent Hyd. Reservoir with Sight Glass
 Independent Main Hydraulic filtration cooling system with:
 56 GPM Main Hydraulic Axial Piston Pump
 O-Ring Face Seal Connectors

Float control included with blade lifts
 2000 Hour Vertical Spin-On Filter

STRUCTURE:

Main Frame with:
 Double Ball-N-Socket Pivot Connection
 Snow Wing Ready Frame
 Midmount Scarifier Ready
 Grade Control Mount Ready
 Tapered Roller Bearing in Bottom Articulation Joint
 Tapered Roller Bearing King Pins on Front Axle
 Lift Eyes
 Tiedowns
 (20) NeverGrease Pin Joints for Saddle Linkage, Blade Tilt,
 Rear Steering and Lean Cylinders
 MOLDBOARD:
 Patented Pre-Stressed 12 Ft.

6WD:	440 Minute Reserve Capacity	x 24 In. x 7/8 In. (3.66 M x 610 mm x 22 mm)
Variable Displacement Pumps	Positive Terminal Battery Covers	Moldboard with:
Axial Piston Drive Motors	Ground Level Electrical	6 In. x 5/8 In. (152 x 16 mm) Cutting Edge with
Operator Selected Aggressiveness Control	Master Disconnect Switch	5/8 in. Reversible End Bits
Operator Controlled Inching Capability	Electric Fuel Shut off Switch	Quick Change Circle Wear Inserts (All Nylon)
Operational In Gears 1-7 Forward and Reverse	Transporting Lights w/LED Signal and Marker Lights (4 Halogen	Quick Change and Adjustable Heavy Duty Moldboard Side Shift Wear Inserts
Precision Mode in 1-3 Forward	Transport lights)	Single Input Circle Drive Gearbox (non-slip)
AXLE, BRAKES AND TANDEMS:	Transporting Lights (4 Halogen Transport Lights). Includes LED turn signals on front frame, LED rear turn signals	OVERALL VEHICLE:
Teammate II Axle	mounted on rear grille, front and rear LED marker lights, LED brake lights and LED hazard warning lights.	Left Side Daily Service Engine and Service Compartment Lights
Planetary Single Reduction Final Drives	Cab Pre-Wired (10 amp) for Beacon, Radio and Auxiliary Circuit	Hinged Engine Side Shields
Internal Self-Adjusting Maintenance Free Wet Multi-Disk Brakes Inboard of Tandem Pivot	Electric Forward Warning Horn (Conforms to ISO 9533)	Tool Box with Tray
Continuous Pressurized Filtered Oil Cooled Brakes	Horn (Conforms to ISO 9533)	Articulation Joint Grease Bank
Independent Oil Reservoir, Filtration and Cooling System with:	Back up Warning Alarm (Conforms to ISO 9533)	Articulated frame with Safety (ISO 10570) locking pin
6.7 GPM Axle Gear Pump	Sealed Switch Module with Function Indicators	Radiator Surge Tank Access Panel
2000 Hour Vertical Spin-On Filter	Multi-Function / Multi-Language LCD Color Monitor includes:	Bottom/Side Guards with Access Panels
Primary and Secondary Service Brakes (Conforms to ISO 3450)	DIGITAL INSTRUMENTS ANALOG Display:	(6) D.O.T. (392&393)
Automatic Differential Lock with Override	Hydraulic Oil Temperature	Permanent Tie Downs for transport
Automatic Spring-Applied Hydraulic Released Parking Brake (Conforms to SAE J1026)	Engine Coolant Temperature	Single Key Locks for Entire Vehicle
14.0 R 24 Inch G2/L2 Single Star Radial Tires	Transmission Oil Temperature	Ground Level Fuel Tank Filling (FT4 Only)
Slip Resistant Platforms on Tandems	Rear Steer Articulation Angle	Fluid Sampling Ports for Engine Oil, Engine Coolant, Hydraulic, Axle and Transmission Oils
OPERATORS STATION:	Fuel Level	Vandal Protection Locking for:
Low ROPS/FOPS Air Conditioned Cab (Conforms to ROPS ISO 3471 / FOPS ISO 3449 Level II)	DEF Level (FT4 Only)	Service Compartments
Rubber Isolation Frame Mounted	DIGITAL Display:	Cab Doors
Keyless Start with Multiple Security Modes	Engine RPM	Radiator Surge Tank Access Door
Anti-Skid 3 Step Cab Access	Transmission Gear Indicator	DEF Tank Door and Cap (FT4 Only)
Fabric Air Suspension Seat with Armrests and Headrest	Hour Meter	Hydraulic Reservoir Cap
	Speedometer	*Battery Disconnect Switch
	Odometer	Fuel Tank Door and Cap
	Outside Ambient Temperature	Tool Box
	Integrated Job Timer and Stop Watch	Fuel tank, 110 gallon (416 L)
		Environmental Drains with

3 In., (76 mm) Seat Belt w/Retractors (Conforms to SAE J386) Tilt Wheel and Control Console with 5 Lock to Lock Power	INDICATOR LIGHTS for Standard and Selected Options INDICATOR LIGHTS for Amber Caution and Red Stop OPERATOR WARNING MESSAGES BUILT-IN DIAGNOSTICS: Diagnostic Code Details	Hoses for Engine, Transmission, Hydraulic, Axle Oils and Engine Coolant Remote Filter Bank for Hydraulic, Transmission and Axle Oils Vehicle Side Reflectors
--	--	--

Required - *You must select one from each category*

▼ BASE MACHINE

FOB Davenport, Ia.

As not all option codes have field kits, please review your order option codes and available kits prior to placing a machine order

Description	Code	Price
672G MOTOR GRADER with 6WD	8450T	\$343,616.00

Keep in mind that the following John Deere motor graders 770, 772, 870 & 872 offer optimized performance for high speed snow plowing applications.

▼ ENGINE

Description	Code	Price
John Deere PowerTech PSS 9.0L meets EPA FT4 Emissions	1140	\$54,196.00

255 Net Peak hp
For use only in areas where EPA Final Tier 4 is required.
Requires engine exhaust code 1830 or 1840.

Automatic Exhaust Filter Regeneration
Automatic Hydraulic Reversing Fan
Series Turbo Chargers
Cooled Exhaust Gas Recirculation
4 Valves / Cylinder
Wet Sleeve Cylinder Liners
ECO Mode
Auto-Idle and Programmable Auto-Shutdown
Automatic Starter Overload Protection
Electronically Controlled HPCR Fuel Delivery System, B20 Biodiesel
Compatible
Electric Fuel Priming System
10-Micron Primary Fuel Filter/Water Separator, 500 hour
2-Micron Final Fuel Filter, 500 hour
Inline Fuel Strainer
Spin-on Oil Filter, 500 hour
Oil crankcase filter, Lifetime
Auto-Tensioned Serpentine Belt
Under Hood Dual Element Air Cleaner with Restriction Indicator
Engine Intake Rotary Ejector Precleaner

▼ EXHAUST

Description	Code	Price
-------------	------	-------

Engine Exhaust W/ Flat Black Stack (FT4 or Stage V only)	1830	No Added Cost
Requires engine code 1140.		

Engine Exhaust W/ Chrome Stack (FT4 or Stage V only)	1840	\$703.00
Requires engine code 1140.		

▼ FUEL FILTRATION

Description	Code	Price
Standard Fuel & Water Filtration	1410	No Added Cost
Severe Duty Fuel & Water Filtration System	1420	\$528.00
For use where fuel quality is questionable and/or additional water separation is required. Filter base contains fuel heater.		

▼ QUICK SERVICE GROUP

Description	Code	Price
Quick Service Group	1310	\$672.00
No Quick Service Group	1320	No Added Cost

▼ MACHINE CONFIGURATION

Description	Code	Price
Standard Antler Rack Hydraulic Controls	1010	No Added Cost
Armrest Fingertip Controls	1020	\$33,489.00
Grade Pro Armrest Controls Include: * Fingertip controls with industry standard control pattern * Automated Cross Slope control * Integrated grade control (Contact TOPCON, Trimble, or Leica for full install requirements) * Return-to-Straight * Armrest steering control AND conventional steering wheel		
Requires alternator code 1220 or 1240 and cab code 5060 or 5070. Includes seat code 6140 and grade pro controls code 6650.		

Dual Joystick Controls	1030	\$33,489.00
Grade Pro Armrest Controls Include: * Automated Cross Slope control * Integrated grade control (Contact TOPCON, Trimble, or Leica for full install requirements) * Return-to-Straight * Armrest steering control AND conventional steering wheel		
Requires alternator code 1220 or 1240 and cab code 5060 or 5070. Includes seat code 6140 and grade pro controls code 6650.		

▼ OPERATOR'S STATION

ROPS/FOPS Air Conditioned Cab

Description	Code	Price
-------------	------	-------

Low Cab w/ Fixed Lower Front and Side Windows	5020	No Added Cost
Low Cab w/ Fixed Lower Front and Side Opening Windows	5025	\$927.00
Low Cab w/ Lower Front and Side Opening Windows	5030	\$1,243.00
Includes Roof Wiring Harness for Lighting, Beacon, Precleaner and Heated Mirrors		
Low Cab w/ Fixed Lower Front and Side Opening Windows, Laminated Glass	5035	\$3,087.00
The advantage of laminated glass is that it resists shattering and strongly resists penetration by impacting objects.		
Grade Pro Low Cab w/ Lower Front and Side Opening Windows	5060	No Added Cost
Requires configuration code 1020 or code 1030 and seat code 6140. Requires (1) T244325 bracket to optionally move monitor to the RH door post.		
Grade Pro Low Cab w/ Fixed Lower Front and Side Opening Windows, Laminated Glass	5070	\$2,190.00
Requires configuration code 1020 or code 1030 and seat code 6140. Requires (1) T244325 bracket to optionally move monitor to the RH door post.		
The advantage of laminated glass is that it resists shattering and strongly resists penetration by impacting objects.		
Tall Cab with Lower Fixed Front and Side Opening Windows	50A1	\$2,555.00

CAMERA

Description	Code	Price
Rear Camera (R4)	8830	No Added Cost
Rear view camera with a dedicated monitor		
Front & Rear Camera (R4)	8835	\$2,500.00

MIRRORS

Description	Code	Price
Exterior Mounted Rearview Mirrors	8210	No Added Cost
Heated Exterior Mounted Rearview Mirrors	8220	\$570.00

RADIO

Description	Code	Price
AM/FM Radio with Aux and Weather Band (WB)	8410	\$983.00
Premium AM/FM Radio with Bluetooth, Aux and Weather Band (WB).	8415	\$1,515.00
Requires engine code 1140.		

Requires engine code 1145		
No Radio	8420	No Added Cost
WASHER AND WIPER		
Description		
Lower Front Intermittent Wiper & Washer	8310	\$670.00
Less Lower Front Window Wiper & Wiper		
8320	No Added Cost	
CAB AIR PRECLEANER		
Description		
Powered Cab Air Precleaner	6010	\$925.00
Powered Cab Precleaner pre-filters outside air to significantly extend cab filter life.		
No Powered Cab Air Precleaner	6030	No Added Cost
SEAT		
Description		
Standard Fabric Air Suspension Seat with Armrests and Headrest	6120	\$449.00
For use with cab codes 5020, 5025, 5030 & 5035		
Premium Heated, Leather/Fabric, High-Wide Back, Air Suspension Seat with Armrests	6130	\$1,191.00
For use with cab codes 5020, 5025, 5030 & 5035. This seat does not include a headrest. If a headrest is desired, please order AT361342 from service parts.		
Grade Pro Premium Heated, Leather/Fabric, High-Wide Back Air Suspension Seat	6140	No Added Cost
For use with cab codes 5060 & 5070. This seat does not include a headrest. If a headrest is desired, please order AT361342 from service parts.		
SOUND ABSORPTION PACKAGE		
Description		
No Sound Absorption Package	8730	No Added Cost
Requires engine code 1140.		
HYDRAULIC CONTROLS - RIGHT SIDE		
Description		
Standard Hydraulic Controls	Code	Price
Industry standard manual hydraulic controls. Includes valves, control levers, and plumbing.		
Base Hydraulics - 4 Function Controls	6510	No Added Cost

Requires configuration code 1010. Base Functions: Rear Steer, Circle Side shift, Wheel Lean & RH Blade Lift w/ Float.		
Base Hydraulics w/ 1 Auxiliary Function Control	6520	\$1,663.00
Requires configuration code 1010. Base functions plus 1 function w/float control - front plumbing and hoses for Scarifier or auxiliary application. For use with front scarifier.		
Mid Mount Scarifier Base Hydraulics w/ 1 Auxiliary Function Control	6525	\$1,885.00
Requires Mid Mount Scarifier code 6730 and configuration code 1010. Midmount scarifier base hydraulics with 1 auxiliary function control with float control for mid mount scarifier. For use with mid mount scarifier.		
Base Hydraulics w/ 2 Auxiliary Function Controls	6530	\$3,138.00
Requires configuration code 1010. Base functions plus 2 functions w/float control - front plumbing and hoses for Scarifier and/or auxiliary application. For use with front scarifier.		
Base Hydraulics w/ 3 Auxiliary Function Controls	6540	\$4,611.00
Requires code 1010. Base Functions plus 3 functions-(2) with and (1) w/o float control, front plumbing and hoses for Scarifier and/or auxiliary application. For use with front scarifier.		
<u>Grade Pro Controls</u> 1020 - Finger-tip armrest mounted controls, consistent with the industry standard pattern. Includes armrest mounted lever steering plus the traditional steering wheel. All Auxiliary codes include front and rear plumbing for each function except code 6595. 1030 - Dual Joystick armrest mounted controls. Includes armrest mounted lever steering plus the traditional steering wheel. All Auxiliary codes include front and rear plumbing for each function except code 6595.		
Grade Pro Base Controls	6550	No Added Cost
Requires code 1020 OR 1030 Includes the following Base Hydraulic Functions: Rear Steer Circle Side shift Wheel Lean Right and Left hand Blade Lift w/ Float Circle Rotate Blade Side Shift Blade Tilt Speed-sensitive Lever Steer (also includes traditional steering wheel)		
Grade Pro Controls for Mid Mount Scarifier w/1 Auxiliary Function Control	6526	\$1,885.00
Requires codes 1020 OR 1030 AND Mid Mount Scarifier code 6730. Includes base functions plus mid-mount scarifier/auxiliary hoses that run to front of machine Fingertip controls include right hand lever control		
Grade Pro Controls for Rear Ripper or 1 Rear Auxiliary Function	6555	\$1,665.00

<p>Requires code 1020 OR 1030 Includes Base functions plus 1 rear auxiliary function w/float control - Rear plumbing and hoses for Ripper or auxiliary application. Fingertip controls include left hand lever control</p>		
<p>Grade Pro Controls for Front Scarifier or 1 Front Auxiliary Function</p>	6560	\$1,665.00
<p>Requires code 1020 OR 1030 Include Base functions plus 1 front auxiliary function w/float control - front plumbing and hoses for Scarifier and/or auxiliary application. Fingertip controls include right hand lever control</p>		
<p>Grade Pro Controls w/1 Rear Auxiliary Function Control</p>	6570	\$1,665.00
<p>Requires code 1020 OR 1030 Includes Base functions plus 1 rear auxiliary function w/float control - Rear plumbing and hoses for auxiliary application. Fingertip controls include right hand lever control</p>		
<p>Grade Pro Controls w/1 Front Auxiliary Function AND 2 Rear Auxiliary Functions</p>	6580	\$4,988.00
<p>Requires code 1020 OR 1030 Includes Base functions plus 3 auxiliary - 1 front and 2 rear auxiliary functions w/ float control and rear plumbing for Scarifier / Ripper and/or front, mid or rear auxiliary applications. Fingertip controls include left AND right hand lever control 4 independent proportional rollers are reconfigurable for auxiliary functions.</p>		
<p>Grade Pro Controls w/1 Front Auxiliary Function AND 1 Rear Auxiliary Function</p>	6585	\$3,364.00
<p>Requires code 1020 OR 1030 Includes Base functions plus 2 auxiliary - 1 front and 1 rear auxiliary functions w/ float control and plumbing for Scarifier / Ripper applications. Fingertip controls include left AND right hand lever control 4 independent proportional rollers are reconfigurable for auxiliary functions.</p>		
<p>Grade Pro Controls w/1 Front Auxiliary Function AND 3 Rear Auxiliary Functions</p>	6590	\$6,652.00
<p>Requires code 1020 OR 1030 Includes Base functions plus 4 auxiliary - 1 front and 3 rear auxiliary functions w/ float control and rear plumbing for Scarifier / Ripper and/or front, mid or rear auxiliary applications. Fingertip controls include left AND right hand lever control 4 independent proportional rollers are reconfigurable for auxiliary functions.</p>		
<p>Grade Pro Controls w/3 Front Auxiliary Function AND 3 Rear Auxiliary Functions</p>	6595	\$9,977.00
<p>Requires code 1020 OR 1030 Includes Base functions plus 6 auxiliary - 3 front and 3 rear with float control on 4 functions, and front and rear plumbing for 2 functions each. Fingertip controls include left AND right hand lever control 4 independent proportional rollers are reconfigurable for auxiliary functions.</p>		

▼ HYDRAULIC CONTROLS - LEFT SIDE

Industry standard manual hydraulic controls. Includes valves, control levers, and plumbing.

Description	Code	Price
<u>Standard Hydraulic Controls</u>		
Industry standard manual hydraulic controls. Includes valves, control levers, and plumbing.		
Base Hydraulics- 4 Function Controls	6610	No Added Cost
Requires code 1010. Base Functions: LH Blade Lift w/ Float, Blade Side shift, Circle Rotate, Blade Tilt.		
Base Hydraulics w/ 1 Auxiliary Function Control	6620	\$1,463.00
Requires code 1010. Base Functions plus 1 function w/float control and lines for Ripper or auxiliary application. For Use with Rear Ripper/Scarifier Combination.		
Base Hydraulics w/2 Auxiliary Function Control	6630	\$2,952.00
Requires code 1010. Base functions plus 2 functions w/float control and lines for Ripper and/or auxiliary application. For Use with Rear Ripper/Scarifier Combination.		
Base Hydraulics w/ 3 Auxiliary Function Control	6640	\$4,425.00
Requires code 1010. Base Functions plus 3 functions-(2) with and (1) w/o Float Control, and lines for Ripper and/or auxiliary application. For Use with Rear Ripper/Scarifier Combination.		

Grade Pro Controls

Grade Pro Controls - Left Side	6650	No Added Cost
Requires code 1020 or code 1030. Accompanies GRADE PRO CONTROLS - RIGHT SIDE order code selection.		

▼ SHIPPING PREPARATION

Description	Code	Price
Air Conditioner Refrigerant Charged	8510	No Added Cost

▼ HYDRAULIC OIL

Description	Code	Price
Hydrau	5815	No Added Cost
Broad ambient operating temperatures. Operating range: -25°C to 50°C -13°F to 122°F		
Hydrau XR	5830	\$731.00
Optional factory fill. Broad ambient operating temperatures.		

Operating range:
 -40°C to 40°C
 -40°F to 104°F
 Intended for colder climates, provides all-season capability.
 Required for Russia.

▼ HYDRAULIC PUMP DISCONNECT

Description	Code	Price
Hydraulic Pump Disconnect	1610	\$188.00
Required with engine code 1140. Required for Russia.		

▼ MACHINE CONNECTIVITY

Machine connectivity functions require cellular coverage. Usage of JDLINK System requires customer's acceptance of the terms of the John Deere Telematics System Contract.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

Description	Code	Price
JDLINK Ultimate - 5 Year Subscription	170C	No Added Cost

Includes JDLINK hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and now includes all Ultimate Connectivity features - Wireless Data Transfer (WDT) enabling automatic data transfer from TimberMatic and Waratah H16 Measuring Systems to TimberManager and MyJohnDeere, supporting TimberOffice 5 Software. Additionally, Ultimate now includes Limited Internet features supporting optional ForestSight Solutions such as advance mapping systems and Remote Display Access (RDA) features supported by TeamViewer applications. JDLINK utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLINK hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLINK customer account must be created to access JDLINK Ultimate data. Go to www.StellarSupport.com to renew or update JDLINK subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

JDLINK Ultimate Dual - 5 Year Subscription	170J	\$1,936.00
--	------	------------

Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

Includes JDLINK hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and now includes all cellular dependent Ultimate Connectivity features - Wireless Data Transfer (WDT) enabling automatic data transfer from TimberMatic and Waratah H16 Measuring Systems to TimberManager and MyJohnDeere, supporting TimberOffice 5 Software. Additionally, Ultimate Dual now includes Limited Internet features supporting optional ForestSight Solutions such as advance mapping systems and Remote Display Access (RDA) features supported by TeamViewer applications when cellular signal is available.

JD Link Ultimate Dual works with the 4G LTE MTG to automatically transmit compressed summary data over a satellite network when a cellular network is not available. JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions.

▼ BLADE IMPACT ABSORPTION SYSTEM

Description	Code	Price
Blade Impact Absorption System	1910	\$3,617.00
Protects Moldboard and draft frame from impacts with Stationary objects		
No Blade Impact Absorption System	1920	No Added Cost

▼ MOLDBOARDS WITH DURA-MAX CUTTING EDGES AND END BITS

Description	Code	Price
12 Ft. x 24 In. x 7/8 In. (3.66M x 610mm x 22mm) w/ 6 In. x 5/8 In. (152 x 16mm) Cutting Edge & 5/8 in. (16mm) Hardware	2010	No Added Cost
12 Ft. x 24 In. x 7/8 In. (3.66M x 610mm x 22mm) w/ 8 In. x 3/4 In. (203 x 19mm) Cutting Edge & 5/8 in. (16mm) Hardware	2020	\$400.00
12 Ft. x 27 In. x 1 In. (3.66M x 686mm x 25mm) w/ 8 In. x 3/4 In. (203 x 19mm) Cutting Edge & 5/8 in. (16mm) Hardware	2030	\$1,019.00
13 Ft. x 27 In. x 1 In. (3.96M x 686mm x 25mm) with 8 In. x 3/4 In. (203 x 19mm) Cutting Edge & 5/8 in. (16mm) Hardware	2040	\$1,215.00
14 Ft. x 24 In. x 7/8 In. (4.27M x 610mm x 22mm) w/ 6 In. x 5/8 In. (152 x 16mm) Cutting Edge & 5/8 in. (16mm) Hardware	2050	\$1,354.00
14 Ft. x 24 In. x 7/8 In. (4.27M x 610mm x 22mm) w/ 8 In. x 3/4 In. (203 x 19mm) Cutting Edge & 5/8 in. (16mm) Hardware	2060	\$1,568.00
14 Ft. x 27 In. x 1 In. (4.27M x 686mm x 25mm) w/ 8 In. x 3/4 In. (203 x 19mm) Cutting Edge & 5/8 in. (16mm) Hardware	2070	\$1,997.00
Requires engine code 1120 or 1140.		
14 Ft. x 27 In. x 1 In. (4.27M x 686mm x 25mm) w/ 8 In. x 3/4 In. (203 x 19mm) Cutting Edge & 3/4 in. (19mm) Hardware	2080	\$2,042.00
Requires engine code 1120 or 1140.		

▼ CIRCLE

Description	Code	Price
Single Input Gearbox without Slip Clutch	2810	No Added Cost
Single Input Gearbox with Slip Clutch	2820	\$2,751.00
<p>Slip clutch protects circle, circle drive gearbox and draft frame from damage when end of moldboard comes in contact with stationary objects. Slip clutch is integral to the circle drive gearbox assembly and allows the circle frame to rotate, avoiding damage to the machine, when the end of the moldboard comes in contact with an immovable object.</p>		
Heavy Duty Dual Input Gearbox without Slip Clutch	2830	\$1,573.00
<p>Heavy duty dual input gearbox is an industry exclusive and provides significant improvements in circle drive component durability. The heavy duty dual input circle drive gearbox provides comparable circle torque and circle rotate speed as the single input circle drive gearbox. The heavy duty dual input circle drive gearbox will significantly enhance uptime for the customer and is recommended for applications that frequently use the circle rotate function while under heavy load.</p>		
Heavy Duty Dual Input Gearbox with Slip Clutch	2840	\$4,324.00
<p>Heavy duty dual input gearbox is an industry exclusive and provides significant improvements in circle drive component durability. The heavy duty dual input circle drive gearbox provides comparable circle torque and circle rotate speed as the single input circle drive gearbox. The heavy duty dual input circle drive gearbox will significantly enhance uptime for the customer and is recommended for applications that frequently use the circle rotate function while under heavy load.</p> <p>Slip clutch protects circle, circle drive gearbox and draft frame from damage when end of moldboard comes in contact with stationary objects. Slip clutch is integral to the circle drive gearbox assembly and allows the circle frame to rotate, avoiding damage to the machine, when the end of the moldboard comes in contact with an immovable object.</p>		
Premium Circle	2850	\$19,000.00
<p>Replaces the circle gearbox drive and circle with a fully sealed bearing. Customers will benefit from lower operating costs with no wear inserts to replace or maintain over the life of the machine. Maintenance takes just minutes by greasing the bearing every 500 hours. A 40% increase in circle torque and 15% increase in circle speed compared to the traditional gearbox will reduce cycle times and improve productivity. Grade control customers will appreciate the smoothness and tightness of the circle increasing accuracy without having to shim inserts. Combine with SmartGrade for the most innovative and effective Grade Control system in the industry. Slip Clutch is included at no additional cost.</p>		

▼ ALTERNATOR

Description	Code	Price
130 amp Alternator	1235	\$412.00
Requires engine code 1140.		
Dual 100 Amp Alternators (200 Amp total)	1240	\$954.00
Requires engine code 1140.		

▼ LIGHTING

For raised front lights order code 9270 Tall Front Light Bar.

All lighting packages include LED turn signals on front frame, LED rear turn signals mounted on rear grille, front and rear LED marker lights, LED brake lights and LED hazard warning lights.

Description

Code