



Current Date 16Nov2018

190GW FT4 Wheeled Excavators

190G Wheeled
Excavators

Required - *You must select one from each category*



BASE MACHINE

Description	Code	Price
190GW FT4 Wheeled Excavators	7391FF	\$331,958.00



MACHINE CONNECTIVITY

Machine connectivity functions require cellular coverage. Usage of JDLink/ZXLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

Description	Code	Price
JDLink Ultimate - 5yrs	170C	No Added Cost

Includes JDLink hardware: integrated cab wiring harness, antenna, 4G LTE modular telematics gateway (MTG), Wi-Fi data transfer, Blue Tooth capability and JDLink Ultimate activation.

JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality.

Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.



BLADES AND OUTRIGGERS

Description	Code	Price
Front Blade & Rear Outriggers	5470	No Added Cost
Front & Rear Outriggers	5480	\$5,798.00



FRONT ATTACHMENTS

Description	Code	Price
	6835	No Added Cost

Mono Boom

5.5 M (18 Ft.) with 2.71 M (8 Ft. 11 In.) Arm
Includes boom, arm, and bucket cylinders, bucket linkage, and low flow lines.

Variable Geometry Boom	6870	\$14,525.00
------------------------	------	-------------

with 2.71 M (8 ft. 11 In.) Arm
Allows boom to be tucked rearward for more compact and stable roading.
Allows digging under the machine and brings lift points closer to the machine.
Includes boom, arm, and bucket cylinders, plumbing, bucket linkage, and low pressure lines.
Requires long lead time.

Optional - *Select as desired*
 ATTACHMENTS FOR FIELD CONVERSION

F.O.B. Dubuque, Iowa for dealer-installed kits, except where noted. Some of the following kits may require additional parts for a complete installation. Prior to ordering, check the installation instructions by going to www.johndeereinfo.com and clicking on Library, or by clicking on this Hyperlink ([Installation Bulletin Search](#)), and insert the AT number to retrieve the attachment installation instruction bulletin for additional parts. Exception to above note is FRONTIER Dealer Installed Kits.

All attachments are sold as a quantity of one.

Description	Code	Price
Buckets, Ditching		
60 In (1524 mm), 1.55 yd3 (1.18 M3) Ditching Bucket	AT451619	\$4,995.00
Buckets, Heavy-Duty		
24 In (610 mm), 0.51 yd3 (0.39 M3) Heavy-Duty Bucket	AT451614	\$6,079.00
Includes Three (3) John Deere TK-Series Fanggs Teeth (TK350FD).		
30 In (762 mm), 0.71 yd3 (0.54 M3) Heavy-Duty Bucket	AT451615	\$6,598.00
Includes Four (4) John Deere TK-Series Fanggs Teeth (TK350FD).		
36 In (914 mm), 0.91 yd3 (0.69 M3) Heavy-Duty Bucket	AT451616	\$7,254.00
Includes Five (5) John Deere TK-Series Fanggs Teeth (TK350FD).		
42 In (1067 mm), 1.11 yd3 (0.85 M3) Heavy-Duty Bucket	AT451617	\$7,950.00
Includes Five (5) John Deere TK-Series Fanggs Teeth (TK350FD).		
48 In (1219 mm), 1.31 yd3 (1.00 M3) Heavy-Duty Bucket	AT451618	\$8,666.00
Includes Six (6) John Deere TK-Series Fanggs Teeth (TK350FD).		
Buckets, Side Cutters		
Auxiliary Cutting Edge for Ditching Bucket	AT454299	\$700.00

Edge Protector Kit	AT342511	\$606.00
Side-Cutter Kit, 3 inch	AT342512	\$628.00
Side-Cutter Kit, 6 inch	AT342513	\$628.00
<u>Guards</u>		
Cab FOPS Guard	AT390802	\$3,013.00
FOPS Level II, ISO 10262 Certified		
<u>Hydraulic Couplers</u>		
Hydraulic Quick Coupler	AT452018	\$8,496.00
Installation Charge for Hydraulic Coupler	AT345608	\$1,360.00
<p>Installation Charge Order also requires attachment part number, SHIP-TO address for Paladin Custom Works, AND reference related machine order number. The related machine order must reference the attachment order number. Order code available only for Kernersville, North Carolina installations.</p>		
<u>Hydraulic Thumb Kits</u>		
<u>Please click on the following link to access the freight rate tables.</u>		
Hydraulic Thumb Kit, Direct	AT379648	\$9,159.00
<p>Teeth matching between the bucket and thumb will depend on the bucket width, number of teeth, and tooth spacing.</p> <p>Please see DMAC solution 94331 for optimum thumb and bucket teeth engagement.</p>		
Hydraulic Thumb Kit, Direct for Couplers	AT379649	\$9,159.00
<p>Teeth matching between the bucket and thumb will depend on the bucket width, number of teeth, and tooth spacing.</p> <p>Please see DMAC solution 94331 for optimum thumb and bucket teeth engagement.</p>		
Hydraulic Thumb Kit, Progressive	AT379650	\$10,904.00
<p>Teeth matching between the bucket and thumb will depend on the bucket width, number of teeth, and tooth spacing.</p> <p>Please see DMAC solution 94331 for optimum thumb and bucket teeth engagement.</p> <p>Only available for the following arm lengths: 180 3.2M (10'6") 210 2.91M (9'7") 245 2.91M (9'7")</p>		
Hydraulic Thumb Kit, Progressive for Couplers	AT379651	\$10,904.00
<p>Teeth matching between the bucket and thumb will depend on the bucket width, number of teeth, and tooth spacing.</p> <p>Please see DMAC solution 94331 for optimum thumb and bucket teeth engagement.</p> <p>Only available for the following arm lengths: 180 3.2M (10'6")</p>		

210 2.91M (9'7")
245 2.91M (9'7")Hydraulics

Auxiliary Hydraulics, Attachment Combination Kit	AT343990	\$577.00
--	----------	----------

For use on 220 Mono-Boom Wheeled Excavators.
Requires Auxiliary High-Flow Hydraulic Lines.
Allows for a combination of attachments (i.e. hammer and thumb) to be connected to the high-flow lines, ready for operation.
Kit includes parts to replace the arm tube of the high-flow hydraulic lines with a short tube and uses the existing stop valves to shut-off thumb operation when not in use.

CENTER TINE EXTENSION KIT	AT389295	\$457.00
---------------------------	----------	----------

Mechanical Control Pattern Selector Kit	AT445360	\$987.00
---	----------	----------

Provides ability to switch control pattern between ISO/SAE Excavator and Deere Backhoe control pattern.
Some excavators require additional parts.

Operator Environment

Guard, Lower Front Window ISO Level II	AT390824	\$1,191.00
--	----------	------------

Guard, Upper Front Window ISO Level II	AT390823	\$1,502.00
--	----------	------------

Overall Vehicle

Vandal Cover Kit	AT390721	\$2,964.00
------------------	----------	------------