

FINN CORPORATION PRICELIST 2019

Item	Description	MSRP <i>usd</i>
T30 HYDROSEEDER		
T30	Tank Size	335 liquid capacity, 280 working capacity
	Engine	19 hp Kohler Command Gas
	Hose Reel	electric [max storage capacity 100']
	Hose	100' x 1-1/4" rubber hose [200 psi] [max capacity 100']
	Nozzles	[1] wide fan, [1] narrow fan, [1] long distance
	Mount	skid
	Other	remote valve
T30 options		
085356	Fill Port	fillport assembly 170
T60 HYDROSEEDER		
T60T	Tank Size	600 liquid capacity, 500 working capacity
	Engine	23.5 hp Kohler CH730 Gas
	Hose	50' x 1-1/4" rubber hose [200 psi]
	Nozzles	[1] wide fan, [1] narrow fan, [1] long distance
	Mount	trailer w/ electric brakes & DOT lights
	Hitch	standard pintle hitch [2-5/16" ball option #061448-n/c]
	Other	remote valve & suction line valve
T60S	Tank Size	600 liquid capacity, 500 working capacity
	Engine	23.5 hp Kohler CH730 Gas
	Hose	50' x 1-1/4" rubber hose [200 psi]
	Nozzles	[1] wide fan, [1] narrow fan, [1] long distance
	Mount	skid
	Other	remote valve & suction line valve
T60 options		
061280-01	Tower/Guard Rail	operator platform and discharge gun assembly with guard rails 3,145
061210-01	Hose Reel	electric hose reel 3,085
004832-15B	Hose	150' x 1-1/4" continuous hose [replaces 50' hose on machine] 780
003309-10	Hose	100' x 1-1/4" rubber hose [200 psi] 700
061326-02	Airflush	airflush [requires connection to external air compressor] 930
061407	Spare Tire	spare tire and wheel, mounted & bolted on 675
080533	Radio Remote	remote control-pump on/off 1,965
T75 HYDROSEEDER		
T75T	Tank Size	820 liquid capacity, 700 working capacity
	Engine	23.5 hp Kohler CH730 Gas
	Tower/Guard Rail	operator platform and discharge gun assembly with guard rails
	Hose Reel	electric
	Hose	150' x 1-1/4" rubber hose [200 psi]
	Nozzles	[2] wide fan, [2] narrow fan, [3] long distance
	Mount	trailer w/ electric brakes & DOT lights
	Hitch	standard pintle hitch [2-5/16" ball option #061448-n/c]
T75 options		
061315-01	Airflush	airflush [requires connection to external air compressor] 860
061369	Spare Tire	spare tire and wheel, mounted & bolted on 615
061411	Surge Brakes	hydraulic surge brakes with 3" lunette [new build required] 3,375
080533	Radio Remote	remote control-pump on/off 1,965

FINN CORPORATION PRICELIST 2019

Item	Description		MSRP <i>usd</i>
T90 & T120 HYDROSEEDER			
T90T	Tank Size	940 liquid capacity, 800 working capacity	56,170
	Engine	35.1 hp Yanmar 3TNV88C-DYEM Tier 4F	
	Tower/Guard Rail	operator platform and discharge gun assembly with guard rails	
	Nozzles	[1] wide fan, [1] narrow fan, [2] long distance	
	Controls	ground level controls	
	Mount	trailer w/ electric brakes & DOT lights	
	Hitch	standard pintle hitch [2-5/16" ball option #061448-n/c]	
T90S	Tank Size	940 liquid capacity, 800 working capacity	51,390
	Engine	35.1 hp Yanmar 3TNV88C-DYEM Tier 4F	
	Tower/Guard Rail	operator platform and gun assembly with FULL deck rails	
	Nozzles	[1] wide fan, [1] narrow fan, [2] long distance	
	Controls	ground level controls	
	Mount	skid	
T120T	Tank Size	1180 liquid capacity, 1000 working capacity	60,660
	Engine	35.1 hp Yanmar 3TNV88C-DYEM Tier 4F	
	Tower/Guard Rail	operator platform and discharge gun assembly with guard rails	
	Nozzles	[1] wide fan, [1] narrow fan, [2] long distance	
	Controls	ground level controls	
	Mount	trailer w/ electric brakes & DOT lights	
Hitch	standard pintle hitch [ball hitch not optional]		
T120GN	Tank Size	1180 liquid capacity, 1000 working capacity	64,120
	Engine	35.1 hp Yanmar 3TNV88C-DYEM Tier 4F	
	Tower/Guard Rail	operator platform and discharge gun assembly with guard rails	
	Nozzles	[1] wide fan, [1] narrow fan, [2] long distance	
	Controls	ground level controls	
	Mount	gooseneck	
T120S	Tank Size	1180 liquid capacity, 1000 working capacity	56,175
	Engine	35.1 hp Yanmar 3TNV88C-DYEM Tier 4F	
	Tower/Guard Rail	operator platform and discharge gun assembly with guard rails	
	Nozzles	[1] wide fan, [1] narrow fan, [2] long distance	
	Controls	ground level controls	
	Mount	skid	
T90/T120 options			
061438	Stainless T120	tank & lid [stainless is painted beige]	8,000
061439	Stainless T120	agitator	2,750
061273H-1-1/4-02	Hose Reel Package	hydraulic hose reel, 200' x 1-1/4" hose [300 psi], nozzles, valve	6,625
061401-01	Airflush	airflush [requires connection to external air compressor]	865
061023	Hardened Pump	nitride treated pump case, impeller, wear plate [new build req'd]	1,050
061111	Railing	T90T full deck railing [new build required]	1,700
061406	Skid Plate	engine compartment skid plate [new build required]	950
061445	Hitch Extension	T90T/T120 hitch extension 20" long	760
061405	Spare Tire	T90T spare wheel/tire, mounted	600
061274	Spare Tire	T120T spare wheel/tire, mounted	540
061040	Spare Tire	T120GN spare wheel/tire, mounted	540

FINN CORPORATION PRICELIST 2019

Item	Description	MSRP <i>usd</i>
LF120 HYDROSEEDER		
LF120	Tank Size	1180 liquid capacity, 1000 working capacity
	Engine	35.1 hp Yanmar 3TNV88C-DYEM Tier 4F
	Tower/Guard Rail	operator platform and discharge gun assembly with guard rails
	Nozzles	[1] wide fan, [1] narrow fan, [2] long distance
	Controls	ground level controls
	Mount	trailer on heavy duty axles and high flotation tires
	Hitch	standard pintle hitch [ball hitch not optional]
	Other	engine/fuel tank skid plates, full deck railings, 20" hitch extension
LF120 options		
061438	Stainless T120	tank & lid [stainless is painted beige]
061439	Stainless T120	agitator
061273H-1-1/4-02	Hose Reel Package	hydraulic hose reel, 200' x 1-1/4" hose [300 psi], nozzles, valve
061401-01	Airflush	airflush [requires connection to external air compressor]
061023	Hardened Pump	nitride treated pump case, impeller, wear plate [new build req'd]
061296	Foam Fill Service	foam filling service for [4] high flotation tubeless tires
T170 HYDROSEEDER		
T170	Tank Size	1750 liquid capacity, 1500 working capacity
	Engine	65hp Cummins Turbo Diesel B2.8 Tier 4F
	Tower/Guard Rail	operator platform and discharge gun assembly with guard rails
	Nozzles	[2] wide fan, [2] narrow fan, [2] long distance
	Mount	skid [truck mounting optional]
T170 options		
061436	Stainless T170	tank & lid [stainless is blast finish, carbon parts painted black]
061437	Stainless T170	agitators
061329H-1-1/4-01	Hose Reel Package	hydraulic hose reel [3 position pivoting, UV shield] 200' x 1-1/4" rubber hose [300 psi], nozzles, remote valve
061329H-1-1/2-01	Hose Reel Package	hydraulic hose reel [3 position pivoting, UV shield] 200' x 1-1/2" rubber hose [300 psi], nozzles, remote valve
061409	Ground Level Controls	engine throttle and clutch control from ground, with standard platform location
061356-01	Airflush	airflush system [requires truck air supply & addition of 3-5 gallon auxiliary tank for proper flushing]
061306	Hardened Pump	nitride treated pump case, impeller, wear plate [new build req'd]
061300	Fill Port Add	add second fill port on drivers side at front of tank
011562	Truck Mount Kit	truck spring mount kit
HSMOUNT-SVC-01	Finn Mount	mount including hardware, mud flaps and stainless steel fenders [required truck modifications quoted separately]

FINN CORPORATION PRICELIST 2019

Item	Description		MSRP <i>usd</i>
T330 Super/T400 Super HYDROSEEDER			
T330 Super	Tank Size	3350 liquid capacity, 3000 working capacity	138,975
	Engine	173hp Cummins QSB Tier IV Final Turbo Diesel	
	Tower/Guard Rail	operator platform and discharge gun assembly with guard rails and air clutch	
	Nozzles	[2] wide fan, [2] narrow fan, [2] long distance	
	Mount	skid [truck mounting optional]	
	Other	ground level controls	
T400 Super	Tank Size	3975 liquid capacity, 3600 working capacity	145,900
	Engine	173hp Cummins QSB Tier IV Final Turbo Diesel	
	Tower/Guard Rail	operator platform and discharge gun assembly with guard rails and air clutch	
	Nozzles	[2] wide fan, [2] narrow fan, [2] long distance	
	Mount	skid [truck mounting optional]	
	Other	ground level controls	
T330 Super/T400 Super options			
061342H-1-1/4-02	Hose Reel Package	hydraulic hose reel [3 position pivoting, UV shield] 200' x 1-1/4" rubber hose [300 psi], nozzles, remote valve	8,250
061342H-1-1/2-02	Hose Reel Package	hydraulic hose reel [3 position pivoting, UV shield] 200' x 1-1/2" rubber hose [300 psi], nozzles, remote valve	8,625
061338-05	Boom	second boom [includes second set of nozzles] [new build required]	5,225
061290	Radio Remote	remote control for throttle and pump functions	2,245
061295-02	Airflush	airflush system [requires truck air supply & addition of 3-5 gallon auxiliary tank for proper flushing]	1,240
061345	Hardened Pump	nitride treated pump case, impeller, wear plate [new build req'd]	1,240
061344	Fill Port Add	add second fill port on drivers side at front of tank [not available on stainless steel]	1,240
061340	Spray Bar	pressurized, 3 nozzle spray bar	5,050
A1568-001	Agitator Add-Carbon	third agitator Titan 330 [new build required]	6,000
A1569-001	Agitator Add-Carbon	third agitator Titan 400 [new build required]	6,000
A1568-002	Agitator Add-Stainless	third agitator Titan 330 [new build required]	7,500
A1569-002	Agitator Add-Stainless	third agitator Titan 400 [new build required]	7,500
011562	Truck Mount Kit	truck spring mount kit [2 required for T400]	870
HSMOUNT-SVC-01	Finn Mount T330	mount including hardware, mud flaps and stainless steel fenders [required truck modifications quoted separately]	8,500
HSMOUNT400-SVC-01	Finn Mount T400	mount including hardware, mud flaps and stainless steel fenders [required truck modifications quoted separately]	9,000

FINN CORPORATION PRICELIST 2019

Item	Description	MSRP <i>usd</i>
BB302 BARK BLOWER		
BB302	Hopper Capacity	1.5 cu. yd. 62,710
	Engine	35.1 hp Yanmar 3TNV88C-DYEM Tier 4F
	Blower	500 cfm @ 10 psi
	Mount	trailer with electric brakes and DOT lights
	Hose	manual reel w/ 100' x 4" and 50' x 4" standard duty hoses [reel comfortably fits 100']
	Other	12v electrical system, 3 function/radio remote control operation [engine rpm and material feed] 4" poly diffuse cone
BB302 options		
052952	Severe Duty Hose	50' x 4" severe duty extension flex hose 1,060
055348	Hitch Extension	20" hitch extension 775
BB5 SERIES BARK BLOWER		
BB5 Series	Hopper Capacity	5 cu. yd. 97,640
	Engine	65HP Cummins B2.8T Tier 4F
	Blower	750 cfm @ 12 psi
	Mount	trailer with electric brakes and DOT lights
	Hose	hydraulic reel w/ 100' x 4" and 50' x 4" standard duty hoses w/ quick couplers
	Other	[3] function/radio remote control operation [engine rpm, material feed on/off, variable material control] 6' x 4" hot air lead hose and electric tarp
BB5 options		
052952	Severe Duty Hose	50' x 4" severe duty extension flex hose 1,060
061443	Hitch Extension	20" hitch extension 775
061450	Hose Swap	removes 4" hose [100' & 50'], replaces with [3 x 50'] 4" severe duty 400
A2255-001	Hose Swap	removes 4" hose [100' & 50'], replaces with [2 x 50'] 5" hoses 1,100
061451	Feed Chute	feed chute 800
061378	Dust Suppression	5 series liquid injection 1,890

FINN CORPORATION PRICELIST 2019

Item	Description	MSRP <i>usd</i>
B40 STRAW BLOWER		
B40	Discharge Head	360° rotation, 50° vertical travel
	Engine	20.5 hp Kohler Command Gas, electric start
	Feed Tray	horizontal, collapsible feed tray
	Mount	skid with forklift channels
	Blower	17" blower fan with 6 fan blades
B40 options		
061361	Custom Trailer Package	independent suspension, 2500 lb. rubber torsion axle, 20.5 x 8 x 10 highway tread tires, fenders, DOT highway lights, expanded metal grating, safety rails, parking jack, 2" ball hitch, electric brakes w/ breakaway switch
061105	Discharge Hose	50' x 6" w/ clamp and handle
B70 STRAW BLOWER		
B70T	Discharge Head	360° rotation, 50° vertical travel
	Engine	35.1 hp Yanmar 3TNV88C-DYEM Tier 4F
	Feed Tray	horizontal, collapsible feed tray adjustable height
	Mount	trailer with electric brakes and DOT lights
	Blower	21" blower fan with 6 fan blades
	Hitch	standard pintle hitch [2" ball option #061449-n/c]
B70RH	Discharge Head	360° rotation, 50° vertical travel
	Engine	35.1 hp Yanmar 3TNV 88-DSA Tier 4F
	Feed Tray	right hand feed horizontal, collapsible feed tray adjustable height
	Mount	skid mounted
	Blower	21" blower fan with 6 fan blades
KRIMPER		
KR6PQ	Coulter Blades	9 blades spaced at 8"
	Ballast Boxes	2 boxes constructed from 3/16" steel
	Axle	1" square carbon steel gangbolt w/ locking nut and tension washer
	Axle Bearings	3 bearings
	Model	6' krimper w/ 3-point hitch
KR8PQ	Coulter Blades	12 blades spaced at 8"
	Ballast Boxes	2 boxes constructed from 3/16" steel
	Axle	1" square carbon steel gangbolt w/ locking nut and tension washer
	Axle Bearings	4 bearings
	Model	8' krimper w/ 3-point hitch
KR8HQ	Coulter Blades	12 blades spaced at 8"
	Ballast Boxes	2 boxes constructed from 3/16" steel
	Axle	1" square carbon steel gangbolt w/ locking nut and tension washer
	Axle Bearings	4 bearings
	Model	8' hydraulic krimper w/ hoses and tires
KR16HQ	Coulter Blades	24 blades [12 on main frame, 6 on each wing]
	Ballast Boxes	2 boxes constructed from 3/16" steel
	Axle	1" square carbon steel gangbolt w/ locking nut and tension washer
	Axle Bearings	10 bearings [6 on main frame and 2 on each wing]
	Model	16' hydraulic krimper w/ hoses and tires