

CATERPILLAR MACHINE PRICE LIST

2670D

2670D WHEEL FELLER BUNCHER
 LAGRANGE, GA, USA

Ship Weight
 lbs

LIST PRICE
 AT DEALER

Standard Equipment:

POWERTRAIN

Engine, CAT C7 with ACERT technology
 EPA/ARB Tier 4 Final and EU Stage IV
 Equivalent Engine with CAT Clean
 Emissions Module (CEM)
 Fuel priming pump, electric
 Fuel transfer pump, electric
 Fuel filters, inline, primary and
 secondary
 Air precleaner, turbine
 Air Cleaner, 2-stage
 Cooling, cross-flow system with side by
 side cores and integrated air
 conditioner condenser and fuel cooler
 Reversing cooling fan, hydraulically
 driven on demand
 Hydrostatic drive hydraulic system
 2 Speed transmission, manually shifted
 for working and travel range
 Heavy Duty Axles, CAT inboard planetary
 approved for odd size dual tires up to
 30.5 x 32 with 24.5 x 32 and wide tires
 up to 73 x 44
 Front differential lock, momentary
 control
 Rear differential lock, on/off control
 Four-wheel enclosed disc service brakes
 Driveshafts, heavy duty
 Universal joints, lubed for life
 Parking brake, hydraulically released,
 spring applied
 Fuel tank, high capacity

HYDRAULICS

PowerDirect Plus system
 Load Sense Hydraulics
 Pumps, variable displacement main,
 attachment, hydrostatic, and fan
 Main control valve, high performance
 multifunctioning
 Spin on filters, dual inline return
 CAT ToughGuard hoses

ELECTRICAL

24-volt electrical system
 Alarm, back-up
 Alternator, 130-amp
 Batteries, maintenance free (2-1000CCA)
 Lighting system, dual bulb
 halogen (6 total)
 Main disconnect switch with Diesel
 Exhaust Fluid (DEF) purge indicator
 light
 Starter, electric, heavy duty
 Starting and charging system

Diagnostic connector
 Horn, warning

OPERATOR ENVIRONMENT

Enclosed cab, OPS/FOPS/ROPS certified
 Windshield, reverse slope 3-piece
 HVAC, high capacity system
 Water tank, pressurized
 Seat, air suspension with harness
 seat belt
 Headliner with dome light
 Controls, joystick steering
 Controls, joystick gather arm(s)
 Controls, foot pedal gather arm(s)
 ready only
 Radio, AM/FM/CD/Sirius-satellite
 Camera, rear view
 Floormat, non-permeable and removable
 Mirror, rear view
 Converter, 24V to 12V
 Radio, AM/FM/CD/Sirius-satellite
 Power ports, 12 volt (2)
 Beverage holders (2)
 Electro-hydraulic machine controls
 Advanced operator controls
 Operator control adjustability
 Terrain selection mode
 Creep mode
 Road steer mode
 Computerized monitoring system
 Instrumentation, gauges
 Instrumentation, warning indicators
 Computerized diagnostics and monitoring

OTHER STANDARD EQUIPMENT

Articulation lock link
 Frames, heavy duty double walled box
 section front and rear
 Center Hitch, dual tapered roller
 bearing upper and lower
 Pins, Chrome plated lift arm and tilt
 Ecology drains (engine oil, engine
 coolant, hyd tank, fuel tank, axles)
 Tilt Cab
 Pressurized compartments, engine,
 hydraulic, and CEM
 Product Link PLE631
 Fuel fill, ground level
 Hydraulic oil fill pump, ground level
 electric
 Test ports, remote mounted bank
 Single side engine service
 SOS sampling ports
 Vandalism protection, lockable doors and
 cap locks

CATERPILLAR MACHINE PRICE LIST

2670D

2670D WHEEL FELLER BUNCHER LAGRANGE, GA, USA	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

2018 YOY list price reductions will be offset by reductions in discounts or merchandising support.

472-2000	2670D WHEEL FELLER BUNCHER 0 LANE 3 - AVAILABLE FROM LAGRANGE, GA FACTORY	\$298,240
-----------------	---	------------------

241 hp/115 inch wheelbase

0P-4096	2670D MISC MATERIAL 0 AVAILABLE FROM LAGRANGE, GA FACTORY	NC
----------------	---	-----------

Only reference numbers that have the text
 "ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order.

CATERPILLAR MACHINE PRICE LIST

2670D

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE SELECTION

OP-9003	LANE 3 ORDER	0		NC
---------	------------------------	---	--	----

TIRES, RIMS, AND WHEELS

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice. However, if the tire type cannot be supplied we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

FIRESTONE TIRES

P	523-5847	TIRES, 30.5L-32 26PR FS 2X RING	0	\$8,030
		Includes mounting plate for 24.5L-32 outer duals to be attached. Provides narrow overall width of 2966 mm (116.8")		
P	380-1524	TIRES, 67-34 14 PR FS	6,080	\$3,245
		Provides standard width of 3222 mm (126.9")		
P	523-5846	TIRES, 30.5L-32 26PR FS, NOAW	0	\$3,340
		Provides narrow overall width of 2980 mm (117.3")		
P	523-5845	TIRES, 30.5L-32 26PR FS	0	\$2,705
		Provides width of 3140 mm (123.6")		
P	378-2762	TIRES, 28L-26 16PR FS, NOAW	4,360	\$-6,730
		Provides narrow overall width of 2793 mm (110.0")		
P	378-2763	TIRES, 28L-26 16PR FS	4,360	\$-6,720
		Provides standard width of 2920 mm (115.0")		

NO RIMS-TIRES

P	355-4173	TIRES, ALLOWANCE FOR OMISSION	0	\$-16,500
		Omits tires and rims.		

WORK TOOLS

ALSO AVAILABLE ON A MISCELLANEOUS ORDER

P	496-5261	SH-58 BUNCHING SAW	5,963	\$74,370
			5,963	\$74,370 NI
		Dual Post Bunching Saw		
		Single Cut Capacity 57.3 cm (22.6");		
		Accumulation Area 0.80 sq m (8.6 sq ft)		
		Includes: Inline 1 piece disc, 18 x 2.25" bolt on shankless carbide teeth, tilt links, hoses, pins, wire harness, and other miscellaneous installation hardware		

CATERPILLAR MACHINE PRICE LIST

2670D

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

WORK TOOLS (CONT.)

ALSO AVAILABLE ON A MISCELLANEOUS ORDER (Cont.)

P	508-8160	SC-57 FELLING SAW	7,100 7,100	\$71,030 \$71,030 NI
		Center Post Felling Saw Single Cut Capacity 57.6 cm (22.7"); Accumulation Area 0.47 sq m (5.1 sq ft) Includes: Inline 1 piece disc, 16 x 2.25" bolt on shankless carbide teeth, tilt links, hoses, pins, wire harness, and other miscellaneous installation hardware		
C	508-8161	SS-56 FELLING SAW	6,554 6,554	\$70,330 \$70,330 NI
		CONTACT LAGRANGE FACILITY FOR AVAILABILITY. Dual Post Side Cut Saw Single Cut Capacity 56.0 cm (22.0"); Directional Fell Capacity 76.2 cm (30.0"); Accumulation Area 0.37 sq m (4.0 sq ft) Includes: Inline 1 piece disc, 16 x 2.25" bolt on shankless carbide teeth, tilt links, hoses, pins, wire harness, and other miscellaneous installation hardware		
P	434-4990	OMISSION, HEAD	0	NC

PACKING

0P-1480	PACK, DOMESTIC TRUCK	\$138 NET
0P-1481	DOMESTIC TRUCK, TIRES REMOVED	\$246 NET
0P-0058	PACK, MISC SHIPMENTS Required when ordering miscellaneous material without ordering a machine.	\$163