

CATERPILLAR MACHINE PRICE LIST

289D

289D COMPACT TRACK LOADER
 SANFORD, NC, USA

Ship Weight
 lbs

LIST PRICE
 AT DEALER

Standard Equipment:

POWERTRAIN

Cat C3.3B diesel engine
 -Gross horsepower per SAE J1349
 74.3 hp (55.4 kW) @ 2400 RPM
 -EPA tier 4f and EU stage IIIB
 certified with aftertreatment
 -Electric fuel priming pump
 -Glow plugs starting aid
 -Liquid cooled, direct injection
 Air cleaner, dual element, radial seal
 S-O-S sampling valve, hydraulic oil
 Filter, cartridge type, hydraulic
 Filters, cartridge type, fuel
 and water separator
 Radiator / hydraulic oil
 cooler (side-by-side)
 Spring applied, hydraulically released,
 parking brakes
 Hydrostatic transmission

-Hydraulic oil temperature
 -Park brake engages
 -Engine emission system
 Gauges: fuel level and hour meter
 Storage compartment with netting
 Adjustable vinyl seat
 Ergonomic contoured armrest
 Adjustable joystick controls
 Control interlock system, when operator
 leaves seat or armrest raised:
 -Hydraulic system disables
 -Hydrostatic transmission disables
 -Parking brake engages
 ROPS cab, open, tilt up
 Anti-theft security system w/6-button
 keypad
 FOPS, level I
 Top and rear windows
 Floormat
 Interior rear view mirror
 12V Electric socket
 Horn
 Hand (dial) throttle, electronic

UNDERCARRIAGE

Dual flange front idler, single flange
 rear idler
 Suspension - independent torsion axle(4)
 Two speed motor

FRAMES

Lift linkage, vertical path
 Chassis, one piece welded
 Machine tie down points (4)
 Belly pan cleanout
 Support, lift arm
 Rear bumper, welded

HYDRAULICS

Standard flow auxiliary hydraulics with
 continuous flow
 Controls:
 Electro/hydraulic implement control
 Electro/hydraulic hydrostatic
 transmission control
 Speed sensor guarding

OTHER STANDARD EQUIPMENT

Engine enclosure - lockable
 Extended life antifreeze (-37C, -34F)
 Coupler, mechanical
 Hydraulic oil level sight gauge
 Radiator coolant level sight gauge
 Radiator expansion bottle
 Cat tough guard hose
 Heavy duty flat faced quick disconnects
 with integrated pressure release
 Split D-ring to route work tool hoses
 along side of left lift arm
 Variable speed hydraulic cooling fan
 Per SAE J818-2007 and EN 474-3:2006 and
 ISO 14397-1:2007
 Rated operating capacity:
 At 50% tipping load
 -1724 kg (3800 lb)
 At 35% tipping load
 -1207 kg (2260 lb)

ELECTRICAL

12 Volt electrical system
 80 Ampere alternator
 Ignition key start/stop/aux Switch
 Lights:
 -Gauge backlighting
 -Two rear tail lights
 -Dome light
 Backup alarm
 Electrical outlet, beacon

OPERATOR ENVIRONMENT

Operator warning system indicators:
 -Air filter restriction
 -Alternator output
 -Armrest raised/operator out of seat
 -Engine coolant temperature
 -Engine oil pressure
 -Glow plug activation
 -Hydraulic filter restriction

CATERPILLAR MACHINE PRICE LIST

289D

289D COMPACT TRACK LOADER SANFORD, NC, USA	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

**Lane 2 is reserved for the Base Order Management Program
 Please use Lane 2 when placing orders that are part of the Base Order
 Management program**

522-7485	289D CTL DCA1 0 LANE 1 - AVAILABLE FROM SANFORD PDC	\$84,430
-----------------	---	-----------------

- INCLUDES:
- 345-5289 289D CTL TIER 4 FINAL HRC
 - 421-0340 CONVERSION ARRANGEMENT
 - 563-1163 CERTIFICATION ARR, P65
 - 468-0736 PACKAGE, PERFORMANCE, (H2)
 - 485-0412 CONTROL, ISO, PROP, WT
 - 345-4937 RIDE CONTROL, NONE
 - 357-0247 RUBBER BELT, 2 SPD, D/S IDLER
 - 345-4919 ROPS, ENCLOSED WITH A/C (C3)
 - 345-6359 SEAT,AIR SUSPENSION,CLOTH,HEAT
 - 345-6240 DOOR, CAB, GLASS
 - 465-3706 DISPLAY, ADVANCED, LCD
 - 515-8591 QUICK COUPLER, HYDRAULIC
 - 345-3556 HEATER, ENGINE COOLANT, 120V
 - 345-6175 RADIO READY
 - 258-4095 SEAT BELT, 2"
 - 486-6957 FAN, COOLING, DEMAND
 - 481-3908 BATTERY,XTRA HVY DUTY, DISC
 - 495-1672 LIGHTS, HALOGEN

NOTE: Please refer to the Lane 1 section to complete your order.

522-7486	289D CTL DCA2 0 LANE 1 - AVAILABLE FROM SANFORD PDC	\$90,320
-----------------	---	-----------------

- INCLUDES:
- 345-5289 289D CTL TIER 4 FINAL HRC
 - 421-0340 CONVERSION ARRANGEMENT
 - 563-1163 CERTIFICATION ARR, P65
 - 468-0737 PACKAGE, PERFORMANCE, (H3)
 - 485-0415 CONTROL, ISO, PROP, WT
 - 345-4937 RIDE CONTROL, NONE
 - 357-0248 RUBBER BELT, 2 SPD, TF IDLERS
 - 345-4919 ROPS, ENCLOSED WITH A/C (C3)
 - 345-6359 SEAT,AIR SUSPENSION,CLOTH,HEAT
 - 345-6260 DOOR, CAB, POLYCARBONATE
 - 465-3706 DISPLAY, ADVANCED, LDC
 - 515-8591 QUICK COUPLER, HYDRAULIC
 - 345-5148 COUNTERWEIGHT,MACHINE,EXTERNAL
 - 345-3556 HEATER, ENGINE COOLANT, 120V
 - 345-6175 RADIO READY
 - 258-4095 SEAT BELT, 2"
 - 486-6957 FAN, COOLING, DEMAND
 - 481-3908 BATTERY,XTRA HVY DUTY, DISC
 - 495-1672 LIGHTS, HALOGEN

NOTE: Please refer to the Lane 1 section to complete your order.

CATERPILLAR MACHINE PRICE LIST

289D

289D COMPACT TRACK LOADER SANFORD, NC, USA	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

522-7487	289D CTL DCA3 0	\$86,650
	LANE 1 - AVAILABLE FROM SANFORD PDC	
	LANE 2 - AVAILABLE FROM SANFORD FACTORY USING PRIORITY CODE L2	
	LANE 3 - AVAILABLE FROM SANFORD FACTORY USING PRIORITY CODE L2	

INCLUDES:
 345-5289 289D CTL TIER 4 FINAL HRC
 421-0340 CONVERSION ARRANGEMENT
 563-1163 CERTIFICATION ARR, P65
 468-0736 PACKAGE, PERFORMANCE, (H2)
 485-0412 CONTROL, ISO, PROP, WT
 345-4937 RIDE CONTROL, NONE
 357-0248 RUBBER BELT, 2 SPD, TF IDLERS
 345-4919 ROPS, ENCLOSED WITH A/C (C3)
 345-6359 SEAT,AIR SUSPENSION,CLOTH,HEAT
 345-6240 DOOR, CAB, GLASS
 416-9265 DISPLAY, ADVANCED, LCD, CAMERA
 515-8591 QUICK COUPLER, HYDRAULIC
 345-5148 COUNTERWEIGHT, MACHINE, EXTERNAL
 345-3556 HEATER, ENGINE COOLANT, 120V
 345-6175 RADIO READY
 258-4095 SEAT BELT, 2"
 486-6957 FAN, COOLING, DEMAND
 495-1672 LIGHTS, HALOGEN
 481-3908 BATTERY, XTRA HVY DUTY, DISC

NOTE: Please refer to the Lane 1 section to complete your order.

345-5289	289D CTL TIER 4 FINAL HRC 0	\$74,420
	LANE 2 - AVAILABLE FROM SANFORD FACTORY	
	LANE 3 - AVAILABLE FROM SANFORD FACTORY	
	Available for AM-N, Europe, Turkey, Israel, Puerto Rico & South Korea	

0P-2735	289D MISC MATERIAL SANFORD 0	NC
	ONLY AVAILABLE FROM WACO PARTS SERVICE	
	Use this top level reference number only when ordering KITS in CMOPS to be transferred via the bridge to ANTARES Parts Ordering.	

Work Tools are sourced via Caterpillar Parts Distribution system. Skid Steer Loader and Work Tools order REQUIRE individual CMOPS order entries. Zeebrugge Distribution Center (ZDC) orders do NOT require individual CMOPS order entries and may include both the machine and work tool orders.

Refer to WT_SSL price list to order Work Tools.

CATERPILLAR MACHINE PRICE LIST

289D

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

(MUST CHOOSE ONE FROM EACH CATEGORY)

LANE SELECTION

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM THE PDC.

OP-9001	LANE 1 ORDER	0	NC
---------	--------------	---	----

WARNING DECALS

L	388-8151	INSTRUCTIONS, ANSI, USA This package includes picto decals as required for USA.	0	NC
L	388-8045	INSTRUCTIONS, ISO This package includes picto decals as required for all countries except USA.	0	NC

FILM GROUP, SELF LEVEL

L	435-9238	FILM, SELF LEVEL, ANSI	0	NC
L	435-9239	FILM, SELF LEVEL, ISO	0	NC

TRACKS

L	372-5790	TRACK,RUBBER,450MM(17.7IN)BLCK Steel embed rubber track with standard construction block tread. Provides 1,981mm (78 inch) machine width. For Use With: DCA2 Only	0	\$665
L	454-6059	TRACK,RUBBER,450MM(17.7 IN)BAR Steel embed rubber track with BAR tread provides lower ground disturbance and increased traction in snow. Provides 1,981mm (78 inch) machine width. For Use With: DCA1 and DCA3 Only	0	\$725

PRODUCT LINK

L	441-4818	PRODUCT LINK, CELLULAR PL240 Product Link Basic series PL240 offers expanded coverage including 3G UMTS and HSPA+ as well as 2G GSM and GPRS cellular networks to transmit hour and location information for viewing in Product Link's remote monitorin web interface. The data is updated up to 4 times per day while the engine is running. ONLY FOR USE WITH: US Dealers	0	NC
L	515-3153	PRODUCT LINK, CELLULAR PL240 Product Link Basic series PL240 uses cellular networks to transmit hour and location information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent data transmission. ONLY FOR USE WITH: Canada	0	NC

CATERPILLAR MACHINE PRICE LIST

289D

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

SERVICE INSTRUCTIONS

421-8926	SERIALIZED TECHNICAL MEDIA KIT 0	NC
	The technical media kit will include the Operations & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com	

PACKING

0P-1176	CAROLINA CDC -- AVAILABILITY 0	\$1 NET
---------	---	----------------

PROTECTION

0P-2266	SHIPPING/STORAGE PROTECTION 0	\$207 NET
	Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. If desired, this product can be power washed with warm soapy water prior to shipment to the customer.	

CATERPILLAR MACHINE PRICE LIST

289D

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER	0	NC

REGIONAL PACKAGES

CONVERSION ARRANGEMENTS

L	421-0340	CONVERSION ARRANGEMENT	0	NC
---	----------	----------------------------------	---	----

CERTIFICATION ARRANGEMENTS/YEAR OF MANUFACTURE

L	563-1163	CERTIFICATION ARR, P65	0	NC
		REQUIRED for US		

WARNING DECALS

L	388-8151	INSTRUCTIONS, ANSI, USA	0	NC
		This package includes picto decals as required for USA.		

PERFORMANCE PACKAGES

HYDRAULIC PERFORMANCE PACKAGES

L	345-5220	PACKAGE, PERFORMANCE, (H1)	0	NC
		All of the following are included in this package: Standard Flow - 23 gpm (87 lpm) Self Level, None Hydraulic Controls - Standard Flow (Must select one below)		
L	468-0736	PACKAGE, PERFORMANCE, (H2)	0	\$905
		All of the following are included in this package: Standard Flow - 23 gpm (87 lpm) Dual Self Level Hydraulic Controls - Standard Flow (Must select one below)		
L	468-0737	PACKAGE, PERFORMANCE, (H3)	0	\$4,525
		All of the following are included in this package: High Flow XPS - 32 gpm (120 lpm) Dual Self Level Hydraulic Controls - High Flow (Must select one below)		

FILM GROUP SELF LEVEL

L	435-9238	FILM, SELF LEVEL, ANSI	0	NC
		REQUIRED WHEN SELECTING H2 OR H3 PERFORMANCE PACKAGE		

HYDRAULIC CONTROLS

Standard Flow (FOR USE WITH H1 & H2)

L	485-0410	CONTROL, ISO, ON/OFF	0	\$226
		Cannot be used with H3. Provides ISO joystick controls and electronic foot throttle pedal with decel pedal functionality		

CATERPILLAR MACHINE PRICE LIST

289D

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

PERFORMANCE PACKAGES (CONT.)

HYDRAULIC CONTROLS (Cont.)

L	485-0411	CONTROL, ISO, PROP 0 Cannot be used with H3. Provides ISO joystick controls (4 button left hand joystick) and electronic foot throttle pedal with decel pedal functionality		\$435
L	485-0412	CONTROL, ISO, PROP, WT 0 Cannot be used with H3. Provides ISO joystick controls (4 button left hand joystick) and electronic foot throttle pedal with decel pedal functionality. Also includes 14 pin Work Tool electrical harness.		\$775
L	485-0413	CONTROL, HAND-FOOT, PROP 0 Cannot be used with H3. Provides (single axis) Hand drive joystick controls (4 button left hand joystick) and Foot pedal implement controls		\$855
L	485-0414	CONTROL, HAND-FOOT, PROP, WT 0 Cannot be used with H3. Provides (single axis) Hand drive joystick controls and Foot pedal implement controls (4 button left hand joystick). Also includes 14 pin Work Tool electrical harness.		\$1,190

High Flow (FOR USE WITH H3 ONLY)

L	485-0415	CONTROL, ISO, PROP, WT 0 For use with H3 Only. Provides ISO joystick controls (4 button left hand joystick - Thumb roller with 2 button right hand joystick) and 14 pin Work Tool electrical harness. Also includes electronic foot throttle pedal with decel pedal functionality.		\$880
L	485-0416	CONTROL, HAND-FOOT, PROP, WT 0 For use with H3 Only. Provides (single axis) Hand drive joystick controls (4 button left hand joystick-Thumb roller with 2 button right hand joystick) and Foot pedal implement controls. Also includes 14 pin Work Tool electrical harness.		\$1,305

RIDE CONTROL

L	345-4937	RIDE CONTROL, NONE 0		NC
L	345-4940	RIDE CONTROL 0		\$1,045

FILM GROUP RIDE CONTROL

L	422-3445	FILM, RIDE CONTROL, ANSI 0 REQUIRED WHEN SELECTING RIDE CONTROL		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

289D

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FEATURE PACKAGES

COMFORT PACKAGES

L	418-5742	ROPS, OPEN (C0)	0	NC
		All of the following are included in this package: Seat, Static, Vinyl Cab Mounted Controls, Adjustable (hand tool required) Headliner, None		
L	418-5780	ROPS, OPEN (C1)	26	\$438
		All of the following are included in this package: Deluxe Headliner & rear post trim covers Cup Holder Seat (Must select one below)		
L	345-4915	ROPS, ENCLOSED WITH HEAT (C2)	101	\$2,845
		All of the following are included in this package: Deluxe Headliner & post trim covers Cup Holder Side Windows Heater and Defroster Seat (Must select one below) Door (Must select one below)		
L	345-4919	ROPS, ENCLOSED WITH A/C (C3)	210	\$4,895
		All of the following are included in this package: Deluxe Headliner & post trim covers Deluxe Headliner & post covers Cup Holder Side Windows Air Conditioner including Heater and Defroster Seat (Must select one below) Door (Must select one below)		

SEAT

Must select ONE if a C1, C2 or C3 cab package was selected above.

L	345-6329	SEAT, SUSPENSION, VINYL	0	\$359
		Includes: Cab Mounted Controls, Adjustable (hand tool required) For Use With: C1, C2 and C3 Cab Package		
L	345-6349	SEAT,AIR SUSPENSION,VINYL,HEAT	0	\$780
		High back heated seat with recline, lumbar support, and Fully Adjustable Seat Mounted Controls. For Use With: C1, C2 and C3 Cab Package		
L	345-6359	SEAT,AIR SUSPENSION,CLOTH,HEAT	0	\$805
		High back heated seat with recline, lumbar support, and Fully Adjustable Seat Mounted Controls. For Use With: C2 and C3 Cab Package		

DOOR

Must select ONE if an Enclosed ROPS was selected above.

P	345-6240	DOOR, CAB, GLASS	0	\$108
P	345-6260	DOOR, CAB, POLYCARBONATE	0	\$214

CATERPILLAR MACHINE PRICE LIST

289D

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FEATURE PACKAGES (CONT.)

RADIO

Bluetooth radio technology enables the use of a hands free function such as listening to music and making phone calls. Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below: <https://dealer.cat.com/en/products/technology.html>

Selection of ONE required for C2 or C3 Comfort Package

L	345-6175	RADIO READY 0 Provides Speakers, Wiring, Radio Box, Antenna & Cable, and hardware required to install a single DIN radio.		\$154
L	345-6180	RADIO, AM/FM, BLUETOOTH 0 Provides factory installed radio: Includes Bluetooth interface, microphone, and auxiliary inputs (USB port and aux input jack) to connect external audio devices.		\$510

MACHINE DISPLAY

L	416-9265	DISPLAY, ADVANCED, LCD, CAMERA 0 Includes: Full color 5 in. LCD screen with digital gauge display. Provides Creep control, Hystat response adjustment, Implement response adjustment, Fuel gauge, Hydraulic temperature gauge, Engine coolant gauge, Tachometer, Language selection and Advanced multi-operator Anti-theft Security System and Monitoring. Also provides USB charging port. Note: Rear camera installed. Anti-theft Security System feature will ship from factory installed but disabled.		\$1,140
---	----------	---	--	---------

UNDERCARRIAGE

UNDERCARRIAGE

L	357-0247	RUBBER BELT, 2 SPD, D/S IDLER 0 Rubber Belt, 2 Spd, D/S Idler Provides undercarriage for the steel embed rubber belt with dual flange front idler and single flange rear idler		NC
L	357-0248	RUBBER BELT, 2 SPD, TF IDLERS 0 Provides undercarriage for the steel embed rubber belt with triple flange front and rear idlers		\$1,025

TRACKS

L	372-5790	TRACK,RUBBER,450MM(17.7IN)BLCK 0 Steel embed rubber track with standard construction block tread. Provides 1,981mm (78 inch) machine width		\$665
L	454-6059	TRACK,RUBBER,450MM(17.7 IN)BAR 0 Steel embed rubber track with BAR tread provides lower ground disturbance and increased traction in snow. Provides 1,981mm (78 inch) machine width		\$725

CATERPILLAR MACHINE PRICE LIST

289D

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

STARTERS, BATTERIES, & ALTERNATORS

BATTERIES

L	492-6088	BATTERY, HEAVY DUTY, 850 CCA	0	NC
L	480-3912	BATTERY, HEAVY DUTY, DISC 850 CCA with Battery Disconnect Switch	0	\$125
L	361-6372	BATTERY, XTRA HVY DUTY 1000 CCA Recommended for cold weather starting.	0	\$79
L	481-3908	BATTERY, XTRA HVY DUTY, DISC 1000 CCA with Battery Disconnect Switch Recommended for cold weather starting.	0	\$205

OPERATOR ENVIRONMENT

LIGHTS

L	495-1672	LIGHTS, HALOGEN Two (2) forward facing adjustable halogen work lights (cab mounted) and two (2) rear facing halogen work lights (frame mounted).	0	NC
L	495-1671	LIGHTS, LED Two (2) forward facing adjustable LED work lights (cab mounted) and two (2) rear facing LED work lights (frame mounted). LED lighting advantages vs halogens: brighter work site illumination, cooler, more resistant to vibration and longer life.	0	\$279

SEAT BELTS

L	258-4095	SEAT BELT, 2"	0	NC
L	258-4096	SEAT BELT, 3" Required in California.	0	\$142

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	441-4818	PRODUCT LINK, CELLULAR PL240 Product Link Basic series PL240 uses cellular networks to transmit hour and location information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent data transmission.	0	NC
---	----------	--	---	----

CATERPILLAR MACHINE PRICE LIST

289D

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

PRODUCT LINK (Cont.)

L	441-4819	PRODUCT LINK, CELLULAR PL641 0		\$833
		Product Link Pro series PL641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		

COOLING

COOLING FAN

L	486-6957	FAN, COOLING, DEMAND 0		NC
		Provides variable speed hydraulic cooling fan. Sensors monitor machine cooling requirements to modulate the fan speed providing "on demand" cooling.		
L	435-9224	FAN, COOLING, DEMAND, REVERSING 0		\$840
		Reversing Fan provides automatic and manual purge modes to assist in removing material from the rear door intake screen. Provides both Demand Fan and Reversing Fan functionality.		

QUICK COUPLERS

L	345-4910	QUICK COUPLER, MANUAL 0		NC
L	515-8591	QUICK COUPLER, HYDRAULIC 0		\$995

CATERPILLAR MACHINE PRICE LIST

289D

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-----------------------------	--------------------	-------------------------

INSTRUCTIONS

SERVICE INSTRUCTIONS

421-8926	SERIALIZED TECHNICAL MEDIA KIT 0 The technical media kit will include the Operations & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com	NC
----------	---	-----------

CATERPILLAR MACHINE PRICE LIST

289D

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

SPECIAL ARRANGEMENTS

C	OP-0528	PAINT, CUSTOM 0		\$1,860 NET
---	---------	---------------------------	--	--------------------

FOR USE IN LANE 3 ONLY
 Paint specification (RAL #) required. Advise via MSO notes. Custom paint order provides a SINGLE COLOR, non-metallic, high gloss custom finish. Once a custom paint order is placed, it may not be cancelled. Custom paint extends availability from what is published. Contact the factory for current availability information.

Note 1: Florescent colors and matte finishes are not available.
 Note 2: Some components will NOT receive the custom paint color. The engine and items not externally visible will be painted yellow. CTLs with the optional steel track undercarriage will be provided with a black track. Cylinders, cab, coupler, radiator grill and the MTL undercarriage will be painted black.

CATERPILLAR MACHINE PRICE LIST

289D

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ELECTRICAL

L	309-1325	ROTATING BEACON 0 Magnetic base, mounted to top of cab. Operates when key switch is in "On" position.		\$216
---	----------	---	--	-------

OTHER ATTACHMENTS

L	345-5234	RETURN TO DIG/WRKTL POSITIONER 0 Self Level enabled RTD/WT positioner Return to Dig automatically lowers lift arms and returns work tool to preset angle. Work Tool positioner automatically returns work tool to present angle. Requires H2 or H3 performance package		\$288
L	345-5148	COUNTERWEIGHT, MACHINE, EXTERNAL 0 Includes external weights bolted to the frame tower. Suggested for applications where additional rated operating capacity (ROC) is needed. Machine ROC increased by 250 lbs (113 kg).		\$1,030
L	345-3556	HEATER, ENGINE COOLANT, 120V 0 120 Volt - For additional cold weather startability.		\$195
L	457-1215	LIFTING EYES, FOUR POINT 0 Included in Conversion Arrangements: EU & Rooding CANNOT BE USED WITH: TANK, WATER		\$192
L	563-7518	MOUNTING, FIRE EXTINGUISHER 0 Provides in-cab mounting bracket that can accommodate up to a 5 lb. fire extinguisher.		\$200

WORK TOOLS

To view and order all available Work Tool Selections refer to WT-SSL or WT-HAMR price lists.
 NOTE: Work Tools, except Hammers, are sourced via Caterpillar parts distribution system.
 CMOPS orders for Compact Track Loaders and Work Tools MUST be ordered separately.

FLUIDS

L	418-9011	OIL, HYDRAULIC, COLD OPERATION 0 Recommended for use in hydraulic system where ambient temperatures are below 32 F (0 C).		\$665
---	----------	---	--	-------

CATERPILLAR MACHINE PRICE LIST

289D

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS

Available Through Parts Distribution.

- 345-6070 KIT, FOPS, LEVEL 2**
 Falling Object Protective Structure level 2.
 Provides additional overhead protection.
 Recommended for use in demolition applications.
 Not compatible with the roof mounted Auxiliary Hydraulic Cooler.
 Meets ISO 3449: 1992
 Note: The part number provided is for reference only.
 Individual parts must be ordered. Please reference REHS8703
 for parts list and installation instructions.
- 474-5632 KIT, SINGLE POINT LIFT**
 Contains parts that attach to cab roof and allow machine to be lifted
 from a single point. The part number provided is for reference only.
 Individual parts must be ordered. Please reference REHS9970
 for parts list and installation instructions.
- 418-5883 KIT, FOPS LEVEL 2 W/ 4 PT LIFT**
 This kit combines the Falling Object Protective Structure level 2 and
 4 point lifting functionality. Recommended for use in applications
 where additional overhead protection and 4 point lifting are both
 desired (ex. demolition).
 Note: The part number provided is for reference only.
 Individual parts must be ordered. Please reference REHS9989
 for parts list and installation instructions.
- 466-1959 KIT, CCB HEATER**
 For proper installation, refer to media number REHS6625.
 Required for operating in temperatures BELOW -18C (-0F). Provides a
 second heater for the engine closed crankcase breather (CCB) system.
 Estimated time to install: 1.0 Hr

The RETURN TO DIG/WRKTL POSITIONER feature is available as a Software Enabled Attachment (SEA) and is installed using Electronic Technician and a unique password. Cost to enable the feature via password is approximately \$221 USD Dealer Net (January, 2016). Machine must be equipped with the Electronic Self Level feature, provided in the H2 or H3 performance package to install the SEA.

CATERPILLAR MACHINE PRICE LIST

289D

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

Available Through Parts Distribution. (Cont.)

DEDICATED ALTERNATE PATTERN (H-pattern):

As of January, 2018, this feature is standard from the factory. There is no cost. Using Electronic Technician the dealer can configure the machine to operate using the alternative "H" control pattern. With this feature there is no method to allow the operator to change the pattern in the cab. Refer to media number REHS8719.

SELECTABLE PATTERN CONTROL (ISO/H patterns):

This feature is a Software Enabled Attachment (SEA) and is installed using Electronic Technician and a unique password. The SEA cost to enable the feature via password is approximately \$250 USD Dealer Net (January, 2018). Allows an operator to select either standard CAT control pattern or the alternative "H" control pattern with the flip of a switch. Estimated time to install: 30 min.

Refer to media number REHS8718 for appropriate parts list.

The components required are available for order from the Parts Department.

Available Through ANTARES Parts Ordering.

NOTE: US & Canada ONLY may place orders in CMOPS to be transferred via the bridge to ANTARES Parts Ordering.

When ordering via CMOPS include top level reference numbers (OP-2735) and OP number for packing.

524-0804	KIT, ADVANCED DISPLAY 0 For proper installation, refer to media number M0077883. Includes: Full color 5 in. LCD screen with digital gauge display. Provides Creep Control, Hystat response adjustment, Implement response adjustment, Fuel gauge, Hydraulic temperature gauge, Engine coolant gauge, Tachometer, Language selection and Advanced multi-operator Anti-theft Security and Monitoring. Also provides USB charging port. Note: Rear camera ready. Estimated time to install: 1 hour 30 minutes	\$969 NI
388-8284	KIT, CAMERA REAR VIEW 0 For proper installation, refer to media number REHS8711. Note: Requires Advanced Display Estimated time to install: 1 hour	\$458 NI
484-0292	KIT, BATTERY DISCONNECT 0 For proper installation, refer to media number SESH0524. Provides components needed to install a battery disconnect switch. Estimated time to install: 1 hour 30 minutes	\$126 NI
504-1553	KIT, LICENSE PLATE 0 For proper installation, refer to media number M0067678. Estimated time to install: 30 minutes	\$51 NI NET

CATERPILLAR MACHINE PRICE LIST

289D

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

Available Through ANTARES Parts Ordering. (Cont.)

499-2684	KIT, LIGHTS, LED 0			\$350 NI
	For proper installation, refer to media number M0066104. Includes two (2) forward facing adjustable work lights (cab mounted) and two (2) rear facing LED work lights (frame mounted). LED lighting advantages vs halogens: brighter work site illumination, cooler, more resistant to vibration and longer life. Estimated time to install: 1 hour			
388-8285	KIT, FOOT THROTTLE 0			\$331 NI
	For proper installation, refer to media number REHS8712. Estimated time to install: 1 hour 30 minutes			
388-7875	KIT, COUNTERWEIGHT, 100 LB ROC 0			\$519 NI
	Kit provides one counterweight per side which increases the Rated Operating Capacity by approximately 100-125 lbs (46 - 57 kg), depending on model. For maximum ROC increase, must order quantity of (2) 388-7875 kits. Includes Mounting hardware for both one counterweight per side configuration and two counterweights per side configuration. Estimated time to install: 30 minutes			
508-1865	KIT, AIR CONDITIONER (HTR/DFR) 0			\$3,051 NI
	For proper installation, refer to media number M0070244. Estimated time to install: 8 hours 30 minutes			
388-8266	KIT, AIR CONDITIONER (CONVRSN) 0			\$2,036 NI
	For proper installation, refer to media number REHS7807. Estimated time to install: 8 hours			
509-5547	KIT, HEATER 0			\$1,225 NI
	For proper installation, refer to media number M0070254. Estimated time to install: 6 hours			
388-8275	KIT, WINDOW, SIDES 0			\$683 NI
	For proper installation, refer to media number REHS8707. Estimated time to install: 1 hour			
388-8276	KIT, DOOR, CAB, GLASS 0			\$1,003 NI
	For proper installation, refer to media number REHS8708. For use with Serial Number TAW06152 and BELOW. Estimated time to install: 1 hour 30 minutes			
514-9110	KIT, DOOR, CAB, GLASS 0			\$1,003 NI
	For proper installation, refer to media number M0073174. For use with Serial Number TAW06153 and ABOVE. Estimated time to install: 1 hour 30 minutes			
514-9095	KIT, DOOR, CAB, POLYCARBONATE 0			\$1,785 NI
	For proper installation, refer to media number M0073172. For use with Serial Number TAW06152 and BELOW. Estimated time to install: 1 hour 30 minutes			
514-9112	KIT, DOOR, CAB, POLYCARBONATE 0			\$1,785 NI
	For proper installation, refer to media number M0073176. For use with Serial Number TAW06153 and ABOVE. Estimated time to install: 1 hour 30 minutes			

CATERPILLAR MACHINE PRICE LIST

289D

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

Available Through ANTARES Parts Ordering. (Cont.)

527-3155	KIT, QUICK COUPLER, HYDRAULIC 0			\$1,078 NI
	For proper installation refer to media number M0081347. Estimated time to install: 12 hours			
513-5126	KIT, GUARD, COUPLER 0			\$199 NI
	For proper installation, refer to media number M0072576. Provides lower guard that restricts material/debris from entering the underside of the coupler area giving additional safeguarding for electrical components. Estimated time to install: 30 minutes			
388-8265	KIT, WT ELECTRICAL CONTROL 0			\$193 NI
	For proper installation, refer to media number REHS7806. Includes Work Tool Electrical switch, harness, connector and mounting hardware. Estimated time to install: 2 hours			
388-8273	KIT,WT ELECTRICAL CONTROL, DLX 0			\$696 NI
	For proper installation, refer to media number REHS7814. Includes: Work Tool Electrical switch, harness, connector, mounting hardware and 4 button Left Hand Joystick. Estimated time to install: 3 hours			
523-4908	KIT, DUAL SELF LEVEL 0			\$750 NI
	For proper installation, refer to media number M0077274. Estimated time to install: 2 hours 45 minutes Note: Not compatible with H2 or H3 Performance Packages.			
435-8858	KIT, RIDE CONTROL 0			\$1,039 NI
	For proper installation, refer to media number REHS6619. The Ride Control feature allows the lift arms to "float" when the machine travels over rough terrain. The result is a more comfortable ride and better material retention in the bucket or better load retention on pallet forks. For use with Serial Numbers TAW03424 AND BELOW. Estimated time to install: 3 hours			
481-5973	KIT, RIDE CONTROL 0			\$1,038 NI
	For proper installation, refer to media number SEHS0161. The Ride Control feature allows the lift arms to "float" when the machine travels over rough terrain. The result is a more comfortable ride and better material retention in the bucket or better load retention on pallet forks. For use with Serial Numbers TAW03425 through TAW03828. Estimated time to install: 3 hours			
490-5119	KIT, RIDE CONTROL 0			\$1,038 NI
	For proper installation, refer to media number SEHS0412. The Ride Control feature allows the lift arms to "float" when the machine travels over rough terrain. The result is a more comfortable ride and better material retention in the bucket or better load retention on pallet forks. For use with Serial Numbers TAW03829 AND ABOVE. Estimated time to install: 3 hours			

CATERPILLAR MACHINE PRICE LIST

289D

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

Available Through ANTARES Parts Ordering. (Cont.)

388-8283	KIT, RADIO, READY 0	For proper installation, refer to media number REHS7824. Provides Speakers, Wiring, Radio Box, Antenna & Cable, and hardware required to install a single DIN radio. Estimated time to install: 1 hour		\$149 NI
388-8286	KIT, RADIO, AM/FM/BLUETOOTH 0	For proper installation, refer to media number REHS7827. Includes radio with Bluetooth interface, microphone and auxiliary inputs (USB port and aux input jack) to connect external audio devices. Requires: Radio Ready operator station. Estimated time to install: 45 minutes		\$571 NI
498-6623	KIT, DEBRIS 0	For proper installation, refer to media number M0067500. This kit provides additional components for customers in debris intensive applications that restrict debris and other material from entering the engine compartment and the lower machine frame. Provided are various seals and covers that are designed to cover the openings that exist between the frame/body/cab of the machine as well as a fuel strainer and an exhaust stack cover. Also recommended: Turbo Debris Guard Kit. Note: If additional component guarding is required, please refer to the Guarding Kit. Estimated time to install: 9.5 hours		\$2,182 NI
472-2966	KIT, GUARDING 0	For proper installation, refer to media number SEHS0199. This kit provides additional guarding for customers in demanding applications where extra safeguarding is required. This kit provides guarding for the front work lights, rear work lights, auxiliary hydraulic connections, work tool electrical harness connection and work tool coupler area. Note: If additional debris guarding is required, please refer to the Debris Kit. Estimated time to install: 1.5 hours		\$640 NI
421-0219	KIT, A/C BREATHER 0	For proper installation, refer to media number M0068026. This kit provides increased cab air filter life for machines used in dusty or high airborne debris applications. Kit contains duct work and hardware required to relocate the cab fresh air intake to a higher location near the roof of the cab. Estimated time to install: 30 minutes		\$456 NI
415-2795	KIT, ENG AIR INTAKE, PRECLEANER 0	For proper installation, refer to media number REHS5798. Turbine-type precleaner for the engine air filter. For use in high dust/debris applications. Estimated time to install: 1 hour		\$744 NI

CATERPILLAR MACHINE PRICE LIST

289D

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

Available Through ANTARES Parts Ordering. (Cont.)

	416-5705	KIT, TURBO DEBRIS GUARD 0 For proper installation, refer to media number REHS7828. This kit contains steel mesh guards that are designed to cover the exhaust manifold and turbocharger to assist in deterring the collection of material on these components. It is recommended that the turbo guard kit be used in conjunction with the debris kit. Estimated time to install: 1 hour 30 minutes		\$358 NI
	456-5190	KIT, DOOR, HYD FILL CAP 0 For proper installation, refer to media number REHS9160. Provides lockable cover for hydraulic oil fill. For use with serial number TAW03828 and BELOW		\$81 NI
	422-3323	KIT, FRONT ROADING LIGHTS 0 For proper installation, refer to media number REHS7836. Includes front roading lights and 2 lift arm mounted mirrors. For proper installation, refer to media number REHS7836. Mandatory for Road Homologation in Italy and Germany. Estimated time to install: 4 hours		\$468 NI
	422-3322	KIT, LIGHTS, REAR, ROADING 0 For proper installation, refer to media number REHS8748. This kit provides Rear Roading light components (rear reflectors, brake lamps, directional indicators/turn signals, hazard lights) in order to meet roading requirements for Italy. Estimated time to install: 1.5 hours		\$232 NI
P	526-4225	KIT, LIGHTS, REAR, WIDE MOUNT 0 For proper installation, refer to media number M0071898. This kit provides components that allows the rear lights to be relocated to mounting locations on the sides of the rear frame. Estimated time to install: 30 minutes		\$429 NI
	421-0274	KIT, LIFTING EYES, FOUR POINT 0 For proper installation, refer to media number REHS9993. Estimated time to install: 30 minutes CANNOT BE USED WITH: TANK, WATER		\$229 NI
	452-0239	KIT, WINTER, REAR DOOR COVER 0 Required for operating in temperatures below -32C (-25F). For proper installation refer to media number REHS8737. Provides rear door cover to minimize air flow into the engine compartment. Estimated time to install: 1.0 hour		\$256 NI
	422-3241	KIT, PROD LINK, CELLULAR PL641 0 For proper installation, refer to media number REHS9952 Product Link Pro series PL641 uses GSM and CDMA 3G cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent tranmission and larger volumes of data. Estimated time to install: 2.5 hours		\$1,024 NI

CATERPILLAR MACHINE PRICE LIST

289D

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

Available Through ANTARES Parts Ordering. (Cont.)

435-9031	KIT, FAN, DEMAND, REVERSING 0			\$1,111 NI
	For proper installation, refer to media number REHS6604. Reversing Fan provides automatic and manual purge modes to assist in removing material from the rear door intake screen. Provides both Demand Fan and Reversing Fan functionality. Estimated time to install: 4 hours			
482-5132	KIT, WATER TANK, 42 US GAL, D 0			\$1,817 NI
	Mounted to top of cab 42 gallon capacity Includes tank, pump, filter, lines, mounting brackets and quick disconnect For proper installation, refer to media number SEHS0363. Estimated time to install: 9 hours 30 minutes For use with Water Sprinkler Kits for Angle Broom, Pick Up Broom, Utility Broom or Cold Planer			
	CANNOT BE USED WITH: Four Point Lifting Eyes kit, Single Point Lift kit or Auxiliary Hydraulic Cooler kit			
533-5187	KIT, HAND/FOOT TO ISO (CVRSN) 0			\$1,464 NI
	For proper installation, refer to media number M0082286. Provides all required components to convert machine control pattern from hand & foot controls to ISO controls. Estimated time to install: 4 hours			
527-2335	KIT, REMOTE GREASE (COUPLER) 0			\$222 NI
	For proper installation, refer to media number M0084651. Provides remote location for lubrication of the work tool coupler pins Estimated time to install: 3 hours			
526-6616	KIT, GUARD, DRIVELINES 0			\$611 NI
	For proper installation, refer to media number M0085671. This kit provides additional guarding for customers in demanding applications where guarding for the drive lines is desired. Estimated time to install: 7.5 hours			

NO RETURNS accepted for kit components not used or for parts removed from machine during kit installation.

Shipments will be within 3 - 5 working days of order receipt for delivery by dealer parts stocking truck to dealer stocking facility.

CATERPILLAR MACHINE PRICE LIST

289D

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

ENDORSED FIELD INSTALLED ATTACHMENTS

Caterpillar does not warrant, service, or assume responsibility for these attachments.

All orders, pricing confirmation, and other communication for these attachments must be directed to the listed manufacturer.

REMOTETASK TM - REMOTE CONTROL SYSTEM

Complete system for use with CAT D Series Skid Steer, Multi Terrain, and Compact Track Loaders. Allows the operator to precisely control the machine from outside the cab. Line-of-sight remote control with an approximate range of 1000 feet (300 meters). Dealer installed remote control system includes the Remote Task controller and necessary hardware to convert standard D series SSL, MTL or CTL to remote controlled machine.

NOTE: Certified for use in North America. To verify certification in other regions, please contact BCP Attachments Team.
 Email: bcp_work_tools@cat.com)

Orders for the remote control system must be placed directly from:

TORC Robotics, Inc.
 Tel. +1(800) 530-9285, +1(540) 443-9262
 Email: sales@torcrobotics.com

PACKING

DOMESTIC PACKING

OP-0210	PACK, DOMESTIC TRUCK	0	NC
---------	----------------------------	---	----

Only to be used when ordering kits via CMOPS.

OP-2162	PACKING, KIT	0	NC
---------	--------------------	---	----

PROTECTION

OP-2266	SHIPPING/STORAGE PROTECTION	0	\$207 NET
	Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. If desired, this product can be power washed with warm soapy water prior to shipment to the customer.		
OP-6439	CORROSION INHIBITOR	0	\$1,940
	EquipCoat is a flexible protective coating with anti-corrosion additives that encapsulate machine surfaces, including components under the cab and in the engine compartment. Will hold up to washing with non-solvent based cleaners for long-term corrosion resistance. Recommended for machines exposed to corrosive environments(e.g.manure, fertilizer, salt, mining fluids, etc.).		