

CATERPILLAR MACHINE PRICE LIST

299D2 XHP

299D2 COMPACT TRACK LOADER XHP
SANFORD, NC, USA

Ship Weight
lbs

LIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

- Cat C3.8 turbo aftercooled diesel engine
- Gross horsepower per SAE J1349
110 hp (82 kW) @ 2400 RPM
- EPA Tier 4 Final and EU Stage IV
certified with aftertreatment
- Electric fuel priming pump
- Air inlet heater starting aid
- Liquid cooled, direct injection
- Air cleaner, dual element, radial seal
- S-O-S sampling valve, hydraulic oil
- Filter, cartridge type, hydraulic
- Filters, cartridge type, fuel
and water separator
- Radiator/hydraulic oil
cooler (side-by-side)
- Spring applied, hydraulically released,
wet multi disc parking brakes
- Hydrostatic transmission

UNDERCARRIAGE

- Steel embed rubber track 15.7 in (400mm)
- Triple flange idler - front and rear
- Suspension - independent torsion axle(4)
- Two speed travel with ride control

HYDRAULICS

- HYDRAULICS, XHP
- High flow: 40 gpm (150 lpm) max
- High flow Pressure: 4061 psi
28000 kPa max
- Continuous flow
- Hydraulics, proportional
- Worktool harness

CONTROLS:

- Electro/hydraulic implement control
- Electro/hydraulic hydrostatic
Transmission control
- Speed Sensor Guarding

STARTERS, BATTERIES, & ALTERNATORS

- 1000 CCA heavy duty battery w/disconnect

ELECTRICAL

- 12 Volt electrical system
- 100 ampere alternator
- Ignition key start / stop / aux switch
- Lights:
 - Gauge backlighting
 - Two rear tail lights
 - Dome light
- Backup alarm
- Electrical outlet, beacon

OPERATOR ENVIRONMENT

- Operator warning system indicators:
 - Air filter restriction
 - Alternator output
 - Armrest raised / operator out of seat
 - Engine coolant temperature
 - Engine oil pressure
 - Air inlet heater activation
 - Hydraulic filter restriction
 - Hydraulic oil temperature
 - Park brake engages
 - Engine emission system
- Gauges: DEF level, fuel level,
hour meter and tachometer
- Storage compartment with netting
- Seat, comfort, air suspension, cloth,
heat
 - High back heated seat with recline
 - Lumbar support
 - Fully adjustable seat mounted
controls
- Ergonomic contoured armrest
- Control interlock system, when operator
leaves seat or armrest raised :
 - Hydraulic system disables
 - Hydrostatic transmission disables
 - Parking brake engages
- ROPS, Cab, enclosed (C3), tilt up:
 - Air conditioner incl heater/defroster
 - Side windows
 - Cup holder
- FOPS, Level I
- Top and rear windows
- Deluxe headliner
- Floormat
- Interior rear view mirror
- 12V Electric socket
- Horn
- Hand (dial) & foot throttle, electronic
- Dual direction electronic self level -
(raise and lower)
- Work tool return to dig
- Work tool positioner
- Electronic snubbing (lift)
- Advanced LCD display
 - Full color 5 inch LCD screen
 - Advanced anti-theft security system
with 50 user code capability
 - Rear view camera

FRAMES

- Lift linkage, vertical path
- Chassis, one piece welded
- Machine tie down points (4)

CATERPILLAR MACHINE PRICE LIST

299D2 XHP

299D2 COMPACT TRACK LOADER XHP
SANFORD, NC, USA

Ship Weight
lbs

LIST PRICE
AT DEALER

FRAMES (CONT.)

Belly pan cleanout
Support, lift arm
Cast rear bumper
Ventilated rear door with integrated
sealing

OTHER STANDARD EQUIPMENT

Engine enclosure - lockable
Extended life antifreeze (-37C, -34F)
Coupler, mechanical
Hydraulic oil level sight gauge
Radiator coolant level sight gauge
Radiator expansion bottle
Cat tough guard hose
Heavy duty flat faced quick disconnects
with integrated pressure release
Split d-ring to route work tool hoses
along side of left lift arm
Variable speed hydraulic cooling fan
Per SAE J818-2007 and EN 474-3:2006 and
ISO 14397-1:2007
Rated operating capacity :
At 50% Tipping Load
- 4725 lb (2143 kg)
At 35% Tipping Load
- 3308 lb (1500 kg)

CATERPILLAR MACHINE PRICE LIST

299D2 XHP

299D2 COMPACT TRACK LOADER XHP
SANFORD, NC, USA

Ship Weight
lbs

LIST PRICE
AT DEALER

**Lane 2 is reserved for the Base Order Management Program
Please use Lane 2 when placing orders that are part of the Base Order
Management program**

CATERPILLAR MACHINE PRICE LIST

299D2 XHP

299D2 COMPACT TRACK LOADER XHP SANFORD, NC, USA	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

522-7497	299D2 XHP CTL DCA1 0	\$116,350
-----------------	---------------------------------------	------------------

LANE 1 - AVAILABLE FROM SANFORD PDC
LANE 2 - AVAILABLE FROM SANFORD FACTORY USING PRIORITY CODE L2
LANE 3 - AVAILABLE FROM SANFORD FACTORY USING PRIORITY CODE L2

INCLUDES:
435-9000 299D2 COMPACT TRACK LOADER XHP
421-0340 CONVERSION ARRANGEMENT
563-1163 CERTIFICATION ARR, P65
258-4095 SEAT BELT, 2"
345-3556 HEATER, ENGINE COOLANT, 120V
345-4910 QUICK COUPLER, MANUAL
345-6175 RADIO READY
345-6260 DOOR, CAB, POLYCARBONATE
454-6062 RUBBER BELT, 2 SPD, TF IDLERS
457-2835 FAN, COOLING, DEMAND, REVERSING
495-1671 LIGHTS, LED
494-8295 PACKAGE, LAND MANAGEMENT (LM1)
LM1 Package provides a rubber Debris Deflector plus the factory installation of components contained in Debris Kit, Debris Guarding Kit, Speed Sensor Harness Guarding, Engine Air Intake Pre-cleaner Kit and Turbo Debris Kit.

NOTE: Please refer to the Lane 1 section to complete your order.

549-5071	299D2 XHP CTL EUR DCA1 0	\$110,290
-----------------	---	------------------

LANE 1 - AVAILABLE FROM ZEEBRUGGE DISTRIBUTION CENTER

INCLUDES:
435-9000 299D2 XHP COMPACT TRACK LOADER
520-6913 CONVERSION ARRANGEMENT, PDC, EU
Includes: Rear reflectors, brake lamps and directional indicators (turn signals)
520-6567 CERTIFICATION ARR, (CE)
494-5808 PACKAGE, LAND MGMT, NONE (LMO)
258-4095 SEAT BELT, 2"
345-4910 QUICK COUPLER, MANUAL
345-6175 RADIO READY
345-6240 DOOR, CAB, GLASS
422-3446 FILM, RIDE CONTROL, ISO
435-8846 INSTRUCTIONS, ISO
435-9239 FILM, SELF LEVEL, ISO
454-6062 RUBBER BELT, 2 SPD, TF IDLERS
457-3167 FAN, COOLING, DEMAND
495-1671 LIGHTS, LED
515-3153 PRODUCT LINK, CELLULAR PL240

NOTE: Please refer to the Lane 1 section to complete your order.

435-9000	299D2 XHP COMPACT TRACK LOADER 0	\$109,380
-----------------	---	------------------

LANE 2 - AVAILABLE FROM SANFORD FACTORY
LANE 3 - AVAILABLE FROM SANFORD FACTORY
Configured with rubber track. Requires rubber track selection from Undercarriage and Tracks sections.
Available for AM-N, Europe, Turkey, Israel, Puerto Rico, Australia & New Zealand

CATERPILLAR MACHINE PRICE LIST

299D2 XHP

299D2 COMPACT TRACK LOADER XHP SANFORD, NC, USA	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

0P-3621	299D2 XHP MISC MATERIAL 0	NC
----------------	--	-----------

ONLY AVAILABLE FROM WACO PARTS SERVICE
Use this top level reference number only when ordering KITS in CMOPS
to be transferred via the bridge to ANTARES Parts Ordering.

Work Tools are sourced via Caterpillar Parts Distribution system.
Skid Steer Loader and Work Tools order REQUIRE individual CMOPS
order entries. Zeebrugge Distribution Center (ZDC) orders do NOT
require individual CMOPS order entries and may include both the
machine and work tool orders.

Refer to WT_SSL price list to order Work Tools.

CATERPILLAR MACHINE PRICE LIST

299D2 XHP

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

(MUST CHOOSE ONE FROM EACH CATEGORY)

LANE SELECTION

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM THE PDC.

OP-9001	LANE 1 ORDER	0	NC
---------	------------------------	---	----

WARNING DECALS

L	435-8842	INSTRUCTIONS, ANSI, USA	0	NC
		This package includes picto decals as required for USA.		
L	435-8846	INSTRUCTIONS, ISO	0	NC
		This package includes picto decals as required for all countries except USA.		

FILM GROUP SELF LEVEL

L	435-9238	FILM, SELF LEVEL, ANSI	0	NC
L	435-9239	FILM, SELF LEVEL, ISO	0	NC

FILM GROUP RIDE CONTROL

L	422-3445	FILM, RIDE CONTROL, ANSI	0	NC
L	422-3446	FILM, RIDE CONTROL, ISO	0	NC

TRACKS

L	389-7673	TRACK,RUBBER,400MM(15.7IN)BLCK	0	NC
		Steel embed rubber track with standard construction block tread. Provides 1,930mm (76 inch) machine width		

PRODUCT LINK

L	441-4818	PRODUCT LINK, CELLULAR PL240	0	NC
		Product Link Basic series PL240 offers expanded coverage including 3G UMTS and HSPA+ as well as 2G GSM and GPRS cellular networks to transmit hour and location informatin for viewing in Product Link's remote monitorin web interface. The data is updated up to 4 times per day while the engine is running. ONLY FOR USE WITH: US Dealers		
L	515-3153	PRODUCT LINK, CELLULAR PL240	0	NC
		Product Link Basic series PL240 uses cellular networks to transmit hour and location information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent data transmission. ONLY FOR USE WITH: Canada		

CATERPILLAR MACHINE PRICE LIST

299D2 XHP

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

SERVICE INSTRUCTIONS

421-8926	SERIALIZED TECHNICAL MEDIA KIT	0	NC
	The technical media kit will include the Operations & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com		

PACKING

OP-1176	CAROLINA CDC - - AVAILABILITY	0	\$1 NET
OP-2266	SHIPPING/STORAGE PROTECTION	0	\$207 NET
	Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. If desired, this product can be power washed with warm soapy water prior to shipment to the customer.		

CATERPILLAR MACHINE PRICE LIST

299D2 XHP

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER	0	NC

REGIONAL PACKAGES

CONVERSION ARRANGEMENTS

L	421-0340 CONVERSION ARRANGEMENT	0	NC
	FOR USE WITH: ADS-D-N, APD		

CERTIFICATION ARRANGEMENTS/YEAR OF MANUFACTURE

L	563-1163 CERTIFICATION ARR, P65	0	NC
	REQUIRED for US		

WARNING DECALS

L	435-8842 INSTRUCTIONS, ANSI, USA	0	NC
	This package includes picto decals as required for USA.		

PERFORMANCE PACKAGES

FILM GROUP SELF LEVEL

L	435-9238 FILM, SELF LEVEL, ANSI	0	NC
---	---	---	----

FILM GROUP RIDE CONTROL

L	422-3445 FILM, RIDE CONTROL, ANSI	0	NC
---	---	---	----

FEATURE PACKAGES

DOOR

P	345-6240 DOOR, CAB, GLASS	0	\$108
P	345-6260 DOOR, CAB, POLYCARBONATE	0	\$214
	Required if selecting special application package LM1 or LM2		

RADIO

Bluetooth radio technology enables the use of a hands free function such as listening to music and making phone calls. Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below:
<https://dealer.cat.com/en/products/technology.html>

L	345-6175 RADIO READY	0	\$154
	Provides Speakers, Wiring, Radio Box, Antenna & Cable, and hardware required to install a single DIN radio.		

CATERPILLAR MACHINE PRICE LIST

299D2 XHP

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FEATURE PACKAGES (CONT.)

RADIO (Cont.)

L	345-6180	RADIO, AM/FM, BLUETOOTH 0		\$510
		Provides factory installed radio: Includes Bluetooth interface, microphone, and auxiliary inputs (USB port and aux input jack) to connect external audio devices.		

SPECIAL ARRANGEMENTS

SPECIAL APPLICATION SEGMENT PACKAGES

L	494-5808	PACKAGE, LAND MGMT, NONE (DM0) 0		NC
L	494-8295	PACKAGE, LAND MANAGEMENT (DM1) 0		\$5,292
		LM1 Package provides a rubber Debris Deflector plus the factory installation of components contained in Debris Kit, Debris Guarding Kit, Speed Sensor Harness Guarding, Engine Air Intake Pre-cleaner Kit and Turbo Debris Kit. REQUIRES: 563-7518 MOUNTING, FIRE EXTINGUISHER		
L	494-5809	PACKAGE, LAND MANAGEMENT (DM2) 0		\$9,000
		LM2 Package provides a rubber Debris Deflector plus the factory installation of components contained in Debris Kit, Debris Guarding Kit, Speed Sensor Harness Guarding, Engine Air Intake Pre-cleaner Turbo Debris Kit and Auxiliary Hydraulic Cooler Kit. REQUIRES: 563-7518 MOUNTING, FIRE EXTINGUISHER		

UNDERCARRIAGE

UNDERCARRIAGE

L	454-6062	RUBBER BELT, 2 SPD, TF IDLERS 0		NC
		Provides undercarriage for the steel embed rubber belt with triple flange front and rear idlers ONLY FOR USE WITH: 435-9000 299D2 XHP COMPACT TRACK LOADER		

TRACKS

L	389-7673	TRACK,RUBBER,400MM(15.7IN)BLCK 0		NC
		Steel embed rubber track with standard construction block tread. Provides 1,930mm (76 inch) machine width ONLY FOR USE WITH: 454-6062 RUBBER BELT, 2SPD, TF IDLERS		
L	454-6079	TRACK,RUBBER,450MM(17.7 IN)BAR 0		\$725
		Steel embed rubber track with BAR tread provides lower ground disturbance and increased traction in snow. Provides 1,981mm (78 inch) machine width ONLY FOR USE WITH: 454-6062 RUBBER BELT, 2 SPD, TF IDLERS		

OPERATOR ENVIRONMENT

LIGHTS

L	495-1671	LIGHTS, LED 0		\$279
		Two (2) forward facing adjustable LED work lights (cab mounted) and two (2) rear facing LED work lights (frame mounted). LED lighting advantages vs halogens: brighter work site illumination, cooler, more resistant to vibration and longer life.		

Supersedes 02JAN2018
Caterpillar: Confidential Green
US-A-19-01 A

Subject to change without notice
Printed in USA
U. S. DOLLAR CURRENCY

Effective 02JAN2019
299D2 XHP-009

CATERPILLAR MACHINE PRICE LIST

299D2 XHP

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

SEAT BELTS

L	258-4095	SEAT BELT, 2"	0	NC
L	258-4096	SEAT BELT, 3" Required in California.	0	\$142

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	441-4818	PRODUCT LINK, CELLULAR PL240 Product Link Basic series PL240 uses cellular networks to transmit hour and location information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent data transmission.	0	NC
L	441-4819	PRODUCT LINK, CELLULAR PL641 Product Link Pro series PL641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.	0	\$833

COOLING

COOLING FAN

L	457-3167	FAN, COOLING, DEMAND Provides variable speed hydraulic cooling fan. Sensors monitor machine cooling requirements to modulate the fan speed providing "on demand" cooling.	0	NC
L	457-2835	FAN, COOLING, DEMAND, REVERSING Reversing Fan provides automatic and manual purge modes to assist in removing material from the rear door intake screen. Provides both Demand Fan and Reversing Fan functionality. Recommended if selecting special application package LM1 or LM2	0	\$840

QUICK COUPLERS

L	345-4910	QUICK COUPLER, MANUAL	0	NC
L	515-8592	QUICK COUPLER, HYDRAULIC CANNOT BE USED WITH: 494-8295 PACKAGE, LAND MANAGEMENT (LM1) 494-5809 PACKAGE, LAND MANAGEMENT (LM2)	0	\$995

CATERPILLAR MACHINE PRICE LIST

299D2 XHP

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

INSTRUCTIONS

SERVICE INSTRUCTIONS

421-8926	SERIALIZED TECHNICAL MEDIA KIT	0		NC
	<p>The technical media kit will include the Operations & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com</p>			

CATERPILLAR MACHINE PRICE LIST

299D2 XHP

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

SPECIAL ARRANGEMENTS

C	OP-0528	PAINT, CUSTOM 0 FOR USE IN LANE 3 ONLY Paint specification (RAL #) required. Advise via MSO notes. Custom paint order provides a SINGLE COLOR, non-metallic, high gloss custom finish. Once a custom paint order is placed, it may not be cancelled. Custom paint extends availability from what is published. Contact the factory for current availability information. Note 1: Florescent colors and matte finishes are not available. Note 2: Some components will NOT receive the custom paint color. The engine and items not externally visible will be painted yellow. CTLs with the optional steel track undercarriage will be provided with a black track. Cylinders, cab, coupler, radiator grill and the MTL undercarriage will be painted black.		\$1,860 NET
---	---------	---	--	--------------------

ELECTRICAL

L	309-1325	ROTATING BEACON 0 Magnetic base, mounted to top of cab. Operates when key switch is in "On" position.		\$216
---	----------	---	--	--------------

OTHER ATTACHMENTS

L	345-5148	COUNTERWEIGHT, MACHINE, EXTERNAL 0 Includes external weights bolted to the frame tower. Suggested for applications where additional rated operating capacity (ROC) is needed. Machine ROC increased by 250 lbs (113 kg).		\$1,030
L	345-3556	HEATER, ENGINE COOLANT, 120V 0 120 Volt - For additional cold weather startability.		\$195
L	457-1215	LIFTING EYES, FOUR POINT 0 Included in Conversion Arrangements: EU & Roading CANNOT BE USED WITH: TANK, WATER		\$192
L	563-7518	MOUNTING, FIRE EXTINGUISHER 0 Provides in-cab mounting bracket that can accommodate up to a 5 lb. fire extinguisher. REQUIRED BY: 494-8295 PACKAGE, LAND MANAGEMENT (LM1) 494-5809 PACKAGE, LAND MANAGEMENT (LM2)		\$200

WORK TOOLS

To view and order all available Work Tool Selections refer to WT-SSL or WT-HAMR price lists.
 NOTE: Work Tools, except Hammers, are sourced via Caterpillar parts distribution system.
 CMOPS orders for Compact Track Loaders and Work Tools MUST be ordered separately.

CATERPILLAR MACHINE PRICE LIST

299D2 XHP

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FLUIDS

L	418-9011	OIL, HYDRAULIC, COLD OPERATION 0 Recommended for use in hydraulic system where ambient temperatures are below 32 F (0 C).		\$665
---	----------	--	--	-------

FIELD INSTALLED ATTACHMENTS

Available Through Parts Distribution.

- 345-6070 KIT, FOPS, LEVEL 2**
Falling Object Protective Structure level 2. Provides additional overhead protection. Recommended for use in demolition applications. Not compatible with the roof mounted Auxiliary Hydraulic Cooler. Meets ISO 3449: 1992
Note: The part number provided is for reference only. Individual parts must be ordered. Please reference REHS8703 for parts list and installation instructions.
- 474-5632 KIT, SINGLE POINT LIFT**
Contains parts that attach to cab roof and allow machine to be lifted from a single point. The part number provided is for reference only. Individual parts must be ordered. Please reference REHS9970 for parts list and installation instructions.
- 418-5883 KIT, FOPS LEVEL 2 W/ 4 PT LIFT**
This kit combines the Falling Object Protective Structure level 2 and 4 point lifting functionality. Recommended for use in applications where additional overhead protection and 4 point lifting are both desired (ex. demolition).
Note: The part number provided is for reference only. Individual parts must be ordered. Please reference REHS9989 for parts list and installation instructions.

DEDICATED ALTERNATE PATTERN (H-pattern):
As of January 2018, this feature is standard from the factory. There is no cost. Using Electronic Technician the dealer can configure the machine to operate using the alternative "H" control pattern. With this feature there is no method to allow the operator to change the pattern in the cab. Refer to media number REHS8719.

SELECTABLE PATTERN CONTROL (ISO/H patterns):
This feature is a Software Enabled Attachment (SEA) and is installed using Electronic Technician and a unique password. The SEA cost to enable the feature via password is approximately \$250 USD Dealer Net (January, 2018). Allows an operator to select either standard CAT control pattern or the alternative "H" control pattern with the flip of a switch. Estimated time to install: 30 min.
Refer to media number REHS8718 for appropriate parts list.

The components required are available for order from the Parts Department.

CATERPILLAR MACHINE PRICE LIST

299D2 XHP

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

Available Through ANTARES Parts Ordering.

**NOTE: US & Canada ONLY may place orders in CMOPS to be transferred via the bridge to ANTARES Parts Ordering.
When ordering via CMOPS include top level reference numbers (OP-2743) and OP number for packing.**

388-8285	KIT, FOOT THROTTLE	0		\$331 NI
	For proper installation, refer to media number REHS8712. Estimated time to install: 1 hour 30 minutes			
504-1553	KIT, LICENSE PLATE	0		\$51 NI NET
	For proper installation, refer to media number M0067678. Estimated time to install: 30 minutes			
388-7875	KIT, COUNTERWEIGHT, 100 LB ROC	0		\$519 NI
	Kit provides one counterweight per side which increases the Rated Operating Capacity by approximately 100-125 lbs (46 - 57 kg), depending on model. For maximum ROC increase, must order quantity of (2) 388-7875 kits. Includes Mounting hardware for both one counterweight per side configuration and two counterweights per side configuration. Estimated time to install: 30 minutes			
388-8275	KIT, WINDOW, SIDES	0		\$683 NI
	For proper installation, refer to media number REHS8707. Estimated time to install: 1 hour			
514-9093	KIT, DOOR, CAB, POLYCARBONATE	0		\$1,785 NI
	For proper installation, refer to media number M0073170. Estimated time to install: 1.5 hours			
422-3297	KIT, DOOR, CAB, GLASS	0		\$1,003 NI
	For proper installation, refer to media number REHS9992. Estimated time to install: 1.5 hours			
508-1866	KIT, AIR CONDITIONER (HTR/DFR)	0		\$3,051 NI
	For proper installation, refer to media number M0070248. Estimated time to install: 8 hours 30 minutes			
435-9232	KIT, AIR CONDITIONER (CONVRSN)	0		\$2,015 NI
	For proper installation, refer to media number REHS9982. Estimated time to install: 7 hours			
435-9231	KIT, HEATER	0		\$1,211 NI
	For proper installation, refer to media number REHS9981. Estimated time to install: 7 hours			
527-3155	KIT, QUICK COUPLER, HYDRAULIC	0		\$1,078 NI
	For proper installation refer to media number M0081347. Estimated time to install: 12 hours For machines equipped with the LM1 and LM2 Land Management Packages it is recommended to use a modified Step/Guard Cover for the coupler cylinder area. See Special Instructions for part number and details.			

CATERPILLAR MACHINE PRICE LIST

299D2 XHP

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

Available Through ANTARES Parts Ordering. (Cont.)

513-5126	KIT, GUARD, COUPLER 0	For proper installation, refer to media number M0072576. Provides lower guard that restricts material/debris from entering the underside of the coupler area giving additional safeguarding for electrical components. Estimated time to install: 30 minutes		\$199 NI
388-8265	KIT, WT ELECTRICAL CONTROL 0	For proper installation, refer to media number REHS7806. Includes Work Tool Electrical switch, harness, connector and mounting hardware. Estimated time to install: 2 hours		\$193 NI
388-8273	KIT, WT ELECTRICAL CONTROL, DLX 0	For proper installation, refer to media number REHS7814. Includes: Work Tool Electrical switch, harness, connector, mounting hardware and 4 button Left Hand Joystick. Estimated time to install: 3 hours		\$696 NI
435-9237	KIT, FAN, DEMAND, REVERSING 0	For proper installation, refer to media number REHS6604. Reversing Fan provides automatic and manual purge modes to assist in removing material from the rear door intake screen. Provides both Demand Fan and Reversing Fan functionality. Estimated time to install: 1.5 hours		\$857 NI
388-8283	KIT, RADIO, READY 0	For proper installation, refer to media number REHS8710. Provides Speakers, Wiring, Radio Box, Antenna & Cable, and hardware required to install a single DIN radio. Estimated time to install: 1 hour		\$149 NI
388-8286	KIT, RADIO, AM/FM/BLUETOOTH 0	For proper installation, refer to media number REHS8705. Includes radio with Bluetooth interface, microphone and auxiliary inputs (USB port and aux input jack) to connect external audio devices. Requires: Radio Ready operator station. Estimated time to install: 45 minutes		\$571 NI
498-6622	KIT, DEBRIS 0	For proper installation, refer to media number M0067498. This kit provides additional components for customers in debris intensive applications that restrict debris and other material from entering the engine compartment and the lower machine frame. Provided are various seals and covers that are designed to cover the openings that exist between the frame/body/cab of the machine as well as a fuel strainer and an exhaust stack cover. The Debris Kit is required in applications where airborne debris is present and should be used in conjunction with the Turbo Debris Guard kit. Note: If additional component guarding is required, please refer to the Guarding Kit. Estimated time to install: 10 hours		\$1,874 NI

CATERPILLAR MACHINE PRICE LIST

299D2 XHP

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
FIELD INSTALLED ATTACHMENTS (CONT.)				
<i>Available Through ANTARES Parts Ordering. (Cont.)</i>				
	472-2965	KIT, GUARDING 0 For proper installation, refer to media number REHS9959. This kit provides additional guarding for customers in demanding applications where extra safeguarding is required. This kit provides guarding for the front work lights, rear work lights, auxiliary hydraulic connections, work tool electrical harness connection and work tool coupler area. Note: If additional debris guarding is required, please refer to the Debris Kit. Estimated time to install: 1.5 hours		\$640 NI
	421-0219	KIT, A/C BREATHER 0 For proper installation, refer to media number M0068026. This kit provides increased cab air filter life for machines used in dusty or high airborne debris applications. Kit contains duct work and hardware required to relocate the cab fresh air intake to a higher location near the roof of the cab. Estimated time to install: 30 minutes		\$456 NI
	444-6050	KIT, TURBO DEBRIS GUARD 0 For proper installation, refer to media number REHS9969. This kit contains steel mesh guards that are designed to cover the exhaust manifold and turbocharger to assist in deterring the collection of material on these components. The Turbo Guard kit is required in applications where airborne debris is present and should be used in conjunction with the Debris Kit. Estimated time to install: 1 hour 30 minutes		\$285 NI
	416-5965	KIT,ENG AIR INTAKE, PRECLEANER 0 For proper installation, refer to media number REHS8735. Turbine-type precleaner for the engine air filter. For use in high dust/debris applications. Estimated time to install: 1 hour		\$466 NI NET
	451-8378	KIT, COOLER, AUXILIARY HYDR 0 For proper installation, refer to media number REHS9189. Roof mounted auxiliary hydraulic cooler provides additional hydraulic cooling capacity. For use in heavy duty applications (i.e. mulching, brush cutting, etc.) where the machine is utilized continuously in XHP mode with high demand on the Hystat system at ambient temperatures greater than 38 Celsius (100 Fahrenheit). Not compatible with the FOPS Level 2 guarding. Estimated time to install: 8 hours		\$2,875 NI
	422-3323	KIT, FRONT ROADING LIGHTS 0 Includes front roading lights and 2 lift arm mounted mirrors. For proper installation, refer to media number REHS7836. Mandatory for Road Homologation in Italy and Germany. Estimated time to install: 4 hours		\$468 NI
	422-3322	KIT, LIGHTS, REAR, ROADING 0 For proper installation, refer to media number REHS8748. This kit provides Rear Roading light components (rear reflectors, brake lamps, directional indicators/turn signals, hazard lights) in order to meet roading requirements for Italy. Estimated time to install: 1.5 hours		\$232 NI

CATERPILLAR MACHINE PRICE LIST

299D2 XHP

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

Available Through ANTARES Parts Ordering. (Cont.)

512-0356	KIT, LIGHTS, REAR, WIDE MOUNT	0		\$429 NI
	For proper installation, refer to media number M0071898. This kit provides components that allows the rear lights to be relocated to mounting locations on the sides of the rear frame. Estimated time to install: 30 minutes REQUIRED for Italy Roading			
421-0274	KIT, LIFTING EYES, FOUR POINT	0		\$229 NI
	For proper installation, refer to media number REHS9993. Estimated time to install: 30 minutes CANNOT BE USED WITH: TANK, WATER			
422-3241	KIT, PROD LINK, CELLULAR PL641	0		\$1,024 NI
	For proper installation, refer to media number REHS9952 Product Link Pro series PL641 uses GSM and CDMA 3G cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data. Estimated time to install: 2.5 hours			
482-5132	KIT, WATER TANK, 42 US GAL, D	0		\$1,817 NI
	Mounted to top of cab 42 gallon capacity Includes tank, pump, filter, lines, mounting brackets and quick disconnect For proper installation, refer to media number SEHS0363. Estimated time to install: 9 hours 30 minutes For use with Water Sprinkler Kits for Angle Broom, Pick Up Broom, Utility Broom or Cold Planer			
	CANNOT BE USED WITH: Four Point Lifting Eyes kit, Single Point Lift kit or Auxiliary Hydraulic Cooler kit			
527-2335	KIT, REMOTE GREASE (COUPLER)	0		\$222 NI
	For proper installation, refer to media number M0084651. Provides remote location for lubrication of the work tool coupler pins Estimated time to install: 3 hours			
541-3141	KIT, WINTER, REAR DOOR COVER	0		\$256 NI
	Required for operating in temperatures below -32C (-25F). For proper installation refer to media number REHS8737. Provides rear door cover to minimize air flow into the engine compartment. Estimated time to install: 1.0 hour			

NO RETURNS accepted for kit components not used or for parts removed from machine during kit installation.

Shipments will be within 3 - 5 working days of order receipt for delivery by dealer parts stocking truck to dealer stocking facility.

CATERPILLAR MACHINE PRICE LIST

299D2 XHP

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

ENDORSED FIELD INSTALLED ATTACHMENTS

Caterpillar does not warrant, service, or assume responsibility for these attachments.

All orders, pricing confirmation, and other communication for these attachments must be directed to the listed manufacturer.

REMOTETASK TM - REMOTE CONTROL SYSTEM

Complete system for use with CAT D Series Skid Steer, Multi Terrain, and Compact Track Loaders. Allows the operator to precisely control the machine from outside the cab. Line-of-sight remote control with an approximate range of 1000 feet (300 meters). Dealer installed remote control system includes the Remote Task controller and necessary hardware to convert standard D series SSL, MTL or CTL to remote controlled machine.

NOTE: Certified for use in North America. To verify certification in other regions, please contact BCP Attachments team.

Email: bcp_work_tools@cat.com

Orders for the remote control system must be placed directly from:

TORC Robotics, Inc.

Tel. +1(800) 530-9285, +1(540) 443-9262

Email: sales@torcrobotics.com

PACKING

DOMESTIC PACKING

OP-0210	PACK, DOMESTIC TRUCK	0	NC
---------	--------------------------------	---	----

Only to be used when ordering kits via CMOPS.

OP-2162	PACKING, KIT	0	NC
---------	------------------------	---	----

PROTECTION

OP-2266	SHIPPING/STORAGE PROTECTION	0	\$207 NET
	Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. If desired, this product can be power washed with warm soapy water prior to shipment to the customer.		

OP-6439	CORROSION INHIBITOR.	0	\$1,940
	EquipCoat is a flexible protective coating with anti-corrosion additives that encapsulate machine surfaces, including components under the cab and in the engine compartment. Will hold up to washing with non-solvent based cleaners for long-term corrosion resistance. Recommended for machines exposed to corrosive environments(e.g.manure, fertilizer, salt, mining fluids, etc.).		