

CATERPILLAR MACHINE PRICE LIST

303E CR

303E CR MINI HYDRAULIC EXCAVATOR
SAGAMI, JAPAN

Ship Weight
lbs

LIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

- C1.3 <19kW mechanical engine
- Automatic two speed travel
- B5 fuel/ bio fuel compatible
- Mechanical throttle
- Load sensing hydraulic system

ELECTRICAL

- 12 volt electrical system
- 40 ampere alternator
- Beacon socket
- Boom work light
- Warning horn

OPERATOR ENVIRONMENT

- 100% pilot control ergonomic joysticks
- Cup holder
- Basic diagnostics monitor
 - Fuel level
 - Engine coolant temperature
 - Hour meter
 - Engine oil pressure
- Air cleaner, alternator and glow plugs service interval
- Hydraulic neutral lockout system

OTHER STANDARD EQUIPMENT

- 1-way and 2-way (combined function) Accumulator
- Auxiliary hydraulic lines
- Adjustable auxiliary relief
- Auxiliary line quick disconnects
- Caterpillar corporate "one key" system
- Compact radius design package
- Dozer blade with float function
- Heavy duty counterweight
- High ambient cooling package
- Hydraulic oil cooler
- Load sensing hydraulics
- Roll over protective structure (ROPS) (ISO 12117-2)
- Swing boom design
- Swivel guard
- Thumb ready stick
- Tip over protective structure (TOPS) (ISO 12117)
- Top guard - ISO 10262 (level 1)

CATERPILLAR MACHINE PRICE LIST

303E CR

303E CR MINI HYDRAULIC EXCAVATOR SAGAMI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

**Lane 2 is reserved for the Base Order Management Program.
 Please use Lane 2 when placing orders that are part of the Base Order
 Management Program.**

548-8366 303E CR HEXMN DCA 1.1 0 \$49,210
 LANE 1 - AVAILABLE FROM SANFORD PDC

- INCLUDES:
 449-0425 303E CR MINI HYD EXCAVATOR
 449-0430 CANOPY, TOPS
 448-8288 CONTROL, PATTERN CHANGER
 448-8290 DRAIN, STANDARD
 449-0428 BLADE, STRAIGHT
 448-8286 CONTROL, AUX HYD W/ LINES
 540-4557 STICK, STD WITH THUMB BRACKET
 449-0429 LINKAGE, BUCKET W/ LIFTING EYE
 416-6065 ENGINE, HIGH AMBIENT
 308-2831 TRACK, 300MM(12"), RUBBER BELT
 296-1626 COUNTERWEIGHT, EXTRA
 540-4555 HYDRAULICS, W/O 2ND AUX, STD
 509-8483 PRODUCT LINK, PL240 CANOPY
 499-0414 INSTRUCTIONS, ANSI

548-8367 303E CR HEXMN DCA 2.1 0 \$54,500
 LANE 1 - AVAILABLE FROM SANFORD PDC

- INCLUDES:
 449-0425 303E CR MINI HYD EXCAVATOR
 449-0431 CAB, WITH HEATER
 448-8288 CONTROL, PATTERN CHANGER
 448-8290 DRAIN, STANDARD
 449-0428 BLADE, STRAIGHT
 448-8286 CONTROL, AUX HYD W/ LINES
 540-4557 STICK, STD, W/THUMB BRACKET T
 449-0429 LINKAGE, BUCKET W/ LIFTING EYE
 416-6065 ENGINE, HIGH AMBIENT
 308-2831 TRACK, 300MM(12"), RUBBER BELT
 296-1626 COUNTERWEIGHT, EXTRA
 540-4555 HYDRAULICS, W/O 2ND AUX, STD
 509-8484 PRODUCT LINK, PL240 CAB
 449-0414 INSTRUCTIONS, ANSI

CATERPILLAR MACHINE PRICE LIST

303E CR

303E CR MINI HYDRAULIC EXCAVATOR SAGAMI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

546-6468 303E CR HEXMN CFG 1.1 0 LANE 2 - AVAILABLE FROM SAGAMI FACTORY LANE 3 - AVAILABLE FROM SAGAMI FACTORY	0	\$48,760
--	---	-----------------

INCLUDES:
 449-0425 303E CR MINI HYD EXCAVATOR
 449-0430 CANOPY, TOPS
 448-8288 CONTROL, PATTERN CHANGER
 448-8290 DRAIN, STANDARD
 449-0428 BLADE, STAIGHT
 449-0429 LINKAGE, BUCKET W/ LIFTING EYE
 416-6065 ENGINE, HIGH AMBIENT
 308-2831 TRACK, 300MM(12"), RUBBER BELT
 444-9934 ALARM, TRAVEL

548-8361 303E CR HEXMN CFG 2.1 0 LANE 2 - AVAILABLE FROM SAGAMI FACTORY LANE 3 - AVAILABLE FROM SAGAMI FACTORY	0	\$49,460
--	---	-----------------

INCLUDES:
 449-0425 303E CR MINI HYD EXCAVATOR
 449-0430 CANOPY, TOPS
 448-8288 CONTROL, PATTERN CHANGER
 448-8290 DRAIN, STANDARD
 449-0428 BLADE, STAIGHT
 449-0429 LINKAGE, BUCKET W/ LIFTING EYE
 416-6065 ENGINE, HIGH AMBIENT
 347-2135 TRACK, 300MM(12"), DOUBLE GROUSER
 444-9934 ALARM, TRAVEL

548-8362 303E CR HEXMN CFG 3.1 0 LANE 2 - AVAILABLE FROM SAGAMI FACTORY LANE 3 - AVAILABLE FROM SAGAMI FACTORY	0	\$54,050
--	---	-----------------

INCLUDES:
 449-0425 303E CR MINI HYD EXCAVATOR
 449-0431 CAB, WITH HEATER
 448-8288 CONTROL, PATTERN CHANGER
 448-8290 DRAIN, STANDARD
 449-0428 BLADE, STAIGHT
 449-0429 LINKAGE, BUCKET W/ LIFTING EYE
 416-6065 ENGINE, HIGH AMBIENT
 308-2831 TRACK, 300MM(12"), RUBBER BELT
 355-3411 LIGHT, CAB
 355-3416 MIRROR, CAB, LEFT
 355-3417 MIRROR, CAB, RIGHT
 450-1774 HEATER, WATER JACKET
 444-9934 ALARM, TRAVEL

CATERPILLAR MACHINE PRICE LIST

303E CR

303E CR MINI HYDRAULIC EXCAVATOR SAGAMI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

<p>548-8363 303E CR HEXMN CFG 4.1</p> <p>LANE 2 - AVAILABLE FROM SAGAMI FACTORY</p> <p>LANE 3 - AVAILABLE FROM SAGAMI FACTORY</p>	<p>0</p>	<p>\$54,740</p>
---	----------	------------------------

INCLUDES:

- 449-0425 303E CR MINI HYD EXCAVATOR
- 449-0431 CAB, WITH HEATER
- 448-8288 CONTROL, PATTERN CHANGER
- 448-8290 DRAIN, STANDARD
- 449-0428 BLADE, STAIGHT
- 449-0429 LINKAGE, BUCKET W/ LIFTING EYE
- 416-6065 ENGINE, HIGH AMBIENT
- 347-2135 TRACK, 300MM(12"), DOUBLE GROUSER
- 355-3411 LIGHT, CAB
- 355-3416 MIRROR, CAB, LEFT
- 355-3417 MIRROR, CAB, RIGHT
- 450-1774 HEATER, WATER JACKET
- 444-9934 ALARM, TRAVEL

CATERPILLAR MACHINE PRICE LIST

303E CR

USE	REF NO.	MANDATORY ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM THE PDC.

0P-9001	LANE 1 ORDER	0	NC
	Order from Product Distribution Center (PDC) FOR USE WITH: 478-4184 303E CR DCA1		

Decal Package

449-0414	INSTRUCTIONS, ANSI	0	NC
	Mandatory in U.S.A.		

Product Link Film

L	509-7000	INSTRUCTIONS, ANSI PL	0	NC
---	----------	---------------------------------	---	----

Operation and Maintenance Manual

421-8926	SERIALIZED TECHNICAL MEDIA KIT	0	NC
	The technical media kit will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. included in the kit, can be ordered through the media website. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com.		

PROTECTION

0P-2266	SHIPPING/STORAGE PROTECTION	0	\$207 NET
	Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer. Protection added from factory		

PACKING

0P-0210	PACK, DOMESTIC TRUCK	0	NC
---------	--------------------------------	---	----

CATERPILLAR MACHINE PRICE LIST

303E CR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER	0	NC

BOOMS, STICKS, AND LINKAGES

Stick

L	540-4557	STICK, STD, W/THUMB BRACKET	0	NC
L	540-4550	STICK, LONG, W/THUMB BRACKET	0	\$520

HYDRAULICS

Auxiliary Lines

ONLY AVAILABLE FOR LANE 3 ORDERS

L	540-4555	HYDRAULICS, W/O 2ND AUX, STD	0	NC
L	540-4556	HYDRAULICS, W/O 2ND AUX, LONG	0	NC

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country.

Please contact your Cat marketing representative with questions

Product Link Basic series PL 240 offers expanded coverage including 3G UMTS and HSPA+ as well as 2G GSM and GPRS cellular networks to transmit hour and location information for viewing in Product Link's remote monitoring web interface. The data is updated up to 4 times per day while the engine is running.

L	509-8483	PRODUCT LINK, PL240 CANOPY	0	NC
		FOR USE WITH: CANOPY MACHINES		
		ONLY FOR USE WITH: 473-4914 CANOPY, TOPS		
L	509-8484	PRODUCT LINK, PL240 CAB	0	NC
		ONLY FOR USE WITH: 473-4915 CAB, WITH HEATER		

The Product Link Basic series PL241 offers expanded coverage including 3G UMTS and HSPA+ as well as 2G GSM and GPRS cellular networks to transmit hour and location information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent data transmission.

CATERPILLAR MACHINE PRICE LIST

303E CR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

PRODUCT LINK (Cont.)

L	509-8485	PRODUCT LINK, PL241 CANOPY	0	\$468
		ONLY FOR USE WITH: 473-4914 CANOPY, TOPS		
L	509-8486	PRODUCT LINK, PL241 CAB	0	\$468
		ONLY FOR USE WITH: 473-4915 CAB, WITH HEATER		

PRODUCT LINK FILMS

L	509-7000	INSTRUCTIONS, ANSI PL	0	NC
---	----------	---------------------------------	---	----

OTHER ATTACHMENTS

COUNTERWEIGHTS

L	200-4682	COUNTERWEIGHT, STANDARD	0	NC
L	296-1626	COUNTERWEIGHT, EXTRA	0	\$453

INSTRUCTIONS

Decal Package

	449-0414	INSTRUCTIONS, ANSI	0	NC
--	----------	------------------------------	---	----

Operation and Maintenance Manual

	OP-3380	INSTRUCTIONS, ENGLISH	0	NC
	OP-3404	INSTRUCTIONS, SPANISH	0	NC

PACKING

Packing for Machine

	OP-2266	SHIPPING/STORAGE PROTECTION	0	\$207 NET
		REQUIRED: FOR ALL AREAS Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.		
	OP-4839	ROLL ON-ROLL OFF	0	\$37 NET
		CANNOT BE USED WITH: EU LAST MILE DEALERS		
	OP-4112	PACKING, CONTAINER	0	\$37 NET
		CANNOT BE USED WITH: EU LAST MILE DEALERS		

CATERPILLAR MACHINE PRICE LIST

303E CR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

HYDRAULICS

Quick Coupler Control

NOTE: This is the quick coupler ready option. It will contain all necessary wiring, hoses, and valves installed on the machine that are necessary to run the hydraulic quick coupler. The coupler and jumper lines should be ordered through the MHE work tool price pages, and installed at the dealer.

L	473-4920	LINES, QUICK COUPLER, STD	0	\$1,485
		REQUIRES: 372-9589 FILM, QUICK COUPLER, ISO OR 372-9588 FILM, QUICK COUPLER, ANSI		
L	540-4553	LINES, QUICK COUPLER, LONG	0	\$1,555
		REQUIRES: 372-9589 FILM, QUICK COUPLER, ISO OR 372-9588 FILM, QUICK COUPLER, ANSI		

Film for Quick Coupler

	372-9588	FILM, QUICK COUPLER, ANSI	0	NC
--	----------	-------------------------------------	---	----

OTHER ATTACHMENTS

Bucket Attachments

P	364-1693	PINS, BUCKET	11	\$131 NI
		Includes one set of extra bucket pins and hardware. Maximum 2 sets can be ordered as Not-Installed to a machine.		

INSTRUCTIONS

Operation and Maintenance Manual

	OP-3380	INSTRUCTIONS, ENGLISH	0	\$48 NI NET
--	---------	---------------------------------	---	----------------