

CATERPILLAR MACHINE PRICE LIST

304.5E2

304.5E2 MINI HYDRAULIC EXCAVATOR
 ATHENS, GA, USA (SAP)

Ship Weight
 lbs

LIST PRICE
 AT DEALER

Standard Equipment:

POWERTRAIN

- CAT C2.4 diesel engine
- U.S. EPA tier 4 final
- EU stage IIIB
- ISO 9249/EEC 80/1269
- Rated net power 30.0kW/ 40.2hp
- Automatic engine idle
- Automatic engine shut-off
- Automatic swing park brake
- Automatic two speed travel
- Fuel and water separator

- Load sensing/flow sharing
- Lockable fuel cap
- Roll Over protective structure (ROPS)
 (ISO 12117-2)
- Swing boom design
- Swivel guard
- Tie down eyes on track frame
- Tip over protective structure (TOPS)
 (ISO 12117)
- Tool storage area
- Top guard - ISO 10262 (level 1)
- Towing eye on base frame

ELECTRICAL

- 12 volt electrical system
- 60 ampere alternator
- 650 CCA maintenance free battery
- Fuse box
- Ignition key start / stop switch
- Slow blow fuse
- Warning horn
- Work lights
- Courtesy safety light

OPERATOR ENVIRONMENT

- 100% pilot control ergonomic joysticks
- Adjustable arm rests
- Anti-theft system
- COMPASS:
- Complete operation
- Maintenance performance and
 security system
- Multiple languages
- Site reference system
- Cup holder
- Hydraulic neutral lockout system
- Literature holder
- Travel control pedals with hand levers
- Washable floor mat

OTHER STANDARD EQUIPMENT

- Accumulator certification
- Auxiliary hydraulic lines
- 1-way and 2-way (combined function)
- Adjustable auxiliary relief
- Auxiliary line quick disconnects
- Caterpillar corporate "one key" system
- Continuous flow
- Door locks
- Ecology drain - engine and hydraulic
- EXTRA tOOL carrier coupler interface
- SSL compatible coupler with float and
 HYD line quick disconnects
- Power on demand
- Hydraulic oil Cooler
- High definition hydraulics

CATERPILLAR MACHINE PRICE LIST

304.5E2

304.5E2 MINI HYDRAULIC EXCAVATOR ATHENS, GA, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

**Lane 2 is reserved for the Base Order management Program
 Please use Lane 2 when placing orders that are part of the Base Order
 Management program.**

515-6945	304.5E2 HEXMN CFG 1 0 LANE 2 - AVAILABLE FROM ATHENS FACTORY LANE 3 - AVAILABLE FROM ATHENS FACTORY INCLUDES: 461-4600 304.5E2 HYDRAULIC EXCAVATOR 461-2880 CONTROL, PATTERN CHANGER 419-4783 ALARM, TRAVEL 456-2652 ENGINE, EPA TIER 4F 497-9154 CANOPY, TOPS 428-7873 SEAT, VINYL, W/ SUSPENSION 434-2092 BELT, SEAT, 76MM(3") RETRACTABLE 379-4690 DRAIN, ECOLOGY	\$69,810
-----------------	--	-----------------

515-6947	304.5E2 HEXMN CFG 3 0 LANE 2 - AVAILABLE FROM ATHENS FACTORY LANE 3 - AVAILABLE FROM ATHENS FACTORY INCLUDES: 461-4600 304.5E2 HYDRAULIC EXCAVATOR 461-2880 CONTROL, PATTERN CHANGER 419-4783 ALARM, TRAVEL 456-2652 ENGINE, EPA TIER 4F 461-4574 CAB W/ AIR CONDITIONER 428-7874 SEAT, FABRIC, HIGH BACK SUSPENSION 428-7870 MIRROR, CAB, RIGHT 434-2092 BELT, SEAT, 76MM(3") RETRACTABLE 379-4690 DRAIN, ECOLOGY	\$77,330
-----------------	---	-----------------

CATERPILLAR MACHINE PRICE LIST

304.5E2

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	-----------------	----------------------

LANE SELECTION

0P-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
0P-9003	LANE 3 ORDER	0	NC

CATERPILLAR MACHINE PRICE LIST

304.5E2

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES

Stick Package

Secondary auxiliary lines are NOT required to operate a thumb.
 Secondary auxiliary lines are only required when a positioning function is used by a work tool in addition to the primary function (example: shears, open/close & rotate)

L	487-2998	STICK PKG LONG W/O 2ND AUX	0	NC
		464-8572 STICK, LONG W/THUMB BRACKET		
		415-5074 LINES, BUCKET, LONG STICK		
		379-4688 LINES, AUXILIARY, LONG STICK		
		452-5592 HYDRAULICS, W/O 2ND AUX		
		397-7074 LINKAGE, BUCKET, W/LIFTING EYE		
L	468-8856	STICK PKG LONG W/ 2ND AUX	0	\$990
		464-8572 STICK, LONG W/THUMB BRACKET		
		415-5074 LINES, BUCKET, LONG STICK		
		379-4688 LINES, AUXILIARY, LONG STICK		
		452-5594 HYDRAULICS, W/ 2ND AUX		
		397-7074 LINKAGE, BUCKET, W/LIFTING EYE		

Boom Lines

L	397-7119	LINES, BOOM	0	NC
L	397-7083	LINES BOOM W/ BLCV	0	\$780
		Provides Boom Lowering Check Valve		

Stick Lines

L	397-7062	LINES, STICK	0	NC
L	397-7172	LINES STICK W/ SLCV	0	\$780
		Provides Stick Lowering Check Valve		

UNDERCARRIAGE

Track Pairs

L	473-6334	TRACK, RUBBER BELT	0	NC
		350mm(14") width		

ELECTRICAL

BATTERY

L	453-4770	BATTERY, DISCONNECT	0	\$125
		Provides remote switch to disconnect battery		
L	454-0241	CABLE, GROUND	0	NC
		Provides standard battery cable		

CATERPILLAR MACHINE PRICE LIST

304.5E2

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT

Radio

L	432-2774	RADIO 0 Provides factory installed radio. Includes USB and auxiliary inputs to connect external devices CANNOT BE USED WITH: 497-9154 CANOPY, TOPS		\$311
L	437-3272	RADIO, READY 0 Provides speakers, wiring harness and antenna. CANNOT BE USED WITH: 497-9154 CANOPY, TOPS		NC

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Cat marketing representative with questions.

L	507-2636	PRODUCT LINK, CELLULAR PL240 0 Product Link Basic series PL 240 uses cellular networks to transmit hour and location information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent data transmission.		NC
L	497-9189	PRODUCT LINK, CELLULAR, PL641 0 Product Link Pro series PL641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		\$833
L	497-9191	PRODUCT LINK, SATELLITE PL631 0 Product Link Pro series PL631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.		\$1,271

OTHER ATTACHMENTS

LIGHTS

L	512-5611	LIGHTS, STANDARD 0		NC
L	512-5612	LIGHTS, LED 0		\$276

CATERPILLAR MACHINE PRICE LIST

304.5E2

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

INSTRUCTIONS

Operation and Maintenance Manual

421-8926	SERIALIZED TECHNICAL MEDIA KIT 0 The technical media kit will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. included in the kit, can be ordered through the media website. Kit may contain multiple Operation & Maintenance Manuals (OMM)). based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com.	NC
----------	--	-----------

CATERPILLAR MACHINE PRICE LIST

304.5E2

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

HYDRAULICS

Quick Coupler Control

NOTE: This is the quick coupler ready option. It will contain all necessary wiring, hoses, and valves installed on the machine that are necessary to run the hydraulic quick coupler.

L	425-8087	LINES, QUICK COUPLER (LONG)	0	\$1,475
---	----------	---------------------------------------	---	---------

ELECTRICAL

Block Heater

L	470-6522	HEATER, WATER JACKET Engine block heater for additional cold weather start	0	\$226
---	----------	---	---	-------

BEACON

L	309-1325	ROTATING BEACON Magnetic base, mounted to top of cab. Operates when key switch is in "On" position.	0	\$216
---	----------	--	---	-------

OPERATOR ENVIRONMENT

Mirrors

L	380-7150	MIRROR, CANOPY, LEFT ONLY FOR USE WITH: 497-9154 CANOPY, TOPS	0	\$44
L	380-7151	MIRROR, CANOPY, RIGHT ONLY FOR USE WITH: 497-9154 CANOPY, TOPS	0	\$44
P	428-7872	MIRROR, CAB, REAR ONLY FOR USE WITH: 461-4574 CAB W/ AIR CONDITIONER CANNOT BE USED WITH: 460-7683 CAMERA, REAR VIEW	0	\$44

Camera, Rear View

L	495-0379	CAMERA, REAR VIEW ONLY FOR USE WITH: 497-9154 CANOPY, TOPS	0	\$374
L	460-7683	CAMERA, REAR VIEW ONLY FOR USE WITH: 461-4574 CAB W/ AIR CONDITIONER CANNOT BE USED WITH: 428-7872 MIRROR, CAB, REAR	0	\$374

Beacon Socket

L	419-4832	BEACON SOCKET Includes wiring and socket mounted on canopy post. Beacon not included. ONLY FOR USE WITH: 497-9154 CANOPY, TOPS	0	\$76
---	----------	---	---	------

GUARDS

L	432-1500	GUARD, CAB Front Wire Mesh ONLY FOR USE WITH: 461-4574 CAB W/ AIR CONDITIONER	0	\$1,000
---	----------	---	---	---------

Supersedes 02JAN2018
 Caterpillar: Confidential Green
 US-A-19-01 A

Subject to change without notice
 Printed in USA
 U. S. DOLLAR CURRENCY

Effective 02JAN2019
 304.5E2-007

CATERPILLAR MACHINE PRICE LIST

304.5E2

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

GUARDS (CONT.)

L	432-1501	GUARD, CANOPY Front Wire Mesh ONLY FOR USE WITH: 497-9154 CANOPY, TOPS	0	\$361
L	446-1569	GUARD GP VANDAL ONLY FOR USE WITH: 497-9154 CANOPY, TOPS	0	\$55

WORK TOOLS

WORK TOOL CUSTOMIZATION

WT NOT REPRESENTED BELOW MUST BE ORDERED FROM THE WT-MHE PRICE LIST

WORK TOOL PACKAGE

Packages below include Hydraulic Thumb and Hydraulic Coupler

W	485-5270	THUMB, HYD + COUPLER, PG, HYD, 3T Hydraulic Thumb with Hydraulic Dual Lock Coupler No-Link Style Thumb REQUIRES: 425-8087 LINES, QUICK COUPLER (LONG)	239	\$4,882
---	----------	--	-----	---------

Packages below include Hydraulic Thumb and Manual Coupler

W	464-9942	THUMB, HYD + COUPLER, PG, MAN, 3T Hydraulic Thumb with Manual Dual Lock Coupler No-Link Style Thumb	231	\$3,813
---	----------	---	-----	---------

COUPLERS

W	485-5300	COUPLER, PG, HYDR.D.LOCK, 3-4T Hydraulic Quick Coupler Base machine includes one set of pins and hardware to attach one bucket. REQUIRES: 154-2638 Bucket Pins for EACH ADDITIONAL bucket REQUIRES: 425-8087 LINES, QUICK COUPLER (LONG)	91	\$2,479
W	444-7494	COUPLER, PG, MAN.D.LOCK, 3-4T Mechanical Quick Coupler Base machine includes one set of pins and hardware to attach one bucket. REQUIRES: 154-2638 Bucket Pins for EACH ADDITIONAL bucket	76	\$1,410

BUCKETS - Installed

P	464-9900	BUCKET, 12", 1.7 CFT, HD INCLUDES: 3 J200 long tooth tips	142	\$926
P	464-9902	BUCKET, 18", 2.9 CFT, HD INCLUDES: 4 J200 long tooth tips	180	\$1,035

CATERPILLAR MACHINE PRICE LIST

304.5E2

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

WORK TOOLS (CONT.)

BUCKETS - Installed (Cont.)

P	464-9904	BUCKET, 24", 4.2 CFT, HD INCLUDES: 5 J200 long tooth tips	216	\$1,161
---	----------	--	-----	---------

Buckets - Not Installed

May select up to 3 buckets per machine order.
 When ordering Not Installed Buckets, order the widest bucket installed

P	464-9900	BUCKET, 12", 1.7 CFT, HD INCLUDES: 3 J200 long tooth tips	142	\$926 NI
P	464-9902	BUCKET, 18", 2.9 CFT, HD INCLUDES: 4 J200 long tooth tips	180	\$1,035 NI
P	464-9904	BUCKET, 24", 4.2 CFT, HD	216	\$1,161 NI

BUCKET PINS

P	154-2638	PINS, BUCKET, 40MM Includes one set of bucket pins and hardware. 1 set of pins can be ordered with each extra bucket!	11	\$128 NI
---	----------	---	----	----------

XTC Coupler Attachments

The XTC coupler interface is compatible with the SSL Coupler
 Refer to the WT-MHE price list for more options
 When ordering both a Blade and Bucket from the factory
 Order the Blade Installed and the Bucket Not Installed

P	487-2025	BLADE, 78", WELD-ON	0	\$1,333
L	426-6536	BUCKET-MP, 74", BOCE Includes - Bolt On Edge, 1 Piece	962 962	\$4,639 \$4,639 NI

FIELD INSTALLED ATTACHMENTS

Available Through Parts Distribution.

284-6393	STOP AS 1 (Decreases Boom Swing Left by 25 degrees) REQUIRES: 8T-4183 Bolt QTY 3 8T-4223 Hard Washer QTY 3
309-1325	ROTATING BEACON Magnetic base, mounted to top of cab. Operates when key switch is in "On" position.
384-5013	KIT, HYDRAULIC QC LINES, 3 TON ONLY FOR USE WITH: Hydraulic Quick Coupler

CATERPILLAR MACHINE PRICE LIST

304.5E2

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

Available Through ANTARES Parts Ordering.

NOTE: US & Canada ONLY may place orders in CMOPS to be transferred via the bridge to ANTARES Parts Ordering.

When ordering via CMOPS include top level reference numbers (OP-4168) and OP number for packing.

W	511-9898	KIT, REAR VIEW CAMERA	0	\$475 NI
		Compatible Machine Serial Numbers: FXT_1-Up (Cab and Canopy)		

INSTRUCTIONS

Operation and Maintenance Manual - NOT INSTALLED

421-8926	SERIALIZED TECHNICAL MEDIA KIT	0	NC
	The technical media kit will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. included in the kit, can be ordered through the media website. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com.		

PACKING

PROTECTION

OP-2266	SHIPPING/STORAGE PROTECTION	0	\$207 NET
	Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.		

PACKING

OP-0210	PACK, DOMESTIC TRUCK	0	NC
	Mandatory in U.S.A. and Canada		