

CATERPILLAR MACHINE PRICE LIST

**305.5E2**

305.5E2 HYDRAULIC EXCAVATOR  
 ATHENS, GA, USA (SAP)

Ship Weight  
 lbs

LIST PRICE  
 AT DEALER

Standard Equipment:

**POWERTRAIN**

- Cat C2.4 diesel engine
- U.S. EPA tier 4 final (US-A/CNDA)
- EU stage IIIA/tier 4 interim
- ISO 9249/EEC 80/1269
- Rated net power 32.9kW/ 44.1hp
- Automatic engine idle
- Automatic engine shut-off
- Automatic swing park brake
- Automatic two speed travel
- Fuel and water separator

- Roll over protective structure (ROPS)  
 (ISO 12117-2)
- Swing boom design
- Swivel guard
- Tie down eyes on track frame
- Tip Over protective structure (TOPS)  
 (ISO 12117)
- Tool storage area
- Top guard - ISO 10262 (level 1)
- Towing eye on base frame

**ELECTRICAL**

- 12 volt electrical system
- 60 ampere alternator
- 650 CCA maintenance free battery
- Fuse box
- Ignition key start / stop switch
- Slow blow fuse
- Warning horn
- Work lights
- Courtesy safety lights

**OPERATOR ENVIRONMENT**

- 100% pilot control ergonomic joysticks
- Adjustable arm rests
- Anti-theft system
- COMPASS:
- Complete operation
- Maintenance performance and  
 Security system
- Multiple languages
- Site reference system
- Cup holder
- Hydraulic neutral lockout system
- Literature holder
- Travel control pedals with hand levers
- Washable floor mat

**OTHER STANDARD EQUIPMENT**

- Accumulator certification
- Auxiliary hydraulic lines
- 1-way and 2-way (combined function)
- Adjustable auxiliary relief
- Auxiliary line quick disconnects
- Caterpillar corporate "one key" system
- Continuous flow
- Door locks
- Dozer blade with float function
- ecology drain - engine and hydraulic
- hydraulic oil Cooler
- High definition hydraulics
- Load sensing/flow sharing
- Lockable fuel cap
- Power on demand

Supersedes 02JAN2018  
 Caterpillar: Confidential Green  
 US-A-19-01 A

Subject to change without notice  
 Printed in USA  
 U. S. DOLLAR CURRENCY

Effective 02JAN2019  
 305.5E2-001

CATERPILLAR MACHINE PRICE LIST

**305.5E2**

305.5E2 HYDRAULIC EXCAVATOR ATHENS, GA, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

**Lane 2 is reserved for the Base Orders Program.  
 Please use Lane 2 when placing orders that are part of the Base Order  
 Management Program.**

<b>515-6981</b>	<b>305.5E2 HEXMN DCA1</b> . . . . . 0	<b>\$79,560</b>
	LANE 1 - AVAILABLE FROM ATHENS PDC	

- INCLUDES:
- 452-5620 305.5E2 HYDRAULIC EXCAVATOR
  - 456-2629 CANOPY, TOPS
  - 397-7126 CONTROL, PATTERN CHANGER
  - 397-7086 LINES, BOOM
  - 397-7064 LINES, STICK
  - 434-2092 BELT, SEAT, 76MM(3") RETRACTABLE
  - 463-9124 STICK PACKAGE LONG W/O 2ND AUX
  - 436-2494 TRACK, RUBBER BELT
  - 463-8033 BLADE, STRAIGHT, WELD-ON
  - 367-0949 COUNTERWEIGHT, STANDARD
  - 377-4520 DRAIN, ECOLOGY
  - 454-0241 CABLE, GROUND
  - 428-7873 SEAT, VINYL W/ SUSPENSION
  - 419-4783 ALARM, TRAVEL
  - 452-5632 ENGINE, EPA TIER 4F
  - 512-5611 LIGHTS, STANDARD
  - 544-1872 HOOD, REAR, STANDARD
  - 507-2636 PRODUCT LINK, CELLULAR, PL 240
- NOTE: PLEASE REFER TO LANE 1 SECTION TO COMPLETE YOUR ORDER.

<b>515-6982</b>	<b>305.5E2 HEXMN DCA2</b> . . . . . 0	<b>\$87,330</b>
	LANE 1 - AVAILABLE FROM ATHENS PDC	

- INCLUDES:
- 452-5620 305.5E2 HYDRAULIC EXCAVATOR
  - 456-2643 CAB, WITH AIR CONDITIONER
  - 397-7126 CONTROL, PATTERN CHANGER
  - 397-7086 LINES, BOOM
  - 397-7064 LINES, STICK
  - 434-2092 BELT, SEAT, 3" RETRACTABLE
  - 463-9124 STICK PACKAGE LONG W/O 2ND AUX
  - 436-2494 TRACK, RUBBER BELT, 400MM
  - 463-8033 BLADE, STRAIGHT, WELD-ON
  - 367-0949 COUNTERWEIGHT, STANDARD
  - 377-4520 DRAIN, ECOLOGY
  - 454-0241 CABLE, GROUND
  - 428-7874 SEAT, FABRIC, HIGH BACK
  - 419-4783 ALARM, TRAVEL
  - 452-5632 ENGINE, EPA TIER 4F
  - 428-7870 MIRROR, CAB, RIGHT
  - 437-3272 RADIO, READY
  - 470-6522 HEATER, JACKET WATER
  - 512-5611 LIGHTS, STANDARD
  - 544-1872 HOOD, REAR, STANDARD
  - 507-2636 PRODUCT LINK, CELLULAR, PL 240
- NOTE: PLEASE REFER TO LANE 1 SECTION TO COMPLETE YOUR ORDER.

CATERPILLAR MACHINE PRICE LIST

**305.5E2**

305.5E2 HYDRAULIC EXCAVATOR ATHENS, GA, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

<b>515-6983</b> <b>305.5E2 HEXMN DCA3</b> . . . . . 0		<b>\$92, 220</b>
LANE 1 - AVAILABLE FROM ATHENS PDC		

INCLUDES:  
 452-5620 305.5E2 HYDRAULIC EXCAVATOR  
 456-2643 CAB, WITH AIR CONDITIONER  
 397-7126 CONTROL, PATTERN CHANGER  
 425-8089 LINES, QUICK COUPLER (LONG)  
 397-7086 LINES, BOOM  
 397-7064 LINES, STICK  
 434-2092 BELT, SEAT, 76MM(3") RETRACTABLE  
 463-9124 STICK PACKAGE LONG W/O 2ND AUX  
 436-2494 TRACK, RUBBER BELT  
 463-8036 BLADE, POWER ANGLE  
 367-0949 COUNTERWEIGHT, STANDARD  
 377-4520 DRAIN, ECOLOGY  
 454-0241 CABLE, GROUND  
 428-7874 SEAT, FABRIC, HIGH BACK  
 419-4783 ALARM, TRAVEL  
 452-5632 ENGINE, EPA TIER 4F  
 428-7870 MIRROR, CAB, RIGHT  
 437-3272 RADIO, READY  
 470-6522 HEATER, JACKET WATER  
 512-5611 LIGHTS, STANDARD  
 544-1872 HOOD, REAR, STANDARD  
 507-2636 PRODUCT LINK, CELLULAR, PL 240  
 NOTE: PLEASE REFER TO LANE 1 SECTION TO COMPLETE YOUR ORDER.

<b>515-6984</b> <b>305.5E2 HEXMN DCA4</b> . . . . . 0		<b>\$84, 450</b>
LANE 1 - AVAILABLE FROM ATHENS PDC		

INCLUDES:  
 452-5620 305.5E2 HYDRAULIC EXCAVATOR  
 456-2629 CANOPY, TOPS  
 397-7126 CONTROL, PATTERN CHANGER  
 425-8089 LINES, QUICK COUPLER (LONG)  
 397-7086 LINES, BOOM  
 397-7064 LINES, STICK  
 434-2092 BELT, SEAT, 76MM(3") RETRACTABLE  
 463-9124 STICK PACKAGE LONG W/O 2ND AUX  
 436-2494 TRACK, RUBBER BELT  
 463-8036 BLADE, POWER ANGLE  
 367-0949 COUNTERWEIGHT, STANDARD  
 377-4520 DRAIN, ECOLOGY  
 454-0241 CABLE, GROUND  
 428-7873 SEAT, VINYL W/ SUSPENSION  
 419-4783 ALARM, TRAVEL  
 452-5632 ENGINE, EPA TIER 4F  
 512-5611 LIGHTS, STANDARD  
 544-1872 HOOD, REAR, STANDARD  
 507-2636 PRODUCT LINK, CELLULAR, PL 240  
 NOTE: PLEASE REFER TO LANE 1 SECTION TO COMPLETE YOUR ORDER.

CATERPILLAR MACHINE PRICE LIST

**305.5E2**

305.5E2 HYDRAULIC EXCAVATOR ATHENS, GA, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

<b>546-5488</b> <b>305.5E2 HEXMN CFG 1.1</b> ..... 0 LANE 2 - AVAILABLE FROM ATHENS FACTORY LANE 3 - AVAILABLE FROM ATHENS FACTORY  INCLUDES: 452-5620 305.5E2 HYDRAULIC EXCAVATOR 397-7126 CONTROL, PATTERN CHANGER 419-4783 ALARM, TRAVEL 452-5632 ENGINE, EPA TIER 4F 456-2629 CANOPY, TOPS 428-7873 SEAT, VINYL, W/ SUSPENSION 434-2092 BELT, SEAT, 76MM(3") RETRACTABLE 377-4520 DRAIN, ECOLOGY		<b>\$79,560</b>
--	--	-----------------

<b>546-5489</b> <b>305.5E2 HEXMN CFG 2.1</b> ..... 0 LANE 2 - AVAILABLE FROM ATHENS FACTORY LANE 3 - AVAILABLE FROM ATHENS FACTORY  INCLUDES: 452-5620 305.5E2 HYDRAULIC EXCAVATOR 397-7126 CONTROL, PATTERN CHANGER 419-4783 ALARM, TRAVEL 452-5632 ENGINE, EPA TIER 4F 456-2636 CAB W/ HEATER 428-7874 SEAT, FABRIC, HIGH BACK W/ SUSPENSION 428-7870 MIRROR, CAB, RIGHT 434-2092 BELT, SEAT, 76MM(3") RETRACTABLE 377-4520 DRAIN, ECOLOGY		<b>\$85,100</b>
---	--	-----------------

<b>546-5490</b> <b>305.5E2 HEXMN CFG 3.1</b> ..... 0 LANE 2 - AVAILABLE FROM ATHENS FACTORY LANE 3 - AVAILABLE FROM ATHENS FACTORY  INCLUDES: 452-5620 305.5E2 HYDRAULIC EXCAVATOR 397-7126 CONTROL, PATTERN CHANGER 419-4783 ALARM, TRAVEL 452-5632 ENGINE, EPA TIER 4F 456-2643 CAB W/ AIR CONDITIONER 428-7874 SEAT, FABRIC, HIGH BACK W/ SUSPENSION 428-7870 MIRROR, CAB, RIGHT 434-2092 BELT, SEAT, 76MM(3") RETRACTABLE 377-4520 DRAIN, ECOLOGY		<b>\$87,100</b>
--	--	-----------------

**MISC ORDERS**

<b>OP-4170</b> <b>305.5E2 MISC MATERIAL</b> ..... 0 Use this top level reference number only when ordering KITS in CMOPS to be transferred via the bridge to ANTARES Parts Ordering.		<b>NC</b>
--	--	-----------

CATERPILLAR MACHINE PRICE LIST

**305.5E2**

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS**

**LANE SELECTION**

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM THE PDC.

0P-9001	LANE 1 ORDER . . . . .	0	NC
	Order from Product Distribution Center (PDC)		

**Operation and Maintenance Manual**

421-8926	SERIALIZED TECHNICAL MEDIA KIT . . . . .	0	NC
	The technical media kit will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. included in the kit, can be ordered through the media website. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com.		

**PROTECTION**

0P-2266	SHIPPING/STORAGE PROTECTION . . . . .	0	\$207 NET
	Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.		

**PACKING**

0P-0210	PACK, DOMESTIC TRUCK . . . . .	0	NC
	Mandatory in U.S.A. and Canada		

**LANE 1 AM-NORTH OPTIONAL ATTACHMENTS**

**ELECTRICAL**

	511-9898	KIT, REAR VIEW CAMERA . . . . .	0	\$575
L	309-1325	ROTATING BEACON . . . . .	0	\$216
		Magnetic base, mounted to top of cab. Operates when key switch is in "On" position.		
		ONLY FOR USE WITH: 515-6982 305.5E2 HEXMN DCA2 OR 515-6983 305.5E2 HEXMN DCA2		

CATERPILLAR MACHINE PRICE LIST

**305.5E2**

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

**LANE 1 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)**

**LANE 1 NACD WORK TOOL CUSTOMIZATION**

WT NOT REPRESENTED BELOW MUST BE ORDERED FROM THE WT-MHE PRICE LIST

**WORK TOOL PACKAGE**

Packages below include Hydraulic Thumb and Hydraulic Coupler

W	485-5271	THUMB,HYD + COUPLER,PG,HYD, 5T . . . . .	389	\$5,979
		Hydraulic Thumb with Hydraulic Dual Lock Coupler No-Link Style Thumb group has 2 teeth ONLY FOR USE WITH: 515-6983 305.5E2 HEXMN DCA3 OR 515-6984 305.5E2 HEXMN DCA4		

Packages below include Hydraulic Thumb and Manual Coupler

W	464-9944	THUMB,HYD + COUPLER,PG,MAN, 5T . . . . .	381	\$4,431
		Hydraulic Thumb with Manual Dual Lock Coupler No-Link Style Thumb group has 2 teeth		

**COUPLERS**

W	485-5301	COUPLER, PG, HYDR.D.LOCK, 5T . . . . .	91	\$3,576
		Hydraulic Quick Coupler Includes one set of 45mm diameter pins and hardware to attach one bucket. REQUIRES: 282-2785 Bucket Pins for EACH ADDITIONAL bucket ONLY FOR USE WITH: 515-6983 305.5E2 HEXMN DCA3 OR 515-6984 305.5E2 HEXMN DCA4		
W	444-7496	COUPLER, PG, MAN.D.LOCK, 5T . . . . .	113	\$2,028
		Mechanical Quick Coupler Includes one set of 45mm diameter pins and hardware to attach one bucket REQUIRES: 282-2785 Bucket Pins for EACH ADDITIONAL bucket		

**BUCKETS**

P	464-9907	BUCKET, 12", 2.1 CFT, HD . . . . .	156	\$1,067
		INCLUDES: 3 J200 long tooth tips	156	\$1,067 NI
P	464-9909	BUCKET, 18", 3.1 CFT, HD . . . . .	194	\$1,146
		INCLUDES: 4 J200 long tooth tips	194	\$1,146 NI
P	464-9911	BUCKET, 24", 4.6 CFT, HD . . . . .	234	\$1,376
		INCLUDES: 5 J200 long tooth tips	234	\$1,376 NI

CATERPILLAR MACHINE PRICE LIST

**305.5E2**

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

**LANE 1 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)**

***BUCKET PINS***

P	282-2785	PINS, BUCKET 45MM . . . . . 11		\$169
		One additional set of pins is recommended with each additional Not Installed Bucket		
		Extra Pins are only allowed when Ordered with Extra Buckets!		
		One Extra Set of Pins per Extra Bucket		
		All Installed Buckets include Bucket Pins.		

CATERPILLAR MACHINE PRICE LIST

**305.5E2**

USE	REF NO.	<b>LANE 2 / 3 MANDATORY</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	--------------------	-------------------------

**LANE SELECTION**

0P-9002	<b>LANE 2 ORDER</b> .....	0	<b>NC</b>
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
0P-9003	<b>LANE 3 ORDER</b> .....	0	<b>NC</b>



CATERPILLAR MACHINE PRICE LIST

**305.5E2**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BOOMS, STICKS, AND LINKAGES**

**Stick Package**

Secondary auxiliary lines are NOT required to operate a thumb.  
 Secondary auxiliary lines are only required when a positioning function is used by a work tool in addition to the primary function (example: shears, open/close & rotate)

L	463-9120	STICK PKG STD W/O 2ND AUX . . . . .	0	NC
		Stick Length(1418mm) 464-8570 STICK, STD, W/ THUMB BRACKET 344-0636 LINES, AUXILIARY, STD STICK 415-5107 LINES, BUCKET, STD STICK 463-8016 HYDRAULICS, W/O 2ND AUX 397-7078 LINKAGE, BUCKET, W/ LIFTING EYE		
L	463-9124	STICK PKG LONG W/O 2ND AUX . . . . .	0	NC
		Stick Length(1818mm) 464-8574 STICK, LONG, W/ THUMB BRACKET 379-4677 LINES, AUXILIARY, LONG STICK 415-5078 LINES, BUCKET, LONG STICK 463-8016 HYDRAULICS, W/O 2ND AUX 397-7078 LINKAGE, BUCKET, W/ LIFTING EYE		
L	463-9128	STICK PKG STD W/ 2ND AUX . . . . .	0	\$990
		Stick Length(1418mm) 464-8570 STICK, STD, W/ THUMB BRACKET 344-0636 LINES, AUXILIARY, STD STICK 415-5107 LINES, BUCKET, STD STICK 463-8020 HYDRAULICS, W/ 2ND AUX 397-7078 LINKAGE, BUCKET, W/ LIFTING EYE		
L	463-9132	STICK PKG LONG W/ 2ND AUX . . . . .	0	\$990
		Stick Length(1818mm) 464-8574 STICK, LONG, W/ THUMB BRACKET 379-4677 LINES, AUXILIARY, LONG STICK 415-5078 LINES, BUCKET, LONG STICK 463-8024 HYDRAULICS, W/ 2ND AUX 397-7078 LINKAGE, BUCKET, W/ LIFTING EYE		

**Boom Lines**

L	397-7086	LINES, BOOM . . . . .	0	NC
L	397-7087	LINES BOOM W/ BLCV . . . . .	0	\$780
		Provides Boom Lowering Check Valve		

**STICK LINES**

L	397-7064	LINES, STICK . . . . .	0	NC
L	397-7174	LINES STICK W/ SLCV . . . . .	0	\$780
		Provides Stick Lowering Check Valve		

**UNDERCARRIAGE**

**Track Pairs**

L	436-2494	TRACK, RUBBER BELT . . . . .	0	NC
		400mm / 16" width		

Supersedes 02JAN2018  
 Caterpillar: Confidential Green  
 US-A-19-01 A

Subject to change without notice  
 Printed in USA  
 U. S. DOLLAR CURRENCY

Effective 02JAN2019  
 305.5E2-009

CATERPILLAR MACHINE PRICE LIST

**305.5E2**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**UNDERCARRIAGE (CONT.)**

*Track Pairs (Cont.)*

L	436-2493	TRACK, TRIPLE GROUSER SHOE . . . . .	0	\$1,215
		400mm / 16" width		
L	436-2495	TRACK, TG W/RUBBER PAD . . . . .	0	\$4,885
		400mm / 16" width		

**ELECTRICAL**

**BATTERY**

L	453-4770	BATTERY, DISCONNECT . . . . .	0	\$125
		Provides remote switch to disconnect battery		
L	454-0241	CABLE, GROUND . . . . .	0	NC
		Provides standard battery cable		

**OPERATOR ENVIRONMENT**

*Radio*

L	432-2774	RADIO . . . . .	0	\$311
		Provides factory installed radio. Includes USB and auxiliary inputs to connect external devices CANNOT BE USED WITH: 456-2629 CANOPY, TOPS		
L	437-3272	RADIO, READY . . . . .	0	NC
		Provides speakers, wiring harness and antenna. CANNOT BE USED WITH: 456-2629 CANOPY, TOPS		

**TECHNOLOGY PRODUCTS**

**PRODUCT LINK**

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Cat marketing representative with questions.

L	507-2636	PRODUCT LINK, CELLULAR PL240 . . . . .	0	NC
		Product Link Basic series PL 240 uses cellular networks to transmit hour and location information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent data transmission.		
L	497-9189	PRODUCT LINK, CELLULAR, PL641 . . . . .	0	\$833
		Product Link Pro series PL641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		

CATERPILLAR MACHINE PRICE LIST

**305.5E2**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS (CONT.)**

***PRODUCT LINK (Cont.)***

L	497-9191	PRODUCT LINK, SATELLITE PL631 . . . . . 0		\$1,271
		Product Link Pro series PL631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.		

**OTHER ATTACHMENTS**

***Counterweight***

L	367-0949	COUNTERWEIGHT,STANDARD . . . . . 0		NC
L	367-0945	COUNTERWEIGHT,EXTRA . . . . . 0		\$750

***LIGHTS***

L	512-5611	LIGHTS, STANDARD . . . . . 0		NC
L	512-5612	LIGHTS, LED . . . . . 0		\$276

**BODY**

	544-1872	HOOD, REAR, SOLID . . . . . 0		NC
	544-1873	HOOD, REAR, VENTED . . . . . 0		\$104
		For Improved Cooling - In Higher Elevations above 5000ft.		

**BLADES**

L	463-8033	BLADE, 78", BOLT-ON . . . . . 0		NC
		Blade Width: 78", 1980 MM		
L	463-8036	BLADE, 78", ANGLE, BOLT-ON . . . . . 0		\$3,410
		Blade Width: 78", 1980 MM		

**INSTRUCTIONS**

***Operation and Maintenance Manual***

	421-8926	SERIALIZED TECHNICAL MEDIA KIT . . . . . 0		NC
		The technical media kit will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. included in the kit, can be ordered through the media website. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com.		

CATERPILLAR MACHINE PRICE LIST

**305.5E2**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**HYDRAULICS**

**Quick Coupler Control**

NOTE: This is the quick coupler ready option. It will contain all necessary wiring, hoses, and valves installed on the machine that are necessary to run the hydraulic quick coupler.

L	425-8085	LINES, QUICK COUPLER (STD) . . . . . 0		\$1,475
		ONLY FOR USE WITH: 464-8570 STICK, STD, W/ THUMB BRACKET		
L	425-8089	LINES, QUICK COUPLER (LONG) . . . . . 0		\$1,475
		ONLY FOR USE WITH: 464-8574 STICK, LONG, W/ THUMB BRACKET		

**ELECTRICAL**

**Block Heater**

L	470-6522	HEATER, WATER JACKET . . . . . 0		\$226
		Engine block heater for additional cold weather start		

**BEACON**

L	309-1325	ROTATING BEACON . . . . . 0		\$216
		Magnetic base, mounted to top of cab. Operates when key switch is in "On" position.		

**OPERATOR ENVIRONMENT**

**Mirrors**

L	380-7150	MIRROR, CANOPY, LEFT . . . . . 0		\$44
		ONLY FOR USE WITH: 456-2629 CANOPY, TOPS		
L	380-7151	MIRROR, CANOPY, RIGHT . . . . . 0		\$44
		ONLY FOR USE WITH: 456-2629 CANOPY, TOPS		
P	428-7872	MIRROR, CAB, REAR . . . . . 0		\$44
		ONLY FOR USE WITH: 456-2643 CAB W/ AIR CONDITIONER OR 456-2636 CAB W/ HEATER CANNOT BE USED WITH: 4607683 CAMERA, REAR VIEW		

**Camera - Rear View**

L	495-0379	CAMERA, REAR VIEW . . . . . 0		\$374
		ONLY FOR USE WITH: 456-2629 CANOPY, TOPS		
L	460-7683	CAMERA, REAR VIEW . . . . . 0		\$374
		ONLY FOR USE WITH: 456-2643 CAB W/ AIR CONDITIONER OR 456-2636 CAB W/ HEATER CANNOT BE USED WITH: 428-7872 MIRROR, CAB, REAR		

**Beacon Socket**

L	419-4832	BEACON SOCKET . . . . . 0		\$76
		Includes wiring and socket mounted on canopy post. Beacon not included. ONLY FOR USE WITH: 456-2629 CANOPY, TOPS		

CATERPILLAR MACHINE PRICE LIST

**305.5E2**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**GUARDS**

L	432-1500	GUARD, CAB . . . . . Front Wire Mesh ONLY FOR USE WITH: 456-2643 CAB W/ AIR CONDITIONER OR 456-2636 CAB W/ HEATER	0	\$1,000
L	432-1501	GUARD, CANOPY . . . . . Front Wire Mesh ONLY FOR USE WITH: 456-2629 CANOPY, TOPS	0	\$361
L	446-1569	GUARD GP VANDAL . . . . . FOR USE WITH: COMPASS MONITOR ONLY FOR USE WITH: 456-2629 CANOPY, TOPS	0	\$55

**WORK TOOLS**

**WORK TOOL CUSTOMIZATION**

WT NOT REPRESENTED BELOW MUST BE ORDERED FROM THE WT-MHE PRICE LIST.

**WORK TOOL PACKAGE**

Packages below include Hydraulic Thumb and Hydraulic Coupler

W	485-5271	THUMB, HYD + COUPLER, PG, HYD, 5T . . . . . Hydraulic Thumb with Hydraulic Dual Lock Coupler No-Link Style Thumb group has 2 teeth REQUIRES: 425-8085 LINES, QUICK COUPLER (STD) OR 425-8089 LINES, QUICK COUPLER (LONG)	389	\$5,979
---	----------	---	-----	---------

NOTE: Work Tool Packages below include Hyd Thumb and Manual Coupler

W	464-9944	THUMB, HYD + COUPLER, PG, MAN, 5T . . . . . Hydraulic Thumb with Manual Dual Lock Coupler No-Link Style Thumb group has 2 teeth	381	\$4,431
---	----------	--	-----	---------

**COUPLERS**

W	485-5301	COUPLER, PG, HYDR.D.LOCK, 5T . . . . . Hydraulic Quick Coupler INCLUDES: one set of Bucket Pins to attach one Work Tool REQUIRES: One set of Bucket Pins for EACH ADDITIONAL Work Tool INCLUDED IN: 464-9945 Work Tool Package REQUIRES: 425-8085 LINES, QUICK COUPLER (STD) OR 425-8089 LINES, QUICK COUPLER (LONG)	91	\$3,576
---	----------	--	----	---------

CATERPILLAR MACHINE PRICE LIST

**305.5E2**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**WORK TOOLS (CONT.)**

**COUPLERS (Cont.)**

W	444-7496	COUPLER, PG, MAN.D.LOCK, 5T . . . . .	113	\$2,028
		Mechanical Quick Coupler Includes one set of 45mm diameter pins and hardware to attach one bucket REQUIRES: 282-2785 Bucket Pins for EACH ADDITIONAL bucket INCLUDED IN: 464-9944 Work Tool Package		

**BUCKETS INSTALLED**

May select one installed bucket per machine order only

P	464-9907	BUCKET, 12", 2.1 CFT, HD . . . . .	156	\$1,067
		INCLUDES: 3 J200 long tooth tips		
P	464-9909	BUCKET, 18", 3.1 CFT, HD . . . . .	194	\$1,146
		INCLUDES: 4 J200 long tooth tips		
P	464-9911	BUCKET, 24", 4.6 CFT, HD . . . . .	234	\$1,376
		INCLUDES: 5 J200 long tooth tips		

**BUCKETS NOT INSTALLED**

May select up to 3 buckets per machine  
 One set Bucket Pins allowed for EACH ADDITIONAL bucket.  
 When ordering Not Installed Buckets, order the widest bucket installed

W	464-9907	BUCKET, 12", 2.1 CFT, HD . . . . .	156	\$1,067 NI
		INCLUDES: 3 J200 long tooth tips		
W	464-9909	BUCKET, 18", 3.1 CFT, HD . . . . .	194	\$1,146 NI
		INCLUDES: 4 J200 long tooth tips		
W	464-9911	BUCKET, 24", 4.6 CFT, HD . . . . .	234	\$1,376 NI
		INCLUDES: 5 J200 long tooth tips		

**BUCKET PINS**

W	282-2785	PINS, BUCKET 45MM . . . . .	11	\$169 NI
		One additional set of pins is recommended with each additional bucket or Work Tool Extra Pins are only allowed when Ordered with Extra Buckets!! One Extra Set of Pins per Bucket		

**FIELD INSTALLED ATTACHMENTS**

**Available Through Parts Distribution.**

- 281-0895 STOP AS 1  
(Decreases Boom Swing Left by 25 degrees)  
REQUIRES: 8T-4183 Bolt QTY 3  
8T-4223 Hard Washer QTY 3
- 309-1325 ROTATING BEACON  
Magnetic base, mounted to top of cab. Operates when key switch is in "On" position.

CATERPILLAR MACHINE PRICE LIST

**305.5E2**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**FIELD INSTALLED ATTACHMENTS (CONT.)**

*Available Through Parts Distribution. (Cont.)*

- 163-7093 PAD ASSEMBLY  
Single Rubber Pad - 400 TG  
No Hardware Included
- 384-5015 KIT, HYDRAULIC QC LINES, 5 TON  
FOR USE WITH: Hydraulic Quick Coupler

*Available Through ANTARES Parts Ordering.*

NOTE: US & Canada ONLY may place orders in CMOPS to be transferred via the bridge to ANTARES Parts Ordering.  
 When ordering via CMOPS include top level reference numbers (OP-4170) and OP number for packing.

W	511-9898	KIT, REAR VIEW CAMERA . . . . . 0		\$475 NI
		Compatible Machine Serial Numbers: CR5_1-Up (Cab) CR5_1127-Up (Canopy)		

**INSTRUCTIONS**

*Operation and Maintenance Manual*

	421-8926	SERIALIZED TECHNICAL MEDIA KIT . . . . . 0		NC
		The technical media kit will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. included in the kit, can be ordered through the media website. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com.		

**PACKING**

**PROTECTION**

	OP-2266	SHIPPING/STORAGE PROTECTION . . . . . 0		\$207 NET
		Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.		

**PACKING**

	OP-0210	PACK, DOMESTIC TRUCK . . . . . 0		NC
		Mandatory in U.S.A. and Canada		