

CATERPILLAR MACHINE PRICE LIST

308E2

308E2 HYDRAULIC EXCAVATOR
 ATHENS, GA, USA (SAP)

Ship Weight
 lbs

LIST PRICE
 AT DEALER

Standard Equipment:

POWERTRAIN

- CAT C3.3B Diesel Engine
- U.S. EPA tier 4 final
- EU stage IIIB
- ISO 9249/EEC 80/1269
- Rated net power 48.5kW / 65 hp
- Automatic engine idle
- Automatic engine shut-off
- Automatic swing park brake
- Automatic two speed travel
- Fuel and water separator

UNDERCARRIAGE

- Hydraulic track adjusters

ELECTRICAL

- 12 volt electrical system
- 60 ampere alternator
- 850 CCA maintenance free battery
- Battery disconnect
- Circuit breaker
- Ignition key stop switch
- Light, cab, boom left and right
- Work lights
- Courtesy safety light
- Warning horn

OPERATOR ENVIRONMENT

- 100% pilot Control Ergonomic Joysticks
- 12V power socket
- Adjustable wrist rests
- Air conditioner with defroster
- Coat hook
- COMPASS:
- Complete operation
- Maintenance
- Performance and security system
- multiple languages
- Site reference system
- Cup holder
- Hydraulic neutral lockout system
- Interior light
- Literature holder
- Mirror rear view: Cab Left
- Molded footrests
- Openable front windshield
- Radio ready
- Rear window emergency exit
- Removable floor mat
- Retractable seat belt
- Rearview camera
- Seat, fabric, high back,
- Air suspension, heated
- Skylight
- Travel control pedals with hand levers

- Utility space for mobile phone
- Windshield wiper and washer

OTHER STANDARD EQUIPMENT

- Accumulator, certification
- Auxiliary hydraulic lines
- 1-way and 2-way (combined function)
- Adjustable auxiliary relief
- Auxiliary line quick disconnects
- Caterpillar corporate "one key" system
- Continuous flow
- Door locks
- Dozer blade with float function
- Ecology drain - engine
- Hydraulic Oil Cooler
- High definition hydraulics
- Load sensing/flow sharing
- Lockable fuel cap
- Power on Demand
- Rear reflector
- Roll over protective structure (ROPS)
 (ISO 12117-2)
- Swing boom
- Tie down eyes on track frame
- Tool storage area
- Towing eye on base frame

CATERPILLAR MACHINE PRICE LIST

308E2

308E2 HYDRAULIC EXCAVATOR ATHENS, GA, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

**Lane 2 is reserved for the Base Order Management Program
 Please use Lane 2 when placing orders that are part of the Base Order
 Management program.**

515-6831	308E2 HEXMN DCA1 0 LANE 1 - AVAILABLE FROM ATHENS PDC	\$138,180
-----------------	---	------------------

INCLUDES:

- 397-7005 308E2 HYDRAULIC EXCAVATOR
- 415-5033 BELT, SEAT, 76MM(3") RETRACTABLE
- 397-7130 CONTROL PATTERN CHANGER
- 415-4380 ENGINE, EPA TIER 4 FINAL, EU STAGE 3B
- 397-7088 LINES, BOOM
- 397-7065 LINES, STICK
- 382-1602 PLUGS, MIRROR MOUNT
- 398-6354 ALARM, TRAVEL
- 415-5082 STICK PKG, LONG W/BKT LINKAGE
- 397-7033 HYDRAULICS, AUX.,QC,(L-STK)
- 415-5178 TRACK, 450MM(17.7") RUBBER BELT
- 382-8819 BLADE, 2311MM(91") BOLT-ON EDGE
- 321-6598 GUARD, SWIVEL
- 415-2556 HEATER, JACKET WATER
- 367-0948 COUNTERWEIGHT, STANDARD
- 380-1983 TANK, FUEL
- 382-8757 DRAIN, ECOLOGY
- 415-5040 RADIO, AM/FM
- 367-0947 COUNTERWEIGHT, EXTRA
- 512-5613 LIGHTS, STANDARD
- 507-2635 PRODUCT LINK, CELLULAR, PL240

NOTE: PLEASE REFER TO THE LANE 1 SECTION TO COMPLETE YOUR ORDER.

CATERPILLAR MACHINE PRICE LIST

308E2

308E2 HYDRAULIC EXCAVATOR ATHENS, GA, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

515-6832 308E2 HEXMN DCA2	0	\$138,760
LANE 1 - AVAILABLE FROM ATHENS PDC		

INCLUDES:
 397-7005 308E2 HYDRAULIC EXCAVATOR
 415-5033 BELT, SEAT, 76MM(3") RETRACTABLE
 397-7130 CONTROL PATTERN CHANGER
 415-4380 ENGINE, EPA TIER 4 FINAL, EU STAGE 3B
 397-7088 LINES, BOOM
 397-7065 LINES, STICK
 382-1602 PLUGS, MIRROR MOUNT
 398-6354 ALARM, TRAVEL
 415-5082 STICK PKG, LONG W/BKT LINKAGE
 397-7033 HYDRAULICS, AUX.,QC,(L-STK)
 415-5183 TRACK, 450MM(17.7") TG W/ RUBBER PAD
 382-8819 BLADE, 2311MM(91") BOLT-ON EDGE
 321-6598 GUARD, SWIVEL
 415-2556 HEATER, JACKET WATER
 380-1983 TANK, FUEL
 382-8757 DRAIN, ECOLOGY
 415-5040 RADIO, AM/FM
 367-0947 COUNTERWEIGHT, EXTRA
 512-5613 LIGHTS, STANDARD
 507-2635 PRODUCT LINK, CELLULAR, PL240
 NOTE: PLEASE REFER TO THE LANE 1 SECTION TO COMPLETE YOUR ORDER.

515-6836 308E2 HEXMN CFG 2	0	\$131,020
LANE 2 - AVAILABLE FROM ATHENS FACTORY		
LANE 3 - AVAILABLE FROM ATHENS FACTORY		

INCLUDES:
 397-7005 308E2 HYDRAULIC EXCAVATOR
 397-7065 LINES, STICK
 397-7088 LINES, BOOM
 397-7130 CONTROL, PATTERN CHANGER
 398-6354 ALARM, TRAVEL
 415-4380 ENGINE, EPA TIER 4 FINAL, EU STAGE 3B
 415-5033 BELT, SEAT, 76MM(3") RETRACTABLE
 415-5040 RADIO, AM/FM
 382-1602 INSTALLATION AR
 382-8757 DRAIN, ECOLOGY

515-6837 308E2 HEXMN CFG 3	0	\$134,130
LANE 2 - AVAILABLE FROM ATHENS FACTORY		
LANE 3 - AVAILABLE FROM ATHENS FACTORY		

INCLUDES:
 397-7005 308E2 HYDRAULIC EXCAVATOR
 397-7066 LINES, STICK, W/CHECK VALVE
 397-7089 LINES, BOOM, W/CHECK VALVE
 397-7130 CONTROL, PATTERN CHANGER
 398-6354 ALARM, TRAVEL
 415-4380 ENGINE, EPA TIER 4 FINAL, EU STAGE 3B
 415-5033 BELT, SEAT, 76MM(3") RETRACTABLE
 415-5040 RADIO, AM/FM
 382-1602 INSTALLATION AR
 382-8757 DRAIN, ECOLOGY

CATERPILLAR MACHINE PRICE LIST

308E2

308E2 HYDRAULIC EXCAVATOR ATHENS, GA, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

<p>515-6857 308E2 HEXMN CFG 3 VAB 0 LANE 3 - AVAILABLE FROM ATHENS FACTORY</p>	<p>0</p>	<p>\$146,200</p>
--	----------	-------------------------

INCLUDES: VARIABLE ANGLE BOOM
 486-6613 308E2 HYDRAULIC EXCAVATOR
 486-6624 LINES, STICK W/CHECK VALVE VAB
 486-6633 LINES, BOOM, W/CHECK VALVE VAB
 397-7130 CONTROL, PATTERN CHANGER
 398-6354 ALARM, TRAVEL
 415-4380 ENGINE, EPA TIER 4 FINAL, EU STAGE 3B
 415-5033 BELT, SEAT, 76MM(3") RETRACTABLE
 415-5040 RADIO, AM/FM
 382-1602 INSTALLATION AR
 382-8757 DRAIN, ECOLOGY
 REQUIRES: 486-6632 STICK PACKAGE, STD W/2 AUX VAB
 REQUIRES: 367-0947 COUNTERWEIGHT, EXTRA

CATERPILLAR MACHINE PRICE LIST

308E2

USE	REF NO.	MANDATORY ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	------------------------------	--------------------	-------------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

CATERPILLAR MACHINE PRICE LIST

308E2

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

LANE SELECTION

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM THE PDC.

0P-9001	LANE 1 ORDER	0	NC
	Order from Product Distribution Center (PDC)		

OPERATION AND MAINTENANCE MANUAL

421-8926	SERIALIZED TECHNICAL MEDIA KIT	0	NC
	The technical media kit will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. included in the kit, can be ordered through the media website. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com.		

SHIPPING/STORAGE PROTECTION

0P-2266	SHIPPING/STORAGE PROTECTION	0	\$207 NET
	REQUIRED: For Export Orders Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.		

PACKING

0P-0210	PACK, DOMESTIC TRUCK	0	NC
	Mandatory in U.S.A. and Canada		

CATERPILLAR MACHINE PRICE LIST

308E2

USE	REF NO.	LANE 1 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	--------------------	-------------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

ELECTRICAL

L	309-1325	ROTATING BEACON 0 Magnetic base, mounted to top of cab. Operates when key switch is in "On" position.		\$216
---	----------	--	--	--------------

CATERPILLAR MACHINE PRICE LIST

308E2

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)

LANE 1 NACD WORK TOOL CUSTOMIZATION

WT NOT REPRESENTED BELOW MUST BE ORDERED FROM THE WT-MHE PRICE LIST

WORK TOOL PACKAGE - THUMB & COUPLER

W	428-2140	THUMB, HYD + COUPLER, PG, MAN, 8T	491	\$6,465
		Hydraulic Thumb with Mechanical Dual Lock Coupler.		
W	485-5272	THUMB, HYD + COUPLER, PG, HYD, 8T	501	\$9,785
		Hydraulic Thumb with Hydraulic Dual Lock Coupler.		
		ONLY FOR USE WITH: 515-6831 308E2 HEXMN DCA1 OR		
		515-6832 308E2 HEXMN DCA2		

COUPLERS

W	444-7498	COUPLER, PG, MAN.D.LOCK, 8T	196	\$2,354
		INCLUDES: Pin Group		
		Base machine includes one set of 50mm diameter pins and hardware to attach one bucket.		
W	485-5302	COUPLER, PG, HYDR.D.LOCK, 8T	206	\$5,674
		INCLUDES: Pin Group, Jumper Lines		
		Base machine includes one set of 50mm diameter pins and hardware to attach one bucket		
		ONLY FOR USE WITH: 515-6831 308E2 HEXMN DCA1 OR		
		515-6832 308E2 HEXMN DCA2		

BUCKETS

May select up to 3 buckets per machine order NACD/CNDA only
 One set 308-0324 Bucket Pins recommended for EACH ADDITIONAL bucket.

P	295-5951	BUCKET-HD, 18", 0.20 YD3	333	\$1,929
			333	\$1,929 NI
		Uses J225 Adapters, includes 4 long tooth tips		
P	295-5952	BUCKET-HD, 24" 0.30 YD3	392	\$2,161
			392	\$2,161 NI
		Uses J225 Adapters, includes 4 long tooth tips		
P	295-5954	BUCKET-HD, 36" 0.51 YD3	507	\$2,633
			507	\$2,633 NI
		Uses J225 Adapters, includes 5 long tooth tips		

BUCKET PINS

P	308-0324	PINS, BUCKET, 50MM	25	\$197 NI
		One additional set of pins is recommended with each additional Not Installed Bucket		
		Extra Pins are only allowed when Ordered with Extra Buckets!		
		One Extra Set of Pins per Extra Bucket		
		All Installed Buckets include Bucket Pins.		

CATERPILLAR MACHINE PRICE LIST

308E2

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Order Management (BOM) program.		
OP-9003	LANE 3 ORDER	0	NC

BOOMS, STICKS, AND LINKAGES

Stick Package

Secondary auxiliary lines are NOT required to operate a thumb.
 Secondary auxiliary lines are only required when a positioning function is used by a work tool in addition to the primary function (example: shears, open/close & rotate)

L	415-5081	STICK PACKAGE, STD W/BKT LKG	0	NC
		(Stick Length 1670 mm/5'6") 397-7067 Stick, STD, W/THUMB BRACKET 397-7030 HYDRAULICS, AUXILIARY 423-6760 LINKAGE, BUCKET, W/LIFTING EYE		
L	415-5082	STICK PKG, LONG W/BKT LINKAGE	0	NC
		(Stick Length 2210 mm/7'3") 397-7068 STICK, LONG, W/THUMB BRACKET 397-7030 HYDRAULICS, AUXILIARY 423-6760 LINKAGE, BUCKET, W/LIFTING EYE		
L	415-5083	STICK PKG,STD W/2ND AUX & LKG	0	\$1,980
		(Stick Length 1670 mm/5'6") 397-7067 STICK, STD, W/THUMB BRACKET 397-7031 HYDRAULICS, AUXILIARY AND 2ND AUXILIARY 423-6760 LINKAGE, BUCKET, W/LIFTING EYE 377-6617 LINES, 2ND AUX, STANDARD STICK		
L	415-5084	STICK PKG, LONG W/2ND AUX & LKG	0	\$1,980
		(Stick Length 2210 mm/7'3") 397-7068 STICK, LONG, W/THUMB BRACKET 397-7031 HYDRAULICS, AUXILIARY AND 2ND AUXILIARY 423-6760 LINKAGE, BUCKET, W/LIFTING EYE 377-6618 LINES, 2ND AUX, LONG STICK		
L	486-6632	STICK PACKAGE, STD W/2 AUX VAB	0	\$2,550
		(Stick Length 1670 mm/5'6") 486-6626 STICK, STANDARD W/O THUMB BRACKET 486-6627 HYDRAULICS, AUXILIARY AND 2ND AUXILIARY 377-6617 LINES, 2ND AUX, STANDARD STICK 488-2666 LINKAGE, BUCKET, W/LIFTING EYE ONLY FOR USE WITH: 515-6857 308E2 HEXMN CFG 3 VAB OR 515-6871 308E2 HEXMN CFG 10 VAB		

UNDERCARRIAGE

Track Pairs

L	415-5178	TRACK, 450MM RUBBER BELT	0	\$2,345
		450mm / 18" width		
L	415-5182	TRACK, 450MM TRIPLE GROUSER	0	NC
		450mm / 18" width		
L	415-5183	TRACK, 450MM TG W/RUBBER PAD	0	\$2,925
		450mm / 18" width		

CATERPILLAR MACHINE PRICE LIST

308E2

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

Track Pairs (Cont.)

L	415-5184	TRACK, 600MM TRIPLE GROUSER 0 600mm / 24" width		\$930
---	----------	--	--	-------

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Cat marketing representative with questions.

L	507-2635	PRODUCT LINK, CELLULAR, PL240 0 Product Link Basic series PL 240 uses cellular networks to transmit hour and location information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent data transmission.		NC
L	497-9149	PRODUCT LINK, CELLULAR, PL641 0 Product Link Pro series PL641 uses GSM and CDMA 3G cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		\$833
L	497-9151	PRODUCT LINK, SATELLITE PL631 0 Product Link Pro series PL631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.		\$1,271

OTHER ATTACHMENTS

Counterweight

P	367-0948	COUNTERWEIGHT, STANDARD 2,817 CANNOT BE USED WITH: 515-6857 308E2 HEXMN CFG 3 VAB 515-6871 308E2 HEXMN CFG 10 VAB		NC
P	367-0947	COUNTERWEIGHT, EXTRA 3,373 Provides Additional 551 lbs (250 kg) of Counterweight REQUIRED BY: 515-6857 308E2 HEXMN CFG 3 VAB AND 515-6871 308E2 HEXMN CFG 10 VAB		\$1,020

Fuel Tank (Refueling pump)

L	380-1983	TANK, FUEL 143		NC
L	397-7091	TANK, FUEL, REFUELING PUMP 0		\$428

CATERPILLAR MACHINE PRICE LIST

308E2

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

LIGHTS

L	512-5613	LIGHTS, STANDARD	0	NC
L	512-5614	LIGHTS, LED	0	\$276

BLADES

Blade

L	382-8801	BLADE, 91", WELD-ON	602	NC
		2320mm / 91" width INCLUDES: Weld on Cutting Edge		
L	382-8819	BLADE, 91", BOLT-ON	716	\$935
		2320mm / 91" width INCLUDES: Bolt on Cutting Edge		
L	382-8822	BLADE, 97"	734	\$1,530
		2470mm / 97" width INCLUDES: Bolt on Cutting Edge		

INSTRUCTIONS

Operation and Maintenance Manual

421-8926	SERIALIZED TECHNICAL MEDIA KIT	0	NC
	The technical media kit will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. included in the kit, can be ordered through the media website. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com.		

The correct Films will be automatically selected for the order and added for the correct Market region

CATERPILLAR MACHINE PRICE LIST

308E2

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS

Quick Coupler Control

L	397-7032	HYDRAULICS, AUX.,QC,(STD-STK) 0 REQUIRES: 415-5081 STICK PACKAGE, STD W/BKT LKG OR 415-5085 STICK PACKAGE, STD W/O 2ND AUX		\$2,115
L	397-7033	HYDRAULICS, AUX.,QC,(L-STK) 0 REQUIRES: 415-5082 STICK PKG, LONG W/BKT LINKAGE OR 415-5086 STICK PACKAGE, LONG W/O 2ND AUX		\$2,115
L	415-5099	HYDRAULICS, AUX, QC (STD-STK) 0 REQUIRES: 415-5083 STICK PKG, STD W/2ND AUX & LKG OR 415-5087 STICK PACKAGE, STD W/2ND AUX		\$2,115
L	415-5100	HYDRAULICS, AUX, QC,(LONG-STK) 0 REQUIRES: 415-5084 STICK PKG, LONG W/2ND AUX & LKG OR 415-5088 STICK PACKAGE, LONG W/2ND AUX		\$2,115
L	486-6639	HYDRAULICS, AUX, QC, VAB 0 ONLY FOR USE WITH: 515-6857 308E2 HEXMN CFG 3 VAB OR 515-6871 308E2 HEXMN CFG 10 VAB		\$2,115

ELECTRICAL

Block Heater

L	415-2556	HEATER, WATER JACKET 0 Engine block heater for improved cold weather starting.		\$226
---	----------	---	--	-------

BEACON

L	309-1325	ROTATING BEACON 0 Magnetic base, mounted to top of cab. Operates when key switch is in "On" position.		\$216
---	----------	---	--	-------

GUARDS

L	276-0978	GUARD, TRACK GUIDING, CENTER 64 CANNOT BE USED WITH: 415-5178 Track, 18" Rubber Belt		\$725
L	321-6598	GUARD, SWIVEL 37		\$520
L	399-6727	GUARD, CAB FRONT 0 Steel plate type. ONLY FOR USE WITH: 390-3684 MIRROR, GROUP CANNOT BE USED WITH: 426-0234 Guard, Front Windshield 415-4376 RAIN GUARD		\$1,020
L	426-0234	CAB GUARD, FRONT WINDSHIELD 0 Wire mesh type. ONLY FOR USE WITH: 390-3684 MIRROR, GROUP CANNOT BE USED WITH: 399-6727 GUARD, CAB FRONT 415-4376 RAIN GUARD		\$1,570
L	415-4376	RAIN GUARD. 0 ONLY FOR USE WITH: 482-8136 Mirror, Group CANNOT BE USED WITH: 399-6727 GUARD, CAB FRONT 426-0234 CAB GUARD, FRONT WINDSHIELD		\$55
L	399-6728	GUARD, CAB TOP 0		\$1,020

CATERPILLAR MACHINE PRICE LIST

308E2

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

WORK TOOLS

WORK TOOL CUSTOMIZATION

WT NOT REPRESENTED BELOW MUST BE ORDERED FROM THE WT-MHE PRICE LIST

WORK TOOL PACKAGE - THUMB & COUPLER

Work Tool Package includes Thumb and Coupler.

W	428-2140	THUMB, HYD + COUPLER, PG, MAN, 8T 491 Hydraulic Thumb with Mechanical Dual Lock Coupler CANNOT BE USED WITH: 515-6857 308E2 HEXMN CFG 3 VAB 515-6871 308E2 HEXMN CFG 10 VAB		\$6,465
W	485-5272	THUMB, HYD + COUPLER, PG, HYD, 8T 501 Hydraulic Thumb with Hydraulic Dual Lock Coupler REQUIRES: HYDRAULICS, AUX., QC CANNOT BE USED WITH: 515-6857 308E2 HEXMN CFG 3 VAB 515-6871 308E2 HEXMN CFG 10 VAB		\$9,785

COUPLERS

W	444-7498	COUPLER, PG, MAN.D.LOCK, 8T 196 INCLUDES: Pin Group Base machine includes one set of 50mm diameter pins and hardware to attach one bucket.		\$2,354
W	485-5302	COUPLER, PG, HYDR.D.LOCK, 8T 206 INCLUDES: Pin Group, Jumper Lines Base machine includes one set of 50mm diameter pins and hardware to attach one bucket REQUIRES: HYDRAULICS, AUX., QC		\$5,674

BUCKETS - Installed

May select one installed bucket per machine
 One set 308-0324 Bucket Pins recommended for EACH ADDITIONAL bucket.

P	295-5951	BUCKET-HD, 18", 0.20 YD3 333 Uses J225 Adapters, includes 4 long tooth tips		\$1,929
P	295-5952	BUCKET-HD, 24" 0.30 YD3 392 Uses J225 Adapters, includes 4 long tooth tips		\$2,161
P	295-5954	BUCKET-HD, 36" 0.51 YD3 507 Uses J225 Adapters, includes 5 long tooth tips		\$2,633

Buckets - Not Installed

May select up to 3 buckets per machine order.
 When ordering Not Installed Buckets, order the widest bucket installed

P	295-5951	BUCKET-HD, 18", 0.20 YD3 333 Uses J225 Adapters, includes 4 long tooth tips		\$1,929 NI
P	295-5952	BUCKET-HD, 24" 0.30 YD3 392 Uses J225 Adapters, includes 4 long tooth tips		\$2,161 NI
P	295-5954	BUCKET-HD, 36" 0.51 YD3 507 Uses J225 Adapters, includes 5 long tooth tips		\$2,633 NI

CATERPILLAR MACHINE PRICE LIST

308E2

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

WORK TOOLS (CONT.)

BUCKET PINS

P	308-0324	PINS, BUCKET, 50MM 25 One additional set of pins is recommended with each additional Not Installed Bucket Extra Pins are only allowed when Ordered with Extra Buckets!! One Extra Set of Pins per Bucket		\$197 NI
---	----------	--	--	-----------------

FIELD INSTALLED ATTACHMENTS

Available Through Parts Distribution.

170-4419	PAD ASSEMBLY Single Rubber Pad - 450 TG No Hardware Included			
514-0900	308E2 RUBBER PADS KIT Kit - Rubber Pads - 450 TG Contains 40 pads and all necessary hardware to service 1 track.			
373-4405	KIT, HYDRAULIC QC LINES FOR USE WITH: Hydraulic Quick Coupler CANNOT BE USED BY: 308E2 VAB			
451-3743	INSULATION, ENGINE BREATHER Provides insulated engine crankcase breather circuit. Recommended for cold weather applications with sustained ambient temperatures below 0 degrees F (18 C)			
309-1325	ROTATING BEACON Magnetic base, mounted to top of cab. Operates when key switch is in "On" position.			

PACKING

PROTECTION

0P-2266	SHIPPING/STORAGE PROTECTION 0 REQUIRED: FOR ALL AREAS EXCEPT US-A, CNDA Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.			\$207 NET
---------	--	--	--	------------------

PACKING

0P-0210	PACK, DOMESTIC TRUCK 0 Mandatory in U.S.A. and Canada			NC
---------	---	--	--	-----------