

CATERPILLAR MACHINE PRICE LIST

309

309 EXCAVATOR
 ATHENS, GA, USA (SAP)

Ship Weight
 lbs

LIST PRICE
 AT DEALER

Standard Equipment:

POWERTRAIN

- CAT C3.3B diesel engine
- ISO 9249/EEC 80/1270
- Rated net power 55kW/72hp
- Automatic engine idle
- Automatic swing brake
- Automatic two speed travel
- Fuel water separator with indicator
- Radial seal air filter, double element with warning indicator

UNDERCARRIAGE

- Greased and lubricated track
- Hydraulic track adjusters
- Tie down eyes on track frame

HYDRAULICS

- Smart tech electronic pump
- Variable displacement piston pump
- Load sensing/flow sharing hydraulics
- Power on demand
- Hydraulic temperature monitoring
- Accumulator - certified
- Hydro advanced hydraulic oil

ELECTRICAL

- 60 ampere alternator
- 850 CCA maintenance free battery
- Battery disconnect
- Circuit breaker
- Ignition key stop switch
- Signaling/warning horn
- Work lights:
 - Cab, boom left, front right
 - Courtesy safety light

OPERATOR ENVIRONMENT

- Sealed and pressurized cab
- Ergonomic joysticks control levers
- Adjustable wrist rests
- Air conditioner/heater with defroster & Automatic temp control
- Coat hook
- Color LCD monitor:
 - Fuel level, coolant temp, & warning indicators
 - Maintenance and machine monitoring
 - Performance & machine adjustments
 - Numeric security code
 - Multiple languages
 - Hour meter
 - Ground level wakeup switch
 - Jog dial control interface
- Cup holder
- Hydraulic lockout for all controls

- LED interior light
- Literature holder
- Mirror rear view - Cab left
- Molded footrests
- Openable front windshield with assist & integrated lower window
- Rear window emergency exit
- Removable washable floor mat
- Retractable seat belt
- Seat, fabric, high back, suspension
- Travel control pedals with hand levers
- Utility space for mobile phone
- Front post mounted windshield wiper & washer
- Skylight
- Mounting bosses for front & top guard

FLUIDS

- Extended life coolant - 37C
- Hydro advanced hydraulic oil

OTHER STANDARD EQUIPMENT

- Accumulator, certification
- Caterpillar corporate "one key" system
- Door locks on cab door and external enclosure doors
- Lockable fuel cap
- Beacon Socket
- Ecology drain - engine
- Radial seal engine air filter, double element with restriction indicator
- Side by side engine & hydraulic oil cooler
- Hydraulic fluid temperature monitoring
- Joystick travel and steering mode
- Travel cruise control
- High definition hydraulics
 - load sensing/flow sharing
- Power on demand
- Rear reflectors
- Roll over protective structure (ROPS) (ISO 12117-2)
- Product link elite lite (regulations apply)
- Auxiliary hydraulic lines:
 - 1-way and 2-way (combined function)
 - Auxiliary line quick disconnects
 - In cab adjustable auxiliary flow
 - Continuous flow

CATERPILLAR MACHINE PRICE LIST

309

309 EXCAVATOR ATHENS, GA, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
----------------------------------------	--------------------	-------------------------

**Lane 2 is reserved for the Base Order Management Program.
 Please use Lane 2 when placing orders that are part of the Base Order
 Management Program.**

569-3990	309 07A CR MHE DCA13A 0 LANE 2 - AVAILABLE FROM ATHENS FACTORY LANE 3 - AVAILABLE FROM ATHENS FACTORY	\$144,540
-----------------	------------------------------------------------------------------------------------------------------------------------------	------------------

- INCLUDES:
- 512-1402 309 07A CR MINI EXCAVATOR
 - 511-6253 ELECTRICAL ARR, C3.3 HRC
 - 518-6184 ENGINE, EPA TIER 4 FINAL
 - 562-3698 STD BLADE AND TRACK W/PADS PKG
 - 563-2081 STICK PACKAGE, LONG, HIGH FLOW
 - 510-6070 SEAT, AIR SUSP, FABRIC, HEATED
 - 522-6460 CAT KEY, WITH PASSCODE OPTION
 - 522-6475 MONITOR, STD, CAMERA READY
 - 512-2573 BOOM, SWING
 - 514-8055 LINES, BOOM
 - 514-8067 LINES, STICK
 - 516-1613 LINES, AUX, QC, LONG STK
 - 520-0778 CONTROL, QUICK COUPLER
 - 525-6657 COUNTERWEIGHT, EXTRA
 - 382-8757 DRAIN, ECOLOGY
 - 510-6085 BELT, SEAT, 76MM RETRACTABLE
 - 511-6157 ALARM, TRAVEL
 - 511-6217 LIGHTS, LED
 - 511-6219 RADIO
 - 511-6229 PRODUCT LINK, CELLULAR, PLE642
 - 511-6235 CAMERA, REAR VIEW
 - 415-2556 HEATER, WATER JACKET
 - 568-1567 LINKAGE, BUCKET W/ LIFTING EYE
 - 557-1709 SOFTWARE, PROPORTIONAL CONTROL
 - 557-1710 SOFTWARE, STICK STEER CONTROL
 - 557-1711 KIT, 2 WAY CONTROL
 - 557-1713 SOFTWARE, CODED START
 - 566-8941 INSTRUCTIONS, ANSI
 - 552-5984 FILM, CANADA
 - 555-8731 FILM, COUPLER, ISO
- NOTE: STANDARD UNDERCARRIAGE

CATERPILLAR MACHINE PRICE LIST

309

309 EXCAVATOR ATHENS, GA, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
----------------------------------------	--------------------	-------------------------

569-3992 309 07A CR MHE DCA16A 0 LANE 2 - AVAILABLE FROM ATHENS FACTORY LANE 3 - AVAILABLE FROM ATHENS FACTORY	\$147,240
---------------------------------------------------------------------------------------------------------------------------------------------	------------------

INCLUDES:

- 512-1402 309 07A CR MINI EXCAVATOR
- 511-6253 ELECTRICAL ARR, C3.3 HRC
- 518-6184 ENGINE, EPA TIER 4 FINAL
- 567-3575 STD BLADE AND TRACK W/PADS PKG
- 563-2091 STICK PACKAGE, LONG, HIGH FLOW
- 510-6070 SEAT, AIR SUSP, FABRIC, HEATED
- 522-6460 CAT KEY, WITH PASSCODE OPTION
- 522-6475 MONITOR, STD, CAMERA READY
- 512-2573 BOOM, SWING
- 514-8055 LINES, BOOM
- 514-8067 LINES, STICK
- 516-1613 LINES, AUX, QC, LONG STK
- 520-0778 CONTROL, QUICK COUPLER
- 525-6657 COUNTERWEIGHT, EXTRA
- 382-8757 DRAIN, ECOLOGY
- 510-6085 BELT, SEAT, 76MM RETRACTABLE
- 511-6157 ALARM, TRAVEL
- 511-6217 LIGHTS, LED
- 511-6219 RADIO
- 511-6229 PRODUCT LINK, CELLULAR, PLE642
- 511-6235 CAMERA, REAR VIEW
- 415-2556 HEATER, WATER JACKET
- 568-1567 LINKAGE, BUCKET W/ LIFTING EYE
- 557-1709 SOFTWARE, PROPORTIONAL CONTROL
- 557-1710 SOFTWARE, STICK STEER CONTROL
- 557-1711 KIT, 2 WAY CONTROL
- 557-1713 SOFTWARE, CODED START
- 523-3994 INSTRUCTIONS, ANSI
- 552-5984 FILM, CANADA
- 555-8731 FILM, COUPLER, ISO
- NOTE: LONG UNDERCARRIAGE

CATERPILLAR MACHINE PRICE LIST

309

309 EXCAVATOR ATHENS, GA, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
----------------------------------------	--------------------	-------------------------

562-9481 309 07A CR MHE CFG15A 0 LANE 3 - AVAILABLE FROM ATHENS FACTORY INCLUDES: 512-1402 309 07A CR MINI EXCAVATOR 511-6253 ELECTRICAL ARR, C3.3 HRC 518-6184 ENGINE, EPA TIER 4 FINAL 563-2094 STICK PACKAGE, HIGH FLOW, VAB 512-2576 BOOM, SWING, VARIABLE ANGLE 514-8060 LINES, BOOM W/ BLCV VAB 514-8074 LINES, STICK, W/ SLCV VAB 519-3140 LINES, AUX, QC, STD STICK, VAB 520-0778 CONTROL, QUICK COUPLER 525-6657 COUNTERWEIGHT, EXTRA 382-8757 DRAIN, ECOLOGY 510-6085 BELT, SEAT, 76MM RETRACTABLE 511-6157 ALARM, TRAVEL 511-6219 RADIO 568-1567 LINKAGE, BUCKET W/ LIFTING EYE 557-1709 SOFTWARE, PROPORTIONAL CONTROL 557-1710 SOFTWARE, STICK STEER CONTROL 557-1711 KIT, 2 WAY CONTROL 557-1713 SOFTWARE, CODED START NOTE: VARIABLE ANGLE BOOM MHE BASE CONFIGURATION FOR STANDARD UNDERCARRIAGE	0	\$152,690
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---	-----------

563-2069 309 07A CR MHE CFG15A 0 LANE 3 - AVAILABLE FROM ATHENS FACTORY INCLUDES: 512-1402 309 07A CR MINI EXCAVATOR 511-6253 ELECTRICAL ARR, C3.3 HRC 518-6184 ENGINE, EPA TIER 4 FINAL 563-2095 STICK PACKAGE, HIGH FLOW, VAB 512-2576 BOOM, SWING, VARIABLE ANGLE 514-8060 LINES, BOOM W/ BLCV VAB 514-8074 LINES, STICK, W/ SLCV VAB 519-3140 LINES, AUX, QC, STD STICK, VAB 520-0778 CONTROL, QUICK COUPLER 525-6657 COUNTERWEIGHT, EXTRA 382-8757 DRAIN, ECOLOGY 510-6085 BELT, SEAT, 76MM RETRACTABLE 511-6157 ALARM, TRAVEL 511-6219 RADIO 568-1567 LINKAGE, BUCKET W/ LIFTING EYE 557-1709 SOFTWARE, PROPORTIONAL CONTROL 557-1710 SOFTWARE, STICK STEER CONTROL 557-1711 KIT, 2 WAY CONTROL 557-1713 SOFTWARE, CODED START NOTE: VARIABLE ANGLE BOOM MHE BASE CONFIGURATION FOR LONG UNDERCARRIAGE	0	\$152,690
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---	-----------

CATERPILLAR MACHINE PRICE LIST

309

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER	0	NC

UNDERCARRIAGE

BLADES AND TRACKS

L	562-3697	STD BLADE AND STEEL TRACK	0	\$3,470
		INCLUDES: 512-2524 BLADE, 2300MM, STRAIGHT 514-0870 TRACK, 450MM, TRIPLE GROUSER 541-4598 CONTROL, BLADE LEVER ONLY FOR USE WITH: 562-9481 309-06A CR MHE CFG15A NOTE: STANDARD UNDERCARRIAGE		
L	567-3574	STD BLADE AND STEEL TRACK	0	\$6,170
		INCLUDES: 512-2525 BLADE, 2400MM, STRAIGHT 514-0875 TRACK, 450MM, TRIPLE GROUSER 541-4598 CONTROL, BLADE LEVER ONLY FOR USE WITH: 563-2069 309-06A CR MHE CFG15A NOTE: LONG UNDERCARRIAGE		
L	562-3698	STD BLADE AND TRACK W/PADS	0	\$6,400
		INCLUDES: 512-2524 BLADE, 2300MM, STRAIGHT 514-0869 TRACK, 450MM, TG W/RUBBER PAD 541-4598 CONTROL, BLADE LEVER ONLY FOR USE WITH: 562-9481 309-06A CR MHE CFG15A NOTE: STANDARD UNDERCARRIAGE		
L	567-3575	STD BLADE AND TRACK W/PADS	0	\$9,100
		INCLUDES: 512-2525 BLADE, 2400MM, STRAIGHT 514-0874 TRACK, 450MM, TG W/RUBBER PAD 541-4598 CONTROL, BLADE LEVER ONLY FOR USE WITH: 563-2069 309-06A CR MHE CFG15A NOTE: LONG UNDERCARRIAGE		

CATERPILLAR MACHINE PRICE LIST

309

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

BLADES AND TRACKS (Cont.)

L	562-3699	WIDE BLADE AND STEEL TRACK 0 INCLUDES: 512-2526 BLADE, 2450MM, WIDE 514-0871 TRACK, 600MM, TRIPLE GROUSER 541-4598 CONTROL, BLADE LEVER ONLY FOR USE WITH: 562-9481 309-06A CR MHE CFG15A NOTE: STANDARD UNDERCARRIAGE		\$4,995
L	567-3576	WIDE BLADE AND STEEL TRACK 0 INCLUDES: 528-4100 BLADE, 2640MM, STRAIGHT 514-0891 TRACK, 600MM, TRIPLE GROUSER 541-4598 CONTROL, BLADE LEVER ONLY FOR USE WITH: 563-2069 309-06A CR MHE CFG15A NOTE: LONG UNDERCARRIAGE		\$7,700

ELECTRICAL

LIGHTS

L	511-6216	LIGHTS, STANDARD 0 ONLY FOR USE WITH: 562-9481 309-06A CR MHE CFG15A OR 563-2069 309-06A CR MHE CFG15A		NC
L	511-6217	LIGHTS, LED 0 ONLY FOR USE WITH: 562-9481 309-06A CR MHE CFG15A OR 563-2069 309-06A CR MHE CFG15A		\$276

OPERATOR ENVIRONMENT

SEATS

L	510-6070	SEAT, AIR SUSP, FABRIC, HEATED 0 ONLY FOR USE WITH: 562-9481 309-06A CR MHE CFG15A OR 563-2069 309-06A CR MHE CFG15A		\$865
L	541-4580	SEAT, MECHANICAL, FABRIC 0 ONLY FOR USE WITH: 562-9481 309-06A CR MHE CFG15A OR 563-2069 309-06A CR MHE CFG15A		NC

MONITOR

L	522-6475	MONITOR, STD, CAMERA READY 0 ONLY FOR USE WITH: 562-9481 309-06A CR MHE CFG15A OR 563-2069 309-06A CR MHE CFG15A		NC
---	----------	----------------------------------------------------------------------------------------------------------------------------------	--	----

CATERPILLAR MACHINE PRICE LIST

309

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Cat marketing representative with questions.

L	511-6229	PRODUCT LINK, CELLULAR, PLE642 0		NC
		Product Link Elite series PLE642 offers expanded coverage including 3G, UMTS and 2G GSM cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Provides support for remote services, CPM and basic grade control (may be dependent on corresponding machine features). Cellular technology enables more frequent transmission and larger volumes of data.		
		ONLY FOR USE WITH: 562-9481 309-06A CR MHE CFG15A OR 563-2069 309-06A CR MHE CFG15A		

SAFETY AND SECURITY

REARVIEW CAMERA

L	545-6721	NO CAMERA 0		NC
		ONLY FOR USE WITH: 562-9481 309-06A CR MHE CFG15A OR 563-2069 309-06A CR MHE CFG15A		
L	511-6235	CAMERA, REAR VIEW 0		\$434
		ONLY FOR USE WITH: 562-9481 309-06A CR MHE CFG15A OR 563-2069 309-06A CR MHE CFG15A		

MACHINE SECURITY KEY

L	522-6460	CAT KEY, WITH PASSCODE OPTION 0		NC
		ONLY FOR USE WITH: 562-9481 309-06A CR MHE CFG15A OR 563-2069 309-06A CR MHE CFG15A		
L	522-6461	PUSH TO START, BT FOB SECURITY 0		\$474
		ONLY FOR USE WITH: 562-9481 309-06A CR MHE CFG15A OR 563-2069 309-06A CR MHE CFG15A		

INSTRUCTIONS

FILMS

L	566-8943	INSTRUCTIONS, ANSI 0		NC
		ONLY FOR USE WITH: 562-9481 309-06A CR MHE CFG15A		
L	553-9618	INSTRUCTIONS, ANSI 0		NC
		ONLY FOR USE WITH: 563-2069 309-06A CR MHE CFG15A		

CATERPILLAR MACHINE PRICE LIST

309

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

INSTRUCTIONS (CONT.)

OPERATION AND MAINTENANCE MANUALS

421-8926	SERIALIZED TECHNICAL MEDIA KIT	0		NC
	The technical media kit will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. included in the kit, can be ordered through the media website. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com.			

CATERPILLAR MACHINE PRICE LIST

309

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

ELECTRICAL

REAR LIGHTS

L	511-6211	LIGHTS, REAR	0	\$168
		ONLY FOR USE WITH: 562-9481 309-06A CR MHE CFG15A OR 563-2069 309-06A CR MHE CFG15A		

GUARDS

L	276-0978	GUARD, TRACK GUIDING, CENTER	64	\$725
		ONLY FOR USE WITH: 562-9481 307.5-06A MHE CFG15A		
L	511-4617	GUARD, TRACK GUIDING, CENTER	0	\$725
		ONLY FOR USE WITH: 563-2069 309-06A MHE CFG15A		
L	525-9070	VISOR, RAIN	0	\$160
		ONLY FOR USE WITH: 562-9481 309-06A MHE CFG15A OR 563-2069 309-06A MHE CFG15A		

OTHER ATTACHMENTS

WATER JACKET HEATER

L	415-2556	HEATER, WATER JACKET	0	\$226
		ONLY FOR USE WITH: 562-9481 309-06A MHE CFG15A OR 563-2069 309-06A MHE CFG15A		

FUEL TANK REFUELING PUMP

L	518-3295	TANK, FUEL, REFUELING PUMP	0	\$1,115
		ONLY FOR USE WITH: 562-9481 309-06A MHE CFG15A OR 563-2069 309-06A MHE CFG15A		

BEACON

L	309-1325	ROTATING BEACON	0	\$216
		Magnetic base, mounted to top of cab. Operates when key switch is in "On" position.		
		ONLY FOR USE WITH: 562-9481 309-06A MHE CFG15A OR 563-2069 309-06A MHE CFG15A		

MIRRORS

L	523-6409	MIRROR, CAB, RIGHT	0	\$70
		ONLY FOR USE WITH: 562-9481 309-06A MHE CFG15A OR 563-2069 309-06A MHE CFG15A		

QUICK COUPLERS

QUICK COUPLER FILM

L	555-8731	FILM, COUPLER, ISO	0	NC
		REQUIRED BY: 562-9481 308-06A MHE CFG15A 563-2069 308-06A MHE CFG15A		

CATERPILLAR MACHINE PRICE LIST

309

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

WORK TOOLS

THUMBS AND QUICK COUPLERS

W	504-6174	THUMB, HYD + COUPLER, PG, MAN, 8T	491	\$6,465
W	504-6175	THUMB, HYD + COUPLER, PG, HYD, 8T	501	\$9,785

QUICK COUPLERS ONLY

W	444-7498	COUPLER, PG, MAN. D. LOCK, 8T	196	\$2,354
W	485-5302	COUPLER, PG, HYDR. D. LOCK, 8T	206	\$5,674

BUCKETS

May select one installed bucket per machine.
May select up to 2 not installed buckets per machine.
First bucket on machine order must be installed.
One set of Bucket Pins recommended for each not installed bucket.

P	295-5951	BUCKET-HD, 18", 0.20 YD3	333 333	\$1,929 \$1,929 NI
P	295-5952	BUCKET-HD, 24" 0.30 YD3 Uses J225 Adapters, includes 4 long tooth tips	392 392	\$2,161 \$2,161 NI
P	295-5954	BUCKET-HD, 36" 0.51 YD3 Uses J225 Adapters, includes 5 long tooth tips	507 507	\$2,633 \$2,633 NI

BUCKET PINS

P	308-0324	PINS, BUCKET, 50MM	25	\$197 NI
---	----------	--------------------	----	----------

Extra pins are only allowed when ordered with not installed buckets.
One extra set of pins is allowed per not installed bucket.
All installed buckets include bucket pins.

PACKING

PROTECTION

	OP-2266	SHIPPING/STORAGE PROTECTION	0	\$207 NET
--	---------	-----------------------------	---	-----------

Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods.
This product will need to be power washed with soapy water prior to shipment to the customer.
REQUIRED BY: Export Orders

PACKING

	OP-4299	PACKING, LAST MILE PROGRAM	0	NC
--	---------	----------------------------	---	----