

CATERPILLAR MACHINE PRICE LIST

# 311F RR

311F RR EXCAVATOR  
 AKASHI, JAPAN

Ship Weight  
 lbs

LIST PRICE  
 AT DEALER

Standard Equipment:

**POWERTRAIN**

- Diesel engine C3.4,
- Certify to EPA Tier4 final,
- EU Stage 3b, MLIT Stage4
- 2300m/7546ft altitude capability
- Waved fin radiator and side-by-side oil cooler
- Radiator Screen
- Fixed type A/C condenser
- Fixed Fan drive for cooling compartment
- 42 deg C (No derate)
- 48 deg C (21% derate)
- 52 deg C (21% derate and 8% max flow reduction)
- Radial seal air filter, double element
- Water separator in fuel line
- Secondary engine shutoff switch
- Water level indicator for water separator
- EIS (Engine Idle Shutdown) function
- Capability of installing;
- Block Heater
- using Bio-Diesel fuel (B20)

- Removable lower windshield w/ in cab storage bracket
- Washer for radial wiper
- Radial wiper
- Operator station:
- Interior lighting
- Coat hook
- Ashtray for cup holder
- Beverage holder
- Literature holder
- Utility space for magazine
- Radio mounting (DIN size)
- Mounting for two stereo speakers (two locations)
- Storage compartment suitable for lunch box
- 24V radio ready (harness, two speakers, antenna-flexible type)
- Console Height Adjustment system
- Armrest Height Adjustment system
- Neutral lever (lock out) for all controls
- Electrical provision for seat heater
- 12V-2 10A power supply w/ two cigar lighter type sockets

**UNDERCARRIAGE**

- Base frame with New Eye for Diagonal Lashing
- Towing eye on baseframe
- Grease lubricated track GLT2

- Monitor:
- Language display
- Full graphic and full color display.
- Warning information.
- Filter/Fluid change information,
- Working hour information Machine condition,
- Error code and tool mode setting information.

**HYDRAULICS**

- Hydraulic main pump
- High performance hyd. Return filter (Element type)
- Regeneration circuit for boom and stick
- Boom lowering device in case of engine shut down
- Fine swing control capability

- Pedal:
- Capability of installing 2 add'l pedals
- Travel control pedals w/ removable hand levers

**ELECTRICAL**

- Signaling/ Warning horn
- Light, control valve room mounted (one) halogen
- Time delay function for boom light and cab light
- CAT data link w/capability of using E.T.

**OTHER STANDARD EQUIPMENT**

- Capability of installing;
- stackable valves for main valve (maximum one)
- additional auxiliary pump & circuit
- boom lowering control device and stick lowering check valve
- Automatic swing parking brake
- Two speed travel
- Caterpillar one key security system
- Door locks and cap locks
- Circuit breaker (24V &12V)
- Mirrors, rearview (frame -right, cab -left)

**OPERATOR ENVIRONMENT**

- Cab:
- Bolt-on FOGS capability
- Openable front windshield w/assist device
- Pillar mounted upper windshield wiper and washer
- Cab sliding upper door window

CATERPILLAR MACHINE PRICE LIST

# 311F RR

---

311F RR EXCAVATOR  
AKASHI, JAPAN

Ship Weight  
lbs

LIST PRICE  
AT DEALER

---

**Lane 2 is reserved for the Base Orders Program.  
Please use lane 2 when placing orders that are part of the  
Base Order Program.**

CATERPILLAR MACHINE PRICE LIST

# 311F RR

311F RR EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
------------------------------------	--------------------	-------------------------

565-3830      **311F L RR HEX AM-N DCA1B** . . . . . 0      **\$184,620**

LANE 2 - AVAILABLE FROM AKASHI FACTORY W/OP9003 USING PRIORITY CODE L2  
 LANE 3 - AVAILABLE FROM AKASHI FACTORY W/OP9003 USING PRIORITY CODE L2

311F L RR HYD EXCAVATOR DCA1 (R2.8M (9'2") STICK, 700MM (28")- ADSD-N

427-9712 311F L RR HYD EXCAVATOR  
 512-4666 REGIONAL PKG, ADSD-N/CNDA

- CONTROL, FINE SWING
- AIR CONDITIONER
- ACCUMULATOR WITH CRN
- SEAT BELT, 51MM (2")
- ALARM, TRAVEL

445-5117 BOOM PKG  
 - BOOM, REACH 4.3M(14'1")HD  
 - CYLINDER, BOOM  
 - CYLINDER, STICK

565-3866 LINKAGE PKG, BKT W/O EYE  
 - CYLINDER, BKT  
 - LINKAGE, BKT W/O LIFT

492-2000 COMBINED CIR STP PKG  
 - VALVE, HYDRAULIC NFC  
 - JOYSTICK, THUMB WHEEL  
 - MAT, FLOOR, RH PEDAL  
 - PEDAL, STRAIGHT TRAVEL  
 - CIRCUIT, COMBINED  
 - CIRCUIT, INITIAL  
 - FRONT LINES, STD  
 - PILOT LINES, COMMON  
 - PILOT LINES, TRAVEL STP  
 - PILOT LINES, W/O SLCV  
 - PILOT LINES, W/O SHOVEL CRANE  
 - CENTER COVER  
 - RADIATOR COVER

458-6928 CAB 70/30 PKG  
 - CAB-ROPS,70/30 W/VANDAL-G BOSS  
 - RADIO, 24V AM/FM  
 - COVER, STORAGE COMPARTMENT

362-3675 STICK, R2.8M (9'2") HD  
 420-3833 FRAME, BASE, LONG U/C BLADE  
 423-5192 COUNTERWEIGHT, 2.45TON(5,400 LBS)  
 432-7462 COUNTERWEIGHT MOUNT  
 340-8199 TRACK, 700MM (28") TG W/STEP (GLT)  
 327-6501 SEAT, H-BACK, SUSPENSION  
 398-7007 PANEL, STD START SWITCH  
 424-3397 GUARD, BOTTOM, STANDARD  
 169-7904 GUARD, TRACK MOTOR  
 424-9510 MIRROR, REAR VIEW, ISO MIRROR  
 424-3401 TANK, FUEL  
 430-8459 SWIVEL, BLADE  
 422-0742 ENGINE HOOD  
 424-5406 FAN, FIXED  
 432-8166 COVER, CTRL VALVE STD  
 461-3642 FRONT LINES, W/ QC CONTROL  
 424-7386 PILOT LINES, BLADE  
 434-2123 INSTRUCTIONS OUTSIDE, ANSI  
 448-5157 INSTRUCTIONS CAB, ANSI  
 120-7199 GUARD, TRACK GUIDING, CENTER

CATERPILLAR MACHINE PRICE LIST

# 311F RR

311F RR EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
------------------------------------	--------------------	-------------------------

- 283-2603 LIGHT, BOOM RIGHT SIDE
- 350-8277 LIGHTING, CAB (HALOGEN)
- 460-5617 CTRL, CAT PIN GRABBER COUPLER
- 282-5625 LINES-HP, R-BOOM
- 282-5629 LINES-QC, REACH BOOM
- 288-7396 LINES-HP, 2.8M (9'2") STICK
- 387-3759 LINES-QC, STICK 2.8M (9'2")
- 282-4582 BLADE, 2700MM (8'10")
- 424-9501 CONTROL, BLADE, W/PUMP
- 431-1831 CHANGER,HAND CTRL 2-WAY (ANSI)
- 316-3790 SUPPORT, AUX LINES, R-BOOM
- 342-3202 BATTERY, COLD WEATHER
- 462-8663 PRODUCT LINK, CELLULAR PL641

<b>427-9712</b>	<b>311F L RR HYD EXCAVATOR</b> . . . . . 0	<b>\$128,360</b>
	LANE 2 - AVAILABLE FROM AKASHI FACTORY	
	LANE 3 - AVAILABLE FROM AKASHI FACTORY	

NOTE: For ADSD-N, ADSD-S (Puerto Rico only), ANZ

CATERPILLAR MACHINE PRICE LIST

**311F RR**

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS**

MUST CHOOSE AT LEAST ONE PACKAGE OR ATTACHMENT FROM EACH CATEGORY

**LANE SELECTION**

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM THE PDC.

OP-9001	LANE 1 ORDER . . . . .	0	NC
	Order from Product Distribution Center (PDC)		

**DECAL PACKAGE**

(must choose one)

P	OP-7124	INSTRUCTION,NORTH AMERICA ANSI . . . . .	0	NC
		This package includes the ANSI decals and is required by all NACD territories except Quebec, Canada. ONLY ON PDC MACHINES.		

P	450-2192	INSTRUCTIONS, INTERNATIONAL . . . . .	0	NC
		This package includes picto decals as required for Quebec, Canada		

NOTE: For CANADA (Mandatory for Quebec)

**SERVICE INSTRUCTIONS**

Operation & Maintenance Manuals(OMMs) are automatically sent on every machine sourced from the PDC based on the legally required language of the destination country.

FOR OMM'S IN ADDITIONAL LANGUAGES, PLEASE USE THE FOLLOWING SITE:  
<https://oos.midlandcorp.com/cat/>

OP-3380	INSTRUCTIONS, ENGLISH . . . . .	0	NC
---------	---------------------------------	---	----

OP-3389	INSTRUCTIONS, FRENCH . . . . .	0	NC
---------	--------------------------------	---	----

OP-3404	INSTRUCTIONS, SPANISH . . . . .	0	NC
---------	---------------------------------	---	----

**EXPORT PACKING**

OG-4126	STORAGE PROTECTION (EXPORT) . . . . .	0	\$274 NET
	Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.		

OG-0498	ROLL ON-ROLL OFF LANE1 A . . . . .	0	\$152 NET
---------	------------------------------------	---	-----------

CATERPILLAR MACHINE PRICE LIST

# 311F RR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LANE SELECTION**

OP-9002	LANE 2 ORDER . . . . .	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER . . . . .	0	NC

**REGIONAL PACKAGES**

Select REGIONAL PACKAGE.

**REGIONAL PACKAGE.**

L	512-4666	REGIONAL PKG, AM-N . . . . .	0	\$1,065
		INCLUDES:		
		- CONTROL, FINE SWING		
		- AIR CONDITIONER		
		- ACCUMULATOR WITH CRN		
		- SEAT BELT, 51MM (2")		
		- ALARM, TRAVEL		

NOTE: For ADSD-N

**BOOMS, STICKS, AND LINKAGES**

Select one BOOM/CYLINDER PACKAGE  
 one STICK, one BUCKET CYLINDER LINKAGE PACKAGE

When ordering a frontless excavator, please contact Caterpillar OEM Solutions Group at oem\_solutions@cat.com. OEM Solutions Group will assist in development and pricing of the machine configuration, and to place the order for the machine.

CATERPILLAR MACHINE PRICE LIST

# 311F RR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BOOMS, STICKS, AND LINKAGES (CONT.)**

**BOOM/ CYLINDER PACKAGES**

L	445-5117	<b>BOOM PKG</b> ..... 0 4.3M (14'1") HD Boom Package (PKG) Includes boom cylinder and stick cylinder Includes boom light, left side. INCLUDES: - BOOM, REACH 4.3M (14'1") HD - CYLINDER, BOOM - CYLINDER, STICK REQUIRES ONE OF THE LISTED BELOW: JOYSTICK STANDARD PKG JOYSTICK STANDARD STP PKG TC PKG TC STP PKG TC MP PKG TC MP STP PKG TC MP STP BLADE PKG TC MP BLADE PKG HAMMER PKG		\$11,140
---	----------	---	--	----------

NOTE: For ADSD-N, ANZP

L	445-5118	<b>BOOM BLCV/SLCV PKG</b> ..... 0 4.3M (14'1") HD Boom Package (PKG) Includes boom cylinder and stick cylinder for BLCV/SLCV Includes boom light, left side. INCLUDES: - BOOM, REACH 4.3M (14'1") HD - CYLINDER, BOOM BLCV - CYLINDER, STICK SLCV REQUIRES ONE OF THE LISTED BELOW: JOYSTICK TWJ BLCV/SLCV PKG JOYSTICK TWJ BLCV/SLCV QC PKG JOYSTICK STD STP BLCV/SLCV PKG TC BLCV/SLCV PKG TC STP BLCV/SLCV PKG TC MP BLCV/SLCV PKG TC MP STP BLCV/SLCV PKG TC MP STP BLCV/SLCV BLADE PKG TC MP BLCV/SLCV BLADE PKG		\$11,140
---	----------	--	--	----------

NOTE: For ADSD-N, EU, ANZP

CATERPILLAR MACHINE PRICE LIST

# 311F RR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BOOMS, STICKS, AND LINKAGES (CONT.)**

**BOOM/ CYLINDER PACKAGES (Cont.)**

L	445-5118	<b>BOOM BLCV/SLCV PKG</b> ..... 0 4.3M (14'1") HD Boom Package (PKG) Includes boom cylinder and stick cylinder for BLCV/SLCV Includes boom light, left side. INCLUDES: - BOOM, REACH 4.3M (14'1") HD - CYLINDER, BOOM BLCV - CYLINDER, STICK SLCV REQUIRES ONE OF THE LISTED BELOW: JOYSTICK TWJ BLCV/SLCV PKG JOYSTICK TWJ BLCV/SLCV QC PKG JOYSTICK STD STP BLCV/SLCV PKG TC BLCV/SLCV PKG TC STP BLCV/SLCV PKG TC MP BLCV/SLCV PKG TC MP STP BLCV/SLCV PKG TC MP STP BLCV/SLCV BLADE PKG TC MP BLCV/SLCV BLADE PKG		\$11,140
---	----------	--	--	----------

NOTE: For ADSD-N, EU, ANZP

**STICKS**

	OG-0342	<b>NO STICK</b> ..... 0 For No front or Boom only (Stick less) REQUIRES: NO BUCKET LINKAGE ROPS CERTIFICATION REMOVAL		NC
L	362-3675	<b>STICK, R9'2" HD</b> ..... 0 FOR USE WITH ONE OF THE LISTED BELOW: BOOM PKG BOOM BLCV/SLCV PKG BOOM PKG, DEMOLITION 311F L RR HEX CJL BCF1 311F L RR HEX CJL BCF3		\$5,080

NOTE: For ADSD-N, EU, CJL, ANZP

**BUCKET CYLINDER PACKAGES**

	OG-0343	<b>NO BUCKET LINKAGE</b> ..... 0 For No bucket cylinder and bucket linkage		NC
--	---------	---	--	----



CATERPILLAR MACHINE PRICE LIST

**311F RR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BOOMS, STICKS, AND LINKAGES (CONT.)**

***BUCKET CYLINDER PACKAGES (Cont.)***

L	565-3866	LINKAGE PKG, BKT W/O EYE . . . . . 0		\$3,870
		Linkage packge (PKG), Bucket (BKT) W/O EYE		
		INCLUDES:		
		- CYLINDER, BKT		
		- LINKAGE, BKT W/O LIFT		
		FOR USE WITH:		
		STICK, R2.8M (9'2") HD		
		NOTE: For ADSD-N		

***NO BOOM/ STICK/ LINKAGE PACKAGE***

NOTE: Must be selected when machine ordered NO FRONT or BOOM only.

L	434-2133	ROPS CERTIFICATION REMOVAL. . . . . 0		NC
		Includes ROPS certification removal.		

**UNDERCARRIAGE**

**Select one TRACK**

L	533-6296	TRACK, 20" TG W/RUBBER PAD . . . . . 0		\$9,680
		NOTE: For ADSD-N		
L	340-8196	TRACK, 20" TG (GLT) . . . . . 0		\$281
		NOTE: For ADSD-N, EU, CJL, ANZP		
L	340-8198	TRACK, 24" TG (GLT) . . . . . 0		\$2,450
		NOTE: For ADSD-N, EU, CJL, ANZP		
L	340-8199	TRACK, 28" TG W/STEP (GLT) . . . . . 0		\$1,165
		NOTE: For ADSD-N, EU, CJL, ANZP		
L	340-8200	TRACK, 30" TG W/STEP (GLT) . . . . . 0		\$1,705
		NOTE: For ADSD-N, EU, ANZP		

***TRACK GUARD***

L	120-7199	GUARD, TRACK GUIDING, CENTER . . . . . 82		\$830
		NOTE: For ADSD-N, EU, ANZP		

CATERPILLAR MACHINE PRICE LIST

# 311F RR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**HYDRAULICS**

Select one **NO AUXILIARY CIRCUIT** or **AUXILIARY CIRCUIT**

**NO AUXILIARY CIRCUIT**

L	493-4970	<b>JOYSTICK STANDARD STP PKG</b> . . . . . 0		<b>\$1,850</b>
		Joystick Standard Straight Travel Pedal (STP) Package (PKG)		
		INCLUDES:		
		- JOYSTICK, BASIC		
		- MAT, FLOOR, RH PEDAL		
		- PEDAL, STRAIGHT TRAVEL		
		- FRONT LINES, STD		
		- PILOT LINES, W/O TOOL		
		- PILOT LINES, TRAVEL STP		
		- PILOT LINES, W/O SLCV		
		- PILOT LINES, W/O SHOVEL CRANE		
		- VALVE, HYDRAULIC		
		- CENTER COVER		
		- RADIATOR COVER		
		FOR USE WITH:		
		BOOM PKG		

NOTE: For ADSD-N, ANZP

L	493-4971	<b>JOYSTICK STD STP B/SLCV PKG</b> . . . . . 0		<b>\$5,430</b>
		Joystick Standard Straight Travel Pedal (STP) Boom lowering control Valve (BLCV)/Stick Lowering Control Valve (SLCV) Package (PKG)		
		INCLUDES:		
		- JOYSTICK, BASIC		
		- MAT, FLOOR, RH PEDAL		
		- PEDAL, STRAIGHT TRAVEL		
		- DEVICE, BLCV		
		- DEVICE, SLCV		
		- FRONT LINES, STD		
		- PILOT LINES, W/O TOOL		
		- PILOT LINES, TRAVEL STP		
		- PILOT LINES, SLCV		
		- PILOT LINES, W/O SHOVEL CRANE		
		- VALVE, HYDRAULIC		
		- CENTER COVER		
		- RADIATOR COVER		
		FOR USE WITH:		
		BOOM BLCV/SLCV PKG		

NOTE: For ADSD-N

CATERPILLAR MACHINE PRICE LIST

# 311F RR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**HYDRAULICS (CONT.)**

**AUXILIARY CIRCUIT - TOOL CONTROL W/O MED PRESSURE**

L	492-2000	<b>COMBINED CIR STP PKG . . . . . 0</b> Tool Control (TC) Straight Travel Pedal (STP) Package (PKG) Combined circuit (1 way / 2 way) This package can be used with "Blade" or without "Blade" INCLUDES: - JOYSTICK, THUMB WHEEL - MAT, FLOOR, RH PEDAL - PEDAL, STRAIGHT TRAVEL - CIRCUIT, COMBINED - CIRCUIT, INITIAL - FRONT LINES, STD - PILOT LINES, COMMON - PILOT LINES, TRAVEL STP - PILOT LINES, W/O SLCV - PILOT LINES, W/O SHOVEL CRANE - VALVE, HYDRAULIC NFC - CENTER COVER - RADIATOR COVER FOR USE WITH: BOOM PKG REQUIRES: LINES-HP, R-BOOM  NOTE: For ADSD-N, ANZP	0	\$7,450
---	----------	--	---	---------

CATERPILLAR MACHINE PRICE LIST

**311F RR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**HYDRAULICS (CONT.)**

**AUXILIARY CIRCUIT - TOOL CONTROL W/O MED PRESSURE (Cont.)**

L	493-4974	<b>COMBINED CIR STP B/SLCV PKG</b> ..... 0 Tool Control (TC) Straight Travel Pedal (STP) Boom lowering control Valve (BLCV)/Stick Lowering Control Valve (SLCV) Package (PKG) Combined circuit (1 way / 2 way) This package can be used with "Blade" or without "Blade" INCLUDES: - JOYSTICK, THUMB WHEEL - MAT, FLOOR, RH PEDAL - PEDAL, STRAIGHT TRAVEL - DEVICE, BLCV - DEVICE, SLCV - CIRCUIT, COMBINED - CIRCUIT, INITIAL - FRONT LINES, STD - PILOT LINES, COMMON - PILOT LINES, TRAVEL STP - PILOT LINES, SLCV - PILOT LINES, W/O SHOVEL CRANE - VALVE, HYDRAULIC NFC - CENTER COVER - RADIATOR COVER FOR USE WITH: BOOM BLCV/SLCV PKG REQUIRES: LINES-HP, R-BOOM  NOTE: For ADSD-N		\$11,030
---	----------	--	--	----------

CATERPILLAR MACHINE PRICE LIST

**311F RR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**HYDRAULICS (CONT.)**

**AUXILIARY CIRCUIT - TOOL CONTROL W/ MED PRESSURE**

L	493-4975	<b>COMBINED MP CIR STP PKG</b> ..... 0 Tool Control (TC) Medium Pressure (MP) Straight Travel Pedal (STP) Package (PKG) Combined circuit (1 way / 2 way) INCLUDES: - JOYSTICK, THUMB WHEEL - MAT, FLOOR, RH PEDAL - PEDAL, STRAIGHT TRAVEL - CIRCUIT, COMBINED - CIRCUIT, INITIAL - CIRCUIT, MP OC - FRONT LINES, STD - PILOT LINES, COMMON - PILOT LINES, TRAVEL STP - PILOT LINES, W/O SLCV - PILOT LINES, W/O SHOVEL CRANE - VALVE, HYDRAULIC NFC - CENTER COVER - RADIATOR COVER FOR USE WITH: BOOM PKG REQUIRES: LINES-HP, R-BOOM  NOTE: For ADSD-N, ANZP		\$12,350
---	----------	--	--	----------

CATERPILLAR MACHINE PRICE LIST

**311F RR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**HYDRAULICS (CONT.)**

**AUXILIARY CIRCUIT - TOOL CONTROL W/ MED PRESSURE (Cont.)**

L	493-4976	<b>COMBINED MP CIR STP B/SLCV PKG . . . . . 0</b> Tool Control (TC) Medium Pressure (MP) Straight Travel Pedal (STP) Boom lowering control Valve (BLCV)/Stick Lowering Control Valve (SLCV) Package (PKG) Combined circuit (1 way / 2 way) INCLUDES: - JOYSTICK, THUMB WHEEL - MAT, FLOOR, RH PEDAL - PEDAL, STRAIGHT TRAVEL - DEVICE, BLCV - DEVICE, SLCV - CIRCUIT, COMBINED - CIRCUIT, INITIAL - CIRCUIT, MP OC - FRONT LINES, STD - PILOT LINES, COMMON - PILOT LINES, TRAVEL STP - PILOT LINES, SLCV - PILOT LINES, W/O SHOVEL CRANE - VALVE, HYDRAULIC NFC - CENTER COVER - RADIATOR COVER FOR USE WITH: BOOM BLCV/SLCV PKG REQUIRES: LINES-HP, R-BOOM		\$15,930
---	----------	---	--	----------

NOTE: For ADSD-N

CATERPILLAR MACHINE PRICE LIST

**311F RR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**HYDRAULICS (CONT.)**

**AUXILIARY CIRCUIT - TOOL CONTROL W/ MED PRESSURE (Cont.)**

L	493-4977	<b>COMBINED MP CIR STP BLD PKG . . . . . 0</b> Tool Control (TC) Medium Pressure (MP) Straight Travel Pedal (STP) Blade Package (PKG) Combined circuit (1 way / 2 way) INCLUDES: - JOYSTICK, THUMB WHEEL - MAT, FLOOR, RH PEDAL - PEDAL, STRAIGHT TRAVEL - CIRCUIT, COMBINED - CIRCUIT, INITIAL - CIRCUIT, MP OC BLADE - FRONT LINES, STD - PILOT LINES, COMMON - PILOT LINES, TRAVEL STP - PILOT LINES, W/O SLCV - PILOT LINES, W/O SHOVEL CRANE - VALVE, HYDRAULIC NFC - CENTER COVER - RADIATOR COVER FOR USE WITH: BOOM PKG REQUIRES: LINES-HP, R-BOOM CONTROL, BLADE, W/PUMP MP		\$12,350
---	----------	--	--	----------

NOTE: For ADS-D-N, ANZP

CATERPILLAR MACHINE PRICE LIST

# 311F RR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**HYDRAULICS (CONT.)**

***AUXILIARY CIRCUIT - TOOL CONTROL W/ MED PRESSURE (Cont.)***

L	493-4978	<b>COMBINED MP STP B/SLCV BLD PKG</b> ..... 0 Tool Control (TC) Medium Pressure (MP) Straight Travel Pedal (STP) Boom lowering control Valve (BLCV)/Stick Lowering Control Valve (SLCV) Package (PKG) Combined circuit (1 way / 2 way) INCLUDES: - JOYSTICK, THUMB WHEEL - MAT, FLOOR, RH PEDAL - PEDAL, STRAIGHT TRAVEL - DEVICE, BLCV - DEVICE, SLCV - CIRCUIT, COMBINED - CIRCUIT, INITIAL - CIRCUIT, MP OC BLADE - FRONT LINES, STD - PILOT LINES, COMMON - PILOT LINES, TRAVEL STP - PILOT LINES, SLCV - PILOT LINES, W/O SHOVEL CRANE - VALVE, HYDRAULIC NFC - CENTER COVER - RADIATOR COVER FOR USE WITH: BOOM BLCV/SLCV PKG REQUIRES: LINES-HP, R-BOOM CONTROL, BLADE, W/PUMP MP		\$15,930
---	----------	--	--	----------

NOTE: For ADSD-N



CATERPILLAR MACHINE PRICE LIST

# 311F RR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LINE GROUPS**

Select one FRONT LINE and PILOT LINE

**FRONT LINES**

L	369-6125	FRONT LINES . . . . .	0	NC
		CAN NOT BE USED WITH: CTRL, CAT PIN GRABBER COUPLER		
		NOTE: For ADSD-N, EU, CJL, ANZP		
L	461-3642	FRONT LINES, W/ PGQC CONTROL . . . . .	0	NC
		REQUIRES: CTRL, CAT PIN GRABBER COUPLER CAN NOT BE USED WITH: 311F L RR HEX CJL BCF2 311F L RR HEX CJL BCF4		
		NOTE: For ADSD-N, ANZP, CJL, EUR		

**PILOT LINES**

L	432-6431	PILOT LINES, W/O BLADE . . . . .	0	NC
		CAN NOT BE USED WITH: FRAME, BASE, LONG U/C BLADE		
		NOTE: For ADSD-N, EU, ANZP		
L	424-7386	PILOT LINES, BLADE . . . . .	0	NC
		REQUIRES: FRAME, BASE, LONG U/C BLADE		
		NOTE: For ADSD-N, EU, ANZP		

**STARTERS, BATTERIES, & ALTERNATORS**

Select one COLD WEATHER START

L	342-3201	BATTERY, STANDARD . . . . .	0	\$580
		For temperatures above -18 degree C(OF).		
		NOTE: For ADSD-N, EU, ANZP		

CATERPILLAR MACHINE PRICE LIST

**311F RR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**STARTERS, BATTERIES, & ALTERNATORS (CONT.)**

L	445-5116	<b>COLD WEATHER PKG</b> . . . . . 0 For temperatures ranging from -18 degree C(0F) to -25 degrees C(-13F) INCLUDES: - BATTERY, COLD WEATHER - JUMP START  NOTE: For ADSD-N, EU		\$885
---	----------	--	--	-------

**OPERATOR ENVIRONMENT**

Select one **CAB PACKAGE**, one **STD KEY** or **MACHINE SECURITY**, one **SEAT**

**CAB PACKAGES**

(Select only one)

L	458-6928	<b>CAB 70/30 PKG</b> . . . . . 0 Cab 70/30 Package (PKG) - Compatible with FOGS and front windshield guard INCLUDES: - CAB-ROPS,70/30 W/VANDAL-G BOSS - RADIO, 24V AM/FM - COVER, STORAGE COMPARTMENT  NOTE: For ADSD-N, ANZP		\$1,655
---	----------	---	--	---------

L	458-6929	<b>CAB 70/30 CANADA B.C. PKG</b> . . . . . 0 Cab 70/30 Package (PKG) For British Columbia, CANADA Rear window for secondary exit. INCLUDES: - CAB-ROPS,70/30 W/VANDAL CANADA - RADIO, 24V AM/FM - COVER, STORAGE COMPARTMENT  NOTE: For ADSD-N		\$1,655
---	----------	---	--	---------

**STD KEY AND MACHINE SECURITY**

(Select only one)

L	398-7007	<b>PANEL, STD START SWITCH</b> . . . . . 0 Without machine security system  NOTE: For ADSD-N, EU, ANZP		NC
---	----------	---	--	----

L	423-1298	<b>SECURITY SYSTEM, MACHINE</b> . . . . . 0  NOTE: For ADSD-N, EU, ANZP		\$1,385
---	----------	---	--	---------

CATERPILLAR MACHINE PRICE LIST

**311F RR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**SEAT**

(Select only one)

L	327-6501	SEAT, H-BACK, SUSPENSION . . . . . Mechanical seat with high backrest	130	\$715
		NOTE: For ADS-D-N, EU		
L	327-6503	SEAT, H-BACK, W/HEATER,S/AIR . . . . . Air seat with high backrest, heater	108	\$1,045
		NOTE: For ADS-D-N, EU, ANZP		

**TECHNOLOGY PRODUCTS**

**PRODUCT LINK**

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country. Please contact your Cat marketing representative with questions.

L	462-8663	PRODUCT LINK, CELLULAR PL641 . . . . . ANSI Product Link Pro series PL641 uses GSM and CDMA 3G cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.	0	NC
		NOTE: For ADS-D-N (except for Quebec)		
L	471-0543	PRODUCT LINK, SATELLITE PL631 . . . . . ANSI Product Link Pro series PL631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.	0	\$432
		NOTE: For ADS-D-N (except for Quebec)		

**SAFETY AND SECURITY**

Select one CAMERA or MIRROR

CATERPILLAR MACHINE PRICE LIST

# 311F RR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**SAFETY AND SECURITY (CONT.)**

***CAMERA or MIRROR***

L	424-9509	<b>CAMERA, REAR VIEW, RH MIRRORS</b> . . . . . 0		\$1,090
		Rear view camera and right side mirror Requires one of the listed below. MIRRORS, CAB, EXTERNAL MIRRORS, CAB, GUARD FALLING		

NOTE: For ADSD-N, ANZ

L	424-9510	<b>MIRROR, REAR VIEW AND RH</b> . . . . . 0		\$107
		Rear view mirror and right side mirror Requires one of the listed below. MIRRORS, CAB, EXTERNAL MIRRORS, CAB, GUARD FALLING		

NOTE: For ADSD-N

**FUEL SYSTEMS**

Select one FUEL TANK

***FUEL TANK***

L	424-3401	<b>TANK, FUEL</b> . . . . . 0		NC
		CAN NOT BE USED WITH: COVER, CTRL VLV REFUEL PUMP, REFUELING		

NOTE: For ADSD-N, EU, ANZP

**COOLING**

Select COOLING

***COOLING***

L	424-5406	<b>FAN, FIXED</b> . . . . . 0		\$695
---	----------	-------------------------------	--	-------

NOTE: For ADSD-N, EU, ANZP

**GUARDS**

Select one MACHINE GUARD and TRAVEL MOTOR GUARD

CATERPILLAR MACHINE PRICE LIST

**311F RR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**GUARDS (CONT.)**

**MACHINE GUARD**

L	424-3397	GUARD, BOTTOM, STANDARD . . . . .	0	NC
---	----------	-----------------------------------	---	----

NOTE: For ADSD-N, EU, ANZP

L	424-3404	GUARD, BOTTOM, HEAVY DUTY . . . . .	0	\$1,210
---	----------	-------------------------------------	---	---------

NOTE: For ADSD-N, EU, ANZP

**TRAVEL MOTOR GUARD**

L	169-7904	GUARD, TRACK MOTOR . . . . .	0	\$82
---	----------	------------------------------	---	------

CAN NOT BE USED WITH:  
 BOOM PKG, DEMOLITION

NOTE: For ADSD-N, EU, ANZP

**OTHER ATTACHMENTS**

Select one ENGINE HOOD, one CONTROL VALVE COVER,  
 one FILM OUTSIDE, one FILM CAB.

**ENGINE HOOD**

L	422-0742	ENGINE HOOD . . . . .	0	NC
---	----------	-----------------------	---	----

CAN NOT BE USED WITH:  
 BOOM PKG, DEMOLITION

NOTE: For ADSD-N, EU, ANZP

**CONTROL VALVE COVER**

L	432-8166	COVER, CTRL VALVE STD . . . . .	0	NC
---	----------	---------------------------------	---	----

CAN NOT BE USED WITH:  
 GUARD, VANDALISM  
 GUARD, VANDALISM W/ PROTECTOR  
 PUMP, REFUELING

NOTE: For ADSD-N, EU, ANZP

L	432-8167	COVER, CTRL VALVE VANDALISM . . . . .	0	NC
---	----------	---------------------------------------	---	----

Storage box for valdalism guard  
 REQUIRES ONE OF THE LISTED BELOW:  
 GUARD, VANDALISM  
 GUARD, VANDALISM W/ PROTECTOR

NOTE: For ADSD-N, ANZP

CATERPILLAR MACHINE PRICE LIST

**311F RR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OTHER ATTACHMENTS (CONT.)**

**FILM OUTSIDE**

L	434-2123	INSTRUCTIONS OUTSIDE, ANSI . . . . .	0	NC
NOTE: For ADSD-N (Except for Quebec)				

**FILM CAB**

L	448-5157	INSTRUCTIONS CAB, ANSI . . . . .	0	NC
NOTE: For ADSD-N (Except for Quebec)				

**BODY**

Select one COUNTERWEIGHTMOUNT, one COUNTERWEIGHT, one BASE FRAME

**COUNTERWEIGHT MOUNTS**

L	432-7462	COUNTERWEIGHT MOUNT . . . . .	0	NC
CAN NOT BE USED WITH: BOOM PKG, DEMOLITION				
NOTE: For ADSD-N, EU, ANZP				

**COUNTERWEIGHT**

L	423-5192	COUNTERWEIGHT, 5,400 LBS . . . . .	0	\$493
NOTE: For ADSD-N, EU, ANZP				

**BASE FRAME**

L	420-3830	FRAME, BASE . . . . .	0	NC
CAN NOT BE USED WITH: SWIVEL, BLADE				
NOTE: For ADSD-N, EU, ANZP				
L	420-3833	FRAME, BASE, BLADE . . . . .	0	\$1,825
REQUIRES: SWIVEL, BLADE				
NOTE: For ADSD-N, EU, ANZP				

CATERPILLAR MACHINE PRICE LIST

# 311F RR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BODY (CONT.)**

**SWIVEL**

L	430-8458	SWIVEL, STANDARD . . . . . 0 CAN NOT BE USED WITH: CONTROL, BLADE, W/PUMP CONTROL, BLADE, W/PUMP MP  NOTE: For ADSD-N, EU, ANZP		NC
---	----------	--	--	----

L	430-8459	SWIVEL, BLADE . . . . . 0 REQUIRES ONE OF THE LISTED BELOW: CONTROL, BLADE, W/PUMP CONTROL, BLADE, W/PUMP MP  NOTE: For ADSD-N, EU, ANZP		\$655
---	----------	---	--	-------

**INSTRUCTIONS**

Select one OPERATION & MAINTENANCE MANUAL

**OPERATION & MAINTENANCE MANUAL**

	OP-3380	INSTRUCTIONS, ENGLISH . . . . . 0 NOTE: For ADSD-N, EU, ANZP		NC
	OP-3389	INSTRUCTIONS, FRENCH . . . . . 0 NOTE: For ADSD-N, EU		NC
	OP-3404	INSTRUCTIONS, SPANISH . . . . . 0 NOTE: For ADSD-N, EU		NC

CATERPILLAR MACHINE PRICE LIST

**311F RR**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LINE GROUPS**

**HIGH PRESSURE AUXILIARY BOOM & STICK LINES.**

Select one BOOM LINE and STICK LINE

L	282-5625	<b>LINES-HP, R-BOOM</b> ..... 0 FOR USE WITH ONE OF THE LISTED BELOW: BOOM PKG BOOM BLCV/SLCV PKG BOOM PKG, SHOVEL CRANE BOOM PKG, DEMOLITION 311F L RR HEX CJL BCF1 311F L RR HEX CJL BCF2 311F L RR HEX CJL BCF3 311F L RR HEX CJL BCF4 311F L RR HEX CJL BCF5 311F L RR HEX CJL BCF6 FOR USE WITH ONE OF THE LISTED BELOW: TC PKG TC BLCV/SLCV PKG TC PKG, SHOVEL CRANE TC STP PKG TC STP BLCV/SLCV PKG TC MP PKG TC MP BLCV/SLCV PKG TC MP STP PKG TC MP STP BLCV/SLCV PKG TC MP BLADE PKG TC MP STP BLADE PKG TC MP STP BLCV/SLCV BLADE PKG TC MP BLCV/SLCV BLADE PKG COMBINED CIR PKG COMBINED CIR SC PKG COMBINED MP CIR PKG REQUIRES: SUPPORT, AUX LINES, R-BOOM  NOTE: For ADSD-N, EU, CJL, ANZP		\$1,765
L	288-7396	<b>LINES-HP, 9'2" STICK</b> ..... 73 FOR USE WITH: STICK, R2.8M (9'2") HD STICK, R2.8M (9'2") HD SC FOR USE WITH ONE OF THE LISTED BELOW: LINES-HP, R-BOOM  NOTE: For ADSD-N, EU, CJL, ANZP		\$497



CATERPILLAR MACHINE PRICE LIST

# 311F RR

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LINE GROUPS (CONT.)**

**MEDIUM PRESSURE AUXILIARY BOOM & STICK LINES**

Select one BOOM LINE and STICK LINE

L	282-5627	<p><b>LINES-MP, R-BOOM</b> . . . . . 50</p> <p>FOR USE WITH ONE OF THE LISTED BELOW:</p> <p>BOOM PKG                      BOOM BLCV/SLCV PKG                      BOOM PKG, DEMOLITION                      311F L RR HEX CJL BCF1                      311F L RR HEX CJL BCF5</p> <p>FOR USE WITH ONE OF THE LISTED BELOW:</p> <p>TC MP PKG                      TC MP BLCV/SLCV PKG                      TC MP STP PKG                      TC MP STP BLCV/SLCV PKG                      TC MP STP BLADE PKG                      TC MP STP BLCV/SLCV BLADE PKG                      TC MP BLADE PKG                      TC MP BLCV/SLCV BLADE PKG                      COMBINED MP CIR PKG</p> <p>REQUIRES:                      SUPPORT, AUX LINES, R-BOOM</p> <p>(*) If already selected 316-3790 (SUPPORT, AUX LINES, R-BOOM)                      no need to select this again.</p> <p>NOTE: For ADSD-N, EU CJL, ANZP</p>		\$1,195
L	288-7397	<p><b>LINES-MP, 9'2" STICK</b> . . . . . 44</p> <p>FOR USE WITH:                      STICK, R2.8M (9'2") HD                      LINES-MP, R-BOOM</p> <p>NOTE: For ADSD-N, EU, CJL, ANZP</p>		\$401

CATERPILLAR MACHINE PRICE LIST

**311F RR**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LINE GROUPS (CONT.)**

**QUICK COUPLER BOOM & STICK LINES**

Select one BOOM LINE and STICK LINE

L	282-5629	<b>LINES-QC, REACH BOOM</b> ..... 37 FOR USE WITH ONE OF THE LISTED BELOW: BOOM PKG BOOM BLCV/SLCV PKG 311F L RR HEX CJL BCF1 311F L RR HEX CJL BCF3 311F L RR HEX CJL BCF5 311F L RR HEX CJL BCF6 REQUIRES ONE OF THE LISTED BELOW: CTRL, CAT PIN GRABBER COUPLER CONTROL, UNIVERSAL QC REQUIRES: SUPPORT, AUX LINES, R-BOOM CAN NOT BE USED WITH: 311F L RR HEX CJL BCF2 311F L RR HEX CJL BCF4 (*) If already selected 316-3790 (SUPPORT, AUX LINES, R-BOOM) no need to select this again.  NOTE: For ADSD-N, EU, ,CJL, ANZP		\$1,295
---	----------	--	--	---------

L	387-3759	<b>LINES-QC, 9'2" STICK</b> ..... 0 FOR USE WITH ONE FOF THE LISTED BELOW: STICK, R2.8M (9'2") HD STICK, R2.8M (9'2") HD SC FOR USE WITH: LINES-QC, REACH BOOM  NOTE: For ADSD-N, EU, ANZP, CJL		\$930
---	----------	--	--	-------

**BOOM LINE AUXILIARY MOUNT**

L	316-3790	<b>SUPPORT, AUX LINES, R-BOOM</b> ..... 0 Required when any boom aux lines are selected. FOR USE WITH ONE OF THE LISTED BELOW: LINES-HP, R-BOOM LINES-MP, R-BOOM LINES-QC, REACH BOOM  NOTE: For ADSD-N, EU, CJL, ANZP		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

**311F RR**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LINE GROUPS (CONT.)**

**QUICK COUPLER CONTROLS**

L	460-5617	CTRL, CAT PIN GRABBER COUPLER . . . . . 0		\$850
		For ANSI For use only for Cat Pin Grabber Coupler This DOES NOT include QC lines for the boom and stick. This is designed for the pin grabber coupler operating at full machine implement pressure. It contains the hydraulic lines on the upper frame and control. It as a high-pressure circuit.		

NOTE: For ADSD-N (Except for Quebec)

**OPERATOR ENVIRONMENT**

**PATTERN CHANGER**

L	431-1831	CHANGER,HAND CTRL 2-WAY (ANSI) . . . . . 0		NC
---	----------	--	--	----

NOTE: For ADSD-N (Except for Quebec)

**RAIN PROTECTOR**

L	353-2094	RAIN PROTECTOR, CAB FRONT . . . . . 7		\$415
		For front windshield CAN NOT BE USED WITH: GUARD FOGS PKG GUARD FULL FRONT MESH PKG GUARD, VANDALISM		

NOTE: For ADSD-N, EU

**SUN SCREEN**

L	245-7881	SUN SCREEN. . . . . 9		\$205
---	----------	-----------------------	--	-------

NOTE: Mandatory for ANZP  
Optional for ADSD-N, EU

**SAFETY AND SECURITY**

**CAB MIRRORS**

Mandatory for EU. Must select one.

L	327-6552	MIRROR, CAB, W/O GUARD . . . . . 0		\$107
		Additional ISO cab mirror CAN NOT BE USED WITH: GUARD FOGS PKG GUARD FULL FRONT MESH PKG		

NOTE: For ADSD-N, EU, ANZP

CATERPILLAR MACHINE PRICE LIST

**311F RR**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**SAFETY AND SECURITY (CONT.)**

***CAB MIRRORS (Cont.)***

L	327-6553	<b>MIRROR, CAB, GUARD FALLING</b> . . . . . 0 Additional ISO cab mirror for FOGS and front mesh guard REQUIRES ONE OF THE LISTED BELOW: GUARD FOGS PKG GUARD FULL FRONT MESH PKG  NOTE: For ADSD-N, EU, ANZP		\$107
---	----------	--	--	-------

***CAB GUARDS AND LIGHTS***

NOTE: Option to select one.

L	445-5160	<b>GUARD FOGS PKG</b> . . . . . 0 Top and front INCLUDES: - GUARD, FALLING OBJECTS - LIGHTING, CAB (HALOGEN) GRD CAN NOT BE USED WITH: RAIN PROTECTOR, CAB FRONT FOR USE WITH: MIRRORS, CAB, GUARD FALLING  NOTE: For ADSD-N, EU, ANZP		\$2,960
L	445-5158	<b>GUARD FULL FRONT MESH PKG</b> . . . . . 0 Front only INCLUDES: - GUARD, FRONT WINDSHIELD - LIGHTING, CAB (HALOGEN) GRD CAN NOT BE USED WITH: RAIN PROTECTOR, CAB FRONT FOR USE WITH: MIRRORS, CAB, GUARD FALLING  NOTE: For ADSD-N, EU, ANZP		\$2,120
L	350-8277	<b>LIGHTING, CAB (HALOGEN)</b> . . . . . 0  NOTE: For ADSD-N, EU, ANZP		\$308

CATERPILLAR MACHINE PRICE LIST

**311F RR**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**SAFETY AND SECURITY (CONT.)**

**VANDAL GUARDS**

L	207-0159	<b>GUARD, VANDALISM</b> ..... 0 CAN NOT BE USED WITH: RAIN PROTECTOR, CAB FRONT GUARD FOGS PKG GUARD FULL FRONT MESH PKG FOR USE WITH: COVER, CTRL VLV VANDALISM MIRRORS, CAB, EXTERNAL		\$850
---	----------	--	--	-------

NOTE: For ADSD-N, ANZP

L	207-0160	<b>GUARD, VANDALISM FOR PROTECTOR</b> ..... 0 CAN NOT BE USED WITH: GUARD FOGS PKG GUARD FULL FRONT MESH PKG FOR USE WITH: COVER, CTRL VLV VANDALISM MIRRORS, CAB, EXTERNAL RAIN PROTECTOR, CAB FRONT		\$850
---	----------	--	--	-------

NOTE: For ADSD-N

**BOOM LIGHT**

L	283-2603	<b>LIGHT, BOOM RIGHT SIDE</b> ..... 4 For Reach boom light, right side FOR USE WITH ONE OF THE LISTED BELOW: HD BARE BOOM PKG BOOM PKG BOOM BLCV/SLCV PKG BOOM PKG, SHOVEL CRANE BOOM PKG, DEMOLITION		\$154
---	----------	--	--	-------

NOTE: Mandatory for ADSD-N, EU  
 Optional for ANZP

**BUMPER**

L	282-4670	<b>BUMPER, SIDE STEEL</b> ..... 77		\$685
---	----------	------------------------------------	--	-------

NOTE: For ADSD-N, ANZP

**GUARDS**

L	137-2813	<b>GUARD, SWIVEL</b> ..... 48		\$278
---	----------	-------------------------------	--	-------

NOTE: Mandatory for ADSD-N  
 Optional for EU, ANZP

CATERPILLAR MACHINE PRICE LIST

# 311F RR

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BLADES**

**BLADES**

L	282-4576	<p><b>BLADE, 8'2"</b> .....963</p> <p>This blade is recommended for use with 500mm (20") track shoes.                      REQUIRES: For AM-N/EUR/ANZP                      424-9501 CONTROL, BLADE, W/PUMP or                      424-9503 CONTROL, BLADE, W/PUMP or                      424-9502 CONTROL, BLADE, W/PUMP MP or                      424-9504 CONTROL, BLADE, W/PUMP MP</p> <p>ONLY FOR USE WITH: For Japan                      517-7307 311F L RR HEX CJL BCF3                      517-7308 311F L RR HEX CJL BCF4                      517-7310 311F L RR HEX CJL BCF6</p> <p>For AM-N/EUR/ANZP                      424-7386 PILOT LINES, BLADE                      420-3838 FRAME, BASE, LONG U/C BLADE                      430-8459 SWIVEL, BLADE</p>		\$3,930
L	282-4579	<p><b>BLADE, 8'6"</b> .....1,089</p> <p>This blade is recommended for use with 600mm (24") track shoes.                      REQUIRES: For AM-N/EUR/ANZP                      424-9501 CONTROL, BLADE, W/PUMP or                      424-9503 CONTROL, BLADE, W/PUMP or                      424-9502 CONTROL, BLADE, W/PUMP MP or                      424-9504 CONTROL, BLADE, W/PUMP MP</p> <p>ONLY FOR USE WITH: For Japan                      517-7307 311F L RR HEX CJL BCF3                      517-7308 311F L RR HEX CJL BCF4                      517-7310 311F L RR HEX CJL BCF6</p> <p>For AM-N/EUR/ANZP                      424-7386 PILOT LINES, BLADE                      420-3838 FRAME, BASE, LONG U/C BLADE                      430-8459 SWIVEL, BLADE</p>		\$5,520
L	282-4582	<p><b>BLADE, 8'10"</b> .....1,111</p> <p>This blade is recommended for use with 700mm (28") track shoes.                      REQUIRES: For AM-N/EUR/ANZP                      424-9501 CONTROL, BLADE, W/PUMP or                      424-9503 CONTROL, BLADE, W/PUMP or                      424-9502 CONTROL, BLADE, W/PUMP MP or                      424-9504 CONTROL, BLADE, W/PUMP MP</p> <p>ONLY FOR USE WITH: For Japan                      517-7307 311F L RR HEX CJL BCF3                      517-7308 311F L RR HEX CJL BCF4                      517-7310 311F L RR HEX CJL BCF6</p> <p>For AM-N/EUR/ANZP                      424-7386 PILOT LINES, BLADE                      420-3838 FRAME, BASE, LONG U/C BLADE                      430-8459 SWIVEL, BLADE</p>		\$6,290

CATERPILLAR MACHINE PRICE LIST

**311F RR**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BLADES (CONT.)**

**BLADE CONTROLS**

L	424-9501	CONTROL, BLADE, W/PUMP ..... 0 Select when Tool control with medium pressure pkg is NOT required. ONLY FOR USE WITH: 282-4576 BLADE, 2500MM (8'2") 282-4579 BLADE, 2600MM (8'6") 282-4582 BLADE, 2700MM (8'10") CANNOT BE USED WITH: 493-4975 COMBINED MP CIR STP PKG 493-4976 COMBINED MP CIR STP B/SLCV PKG 493-4977 COMBINED MP CIR STP BLD PKG 492-2003 COMBINED MP B/SLCV BLD PKG 493-4978 COMBINED MP STP B/SLCV BLD PKG 493-4980 COMBINED MP CIR B/SLCV PKG 493-4981 COMBINED MP B/SLCV BLD PKG		\$6,630
L	424-9502	CONTROL, BLADE, W/PUMP MP ..... 0 For use when ordering a Tool control with medium pressure pkg ONLY FOR USE WITH: 282-4576 BLADE, 2500MM (8'2") 282-4579 BLADE, 2600MM (8'6") 282-4582 BLADE, 2700MM (8'10") and 493-4977 COMBINED MP CIR STP BLD PKG 492-2003 COMBINED MP B/SLCV BLD PKG 493-4978 COMBINED MP STP B/SLCV BLD PKG 493-4981 COMBINED MP B/SLCV BLD PKG		\$6,630

**BUCKETS**

NOTE: Stick, bucket linkage and bucket must be matched.

Includes tooth adapters welded on cutting edge.  
 Long tooth tips and sidecutters or sidebar protectors.  
 Rated capacity, SAE heaped.

**GENERAL DUTY (GD)**

For digging in low impact, lower abrasion materials as dirt,  
 and mixed compositions of dirt and fine gravel.

P	358-8616	BUCKET-GD, 36" 0.69 YD3 ..... 888 REQUIRES: 6 tips J250  NOTE: For ADSD-N, ANZ		\$4,343
P	354-5797	BUCKET-GD, 42" 0.84 YD3 ..... 984 REQUIRES: 7 tips J250  NOTE: For ADSD-N		\$4,625
P	358-8621	BUCKET-GD, 48" 1.00 YD3 ..... 1,074 REQUIRES: 7 tips J250  NOTE: For ADSD-N		\$4,968

CATERPILLAR MACHINE PRICE LIST

**311F RR**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BUCKETS (CONT.)**

**SEVERE DUTY (SD)**

For higher abrasion conditions such as well shot granite and caliche.

P	358-8640	BUCKET-SD, 36" 0.69 YD3 REQUIRES: 5 tips J300  NOTE: For ADSD-N	1,005	\$5,488
P	358-8641	BUCKET-SD, 42" 0.84 YD3 REQUIRES: 5 tips J300  NOTE: For ADSD-N	1,106	\$5,982

**SIDE CUTTERS**

P	380-1203	SIDE CUTTER, GENERAL PURPOSE INCLUDES: LH and RH general purpose sidecutters  NOTE: For ADSD-N, EU	36	\$475
---	----------	---	----	-------

**TIP(ADAPTER SIZE J250)**

P	9J-3169	TIP, LONG Recommended for harder-to-penetrate including high impact trenching, excavation and loading. Good penetration, stays sharp.  NOTE: For ADSD-N, EU, ANZ	7	\$89
---	---------	---	---	------

**TIP(ADAPTER SIZE J300)**

P	195-9180	TIP, PENETRATION PLUS Recommended for harder-to-penetrate including high impact trenching, excavation and loading. Good penetration, stays sharp.  NOTE: For ADSD-N	12	\$68
---	----------	--	----	------

**PACKING**

**STORAGE PROTECTION**

	OG-4126	STORAGE PROTECTION (EXPORT) Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.	0	\$274 NET
--	---------	--	---	-----------



CATERPILLAR MACHINE PRICE LIST

**311F RR**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**PACKING (CONT.)**

**EXPORT PACKING**

0G-4201	ROLL ON-ROLL OFF . . . . .	0	\$118 NET
	For use when ordering an installed bucket or quick coupler		
0G-0479	ROLL ON-ROLL OFF W/O BKT QC A . . . . .	0	\$152 NET
	For use when NOT ordering an installed bucket or quick coupler		