

CATERPILLAR MACHINE PRICE LIST

316F

316F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

Standard Equipment:

POWERTRAIN

- Diesel engine C4.4 certified to EPA Tier4 final, EU Stage IV, Japan MLIT Step 5
- 2300m/7550ft altitude capability w/ no derate
- Waved fin radiator w/ enough space for cleaning operation (2SBS)
- Radial seal air filter
- Fuel water separator w/ level indicator
- Capability of
 - EIS (Engine Idle Shutdown) function
 - Using Bio-Diesel fuel (B20)

UNDERCARRIAGE

- Grease lubricated track GLT1, resin seal
- Towing eye for diagonal lashing on baseframe

HYDRAULICS

- Hydraulic main pump
- Regeneration circuit for boom and stick
- Two speed travel
- Capability of installing
 - Additional auxiliary pump & circuit
 - CAT Bio hydraulic oil
- Boom lowering device in case of engine shut down
- High performance hyd. return filter

ELECTRICAL

- Circuit breaker
- Capability of installing electric fuel lifting pump
- Light, storage box mounted (one) halogen
- Time delay function for boom light and cab light

OPERATOR ENVIRONMENT

- Cab
 - Bolt-on FOGS capability
 - Openable front windshield w/ assist device
 - Pillar mounted upper windshield wiper and washer
 - Cab sliding upper door window
 - Rear window
 - Removal lower windshield w/ incab storage bracket
 - Openable skylight as emergency exit
- Operators Station:
 - Interior lighting, Coat hook, Beverage holder with slit, Literature holder
 - Utility space for magazine
 - Radio mounting (DIN size) suitable

- for 24-Volt radios
- Mounting for two stereo speakers
- Storage compartment suitable for lunch box
- Door & cap locks
- 24V radio ready (harness, two speakers, antenna-flexible type)
- 12V-2 x 10A power supply w/ two cigar lighter type sockets
- Cab glass break hammer

Monitor:

- Single axis adjustable monitor (horizontal only)
 - Full graphic and full color display
 - Warning information
 - Filter/fluid change information
 - Working hour information
 - Machine condition
 - Error code and tool mode setting information

Seat:

- Console height adjustment system
- Armrest height adjustment system
- Electrical provision for seat heater

Pedal:

- Capability to install 2 add'l pedals
- Travel control pedals with removable hand levers
- Neutral lever (lock out) for all controls

SAFETY AND SECURITY

- Caterpillar one key security system
- Secondary engine shutoff switch
- Signaling / warning horn

OTHER STANDARD EQUIPMENT

- Capability of installing
 - Stackable valves for main valve (max 2 valves)
 - Boom lowering control device and stick lowering check valve
 - Block Heater
- CAT data link w/capability of using E.T.
- Automatic swing parking brake
- Fine swing control capability
- Mirrors, rearview (frame -right, cab-left)
- Capability of installing fine grading system (Dealer retrofit only: available in Europe)

CATERPILLAR MACHINE PRICE LIST

316F

316F EXCAVATOR
AKASHI, JAPAN

Ship Weight
lbs

LIST PRICE
AT DEALER

**Lane 2 is reserved for the Base Orders Program.
Please use lane 2 when placing orders that are part of the
Base Order Program.**

CATERPILLAR MACHINE PRICE LIST

316F

316F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

538-9233 3.1M (10'2"), 700mm (28") Track Dirt Digger with Coupler Hydraulics INCLUDES: 427-9701 316F L HEX 488-6543 SEAT BELT, 51MM (2") RETRACTABLE 430-8467 CONTROL, FINE SWING 499-2012 MACHINE SOFTWARE 432-1340 AIR CONDITIONER 352-7158 ACCUMULATOR WITH CRN 360-6166 ALARM, TRAVEL 457-1770 REACH BOOM HD PKG REACH BOOM, 5.1M HD CYLINDER, BOOM (W/O BLCV) CYLINDER, STICK (W/O SLCV) 381-8971 CYLINDER, BKT 385-3234 LINKAGE, BKT W/O LIFT 490-8975 STICK, R3.1M HD 510-3658 JOYSTICK STANDARD STP PKG VALVE, HYDRAULIC JOYSTICK, ONE BUTTON MAT, FLOOR, RH PEDAL PEDAL, STRAIGHT TRAVEL LINES, CYLINDER PILOT LINES, STRAIGHT TRAVEL PILOT LINES, BKT OPEN STD PILOT LINES, BOOM UP STD/VAB PILOT LINES, TCS STD MACHINE CONTROLLER STD 372-9524 CAB-ROPS,70/30,W/VANDAL-G BOSS 340-6667 HATCH, OPENABLE ROOF (DUAL) 496-8191 RADIO, 24V AM/FM 134-8875 GUARD, SWIVEL 291-7730 LIGHT, BOOM RIGHT SIDE 319-1179 LIGHTING, CAB (HALOGEN) 333-3007 TRAVEL MOTOR, BIO OIL CAPABLE 340-8211 TRACK, 700MM TG W/STEP (GLT) 342-3202 BATTERY, COLD WEATHER 342-3636 WIPER-RADIAL, FRONT 70/30 346-7396 WASHER, WINDSHIELD UPPER 346-7203 GUARD, TRACK GUIDING, CENTER 359-8843 SUPPORT, AUX LINES, R-BOOM 397-8306 LINES-QC, REACH 5.1M BOOM 262-3239 LINES-QC, REACH 3.1M STICK 369-0145 PANEL, STD START SWITCH 426-0303 GUARD, BOTTOM 427-9710 CAMERA, REAR VIEW, MIRRORS(RH) 426-0308 ENGINE HOOD, HIGH AMBIENT 426-2491 TANK, FUEL, STANDARD 426-2534 COUNTERWEIGHT, 2.8MT 430-8472 AIR CLEANER, STANDARD 447-1667 FAN, FIXED SPEED 453-7538 SEAT, H-BACK, W/HEATER,S/AIR	0	\$214,700
---	---	------------------

CATERPILLAR MACHINE PRICE LIST

316F

316F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
502-1373 LINES, BKT CLOSE PGQC		
460-1148 PRODUCT LINK, CELLULAR PL641		
427-9715 DECALS, EXTERIOR ANSI		
504-9465 DECALS, CAB ANSI		
349-2233 CHANGER,HAND CTRL 2-WAY (ANSI)		
504-1097 CTRL,CAT PIN GRAB COUPLER ANSI		

CATERPILLAR MACHINE PRICE LIST

316F

316F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

538-9234	316F L HEX AM-N DCA2B 0	\$223,400
-----------------	--	------------------

LANE 1 - AVAILABLE FROM BALTIMORE DIST. CENTER
 LANE 2 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2
 LANE 3 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2

2.9M (9'6") Stick, Tool Control, 600mm (24") Track

Versatile machine with Tool Control and Coupler circuit

INCLUDES:

- 427-9701 316F L HEX
- 488-6543 SEAT BELT, 51MM (2") RETRACTABLE
- 430-8467 CONTROL, FINE SWING
- 499-2012 MACHINE SOFTWARE
- 432-1340 AIR CONDITIONER
- 352-7158 ACCUMULATOR WITH CRN
- 360-6166 ALARM, TRAVEL
- 457-1770 REACH BOOM HD PKG
 REACH BOOM, 5.1M HD
 CYLINDER, BOOM (W/O BLCV)
 CYLINDER, STICK (W/O SLCV)
- 381-8971 CYLINDER, BKT
- 385-3234 LINKAGE, BKT W/O LIFT
- 338-7847 STICK, R2.9M HD
- 510-3659 COMBINED CIR STP PKG
 VALVE, HYDRAULIC TCS
 JOYSTICK, THUMB WHEEL
 MAT, FLOOR, RH PEDAL
 PEDAL, STRAIGHT TRAVEL
 LINES, CYLINDER
 PILOT LINES, STRAIGHT TRAVEL
 PILOT LINES, BKT OPEN STD
 PILOT LINES, BOOM UP STD/VAB
 PILOT LINES, TCS
 CIRCUIT, COMBINED
 MACHINE CONTROLLER TCS
- 372-9524 CAB-ROPS,70/30,W/VANDAL-G BOSS
- 340-6667 HATCH, OPENABLE ROOF (DUAL)
- 496-8191 RADIO, 24V AM/FM
- 134-8875 GUARD, SWIVEL
- 291-7730 LIGHT, BOOM RIGHT SIDE
- 319-1179 LIGHTING, CAB (HALOGEN)
- 333-3007 TRAVEL MOTOR, BIO OIL CAPABLE
- 340-8210 TRACK, 600MM TG (GLT)
- 342-3202 BATTERY, COLD WEATHER
- 342-3636 WIPER-RADIAL, FRONT 70/30
- 346-7396 WASHER, WINDSHIELD UPPER
- 346-7203 GUARD, TRACK GUIDING, CENTER
- 359-8843 SUPPORT, AUX LINES, R-BOOM
- 262-3234 LINES, HIGH PRESSURE, 1PC BOOM
- 268-7245 LINES-HP, REACH 2.9M STICK
- 397-8306 LINES-QC, REACH 5.1M BOOM
- 268-7247 LINES-QC, REACH 2.9M STICK
- 369-0145 PANEL, STD START SWITCH
- 426-0303 GUARD, BOTTOM
- 427-9710 CAMERA, REAR VIEW, MIRRORS(RH)
- 426-0308 ENGINE HOOD, HIGH AMBIENT
- 426-2491 TANK, FUEL, STANDARD

CATERPILLAR MACHINE PRICE LIST

316F

316F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
426-2534 COUNTERWEIGHT, 2.8MT		
430-8472 AIR CLEANER, STANDARD		
447-1667 FAN, FIXED SPEED		
453-7538 SEAT, H-BACK, W/HEATER,S/AIR		
502-1373 LINES, BKT CLOSE PGQC		
460-1148 PRODUCT LINK, CELLULAR PL641		
427-9715 DECALS, EXTERIOR ANSI		
504-9465 DECALS, CAB ANSI		
349-2233 CHANGER,HAND CTRL 2-WAY (ANSI)		
504-1097 CTRL,CAT PIN GRAB COUPLER ANSI		
349-2233 CHANGER,HAND CTRL 2-WAY (ANSI)		
463-1943 CTRL,CAT PIN GRAB COUPLER ANSI		

CATERPILLAR MACHINE PRICE LIST

316F

316F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

<p>538-9235</p> <p>316F L HEX AM-N DCA3B 0</p> <p>LANE 2 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2</p> <p>LANE 3 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2</p> <p>3.1M (10'2") Stick, Tool Control (Tool 20), 700mm (28") Track</p> <p>Versatile machine with Thumb Auxiliary Hydraulic, Coupler circuit and Thumb Ready stick</p> <p>INCLUDES:</p> <p>427-9701 316F L HEX</p> <p>488-6543 SEAT BELT, 51MM (2") RETRACTABLE</p> <p>430-8467 CONTROL, FINE SWING</p> <p>499-2012 MACHINE SOFTWARE</p> <p>432-1340 AIR CONDITIONER</p> <p>352-7158 ACCUMULATOR WITH CRN</p> <p>360-6166 ALARM, TRAVEL</p> <p>457-1770 REACH BOOM HD PKG</p> <p style="padding-left: 20px;">REACH BOOM, 5.1M HD</p> <p style="padding-left: 20px;">CYLINDER, BOOM (W/O BLCV)</p> <p style="padding-left: 20px;">CYLINDER, STICK (W/O SLCV)</p> <p>381-8971 CYLINDER, BKT</p> <p>385-3234 LINKAGE, BKT W/O LIFT</p> <p>490-8976 STICK, R3.1M HD THUMB</p> <p>510-3659 COMBINED CIR STP PKG</p> <p style="padding-left: 20px;">VALVE, HYDRAULIC TCS</p> <p style="padding-left: 20px;">JOYSTICK, THUMB WHEEL</p> <p style="padding-left: 20px;">MAT, FLOOR, RH PEDAL</p> <p style="padding-left: 20px;">PEDAL, STRAIGHT TRAVEL</p> <p style="padding-left: 20px;">LINES, CYLINDER</p> <p style="padding-left: 20px;">PILOT LINES, STRAIGHT TRAVEL</p> <p style="padding-left: 20px;">PILOT LINES, BKT OPEN STD</p> <p style="padding-left: 20px;">PILOT LINES, BOOM UP STD/VAB</p> <p style="padding-left: 20px;">PILOT LINES, TCS</p> <p style="padding-left: 20px;">CIRCUIT, COMBINED</p> <p style="padding-left: 20px;">MACHINE CONTROLLER TCS</p> <p>372-9524 CAB-ROPS,70/30,W/VANDAL-G BOSS</p> <p>340-6667 HATCH, OPENABLE ROOF (DUAL)</p> <p>496-8191 RADIO, 24V AM/FM</p> <p>134-8875 GUARD, SWIVEL</p> <p>291-7730 LIGHT, BOOM RIGHT SIDE</p> <p>319-1179 LIGHTING, CAB (HALOGEN)</p> <p>333-3007 TRAVEL MOTOR, BIO OIL CAPABLE</p> <p>340-8211 TRACK, 700MM TG W/STEP (GLT)</p> <p>342-3202 BATTERY, COLD WEATHER</p> <p>342-3636 WIPER-RADIAL, FRONT 70/30</p> <p>346-7396 WASHER, WINDSHIELD UPPER</p> <p>346-7203 GUARD, TRACK GUIDING, CENTER</p> <p>359-8843 SUPPORT, AUX LINES, R-BOOM</p> <p>262-3234 LINES, HIGH PRESSURE, 1PC BOOM</p> <p>262-3237 LINES-HP, REACH 3.1M STICK</p> <p>397-8306 LINES-QC, REACH 5.1M BOOM</p> <p>262-3239 LINES-QC, REACH 3.1M STICK</p> <p>369-0145 PANEL, STD START SWITCH</p> <p>426-0303 GUARD, BOTTOM</p> <p>427-9710 CAMERA, REAR VIEW, MIRRORS(RH)</p> <p>426-0308 ENGINE HOOD, HIGH AMBIENT</p> <p>426-2491 TANK, FUEL, STANDARD</p>	<p>0</p>	<p>\$225,000</p>
--	----------	-------------------------

Supersedes 02JAN2018

Caterpillar: Confidential Green

US-A-19-01 A

Subject to change without notice

Printed in USA

U. S. DOLLAR CURRENCY

Effective 02JAN2019

316F-007

CATERPILLAR MACHINE PRICE LIST

316F

316F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
477-7688 COUNTERWEIGHT, 3.05MT		
430-8472 AIR CLEANER, STANDARD		
447-1667 FAN, FIXED SPEED		
453-7538 SEAT, H-BACK, W/HEATER,S/AIR		
502-1373 LINES, BKT CLOSE PGQC		
460-1148 PRODUCT LINK, CELLULAR PL641		
427-9715 DECALS, EXTERIOR ANSI		
504-9465 DECALS, CAB ANSI		
349-2233 CHANGER,HAND CTRL 2-WAY (ANSI)		
504-1097 CTRL,CAT PIN GRAB COUPLER ANSI		

CATERPILLAR MACHINE PRICE LIST

316F

316F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

538-9236	316F L HEX AM-N DCA4B 0	\$237,270
-----------------	--	------------------

LANE 1 - AVAILABLE FROM BALTIMORE DIST. CENTER
 LANE 2 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2
 LANE 3 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2

2.9M (9'6") Stick, Tool Control, 600mm (24") Track) with CGC

Versatile machine with Tool Control(HP), Coupler circuit and CGC

INCLUDES:

- 427-9701 316F L HEX
- 488-6543 SEAT BELT, 51MM (2") RETRACTABLE
- 430-8467 CONTROL, FINE SWING
- 499-2012 MACHINE SOFTWARE
- 432-1340 AIR CONDITIONER
- 352-7158 ACCUMULATOR WITH CRN
- 360-6166 ALARM, TRAVEL
- 457-1771 REACH BOOM HD CGC PKG
 BOOM, REACH 5.1M (16'9") HD CGC
 CYLINDER, BOOM (W/O BLCV)
 CYLINDER, STICK (W/O SLCV)
- 367-8621 CYLINDER, BKT, CGC
- 385-3234 LINKAGE, BKT W/O LIFT
- 517-7295 STICK, R2.9M (9'6") HD CGC
- 510-3659 COMBINED CIR STP PKG
 VALVE, HYDRAULIC TCS
 JOYSTICK, THUMB WHEEL
 MAT, FLOOR, RH PEDAL
 PEDAL, STRAIGHT TRAVEL
 LINES, CYLINDER
 PILOT LINES, STRAIGHT TRAVEL
 PILOT LINES, BKT OPEN STD
 PILOT LINES, BOOM UP STD/VAB
 PILOT LINES, TCS
 CIRCUIT, COMBINED
 MACHINE CONTROLLER TCS
- 372-9524 CAB-ROPS,70/30,W/VANDAL-G BOSS
- 340-6667 HATCH, OPENABLE ROOF (DUAL)
- 496-8191 RADIO, 24V AM/FM
- 134-8875 GUARD, SWIVEL
- 291-7730 LIGHT, BOOM RIGHT SIDE
- 319-1179 LIGHTING, CAB (HALOGEN)
- 333-3007 TRAVEL MOTOR, BIO OIL CAPABLE
- 340-8211 TRACK, 600MM TG (24") (GLT)
- 342-3202 BATTERY, COLD WEATHER
- 342-3636 WIPER-RADIAL, FRONT 70/30
- 346-7396 WASHER, WINDSHIELD UPPER
- 346-7203 GUARD, TRACK GUIDING, CENTER
- 359-8843 SUPPORT, AUX LINES, R-BOOM
- 262-3234 LINES, HIGH PRESSURE, 1PC BOOM
- 268-7245 LINES-HP, REACH 2.9M (9'6") STICK
- 397-8306 LINES-QC, REACH 5.1M (16'9") BOOM
- 268-7247 LINES-QC, REACH 2.9M (9'6") STICK
- 369-0145 PANEL, STD START SWITCH
- 426-0303 GUARD, BOTTOM
- 427-9710 CAMERA, REAR VIEW, MIRRORS(RH)
- 426-0308 ENGINE HOOD, HIGH AMBIENT
- 426-2491 TANK, FUEL, STANDARD

CATERPILLAR MACHINE PRICE LIST

316F

316F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

- 426-2534 COUNTERWEIGHT, 2.8MT (6,170LBS)
- 430-8474 AIR CLEANER, STANDARD CGC
- 447-1667 FAN, FIXED SPEED
- 453-7538 SEAT, H-BACK, W/HEATER,S/AIR
- 502-1373 LINES, BKT CLOSE PGQC
- 460-1148 PRODUCT LINK, CELLULAR PL641
- 427-9715 DECALS, EXTERIOR ANSI
- 504-9465 DECALS, CAB ANSI
- 349-2233 CHANGER,HAND CTRL 2-WAY (ANSI)
- 504-1097 CTRL,CAT PIN GRAB COUPLER ANSI
- 295-9615 GUARD, CYLINDER COVER, CGC
- 359-8737 SENSOR MOUNT, CGC/SC
- 504-9478 GRADE CONTROL, DEPTH AND SLOPE

538-9237 316F L HEX AM-N BCF1 0 \$182,870

LANE 2 - AVAILABLE FROM AKASHI FACTORY
 LANE 3 - AVAILABLE FROM AKASHI FACTORY

Base machine for reach boom configuration
 Highly configurable machine for general applications

Base Configuration must be completed by selecting
 Mandatory / Optional attachments.

INCLUDES:

- 427-9701 316F L HEX
- 430-8467 CONTROL, FINE SWING
- 432-1340 AIR CONDITIONER
- 352-7158 ACCUMULATOR WITH CRN
- 488-6543 SEAT BELT, 51MM (2") RETRACTABLE
- 360-6166 ALARM, TRAVEL
- 372-9524 CAB-ROPS,70/30,W/VANDAL-G BOSS
- 340-6667 HATCH, OPENABLE ROOF (DUAL)
- 496-8191 RADIO, 24V AM/FM
- 134-8875 GUARD, SWIVEL
- 291-7730 LIGHT, BOOM RIGHT SIDE
- 453-7538 SEAT, H-BACK, W/HEATER,S/AIR
- 319-1179 LIGHTING, CAB (HALOGEN)
- 333-3007 TRAVEL MOTOR, BIO OIL CAPABLE
- 342-3202 BATTERY, COLD WEATHER
- 342-3636 WIPER-RADIAL, FRONT 70/30
- 346-7396 WASHER, WINDSHIELD UPPER
- 369-0145 PANEL, STD START SWITCH
- 385-3234 LINKAGE, BKT W/O LIFT
- 426-0308 ENGINE HOOD, HIGH AMBIENT
- 426-2491 TANK, FUEL, STANDARD
- 427-9710 CAMERA, REAR VIEW, MIRRORS(RH)
- 447-1667 FAN, FIXED SPEED
- 381-8971 CYLINDER, BKT

CATERPILLAR MACHINE PRICE LIST

316F

316F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

538-9238 316F L HEX AM-N BCF2 0 LANE 2 - AVAILABLE FROM AKASHI FACTORY LANE 3 - AVAILABLE FROM AKASHI FACTORY	0	\$196,740
--	---	------------------

Base machine for reach boom configuration with CGC
Versatile machine with CAT Grade Control

Base Configuration must be completed by selecting
Mandatory / Optional attachments.

INCLUDES:

- 427-9701 316F L HEX
- 430-8467 CONTROL, FINE SWING
- 432-1340 AIR CONDITIONER
- 352-7158 ACCUMULATOR WITH CRN
- 488-6543 SEAT BELT, 51MM (2") RETRACTABLE
- 360-6166 ALARM, TRAVEL
- 372-9524 CAB-ROPS, 70/30, W/VANDAL-G BOSS
- 340-6667 HATCH, OPENABLE ROOF (DUAL)
- 496-8191 RADIO, 24V AM/FM
- 134-8875 GUARD, SWIVEL
- 291-7730 LIGHT, BOOM RIGHT SIDE
- 453-7538 SEAT, H-BACK, W/HEATER,S/AIR
- 319-1179 LIGHTING, CAB (HALOGEN)
- 333-3007 TRAVEL MOTOR, BIO OIL CAPABLE
- 342-3202 BATTERY, COLD WEATHER
- 342-3636 WIPER-RADIAL, FRONT 70/30
- 346-7396 WASHER, WINDSHIELD UPPER
- 369-0145 PANEL, STD START SWITCH
- 385-3234 LINKAGE, BKT W/O LIFT
- 426-0308 ENGINE HOOD, HIGH AMBIENT
- 426-2491 TANK, FUEL, STANDARD
- 427-9710 CAMERA, REAR VIEW, MIRRORS(RH)
- 447-1667 FAN, FIXED SPEED
- 367-8621 CYLINDER, BKT, CGC
- 359-8737 SENSOR MOUNT, CGC/SC
- 504-9478 GRADE CONTROL, DEPTH AND SLOPE
- 295-9615 GUARD, CYLINDER COVER, CGC

CATERPILLAR MACHINE PRICE LIST

316F

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM THE PDC.

OP-9001	LANE 1 ORDER	0	NC
	Order from Product Distribution Center (PDC)		

DECAL PACKAGE

P	OP-7124	INSTRUCTION,NORTH AMERICA ANSI	0	NC
		This package includes the ANSI decals and is required by all AM-N territories except Quebec, Canada.		
L	450-2216	INSTRUCTIONS, INTERNATIONAL	0	NC
		This package includes picto decals as required for Quebec, Canada		

SERVICE INSTRUCTIONS

OP-3380	INSTRUCTIONS, ENGLISH	0	NC
OP-3389	INSTRUCTIONS, FRENCH	0	NC
OP-3404	INSTRUCTIONS, SPANISH	0	NC

PACKING

STORAGE PROTECTION

OG-4126	STORAGE PROTECTION (EXPORT)	0	\$274 NET
	Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.		

EXPORT PACKING

OG-0499	ROLL ON-ROLL OFF LANE1 A	0	\$155 NET
---------	------------------------------------	---	-----------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

ANTIFREEZE

OP-2407	ANTIFREEZE, -50C (-58F)	0	\$251 NET
---------	-----------------------------------	---	-----------

CATERPILLAR MACHINE PRICE LIST

316F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER	0	NC

BOOMS, STICKS, AND LINKAGES

NOTE: When ordering a frontless excavator, please contact Caterpillar OEM Solutions Group at oem_solutions@cat.com. OEM Solutions Group will assist in development, pricing and ordering of the machine configuration.

BOOM PACKAGES

L	457-1770	REACH BOOM HD PKG	0	\$13,340
		Reach Boom 5.1M (16'9") Heavy duty (HD) Package (PKG) Includes boom light, left side INCLUDES: - REACH BOOM, 5.1M (16'9") HD - CYLINDER, BOOM (W/O BLCV) - CYLINDER, STICK (W/O SLCV) ONLY FOR USE WITH: 538-9237 AM-N BCF1		
L	457-1772	REACH BOOM HD BLCV/SLCV PKG	0	\$19,100
		Reach Boom 5.1M (16'9") Heavy Duty (HD) Boom Lowering Control Valve/Stick Lowering Control Valve Package (PKG) Includes boom light, left side INCLUDES: - REACH BOOM, 5.1M (16'9") HD - CYLINDER, BOOM (W/BLCV) - CYLINDER, STICK (W/SLCV) ONLY FOR USE WITH: 538-9237 AM-N BCF1 or 538-9239 EUR BCF1 or 538-9241 ANZ BCF1		
L	457-1771	REACH BOOM HD CGC PKG	0	\$13,340
		Reach Boom 5.1M (16'9") Heavy Duty (HD) CAT Grade Control (CGC) Package (PKG) Includes boom light, left side INCLUDES: - REACH BOOM, 5.1M (16'9") HD CGC - CYLINDER, BOOM (W/O BLCV) - CYLINDER, STICK (W/O SLCV) ONLY FOR USE WITH: 538-9238 AM-N BCF2		
L	504-1577	REACH BOOM HD B/SLCV CGC PKG	0	\$19,100
		Reach Boom 5.1M (16'9") HD with BLCV/SLCV CAT Grade Control (CGC) Package (PKG) Includes boom light, left side INCLUDES: - REACH BOOM, 5.1M (16'9") HD CGC - CYLINDER, BOOM (W/BLCV) - CYLINDER, STICK (W/SLCV) ONLY FOR USE WITH: 538-9238 AM-N BCF2 or 538-9239 EUR BCF1 or 538-9241 ANZ BCF1		

CATERPILLAR MACHINE PRICE LIST

316F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES (CONT.)

STICKS

L	338-7847	STICK, R9'6" HD 0 ONLY FOR USE WITH: 457-1770 REACH BOOM HD PKG or 457-1772 REACH BOOM HD BLCV/SLCV PKG		\$6,430
L	490-8975	STICK, R10'2" HD 0 ONLY FOR USE WITH: 457-1770 REACH BOOM HD PKG or 457-1772 REACH BOOM HD BLCV/SLCV PKG		\$6,820
L	517-7295	STICK, R9'6" HD CGC 0 ONLY FOR USE WITH: 457-1771 REACH BOOM HD CGC PKG or 504-1577 REACH BOOM HD B/SLCV CGC PKG		\$6,430
L	490-8977	STICK, R10'2" HD CGC 0 ONLY FOR USE WITH: 457-1771 REACH BOOM HD CGC PKG or 504-1577 REACH BOOM HD B/SLCV CGC PKG		\$6,820
L	490-8976	STICK, R10'2" HD THUMB 0 This stick is a Thumb-Ready Stick that works with Cat Pro Series and Pro Series Plus hydraulic thumbs and includes the mounting bracket and reinforcements so that a hydraulic thumb can easily be installed and significantly minimize the installation labor. ONLY FOR USE WITH: 457-1770 REACH BOOM HD PKG or 457-1772 REACH BOOM HD BLCV/SLCV PKG		\$7,990

POWERTRAIN

AIR CLEANERS

L	430-8472	AIR CLEANER, STANDARD 0 CANNOT BE USED WITH: 338-7973 STICK, R2.6M (8'6") HD CGC 490-8977 STICK, R3.1M (10'2") HD CGC		\$690
L	430-8474	AIR CLEANER, STANDARD CGC 0 ONLY FOR USE WITH: 338-7973 STICK, R2.6M (8'6") HD CGC or 490-8977 STICK, R3.1M (10'2") HD CGC		\$690

UNDERCARRIAGE

TRACKS

L	340-8210	TRACK, 24" TG (GLT) 0		\$2,450
L	340-8211	TRACK, 28" TG W/STEP (GLT) 0		\$2,450

TRACK GUIDING GUARDS

L	346-7203	GUARD, TRACK GUIDING, CENTER 0		\$855
L	346-7333	GUARD, TRACK GUIDING, SEGMENTED 0		\$1,405

CATERPILLAR MACHINE PRICE LIST

316F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS

NO AUXILIARY CIRCUIT

L	510-3658	JOYSTICK STANDARD STP PKG 0		\$2,235
---	----------	--	--	----------------

Joystick Standard Straight Travel Pedal (STP) Package (PKG)
INCLUDES:

- VALVE, HYDRAULIC
- JOYSTICK, ONE BUTTON
- MAT, FLOOR, RH PEDAL
- PEDAL, STRAIGHT TRAVEL
- LINES, CYLINDER
- PILOT LINES, STRAIGHT TRAVEL
- PILOT LINES, BKT OPEN STD
- PILOT LINES, BOOM UP STD/VAB
- PILOT LINES, TCS STD
- MACHINE CONTROLLER STD

L	516-2119	JOYSTICK TWJ STP PKG 0		\$3,435
---	----------	---	--	----------------

ONLY FOR USE WITH: 457-1770 REACH BOOM PKG
Joystick Thumbwheel Straight Travel Pedal (STP) Package (PKG)
INCLUDES:

- VALVE, HYDRAULIC
- JOYSTICK, THUMB WHEEL
- MAT, FLOOR, RH PEDAL
- PEDAL, STRAIGHT TRAVEL
- LINES, CYLINDER
- PILOT LINES, STRAIGHT TRAVEL
- PILOT LINES, BKT OPEN STD
- PILOT LINES, BOOM UP STD/VAB
- PILOT LINES, TCS STD
- MACHINE CONTROLLER STD

ONLY FOR USE WITH: 457-1770 REACH BOOM PKG

AUXILIARY CIRCUIT COMBINED CIRCUIT W/O MED PRESSURE

L	510-3659	COMBINED CIR STP PKG 0		\$9,080
---	----------	---	--	----------------

Combined Circuit (CIR) Straight Travel Pedal (STP) Package (PKG)
Combined circuit (1 way / 2 way)
Joystick thumb wheel is included.

- VALVE, HYDRAULIC TCS
- JOYSTICK, THUMB WHEEL
- MAT, FLOOR, RH PEDAL
- PEDAL, STRAIGHT TRAVEL
- LINES, CYLINDER
- PILOT LINES, STRAIGHT TRAVEL
- PILOT LINES, BKT OPEN STD
- PILOT LINES, BOOM UP STD/VAB
- PILOT LINES, TCS
- CIRCUIT, COMBINED
- MACHINE CONTROLLER TCS

ONLY FOR USE WITH: 457-1770 REACH BOOM PKG or
457-1771 REACH BOOM CGC PKG

CATERPILLAR MACHINE PRICE LIST

316F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

AUXILIARY CIRCUIT COMBINED CIRCUIT W/O MED PRESSURE (Cont.)

L	510-3660	COMBINED CIR STP B/SLCV PKG 0 Combined Circuit (CIR) Straight Travel Pedal (STP) Boom Lowering Control Valve (BLCV)/Stick Lowering Control Valve (SLCV) Package (PKG) Combined circuit (1 way / 2 way) Joystick thumb wheel is included. INCLUDES: - VALVE, HYDRAULIC TCS - CIRCUIT, COMBINED - JOYSTICK, THUMB WHEEL - MAT, FLOOR, RH PEDAL - PEDAL, STRAIGHT TRAVEL - DEVICE, BOOM LOWERING W/OLWD - DEVICE, STICK LOWERING CONTROL - LINES, CYLINDER W/BLCV - PILOT LINES, STRAIGHT TRAVEL - PILOT LINES, BKT OPEN STD - PILOT LINES, BOOM UP STD/VAB - PILOT LINES, TCS - MACHINE CONTROLLER TCS ONLY FOR USE WITH: 457-1772 REACH BOOM BLCV/SLCV PKG or 504-1577 REACH BOOM HD B/SLCV CGC PKG		\$11,260
---	----------	---	--	----------

AUXILIARY CIRCUIT COMBINED CIRCUIT W/ MED PRESSURE

L	510-3664	COMBINED MP CIR STP PKG 0 Combined Medium pressure (MP) Circuit (CIR) Straight Travel Pedal (STP) Package (PKG) Combined circuit (1 way / 2 way) Joystick thumb wheel is included. INCLUDES: - VALVE, HYDRAULIC TCS - JOYSTICK, THUMB WHEEL - MAT, FLOOR, RH & LH PEDAL - PEDAL, STRAIGHT TRAVEL - LINES, CYLINDER - PILOT LINES, STRAIGHT TRAVEL - PILOT LINES, BKT OPEN STD - PILOT LINES, BOOM UP STD/VAB - PILOT LINES, TCS - CIRCUIT, COMBINED - PEDAL, TOOL MODULATION (LH) - CIRCUIT, MEDIUM PRESSURE - MACHINE CONTROLLER TCS ONLY FOR USE WITH: 457-1770 REACH BOOM PKG or 457-1771 REACH BOOM CGC PKG		\$15,200
---	----------	--	--	----------

CATERPILLAR MACHINE PRICE LIST

316F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

AUXILIARY CIRCUIT - THUMB

L	510-3665	THUMB CIR STP PKG 0		\$4,885
		Circuit, Thumb Straight Travel Pedal (STP) Package (PKG) Package (PKG) This package is for double function (2 way) hydraulic tools (Thumb, etc). Joystick thumb wheel is included. INCLUDES: - VALVE, HYDRAULIC - JOYSTICK, THUMB WHEEL - MAT, FLOOR, RH PEDAL - PEDAL, STRAIGHT TRAVEL - LINES, CYLINDER - PILOT LINES, STRAIGHT TRAVEL - PILOT LINES, BKT OPEN STD - PILOT LINES, BOOM UP STD/VAB - PILOT LINES, THUMB - CIRCUIT, THUMB - MACHINE CONTROLLER TCS ONLY FOR USE WITH: 490-8976 STICK, R3.1M (10'2") HD THUMB		

LINE GROUPS

LINES - BUCKET CLOSE

L	392-1844	LINES, BKT CLOSE STD 0		NC
		CANNOT BE USED WITH: 504-1097 CTRL,CAT PIN GRAB COUPLER ANSI 504-1096 CTRL,CAT PIN GRAB COUPLER ISO		
L	502-1373	LINES, BKT CLOSE PGQC 0		NC
		REQUIRES: 504-1097 CTRL,CAT PIN GRAB COUPLER ANSI or 504-1096 CTRL,CAT PIN GRAB COUPLER ISO		

ELECTRICAL

MACHINE SOFTWARE

L	499-2012	MACHINE SOFTWARE 0		NC
---	----------	------------------------------	--	----

TECHNOLOGY PRODUCTS

CGC PRICE ADJUSTMENT

	0P-4242	CGC PRICE ADJUSTMENT-S 0		\$-4,710
		CGC Price adjustment for small excavators in North America to accelera technology and improve customer value. ONLY FOR USE WITH: CGC Configurations		

GUARDS

BOTTOM GUARD

L	426-0304	GUARD, BOTTOM HD 0		\$1,255
		Increased plate thickness & Bolt protection.		

CATERPILLAR MACHINE PRICE LIST

316F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

GUARDS (CONT.)

BOTTOM GUARD (Cont.)

L	426-0303	GUARD, BOTTOM 0 Standard plate thickness		\$590
---	----------	---	--	-------

OTHER ATTACHMENTS

DECALS - EXTERIOR

L	427-9715	DECALS, EXTERIOR ANSI 0 AVAILABLE FOR: AM-N (except for Quebec)		NC
---	----------	--	--	----

DECALS - CAB

L	504-9465	DECALS, CAB ANSI 0 ONLY FOR USE WITH: 427-9715 DECALS, EXTERIOR ANSI AVAILABLE FOR: AM-N (except for Quebec)		NC
---	----------	--	--	----

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country. Please contact your Cat marketing representative with questions.

L	460-1148	PRODUCT LINK, CELLULAR PL641 0 ANSI Product Link Pro series PL641 uses UMTS and CDMA 3G cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data. ONLY FOR USE WITH: 427-9715 DECALS, EXTERIOR ANSI AVAILABLE FOR: AM-N (except for Quebec)		NC
---	----------	--	--	----

L	460-1150	PRODUCT LINK, SATELLITE PL631 0 ANSI Product Link Pro series PL631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage. ONLY FOR USE WITH: 427-9715 DECALS, EXTERIOR ANSI AVAILABLE FOR: AM-N (except for Quebec)		\$432
---	----------	--	--	-------

PATTERN CHANGER

L	349-2233	CHANGER, HAND CTRL 2-WAY (ANSI) 0 ONLY FOR USE WITH: 427-9715 DECALS, EXTERIOR ANSI AVAILABLE FOR: AM-N (except for Quebec)		\$1,255
---	----------	---	--	---------

CATERPILLAR MACHINE PRICE LIST

316F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	-----------------	----------------------

FRAMES

COUNTERWEIGHTS

L	426-2534	COUNTERWEIGHT, 6,170LBS	0	\$570
L	477-7688	COUNTERWEIGHT, 6,730LBS	0	\$610

INSTRUCTIONS

OPERATION & MAINTENANCE MANUAL

	OP-3380	INSTRUCTIONS, ENGLISH	0	NC
	OP-3404	INSTRUCTIONS, SPANISH	0	NC

CATERPILLAR MACHINE PRICE LIST

316F

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

LINE GROUPS

NOTE: Provides hydraulic lines

HIGH PRESSURE AUXILIARY BOOM LINES

L	262-3234	LINES, HIGH PRESSURE, 1PC BOOM	96	\$1,750
		VA BOOM B/SLCV PKG already includes this lines. REQUIRES: 359-8843 SUPPORT, AUX LINES, R-BOOM ONLY FOR USE WITH: 510-3659 COMBINED CIR STP PKG or 510-3660 COMBINED CIR STP B/SLCV PKG or 510-3664 COMBINED MP CIR STP PKG or 510-3661 COMBINED MP CIR B/SLCV PKG or 523-7837 COMBINED CIR PKG or 523-7838 COMBINED MP CIR PKG or 510-3665 THUMB CIR STP PKG or 538-9878 JOYSTICK PKG, FOREST CANNOT BE USED WITH: 504-1579 VA BOOM B/SLCV PKG		

HIGH PRESSURE AUXILIARY STICK LINES

L	268-7245	LINES-HP, REACH 9'6" STICK	73	\$493
		ONLY FOR USE WITH: 338-7847 STICK, R2.9M (9'6") HD or 517-7295 STICK, R2.9M (9'6") HD CGC and 262-3234 LINES, HIGH PRESSURE, 1PC BOOM		
L	262-3237	LINES-HP, REACH 10'2" STICK	80	\$493
		ONLY FOR USE WITH: 490-8975 STICK, R3.1M (10'2") HD or 490-8976 STICK, R3.1M (10'2") HD THUMB or 490-8977 STICK, R3.1M (10'2") HD CGC and 262-3234 LINES, HIGH PRESSURE, 1PC BOOM		

MEDIUM PRESSURE AUXILIARY BOOM LINES

L	397-8305	LINES-MP, REACH 16'9" BOOM	0	\$1,185
		VA BOOM B/SLCV PKG already includes this lines. (*) If already selected 359-8843 SUPPORT, AUX LINES, R-BOOM, no need to select this again. REQUIRES: 359-8843 SUPPORT, AUX LINES, R-BOOM ONLY FOR USE WITH: 510-3664 COMBINED MP CIR STP PKG or 504-1580 COMBINED MP CIR B/SLCV PKG or 523-7838 COMBINED MP CIR PKG CANNOT BE USED WITH: 504-1579 VA BOOM B/SLCV PKG		

MEDIUM PRESSURE AUXILIARY STICK LINES

L	268-7246	LINES-MP, REACH 9'6" STICK	39	\$397
		ONLY FOR USE WITH: 338-7847 STICK, R2.9M (9'6") HD or 517-7295 STICK, R2.9M (9'6") HD CGC and 397-8305 LINES-MP, REACH 5.1M (16'9") BOOM		
L	262-3238	LINES-MP, REACH 10'2" STICK	44	\$397
		ONLY FOR USE WITH: 490-8975 STICK, R3.1M (10'2") HD or 490-8976 STICK, R3.1M (10'2") HD THUMB or 490-8977 STICK, R3.1M (10'2") HD CGC and 397-8305 LINES-MP, REACH 5.1M (16'9") BOOM		

CATERPILLAR MACHINE PRICE LIST

316F

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

LINE GROUPS (CONT.)

QUICK COUPLER CONTROL

L	504-1097	CTRL,CAT PIN GRAB COUPLER ANSI 0		\$830
		ANSI For use only for Cat Pin Grabber Coupler This DOES NOT include QC lines for the boom and stick. This is designed for the pin grabber coupler operating at full machine implement pressure. It contains the hydraulic lines on the upper frame and control. It as a high-pressure circuit. ONLY FOR USE WITH: 427-9715 DECALS, EXTERIOR ANSI AVAILABLE FOR: AM-N (except for Quebec)		

QUICK COUPLER BOOM LINE

L	397-8306	LINES-QC, REACH 16'9" BOOM 0		\$1,285
		VA BOOM B/SLCV PKG already includes this lines. (*) If already selected 359-8843 SUPPORT, AUX LINES, R-BOOM, no need to select this again. REQUIRES: 359-8843 SUPPORT, AUX LINES, R-BOOM ONLY FOR USE WITH: 504-1097 CTRL,CAT PIN GRAB COUPLER ANSI or 504-1096 CTRL,CAT PIN GRAB COUPLER ISO or 383-5476 CONTROL, CW DEDICATED COUPLER CANNOT BE USED WITH: 504-1579 VA BOOM B/SLCV PKG		

QUICK COUPLER STICK LINE

L	268-7247	LINES-QC, REACH 9'6" STICK 25		\$915
		ONLY FOR USE WITH: 338-7847 STICK, R2.9M (9'6") HD or 517-7295 STICK, R2.9M (9'6") HD CGC and 397-8306 LINES-QC, REACH 5.1M (16'9") BOOM		
L	262-3239	LINES-QC, REACH 10'2" STICK 32		\$915
		ONLY FOR USE WITH: 490-8975 STICK, R3.1M (10'2") HD or 490-8976 STICK, R3.1M (10'2") HD THUMB or 490-8977 STICK, R3.1M (10'2") HD CGC and 397-8306 LINES-QC, REACH 5.1M (16'9") BOOM		

BOOM LINE AUXILIARY MOUNT

L	359-8843	SUPPORT, AUX LINES, R-BOOM 0		NC
		Required this when any boom aux lines are selected. ONLY FOR USE WITH: 262-3234 LINES, HIGH PRESSURE, 1PC BOOM or 397-8306 LINES-QC, REACH 5.1M (16'9") BOOM or 397-8305 LINES-MP, REACH 5.1M (16'9") BOOM or 523-7839 316F L HEX CJL BCF1 or 539-0212 316F HEX CJL FOREST BCF1		

SAFETY AND SECURITY

BUMPER

L	343-9350	BUMPER, SIDE STEEL 0		\$680
---	----------	--------------------------------	--	-------

CATERPILLAR MACHINE PRICE LIST

316F

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

BUCKETS

NOTE: Stick, bucket linkage and bucket must be matched.

Includes tooth adapters welded on cutting edge.
 Does not include tooth tips or sidecutters.
 Rated capacity, SAE heaped.

GENERAL DUTY (GD)

For digging in low impact, lower abrasion materials as dirt, and mixed compositions of dirt and fine gravel.

P	353-1577	BUCKET-GD, 36" 0.81 YD3 REQUIRES: 5 tips K80	1,150	\$5,208
P	353-1578	BUCKET-GD, 42" 1.00 YD3 REQUIRES: 5 tips K80	1,255	\$5,621
P	353-1579	BUCKET-GD, 48" 1.19 YD3 REQUIRES: 6 tips K80	1,378	\$6,444

SEVERE DUTY (SD)

For higher abrasion conditions such as well shot granite and caliche.

P	353-1587	BUCKET-SD, 36" 0.81 YD3 REQUIRES: 5 tips K90	1,341	\$6,432
P	353-1588	BUCKET-SD, 42" 1.00 YD3 REQUIRES: 5 tips K90	1,462	\$6,899
P	353-1590	BUCKET-SD, 48" 1.19 YD3 REQUIRES: 6 tips K90	1,609	\$7,353

SIDE CUTTERS

P	380-1204	SIDE CUTTER, GENERAL PURPOSE	54	\$593
---	----------	------------------------------	----	-------

TIP (ADAPTER SIZE K80)

P	229-6966	TIP, PENETRATION PLUS Recommended for harder-to-penetrate including high impact trenching, excavation and loading. Good penetration, stays sharp.	29	\$71
---	----------	---	----	------

CATERPILLAR MACHINE PRICE LIST

316F

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

BUCKETS (CONT.)

TIP (ADAPTER SIZE K90)

P	217-4893	TIP, PENETRATION PLUS	33	\$82
		Recommended for harder-to-penetrate including high impact trenching, excavation and loading. Good penetration, stays sharp.		

FLUIDS

ANTIFREEZE

	0P-2407	ANTIFREEZE, -50C (-58F)	0	\$251 NET
--	---------	-----------------------------------	---	-----------

FIELD INSTALLED ATTACHMENTS

FIELD INSTALLED ATTACHMENTS

Available Through ANTARES Parts Ordering.

- 488-6527 Seat Belt, Retractable (76mm / 3" width)
Mandatory for ANZ
- 484-8798 FOGS Retrofit Kit PKG (Compatible with 1-Piece & 70/30 window, Openable front & fixed top guard, NOT support with dual exit, including Cab Lights, Cab Mirror)
- 484-7816 FOGS Retrofit Kit PKG (Compatible with 1-Piece & 70/30 window, Openable front & top, support dual exit, including Cab Lights, Cab Mirror)
- 499-3722 Rain protector for front windshield
- 486-1416 Security systems (MSS)

PACKING

STORAGE PROTECTION

	0G-4126	STORAGE PROTECTION (EXPORT)	0	\$274 NET
		Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.		

CATERPILLAR MACHINE PRICE LIST

316F

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

PACKING (CONT.)

EXPORT PACKING

0G-4201	ROLL ON-ROLL OFF	0		\$118 NET
	For use when ordering an installed bucket or quick coupler			
0G-0480	ROLL ON-ROLL OFF W/O BKT QC A	0		\$155 NET
	For use when NOT ordering an installed bucket or quick coupler			
0G-4215	EXPORT PKG,W/BOOM,STK DISM	0		\$1,730 NET
	Boom and stick dismounted CAN NOT BE USED WITH: Bucket			
0G-4221	EXPORT PKG,W/BOOM,STK,BKT DISM	0		\$1,750 NET
	Boom, stick and bucket dismounted For use when ordering a bucket			