

CATERPILLAR MACHINE PRICE LIST

318F

318F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

Standard Equipment:

POWERTRAIN

- Diesel engine C4.4 certified to EPA Tier4 final, EU Stage IV, Japan MLIT Step 5
- 2300m/7550ft altitude capability w/ no derate
- Waved fin radiator w/ enough space for cleaning operation (2SBS)
- Radial seal air filter
- Fuel water separator w/ level indicator
- Capability of
 - EIS (Engine Idle Shutdown) function
 - Using Bio-Diesel fuel (B20)

UNDERCARRIAGE

- Grease lubricated track GLT1, resin seal
- Towing eye for diagonal lashing on baseframe

HYDRAULICS

- Hydraulic main pump
- Regeneration circuit for boom and stick
- Two speed travel
- Capability of installing
 - Additional auxiliary pump & circuit
 - CAT Bio hydraulic oil
- Boom lowering device in case of engine shut down
- High performance hyd. return filter

ELECTRICAL

- Circuit breaker
- Capability of installing electric fuel lifting pump
- Light, storage box mounted (one) halogen
- Time delay function for boom light and cab light

OPERATOR ENVIRONMENT

- Cab
 - Bolt-on FOGS capability
 - Openable front windshield w/ assist device
 - Pillar mounted upper windshield wiper and washer
 - Cab sliding upper door window
 - Rear window
 - Removal lower windshield w/ incab storage bracket
 - Openable skylight as emergency exit
- Operators Station:
 - Interior lighting, Coat hook, Beverage holder with slit, Literature holder
 - Utility space for magazine
 - Radio mounting (DIN size) suitable

- for 24-Volt radios
- Mounting for two stereo speakers
- Storage compartment suitable for lunch box
- Door & cap locks
- 24V radio ready (harness, two speakers, antenna-flexible type)
- 12V-2 x 10A power supply w/ two cigar lighter type sockets
- Cab glass break hammer

Monitor:

- Single axis adjustable monitor (horizontal only)
 - Full graphic and full color display
 - Warning information
 - Filter/fluid change information
 - Working hour information
 - Machine condition
 - Error code and tool mode setting information

Seat:

- Console height adjustment system
- Armrest height adjustment system
- Electrical provision for seat heater

Pedal:

- Capability to install 2 add'l pedals
- Travel control pedals with removable hand levers
- Neutral lever (lock out) for all controls

SAFETY AND SECURITY

- Caterpillar one key security system
- Secondary engine shutoff switch
- Signaling / warning horn

OTHER STANDARD EQUIPMENT

- Capability of installing
 - Stackable valves for main valve (max 2 valves)
 - Boom lowering control device and stick lowering check valve
 - Block Heater
- CAT data link w/capability of using E.T.
- Automatic swing parking brake
- Fine swing control capability
- Mirrors, rearview (frame -right, cab-left)
- Capability of installing fine grading system (Dealer retrofit only: available in Europe)

CATERPILLAR MACHINE PRICE LIST

318F

318F EXCAVATOR
AKASHI, JAPAN

Ship Weight
lbs

LIST PRICE
AT DEALER

**Lane 2 is reserved for the Base Orders Program.
Please use lane 2 when placing orders that are part of the
Base Order Program.**

CATERPILLAR MACHINE PRICE LIST

318F

318F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

<p>538-9242</p> <p>318F L HEX AM-N DCA1B 0</p> <p>LANE 2 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2</p> <p>LANE 3 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2</p> <p>3.1M (10'2") Stick, Tool Control, 600mm (24") Track</p> <p>Versatile machine with Tool Control and Coupler circuit</p> <p>INCLUDES:</p> <p>427-8582 318F L HEX</p> <p>488-6543 SEAT BELT, 51MM (2") RETRACTABLE</p> <p>430-8467 CONTROL, FINE SWING</p> <p>499-2013 MACHINE SOFTWARE OPB</p> <p>432-1340 AIR CONDITIONER</p> <p>352-7158 ACCUMULATOR WITH CRN</p> <p>360-6166 ALARM, TRAVEL</p> <p>457-1775 REACH BOOM HD PKG REACH BOOM, 5.1M (16'9") HD CYLINDER, BOOM (W/O BLCV) CYLINDER, STICK (W/O SLCV)</p> <p>381-8971 CYLINDER, BKT</p> <p>385-3234 LINKAGE, BKT W/O LIFT</p> <p>490-8978 STICK, R3.1M HD</p> <p>510-3666 COMBINED CIR STP PKG VALVE, HYDRAULIC TCS JOYSTICK, THUMB WHEEL MAT, FLOOR, RH PEDAL PEDAL, STRAIGHT TRAVEL LINES, CYLINDER PILOT LINES, STRAIGHT TRAVEL PILOT LINES, BKT OPEN STD PILOT LINES, TCS CIRCUIT, COMBINED MACHINE CONTROLLER TCS</p> <p>372-9524 CAB-ROPS,70/30,W/VANDAL-G BOSS</p> <p>340-6667 HATCH, OPENABLE ROOF (DUAL)</p> <p>496-8191 RADIO, 24V AM/FM</p> <p>342-3202 BATTERY, COLD WEATHER</p> <p>346-7396 WASHER, WINDSHIELD UPPER</p> <p>342-3636 WIPER-RADIAL, FRONT 70/30</p> <p>453-7538 SEAT, H-BACK, W/HEATER,S/AIR</p> <p>369-0145 PANEL, STD START SWITCH</p> <p>426-2536 COUNTERWEIGHT, 3.4MT (7500lbs)</p> <p>340-8214 TRACK, 600MM TG (GLT)</p> <p>346-7203 GUARD, TRACK GUIDING, CENTER</p> <p>426-0303 GUARD, BOTTOM</p> <p>134-8875 GUARD, SWIVEL</p> <p>430-8472 AIR CLEANER, STANDARD</p> <p>427-9710 CAMERA, REAR VIEW, MIRRORS(RH)</p> <p>426-0308 ENGINE HOOD, HIGH AMBIENT</p> <p>447-1667 FAN, FIXED SPEED</p> <p>426-2491 TANK, FUEL, STANDARD</p> <p>535-6243 TRAVEL MOTOR, BIO OIL CAPABLE</p> <p>291-7730 LIGHT, BOOM RIGHT SIDE</p> <p>319-1179 LIGHTING, CAB (HALOGEN)</p> <p>359-8843 SUPPORT, AUX LINES, R-BOOM</p> <p>262-3234 LINES, HIGH PRESSURE, 1PC BOOM</p> <p>262-3237 LINES-HP, REACH 3.1M (10'2") STICK</p>	<p>0</p>	<p>\$235,260</p>
--	----------	-------------------------

Supersedes 02JAN2018

Caterpillar: Confidential Green

US-A-19-01 A

Subject to change without notice

Printed in USA

U. S. DOLLAR CURRENCY

Effective 02JAN2019

318F-003

CATERPILLAR MACHINE PRICE LIST

318F

318F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

- 397-8306 LINES-QC, REACH 5.1M (16'9") BOOM
- 262-3239 LINES-QC, REACH 3.1M (10'2") STICK
- 502-1373 LINES, BKT CLOSE PGQC
- 460-1148 PRODUCT LINK, CELLULAR PL641
- 427-9686 DECALS, EXTERIOR ANSI
- 504-9468 DECALS, CAB ANSI
- 349-2233 CHANGER,HAND CTRL 2-WAY (ANSI)
- 504-1097 CTRL,CAT PIN GRAB COUPLER ANSI

538-9243	318F L HEX AM-N BCF1 0	\$192, 770
	LANE 2 - AVAILABLE FROM AKASHI FACTORY	
	LANE 3 - AVAILABLE FROM AKASHI FACTORY	

Highly configurable machine for general applications

Base Configuration must be completed by selecting
Mandatory / Optional attachments.

- INCLUDES:
- 427-8582 318F L HEX
 - 430-8467 CONTROL, FINE SWING
 - 432-1340 AIR CONDITIONER
 - 352-7158 ACCUMULATOR WITH CRN
 - 488-6543 SEAT BELT, 51MM (2") RETRACTABLE
 - 360-6166 ALARM, TRAVEL
 - 372-9524 CAB-ROPS,70/30,W/VANDAL-G BOSS
 - 340-6667 HATCH, OPENABLE ROOF (DUAL)
 - 496-8191 RADIO, 24V AM/FM
 - 134-8875 GUARD, SWIVEL
 - 291-7730 LIGHT, BOOM RIGHT SIDE
 - 453-7538 SEAT, H-BACK, W/HEATER,S/AIR
 - 319-1179 LIGHTING, CAB (HALOGEN)
 - 342-3202 BATTERY, COLD WEATHER
 - 342-3636 WIPER-RADIAL, FRONT 70/30
 - 346-7396 WASHER, WINDSHIELD UPPER
 - 369-0145 PANEL, STD START SWITCH
 - 426-0308 ENGINE HOOD, HIGH AMBIENT
 - 426-2491 TANK, FUEL, STANDARD
 - 426-2536 COUNTERWEIGHT, 3.4MT
 - 427-9710 CAMERA, REAR VIEW, MIRRORS(RH)
 - 535-6243 TRAVEL MOTOR, BIO CAPABLE
 - 447-1667 FAN, FIXED SPEED
 - 381-8971 CYLINDER, BKT
 - 385-3234 LINKAGE, BKT W/O LIFT

CATERPILLAR MACHINE PRICE LIST

318F

318F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

<p>538-9244</p> <p>318F L HEX AM-N BCF2 0</p> <p>LANE 2 - AVAILABLE FROM AKASHI FACTORY</p> <p>LANE 3 - AVAILABLE FROM AKASHI FACTORY</p>	<p>0</p>	<p>\$206,640</p>
---	----------	-------------------------

Versatile machine with CAT Grade Control

Base Configuration must be completed by selecting
 Mandatory / Optional attachments.

- INCLUDES:
- 427-8582 318F L HEX
 - 430-8467 CONTROL, FINE SWING
 - 432-1340 AIR CONDITIONER
 - 352-7158 ACCUMULATOR WITH CRN
 - 488-6543 SEAT BELT, 51MM (2") RETRACTABLE
 - 360-6166 ALARM, TRAVEL
 - 372-9524 CAB-ROPS,70/30,W/VANDAL-G BOSS
 - 340-6667 HATCH, OPENABLE ROOF (DUAL)
 - 496-8191 RADIO, 24V AM/FM
 - 134-8875 GUARD, SWIVEL
 - 291-7730 LIGHT, BOOM RIGHT SIDE
 - 453-7538 SEAT, H-BACK, W/HEATER,S/AIR
 - 319-1179 LIGHTING, CAB (HALOGEN)
 - 342-3202 BATTERY, COLD WEATHER
 - 342-3636 WIPER-RADIAL, FRONT 70/30
 - 346-7396 WASHER, WINDSHIELD UPPER
 - 369-0145 PANEL, STD START SWITCH
 - 426-0308 ENGINE HOOD, HIGH AMBIENT
 - 426-2491 TANK, FUEL, STANDARD
 - 426-2536 COUNTERWEIGHT, 3.4MT
 - 427-9710 CAMERA, REAR VIEW, MIRRORS(RH)
 - 535-6243 TRAVEL MOTOR, BIO CAPABLE
 - 447-1667 FAN, FIXED SPEED
 - 367-8621 CYLINDER, BKT, CGC
 - 385-3234 LINKAGE, BKT W/O LIFT
 - 359-8737 SENSOR MOUNT, CGC/SC
 - 504-9478 GRADE CONTROL, DEPTH AND SLOPE
 - 295-9615 GUARD, CYLINDER COVER, CGC

CATERPILLAR MACHINE PRICE LIST

318F

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

MUST CHOOSE AT LEAST ONE PACKAGE OR ATTACHMENT FROM EACH CATEGORY

LANE SELECTION

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM THE PDC.

OP-9001	LANE 1 ORDER	0	NC
	Order from Product Distribution Center (PDC)		

DECAL PACKAGE

OP-7124	INSTRUCTION,NORTH AMERICA ANSI	0	NC
	This package includes the ANSI decals and is required by all AM-N territories except Quebec, Canada.		

L	450-2216	INSTRUCTIONS, INTERNATIONAL	0	NC
		This package includes picto decals as required for Quebec, Canada.		

SERVICE INSTRUCTIONS

OP-3380	INSTRUCTIONS, ENGLISH	0	NC
OP-3389	INSTRUCTIONS, FRENCH	0	NC
OP-3404	INSTRUCTIONS, SPANISH	0	NC

PACKING

STORAGE PROTECTION

OG-4126	STORAGE PROTECTION (EXPORT)	0	\$274 NET
	Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.		

EXPORT PACKING

OG-0499	ROLL ON-ROLL OFF LANE1 A	0	\$155 NET
---------	------------------------------------	---	-----------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

ANTIFREEZE

OP-2407	ANTIFREEZE, -50C (-58F)	0	\$251 NET
---------	-----------------------------------	---	-----------

CATERPILLAR MACHINE PRICE LIST

318F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0		NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.			
OP-9003	LANE 3 ORDER	0		NC

BOOMS, STICKS, AND LINKAGES

NOTE: When ordering a frontless excavator, please contact Caterpillar OEM Solutions Group at oem_solutions@cat.com. OEM Solutions Group will assist in development, pricing and ordering of the machine configuration.

BOOM PACKAGES

L	457-1775	REACH BOOM HD PKG	0	\$14,780
		Reach Boom 5.1M (16'9") Heavy Duty (HD) Package (PKG) Includes boom light, left side INCLUDES: - REACH BOOM, 5.1M (16'9") HD - CYLINDER, BOOM (W/O BLCV) - CYLINDER, STICK (W/O SLCV) ONLY FOR USE WITH: 538-9243 AM-N BCF1		
L	495-8337	REACH BOOM HD BLCV/SLCV PKG	0	\$20,230
		Reach Boom 5.1M (16'9") Heavy Duty (HD) Boom Lowering Control Valve/Stick Lowering Control Valve (BLCV/SLCV) Package (PKG) Includes boom light, left side INCLUDES: - REACH BOOM, 5.1M (16'9") HD - CYLINDER, STICK (W/SLCV) - CYLINDER, BOOM (W/BLCV) ONLY FOR USE WITH: 538-9243 AM-N BCF1 538-9248 EUR BCF1 538-9250 ANZ BCF1		
L	494-9141	REACH BOOM HD CGC PKG	0	\$14,780
		Reach Boom 5.1M (16'9") Heavy Duty (HD) CAT Grade Control (CGC) Package (PKG) Includes boom light, left side INCLUDES: - REACH BOOM, 5.1M (16'9") HD CGC - CYLINDER, BOOM (W/O BLCV) - CYLINDER, STICK (W/O SLCV) ONLY FOR USE WITH: 538-9244 AM-N BCF2		

CATERPILLAR MACHINE PRICE LIST

318F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES (CONT.)

BOOM PACKAGES (Cont.)

L	504-1578	REACH BOOM HD B/SLCV CGC PKG 0		\$20,230
		Reach Boom 5.1M (16'9") Heavy Duty (HD) Boom / Stick Lowering Control Valve (B/SLCV) CAT Grade Control (CGC) Package (PKG) Includes boom light, left side INCLUDES: - REACH BOOM, 5.1M (16'9") HD CGC - CYLINDER, BOOM (W/BLCV) - CYLINDER, STICK (W/SLCV) ONLY FOR USE WITH: 538-9244 AM-N BCF2 538-9248 EUR BCF1 538-9250 ANZ BCF1		

STICKS

L	370-7620	STICK, R8'6" HD 0		\$6,100
		ONLY FOR USE WITH: 457-1775 REACH BOOM HD PKG 495-8337 REACH BOOM HD BLCV/SLCV PKG		
L	490-8978	STICK, R10'2" HD 0		\$7,520
		ONLY FOR USE WITH: 457-1775 REACH BOOM HD PKG 495-8337 REACH BOOM HD BLCV/SLCV PKG		
L	490-8979	STICK, R10'2" HD CGC 0		\$8,720
		ONLY FOR USE WITH: 494-9141 REACH BOOM HD CGC PKG 504-1578 REACH BOOM HD B/SLCV CGC PKG		

POWERTRAIN

AIR CLEANERS

L	430-8472	AIR CLEANER, STANDARD 0		\$690
		CANNOT BE USED WITH: 370-7626 STICK, R2.6M (8'6") HD CGC 490-8979 STICK, R3.1M (10'2") HD CGC		
L	430-8474	AIR CLEANER, STANDARD CGC 0		\$690
		ONLY FOR USE WITH: 370-7626 STICK, R2.6M (8'6") HD CGC or 490-8979 STICK, R3.1M (10'2") HD CGC		

UNDERCARRIAGE

TRACKS

L	340-8214	TRACK, 24" TG (GLT) 0		\$2,450
L	357-7549	TRACK, 28" TG W/STEP (GLT) 0		\$2,450

TRACK GUIDING GUARDS

L	346-7203	GUARD, TRACK GUIDING, CENTER 0		\$855
L	346-7148	GUARD, TRACK GUIDE, SEGMENTED 0		\$1,505

CATERPILLAR MACHINE PRICE LIST

318F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS

AUXILIARY CIRCUIT COMBINED CIRCUIT W/O MED PRESSURE

L	510-3666	COMBINED CIR STP PKG 0 Combined Circuit (CIR) Straight Travel Pedal (STP) Package (PKG) Combined circuit (1 way / 2 way) Joystick thumb wheel is included. INCLUDES: - VALVE, HYDRAULIC TCS - JOYSTICK, THUMB WHEEL - MAT, FLOOR, RH PEDAL - PEDAL, STRAIGHT TRAVEL - LINES, CYLINDER - PILOT LINES, STRAIGHT TRAVEL - PILOT LINES, BKT OPEN STD - PILOT LINES, TCS - CIRCUIT, COMBINED - MACHINE CONTROLLER TCS ONLY FOR USE WITH: 457-1775 REACH BOOM HD PKG or 494-9141 REACH BOOM HD CGC PKG		\$9,080
L	510-3668	COMBINED CIR STP B/SLCV PKG 0 Combined Circuit (CIR) Straight Travel Pedal (STP) Boom Lowering Control Valve (BLCV)/Stick Lowering Control Valve (SLCV) Package (PKG) Combined circuit (1 way / 2 way) Joystick thumb wheel is included. INCLUDES: - VALVE, HYDRAULIC TCS - CIRCUIT, COMBINED - JOYSTICK, THUMB WHEEL - MAT, FLOOR, RH PEDAL - PEDAL, STRAIGHT TRAVEL - DEVICE, BOOM LOWERING W/OLWD - DEVICE, STICK LOWERING CONTROL - LINES, CYLINDER W/BLCV - PILOT LINES, STRAIGHT TRAVEL - PILOT LINES, BKT OPEN STD - PILOT LINES, TCS - MACHINE CONTROLLER TCS ONLY FOR USE WITH: 495-8337 REACH BOOM HD BLCV/SLCV PKG or 504-1578 REACH BOOM HD B/SLCV CGC PKG		\$11,270

CATERPILLAR MACHINE PRICE LIST

318F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

AUXILIARY CIRCUIT COMBINED CIRCUIT W/ MED PRESSURE

L	510-3667	COMBINED MP CIR STP PKG 0 Combined Medium pressure (MP) Circuit (CIR) Straight Travel Pedal (STP) Package (PKG) Combined circuit (1 way / 2 way) Joystick thumb wheel is included. INCLUDES: - VALVE, HYDRAULIC TCS - JOYSTICK, THUMB WHEEL - MAT, FLOOR, RH & LH PEDAL - PEDAL, STRAIGHT TRAVEL - LINES, CYLINDER - PILOT LINES, STRAIGHT TRAVEL - PILOT LINES, BKT OPEN STD - PILOT LINES, TCS - CIRCUIT, COMBINED - CIRCUIT, MEDIUM PRESSURE - PEDAL, TOOL MODULATION (LH) - MACHINE CONTROLLER TCS ONLY FOR USE WITH: 457-1775 REACH BOOM HD PKG or 494-9141 REACH BOOM HD CGC PKG		\$15,200
---	----------	--	--	----------

LINE GROUPS

LINES - BUCKET CLOSE

L	392-1844	LINES, BKT CLOSE STD 0 CANNOT BE USED WITH: 463-1943 CTRL,CAT PIN GRAB COUPLER ANSI 383-5474 CTRL,CAT PIN GRAB COUPLER ISO		NC
L	502-1373	LINES, BKT CLOSE PGQC 0 REQUIRES: 463-1943 CTRL,CAT PIN GRAB COUPLER ANSI 383-5474 CTRL,CAT PIN GRAB COUPLER ISO		NC

ELECTRICAL

MACHINE SOFTWARE

L	499-2013	MACHINE SOFTWARE OPB 0 CANNOT BE USED WITH: 504-1579 VA BOOM B/SLCV PKG		NC
---	----------	---	--	----

TECHNOLOGY PRODUCTS

CGC PRICE ADJUSTMENT

	OP-4242	CGC PRICE ADJUSTMENT-S 0 CGC Price adjustment for small excavators in North America to accelera technology and improve customer value. ONLY FOR USE WITH: CGC Configurations		\$-4,710
--	---------	--	--	----------

CATERPILLAR MACHINE PRICE LIST

318F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

GUARDS

BOTTOM GUARD

L	426-0304	GUARD, BOTTOM HD 0 Increased plate thickness & Bolt protection.		\$1,255
L	426-0303	GUARD, BOTTOM 0 Standard plate thickness		\$590

OTHER ATTACHMENTS

DECALS - EXTERIOR

L	427-9686	DECALS, EXTERIOR ANSI 0 AVAILABLE FOR: AM-N (except for Quebec)		NC
---	----------	--	--	----

DECALS - CAB

L	504-9468	DECALS, CAB ANSI 0 ONLY FOR USE WITH: 427-9686 DECALS, EXTERIOR ANSI AVAILABLE FOR: AM-N (except for Quebec)		NC
---	----------	--	--	----

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country. Please contact your Cat marketing representative with questions.

L	460-1148	PRODUCT LINK, CELLULAR PL641 0 ANSI Product Link Pro series PL641 uses UMTS and CDMA 3G cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data. ONLY FOR USE WITH: 427-9686 DECALS, EXTERIOR ANSI AVAILABLE FOR: AM-N (Except for Quebec)		NC
L	460-1150	PRODUCT LINK, SATELLITE PL631 0 ANSI Product Link Pro series PL631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage. ONLY FOR USE WITH: 427-9686 DECALS, EXTERIOR ANSI AVAILABLE FOR: AM-N (except for Quebec)		\$432

PATTERN CHANGER

L	349-2233	CHANGER,HAND CTRL 2-WAY (ANSI) 0 ONLY FOR USE WITH: 427-9686 DECALS, EXTERIOR ANSI AVAILABLE FOR: AM-N (except for Quebec)		\$1,255
---	----------	--	--	---------

CATERPILLAR MACHINE PRICE LIST

318F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	--------------------	-------------------------

INSTRUCTIONS

OPERATION & MAINTENANCE MANUAL

0P-3380	INSTRUCTIONS, ENGLISH	0	NC
0P-3404	INSTRUCTIONS, SPANISH	0	NC

CATERPILLAR MACHINE PRICE LIST

318F

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

LINE GROUPS

NOTE: Provides hydraulic lines

HIGH PRESSURE AUXILIARY BOOM LINES

L	262-3234	LINES, HIGH PRESSURE, 1PC BOOM 96		\$1,750
		VA BOOM B/SLCV PKG already includes this lines. REQUIRES: 359-8843 SUPPORT, AUX LINES, R-BOOM ONLY FOR USE WITH: 457-1818 COMBINED CIR STP PKG or 498-6238 COMBINED CIR STP B/SLCV PKG or 457-1820 COMBINED MP CIR STP PKG or 504-1580 COMBINED MP CIR B/SLCV PKG or 506-3074 HAMMER CIR B/SLCV PKG CANNOT BE USED WITH: 504-1579 VA BOOM B/SLCV PKG		

HIGH PRESSURE AUXILIARY STICK LINES

L	262-3240	LINES-HP, REACH 8'6" STICK 74		\$493
		ONLY FOR USE WITH: 370-7620 STICK, R2.6M (8'6") HD or 338-7848 STICK, R2.6M (8'6") HD or 370-7626 STICK, R2.6M (8'6") HD CGC and 262-3234 LINES, HIGH PRESSURE, 1PC BOOM or 504-1579 VA BOOM B/SLCV PKG		
L	262-3237	LINES-HP, REACH 10'2" STICK 80		\$493
		ONLY FOR USE WITH: 490-8978 STICK, R3.1M (10'2") HD or 490-8979 STICK, R3.1M (10'2") HD CGC and 262-3234 LINES, HIGH PRESSURE, 1PC BOOM		

MEDIUM PRESSURE AUXILIARY BOOM LINES

L	397-8305	LINES-MP, REACH 16'9" BOOM 0		\$1,185
		VA BOOM B/SLCV PKG already includes this lines. (*) If already selected 359-8843 SUPPORT, AUX LINES, R-BOOM, no need to select this again. REQUIRES: 359-8843 SUPPORT, AUX LINES, R-BOOM ONLY FOR USE WITH: 457-1820 COMBINED MP CIR STP PKG or 504-1580 COMBINED MP CIR B/SLCV PKG CANNOT BE USED WITH: 504-1579 VA BOOM B/SLCV PKG		

MEDIUM PRESSURE AUXILIARY STICK LINES

L	262-3241	LINES-MP, REACH 8'6" STICK 38		\$397
		ONLY FOR USE WITH: 370-7620 STICK, R2.6M (8'6") HD or 338-7848 STICK, R2.6M (8'6") HD or 370-7626 STICK, R2.6M (8'6") HD CGC and 397-8305 LINES-MP, REACH 5.1M (16'9") BOOM or 504-1579 VA BOOM B/SLCV PKG		
L	262-3238	LINES-MP, REACH 10'2" STICK 44		\$397
		ONLY FOR USE WITH: 490-8978 STICK, R3.1M (10'2") HD or 490-8979 STICK, R3.1M (10'2") HD CGC and 397-8305 LINES-MP, REACH 5.1M (16'9") BOOM		

CATERPILLAR MACHINE PRICE LIST

318F

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

LINE GROUPS (CONT.)

QUICK COUPLER CONTROL

L	504-1097	CTRL,CAT PIN GRAB COUPLER ANSI 0		\$830
		ANSI For use only for Cat Pin Grabber Coupler This DOES NOT include QC lines for the boom and stick. This is designed for the pin grabber coupler operating at full machine implement pressure. It contains the hydraulic lines on the upper frame and control. It as a high-pressure circuit. ONLY FOR USE WITH: 427-9686 DECALS, EXTERIOR ANSI AVAILABLE FOR: AM-N (except for Quebec)		

QUICK COUPLER BOOM LINE

L	397-8306	LINES-QC, REACH 16'9" BOOM 0		\$1,285
		VA BOOM B/SLCV PKG already includes this lines. (*) If already selected 359-8843 SUPPORT, AUX LINES, R-BOOM, no need to select this again. REQUIRES: 359-8843 SUPPORT, AUX LINES, R-BOOM ONLY FOR USE WITH: 463-1943 CTRL,CAT PIN GRAB COUPLER ANSI or 383-5474 CTRL,CAT PIN GRAB COUPLER ISO or 383-5476 CONTROL, CW DEDICATED COUPLER CANNOT BE USED WITH: 504-1579 VA BOOM B/SLCV PKG		

QUICK COUPLER STICK LINE

L	262-3242	LINES-QC, REACH 8'6" STICK 21		\$915
		ONLY FOR USE WITH: 370-7620 STICK, R2.6M (8'6") HD or 338-7848 STICK, R2.6M (8'6") HD or 370-7626 STICK, R2.6M (8'6") HD CGC and 397-8306 LINES-QC, REACH 5.1M (16'9") BOOM or 504-1579 VA BOOM B/SLCV PKG		
L	262-3239	LINES-QC, REACH 10'2" STICK 32		\$915
		ONLY FOR USE WITH: 490-8978 STICK, R3.1M (10'2") HD or 490-8979 STICK, R3.1M (10'2") HD CGC and 397-8306 LINES-QC, REACH 5.1M (16'9") BOOM		

BOOM LINE AUXILIARY MOUNT

L	359-8843	SUPPORT, AUX LINES, R-BOOM 0		NC
		Required this when any boom aux lines are selected. ONLY FOR USE WITH: 262-3234 LINES, HIGH PRESSURE, 1PC BOOM or 397-8305 LINES-MP, REACH 5.1M (16'9") BOOM or 397-8306 LINES-QC, REACH 5.1M (16'9") BOOM		

SAFETY AND SECURITY

BUMPER

L	343-9350	BUMPER, SIDE STEEL 0		\$680
---	----------	--------------------------------	--	-------

CATERPILLAR MACHINE PRICE LIST

318F

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

BUCKETS

NOTE: Stick, bucket linkage and bucket must be matched.

Includes tooth adapters welded on cutting edge.
 Does not include tooth tips or sidecutters.
 Rated capacity, SAE heaped.

GENERAL DUTY (GD)

For digging in low impact, lower abrasion materials as dirt, and mixed compositions of dirt and fine gravel.

P	373-3779	BUCKET-GD, 48" 1.19 YD3 REQUIRES: 6 tips K80	1,457	\$6,653
---	----------	---	-------	---------

HEAVY DUTY (HD)

The most popular excavator bucket style. A good "center line" choice, or starting point, when application conditions are

L	396-4199	BUCKET-HD, 41" 0.76 YD3 REQUIRES: 5 tips K80	1,362	\$6,913
---	----------	---	-------	---------

SEVERE DUTY (SD)

For higher abrasion conditions such as well shot granite and caliche.

P	396-7579	BUCKET-SD, 36" 0.81 YD3 REQUIRES: 5 tips K90	1,376	\$6,601
---	----------	---	-------	---------

SIDE CUTTERS

P	380-1204	SIDE CUTTER, GENERAL PURPOSE	54	\$593
---	----------	------------------------------	----	-------

TIP (ADAPTER SIZE K80)

P	229-6966	TIP, PENETRATION PLUS Recommended for harder-to-penetrate including high impact trenching, excavation and loading. Good penetration, stays sharp.	29	\$71
---	----------	---	----	------

TIP (ADAPTER SIZE K90)

P	217-4893	TIP, PENETRATION PLUS Recommended for harder-to-penetrate including high impact trenching, excavation and loading. Good penetration, stays sharp.	33	\$82
---	----------	---	----	------

CATERPILLAR MACHINE PRICE LIST

318F

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FLUIDS

ANTIFREEZE

OP-2407	ANTIFREEZE, -50C (-58F)	0	\$251 NET
---------	-------------------------	---	-----------

FIELD INSTALLED ATTACHMENTS

FIELD INSTALLED ATTACHMENTS

Available Through ANTARES Parts Ordering.

- 488-6527 Seat Belt, Retractable (76mm / 3" width)
Mandatory for ANZ
- 484-8798 FOGS Retrofit Kit PKG (Compatible with 1-Piece & 70/30 window, Openable front & fixed top guard, NOT support with dual exit, including Cab Lights, Cab Mirror)
- 484-7816 FOGS Retrofit Kit PKG (Compatible with 1-Piece & 70/30 window, Openable front & top, support dual exit, including Cab Lights, Cab Mirror)
- 499-3722 Rain protector for front windshield
- 486-1416 Security systems (MSS)

PACKING

STORAGE PROTECTION

OG-4126	STORAGE PROTECTION (EXPORT)	0	\$274 NET
Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.			

EXPORT PACKING

OG-4201	ROLL ON-ROLL OFF	0	\$118 NET
For use when ordering an installed bucket or quick coupler			
OG-0480	ROLL ON-ROLL OFF W/O BKT QC A	0	\$155 NET
For use when NOT ordering an installed bucket or quick coupler			
OG-4215	EXPORT PKG,W/BOOM,STK DISM	0	\$1,730 NET
Boom and stick dismounted CAN NOT BE USED WITH: Bucket			

CATERPILLAR MACHINE PRICE LIST

318F

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------------	--------------------	-------------------------

PACKING (CONT.)

EXPORT PACKING (Cont.)

0G-4221	EXPORT PKG,W/BOOM,STK,BKT DISM Boom, stick and bucket dismounted For use when ordering a bucket 0	\$1,750 NET
---------	--	---------	--------------------