



JOHN DEERE

Current Date 02Jan2019

325G COMPACT TRACK LOADER

Equipment for Base
Machine

Engine:

4 Cylinder Turbo-Charged
Electronic Injection System
Auto Idle
Glow Plugs
Automatic Engine Shutdown
with Alarm
V-Plenum Engine and
Hydraulic cooling package
Hydraulic Cool-on-Demand
Variable Speed Fan
Dual Element Air Cleaner
Auto Fan Belt Tensioner
John Deere "Cool Gard II"
Extended Life Anti-Freeze
John Deere Plus 50 10w30
engine oil
5 Micron fuel filter with
Water Separator
100 Micron secondary fuel
filter
20 Gallon (76 L) Fuel Tank

Final Drive System and
Undercarriage:

1-speed transmission
Servo Axial Piston
Hydrostatic Pumps
Radial Piston Hydrostatic
Motors
High Drive Planetary
Reduction Gear Box
Grease Cylinder Track
Tensioner
Patented Smooth Ride
Undercarriage
2 duel flanged idlers & 5
triple flanged rollers
Heavy Duty 12.6 in (320
mm) Rubber Tracks
Spring applied,
hydraulically released wet-
disk park brake

Gauges and Instruments:

Key start ignition &
electronic rotary throttle
Fuel Gauge

Engine RPM

Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Service Codes
Diagnostic Codes
Configuration Codes

Indicator Warning Lights:

Battery Not Charging
Hydraulics Locked Out
Park Brake Illumination
Hydraulic Oil Over Temp
2-Speed Engaged
Air Filter Restriction
Hydraulic Oil Filter
Restriction
Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat

Electrical:

12-Volt Electrical Battery
750 cca w/150 minute
reserve capacity
Alternator 70 Amp
Halogen Work Lights, 2
Front and 1 Rear
Programmable courtesy
lighting shutoff system

Hydraulics:

3-Spool Open Center Valve
System Pressure 3450 psi
5 Micron Hydraulic Filter
John Deere Boom & Bucket
Cylinders w/Cushioned
Boom
Connect-under-pressure
auxiliary hydraulic couplers
Loader Arm, Bucket, &
Auxiliary Hydraulic Lockout
system
Auxiliary Hydraulics Lock-
out Override
Boom Float

Tipping Load 7,400 lbs.
(3,357 kg)

Hydraulic Pump Flow 18
gpm (68 L/m)

Travel Speed-Low 6.2 mph
(10 km/h)

Construction Bucket
Breakout Force 6,000 lbs.
(2,724 kg)

Boom Breakout Force 5,250
lbs. (2,384 kg)

Tractive Effort - 8,500 lbf
(3,859 kgf)

Width without Attachment
71.8 in. (1.82 m)

Length without Attachment
112 in. (2.85 m)

Height to Top of ROPS 80.6
in. (2.05 m)

Height to Hinge Pin 125.5
in. (3.19 m)

Machine Operating Weight
9,440 lbs. (4,286)

Operator

Protection/Comfort:
FOPS / ROPS Roll-Guard
with Side Screens
In-Cab Boom Lockout
System
Adjustable Interlocking
Operator Presence Lap Bar
System
Retractable Seat Belt
Rearview mirror
Back-up Alarm
Horn
Deluxe Headliner
12V power port
Cell Phone cargo net
storage
Interior Dome Lighting
Cup Holder
Itrigal Grab Handles for
Easy Entry / Exit
Top and Rear Windows
Water Shedding Deluxe
Seating
Convenient Tie Downs

Engine Coolant Temperature	Performance Characteristics:	Attachment Coupler:
Operator Selectable LCD Digital Readout:	Gross Horsepower 74 Hp (54.8 Kw)	John Deere patented Quik-Tatch system (no grease required)
Hourmeter	Rated Operating Capacity 2,590 lbs. (1,176 kg)	Warranty: John Deere 2 years/2000 hours

Required - *You must select one from each category*



BASE MACHINE

F.O.B. Dubuque, Iowa

Description	Code	Price
325G COMPACT TRACK LOADER	00D0T	\$58,829.00



VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price
Standard Compact Track Loader	0800	No Added Cost

Includes standard equipment

CANOPY PACKAGE WITH E-H (ISO PATTERN) JOYSTICKS	0846	(\$20.00)
---	------	-----------

Package includes:
 EH (ISO Pattern) Joystick Controls (0950)
 Single-Speed (1025)
 Turbocharged Engine (1301)
 English Operator's Manual & Decals (1501)
 Narrow Zig-Zag Bar Track - 12.6 in. (2550)
 Standard Hydraulics (3000)
 2 in. Seat Belt (4000)
 Manual Quik-Tatch (5000)
 Canopy - ROPS / FOPS (5200)
 Standard Lighting Package (5500)
 Mechanical Suspension Seat (Vinyl) (6001)
 Standard Fan Drive (6500)

Utility Package with E-H (ISO Pattern) Joysticks	0861	(\$596.00)
--	------	------------

Package includes:
 E-H (ISO Pattern) Joystick Controls (0950)
 Two-Speed (1050)
 Turbocharged Engine (1301)
 English Operator's Manual & Decals (1501)
 Wide Zig-Zag Bar Track - 15.8 in. (2645)
 Standard Hydraulics and Hydraulic Self-Leveling Up (3001)
 2-Inch Seat Belt (4000)
 Power Quik-Tatch (5001)
 Canopy - ROPS / FOPS (5200)
 Standard Lighting Package (5500)
 Vinyl, Air-Ride Seat (6003)
 Standard Fan Drive (6500)
 Foot Rest with Floormat (8380)
 Keyless Start (Sealed Switch Module) (8395)

Deluxe Cab Package with AC, Heat, Defrost, E-H (ISO or H Pattern Switchable) and Performance Package 0871 (\$1,587.00)

Package includes:
ISO-H Switchable Controls and EH Joystick Performance Package (0953)
Two-Speed (1050)
Turbocharged Engine (1301)
English Operator's Manual & Decals (1501)
Wide Zig-Zag Bar Track - 15.8 in. (2645)
Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control (3004)
3 in. Seat Belt with Shoulder Harness (4003)
Power Quik-Tatch (5001)
Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
Deluxe Lighting Package (5550)
Air Suspension Seat (Cloth with Heat) (6006)
Reversing Fan Drive (6501)
Rear View Camera (8042)
Radio, AM/FM with Bluetooth (8342)
Foot Rest with Floormat (8380)
Keyless Start (Sealed Switch Module) (8395)

Utility Package with E-H (ISO Pattern) Joysticks 0867 (\$1,001.00)

Package includes:
E-H (ISO Pattern) Joystick Controls (0950)
Two-Speed (1050)
Turbocharged Engine (1301)
English Operator's Manual & Decals (1501)
Narrow Zig-Zag Bar Track - 12.6 in. (2550)
Standard Hydraulics and Hydraulic Self-Leveling Up (3001)
3 in. Seat Belt with Shoulder Harness (4003)
Power Quik-Tatch (5001)
Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
Standard Lighting Package (5500)
Air Suspension Seat (Cloth with Heat) (6006)
Standard Fan Drive (6500)
Radio, AM/FM with Bluetooth (8342)
Keyless Start (Sealed Switch Module) (8395)

ENGINE

Description	Code	Price
Engine - Turbocharged	1301	\$2,678.00

Required for the United States. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards.
Yanmar 4TNV98CT 3.3L
4 Cylinder Turbo-Charged
74 Gross hp (54.8 kW)
70 Net hp (52.5 kW)

ENGINE FAN

Description	Code	Price
Standard Fan Drive	6500	No Added Cost
Reversing Fan Drive	6501	\$830.00

CANOPY OR CAB

Description	Code	Price
Canopy - ROPS / FOPS	5200	No Added Cost

	Cab Enclosure with Air-Conditioning, Heat and Defrost	5204	\$4,473.00
	Glass Front Door w/ Wiper and Glass Slide Windows. Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).		
	Cab Enclosure with Air-Conditioning, Heat, Defrost, and Severe Duty Door	5205	\$6,672.00
	Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)		
▼	SEAT		
	Description	Code	Price
	Mechanical Suspension Seat (Vinyl)	6001	No Added Cost
	Vinyl, Air-Ride Seat	6003	\$452.00
	Air Suspension Seat (Cloth with Heat)	6006	\$625.00
	For use with Cab 5204.		
▼	SEAT BELT		
	Description	Code	Price
	2-Inch Seat Belt	4000	No Added Cost
	For use with Canopy - ROPS / FOPS (5200).		
	2-Inch Seat Belt with Shoulder Harness	4001	\$212.00
	For use with Cab Enclosure with Heat and Defrost and Cab Enclosure with Heat, Defrost, and Air-Conditioning (5204)		
	3-Inch Seat Belt with Shoulder Harness	4003	\$265.00
▼	CONTROLS		
	Description	Code	Price
	E-H (ISO Pattern) Joystick Controls	0950	No Added Cost
	ISO-H Switchable Controls and EH Joystick Performance Package	0953	\$1,035.00
	Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes.		
	Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode.		
	EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness		
▼	TRANSMISSION		
	Description	Code	Price
	SINGLE-SPEED	1025	No Added Cost
	TWO-SPEED	1050	\$2,033.00

HYDRAULICS			
Description	Code	Price	
Standard Hydraulics	3000	No Added Cost	
Pump Flow = 19 gpm			
Standard Hydraulics and Hydraulic Self-Leveling Up	3001	\$575.00	
Pump Flow = 19 gpm			
Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control	3004	\$1,250.00	
Pump Flow = 19 gpm			
High Flow Hydraulics	3002	\$1,830.00	
Pump Flow = 27 gpm			
Includes 1/2 in Auxiliary coupler sizes.			
High Flow Hydraulics, Hydraulic Self-Leveling, and Ride Control	3005	\$3,058.00	
TRACK			
Description	Code	Price	
Narrow	2500	No Added Cost	
Offset Block Lug Rubber Tracks - 12.6 in. Gives 71.5 in. CTL width.			
Narrow Zig-Zag Bar Track - 12.6 in.	2550	\$200.00	
Gives 71.5 in. CTL width.			
Wide	2600	\$1,430.00	
15.8 in. Track Width. Gives 74.7 in. CTL Width.			
Wide Zig-Zag Multi-Bar Tracks - 15.8 in. (400mm) Tracks	2645	\$1,630.00	
Gives 74.7 in. CTL width.			
OPERATOR'S MANUAL AND DECALS			
Description	Code	Price	
English Operator's Manual & Decals	1501	No Added Cost	
For use with FT4 Engine			
French Operator's Manual & Decals	1510	No Added Cost	
For use with FT4 Engine			
Spanish Operator's Manual & Decals	1515	No Added Cost	
For use with FT4 Engine			

English Operator's Manual & No Text Decals	1503	No Added Cost
Not for Canada For use with IT4/Stage IIIB Engine		
French Operator's Manual & No Text Decals	1512	No Added Cost
Not for Canada For use with IT4/Stage IIIB Engine		
Spanish Operator's Manual & No Text Decals	1516	No Added Cost
Not for Canada For use with IT4/Stage IIIB Engine		



LIGHTING

Description	Code	Price
Standard Lighting Package	5500	No Added Cost
Includes 2 front halogen work headlights and rear work light.		
Deluxe Lighting Package	5550	\$900.00
Includes 2 additional CAB mounted side lights and LED light bulbs for all exterior machine lights.		



QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	No Added Cost
Power Quik-Tatch	5001	\$724.00



JDLINK

Description	Code	Price
JDLink Ultimate Cellular - 3 Years	170A	\$1,200.00
Includes JDLink hardware: 4G LTE modular telematics gateway (MTG) with Wi-Fi data transfer and Bluetooth circuitry, JDLink Ultimate activation, integrated cab wiring harness and antenna.		
JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality.		
Includes a 3 year subscription. Annual subscription renewal required after 3 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements . If these terms and conditions are not agreeable do not proceed and do not use the service.		
Less JDLink	1741	No Added Cost

Optional - *Select as desired*

COLD START PACKAGES

Description	Code	Price
Cold Start Package	8050	\$303.00
Includes Heavy Duty 925cca Battery, Hydraulic Bypass, and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics		
EXHAUST		
Description	Code	Price
Chrome Exhaust	8225	\$328.00
AIR PRE-CLEANER		
Description	Code	Price
Engine Air Precleaner	8060	\$455.00
RADIO		
Description	Code	Price
Radio, AM/FM with Bluetooth	8342	\$600.00
MIRRORS		
Description	Code	Price
Mirror (mount on boom)	8355	\$87.00
FLOOR MAT		
Description	Code	Price
Foot Rest with Floormat	8380	\$144.00
For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).		
KEYLESS START		
Description	Code	Price
Keyless Start (Sealed Switch Module)	8395	\$399.00
Includes: programmable machine security code system		
REAR CAMERA		
Description	Code	Price
Rear View Camera	8042	\$850.00
Includes 5" LCD monitor.		
COUNTERWEIGHT		
Description	Code	Price
Counterweight, Stackable (Single Set)	8300	\$349.00
Includes 2 - 86 lb weights (39 Kg)		
Counterweight, Stackable (Second Set)	8305	\$349.00
Includes 2 - 86 lb weights (39 Kg)		

Counterweight, Stackable (Third Set)	8310	\$349.00
--------------------------------------	------	----------

Includes 2 - 86 lb weights (39 Kg)
Requires Counterweight, Stackable (Second Set) (8305)

▼ EXPORT CODES

Description	Code	Price
-------------	------	-------

▼ BATTERIES

Description	Code	Price
Battery, Heavy Duty, 925cca	8045	\$55.00

Not for use with Cold Start Package (8050).

▼ WARNING LIGHTS

Description	Code	Price
Hazard Warning Lights	8075	\$159.00

▼ GRILLE

Description	Code	Price
HD Rear Grille	8370	\$486.00

Provides protection to cooling package.

▼ BUCKETS

Description	Code	Price
72 in. Construction Bucket (17.8 cu. ft.)	9040	\$1,154.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	9041	\$1,379.00
78 in. HD Construction Bucket (19.4 cu. ft.)	9051	\$1,287.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	9052	\$1,500.00
72 in. Grading Heel Bucket (16.8 cu. ft.)	9125	\$1,254.00
72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth	9127	\$1,534.00
72 in. Tooth Bucket (17.8 cu. ft.)	9210	\$1,379.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	9221	\$1,515.00
72 in. Utility Bucket (22.6 cu. ft.)	9320	\$1,193.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	9321	\$1,402.00
72 in. Construction Bucket (17.8 cu. ft.) with Serrated Edge	9322	\$1,568.00
78 in. HD Grading Heel Bucket (18.2 cu. ft.)	9325	\$1,445.00
78 in. HD Grading Heel Bucket (18.2 cu. ft.) with Teeth	9327	\$1,753.00
78 in. HD Utility Bucket (24.5 cu. ft.)	9330	\$1,275.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	9331	\$1,500.00

78 in. HD Construction Bucket (19.4 cu. ft.) with Serrated Edge	9332	\$1,792.00
---	------	------------

▼ RUST PROTECTION

Description	Code	Price
Rust Preventative	9909	\$160.00

Coating protects exposed unpainted surfaces from road salt during shipment.
Applied at PSL.
Not for use with export shipments as export pricing includes rust prevention.

▼ DEALER-INSTALLED KITS

Description	Code	Price
Buckets		

72 IN. CONSTRUCTION BUCKET (17.8 CU. FT.) WITH SERRATED EDGE	BYT10854	\$1,568.00
--	----------	------------

72 IN. GRADING HEEL BUCKET (16.8 cu. ft.)	BYT10086	\$1,254.00
---	----------	------------

72 IN. GRADING HEEL BUCKET (16.8 cu. ft.) WITH TEETH	BYT10151	\$1,534.00
--	----------	------------

72 in. Construction Bucket (17.8 cu. ft.)	AT319177	\$1,154.00
---	----------	------------

72 in. Construction Bucket (17.8 cu. ft.) with Edge	AT322309	\$1,379.00
---	----------	------------

72 in. Foundry Bucket (16.0 cu. ft.)	KV11637	\$956.00
--------------------------------------	---------	----------

72 in. Tooth Bucket (17.8 cu. ft.)	AT321177	\$1,379.00
------------------------------------	----------	------------

72 in. Utility Bucket (22.6 cu. ft.)	KV21474	\$1,193.00
--------------------------------------	---------	------------

72 in. Utility Bucket (22.6 cu. ft.) with Edge	KV24756	\$1,402.00
--	---------	------------

78 IN. HD CONSTRUCTION BUCKET (19.4 CU. FT.) WITH SERRATED EDGE	BYT10853	\$1,792.00
---	----------	------------

78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.)	BYT10191	\$1,445.00
--	----------	------------

78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.) WITH TEETH	BYT10328	\$1,753.00
---	----------	------------

78 in. HD Construction Bucket (19.4 cu. ft.)	AT319180	\$1,287.00
--	----------	------------

78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	AT322310	\$1,500.00
--	----------	------------

78 in. HD Tooth Bucket (19.4 cu. ft.)	AT321180	\$1,515.00
---------------------------------------	----------	------------

78 in. HD Utility Bucket (24.5 cu. ft.)	KV22802	\$1,275.00
---	---------	------------

78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	KV24757	\$1,500.00
---	---------	------------

[Kits & Accessories](#)

12 Volt Demonstration Kit	KV21995	\$314.00
---------------------------	---------	----------

3-pin connector

Attachment Control	BYT10647	\$685.00
--------------------	----------	----------

3 & 14 pin attachment connector		
Beacon Warning Light	BYT10048	\$320.00
Block Heater Kit	AT427686	\$112.00
Bobcat Attachment Harness Adapter Kit	BYT10661	\$344.00
Must have the 14 pin attachment connector already installed.		
Boom Mounted Hose Guide Kit	AT436025	\$102.00
[E-series] [G-series: 320G - 333G]		
Boom Mounted Mirrors	BYT10168	\$75.00
Deluxe Light Package	BYT10648	\$900.00
Includes 2 additional side lights and LED light bulbs for all exterior machine lights.		
EH Joystick Performance Package	BYT10454	\$593.00
Engine Air Pre-Cleaner Kit	BYT10682	\$457.00
Compatible with 320G, 324G, & 325G machines with Turbocharged engine code 1301.		
Field Kit, Reversing Fan	BYT10356	\$834.00
Kit is compatible with G series models (320G, 324G, 325G, 330G, 331G, 332G & 333G).		
Fluid Sampling Field Kit	BYT10641	\$155.00
Foot Throttle Removal Kit	AT374642	\$52.00
HD Rear Grille	BYT10679	\$593.00
Provides protection to cooling package.		
Hazard Warning Lights	AT431921	\$127.00
Hydraulic Quick Coupler Adapter Kit	AT428072	\$325.00
Adapts Highflow Machine Aux Couplers to Operate Low Flow Attachment.		
Joystick Pod Mounted Throttle	AT419446	\$152.00
Radio Field Kit	BYT10062	\$510.00
Radio, AM/FM with Aux Input and Bluetooth	BYT10042	\$575.00
Streaming Bluetooth, no Hands-Free.		
Rear View Camera	BYT10651	\$850.00
Includes 5" LCD monitor.		
SMV Sign	BYT10680	\$77.00
SSM - Use with EH Controls	BYT10650	\$179.00

Severe Duty Door	BYT10226	\$3,076.00
Requires severe duty hardware kit BYT10085.		
Severe Duty Door Hardware Kit	BYT10085	\$170.00
Single Point Support Kit	BYT10843	\$2,824.00
Standard Door	BYT10227	\$1,030.00
<u>Kits & Accessories</u>		
Backhoe Attachment Mounting Kit	BYT10313	\$282.00
Counterweight, Stackable (Single Set)	AT348835	\$356.00
Includes 2 - 86 lb weights (39 Kg)		
<u>Miscellaneous</u>		
72 in. Bolt-On Cutting Edge	T32742	View Price
<u>Operator Environment</u>		
Trim Elbow Pad Field Kit	AT417600	\$28.00
<u>Tooth Bars</u>		
72 in. Tooth Bar - 7 Teeth	KV11598	\$510.00
72 in. Tooth Bar for BOCE - 8 Teeth	AT347128	\$733.00

REFERRAL ATTACHMENTS

Description	Code	Price
<u>G.R.Mfg.</u>		
G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
Auxiliary Hydraulic Line Quick Coupler	AT437326	\$180.00
Bottom Covers & Reinforcement Plates	BYT10945	\$346.00
Bucket Cylinder Rod Guard	BYT10947	\$376.00
Bumper, Rear w/o Deflectors	BYT10943	\$1,356.00
Guard, Cab Roof Debris	BYT10263	\$121.00
Level II FOPS Plate	AT445276	\$602.00
Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.		
Lift Cylinder Hose Guards	BYT10948	\$380.00
Light Guard Kit	BYT10946	\$248.00

Protection Package	BYT10942	\$4,414.00
Screens, Sides and Rear	BYT10944	\$710.00
Toe Guard and Door Upgrade Kit	AT372950	\$492.00
Required to meet ISO 8084 Forestry Applications		

Copyright © Deere & Company. All Rights Reserved.

[About Our Site](#) | [Privacy and Data](#) | [Legal](#) | |