

CATERPILLAR MACHINE PRICE LIST

326F

326F EXCAVATOR
AKASHI, JAPAN

Ship Weight
lbs

LIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

Diesel engine, CAT C7.1 certified to EPA Tier4 final, EU stage IV, MLIT 2014
-Three selectable power modes capability; HHP, STD and ECO
-After-treatment system: CEM (DPF + SCR) and DEF System (DEF Tank and DEF Lines)
Variable fan speed control with viscous clutch
One touch low idle with automatic engine speed control (AEC)
Automatic (programmable) idling shut down function
Three stage fuel filtration system with water separator and indicator
4,600m altitude capability with de-rate from 3,000m
52 deg. C high ambient cooling capability with de-rate from 48 deg. C
115 amp. alternator
Radial seal air filter with double filter element
Electric fuel lifting pump
Capability of using Bio-Diesel fuel (B20)

UNDERCARRIAGE

Grease lubricated track link
Tie down points on base frame (ISO 15818 compliant)

HYDRAULICS

Electric boom regeneration circuit
Stick regeneration circuit
One touch lifting mode
Automatic two speed travel
Boom and stick drift reduction valve
Reverse swing damping valve
High performance hydraulic return filter (Capsule filter type)

ELECTRICAL

Maintenance free battery
Centralized electrical disconnect switch
CAT product link
90 seconds programmable time delay working lights (halogen);
-Storage box mounted (one),
-Boom mounted LH

OPERATOR ENVIRONMENT

CAB:
Sound suppressed ROPS cab (ISO 12117-2 compliant) with viscous mount
Openable laminated front upper windshield with assist device
Removable tempered lower windshield with in cab storage bracket
High back seat with air suspension, seat heater and head rest
Fully adjustable seat, console and armrest
Full graphic 7inch LCD monitor with distortion free rear view camera picture
24V radio ready (1DIN size, stereo speakers, antenna-flexible type)
12V x 2 power supply with sockets (Maximum 10 amp.)
Interior utilities (Interior lighting, Coat hook, Beverage holder, Literature holder, Document holding space, and Cab rear storage compartment)

SAFETY AND SECURITY

RH Hand rail and hand hold (ISO 2867 compliant)
Bolt free service platform with anti-skid plate
Neutral lever (lock out) for all controls
Ground level accessible secondary engine shutoff switch in cab
Signaling / Warning horn
Safety hammer for cab evacuation

OTHER STANDARD EQUIPMENT

Engine oil, Fuel (Primary), and Hydraulic oil filters grouped for ease of maintenance
Sampling ports for Scheduled Oil Sampling (S.O.S)
Tilt up Air to Air After Cooler (ATAAC) for easy maintenance

CATERPILLAR MACHINE PRICE LIST

326F

326F EXCAVATOR
AKASHI, JAPANShip Weight
lbsLIST PRICE
AT DEALER

**Lane 2 is reserved for the Base Orders Program.
Please use Lane 2 when placing orders that are part of the Base Order
Management Program.**

CATERPILLAR MACHINE PRICE LIST

326F

326F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

541-7337	326F L HEX AM-N DCA1B 0 LANE 1 - AVAILABLE FROM TACOMA DIST. CENTER ONLY 5.9M (19'4") Reach Boom, R2.95M (9'8") Stick, 790MM (31") T.G. Track Shoe, QC Circuit Dirt digger with coupler hydraulics INCLUDES: 530-1912 326F L HEX 507-1978 326F L STANDARD ARRANGEMENT STANDARD OIL ACCUMULATOR WITH CRN SEAT BELT, 51MM (2") HATCH, OPENABLE ROOF (DUAL) WASHER, WINDSHIELD UPPER AIR CONDITIONER PANEL, STD START SWITCH MIRROR, W/O GUARD FAN, VARIABLE SPEED LIGHTING, CAB (HALOGEN) 475-3407 REACH BOOM HD PKG BOOM, 5.9M (19'4") REACH HD LINKAGE, BKT-CB1 W/LIFT CYLINDER, BKT (CB1 LINKAGE) COVER, UPPER, STANDARD 541-7351 JOYSTICK, STD STP PKG VALVE, HYDRAULIC VALVE, ANTI DRIFT, BOOM VALVE, ANTI DRIFT, STICK LINES, CYLINDER MACHINE CONTROLLER STD JOYSTICK, ONE BUTTON MAT, FLOOR, RH PEDAL PEDAL, STRAIGHT TRAVEL LINES, BDRV (STD) LINES, PILOT STICK IN, STD LINES, PILOT TRAVEL, STP LINES, PILOT (STD) 324-4522 AIR CLEANER, STANDARD 340-8234 TRACK, 790MM (31") TG (GLT) 342-4306 CONTROL, FINE SWING 340-8936 CYLINDER, BOOM 340-8943 CYLINDER, STICK (W/O SLCV) 383-9337 LINES, SDRV (STD/PGQC) 394-5966 LINES, BOOM-UP (STD) 529-9953 FRONT LINES, PGQC 372-9522 CAB-ROPS, 70/30, W/VANDAL-G BOSS 316-8883 SEAT, H-BACK, W/HEATER, S/AIR 316-8984 WIPER-RADIAL, 70/30 W/O LOWER 496-8191 RADIO, 24V AM/FM 460-1148 PRODUCT LINK, CELLULAR PL641 493-5695 CAMERA, REAR VIEW, MIRRORS RH 471-6600 GUARD, BOTTOM HEAVY DUTY 339-4125 GUARD, TRAVEL MOTOR, HD 346-7149 GUARD, TRACK GUIDING SEGMENTED 393-9014 DECALS, EXTERIOR ANSI 497-6198 DECALS, CAB ANSI	\$274,560
----------	--	-----------

Supersedes 02JAN2018

Caterpillar: Confidential Green
US-A-19-01 A

Subject to change without notice

Printed in USA
U. S. DOLLAR CURRENCY

Effective 02JAN2019

326F-003

CATERPILLAR MACHINE PRICE LIST

326F

326F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
461-2849 COUNTERWEIGHT, 4.0MT (8,820LBS)		
382-8232 COVER, FENDER		
349-6704 STICK, R2.95M (9'8") (CB1) HD		
496-2917 CTRL, CAT PIN GRABBER COUPLER		
339-7054 HEATER, ENGINE COOLANT (120V)		
459-2701 COLD WEATHER PKG READY		
350-8228 LIGHT, R BOOM		
349-2233 CHANGER,HAND CTRL 2-WAY (ANSI)		
336-1150 SUN SCREEN (70/30)		
231-1771 ALARM, TRAVEL		
134-8879 GUARD, SWIVEL		

CATERPILLAR MACHINE PRICE LIST

326F

326F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

<p>541-7394</p> <p>326F L HEX AM-N DCA1C 0</p> <p>LANE 1 - AVAILABLE FROM TACOMA DIST. CENTER LANE 2 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2 LANE 3 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2</p> <p>5.9M (19'4") Reach Boom, R2.95M (9'8") Stick, 790MM (31") T.G. Track Shoe, QC Circuit</p> <p>Dirt digger with coupler hydraulics</p> <p>INCLUDES:</p> <p>530-1912 326F L HEX 541-7408 STANDARD ARRANGEMENT TRAVEL MOTOR, BIO OIL CAPABLE ACCUMULATOR WITH CRN SEAT BELT, 51MM (2") HATCH, OPENABLE ROOF (DUAL) WASHER, WINDSHIELD UPPER AIR CONDITIONER PANEL, STD START SWITCH MIRROR, W/O GUARD FAN, VARIABLE SPEED LIGHTING, CAB (HALOGEN)</p> <p>475-3407 REACH BOOM HD PKG BOOM, 5.9M (19'4") REACH HD LINKAGE, BKT-CB1 W/LIFT CYLINDER, BKT (CB1 LINKAGE) COVER, UPPER, STANDARD</p> <p>541-7351 JOYSTICK, STD STP PKG VALVE, HYDRAULIC VALVE, ANTI DRIFT, BOOM VALVE, ANTI DRIFT, STICK LINES, CYLINDER MACHINE CONTROLLER STD JOYSTICK, ONE BUTTON MAT, FLOOR, RH PEDAL PEDAL, STRAIGHT TRAVEL LINES, BDRV (STD) LINES, PILOT STICK IN, STD LINES, PILOT TRAVEL, STP LINES, PILOT (STD)</p> <p>324-4522 AIR CLEANER, STANDARD 340-8234 TRACK, 790MM (31") TG (GLT) 342-4306 CONTROL, FINE SWING 340-8936 CYLINDER, BOOM 340-8943 CYLINDER, STICK (W/O SLCV) 383-9337 LINES, SDRV (STD/PGQC) 394-5966 LINES, BOOM-UP (STD) 529-9953 FRONT LINES, PGQC 372-9522 CAB-ROPS, 70/30, W/VANDAL-G BOSS 316-8883 SEAT, H-BACK, W/HEATER, S/AIR 316-8984 WIPER-RADIAL, 70/30 W/O LOWER 496-8191 RADIO, 24V AM/FM 460-1148 PRODUCT LINK, CELLULAR PL641 493-5695 CAMERA, REAR VIEW, MIRRORS RH 471-6600 GUARD, BOTTOM HEAVY DUTY 339-4125 GUARD, TRAVEL MOTOR, HD 346-7149 GUARD, TRACK GUIDING SEGMENTED</p>	<p>0</p>	<p>\$274,560</p>
---	----------	-------------------------

Supersedes 02JAN2018

Caterpillar: Confidential Green

US-A-19-01 A

Subject to change without notice

Printed in USA

U. S. DOLLAR CURRENCY

Effective 02JAN2019

326F-005

CATERPILLAR MACHINE PRICE LIST

326F

326F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
393-9014 DECALS, EXTERIOR ANSI		
497-6198 DECALS, CAB ANSI		
461-2849 COUNTERWEIGHT, 4.0MT (8,820LBS)		
382-8232 COVER, FENDER		
349-6704 STICK, R2.95M (9'8") (CB1) HD		
496-2917 CTRL, CAT PIN GRABBER COUPLER		
339-7054 HEATER, ENGINE COOLANT (120V)		
459-2701 COLD WEATHER PKG READY		
350-8228 LIGHT, R BOOM		
349-2233 CHANGER,HAND CTRL 2-WAY (ANSI)		
336-1150 SUN SCREEN (70/30)		
231-1771 ALARM, TRAVEL		
134-8879 GUARD, SWIVEL		

CATERPILLAR MACHINE PRICE LIST

326F

326F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

<p>541-7338</p> <p>326F L HEX AM-N DCA2B 0</p> <p>LANE 1 - AVAILABLE FROM BALTIMORE DIST. CENTER</p> <p>5.9M (19'4") Reach Boom, R2.95M (9'8") Stick, 790MM (31") T.G. Track Shoe, Tool control, QC circuit</p> <p>Versatility machine with tool control and coupler hydraulics</p> <p>INCLUDES:</p> <p>530-1912 326F L HEX</p> <p>507-1978 326F L STANDARD ARRANGEMENT</p> <p>STANDARD OIL</p> <p>ACCUMULATOR WITH CRN</p> <p>SEAT BELT, 51MM (2")</p> <p>HATCH, OPENABLE ROOF (DUAL)</p> <p>WASHER, WINDSHIELD UPPER</p> <p>AIR CONDITIONER</p> <p>PANEL, STD START SWITCH</p> <p>MIRROR, W/O GUARD</p> <p>FAN, VARIABLE SPEED</p> <p>LIGHTING, CAB (HALOGEN)</p> <p>475-3407 REACH BOOM HD PKG</p> <p>BOOM, 5.9M (19'4") REACH HD</p> <p>LINKAGE, BKT-CB1 W/LIFT</p> <p>CYLINDER, BKT (CB1 LINKAGE)</p> <p>COVER, UPPER, STANDARD</p> <p>541-7352 CIRCUIT, COMBINED, STP PKG</p> <p>VALVE, HYDRAULIC, TCS</p> <p>VALVE, ANTI DRIFT, BOOM</p> <p>VALVE, ANTI DRIFT, STICK</p> <p>LINES, CYLINDER</p> <p>CIRCUIT, COMBINED</p> <p>MACHINE CONTROLLER TCS</p> <p>JOYSTICK, THUMB WHEEL</p> <p>MAT, FLOOR, RH PEDAL</p> <p>PEDAL, STRAIGHT TRAVEL</p> <p>LINES, BDRV (TCS20)</p> <p>LINES, PILOT STICK IN, TCS20</p> <p>LINES, PILOT TRAVEL, STP</p> <p>LINES, PILOT (STD)</p> <p>324-4522 AIR CLEANER, STANDARD</p> <p>340-8234 TRACK, 790MM (31") TG (GLT)</p> <p>342-4306 CONTROL, FINE SWING</p> <p>340-8936 CYLINDER, BOOM</p> <p>340-8943 CYLINDER, STICK (W/O SLCV)</p> <p>383-9337 LINES, SDRV (STD/PGQC)</p> <p>394-5966 LINES, BOOM-UP (STD)</p> <p>529-9953 FRONT LINES, PGQC</p> <p>372-9522 CAB-ROPS,70/30,W/VANDAL-G BOSS</p> <p>316-8883 SEAT, H-BACK, W/HEATER,S/AIR</p> <p>316-8984 WIPER-RADIAL, 70/30 W/O LOWER</p> <p>496-8191 RADIO, 24V AM/FM</p> <p>460-1148 PRODUCT LINK, CELLULAR PL641</p> <p>493-5695 CAMERA, REAR VIEW, MIRRORS RH</p> <p>471-6600 GUARD, BOTTOM HEAVY DUTY</p> <p>339-4125 GUARD, TRAVEL MOTOR, HD</p> <p>346-7149 GUARD, TRACK GUIDING SEGMENTED</p> <p>393-9014 DECALS, EXTERIOR ANSI</p>	<p>\$291,250</p>
---	-------------------------

Supersedes 02JAN2018

Caterpillar: Confidential Green

US-A-19-01 A

Subject to change without notice

Printed in USA

U. S. DOLLAR CURRENCY

Effective 02JAN2019

326F-007

CATERPILLAR MACHINE PRICE LIST

326F

326F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

- 497-6198 DECALS, CAB ANSI
- 461-2849 COUNTERWEIGHT, 4.0MT (8,820LBS)
- 382-8232 COVER, FENDER
- 349-6704 STICK, R2.95M (9'8") (CB1) HD
- 496-2917 CTRL, CAT PIN GRABBER COUPLER
- 337-2502 LINES-HP, REACH BOOM
- 337-2504 COUPLER LINES, REACH BOOM
- 356-8152 LINES-HP, R2.95M (9'8") STICK
- 253-6498 LINES-QC, R2.95M (9'8") STICK
- 339-7054 HEATER, ENGINE COOLANT (120V)
- 459-2701 COLD WEATHER PKG READY
- 350-8228 LIGHT, R BOOM
- 349-2233 CHANGER,HAND CTRL 2-WAY (ANSI)
- 336-1150 SUN SCREEN (70/30)
- 231-1771 ALARM, TRAVEL
- 134-8879 GUARD, SWIVEL

Supersedes 02JAN2018

Caterpillar: Confidential Green
 US-A-19-01 A

Subject to change without notice

Printed in USA
 U. S. DOLLAR CURRENCY

Effective 02JAN2019

326F-008

CATERPILLAR MACHINE PRICE LIST

326F

326F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

<p>541-7395</p> <p>326F L HEX AM-N DCA2C 0</p> <p>LANE 2 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2</p> <p>LANE 3 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2</p> <p>5.9M (19'4") Reach Boom, R2.95M (9'8") Stick, 790MM (31") T.G. Track Shoe, Tool control, QC circuit</p> <p>Versatility machine with tool control and coupler hydraulics</p> <p>INCLUDES:</p> <p>530-1912 326F L HEX</p> <p>541-7408 STANDARD ARRANGEMENT</p> <p>TRAVEL MOTOR, BIO OIL CAPABLE</p> <p>ACCUMULATOR WITH CRN</p> <p>SEAT BELT, 51MM (2")</p> <p>HATCH, OPENABLE ROOF (DUAL)</p> <p>WASHER, WINDSHIELD UPPER</p> <p>AIR CONDITIONER</p> <p>PANEL, STD START SWITCH</p> <p>MIRROR, W/O GUARD</p> <p>FAN, VARIABLE SPEED</p> <p>LIGHTING, CAB (HALOGEN)</p> <p>475-3407 REACH BOOM HD PKG</p> <p>BOOM, 5.9M (19'4") REACH HD</p> <p>LINKAGE, BKT-CB1 W/LIFT</p> <p>CYLINDER, BKT (CB1 LINKAGE)</p> <p>COVER, UPPER, STANDARD</p> <p>541-7352 CIRCUIT, COMBINED, STP PKG</p> <p>VALVE, HYDRAULIC, TCS</p> <p>VALVE, ANTI DRIFT, BOOM</p> <p>VALVE, ANTI DRIFT, STICK</p> <p>LINES, CYLINDER</p> <p>CIRCUIT, COMBINED</p> <p>MACHINE CONTROLLER TCS</p> <p>JOYSTICK, THUMB WHEEL</p> <p>MAT, FLOOR, RH PEDAL</p> <p>PEDAL, STRAIGHT TRAVEL</p> <p>LINES, BDRV (TCS20)</p> <p>LINES, PILOT STICK IN, TCS20</p> <p>LINES, PILOT TRAVEL, STP</p> <p>LINES, PILOT (STD)</p> <p>324-4522 AIR CLEANER, STANDARD</p> <p>340-8234 TRACK, 790MM (31") TG (GLT)</p> <p>342-4306 CONTROL, FINE SWING</p> <p>340-8936 CYLINDER, BOOM</p> <p>340-8943 CYLINDER, STICK (W/O SLCV)</p> <p>383-9337 LINES, SDRV (STD/PGQC)</p> <p>394-5966 LINES, BOOM-UP (STD)</p> <p>529-9953 FRONT LINES, PGQC</p> <p>372-9522 CAB-ROPS, 70/30, W/VANDAL-G BOSS</p> <p>316-8883 SEAT, H-BACK, W/HEATER, S/AIR</p> <p>316-8984 WIPER-RADIAL, 70/30 W/O LOWER</p> <p>496-8191 RADIO, 24V AM/FM</p> <p>460-1148 PRODUCT LINK, CELLULAR PL641</p> <p>493-5695 CAMERA, REAR VIEW, MIRRORS RH</p> <p>471-6600 GUARD, BOTTOM HEAVY DUTY</p> <p>339-4125 GUARD, TRAVEL MOTOR, HD</p> <p>346-7149 GUARD, TRACK GUIDING SEGMENTED</p>	<p>\$291,250</p>
--	------------------

Supersedes 02JAN2018

Caterpillar: Confidential Green

US-A-19-01 A

Subject to change without notice

Printed in USA

U. S. DOLLAR CURRENCY

Effective 02JAN2019

326F-009

CATERPILLAR MACHINE PRICE LIST

326F

326F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

393-9014	DECALS, EXTERIOR ANSI	
497-6198	DECALS, CAB ANSI	
461-2849	COUNTERWEIGHT, 4.0MT (8,820LBS)	
382-8232	COVER, FENDER	
349-6704	STICK, R2.95M (9'8") (CB1) HD	
496-2917	CTRL, CAT PIN GRABBER COUPLER	
337-2502	LINES-HP, REACH BOOM	
337-2504	COUPLER LINES, REACH BOOM	
356-8152	LINES-HP, R2.95M (9'8") STICK	
253-6498	LINES-QC, R2.95M (9'8") STICK	
339-7054	HEATER, ENGINE COOLANT (120V)	
459-2701	COLD WEATHER PKG READY	
350-8228	LIGHT, R BOOM	
349-2233	CHANGER,HAND CTRL 2-WAY (ANSI)	
336-1150	SUN SCREEN (70/30)	
231-1771	ALARM, TRAVEL	
134-8879	GUARD, SWIVEL	

Supersedes 02JAN2018
Caterpillar: Confidential Green
US-A-19-01 A

Subject to change without notice
Printed in USA
U. S. DOLLAR CURRENCY

Effective 02JAN2019
326F-010

CATERPILLAR MACHINE PRICE LIST

326F

326F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

541-7396	326F L HEX AM-N DCA3C 0 LANE 3 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2	\$302, 610
-----------------	---	-------------------

10.2M (33'6") Super Long Reach Boom, 7.85M (25'9") Stick, 790MM (31")
T.G. Track Shoe

INCLUDES:

- 530-1912 326F L HEX
- 541-7408 STANDARD ARRANGEMENT
 - TRAVEL MOTOR, BIO OIL CAPABLE
 - ACCUMULATOR WITH CRN
 - SEAT BELT, 51MM (2")
 - HATCH, OPENABLE ROOF (DUAL)
 - WASHER, WINDSHIELD UPPER
 - AIR CONDITIONER
 - PANEL, STD START SWITCH
 - MIRROR, W/O GUARD
 - FAN, VARIABLE SPEED
 - LIGHTING, CAB (HALOGEN)
- 475-3409 SLR BOOM PKG
 - BOOM, SUPER LONG REACH
 - LINKAGE, BKT W/LIFT
 - CYLINDER, BUCKET SLR
 - COVER, UPPER, STANDARD
- 541-7353 JOYSTICK, STD STP SLR PKG
 - VALVE, HYDRAULIC, SLR
 - VALVE, ANTI DRIFT, BOOM
 - VALVE, ANTI DRIFT, STICK
 - LINES, CYLINDER (SLR)
 - MACHINE CONTROLLER STD
 - JOYSTICK, ONE BUTTON
 - MAT, FLOOR, RH PEDAL
 - PEDAL, STRAIGHT TRAVEL
 - LINES, BDRV (STD)
 - LINES, PILOT STICK IN, STD
 - LINES, PILOT TRAVEL, STP
 - LINES, PILOT (STD)
- 324-4522 AIR CLEANER, STANDARD
- 340-8234 TRACK, 790MM (31") TG (GLT)
- 342-4306 CONTROL, FINE SWING
- 340-8936 CYLINDER, BOOM
- 216-6605 CYLINDER, STICK (W/O SLCV)
- 383-9337 LINES, SDRV (STD/PGQC)
- 394-5966 LINES, BOOM-UP (STD)
- 394-5926 LINES, PILOT, BUCKET, STD/DQC
- 372-9522 CAB-ROPS,70/30,W/VANDAL-G BOSS
- 316-8883 SEAT, H-BACK, W/HEATER,S/AIR
- 316-8984 WIPER-RADIAL, 70/30 W/O LOWER
- 496-8191 RADIO, 24V AM/FM
- 460-1148 PRODUCT LINK, CELLULAR PL641
- 493-5695 CAMERA, REAR VIEW, MIRRORS RH
- 471-6600 GUARD, BOTTOM HEAVY DUTY
- 339-4125 GUARD, TRAVEL MOTOR, HD
- 346-7149 GUARD, TRACK GUIDING SEGMENTED
- 393-9014 DECALS, EXTERIOR ANSI
- 497-6198 DECALS, CAB ANSI
- 461-2853 COUNTERWEIGHT, 6,75MT (14,880LBS)
- 382-8232 COVER, FENDER

Supersedes 02JAN2018
Caterpillar: Confidential Green
US-A-19-01 A

Subject to change without notice
Printed in USA
U. S. DOLLAR CURRENCY

Effective 02JAN2019
326F-011

CATERPILLAR MACHINE PRICE LIST

326F

326F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

- 359-8694 STICK, SUPER LONG REACH
- 339-7054 HEATER, ENGINE COOLANT (120V)
- 459-2701 COLD WEATHER PKG READY
- 350-8228 LIGHT, R BOOM
- 349-2233 CHANGER,HAND CTRL 2-WAY (ANSI)
- 336-1150 SUN SCREEN (70/30)
- 231-1771 ALARM, TRAVEL
- 134-8879 GUARD, SWIVEL
- 393-9028 FILM, SUPER LONG REACH

541-7400	326F L HEX AM-N BCF1 0	\$232,350
	LANE 2 - AVAILABLE FROM AKASHI FACTORY	
	LANE 3 - AVAILABLE FROM AKASHI FACTORY	

Base machine for standard boom configuration.
Well suited for general applications.

Base Configuration must be completed by selecting
Mandatory / Optional attachments.

- INCLUDES:
- 530-1912 326F L HEX
 - 541-7408 STANDARD ARRANGEMENT
 - TRAVEL MOTOR, BIO OIL CAPABLE
 - ACCUMULATOR WITH CRN
 - SEAT BELT, 51MM (2")
 - HATCH, OPENABLE ROOF (DUAL)
 - WASHER, WINDSHIELD UPPER
 - AIR CONDITIONER
 - PANEL, STD START SWITCH
 - MIRROR, W/O GUARD
 - FAN, VARIABLE SPEED
 - LIGHTING, CAB (HALOGEN)
 - 342-4306 CONTROL, FINE SWING
 - 340-8936 CYLINDER, BOOM
 - 340-8943 CYLINDER, STICK (W/O SLCV)
 - 383-9337 LINES, SDRV (STD/PGQC)
 - 394-5966 LINES, BOOM-UP (STD)
 - 372-9522 CAB-ROPS,70/30,W/VANDAL-G BOSS
 - 316-8984 WIPER-RADIAL, 70/30 W/O LOWER
 - 496-8191 RADIO, 24V AM/FM
 - 493-5695 CAMERA, REAR VIEW, MIRRORS RH
 - 471-6600 GUARD, BOTTOM HEAVY DUTY
 - 339-4125 GUARD, TRAVEL MOTOR, HD
 - 461-2849 COUNTERWEIGHT, 4.0MT (8,820LBS)
 - 382-8232 COVER, FENDER
 - 350-8228 LIGHT, R BOOM
 - 336-1150 SUN SCREEN (70/30)
 - 231-1771 ALARM, TRAVEL
 - 134-8879 GUARD, SWIVEL

CATERPILLAR MACHINE PRICE LIST

326F

326F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

<p>541-7401</p> <p>326F L HEX AM-N/ANZ BCF2 0</p> <p>LANE 2 - AVAILABLE FROM AKASHI FACTORY</p> <p>LANE 3 - AVAILABLE FROM AKASHI FACTORY</p>	<p>0</p>	<p>\$238,980</p>
---	----------	-------------------------

Base machine with BLCV/SLCV for standard boom configuration.
Well suited for general applications and those requiring BLCV/SLCV as a safety device.

Base Configuration must be completed by selecting
Mandatory / Optional attachments.

- INCLUDES:
- 530-1912 326F L HEX
 - 541-7408 STANDARD ARRANGEMENT
 - TRAVEL MOTOR, BIO OIL CAPABLE
 - ACCUMULATOR WITH CRN
 - SEAT BELT, 51MM (2")
 - HATCH, OPENABLE ROOF (DUAL)
 - WASHER, WINDSHIELD UPPER
 - AIR CONDITIONER
 - PANEL, STD START SWITCH
 - MIRROR, W/O GUARD
 - FAN, VARIABLE SPEED
 - LIGHTING, CAB (HALOGEN)
 - 342-4306 CONTROL, FINE SWING
 - 340-8940 CYLINDER, BOOM (W/ BLCV)
 - 340-8945 CYLINDER, STICK (W/ SLCV)
 - 394-5961 LINES, SDRV (SLCV)
 - 394-5966 LINES, BOOM-UP (STD)
 - 372-9522 CAB-ROPS,70/30,W/VANDAL-G BOSS
 - 316-8984 WIPER-RADIAL, 70/30 W/O LOWER
 - 496-8191 RADIO, 24V AM/FM
 - 493-5695 CAMERA, REAR VIEW, MIRRORS RH
 - 471-6600 GUARD, BOTTOM HEAVY DUTY
 - 339-4125 GUARD, TRAVEL MOTOR, HD
 - 461-2849 COUNTERWEIGHT, 4.0MT (8,820LBS)
 - 382-8232 COVER, FENDER
 - 389-2491 DEVICE, SLCV R-BOOM
 - 350-8228 LIGHT, R BOOM
 - 336-1150 SUN SCREEN (70/30)
 - 231-1771 ALARM, TRAVEL
 - 134-8879 GUARD, SWIVEL

CATERPILLAR MACHINE PRICE LIST

326F

326F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

541-7402 Base machine for 60ft (18m) Super Long Reach front configuration. Well suited for the application those requiring extra-wide working envelop like ditch cleaning. Base Configuration must be completed by selecting Mandatory / Optional attachments. INCLUDES: 530-1912 326F L HEX 541-7408 STANDARD ARRANGEMENT TRAVEL MOTOR, BIO OIL CAPABLE ACCUMULATOR WITH CRN SEAT BELT, 51MM (2") HATCH, OPENABLE ROOF (DUAL) WASHER, WINDSHIELD UPPER AIR CONDITIONER PANEL, STD START SWITCH MIRROR, W/O GUARD FAN, VARIABLE SPEED LIGHTING, CAB (HALOGEN) 342-4306 CONTROL, FINE SWING 340-8936 CYLINDER, BOOM 216-6605 CYLINDER, STICK (W/O SLCV) 383-9337 LINES, SDRV (STD/PGQC) 394-5966 LINES, BOOM-UP (STD) 372-9522 CAB-ROPS, 70/30, W/VANDAL-G BOSS 316-8984 WIPER-RADIAL, 70/30 W/O LOWER 496-8191 RADIO, 24V AM/FM 493-5695 CAMERA, REAR VIEW, MIRRORS RH 471-6600 GUARD, BOTTOM HEAVY DUTY 339-4125 GUARD, TRAVEL MOTOR, HD 461-2853 COUNTERWEIGHT, 6,75MT (14,880LBS) 382-8232 COVER, FENDER 350-8228 LIGHT, R BOOM 336-1150 SUN SCREEN (70/30) 231-1771 ALARM, TRAVEL 134-8879 GUARD, SWIVEL	326F L HEX AM-N/ANZ BCF3 0 LANE 3 - AVAILABLE FROM AKASHI FACTORY	\$238,680
--	--	------------------

CATERPILLAR MACHINE PRICE LIST

326F

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

MUST CHOOSE AT LEAST ONE PACKAGE OR ATTACHMENT FROM EACH CATEGORY

LANE SELECTION

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM THE PDC.

OP-9001	LANE 1 ORDER	0	NC
	Order from Product Distribution Center (PDC)		

DECAL PACKAGE

OP-7124	INSTRUCTION,NORTH AMERICA ANSI	0	NC
	This package includes the ANSI decals and is required by all NACD territories except Quebec, Canada. ONLY ON PDC MACHINES.		
L 454-9351	INSTRUCTIONS, INTERNATIONAL	0	NC
	This package includes picto decals as required for Quebec, Canada		
	NOTE: Required for Quebec		

SERVICE INSTRUCTIONS

OP-3380	INSTRUCTIONS, ENGLISH	0	NC
OP-3389	INSTRUCTIONS, FRENCH	0	NC
OP-3404	INSTRUCTIONS, SPANISH	0	NC

PACKING

STORAGE PROTECTION

OG-4126	STORAGE PROTECTION (EXPORT)	0	\$274 NET
	Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.		

EXPORT PACKING

OG-0501	ROLL ON-ROLL OFF LANE1 CB	0	\$164 NET
	For DCA1 and DCA2 CAN NOT BE USED WITH: bucket or quick coupler installed from factory		
OG-4234	EXP,PKG,LONG REACH FRONT DISM	0	\$1,330 NET
	For DCA3 Front dismantled For use when ordering a machine with super long reach front		

CATERPILLAR MACHINE PRICE LIST

326F

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------	--------------------	-------------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

ANTIFREEZE

0P-2407	ANTIFREEZE, -50C (-58F)	0	\$251 NET
---------	-----------------------------------	---	------------------

CATERPILLAR MACHINE PRICE LIST

326F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER	0	NC

BOOMS, STICKS, AND LINKAGES

BOOM PACKAGES

When ordering a frontless excavator, please contact Caterpillar OEM Solutions Group at oem_solutions@cat.com. OEM Solutions Group will assist in development, pricing and ordering of the machine configuration.

L	475-3407	REACH BOOM HD PKG	0	\$20,890
		INCLUDES:		
		- BOOM, 5.9M (19'4") REACH HD		
		- LINKAGE, BKT-CB1 W/LIFT		
		- CYLINDER, BKT (CB1 LINKAGE)		
		- COVER, UPPER, STANDARD		
		ONLY FOR USE WITH:		
		541-7400 326F L AM-N BCF1 or		
		541-7401 326F L AM-N/ANZ BCF2 or		
		541-7403 326F L EU BCF1 or		
		541-7406 326F LN EU BCF4		
L	507-1979	REACH BOOM HD CGC PKG	0	\$35,910
		CAT GRADE CONTROL		
		Depth and Slope is the deeply integrated indicate - only CAT Grade Control System that provides guidance to the bucket tip using the standard machine display.		
		INCLUDES:		
		- BOOM, 5.9M (19'4") REACH HD CGC		
		- LINKAGE, BKT-CB1 W/LIFT		
		- CYLINDER, BKT CB1 CGC		
		- COVER, CAT GRADE CONTROL		
		- GUARD, CYLINDER COVER, CGC		
		- CAT GRADE CTRL, DEPTH & SLOPE		
		ONLY FOR USE WITH:		
		541-7400 326F L AM-N BCF1 or		
		541-7401 326F L AM-N/ANZ BCF2 or		
		541-7403 326F L EU BCF1 or		
		541-7406 326F LN EU BCF4		
L	475-3409	SLR BOOM PKG	0	\$34,660
		FOR USE IN LANE 3 ONLY		
		INCLUDES:		
		- BOOM, SUPER LONG REACH		
		- LINKAGE, BKT W/LIFT		
		- CYLINDER, BUCKET SLR		
		- COVER, UPPER, STANDARD		
		ONLY FOR USE WITH:		
		541-7402 326F L HEX AM-N/ANZ BCF3		
L	475-3410	REACH BOOM HD STICK LESS PKG	0	\$15,550
		INCLUDES:		
		- BOOM, 5.9M (19'4") REACH HD		
		- COVER, UPPER, STANDARD		
		- ROPS FILM REMOVAL		
		ONLY FOR USE WITH:		
		541-7400 326F L AM-N BCF1 or		
		541-7401 326F L AM-N/ANZ BCF2		

CATERPILLAR MACHINE PRICE LIST

326F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES (CONT.)

STICKS

L	482-1864	STICK, R11'10" (CB1) HD ONLY FOR USE WITH:	541-7400 326F L AM-N BCF1 or 541-7401 326F L AM-N/ANZ BCF2 and 475-3407 REACH BOOM HD PKG	0	\$9,420
L	349-6704	STICK, R9'8" (CB1) HD ONLY FOR USE WITH:	541-7400 326F L AM-N BCF1 or 541-7401 326F L AM-N/ANZ BCF2 or 541-7403 326F L HEX EU BCF1 541-7404 326F L HEX EU BCF2 or 541-7406 326F LN EU BCF4 or 541-7407 326F LN HEX EU BCF5 or 541-8087 326F L HEX JAPAN BCF1 and 475-3407/502-5881 REACH BOOM HD PKG or 475-9812 VA BOOM PKG	0	\$7,660
L	480-7391	STICK, R9'8" CB1 HD CGC ONLY FOR USE WITH:	541-7400 326F L AM-N BCF1 or 541-7401 326F L AM-N/ANZ BCF2 or 541-7403 326F L EU BCF1 or 541-7406 326F LN EU BCF4 and 507-1979 REACH BOOM HD CGC PKG	0	\$7,660
L	359-8694	STICK, SUPER LONG REACH FOR USE IN LANE 3 ONLY ONLY FOR USE WITH:	541-7402 326F L HEX AM-N/ANZ BCF3 or 541-7405 326F L HEX EU BCF3 and 475-3409/475-9813 SLR BOOM PKG	0	\$15,720
	0G-0342	NO STICK FOR USE IN LANE 3 ONLY For No Boom or Boom only (Stick less) ONLY FOR USE WITH:	541-7400 326F L HEX ANZ BCF1 or 560-4407 326F L HEX ANZ BCF4 or 560-4408 326F LN EU BCF6 or 541-7401 326F L AM-N/ANZ BCF2 and 475-3410 REACH BOOM HD STICK LESS PKG or 560-4410 REACH BOOM ONLY PKG, STK LESS	0	NC

CATERPILLAR MACHINE PRICE LIST

326F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

POWERTRAIN

AIR CLEANERS

L	324-4522	AIR CLEANER, STANDARD	0	\$740
L	324-4525	AIR CLEANER, HIGH EFFICIENCY	0	\$845

UNDERCARRIAGE

TRACKS

L	527-5578	TRACK, 24" SG (GLT) For Long undercarriage For AM-N Pipeline industry application purpose only ONLY FOR USE WITH: 541-7400 326F L AM-N BCF1 or 541-7401 326F L AM-N/ANZ BCF2	0	\$3,055
L	340-8234	TRACK, 31" TG (GLT) For Long and Long narrow undercarriage	0	\$4,085

TRACK GUIDING GUARDS

L	339-4124	GUARD, TRACK GUIDE, FULL LENGTH	0	\$2,480
L	346-7149	GUARD, TRACK GUIDING SEGMENTED	0	\$1,510

HYDRAULICS

NO AUXILIARY CIRCUIT

L	541-7351	JOYSTICK, STD STP PKG Joystick Standard (STD) Straight Travel Pedal (STP) Package (PKG) INCLUDES: - VALVE, HYDRAULIC - VALVE, ANTI DRIFT, BOOM - VALVE, ANTI DRIFT, STICK - LINES, CYLINDER - MACHINE CONTROLLER STD - JOYSTICK, ONE BUTTON - MAT, FLOOR, RH PEDAL - PEDAL, STRAIGHT TRAVEL - LINES, BDRV (STD) - LINES, PILOT STICK IN, STD - LINES, PILOT TRAVEL, STP - LINES, PILOT (STD) ONLY FOR USE WITH: 541-7400 326F L HEX AM-N BCF1 and 475-3407 REACH BOOM HD PKG or 475-3410 REACH BOOM HD STICK LESS PKG	0	\$3,725
---	----------	--	---	---------

CATERPILLAR MACHINE PRICE LIST

326F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

NO AUXILIARY CIRCUIT (Cont.)

L	541-7358	JOYSTICK, TWJ STP PKG 0 Joystick Thumb Wheel Joystick (TWJ) Straight Travel Pedal (STP) Package (PKG) INCLUDES: - VALVE, HYDRAULIC - VALVE, ANTI DRIFT, BOOM - VALVE, ANTI DRIFT, STICK - LINES, CYLINDER - MACHINE CONTROLLER STD - JOYSTICK, THUMB WHEEL - MAT, FLOOR, RH PEDAL - PEDAL, STRAIGHT TRAVEL - LINES, BDRV (STD) - LINES, PILOT STICK IN, STD - LINES, PILOT TRAVEL, STP - LINES, PILOT (STD) ONLY FOR USE WITH: 541-7400 326F L HEX AM-N BCF1 and 507-1979 REACH BOOM CGC PKG		\$4,925
L	541-7353	JOYSTICK, STD STP SLR PKG 0 FOR USE IN LANE 3 ONLY Joystick Standard (STD) Straight Travel Pedal (STP) Super Long Reach (SLR) Package (PKG) INCLUDES: - VALVE, HYDRAULIC, SLR - VALVE, ANTI DRIFT, BOOM - VALVE, ANTI DRIFT, STICK - LINES, CYLINDER (SLR) - MACHINE CONTROLLER STD - JOYSTICK, ONE BUTTON - MAT, FLOOR, RH PEDAL - PEDAL, STRAIGHT TRAVEL - LINES, BDRV (STD) - LINES, PILOT STICK IN, STD - LINES, PILOT TRAVEL, STP - LINES, PILOT (STD) ONLY FOR USE WITH: 541-7402 326F L HEX AM-N/ANZ BCF3 and 475-3409/475-9813 SLR BOOM PKG		\$4,750

CATERPILLAR MACHINE PRICE LIST

326F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

AUXILIARY CIRCUIT COMBINED CIRCUIT

L	541-7352	CIRCUIT, COMBINED, STP PKG	0	\$14,020
---	----------	--------------------------------------	---	----------

Circuit, Combined, Straight Travel Pedal (STP) Package (PKG)
 Combined circuit (1 way / 2 way)
 Joystick thumb wheel is included.

Medium pressure circuit is available in optional section.

INCLUDES:

- VALVE, HYDRAULIC TCS
- VALVE, ANTI DRIFT, BOOM
- VALVE, ANTI DRIFT, STICK
- LINES, CYLINDER
- CIRCUIT, COMBINED
- MACHINE CONTROLLER TCS
- JOYSTICK, THUMB WHEEL
- MAT, FLOOR, RH PEDAL
- PEDAL, STRAIGHT TRAVEL
- LINES, BDRV (TCS20)
- LINES, PILOT STICK IN, TCS20
- LINES, PILOT TRAVEL, STP
- LINES, PILOT (STD)

ONLY FOR USE WITH: 541-7400 326F L HEX AM-N BCF1
 and
 475-3407 REACH BOOM HD PKG or
 507-1979 REACH BOOM HD CGC PKG or
 475-3410 REACH BOOM HD STICK LESS PKG

CATERPILLAR MACHINE PRICE LIST

326F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

AUXILIARY CIRCUIT COMBINED CIRCUIT (Cont.)

L	541-7359	CIRCUIT, COMB, STP B/SLCV PKG 0		\$15,950
		Circuit, Combined (COMB), Straight Travel Pedal (STP) Boom lowering control Valve (BLCV)/Stick Lowering Control (SLCV) Package (PKG) Combined circuit (1 way / 2 way) Joystick thumb wheel and boom lowering control are included.		
		Medium pressure circuit is available in optional section. INCLUDES:		
		- VALVE, HYDRAULIC TCS - COVER BLOCK & MOUNTING (BLCV) - COVER BLOCK & MOUNTING (SLCV) - LINES, CYLINDER W/BLCV - DEVICE, BOOM LOWERING CONTROL - CIRCUIT, COMBINED - MACHINE CONTROLLER TCS - JOYSTICK, THUMB WHEEL - MAT, FLOOR, RH PEDAL - PEDAL, STRAIGHT TRAVEL - LINES, PILOT BLCV W/TOOL - LINES, PILOT STICK IN, TCS20 - LINES, PILOT TRAVEL, STP - LINES, PILOT (STD)		
		ONLY FOR USE WITH:	541-7401 326F L HEX AM-N/ANZ BCF2 560-4407 326F L HEX ANZ BCF4 and 475-3407 REACH BOOM HD PKG or 507-1979 REACH BOOM HD CGC PKG or 475-3410 REACH BOOM HD STICK LESS PKG or 0G-0341 NO BOOM or 560-4410 REACH BOOM ONLY PKG, STK LESS	

LINE GROUPS

MAIN LINES BUCKET

L	394-5926	LINES, PILOT, BUCKET, STD/UQC 0		NC
		CANNOT BE USED WITH: 496-2917 CTRL,CAT PIN GRAB COUPLER ANSI 496-2918 CTRL, CAT PIN GRAB COUPLER ISO		
L	529-9953	FRONT LINES, PGQC 0		NC
		REQUIRES: 496-2917 CTRL,CAT PIN GRAB COUPLER ANSI or 496-2918 CTRL, CAT PIN GRAB COUPLER ISO ONLY FOR USE WITH:	541-7400 326F L HEX AM-N BCF1 or 541-7401 326F L HEX AM-N/ANZ BCF2 or 560-4407 326F L HEX ANZ BCF4 or 541-7403 326F L HEX EU BCF1 or 541-7406 326F LN HEX EU BCF4	

OPERATOR ENVIRONMENT

SEATS

L	316-8883	SEAT, H-BACK, W/HEATER,S/AIR 0		\$1,045
---	----------	---	--	---------

CATERPILLAR MACHINE PRICE LIST

326F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

SEATS (Cont.)

L	316-8885	SEAT,H-BACK,HEATER,S/AIR,COOL	0	\$1,365
---	----------	---	---	---------

TECHNOLOGY PRODUCTS

CGC PRICE ADJUSTMENT

	OP-4243	CGC PRICE ADJUSTMENT-M	0	\$-5,690
CGC Price adjustment for medium excavators in North America to accelerate technology and improve customer value.				

ONLY FOR USE WITH: CGC Configurations

OTHER ATTACHMENTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country. Please contact your Cat marketing representative with questions.

L	460-1148	PRODUCT LINK, CELLULAR PL641	0	NC
ANSI Product Link Pro series PL641 uses UMTS and CDMA 3G cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data. ONLY FOR USE WITH: 393-9014 FILMS, EXTERIOR ANSI AVAILABLE FOR: AM-N (except for Quebec)				

L	460-1150	PRODUCT LINK, SATELLITE PL631	0	\$432
ANSI Product Link Pro series PL631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage. ONLY FOR USE WITH: 393-9014 FILMS, EXTERIOR ANSI AVAILABLE FOR: AM-N (except for Quebec)				

INSTRUCTIONS

FILMS - EXTERIOR

L	393-9014	DECALS, EXTERIOR ANSI	0	NC
CANNOT BE USED WITH: Quebec dealer				

FILMS - CAB

L	497-6198	DECALS, CAB ANSI	0	NC
CANNOT BE USED WITH: Quebec dealer				

CATERPILLAR MACHINE PRICE LIST

326F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	--------------------	-------------------------

INSTRUCTIONS (CONT.)

OPERATION & MAINTENANCE MANUAL

0P-3380	INSTRUCTIONS, ENGLISH	0	NC
0P-3404	INSTRUCTIONS, SPANISH	0	NC

CATERPILLAR MACHINE PRICE LIST

326F

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

LINE GROUPS

NOTE: Provides hydraulic lines from the boom foot to the stick nose.

HIGH PRESSURE AUXILIARY BOOM LINES

L	337-2502	LINES-HP, REACH BOOM 0		\$2,460
		ONLY FOR USE WITH: 541-7400 326F L HEX AM-N BCF1 or 541-7401 326F L HEX AM-N/ANZ BCF2 or 541-8087 326F L HEX JAPAN BCF1 or and 541-7352 CIRCUIT, COMBINED, STP PKG or 541-7359 CIRCUIT, COMB, STP B/SLCV PKG or 541-7361 CIRCUIT, COMBINED, TWJ PKG or 560-4407 326F L HEX ANZ BCF4 and 560-4410 REACH BOOM ONLY PKG, STK LESS		

HIGH PRESSURE AUXILIARY STICK LINES

L	245-2393	LINES-HP, 11'10" STICK 121		\$1,515
		ONLY FOR USE WITH: 541-7400 326F L HEX AM-N BCF1 or 541-7401 326F L HEX AM-N/ANZ BCF2 and 337-2502 LINES-HP, REACH BOOM and 482-1864 STICK, R3.6M (11'10) (CB1) HD		
L	356-8152	LINES-HP, R9'8" STICK 0		\$1,515
		AM-N, ANZ and CJL BCFs require LINES-HP, REACH BOOM EUR BCF1,4 already include LINES-HP, REACH BOOM EUR VAB PKG (For BCF2,5) includes LINE-HP, REACH BOOM ONLY FOR USE WITH: 541-7400 326F L HEX AM-N BCF1 or 541-7401 326F L HEX AM-N/ANZ BCF2 541-7403 326F L HEX EU BCF1 or 541-7404 326F L HEX EU BCF2 or 541-7406 326F LN HEX EU BCF4 or 541-7407 326F LN HEX EU BCF5 or 541-8087 326F L HEX JAPAN BCF1 and 349-6704 STICK, R2.95M (R9'8") (CB1) HD or 480-7391 STICK, R2.95M (R9'8") (CB1) HD CGC		

CATERPILLAR MACHINE PRICE LIST

326F

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

LINE GROUPS (CONT.)

MEDIUM PRESSURE CIRCUIT

L	533-8131	CIRCUIT, MEDIUM PRESSURE.	0	\$5,100
---	----------	--------------------------------	---	---------

ONLY FOR USE WITH: AM-N, ANZ and CJL
 541-7400 326F L HEX AM-N BCF1 or
 541-7401 326F L HEX AM-N/ANZ BCF2 or
 560-4407 326F L HEX ANZ BCF4 or
 541-8087 326F L HEX JAPAN BCF1
 and
 541-7352 CIRCUIT, COMBINED, STP PKG or
 541-7359 CIRCUIT, COMB, STP B/SLCV PKG or
 541-7361 CIRCUIT, COMBINED, TWJ PKG
 EUR
 * Mandatory for EUR BCF2 and BCF5 and BCF6
 541-7403 326F L HEX EU BCF1 or
 541-7404 326F L HEX EU BCF2 or
 541-7406 326F LN HEX EU BCF4 or
 541-7407 326F LN HEX EU BCF5 or
 560-4408 326F LN HEX EU BCF6

CANNOT BE USED WITH: 482-1864 STICK, R3.6M(11'10") (CB1) HD

MEDIUM PRESSURE AUXILIARY BOOM LINES

L	337-2503	LINES-MP, REACH BOOM	0	\$1,380
---	----------	----------------------------	---	---------

EUR VAB PKG (For BCF2,5) includes this line.
 ONLY FOR USE WITH: 541-7400 326F L HEX AM-N BCF1 or
 541-7401 326F L HEX AM-N/ANZ BCF2 or
 541-7403 326F L HEX EU BCF1 or
 541-7406 326F LN HEX EU BCF4 or
 541-8087 326F L HEX JAPAN BCF1
 and
 533-8131 SYSTEM, MEDIUM PRESSURE AHC

 560-4407 326F L HEX ANZ BCF4 and
 560-4410 REACH BOOM ONLY PKG, STK LESS

MEDIUM PRESSURE AUXILIARY STICK LINES

L	372-9861	LINES, MP, R9'6" STICK	0	\$955
---	----------	------------------------------	---	-------

AM-N, ANZ, CJL BCFs and EUR BCF 1,4 require LINES-MP, REACH BOOM
 EUR VAB PKG (For BCF2,5) already includes LINES-MP, REACH BOOM
 ONLY FOR USE WITH: 541-7400 326F L HEX AM-N BCF1 or
 541-7401 326F L HEX AM-N/ANZ BCF2 or
 541-7403 326F L HEX EU BCF1 or
 541-7404 326F L HEX EU BCF2 or
 541-7406 326F LN HEX EU BCF4 or
 541-7407 326F LN HEX EU BCF5 or
 541-8087 326F L HEX JAPAN BCF1
 and
 349-6704 STICK, R2.95M (R9'8") (CB1) HD or
 480-7391 STICK, R2.95M (R9'8") (CB1) HD CGC

CATERPILLAR MACHINE PRICE LIST

326F

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

LINE GROUPS (CONT.)

QUICK COUPLER CONTROL

L	496-2917	CTRL, CAT PIN GRABBER COUPLER 0 (For ANSI) For use only for Cat pin grabber coupler This DOES NOT include QC lines for the boom and stick. This is designed for the pin grabber coupler operating at full machine implement pressure. It contains the hydraulic lines on the upper frame and control. It as a high-pressure circuit. ONLY FOR USE WITH: 541-7400 326F L HEX AM-N BCF1 or 541-7401 326F L HEX AM-N/ANZ BCF2 or and 393-9014 FILMS, EXTERIOR ANSI AVAILABLE FOR: AM-N (except for Quebec)		\$1,140
---	----------	--	--	---------

QUICK COUPLER BOOM LINES

L	337-2504	COUPLER LINES, REACH BOOM 0 EUR VAB PKG (For BCF2,5) includes this line. ONLY FOR USE WITH: 541-7400 326F L HEX AM-N BCF1 or 541-7401 326F L HEX AM-N/ANZ BCF2 or 541-7403 326F L HEX EU BCF1 or 541-7406 326F LN HEX EU BCF4 and 496-2917 CTRL,CAT PIN GRAB COUPLER ANSI or 496-2918 CTRL,CAT PIN GRAB COUPLER ISO or 533-8132 CONTROL, CW DEDICATED CPLR TCS 560-4407 326F L HEX ANZ BCF4 and 560-4410 REACH BOOM ONLY PKG, STK LESS		\$1,360
---	----------	---	--	---------

QUICK COUPLER STICK LINES

L	482-2864	LINES-QC, R11'10" STICK. 0 ONLY FOR USE WITH: 541-7400 326F L HEX AM-N BCF1 or 541-7401 326F L HEX AM-N/ANZ BCF2 or and 337-2504 LINES-QC, REACH BOOM and 482-1864 STICK, R3.6M (11'10) (CB1) HD		\$1,065
L	253-6498	LINES-QC, R9'8" STICK 34 AM-N, ANZ BCFs and EUR BCF1,4 require COUPLER LINES, REACH BOOM EUR VAB PKB (For BCF 2,5) already includes COUPLER LINES, REACH BOOM ONLY FOR USE WITH: 541-7400 326F L HEX AM-N BCF1 or 541-7401 326F L HEX AM-N/ANZ BCF2 or 541-7403 326F L HEX EU BCF1 or 541-7404 326F L HEX EU BCF2 or 541-7406 326F LN HEX EU BCF4 or 541-7407 326F LN HEX EU BCF5 and 349-6704 STICK, R2.95M (R9'8") (CB1) HD or 480-7391 STICK, R2.95M (R9'8") (CB1) HD CGC		\$1,065

CATERPILLAR MACHINE PRICE LIST

326F

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

STARTERS, BATTERIES, & ALTERNATORS

L	342-4250	STARTING, COLD WEATHER 0 Includes two additional batteries. For ambient temperatures above -32C (-26F). REQUIRES: 336-6012 TERMINALS, JUMP START		\$1,105
L	339-7054	HEATER, ENGINE COOLANT, 120V 0		\$160
L	336-6012	TERMINALS, JUMP START 0 ONLY FOR USE WITH: 342-4250 STARTING, COLD WEATHER		\$180

OTHER ATTACHMENTS

PATTERN CHANGER

L	349-2233	CHANGER,HAND CTRL 2-WAY (ANSI) 0 ONLY FOR USE WITH: 393-9014 FILMS, EXTERIOR ANSI AVAILABLE FOR: Mandatory AM-N (except for Quebec)		\$1,255
---	----------	--	--	---------

FILM SUPER LONG REACH

L	393-9028	FILM, SUPER LONG REACH 0		NC
---	----------	---	--	----

PREVENTATIVE MAINTENANCE

L	342-4268	QUICK DRAINS, READY (OIL) 0		NC
---	----------	--	--	----

BUCKETS

NOTE: Stick, bucket linkage and bucket must be matched.

Includes tooth adapters welded on cutting edge.
Does not include tooth tips or sidecutters.
Rated capacity, SAE heaped.

HEAVY DUTY (HD)

The most popular excavator bucket style. A good "center line" choice, or starting point, when application conditions are not well known.

P	541-1746	BKT HD 36" 1.19YD3 CB 1,978 REQUIRES: 4 tips Advansys100 ONLY FOR USE WITH: CB Family bucket linkage		\$9,469
P	541-1747	BKT HD 42" 1.46YD3 CB 2,156 REQUIRES: 5 tips Advansys100 ONLY FOR USE WITH: CB Family bucket linkage		\$10,018
P	541-1748	BKT HD 47" 1.74YD3 CB 2,313 REQUIRES: 5 tips Advansys100 ONLY FOR USE WITH: CB Family bucket linkage		\$10,742

CATERPILLAR MACHINE PRICE LIST

326F

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

BUCKETS (CONT.)

HEAVY DUTY (HD) (Cont.)

P	541-1750	BKT HD 54" 2.01YD3 CB	2,504	\$11,311
		REQUIRES: 6 tips Advansys100		
		ONLY FOR USE WITH: CB Family bucket linkage		

SUPER LONG REACH FRONT BUCKET

P	441-6077	BKTA DC 48" 0.74YD3 (A)	852	\$4,469
		FOR USE IN LANE 3 ONLY		
		Ditch cleaning bucket.		
		ONLY FOR USE WITH: 475-3409/475-9813 SLR BOOM PKG or		
		541-7399 326F L HEX JAPAN EOC1C		
P	438-9799	BKTA GD 36" 0.69YD3	905	\$6,572
		FOR USE IN LANE 3 ONLY		
		Backhoe. Includes J250 tooth tips.		
		ONLY FOR USE WITH: 475-3409/475-9813 SLR BOOM PKG or		
		541-7399 326F L HEX JAPAN EOC1C		

SIDE CUTTERS

P	357-2698	SIDECUTTERS, HEAVY DUTY	109	\$1,353
		INCLUDES: LH and RH heavy duty sidecutter		
		ONLY FOR USE WITH: 346-0855 BUCKET-HD, 900MM 0.91 M3 (36" 1.19 YD3) CB		
		346-0856 BUCKET-HD, 1050MM 1.12 M3 (42" 1.46 YD3)CB		
		331-1906 BUCKET-HD, 1200MM 1.33 M3 (48" 1.74 YD3)CB		
		331-1907 BUCKET-HD 1350MM 1.54 M3 (54" 2.02 YD3) CB		
		346-0857 BUCKET 1350MM 1.54M3 (54" 2.02YD3) HD CB		
		346-0858 BUCKET 1500MM 1.76M3 (60" 2.30YD3) HD CB		

TIP (ADAPTER SIZE ADVANSYS 100)

P	505-4103	TIP, PENETRATION PLUS ADVANSYS	28	\$138
		ONLY FOR USE WITH: Factory installed bucket		

FLUIDS

ANTIFREEZE

	OP-2407	ANTIFREEZE, -50C (-58F)	0	\$251 NET
--	---------	-----------------------------------	---	-----------

CATERPILLAR MACHINE PRICE LIST

326F

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS

FIELD INSTALLED ATTACHMENTS

Available Through ANTARES Parts Ordering.

- 484-6826 Cold Weather field installation Retrofit Kit PKG (upgrade from -18C Cold Weather ready PKG to -32C Cold Weather PKG)
- 488-6525 Seat Belt, Retractable (76mm / 3" width) w/ Flexible Buckle Mandatory for California and ANZ
- 499-3722 Rain Protector for Front Windshield
- 353-2130 and 353-2131 Ashtray for Cup Holder
- 484-7816 FOGS Retrofit Kit PKG (Compatible with 1-Piece & 70/30 window, Openable front & top, support dual exit, including Cab Lights, Cab Mirror)
- 484-8798 FOGS Retrofit Kit PKG (Compatible with 1-Piece & 70/30 window, Openable front & fixed top guard, not support with dual exit, including Cab Lights, Cab Mirror)
- 457-3998 Mesh for front guard Retrofit Kit PKG (Full net, one piece for hammer use, including Cab Lights, Cab Mirror)

Field Reference Guide Media Number : PEBJ0097
- 486-1416 Security systems (MSS)
- 499-3739 Travel Alarm

Field Reference Guide for 326F

- PEBJ0097 DEF Tank Guard
- PEBJ0100 Refueling Pump Guard

PACKING

STORAGE PROTECTION

OG-4126	STORAGE PROTECTION (EXPORT) 0	\$274 NET
	Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.	

CATERPILLAR MACHINE PRICE LIST

326F

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
PACKING (CONT.)				
EXPORT PACKING				
	0G-4202	ROLL ON-ROLL OFF 0 For use when ordering an installed bucket or quick coupler		\$128 NET
	0G-0482	ROLL ON-ROLL OFF W/O BKT QC CB 0 For use when NOT ordering an installed bucket or quick coupler		\$164 NET
	0G-4235	EXP,PKG,LONG REACH FRONT DISM 0 Front and bucket dismounted For use when ordering a machine with super long reach front and bucket		\$1,355 NET
	0G-4234	EXP,PKG,LONG REACH FRONT DISM 0 Front dismounted For use when ordering a machine with super long reach front and NOT ordering a bucket or quick coupler.		\$1,330 NET
	0G-4210	ROLL ON-ROLL OFF W/O STICK 0 For use when ordering a machine without stick		\$164 NET