

CATERPILLAR MACHINE PRICE LIST

330F

330F EXCAVATOR
AKASHI, JAPAN

Ship Weight
lbs

LIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

Diesel engine, CAT C7.1 certified to EPA Tier4 final, EU stage IV, MLIT 2014
-Three selectable power modes capability; HHP, STD and ECO
-After-treatment system: CEM (DPF + SCR) and DEF system (DEF tank and DEF lines)
Variable fan speed control with viscous clutch
One touch low idle with automatic engine speed control (AEC)
Automatic (programmable) idling shut down function
Three stage fuel filtration system with water separator and indicator
4,600m altitude capability with de-rate from 3,000m
52 deg. C high ambient cooling capability with de-rate from 48 deg. C
115 amp. alternator
Radial seal air filter with double filter element
Electric fuel lifting pump
Capability of using bio-diesel fuel (B20)

(ISO 12117-2 compliant) with viscous mount
Openable skylight as emergency exit (Dual exit hatch)
Openable laminated front upper windshield with assist device
Removable tempered lower windshield with in cab storage bracket
High back seat with air suspension, seat heater and head rest
Fully adjustable seat, console and armrest
2 inch width seat belt
Full graphic 7inch LCD monitor, Horizontal axis adjustable with distortion free rear view camera picture
Automatic bi-level air conditioner with pressurized function
24v radio ready (1DIN size, stereo speakers, antenna-flexible type)
12v x 2 power supply with sockets (Maximum 10 amp.)
Washable floormat
Sun screen
Interior utilities (Interior lighting, Coat hook, Beverage holder, Literature holder, Document holding space, and Cab rear storage compartment)

UNDERCARRIAGE

Grease lubricated track link
Tie down points on base frame (ISO 15818 compliant)

SAFETY AND SECURITY

Rearview camera with three mirrors (ISO 5006 compliant) and one additional
RH hand rail and hand hold (ISO 2867 compliant)
Bolt free service platform with anti-skid plate
Neutral lever (lock out) for all controls
Ground level accessible secondary engine shutoff switch in cab mirror
Signaling / Warning horn
Safety hammer for cab evacuation

HYDRAULICS

Electric boom regeneration circuit
Stick regeneration circuit
One touch lifting mode
Automatic two speed travel
Boom and stick drift reduction valve
Reverse swing damping valve
High performance hydraulic return filter (Capsule filter type)
CRN compliant accumulator

OTHER STANDARD EQUIPMENT

Engine oil, fuel (Primary), and hydraulic oil filters grouped for ease of maintenance
Sampling ports for scheduled oil sampling (S.O.S)
Tilt up air to air after cooler (ATAAC) for easy maintenance

ELECTRICAL

Maintenance free battery
Centralized electrical disconnect switch
CAT product link
90 seconds programmable time delay working lights (halogen);
-Storage box mounted (one)
-Cab mounted (two)
-Boom mounted LH&RH (two)

OPERATOR ENVIRONMENT

Sound suppressed ROPS cab

CATERPILLAR MACHINE PRICE LIST

330F

330F EXCAVATOR
AKASHI, JAPAN

Ship Weight
lbs

LIST PRICE
AT DEALER

**Lane 2 is reserved for the Base Orders Program.
Please use Lane 2 when placing orders that are part of the Base Order
Management Program.**

CATERPILLAR MACHINE PRICE LIST

330F

330F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

<p>505-9124</p> <p>330F L HEX AM-N DCA1A 0</p> <p>LANE 1 - AVAILABLE FROM BALTIMORE AND TACOMA DIST. CENTER</p> <p>6.15M (20'2") Reach Boom, 3.2M (10'6") Stick, 800MM (31") T.G. Track Shoe, QC Circuit</p> <p>Dirt digger with coupler hydraulics</p> <p>INCLUDES:</p> <p>486-4082 330F L HYD EXCAVATOR</p> <p>505-9136 330F L STANDARD ARRANGEMENT</p> <p>STANDARD OIL</p> <p>ACCUMULATOR WITH CRN</p> <p>SEAT BELT, 51MM (2")</p> <p>HATCH, OPENABLE ROOF (DUAL)</p> <p>WASHER, WINDSHIELD UPPER</p> <p>AIR CONDITIONER</p> <p>PANEL, STD START SWITCH</p> <p>MIRROR, W/O GUARD</p> <p>FAN, VARIABLE SPEED</p> <p>LIGHTING, CAB (HALOGEN)</p> <p>475-3413 REACH BOOM HD PKG</p> <p>BOOM, 6.15M (20'2") REACH HD</p> <p>LINKAGE, BKT-CB2 W/LIFT</p> <p>CYLINDER, BKT (CB2 LINKAGE)</p> <p>COVER, UPPER, STANDARD</p> <p>505-9139 JOYSTICK STD STP PKG</p> <p>VALVE, HYDRAULIC, HL</p> <p>VALVE, ANTI DRIFT, BOOM</p> <p>VALVE, ANTI DRIFT, STICK</p> <p>LINES, CYLINDER</p> <p>MACHINE CONTROLLER STD</p> <p>JOYSTICK, ONE BUTTON</p> <p>MAT, FLOOR, RH PEDAL</p> <p>PEDAL, STRAIGHT TRAVEL</p> <p>LINES, BDRV (STD)</p> <p>LINES, PILOT STICK IN, STD</p> <p>LINES, PILOT TRAVEL, STP</p> <p>324-4522 AIR CLEANER, STANDARD</p> <p>340-8222 TRACK, 800MM (31") TG (GLT)</p> <p>342-4233 CONTROL, FINE SWING</p> <p>341-2169 CYLINDER, BOOM (W/O BLCV)</p> <p>341-2176 CYLINDER, STICK (W/O SLCV)</p> <p>383-9337 LINES, SDRV (STD/PGQC)</p> <p>394-5966 LINES, BOOM-UP (STD)</p> <p>486-7382 FRONT LINES, PGQC</p> <p>372-9522 CAB-ROPS,70/30,W/VANDAL-G BOSS</p> <p>316-8883 SEAT, H-BACK, W/HEATER,S/AIR</p> <p>316-8984 WIPER-RADIAL, 70/30 W/O LOWER</p> <p>496-8191 RADIO, 24V AM/FM</p> <p>460-1148 PRODUCT LINK, CELLULAR PL641</p> <p>493-5695 CAMERA, REAR VIEW, MIRRORS RH</p> <p>471-6603 GUARD, BOTTOM HEAVY DUTY</p> <p>339-4130 GUARD, TRACK MOTOR HD</p> <p>346-7150 GUARD, TRACK GUIDING,SEGMENTED</p> <p>486-1655 DECALS, EXTERIOR ANSI</p> <p>497-6203 DECALS, CAB ANSI</p> <p>461-2860 COUNTERWEIGHT, 5.8MT (12,790LBS)</p>	<p>0</p>	<p>\$330,950</p>
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------	-------------------------

Supersedes 02JAN2018

Caterpillar: Confidential Green

US-A-19-01 A

Subject to change without notice

Printed in USA

U. S. DOLLAR CURRENCY

Effective 02JAN2019

330F-003

CATERPILLAR MACHINE PRICE LIST

330F

330F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

- 382-8232 COVER, FENDER
- 349-6709 STICK, R3.2M (10'6") (CB2) HD
- 498-8896 CTRL,CAT PIN GRAB COUPLER ANSI
- 339-7054 HEATER, ENGINE COOLANT (120V)
- 459-2701 COLD WEATHER PKG READY
- 350-8230 LIGHT, R BOOM
- 349-2233 CHANGER,HAND CTRL 2-WAY (ANSI)
- 336-1150 SUN SCREEN (70/30)
- 231-1771 ALARM, TRAVEL
- 134-8883 GUARD, SWIVEL

NOTE: For AM-N and AM-S (Puerto Rico only)
 OP9222 is not available to Quebec

CATERPILLAR MACHINE PRICE LIST

330F

330F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

541-7410 6.15M (20'2") Reach Boom, 3.2M (10'6") Stick, 800MM (31") T.G. Track Shoe, QC Circuit Dirt digger with coupler hydraulics INCLUDES: 545-8901 330F L HEX 541-7422 STANDARD ARRANGEMENT TRAVEL MOTOR, BIO OIL CAPABLE ACCUMULATOR WITH CRN SEAT BELT, 51MM (2") HATCH, OPENABLE ROOF (DUAL) WASHER, WINDSHIELD UPPER AIR CONDITIONER PANEL, STD START SWITCH MIRROR, W/O GUARD FAN, VARIABLE SPEED LIGHTING, CAB (HALOGEN) 475-3413 REACH BOOM HD PKG BOOM, 6.15M (20'2") REACH HD LINKAGE, BKT-CB2 W/LIFT CYLINDER, BKT (CB2 LINKAGE) COVER, UPPER, STANDARD 546-3479 JOYSTICK PKG, STD STP VALVE, HYDRAULIC, HL VALVE, ANTI DRIFT, BOOM VALVE, ANTI DRIFT, STICK LINES, CYLINDER MACHINE CONTROLLER STD JOYSTICK, ONE BUTTON MAT, FLOOR, RH PEDAL PEDAL, STRAIGHT TRAVEL LINES, BDRV (STD) LINES, PILOT STICK IN, STD LINES, PILOT TRAVEL, STP 324-4522 AIR CLEANER, STANDARD 340-8222 TRACK, 800MM (31") TG (GLT) 342-4233 CONTROL, FINE SWING 341-2169 CYLINDER, BOOM (W/O BLCV) 341-2176 CYLINDER, STICK (W/O SLCV) 383-9337 LINES, SDRV (STD/PGQC) 394-5966 LINES, BOOM-UP (STD) 546-4268 FRONT LINES, PGQC 372-9522 CAB-ROPS, 70/30, W/VANDAL-G BOSS 316-8883 SEAT, H-BACK, W/HEATER, S/AIR 316-8984 WIPER-RADIAL, 70/30 W/O LOWER 496-8191 RADIO, 24V AM/FM 460-1148 PRODUCT LINK, CELLULAR PL641 493-5695 CAMERA, REAR VIEW, MIRRORS RH 471-6603 GUARD, BOTTOM HEAVY DUTY 339-4130 GUARD, TRACK MOTOR HD 346-7150 GUARD, TRACK GUIDING, SEGMENTED 486-1655 DECALS, EXTERIOR ANSI 497-6203 DECALS, CAB ANSI	0	\$330,950
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---	------------------

Supersedes 02JAN2018

Caterpillar: Confidential Green
US-A-19-01 A

Subject to change without notice

Printed in USA
U. S. DOLLAR CURRENCY

Effective 02JAN2019

330F-005

CATERPILLAR MACHINE PRICE LIST

330F

330F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

- 461-2860 COUNTERWEIGHT, 5.8MT (12,790LBS)
- 382-8232 COVER, FENDER
- 349-6709 STICK, R3.2M (10'6") (CB2) HD
- 498-8896 CTRL,CAT PIN GRAB COUPLER ANSI
- 339-7054 HEATER, ENGINE COOLANT (120V)
- 459-2701 COLD WEATHER PKG READY
- 350-8230 LIGHT, R BOOM
- 349-2233 CHANGER,HAND CTRL 2-WAY (ANSI)
- 336-1150 SUN SCREEN (70/30)
- 231-1771 ALARM, TRAVEL
- 134-8883 GUARD, SWIVEL

NOTE: For AM-N and AM-S (Puerto Rico only)
 OP9222 is not available to Quebec

CATERPILLAR MACHINE PRICE LIST

330F

330F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

<p>505-9125 330F L HEX AM-N DCA2A 0 LANE 1 - AVAILABLE FROM BALTIMORE & TACOMA DIST. CENTER</p> <p>6.15M (20'2") Reach Boom, 3.2M (10'6") Stick, 800MM (31") T.G. Track Shoe, Tool control, QC circuit</p> <p>Versatility machine with tool control and coupler hydraulics</p> <p>INCLUDES: 486-4082 330F L HYD EXCAVATOR 505-9136 330F L STANDARD ARRANGEMENT STANDARD OIL ACCUMULATOR WITH CRN SEAT BELT, 51MM (2") HATCH, OPENABLE ROOF (DUAL) WASHER, WINDSHIELD UPPER AIR CONDITIONER PANEL, STD START SWITCH MIRROR, W/O GUARD FAN, VARIABLE SPEED LIGHTING, CAB (HALOGEN) 475-3413 REACH BOOM HD PKG BOOM, 6.15M (20'2") REACH HD LINKAGE, BKT-CB2 W/LIFT CYLINDER, BKT (CB2 LINKAGE) COVER, UPPER, STANDARD 505-9141 COMBINED CIR STP PKG VALVE, HYDRAULIC, TCS VALVE, ANTI DRIFT, BOOM VALVE, ANTI DRIFT, STICK LINES, CYLINDER CIRCUIT, COMBINED MACHINE CONTROLLER TCS JOYSTICK, THUMB WHEEL MAT, FLOOR, RH PEDAL PEDAL, STRAIGHT TRAVEL LINES, BDRV (TCS20) LINES, PILOT STICK IN, TCS20 LINES, PILOT TRAVEL, STP 324-4522 AIR CLEANER, STANDARD 340-8222 TRACK, 800MM (31") TG (GLT) 342-4233 CONTROL, FINE SWING 341-2169 CYLINDER, BOOM (W/O BLCV) 341-2176 CYLINDER, STICK (W/O SLCV) 383-9337 LINES, SDRV (STD/PGQC) 394-5966 LINES, BOOM-UP (STD) 486-7382 FRONT LINES, PGQC 372-9522 CAB-ROPS, 70/30, W/VANDAL-G BOSS 316-8883 SEAT, H-BACK, W/HEATER, S/AIR 316-8984 WIPER-RADIAL, 70/30 W/O LOWER 496-8191 RADIO, 24V AM/FM 460-1148 PRODUCT LINK, CELLULAR PL641 493-5695 CAMERA, REAR VIEW, MIRRORS RH 471-6603 GUARD, BOTTOM HEAVY DUTY 339-4130 GUARD, TRACK MOTOR HD 346-7150 GUARD, TRACK GUIDING, SEGMENTED 486-1655 DECALS, EXTERIOR ANSI 497-6203 DECALS, CAB ANSI</p>	<p>\$348,210</p>
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------

Supersedes 02JAN2018

Caterpillar: Confidential Green

US-A-19-01 A

Subject to change without notice

Printed in USA

U. S. DOLLAR CURRENCY

Effective 02JAN2019

330F-007

CATERPILLAR MACHINE PRICE LIST

330F

330F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
461-2860 COUNTERWEIGHT, 5.8MT (12,790LBS)		
382-8232 COVER, FENDER		
349-6709 STICK, R3.2M (10'6") (CB2) HD		
498-8896 CTRL,CAT PIN GRAB COUPLER ANSI		
341-0314 LINES-HP, REACH BOOM		
341-0317 COUPLER LINES, REACH BOOM		
356-8134 LINES-HP, R3.2M (10'6") STICK		
321-0150 LINES-QC, R3.2M (10'6") STICK		
339-7054 HEATER, ENGINE COOLANT (120V)		
459-2701 COLD WEATHER PKG READY		
350-8230 LIGHT, R BOOM		
349-2233 CHANGER,HAND CTRL 2-WAY (ANSI)		
336-1150 SUN SCREEN (70/30)		
231-1771 ALARM, TRAVEL		
134-8883 GUARD, SWIVEL		

NOTE: For AM-N and AM-S (Puerto Rico only)
0P9222 is not available to Quebec

CATERPILLAR MACHINE PRICE LIST

330F

330F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

<p>546-3488</p> <p>330F L HEX AM-N DCA2C 0</p> <p>LANE 1 - AVAILABLE FROM BALTIMORE CENTER</p> <p>6.15M (20'2") Reach Boom, 3.2M (10'6") Stick, 800MM (31") T.G. Track Shoe, Tool control, QC circuit</p> <p>Versatility machine with tool control and coupler hydraulics</p> <p>INCLUDES:</p> <p>545-8901 330F L HYD EXCAVATOR</p> <p>505-9136 330F L STANDARD ARRANGEMENT</p> <p>STANDARD OIL</p> <p>ACCUMULATOR WITH CRN</p> <p>SEAT BELT, 51MM (2")</p> <p>HATCH, OPENABLE ROOF (DUAL)</p> <p>WASHER, WINDSHIELD UPPER</p> <p>AIR CONDITIONER</p> <p>PANEL, STD START SWITCH</p> <p>MIRROR, W/O GUARD</p> <p>FAN, VARIABLE SPEED</p> <p>LIGHTING, CAB (HALOGEN)</p> <p>475-3413 REACH BOOM HD PKG</p> <p>BOOM, 6.15M (20'2") REACH HD</p> <p>LINKAGE, BKT-CB2 W/LIFT</p> <p>CYLINDER, BKT (CB2 LINKAGE)</p> <p>COVER, UPPER, STANDARD</p> <p>546-3481 COMBINED CIR STP PKG</p> <p>VALVE, HYDRAULIC, TCS</p> <p>VALVE, ANTI DRIFT, BOOM</p> <p>VALVE, ANTI DRIFT, STICK</p> <p>LINES, CYLINDER</p> <p>CIRCUIT, COMBINED</p> <p>MACHINE CONTROLLER TCS</p> <p>JOYSTICK, THUMB WHEEL</p> <p>MAT, FLOOR, RH PEDAL</p> <p>PEDAL, STRAIGHT TRAVEL</p> <p>LINES, BDRV (TCS20)</p> <p>LINES, PILOT STICK IN, TCS20</p> <p>LINES, PILOT TRAVEL, STP</p> <p>324-4522 AIR CLEANER, STANDARD</p> <p>340-8222 TRACK, 800MM (31") TG (GLT)</p> <p>342-4233 CONTROL, FINE SWING</p> <p>341-2169 CYLINDER, BOOM (W/O BLCV)</p> <p>341-2176 CYLINDER, STICK (W/O SLCV)</p> <p>383-9337 LINES, SDRV (STD/PGQC)</p> <p>394-5966 LINES, BOOM-UP (STD)</p> <p>546-4268 FRONT LINES, PGQC</p> <p>372-9522 CAB-ROPS, 70/30, W/VANDAL-G BOSS</p> <p>316-8883 SEAT, H-BACK, W/HEATER, S/AIR</p> <p>316-8984 WIPER-RADIAL, 70/30 W/O LOWER</p> <p>496-8191 RADIO, 24V AM/FM</p> <p>460-1148 PRODUCT LINK, CELLULAR PL641</p> <p>493-5695 CAMERA, REAR VIEW, MIRRORS RH</p> <p>471-6603 GUARD, BOTTOM HEAVY DUTY</p> <p>339-4130 GUARD, TRACK MOTOR HD</p> <p>346-7150 GUARD, TRACK GUIDING, SEGMENTED</p> <p>486-1655 DECALS, EXTERIOR ANSI</p> <p>497-6203 DECALS, CAB ANSI</p>	<p>0</p>	<p>\$348,210</p>
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------	-------------------------

Supersedes 02JAN2018

Caterpillar: Confidential Green

US-A-19-01 A

Subject to change without notice

Printed in USA

U. S. DOLLAR CURRENCY

Effective 02JAN2019

330F-009

CATERPILLAR MACHINE PRICE LIST

330F

330F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

- 461-2860 COUNTERWEIGHT, 5.8MT (12,790LBS)
- 382-8232 COVER, FENDER
- 349-6709 STICK, R3.2M (10'6") (CB2) HD
- 498-8896 CTRL,CAT PIN GRAB COUPLER ANSI
- 341-0314 LINES-HP, REACH BOOM
- 341-0317 COUPLER LINES, REACH BOOM
- 356-8134 LINES-HP, R3.2M (10'6") STICK
- 321-0150 LINES-QC, R3.2M (10'6") STICK
- 339-7054 HEATER, ENGINE COOLANT (120V)
- 459-2701 COLD WEATHER PKG READY
- 350-8230 LIGHT, R BOOM
- 349-2233 CHANGER,HAND CTRL 2-WAY (ANSI)
- 336-1150 SUN SCREEN (70/30)
- 231-1771 ALARM, TRAVEL
- 134-8883 GUARD, SWIVEL

NOTE: For AM-N and AM-S (Puerto Rico only)
 0P9222 is not available to Quebec

CATERPILLAR MACHINE PRICE LIST

330F

330F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

<p>541-7411</p> <p>330F L HEX AM-N DCA2C 0</p> <p>LANE 2 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2</p> <p>LANE 3 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2</p> <p>6.15M (20'2") Reach Boom, 3.2M (10'6") Stick, 800MM (31") T.G. Track Shoe, Tool control, QC circuit</p> <p>Versatility machine with tool control and coupler hydraulics</p> <p>INCLUDES:</p> <p>545-8901 330F L HEX</p> <p>541-7422 STANDARD ARRANGEMENT</p> <p>TRAVEL MOTOR, BIO OIL CAPABLE</p> <p>ACCUMULATOR WITH CRN</p> <p>SEAT BELT, 51MM (2")</p> <p>HATCH, OPENABLE ROOF (DUAL)</p> <p>WASHER, WINDSHIELD UPPER</p> <p>AIR CONDITIONER</p> <p>PANEL, STD START SWITCH</p> <p>MIRROR, W/O GUARD</p> <p>FAN, VARIABLE SPEED</p> <p>LIGHTING, CAB (HALOGEN)</p> <p>475-3413 REACH BOOM HD PKG</p> <p>BOOM, 6.15M (20'2") REACH HD</p> <p>LINKAGE, BKT-CB2 W/LIFT</p> <p>CYLINDER, BKT (CB2 LINKAGE)</p> <p>COVER, UPPER, STANDARD</p> <p>546-3481 COMBINED CIR STP PKGTP</p> <p>VALVE, HYDRAULIC, TCS</p> <p>VALVE, ANTI DRIFT, BOOM</p> <p>VALVE, ANTI DRIFT, STICK</p> <p>LINES, CYLINDER</p> <p>CIRCUIT, COMBINED</p> <p>MACHINE CONTROLLER TCS</p> <p>JOYSTICK, THUMB WHEEL</p> <p>MAT, FLOOR, RH PEDAL</p> <p>PEDAL, STRAIGHT TRAVEL</p> <p>LINES, BDRV (TCS20)</p> <p>LINES, PILOT STICK IN, TCS20</p> <p>LINES, PILOT TRAVEL, STP</p> <p>324-4522 AIR CLEANER, STANDARD</p> <p>340-8222 TRACK, 800MM (31") TG (GLT)</p> <p>342-4233 CONTROL, FINE SWING</p> <p>341-2169 CYLINDER, BOOM (W/O BLCV)</p> <p>341-2176 CYLINDER, STICK (W/O SLCV)</p> <p>383-9337 LINES, SDRV (STD/PGQC)</p> <p>394-5966 LINES, BOOM-UP (STD)</p> <p>546-4268 FRONT LINES, PGQ</p> <p>372-9522 CAB-ROPS,70/30,W/VANDAL-G BOSS</p> <p>316-8883 SEAT, H-BACK, W/HEATER,S/AIR</p> <p>316-8984 WIPER-RADIAL, 70/30 W/O LOWER</p> <p>496-8191 RADIO, 24V AM/FM</p> <p>460-1148 PRODUCT LINK, CELLULAR PL641</p> <p>493-5695 CAMERA, REAR VIEW, MIRRORS RH</p> <p>471-6603 GUARD, BOTTOM HEAVY DUTY</p> <p>339-4130 GUARD, TRACK MOTOR HD</p> <p>346-7150 GUARD, TRACK GUIDING,SEGMENTED</p> <p>486-1655 DECALS, EXTERIOR ANSI</p>	<p>\$348,210</p>
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------

Supersedes 02JAN2018

Caterpillar: Confidential Green

US-A-19-01 A

Subject to change without notice

Printed in USA

U. S. DOLLAR CURRENCY

Effective 02JAN2019

330F-011

CATERPILLAR MACHINE PRICE LIST

330F

330F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

- 497-6203 DECALS, CAB ANSI
- 461-2860 COUNTERWEIGHT, 5.8MT (12,790LBS)
- 382-8232 COVER, FENDER
- 349-6709 STICK, R3.2M (10'6") (CB2) HD
- 498-8896 CTRL,CAT PIN GRAB COUPLER ANSI
- 341-0314 LINES-HP, REACH BOOM
- 341-0317 COUPLER LINES, REACH BOOM
- 356-8134 LINES-HP, R3.2M (10'6") STICK
- 321-0150 LINES-QC, R3.2M (10'6") STICK
- 339-7054 HEATER, ENGINE COOLANT (120V)
- 459-2701 COLD WEATHER PKG READY
- 350-8230 LIGHT, R BOOM
- 349-2233 CHANGER,HAND CTRL 2-WAY (ANSI)
- 336-1150 SUN SCREEN (70/30)
- 231-1771 ALARM, TRAVEL
- 134-8883 GUARD, SWIVEL

NOTE: For AM-N and AM-S (Puerto Rico only)
 OP9222 is not available to Quebec

CATERPILLAR MACHINE PRICE LIST

330F

330F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

<p>541-7416 330F L HEX AM-N BCF1 0</p> <p>LANE 2 - AVAILABLE FROM AKASHI FACTORY</p> <p>LANE 3 - AVAILABLE FROM AKASHI FACTORY</p>	<p>\$280,840</p>
----------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------

Base machine for standard boom configuration.
Well suited for general applications.

Base Configuration must be completed by selecting
Mandatory / Optional attachments.

- INCLUDES:
- 545-8901 330F L HEX
 - 541-7422 STANDARD ARRANGEMENT
 - TRAVEL MOTOR, BIO OIL CAPABLE
 - ACCUMULATOR WITH CRN
 - SEAT BELT, 51MM (2")
 - HATCH, OPENABLE ROOF (DUAL)
 - WASHER, WINDSHIELD UPPER
 - AIR CONDITIONER
 - PANEL, STD START SWITCH
 - MIRROR, W/O GUARD
 - FAN, VARIABLE SPEED
 - LIGHTING, CAB (HALOGEN)
 - 342-4233 CONTROL, FINE SWING
 - 341-2169 CYLINDER, BOOM (W/O BLCV)
 - 341-2176 CYLINDER, STICK (W/O SLCV)
 - 383-9337 LINES, SDRV (STD/PGQC)
 - 394-5966 LINES, BOOM-UP (STD)
 - 372-9522 CAB-ROPS, 70/30, W/VANDAL-G BOSS
 - 316-8984 WIPER-RADIAL, 70/30 W/O LOWER
 - 496-8191 RADIO, 24V AM/FM
 - 493-5695 CAMERA, REAR VIEW, MIRRORS RH
 - 471-6603 GUARD, BOTTOM HEAVY DUTY
 - 339-4130 GUARD, TRACK MOTOR HD
 - 461-2860 COUNTERWEIGHT, 5.8MT (12,790LBS)
 - 382-8232 COVER, FENDER
 - 350-8230 LIGHT, R BOOM
 - 336-1150 SUN SCREEN (70/30)
 - 231-1771 ALARM, TRAVEL
 - 134-8883 GUARD, SWIVEL

NOTE: For AM-N and AM-S (Puerto Rico only)

CATERPILLAR MACHINE PRICE LIST

330F

330F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

541-7417 330F L HEX AM-N/ANZ BCF2 0 LANE 2 - AVAILABLE FROM AKASHI FACTORY LANE 3 - AVAILABLE FROM AKASHI FACTORY	\$284,670
------------------------------------------------------------------------------------------------------------------------------------------------	------------------

Base machine with BLCV/SLCV for standard boom configuration.
 Well suited for general applications and those requiring BLCV/SLCV as a safety device.

Base Configuration must be completed by selecting
 Mandatory / Optional attachments.

- INCLUDES:
- 545-8901 330F L HEX
 - 541-7422 STANDARD ARRANGEMENT
 - TRAVEL MOTOR, BIO OIL CAPABLE
 - ACCUMULATOR WITH CRN
 - SEAT BELT, 51MM (2")
 - HATCH, OPENABLE ROOF (DUAL)
 - WASHER, WINDSHIELD UPPER
 - AIR CONDITIONER
 - PANEL, STD START SWITCH
 - MIRROR, W/O GUARD
 - FAN, VARIABLE SPEED
 - LIGHTING, CAB (HALOGEN)
 - 342-4233 CONTROL, FINE SWING
 - 341-2173 CYLINDER, BOOM (W/BLCV)
 - 341-2178 CYLINDER, STICK (W/SLCV)
 - 471-0616 LINES, SDRV (SLCV)
 - 394-5966 LINES, BOOM-UP (STD)
 - 372-9522 CAB-ROPS,70/30,W/VANDAL-G BOSS
 - 316-8984 WIPER-RADIAL, 70/30 W/O LOWER
 - 496-8191 RADIO, 24V AM/FM
 - 493-5695 CAMERA, REAR VIEW, MIRRORS RH
 - 471-6603 GUARD, BOTTOM HEAVY DUTY
 - 339-4130 GUARD, TRACK MOTOR HD
 - 461-2860 COUNTERWEIGHT, 5.8MT (12,790LBS)
 - 382-8232 COVER, FENDER
 - 389-2484 DEVICE, SLCV R-BOOM
 - 350-8230 LIGHT, R BOOM
 - 336-1150 SUN SCREEN (70/30)
 - 231-1771 ALARM, TRAVEL
 - 134-8883 GUARD, SWIVEL

NOTE: For AM-N, AM-S (Puerto Rico only) and ANZ

CATERPILLAR MACHINE PRICE LIST

330F

330F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

<p>541-7418</p> <p>330F L HEX AM-N BCF3 0</p> <p>LANE 3 - AVAILABLE FROM AKASHI FACTORY</p>	<p>\$284,800</p>
---------------------------------------------------------------------------------------------------------------------	-------------------------

Base machine for 60ft (18m) Super Long Reach front configuration. Well suited for the application those requiring extra-wide working as envelop like ditch cleaning.

Base Configuration must be completed by selecting Mandatory / Optional attachments.

INCLUDES:

- 545-8901 330F L HEX
- 541-7422 STANDARD ARRANGEMENT
- TRAVEL MOTOR, BIO OIL CAPABLE
- ACCUMULATOR WITH CRN
- SEAT BELT, 51MM (2")
- HATCH, OPENABLE ROOF (DUAL)
- WASHER, WINDSHIELD UPPER
- AIR CONDITIONER
- PANEL, STD START SWITCH
- MIRROR, W/O GUARD
- FAN, VARIABLE SPEED
- LIGHTING, CAB (HALOGEN)
- 342-4233 CONTROL, FINE SWING
- 341-2169 CYLINDER, BOOM (W/O BLCV)
- 216-6605 CYLINDER, STICK (W/O SLCV)
- 383-9337 LINES, SDRV (STD/PGQC)
- 394-5966 LINES, BOOM-UP (STD)
- 372-9522 CAB-ROPS, 70/30, W/VANDAL-G BOSS
- 316-8984 WIPER-RADIAL, 70/30 W/O LOWER
- 496-8191 RADIO, 24V AM/FM
- 493-5695 CAMERA, REAR VIEW, MIRRORS RH
- 471-6603 GUARD, BOTTOM HEAVY DUTY
- 339-4130 GUARD, TRACK MOTOR HD
- 461-2863 COUNTERWEIGHT, SLR
- 382-8232 COVER, FENDER
- 350-8230 LIGHT, R BOOM
- 336-1150 SUN SCREEN (70/30)
- 231-1771 ALARM, TRAVEL
- 134-8883 GUARD, SWIVEL
- 393-8939 LINKAGE ARR, SLR

NOTE: For AM-N and AM-S (Puerto Rico only)

CATERPILLAR MACHINE PRICE LIST

330F

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

MUST CHOOSE AT LEAST ONE PACKAGE OR ATTACHMENT FROM EACH CATEGORY

LANE SELECTION

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM THE PDC.

OP-9001	LANE 1 ORDER	0	NC
	Order from Product Distribution Center (PDC)		

DECAL PACKAGE

P	OP-7124	INSTRUCTION,NORTH AMERICA ANSI	0	NC
		This package includes the ANSI decals and is required by all NACD territories except Quebec, Canada. ONLY ON PDC MACHINES.		

NOTE: For AM-N (Except for Quebec)

L	454-9351	INSTRUCTIONS, INTERNATIONAL	0	NC
		This package includes picto decals as required for Quebec, Canada		

NOTE: Required for Quebec

SERVICE INSTRUCTIONS

OP-3380	INSTRUCTIONS, ENGLISH	0	NC
OP-3389	INSTRUCTIONS, FRENCH	0	NC
OP-3404	INSTRUCTIONS, SPANISH	0	NC

STORAGE PROTECTION

OG-4126	STORAGE PROTECTION (EXPORT)	0	\$274 NET
	Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.		

EXPORT PACKING

OG-0501	ROLL ON-ROLL OFF LANE1 CB	0	\$164 NET
	For DCA1 and DCA2		

CATERPILLAR MACHINE PRICE LIST

330F

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

ANTIFREEZE

0P-2407	ANTIFREEZE, -50C (-58F)	0	\$251 NET
---------	-------------------------	-------	---	------------------

CATERPILLAR MACHINE PRICE LIST

330F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER	0	NC

BOOMS, STICKS, AND LINKAGES

BOOM/BUCKET LINKAGE PACKAGES

When ordering a frontless excavator, please contact Caterpillar OEM Solutions Group at oem_solutions@cat.com. OEM Solutions Group will assist in development, pricing and ordering of the machine configuration.

L	475-3413	REACH BOOM HD PKG Reach 6.15M (20'2") Boom Heavy Duty (HD) Package (PKG) INCLUDES: - BOOM, 6.15M (20'2") REACH HD - LINKAGE, BKT-CB2 W/LIFT - CYLINDER, BKT (CB2 LINKAGE) - COVER, UPPER, STANDARD	0	\$23,370
L	505-9137	CANNOT BE USED WITH: 541-7418 330F L HEX AM-N BCF3 REACH BOOM HD CGC PKG Reach 6.15M (20'2") Boom Heavy Duty (HD) Cat Grade Control (CGC) (2D) Package (PKG) Depth and Slope is the deeply integrated indicate - only CAT Grade Control System that provides guidance to the bucket tip using the standard machine display. INCLUDES: - BOOM, 6.15M (20'2") REACH HD CGC - LINKAGE, BKT-CB2 W/LIFT - CYLINDER, BKT CB2 CGC - COVER, CAT GRADE CONTROL - GUARD, CYLINDER COVER, CGC - CGC (2D)	0	\$38,170
L	475-3415	CANNOT BE USED WITH: 541-7418 330F L HEX AM-N BCF3 SLR BOOM PKG FOR USE IN LANE 3 ONLY Super Long Reach (SLR) Boom Package (PKG) INCLUDES THE FOLLOWING MAJOR COMPONENTS - BOOM, SUPER LONG REACH - LINKAGE, BKT W/LIFT - CYLINDER, BUCKET SLR - COVER, UPPER, STANDARD	0	\$41,070
L	475-3416	ONLY FOR USE WITH: 541-7418 330F L HEX AM-N BCF3 REACH BOOM HD STICK LESS PKG Reach 6.15M (20'2") Boom Heavy Duty (HD) Stick less Package (PKG) INCLUDES: - BOOM, 6.15M (20'2") REACH HD - COVER, UPPER, STANDARD - ROPS FILM REMOVAL CANNOT BE USED WITH: 541-7418 330F L HEX AM-N BCF3	0	\$17,540

CATERPILLAR MACHINE PRICE LIST

330F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES (CONT.)

STICK

L	424-5476	STICK, R12'4" (CB2) HD 0		\$10,640
		ONLY FOR USE WITH: 475-3413 REACH BOOM HD PKG		
L	349-6709	STICK, R10'6" (CB2) HD 0		\$9,000
		ONLY FOR USE WITH: 475-3413, 502-5886 REACH BOOM HD PKG		
L	480-7392	STICK, R10'6" (CB2) HD CGC 0		\$9,000
		ONLY FOR USE WITH: 505-9137 REACH BOOM HD CGC PKG		
L	359-8694	STICK, SUPER LONG REACH 0		\$15,720
		FOR USE IN LANE 3 ONLY		
		ONLY FOR USE WITH: 475-3415 SLR BOOM PKG		
	0G-0342	NO STICK 0		NC
		For Boom only (Stick less)		
		ONLY FOR USE WITH: 475-3416 REACH BOOM HD STICK LESS PKG		

POWERTRAIN

L	324-4522	AIR CLEANER, STANDARD 0		\$740
		Pre-cleaner integrated into filter housing		
L	324-4525	AIR CLEANER, HIGH EFFICIENCY 0		\$845
		Includes external pre-cleaner		

UNDERCARRIAGE

TRACKS

L	457-0214	TRACK, 24" SG (GLT) 0		\$2,690
		For ADSD-N Pipeline industry application purpose only		
		CANNOT BE USED WITH: 541-7418 330F L HEX AM-N BCF3		
L	340-8222	TRACK, 31" TG (GLT) 0		\$4,450

TRACK GUIDING GUARDS

L	339-4129	GUARD, TRACK GUIDE, FULL LENGTH 507		\$2,465
L	346-7150	GUARD, TRACK GUIDING, SEGMENTED 0		\$1,775

CATERPILLAR MACHINE PRICE LIST

330F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS

NO AUXILIARY CIRCUIT

L	546-3479	JOYSTICK PKG, STD STP 0 Joystick Standard (STD) Straight Travel Pedal (STP) Package (PKG) INCLUDES: - VALVE, HYDRAULIC, HL - VALVE, ANTI DRIFT, BOOM - VALVE, ANTI DRIFT, STICK - LINES, CYLINDER - MACHINE CONTROLLER STD - JOYSTICK, ONE BUTTON - MAT, FLOOR, RH PEDAL - PEDAL, STRAIGHT TRAVEL - LINES, BDRV (STD) - LINES, PILOT STICK IN, STD - LINES, PILOT TRAVEL, STP ONLY FOR USE WITH: 541-7416 330F L HEX AM-N BCF1 and 475-3413 REACH BOOM HD PKG or 475-3416 REACH BOOM HD STICK LESS PKG		\$7,450
L	546-3480	JOYSTICK PKG, TWJ STP 0 Joystick Thumb Wheel Joystick (TWJ) Straight Travel Pedal (STP) Package (PKG) INCLUDES: - VALVE, HYDRAULIC, HL - VALVE, ANTI DRIFT, BOOM - VALVE, ANTI DRIFT, STICK - LINES, CYLINDER - MACHINE CONTROLLER STD - JOYSTICK, ONE BUTTON - MAT, FLOOR, RH PEDAL - PEDAL, STRAIGHT TRAVEL - LINES, BDRV (STD) - LINES, PILOT STICK IN, STD - LINES, PILOT TRAVEL, STP ONLY FOR USE WITH: 541-7416 330F L HEX AM-N BCF1 and 505-9137 REACH BOOM HD CGC PKG		\$8,650

CATERPILLAR MACHINE PRICE LIST

330F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

NO AUXILIARY CIRCUIT (Cont.)

L	546-3483	JOYSTICK PKG, STD STP SLR 0 FOR USE IN LANE 3 ONLY Joystick Standard (STD) Straight Travel Pedal (STP) Super Long Reach (SLR) Package (PKG) INCLUDES: - VALVE, HYDRAULIC, HL SLR - VALVE, ANTI DRIFT, BOOM - VALVE, ANTI DRIFT, STICK - LINES, CYLINDER (SLR) - MACHINE CONTROLLER STD - JOYSTICK, ONE BUTTON - MAT, FLOOR, RH PEDAL - PEDAL, STRAIGHT TRAVEL - LINES, BDRV (STD) - LINES, PILOT STICK IN, STD - LINES, PILOT TRAVEL, STP ONLY FOR USE WITH: 541-7418 330F L HEX AM-N BCF3 and 475-3415 SLR BOOM PKG		\$8,580
---	----------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	---------

AUXILIARY CIRCUIT - COMBINED CIRCUIT

L	546-3481	COMBINED CIR STP PKG 0 Combined circuit (CIR) Straight Travel Pedal (STP) Package (PKG) Combined circuit (1 way / 2 way) Joystick Thumb Wheel Joystick (TWJ) is included. Medium pressure circuit is available in optional section. INCLUDES: - VALVE, HYDRAULIC, TCS - VALVE, ANTI DRIFT, BOOM - VALVE, ANTI DRIFT, STICK - LINES, CYLINDER - CIRCUIT, COMBINED - MACHINE CONTROLLER TCS - JOYSTICK, THUMB WHEEL - MAT, FLOOR, RH PEDAL - PEDAL, STRAIGHT TRAVEL - LINES, BDRV (TCS20) - LINES, PILOT STICK IN, TCS20 - LINES, PILOT TRAVEL, STP ONLY FOR USE WITH: 541-7416 330F L HEX AM-N BCF1 and 475-3413 REACH BOOM HD PKG or 505-9137 REACH BOOM HD CGC PKG or 475-3416 REACH BOOM HD STICK LESS PKG		\$18,180
---	----------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	----------

CATERPILLAR MACHINE PRICE LIST

330F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

AUXILIARY CIRCUIT - COMBINED CIRCUIT (Cont.)

L	546-3482	COMBINED CIR STP B/SLCV PKG 0		\$19,640
		Combined circuit (CIR) Straight Travel Pedal (STP) Boom lowering control Valve (BLCV)/Stick Lowering Control Valve (SLCV) Package (PKG) Combined circuit (1 way / 2 way) Joystick thumb wheel and boom lowering control are included.		

Medium pressure circuit is available in optional section.

INCLUDES:

- VALVE, HYDRAULIC, TCS
- COVER BLOCK & MOUNTING (BLCV)
- COVER BLOCK & MOUNTING (SLCV)
- LINES, CYLINDER (BLCV)
- DEVICE, BOOM LOWERING CONTROL
- CIRCUIT, COMBINED
- MACHINE CONTROLLER TCS
- JOYSTICK, THUMB WHEEL
- MAT, FLOOR, RH PEDAL
- PEDAL, STRAIGHT TRAVEL
- LINES, PILOT BLCV W/TOOL
- LINES, PILOT STICK IN, TCS20
- LINES, PILOT TRAVEL, STP

ONLY FOR USE WITH: 541-7417 330F L HEX AM-N/ANZ BCF2
and
475-3413 REACH BOOM HD PKG or
505-9137 REACH BOOM HD CGC PKG or
475-3416 REACH BOOM HD STICK LESS PKG

LINE GROUPS

MAIN LINES

L	394-5925	MAIN LINES, BUCKET, STD/UQC 0		NC
		CANNOT BE USED WITH: 498-8896 CTRL,CAT PIN GRAB COUPLER ANSI 498-8897 CTRL,CAT PIN GRAB COUPLER ISO		
L	546-4268	FRONT LINES, PGC 0		NC
		REQUIRES: 498-8896 CTRL,CAT PIN GRAB COUPLER ANSI or 498-8897 CTRL,CAT PIN GRAB COUPLER ISO		

OPERATOR ENVIRONMENT

SEAT

L	316-8883	SEAT, H-BACK, W/HEATER,S/AIR 0		\$1,045
L	316-8885	SEAT,H-BACK,HEATER,S/AIR,COOL 0		\$1,365

CATERPILLAR MACHINE PRICE LIST

330F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS

CGC PRICE ADJUSTMENT

OP-4243	CGC PRICE ADJUSTMENT-M	0		\$-5,690
---------	----------------------------------	---	--	----------

CGC Price adjustment for medium excavators in North America to accelerate technology and improve customer value.

ONLY FOR USE WITH: CGC Configurations

OTHER ATTACHMENTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country. Please contact your Cat marketing representative with questions.

L	460-1150	PRODUCT LINK, SATELLITE PL631	0	\$432
---	----------	-----------------------------------------	---	-------

ANSI
Product Link Pro series PL631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.

ONLY FOR USE WITH: 486-1655 DECALS, EXTERIOR ANSI
AVAILABLE FOR: AM-N (except for Quebec)

L	460-1148	PRODUCT LINK, CELLULAR PL641	0	NC
---	----------	----------------------------------------	---	----

ANSI
Product Link Pro series PL641 uses UMTS and CDMA 3G cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.
ONLY FOR USE WITH: 486-1655 DECALS, EXTERIOR ANSI
AVAILABLE FOR: AM-N (except for Quebec)

INSTRUCTIONS

FILMS - EXTERIOR

L	486-1655	DECALS, EXTERIOR ANSI	0	NC
---	----------	---------------------------------	---	----

CANNOT BE USED WITH: Quebec dealers

FILMS - CAB

L	497-6203	DECALS, CAB ANSI	0	NC
---	----------	----------------------------	---	----

ONLY FOR USE WITH: 486-1655 DECALS, EXTERIOR ANSI
CANNOT BE USED WITH: Quebec dealers

OPERATION & MAINTENANCE MANUAL

OP-3380	INSTRUCTIONS, ENGLISH	0		NC
---------	---------------------------------	---	--	----

CATERPILLAR MACHINE PRICE LIST

330F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-----------------------------	--------------------	-------------------------

INSTRUCTIONS (CONT.)

OPERATION & MAINTENANCE MANUAL (Cont.)

0P-3404	INSTRUCTIONS, SPANISH 0	NC
---------	-----------------------------------	-----------

CATERPILLAR MACHINE PRICE LIST

330F

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

LINE GROUPS

NOTE: Provides hydraulic lines from the boom foot to the stick nose.

HIGH PRESSURE AUXILIARY BOOM & STICK LINES

L	341-0314	LINES-HP, REACH BOOM 0 ONLY FOR USE WITH: 475-3413,502-5886 REACH BOOM HD PKG or 502-5887 REACH BOOM ES PKG or 505-9137 REACH BOOM HD CGC PKG or 475-3416 REACH BOOM HD STICK LESS PKG and 546-3481 COMBINED CIR STP PKG or 546-3482 COMBINED CIR STP B/SLCV PKG or 546-3485 COMBINED CIR TWJ PKG		\$2,460
L	450-0693	LINES-HP, R12'4" STICK 0 AM-N, ANZ and CJL BCFs require LINES-HP, REACH BOOM ONLY FOR USE WITH: 424-5476 STICK, R3.75M (12'4") (CB2) HD		\$1,515
L	356-8134	LINES-HP, R10'6" STICK 0 AM-N, ANZ and CJL BCFs require LINES-HP, REACH BOOM EUR BCF already includes LINES-HP, REACH BOOM ONLY FOR USE WITH: 349-6709 STICK, R3.2M (10'6") (CB2) HD or 480-7392 STICK, R3.2M (10'6") (CB2) HD CGC or 349-6691 STICK, R3.2M (10'6") (CB2) ES		\$1,515

MEDIUM PRESSURE CIRCUIT

L	547-8990	CIRCUIT, MEDIUM PRESSURE. 0 ONLY FOR USE WITH: 349-6709 STICK, R3.2M (10'6") (CB2) HD or 480-7392 STICK, R3.2M (10'6") (CB2) HD CGC or 349-6691 STICK, R3.2M (10'6") (CB2) ES or 349-6710 STICK, R2.65M (8'8") (CB2) HD and AM-N, ANZ and CJL 541-7416 330F L HEX AM-N BCF1 or 541-7417 330F L HEX AM-N/ANZ BCF2 or 541-7421 330F L HEX JAPAN BCF1 and 546-3481 COMBINED CIR STP PKG or 546-3482 COMBINED CIR STP B/SLCV PKG or 546-3485 COMBINED CIR TWJ PKG EUR 541-7419 330F L HEX EU BCF1 or 541-7420 330F LN HEX EU BCF2		\$5,100
---	----------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	---------

MEDIUM PRESSURE AUXILIARY BOOM & STICK LINES

L	341-0315	LINES-MP, REACH BOOM 0 ONLY FOR USE WITH: 475-3413, 502-5886 REACH BOOM HD PKG or 505-9137 REACH BOOM HD CGC PKG or 475-3416 REACH BOOM HD STICK LESS PKG or 502-5887 REACH BOOM ES PKG and 547-8990 CIRCUIT, MEDIUM PRESSURE		\$1,380
---	----------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	---------

CATERPILLAR MACHINE PRICE LIST

330F

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

LINE GROUPS (CONT.)

MEDIUM PRESSURE AUXILIARY BOOM & STICK LINES (Cont.)

L	368-1564	LINES-MP, R10'6" STICK 0		\$955
		ONLY FOR USE WITH: 341-0315 LINES-MP, REACH BOOM and 349-6709 STICK, R3.2M (10'6") (CB2) HD or 480-7392 STICK, R3.2M (10'6") (CB2) HD CGC or 349-6691 STICK, R3.2M (10'6") (CB2) ES		

QUICK COUPLER CONTROL

L	498-8896	CTRL,CAT PIN GRAB COUPLER ANSI 0		\$870
		(For ANSI) For use only for Cat pin grabber coupler This DOES NOT include QC lines for the boom and stick. This is designed for the pin grabber coupler operating at full machine implement pressure. It contains the hydraulic lines on the upper frame and control. It as a high-pressure circuit. NOTE: For AM-N (Except for Quebec)		
		ONLY FOR USE WITH: 486-1655 DECALS, EXTERIOR ANSI CANNOT BE USED WITH: 541-7418 330F L HEX AM-N BCF3 AVAILABLE FOR: AM-N (except for Quebec)		

QUICK COUPLER BOOM & STICK LINES

L	341-0317	COUPLER LINES, REACH BOOM 0		\$1,360
		ONLY FOR USE WITH: 498-8896 CTRL,CAT PIN GRAB COUPLER ANSI or 498-8897 CTRL,CAT PIN GRAB COUPLER ISO and 475-3413 REACH BOOM HD PKG or 505-9137 REACH BOOM HD CGC PKG or 475-3416 REACH BOOM HD STICK LESS PKG		
L	450-0695	LINES-QC, R12'4" STICK 0		\$1,065
		ONLY FOR USE WITH: 341-0317 COUPLER LINES, REACH BOOM and 424-5476 STICK, R3.75M (12'4") (CB2) HD		
L	321-0150	LINES-QC, R10'6" STICK 0		\$1,195
		ONLY FOR USE WITH: 341-0317 COUPLER LINES, REACH BOOM and 349-6709 STICK, R3.2M (10'6") (CB2) HD or 480-7392 STICK, R3.2M (10'6") (CB2) HD CGC or 349-6691 STICK, R3.2M (10'6") (CB2) ES		

STARTERS, BATTERIES, & ALTERNATORS

L	342-4250	STARTING, COLD WEATHER 0		\$1,105
		Includes two additional batteries. For ambient temperatures above -32C (-26F). REQUIRES: 336-6012 TERMINALS, JUMP START		
L	339-7054	HEATER, ENGINE COOLANT, 120V 0		\$160
L	336-6012	TERMINALS, JUMP START 0		\$180
		ONLY FOR USE WITH: 342-4250 STARTING, COLD WEATHER		

CATERPILLAR MACHINE PRICE LIST

330F

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS

MACHINE CONTROL OPTIONS - GRADE WITH 3D

L	519-1530	GRADE W/3D GPS UNIT 0		\$45,470
Cat GRADE with 3D is a factory installed. Includes a Cat GRADE with 3D display, dual mounted GNSS antennas including receivers, fully calibrated GNSS antennas. Requires an off-board GPS radio network and GPS base station to be functional. Additional requirements via SITECH dealer include on-board data radio and site set-up. ONLY FOR USE WITH: 505-9137 REACH BOOM HD CGC PKG				

OTHER ATTACHMENTS

PATTERN CHANGER

L	349-2233	CHANGER,HAND CTRL 2-WAY (ANSI) 0		\$1,255
ONLY FOR USE WITH: 486-1655 DECALS, EXTERIOR ANSI AVAILABLE FOR: Mandatory AM-N (except for Quebec)				

PREVENTATIVE MAINTENANCE

L	342-4268	QUICK DRAINS, READY (OIL) 0		NC
---	----------	---------------------------------------	--	----

CATERPILLAR MACHINE PRICE LIST

330F

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

BUCKETS

NOTE: Stick, bucket linkage and bucket must be matched.

Includes tooth adapters welded on cutting edge.
Does not include tooth tips or sidecutters.
Rated capacity, SAE heaped.

HEAVY DUTY (HD)

The most popular excavator bucket style. A good "center line" choice, or starting point, when application conditions are not well known.

P	541-1746	BKT HD 36" 1.19YD3 CB 1,978		\$9,469
		REQUIRES: 4 tips Advansys100 ONLY FOR USE WITH: CB Family bucket linkage		
P	541-1747	BKT HD 42" 1.46YD3 CB 2,156		\$10,018
		REQUIRES: 5 tips Advansys100 ONLY FOR USE WITH: CB Family bucket linkage		
P	541-1748	BKT HD 47" 1.74YD3 CB 2,313		\$10,742
		REQUIRES: 5 tips Advansys100 ONLY FOR USE WITH: CB Family bucket linkage		
P	541-1750	BKT HD 54" 2.01YD3 CB 2,504		\$11,311
		REQUIRES: 6 tips Advansys100 ONLY FOR USE WITH: CB Family bucket linkage		

SUPER LONG REACH FRONT BUCKET

P	441-6077	BKTA DC 48" 0.74YD3 (A) 852		\$4,469
		FOR USE IN LANE 3 ONLY Ditch cleaning bucket. ONLY FOR USE WITH: 541-7418 330F L HEX AM-N BCF3		
P	438-9799	BKTA GD 36" 0.69YD3 905		\$6,572
		FOR USE IN LANE 3 ONLY Backhoe. Includes J250 tooth tips. ONLY FOR USE WITH: 541-7418 330F L HEX AM-N BCF3		

SIDE CUTTERS

P	357-2698	SIDECUTTERS, HEAVY DUTY 109		\$1,353
		INCLUDES: LH and RH heavy duty sidecutters ONLY FOR USE WITH: 346-0855 BUCKET 900MM 0.91M3 (36" 1.19 YD3) HD CB 346-0856 BUCKET 1050MM 1.12M3 (42" 1.46YD3) HD CB 331-1906 BUCKET-HD, 1200MM 1.3 M3 (48" 1.7 YD3)CB 420-3357 BUCKET-HD, 1250MM 1.33 CUM (49" 1.74 YD3) 331-1907 BUCKET-HD, 1350MM 1.5 M3 (54" 2.0 YD3)CB		

TIPS (ADAPTER SIZE ADVANSYS 100)

P	505-4103	TIP, PENETRATION PLUS ADVANSYS 28		\$138
		ONLY FOR USE WITH: Factory installed bucket		

CATERPILLAR MACHINE PRICE LIST

330F

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FLUIDS

ANTIFREEZE

OP-2407	ANTIFREEZE, -50C (-58F)	0	\$251 NET
---------	-------------------------	---	-----------

FIELD INSTALLED ATTACHMENTS

FIELD INSTALLED ATTACHMENTS

Available Through ANTARES Parts Ordering.

- 484-6826 Cold Weather field installation Retrofit Kit PKG (upgrade from -18C Cold Weather ready PKG to -32C Cold Weather PKG)
- 488-6525 Seat Belt, Retractable (76mm / 3" width) w/ Flexible Buckle Mandatory for California and ANZ
- 499-3722 Rain Protector for Front Windshield
- 353-2130 and 353-2131 Ashtray for Cup Holder
- 484-7816 FOGS Retrofit Kit PKG (Compatible with 1-Piece & 70/30 window, Openable front & top, support dual exit, including Cab Lights, Cab Mirror)
- 484-8798 FOGS Retrofit Kit PKG (Compatible with 1-Piece & 70/30 window, Openable front & fixed top guard, not support with dual exit, including Cab Lights, Cab Mirror)
- 457-3998 Mesh for front guard Retrofit Kit PKG (Full net, one piece for hammer use, including Cab Lights, Cab Mirror)
Field Reference Guide Media Number : PEBJ0097
- 521-3670 Cat Grade with Assist for CGC Available 3Q2017
- 486-1416 Security systems (MSS)
- 499-3739 Travel Alarm

Field Reference Guide for 330F

- PEBJ0097 DEF Tank Guard
- PEBJ0100 Refueling Pump Guard

CATERPILLAR MACHINE PRICE LIST

330F

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

PACKING

STORAGE PROTECTION

0G-4126	STORAGE PROTECTION (EXPORT) 0			\$274 NET
	Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.			

EXPORT PACKING

0G-4202	ROLL ON-ROLL OFF 0			\$128 NET
	For use when ordering an installed bucket or quick coupler			
0G-0482	ROLL ON-ROLL OFF W/O BKT QC CB 0			\$164 NET
	For use when NOT ordering an installed bucket or quick coupler			
0G-4235	EXP,PKG,LONG REACH FRONT DISM 0			\$1,355 NET
	Front and bucket dismounted For use when ordering a machine with super long reach front and bucket			
0G-4234	EXP,PKG,LONG REACH FRONT DISM 0			\$1,330 NET
	Front and bucket dismounted For use when ordering a machine with super long reach front and bucket and NOT ordering a bucket or quick coupler.			
0G-4210	ROLL ON-ROLL OFF W/O STICK 0			\$164 NET
	For use when ordering a machine without stick			