

CATERPILLAR MACHINE PRICE LIST

335F CR

335F CR EXCAVATOR
 AKASHI, JAPAN

Ship Weight
 lbs

LIST PRICE
 AT DEALER

Standard Equipment:

POWERTRAIN

Diesel engine, CAT C7.1 Single Turbo certified to EPA Tier4 Final, EU Stage IV, MLIT 2014

- Three selectable power modes capability; HHP, STD and ECO
- After-treatment system: CEM (DOC + DPF + SCR) and DEF System (DEF Tank and DEF Lines)

One touch low idle with Automatic Engine speed Control (AEC)
 Automatic (programmable) idling shut down function
 Three stage fuel filtration system with water separator and indicator
 4600m altitude capability with de-rate from 3000m
 52 deg. C high ambient cooling capability with de-rate from 48 deg. C
 115 amp. Alternator
 Radial seal air filter with double filter element
 Electric fuel lifting pump
 Capability of using Bio-Diesel fuel (B20)

UNDERCARRIAGE

HD track rollers
 Grease lubricated track link
 Tie down points on base frame (ISO 15818 compliant)
 HD Bottom guard

HYDRAULICS

Electric boom regeneration circuit
 Stick regeneration circuit
 One touch lifting mode
 Automatic two speed travel
 Boom and stick drift reduction valve
 Reverse swing damping valve
 High performance hydraulic return filter (Capsule filter type)
 CRN compliant accumulator

ELECTRICAL

Maintenance free battery
 Centralized electrical disconnect switch
 CAT Product Link
 90 seconds programmable time delay working lights (halogen);
 Base machine - frame (one)
 Cab mounted (two)
 Boom mounted both sides (two)

OPERATOR ENVIRONMENT

Openable skylight as emergency exit (Dual exit hatch)
 Openable laminated front upper windshield w/ assist device (except for one piece laminated windshield)
 Removable tempered lower windshield with in cab storage bracket (except for one piece laminated windshield)
 Fully adjustable seat, console and armrest
 2 Inch width seat belt
 Full graphic 7inch LCD monitor, with distortion free rear view camera picture
 Automatic bi-level air conditioner with pressurized function
 12V X 2 power supply with sockets (Maximum 10 amp.)
 Washable Floormat
 Switch Panel

SAFETY AND SECURITY

Rearview camera with three mirrors (ISO 5006 compliant) and one additional Hand rail mirror for right rear view
 RH Hand rail and hand hold (ISO 2867 compliant)
 Bolt free service platform with Anti-skid Plate
 Neutral lever (lock out) for all controls
 Ground level accessible secondary engine shutoff switch in cab
 Signaling/ Warning horn
 Safety hammer for cab evacuation

OTHER STANDARD EQUIPMENT

Engine oil, Fuel, and Hydraulic oil filters grouped for ease of maintenance (Secondary fuel filter is located separately)
 Sampling ports for Scheduled Oil Sampling (S.O.S)
 Air to Air After Cooler (ATAAC) and fixed type A/C condenser

CATERPILLAR MACHINE PRICE LIST

335F CR

335F CR EXCAVATOR
AKASHI, JAPAN

Ship Weight
lbs

LIST PRICE
AT DEALER

**Lane 2 is reserved for the Base Orders Program.
Please use Lane 2 when placing orders that are part of the Base Order
Management Program.**

CATERPILLAR MACHINE PRICE LIST

335F CR

335F CR EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
------------------------------------	--------------------	-------------------------

541-7370	335F L CR HEX AM-N DCA1B 0	\$375,760
-----------------	---	------------------

LANE 2 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2
 LANE 3 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2

6.15M (20'2") Reach Boom, 3.2M (10'6") Stick, 850MM (33") T.G. Track Shoe, Tool Control, Cat Pin Grabber QC Circuit

Versatile application machine with 7.7T (16,980lbs) CTWT.
 Configurable with or without blade, not compatible with BLCV/SLCV

INCLUDES:

- 535-7081 335F L CR HYD EXCAVATOR
- 507-2201 335F L CR STANDARD ARRANGEMENT
- ACCUMULATOR WITH CRN
- CAB-ROPS,70/30,W/VANDAL-G BOSS
- SEAT BELT, 51MM (2")
- HATCH, OPENABLE ROOF (DUAL)
- WIPER-RADIAL, 70/30 W/O LOWER
- WASHER, WINDSHIELD W/O LOWER
- AIR CONDITIONER
- PANEL, STD START SWITCH
- MIRROR, W/O GUARD
- FAN, VARIABLE
- SUN SCREEN (70/30)
- LIGHTING, CAB (HALOGEN)
- 467-2169 FRAME, UC PKG STD
- FRAME, UNDERCARRIAGE
- SWIVEL, STD
- 541-7376 CIRCUIT, COMBINED, STP PKG
- VALVE, HYDRAULIC TCS
- VALVE, ANTI DRIFT, BOOM
- VALVE, ANTI DRIFT, STICK
- LINES, CYLINDER BOOM
- CIRCUIT, COMBINED
- MACHINE CONTROLLER TCS
- JOYSTICK, THUMB WHEEL
- MAT, FLOOR, RH PEDAL
- PEDAL, STRAIGHT TRAVEL
- PILOT LINES, BDRV TCS
- PILOT LINES, STICK IN TCS
- PILOT LINES, THIRD PEDAL
- 398-7055 BOOM, REACH 6.15M (20'3") HD
- 349-6709 STICK, R3.2M (10'6") (CB2) HD
- 251-2597 LINKAGE, BKT-CB2 W/LIFT
- 324-4522 AIR CLEANER, STANDARD
- 433-5367 TRACK, 850MM (33") TG (GLT)
- 398-7047 CONTROL, FINE SWING
- 399-1884 CYLINDER, R-BOOM (W/O BLCV)
- 341-2176 CYLINDER, STICK (W/O SLCV)
- 341-2181 CYLINDER, BKT (CB2 LINKAGE)
- 399-6401 PILOT LINES, SDRV STD
- 399-6407 PILOT LINES, BOOM STD
- 536-9518 PILOT LINES, BKT, PGQC
- 316-8883 SEAT, H-BACK, W/HEATER,S/AIR
- 496-8191 RADIO, 24V AM/FM
- 460-1148 PRODUCT LINK, CELLULAR PL641
- 493-5697 CAMERA, REAR VIEW, MIRRORS RH
- 346-7053 GUARD, TRACK GUIDE, SEGMENTED

Supersedes 02JAN2018
 Caterpillar: Confidential Green
 US-A-19-01 A

Subject to change without notice
 Printed in USA
 U. S. DOLLAR CURRENCY

Effective 02JAN2019
 335F CR-003

CATERPILLAR MACHINE PRICE LIST

335F CR

335F CR EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
------------------------------------	--------------------	-------------------------

- 398-7051 DECALS, EXTERIOR ANSI
- 500-0662 DECALS, CAB ANSI
- 500-6289 CTRL,CAT PIN GRAB COUPLER ANSI
- 399-7637 LINES-HP, REACH BOOM
- 268-6844 LINES-QC, REACH BOOM
- 356-8134 LINES-HP, R3.2M (10'6") STICK
- 321-0150 LINES-QC, R3.2M (10'6") STICK
- 398-7068 STARTING, COLD WEATHER, JS
- 456-8840 CHANGER,HAND CTRL 2-WAY (ANSI)
- 231-1771 ALARM, TRAVEL
- 134-8887 GUARD, SWIVEL

NOTE: For AM-N, AM-S (Puerto Rico only)

541-7371	335F L CR HEX AM-N BCF1 0 LANE 2 - AVAILABLE FROM AKASHI FACTORY LANE 3 - AVAILABLE FROM AKASHI FACTORY	\$332,140
-----------------	--	------------------

Versatile application machine with 7.7 T (16,980lbs) CTWT.
 Configurable with or without blade, not compatible with BLCV/SLCV

Base Configuration must be completed by selecting
 Mandatory / Optional attachments.

INCLUDES:

- 535-7081 335F L CR HYD EXCAVATOR
- 507-2201 335F L CR STANDARD ARRANGEMENT
- ACCUMULATOR WITH CRN
- CAB-ROPS,70/30,W/VANDAL-G BOSS
- SEAT BELT, 51MM (2")
- HATCH, OPENABLE ROOF (DUAL)
- WIPER-RADIAL, 70/30 W/O LOWER
- WASHER, WINDSHIELD W/O LOWER
- AIR CONDITIONER
- PANEL, STD START SWITCH
- MIRROR, W/O GUARD
- FAN, VARIABLE
- SUN SCREEN (70/30)
- LIGHTING, CAB (HALOGEN)
- 398-7055 BOOM, REACH 6.15M (20'3") HD
- 251-2597 LINKAGE, BKT-CB2 W/LIFT
- 399-1884 CYLINDER, R-BOOM (W/O BLCV)
- 341-2176 CYLINDER, STICK (W/O SLCV)
- 341-2181 CYLINDER, BKT (CB2 LINKAGE)
- 399-6401 PILOT LINES, SDRV STD
- 399-6407 PILOT LINES, BOOM STD
- 496-8191 RADIO, 24V AM/FM
- 493-5697 CAMERA, REAR VIEW, MIRRORS RH
- 231-1771 ALARM, TRAVEL

NOTE: For AM-N, AM-S (Puerto Rico only)

CATERPILLAR MACHINE PRICE LIST

335F CR

335F CR EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
------------------------------------	--------------------	-------------------------

541-7372 335F L CR HEX AM-N/ANZ BCF2 0 LANE 2 - AVAILABLE FROM AKASHI FACTORY LANE 3 - AVAILABLE FROM AKASHI FACTORY	0	\$335,160
---	---	------------------

Versatile application machine with 7.7 T (16,980lbs) CTWT.
 Configurable with or without blade, compatible with BLCV/SLCV.

Base Configuration must be completed by selecting
 Mandatory / Optional attachments.

- INCLUDES:
- 535-7081 335F L CR HYD EXCAVATOR
 - 507-2201 335F L CR STANDARD ARRANGEMENT
 - ACCUMULATOR WITH CRN
 - CAB-ROPS, 70/30, W/VANDAL-G BOSS
 - SEAT BELT, 51MM (2")
 - HATCH, OPENABLE ROOF (DUAL)
 - WIPER-RADIAL, 70/30 W/O LOWER
 - WASHER, WINDSHIELD W/O LOWER
 - AIR CONDITIONER
 - PANEL, STD START SWITCH
 - MIRROR, W/O GUARD
 - FAN, VARIABLE
 - SUN SCREEN (70/30)
 - LIGHTING, CAB (HALOGEN)
 - 398-7055 BOOM, REACH 6.15M (20'3") HD
 - 251-2597 LINKAGE, BKT-CB2 W/LIFT
 - 399-1887 CYLINDER, R-BOOM (W/BLCV)
 - 341-2178 CYLINDER, STICK (W/SLCV)
 - 341-2181 CYLINDER, BKT (CB2 LINKAGE)
 - 399-6403 PILOT LINES, SLCV STD
 - 399-6407 PILOT LINES, BOOM STD
 - 496-8191 RADIO, 24V AM/FM
 - 493-5697 CAMERA, REAR VIEW, MIRRORS RH
 - 231-1771 ALARM, TRAVEL

NOTE: For AM-N, AM-S (Puerto Rico only) and ANZ

CATERPILLAR MACHINE PRICE LIST

335F CR

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

MUST CHOOSE AT LEAST ONE PACKAGE OR ATTACHMENT FROM EACH CATEGORY

LANE SELECTION

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM THE PDC.

0P-9001	LANE 1 ORDER	0	NC
	Order from Product Distribution Center (PDC)		

DECAL PACKAGE

0P-7124	INSTRUCTION,NORTH AMERICA ANSI	0	NC
	This package includes the ANSI decals and is required by all AM-N territories except Quebec, Canada.		
454-9351	INSTRUCTIONS, INTERNATIONAL	0	NC
	This package includes picto decals as required for Quebec, Canada.		

SERVICE INSTRUCTIONS

0P-3380	INSTRUCTIONS, ENGLISH	0	NC
0P-3389	INSTRUCTIONS, FRENCH	0	NC
0P-3404	INSTRUCTIONS, SPANISH	0	NC

PACKING

STORAGE PROTECTION

0G-4126	STORAGE PROTECTION (EXPORT)	0	\$274 NET
	Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.		

EXPORT PACKING

0G-0501	ROLL ON-ROLL OFF LANE1 CB	0	\$164 NET
---------	-------------------------------------	---	-----------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

ANTIFREEZE

0P-2407	ANTIFREEZE, -50C (-58F)	0	\$251 NET
---------	-----------------------------------	---	-----------

CATERPILLAR MACHINE PRICE LIST

335F CR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

Lane 2 is reserved for the Base Orders Program.
 Please use Lane 2 when placing orders that are part of the Base Orders Program

OP-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER	0	NC

BOOMS, STICKS, AND LINKAGES

STICKS

L	424-5476	STICK, R12'4" (CB2) HD	0	\$10,640
		AVAILABLE FOR: AM-N, ANZ		
L	349-6709	STICK, R10'6" (CB2) HD	0	\$9,000
		AVAILABLE FOR: AM-N, ANZ		
L	349-6710	STICK, R8'8" (CB2) HD	0	\$7,660
		AVAILABLE FOR: AM-N, ANZ		

POWERTRAIN

AIR CLEANER

L	324-4522	AIR CLEANER, STANDARD	0	\$740
		AVAILABLE FOR: AM-N, ANZ		
L	324-4525	AIR CLEANER, HIGH EFFICIENCY	0	\$845
		AVAILABLE FOR: AM-N, ANZ		

UNDERCARRIAGE

TRACKS

L	433-5367	TRACK, 33" TG (GLT)	0	\$4,975
		AVAILABLE FOR: AM-N, ANZ, EUR, Hong Kong, Taiwan		
L	340-8256	TRACK, 24" TG (GLT)	0	\$1,860
		AVAILABLE FOR: AM-N, ANZ, EUR, Hong Kong, Taiwan		

TRACK GUIDING GUARDS

L	324-1004	GUARD, TRACK GUIDE, FULL LENGTH	0	\$3,870
		AVAILABLE FOR: AM-N, ANZ, EUR, Hong Kong, Taiwan		
L	346-7053	GUARD, TRACK GUIDE, SEGMENTED	0	\$1,625
		AVAILABLE FOR: AM-N, ANZ, EUR, Hong Kong, Taiwan		

CATERPILLAR MACHINE PRICE LIST

335F CR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS

NO AUXILIARY CIRCUIT

L	541-7375	JOYSTICK, TWJ STP PKG 0		\$4,770
---	----------	--	--	----------------

Joystick Thumb Wheel Joystick (TWJ) Straight Travel Pedal (STP) Package (PKG)

INCLUDES:

- VALVE, HYDRAULIC
- VALVE, ANTI DRIFT, BOOM
- VALVE, ANTI DRIFT, STICK
- LINES, CYLINDER BOOM
- MACHINE CONTROLLER STD
- JOYSTICK, THUMB WHEEL
- MAT, FLOOR, RH PEDAL
- PEDAL, STRAIGHT TRAVEL
- PILOT LINES, BDRV STD
- PILOT LINES, STICK IN STD
- PILOT LINES, THIRD PEDAL

ONLY FOR USE WITH: BCF1
 AVAILABLE FOR: AM-N

AUXILIARY CIRCUIT COMBINED CIRCUIT W/O MED PRESSURE

L	541-7376	CIRCUIT, COMBINED, STP PKG 0		\$15,250
---	----------	---	--	-----------------

Circuit Combined Straight Travel Pedal (STP) Package (PKG)
 Combined circuit (1 way / 2 way)

INCLUDES:

- VALVE, HYDRAULIC TCS
- VALVE, ANTI DRIFT, BOOM
- VALVE, ANTI DRIFT, STICK
- LINES, CYLINDER BOOM
- CIRCUIT, COMBINED
- MACHINE CONTROLLER TCS
- JOYSTICK, THUMB WHEEL
- MAT, FLOOR, RH PEDAL
- PEDAL, STRAIGHT TRAVEL
- PILOT LINES, BDRV TCS
- PILOT LINES, STICK IN TCS
- PILOT LINES, THIRD PEDAL

REQUIRES: LINES-HP, REACH BOOM
 ONLY FOR USE WITH: BCF1
 AVAILABLE FOR: AM-N

CATERPILLAR MACHINE PRICE LIST

335F CR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

AUXILIARY CIRCUIT COMBINED CIRCUIT W/O MED PRESSURE (Cont.)

L	541-7377	CIRCUIT, COMB, STP B/SLCV PKG 0		\$23,260
		Circuit Combined (COMB), Straight Travel Pedal (STP) Boom Lowering Control Valve (BLCV)/Stick Lowering Control Package (PKG) Combined circuit (1 way / 2 way) INCLUDES: - VALVE, HYDRAULIC TCS - COVER BLOCK & MOUNTING (BLCV) - COVER BLOCK & MOUNTING (SLCV) - LINES, CYLINDER BOOM BLCV - DEVICE, BOOM LOWERING CONTROL - DEVICE, STICK LOWERING CONTROL - CIRCUIT, COMBINED - MACHINE CONTROLLER TCS - JOYSTICK, THUMB WHEEL - MAT, FLOOR, RH PEDAL - PEDAL, STRAIGHT TRAVEL - PILOT LINES, BLCV TCS - PILOT LINES, STICK IN TCS - PILOT LINES, THIRD PEDAL		
		REQUIRES: LINES-HP, REACH BOOM ONLY FOR USE WITH: BCF2 AVAILABLE FOR: AM-N, ANZ		

LINE GROUPS

FRONT LINES

L	399-6411	PILOT LINES, BKT, STD/UQC 0		NC
		CANNOT BE USED WITH: CTRL, CAT PIN GRAB COUPLER ANSI CTRL, CAT PIN GRAB COUPLER ISO AVAILABLE FOR: AM-N, ANZ, EUR		
L	536-9518	PILOT LINES, BKT, PGQC 0		NC
		REQUIRES: CTRL, CAT PIN GRAB COUPLER ANSI CTRL, CAT PIN GRAB COUPLER ISO AVAILABLE FOR: AM-N, ANZ, EUR-UK, Hong Kong, Taiwan		

OPERATOR ENVIRONMENT

SEAT

L	316-8883	SEAT, H-BACK, W/HEATER, S/AIR 0		\$1,045
		AVAILABLE FOR: AM-N, ANZ, EUR, Hong Kong, Taiwan		
L	316-8885	SEAT, H-BACK, HEATER, S/AIR, COOL 0		\$1,365
		AVAILABLE FOR: AM-N, ANZ, EUR, Hong Kong, Taiwan		

CATERPILLAR MACHINE PRICE LIST

335F CR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country. Please contact your Cat marketing representative with questions.

L	460-1148	PRODUCT LINK, CELLULAR PL641 0 ANSI Product Link Pro series PL641 uses UMTS and CDMA 3G cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		NC
L	460-1150	PRODUCT LINK, SATELLITE PL631 0 ANSI Product Link Pro series PL631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage. AVAILABLE FOR: AM-N (except for Quebec)		\$432

OTHER ATTACHMENTS

FILM OUTSIDE

L	398-7051	INSTRUCTIONS OUTSIDE, ANSI 0 AVAILABLE FOR: AM-N (except for Quebec)		NC
---	----------	--	--	----

FILM CAB

L	500-0662	DECALS, CAB ANSI 0 AVAILABLE FOR: AM-N (except for Quebec)		NC
---	----------	--	--	----

FINE SWING

L	398-7047	CONTROL, FINE SWING 0 AVAILABLE FOR: AM-N		\$565
---	----------	---	--	-------

FRAMES

FRAME

L	467-2169	FRAME, UC PKG STD 0 AVAILABLE FOR: AM-N, ANZ, EUR, Hong Kong, Taiwan		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

335F CR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------------	--------------------	-------------------------

LINE GROUPS

NOTE: Provides hydraulic lines

CATERPILLAR MACHINE PRICE LIST

335F CR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

LINE GROUPS (CONT.)

HIGH PRESSURE AUXILIARY BOOM LINES

L	399-7637	LINES-HP, REACH BOOM 0		\$2,460
		Can be used with 335F REACH BOOM ONLY PKG EU/HK/TW BCF3 already include LINES-HP, REACH BOOM CANNOT BE USED WITH: COMBINED CIR STP PKG COMBINED CIR STP B/SLCV PKG 541-7373 335F L CR HEX EU/HK/TW BCF3 557-8758 335F L CR HEX EU/HK/TW BCF3 AVAILABLE FOR: AM-N, ANZ, EU (boon only)		

HIGH PRESSURE AUXILIARY STICK LINES

L	450-0693	LINES-HP, R12'4" STICK 0		\$1,515
		ONLY FOR USE WITH: LINES-HP, REACH BOOM AVAILABLE FOR: AM-N, ANZ		
L	356-8134	LINES-HP, R10'6" STICK 0		\$1,515
		ONLY FOR USE WITH: LINES-HP, REACH BOOM AVAILABLE FOR: AM-N, ANZ		
L	356-8135	LINES-HP, R8'8" STICK 0		\$1,515
		ONLY FOR USE WITH: LINES-HP, REACH BOOM AVAILABLE FOR: AM-N, ANZ		

MEDIUM PRESSURE CIRCUIT

L	538-3019	CIRCUIT, MEDIUM PRESSURE. 0		\$5,100
		REQUIRES: LINES-MP, REACH BOOM ONLY FOR USE WITH: AM-N and ANZ COMBINED CIR STP PKG COMBINED CIR STP B/SLCV PKG AVAILABLE FOR: AM-N, ANZ, EUR, Hong Kong, Taiwan		
L	500-6288	CIRCUIT, MEDIUM PRESSURE BLADE. 0		\$5,100
		REQUIRES: LINES-MP, REACH BOOM ONLY FOR USE WITH: AM-N and ANZ COMBINED CIR STP PKG COMBINED CIR STP B/SLCV PKG AVAILABLE FOR: AM-N, ANZ, EUR, Hong Kong, Taiwan		

MEDIUM PRESSURE AUXILIARY BOOM LINES

L	268-6843	LINES-MP, REACH BOOM 52		\$1,380
		ONLY FOR USE WITH: CIRCUIT, MEDIUM PRESSURE CIRCUIT, MEDIUM PRESSURE BLADE AVAILABLE FOR: AM-N, ANZ, EUR, Hong Kong, Taiwan		

MEDIUM PRESSURE AUXILIARY STICK LINES

L	450-0694	LINES-MP, R12'2" STICK 0		\$955
		ONLY FOR USE WITH: LINES-MP, REACH BOOM AVAILABLE FOR: AM-N, ANZ		
L	368-1564	LINES-MP, R10'6" STICK 0		\$955
		ONLY FOR USE WITH: LINES-MP, REACH BOOM AVAILABLE FOR: AM-N, ANZ, EUR, Hong Kong, Taiwan		

CATERPILLAR MACHINE PRICE LIST

335F CR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

LINE GROUPS (CONT.)

MEDIUM PRESSURE AUXILIARY STICK LINES (Cont.)

L	253-6500	LINES-MP, R8'8" STICK	34	\$955
		ONLY FOR USE WITH: LINES-MP, REACH BOOM		
		AVAILABLE FOR: AM-N, ANZ		

QUICK COUPLER CONTROL

L	500-6289	CTRL,CAT PIN GRAB COUPLER ANSI	0	\$1,150
		(For ANSI)		
		For use only for Cat pin grabber coupler		
		This DOES NOT include QC lines for the boom and stick.		
		This is designed for the pin grabber coupler operating at full machine implement pressure. It contains the hydraulic lines on the upper frame and control. It is a high-pressure circuit.		
		ONLY FOR USE WITH: PILOT LINES, BKT, PIN GRAB QC		
		AVAILABLE FOR: AM-N (except for Quebec)		

QUICK COUPLER AUXILIARY BOOM LINES

L	268-6844	LINES-QC, REACH BOOM	39	\$1,360
		EU/HK/TW BCF3 already include LINES-QC, REACH BOOM		
		ONLY FOR USE WITH: CTRL, CAT PIN GRAB COUPLER ANSI		
		CTRL, CAT PIN GRAB COUPLER ISO		
		CONTROL, CW DEDICATED CPLR TCS (For EU boom only)		
		AVAILABLE FOR: AM-N, ANZ, EU (boom only)		

QUICK COUPLER AUXILIARY STICK LINES

L	450-0695	LINES-QC, R12'4" STICK	0	\$1,065
		ONLY FOR USE WITH: LINES-QC, REACH BOOM		
		AVAILABLE FOR: AM-N, ANZ		
L	321-0150	LINES-QC, R10'6" STICK	0	\$1,195
		ONLY FOR USE WITH: LINES-QC, REACH BOOM		
		AVAILABLE FOR: AM-N, ANZ		
L	253-6501	LINES-QC, R8'8"/M8'4" STICK	23	\$1,195
		ONLY FOR USE WITH: LINES-QC, REACH BOOM		
		AVAILABLE FOR: AM-N, ANZ		

STARTERS, BATTERIES, & ALTERNATORS

BATTERY AND STARTING COLD WEATHER

L	398-7068	STARTING, COLD WEATHER, JS	0	\$1,115
		For ambient temperatures above -(minus) 32 degrees C (-26F).		
		With Jump start resectable		
		AVAILABLE FOR: M-N, ANZ, EUR, Hong Kong, Taiwan		

OPERATOR ENVIRONMENT

PATTERN CHANGER

L	456-8840	CHANGER,HAND CTRL 2-WAY (ANSI)	0	\$1,270
		AVAILABLE FOR: AM-N (except for Quebec)		

CATERPILLAR MACHINE PRICE LIST

335F CR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------------	--------------------	-------------------------

GUARDS

SWIVEL GUARD

L	134-8887	GUARD, SWIVEL	97	\$362
		AVAILABLE FOR: AM-N, ANZ		

GUARD, VANDALISM

L	316-8832	GUARD, VANDALISM	0	\$880
		AVAILABLE FOR: AM-N, ANZ		

CATERPILLAR MACHINE PRICE LIST

335F CR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

BUCKETS

NOTE: Stick, bucket linkage and bucket must be matched.

Includes tooth adapters welded on cutting edge.
 Does not include tooth tips or sidecutters.
 Rated capacity, SAE heaped.

HEAVY DUTY (HD)

The most popular excavator bucket style. A good "center line" choice, or starting point, when application conditions are not well known.

P	541-1746	BKT HD 36" 1.19YD3 CB	1,978	\$9,469
		REQUIRES: 4 tips Advansys100 ONLY FOR USE WITH: CB Family bucket linkage		
P	541-1747	BKT HD 42" 1.46YD3 CB	2,156	\$10,018
		REQUIRES: 5 tips Advansys100 ONLY FOR USE WITH: CB Family bucket linkage		
P	541-1748	BKT HD 47" 1.74YD3 CB	2,313	\$10,742
		REQUIRES: 5 tips Advansys100 ONLY FOR USE WITH: CB Family bucket linkage		
P	541-1750	BKT HD 54" 2.01YD3 CB	2,504	\$11,311
		REQUIRES: 6 tips Advansys100 ONLY FOR USE WITH: CB Family bucket linkage		

SIDE CUTTERS

P	357-2698	SIDECUTTERS, HEAVY DUTY	109	\$1,353
		INCLUDES: LH and RH heavy duty sidecutter ONLY FOR USE WITH: BUCKET-HD, 900MM 0.91 M3 (36" 1.19 YD3) CB BUCKET-HD, 1050MM 1.12 M3 (42" 1.46 YD3) CB BUCKET-HD, 1200MM 1.33 M3 (48" 1.74 YD3) CB BUCKET-HD 1350MM 1.54 M3 (54" 2.02 YD3) CB		

TIP (ADAPTER SIZE ADVANSYS 100)

P	505-4103	TIP, PENETRATION PLUS ADVANSYS	28	\$138
		ONLY FOR USE WITH: Factory installed bucket BKT HD 900MM 0.91M3 CB(36" 1.19 YD3) CB BKT HD 1050MM 1.12M3 CB(42" 1.46 YD3) CB BKT HD 1200MM 1.33M3 CB(48" 1.74 YD3) CB BKT HD 1350MM 1.54M3 CB(54" 2.02 YD3) CB BKT HD 1350MM 1.54M3 CB(54" 2.02 CYD) CB BKT HD 1500MM 1.76M3 CB(60" 2.30 YD3) CB		

FLUIDS

ANTIFREEZE

0P-2407	ANTIFREEZE, -50C (-58F)	0	\$251 NET
---------	-------------------------	-----------	---	-----------

CATERPILLAR MACHINE PRICE LIST

335F CR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS

KIT AM-N -- available through ANTARES Parts Ordering.

- 484-6827 Cold Weather field installation Retrofit Kit PKG (upgrade from -18C Cold Weather ready PKG to -32C Cold Weather ready PKG to -32C Cold Weather PKG)
- 488-6525 Seat Belt, Retractable (76mm / 3" width) w/ Flexible Buckle Mandatory for California and ANZ
- 499-3722 Rain Protector for Front Windshield
- 353-2130 and 353-2131 Ashtray for Cup Holder
- 484-7816 FOGS Retrofit Kit PKG (Compatible with 1-Piece & 70/30 window, Openable front & top, support dual exit, including Cab Lights, Cab Mirror)
- 484-8798 FOGS Retrofit Kit PKG (Compatible with 1-Piece & 70/30 window, Openable front & fixed top guard, not support with dual exit, including Cab Lights, Cab Mirror)
- 457-3998 Mesh for front guard Retrofit Kit PKG (Full net, one piece for hammer use, including Cab Lights, Cab Mirror)
- 486-1416 Security systems (MSS)
- 499-3739 Travel Alarm

PACKING

STORAGE PROTECTION

0G-4126	STORAGE PROTECTION (EXPORT) 0	\$274 NET
	Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.	

EXPORT PACKING (SELECT ONE)

0G-4202	ROLL ON-ROLL OFF 0	\$128 NET
	For use when ordering an installed bucket or quick coupler	
0G-0482	ROLL ON-ROLL OFF W/O BKT QC CB 0	\$164 NET
	For use when NOT ordering an installed bucket or quick coupler	